



List of Conforming Driver Heads

Effective
November 04, 2024

:IMPORTANT:

Driver heads manufactured prior to 1999 are exempt from the requirement of this Condition

The List of Conforming Driver Heads will be updated effective each Monday. Please visit www.usga.org or www.randa.org for the most recent listing.

Please note that additional driver heads will be added to the list on a weekly basis. The effective date of the List of Conforming Driver Heads is provided at the top of each page. To keep your printed list up-to-date, you may print recent updates by using the date field of the on-line searchable database to dynamically print those driver heads added since the effective date of this list.

How to Use The List of Conforming Driver Heads

The List of Conforming Driver Heads identifies the models and lofts of all driver heads that have been submitted for evaluation to The R&A and/or United States Golf Association and have been determined to conform to the Rules of Golf. It is updated every Monday.

Driver heads are listed in alphabetical order by manufacturer or by product name, depending on which PDF list you have printed. Each model is listed as a separate entry with corresponding lofts and identification markings that are essential to determining whether the driver listed is the same as the driver in question. There are sometimes only subtle differences in the markings differentiating two different models of a driver head, e.g. one model may have a degree symbol (conforming) and a similar model could be without a degree symbol (USGA non-conforming or R&A non-conforming in 2008), and those differences vary from manufacturer to manufacturer. As a result, if all markings of the clubhead do not match exactly to a club that is in question, it may be a different model and you should check with the USGA or The R&A to determine whether it appears there. If you have any question regarding the conformance status of any club, please contact the R&A or USGA for further assistance.

A link to an image of each driver included on this list is available through the searchable online database by clicking the 'View Photo' link. Please note that only the image of the driver head's sole is provided, therefore, it should only be used for reference purposes. There are often models that have identical sole markings but have different face, crown, toe or heel markings. The sole markings alone are not enough to conclude that the clubhead in question is the model listed.

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|---------------------------------------|---------------|--|
| 1 Iron Golf, Inc. | 1 Iron Dark Horse (Version 3) | 10.5 | SOLE: 1 Iron, (weight port), (dark horse logo), DARK, HORSE, (loft) CROWN: (triangle alignment marker) FACE:(loft) |
| | | | view image here |
| 1 Iron Golf, Inc. | 1 Iron Dark Horse (Version 3) (LH) | 10.5 | SOLE: 1 Iron, (dark horse logo), DARK, HORSE, (weight port), (loft) CROWN: (triangle alignment marker) FACE:(loft) |
| 41 0 15 1 | 4 l Titani | 12 | view image here |
| 1 Iron Golf, Inc. | 1 Iron Titanium | 12 | SOLE: (loft), 1 Iron, (line), Titanium CROWN: One Iron Golf |
| | | | view image here |
| 1879 Co. Ltd. | Orac 79 (version 2) | 10.5 | SOLE: (weight port), ((logo) degree), ORAC79, (loft), IMPACT PLUS CROWN: (alignment mark) |
| | | | view image here |
| 300 Yards.com, Inc. | ES 450 | 7.5,9,10.5,12 | SOLE: 300, YARDS.COM, (ES450 media blast), CUP-FACE TECHNOLOGY, (loft) |
| | | | <u>view image here</u> |
| A Design Golf Inc | A Grind | 9.5,10.5 | SOLE: KOBE JAPAN, (loft), (A logo), A GRIND |
| | | | view image here |
| A Design Golf Inc | A Grind + EZ-D | 10.5 | SOLE: A GRIND+, (A logo), EZ-D, (weight port) BACK: (weight port) HEEL: ((loft) underlined) view image here |
| A Design Golf Inc | A Grind + EZ-D (HL) | N/A | SOLE: A GRIND+, (A logo), EZ-D, (weight |
| 3 | , , | | port) BACK: (weight port) HEEL: (HL underlined) |
| | | | view image here |
| A Design Golf Inc | A Grind BX-D | 9.5,10.5 | SOLE: (weight port), BX-D, (weight port), A GRIND, (A logo), (loft), (weight port) |
| | | | view image here |
| A Design Golf Inc | A Grind BZ-D | 9.5,10.5 | SOLE: A GRIND, (A logo), BZD, (weight port), (weight port), (weight port) HEEL: (weight port), (loft) |
| | | | view image here |
| A Design Golf Inc | a grind Classic | 9.5,10.5 | SOLE: (A logo), a grind, Classic, KOBE JAPAN, 350 (dot) 59.5 (dot) (loft), 1 |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|--------------------|----------|--|
| A Design Golf Inc | A Grind Junior | 17 | SOLE: Ti, JUNIOR, A GRIND, (A logo), (loft) |
| | | | view image here |
| A Design Golf Inc | A Grind Type D 1 | 9.5,10.5 | SOLE: KOBE JAPAN, A GRIND, (A logo), 1, (loft) |
| | | | view image here |
| A Design Golf Inc | A Grind Y-Proto | 9,10 | SOLE: Y-PROTO, (loft), (A logo), A GRIND |
| | | | view image here |
| A Design Golf Inc | A Grind+ EX-D | 9.5,10.5 | SOLE: A GRIND+, (A logo), (loft), EX-D |
| | | | view image here |
| A Design Golf Inc | A Grind+ EX-D (HL) | N/A | SOLE: A GRIND+, (A logo), HL, EX-D |
| | | | view image here |
| A M C Co Ltd (Tokita | 450 Forged Titan | 10 | SOLE: 1 (loft), 450, FORGED TITAN |
| AC Inc) | | | view image here |
| A M C Co Ltd (Tokita | 460 FX | 10.5 | SOLE: 1 (loft), 460 FX, STRONG 10.2.3, |
| AC Inc) | | | FORGED TITAN, a·m·c (in rectangle) |
| | | | view image here |
| A M C Co Ltd (Tokita AC Inc) | Acer XDS | 10 | SOLE: ACER, XDS 2(superscript), THIN FACE TECHNOLOGY, FORGED TITANIUM, (loft) CROWN: (alignment mark) |
| | | | view image here |
| A M C Co Ltd (Tokita AC Inc) | Acer XDS (LH) | 10 | SOLE: ACER, XDS 2(superscript), THIN FACE TECHNOLOGY, (loft), FORGED TITANIUM CROWN: (alignment mark) view image here |
| A M C Co Ltd (Tokita | Aim Eighty | N/A | SOLE: AIM EIGHTY, 1 a·m·c (in rectangle), |
| AC Inc) | | | TITANIUM |
| | | | view image here |
| A M C Co Ltd (Tokita AC Inc) | AS1 Anti Slice | 10.5 | SOLE: a.m.c, AS1, ANTI-SLICE, EASY TO HIT, (loft), (weight ports) |
| | | | view image here |
| A M C Co Ltd (Tokita AC Inc) | Big Vegas | 10.5 | SOLE: 1 (loft), Big Vegas (underlined), 450 a-B TITAN (in oval), a.m.c FACE:SP-700 |
| | | | view image here |
| A M C Co Ltd (Tokita AC Inc) | Black Steed | N/A | SOLE: 1, BLACK STEED, FORGED TITAN, a·m·c (in rectangle) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|------------------------|-----------|---|
| A M C Co Ltd (Tokita AC Inc) | Blaster' X | 10.5 | SOLE: a.m.c, BLASTER', X, (loft), DUBLE IMPACT SOLE WEIGHT, (weight ports) |
| A M C Co Ltd (Tokita AC Inc) | Blaster X' (LH) | 10.5 | SOLE: a·m·c, BLASTER', X, (loft), DUBLE IMPACT SOLE WEIGHT view image here |
| A M C Co Ltd (Tokita AC Inc) | Blaster' XX | 10.5 | SOLE: a.m.c, BLASTER', (XX media blast logo), (loft), DUBLE IMPACT SOLE WEIGHT, (weight ports) |
| A M C Co Ltd (Tokita AC Inc) | Boston | 10.5 | SOLE: (The media blast), BOSTON, EASY TO HIT, (loft) view image here |
| A M C Co Ltd (Tokita AC Inc) | Charger X' 350 | 9,10.5,14 | SOLE: Tungsten Cu, (loft) 1, a.m.c (in rectangle), CHARGER X' (underlined), HI-C.O.R. TITANIUM, 350 CROWN: (alignment mark) |
| A M C Co Ltd (Tokita AC Inc) | Charger X' 350 (LH) | 10.5 | SOLE: Tungsten Cu, 1 (loft), a.m.c (in rectangle), CHARGER X' (underlined), HI-C.O.R. TITANIUM, 350 CROWN: (alignment mark) |
| A M C Co Ltd (Tokita AC Inc) | Charger X' Special | 10.5,14 | SOLE: CHARGER X', SPECIAL, MAX HEAD SPEED, 1 (loft), (SP on inset) view image here |
| A M C Co Ltd (Tokita AC Inc) | Charger X'-II (ladies) | 14 | SOLE: 1 (loft), a.m.c, CHARGER X'-II, EASY TO HIT, 410-Ti view image here |
| A M C Co Ltd (Tokita AC Inc) | Charger X'-II Tour | 10.5 | SOLE: 1 (loft), a.m.c, CHARGER X'-II, TOUR, EASY TO HIT, 460-Ti view image here |
| A M C Co Ltd (Tokita AC Inc) | Chicago 430 | 14 | SOLE: 1 (loft), a·m·c, Chicago, THIN FACE, THE POWER WOOD, 430 view image here |
| A M C Co Ltd (Tokita AC Inc) | Chicago 450 | 10.5 | SOLE: 1 (loft), a·m·c, Chicago, THIN FACE, THE POWER WOOD, 450 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|----------------|-------|---|
| A M C Co Ltd (Tokita AC Inc) | Cozmo | 10.5 | SOLE: 350, COZMO, FORGED, TITANIUM (in circle), (loft) 1 |
| , to me, | | | view image here |
| A M C Co Ltd (Tokita AC Inc) | Db-400 (LH) | 10.5 | SOLE: 1 (loft), Db-400, 2-TUNGSTEN WEIGHT, FORGED TITAN, a.m.c FACE:a-Bti view image here |
| A M C Co Ltd (Tokita AC Inc) | Decalong | 10.5 | SOLE: 1 (loft), DECALONG, THIN TOP 0.6t 3AL2V-Ti, a.m.c FACE:ß-Ticnc view image here |
| A M C Co Ltd (Tokita AC Inc) | Decanami Super | 10.5 | SOLE: DECANAMI, SUPER, 460 TITAN, a.m.c, 1 (loft) CROWN: (alignment mark) |
| A M C Co Ltd (Tokita AC Inc) | Decatan LS | 10.5 | view image here SOLE: DECATAN, LS, EASY TO HIT, (loft), IMPACT POWER, TECHNOLOGY TOE: a.m.c CROWN: (alignment mark) view image here |
| A M C Co Ltd (Tokita AC Inc) | Decatan Super | 10.5 | SOLE: DECATAN, SUPER, 460 TANJYAKU TITAN, a.m.c, 1 (loft) CROWN: (alignment mark) view image here |
| A M C Co Ltd (Tokita AC Inc) | Decatan Zero 1 | 10.5 | SOLE: DECATAN ZERO 1, a.m.c, (loft) view image here |
| A M C Co Ltd (Tokita AC Inc) | Decatan Zero 2 | 10.5 | SOLE: DECATAN ZERO 2, a.m.c, (loft) view image here |
| A M C Co Ltd (Tokita AC Inc) | EMC2 | 10 | SOLE: VENTURE, EMC2 (superscript), FORGED, TITANIUM, (loft), Energy, Effect CROWN: (alignment mark) view image here |
| A M C Co Ltd (Tokita AC Inc) | Great Rally | 10.5 | SOLE: Great, Rally 430Ti, 1 (loft), a.m.c, CUP FACE, TECHNOLOGY view image here |
| A M C Co Ltd (Tokita AC Inc) | LT-400 | 11 | SOLE: 1 -(loft)-, Lt-400, ULTRA LIGHT DISTANCE, EASY LONG, a.m.c BACK: TUNGSTEN, WEIGHT FACE:a-Bti |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|------------------------|---------|---|
| A M C Co Ltd (Tokita AC Inc) | LT-450 Tanjyaku | 15 | SOLE: (circle), 1, Lt-450, TANJYAKU, a.m.c, -(loft)- view image here |
| A M C Co Ltd (Tokita AC Inc) | Lucid-15 | N/A | SOLE: 1, LUCID-15, Big Carry, Max Distance, a.m.c view image here |
| A M C Co Ltd (Tokita AC Inc) | M-240 | 10.5 | SOLE: a·m·c (in rectangle), M-240, (loft), A.M.C ORIGINAL, HYPER STAINLESS, 1 |
| A M C Co Ltd (Tokita AC Inc) | MAD-01 | 10.5 | SOLE: MAD-01, 1 (loft), EASY TO HIT, MAXIMUM DISTANCE, a.m.c, 430-Ti FACE:15-3-3-3 |
| A M C Co Ltd (Tokita AC Inc) | Mad-01 Plus | 10.5 | SOLE: MAD-01, (triangle) PLUS (triangle), EASY TO HIT, MAXIMUM DISTANCE, a.m.c, 460-Ti, 1 (loft), TITANIUM view image here |
| A M C Co Ltd (Tokita AC Inc) | Mahha | 10.5 | SOLE: (loft), MAHHA, DRIVER, a.m.c, TITANIUM view image here |
| A M C Co Ltd (Tokita AC Inc) | MD-15 | 15 | SOLE: 1, CARRY & RUN, MD-15, RATIONAL CONCEPT, 370 SOLID TITAN, a.m.c CROWN: (alignment mark) view image here |
| A M C Co Ltd (Tokita AC Inc) | New Decatan 360 | 10.5,12 | SOLE: 1 -(loft)-, NEW, DECATAN, BIG 360 TITAN, STRONG, POWER FACE:a-B Ti view image here |
| A M C Co Ltd (Tokita AC Inc) | Pro Vegas | 9,10 | SOLE: 1 (loft), Pro Vegas (underlined), 450 TITAN DRIVER (in oval), a·m·c view image here |
| A M C Co Ltd (Tokita AC Inc) | Progress-U LD (ladies) | N/A | SOLE: a·m·c (in rectangle), 1 PROGRESS-U, FORGED TITAN view image here |
| A M C Co Ltd (Tokita AC Inc) | Progress-Z | N/A | SOLE: 1, PROGRESS-Z, Tungsten & Cu Inserted 300, 15-3-3-3, FORGED TITAN FACE:15-3-3-3 |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|-------------------|-----------|--|
| A M C Co Ltd (Tokita AC Inc) | Project-DX | N/A | SOLE: a·m·c, PROJECT-DX, 1, FORGED TITAN view image here |
| A M C Co Ltd (Tokita AC Inc) | Prominent | N/A | SOLE: 1, PROMINENT, FORGED TITAN, a·m·c (in rectangle) view image here |
| A M C Co Ltd (Tokita AC Inc) | Proverb-U | 10.5 | SOLE: 1 (loft), PROVERB-U, TUNGSTEN WEIGHTED, a.m.c, FORGED TITAN 350 FACE:15-3-3-3 |
| A M C Co Ltd (Tokita AC Inc) | Proverb-Ux Driver | 10.5 | SOLE: 1 (loft), PROVERB-Ux, TRIPLE TUNGSTEN WEIGHT, a.m.c, FORGED TITAN 395 FACE:15-3-3-3 |
| A M C Co Ltd (Tokita AC Inc) | Rally 300 | 10.5,13.5 | SOLE: 1 (loft), Rally 300, FULL TITAN HI C.O.R 390CC, 2 POSITION TUNGSTEN, a.m.c FACE:B-TITAN view image here |
| A M C Co Ltd (Tokita AC Inc) | Revenge | 10.5 | SOLE: a.m.c, REVENGE, THREE and ONE ULTRA WEIGHT, 1 (loft), SUPER TITAN view image here |
| A M C Co Ltd (Tokita AC Inc) | S Cavalier | N/A | SOLE: (logo), 1, TITAN, S,, CAVALIER, a·m·c FACE:15-3-3-3 |
| A M C Co Ltd (Tokita AC Inc) | Scotland (offset) | 10.5 | SOLE: 1 (loft), Lively, SCOTLAND, EXTREME OFFSET, a·m·c (in rectangle) view image here |
| A M C Co Ltd (Tokita AC Inc) | SP-Chicago 420 | 10.5 | SOLE: THIN FACE, -SP-, 1, (loft), Chicago, THE POWER WOOD, 420-N, a.m.c CROWN: (alignment mark) view image here |
| A M C Co Ltd (Tokita AC Inc) | ß-350 | N/A | SOLE: ß-350, PRO MODEL, 1, FORGED TITAN FACE:ß-TITAN view image here |
| A M C Co Ltd (Tokita AC Inc) | System 3000 320cc | 10.5 | SOLE: Power Play, SYSTEM, 3000, 320cc, (loft), titanium CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|-------------------------|-----------|---|
| A M C Co Ltd (Tokita AC Inc) | System 3000 360cc | 10.5 | SOLE: Power Play, SYSTEM, 3000, 360cc, (loft), titanium CROWN: (alignment mark) view image here |
| A M C Co Ltd (Tokita AC Inc) | System 3000 A/L | 10.5 | SOLE: Power Play, SYSTEM, 3000, 375cc, (loft), 6061 CROWN: (alignment mark) view image here |
| A M C Co Ltd (Tokita AC Inc) | System 3000 A/L (LH) | 10.5 | SOLE: Power Play, SYSTEM, 3000, 375cc, (loft), 6061 CROWN: (alignment mark) view image here |
| A M C Co Ltd (Tokita AC Inc) | T-300 LD (LH) | 13.5 | SOLE: T300-LD, FORGED TITAN, -(loft)-, 1 CROWN: (alignment mark) view image here |
| A M C Co Ltd (Tokita AC Inc) | T-300 LF (LH) | N/A | SOLE: T300-LF, FORGED TITAN, 1 CROWN: (alignment mark) <u>view image here</u> |
| A M C Co Ltd (Tokita AC Inc) | TC-37 | 10.5,13.5 | SOLE: 1 (loft), TC-37, CROSS CARBON COMPOSITE TITAN, LOW & DEEP C.O.G, HI C.O.R, FORGED TITAN, a.m.c FACE:a-Bti view image here |
| A M C Co Ltd (Tokita AC Inc) | Texas-D | 10.5 | SOLE: a.m.c, TEXAS-D, 460 FORGED TITAN, 1 (loft) view image here |
| A M C Co Ltd (Tokita AC Inc) | Texas-D Premium Gold | 10.5 | SOLE: a.m.c, TEXAS-D, Premium Gold, 1 (loft), ((line), GOLD, (line) on inset) view image here |
| A M C Co Ltd (Tokita AC Inc) | Tri Attack | N/A | SOLE: Tri, ATTACK, Flash of Lightning, (media blast logo) view image here |
| A M C Co Ltd (Tokita AC Inc) | Tri Effect | 10.5 | SOLE: 460cc, Tri, (2 lines) Effect (2 lines), FLIGHT ADJUSTMENT SYSTEM TECHNOLOGY, a·m·c, (loft) FACE:(2 lines) Effect (2 lines) view image here |
| A M C Co Ltd (Tokita AC Inc) | Trusty | N/A | SOLE: TRUST'Y, FORGED TITANIUM, 1, a·m·c CROWN: (alignment mark) view image here |

| November 04, 2024 | | | |
|---------------------------------|--------------------|----------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| A M C Co Ltd (Tokita AC Inc) | Try Challenge | 10.5 | SOLE: Try, Challenge, TYPE square, (TC media blast logo), (loft) view image here |
| A M C Co Ltd (Tokita AC Inc) | Twin Muscle | 10.5,12 | SOLE: 1 (loft), COMPOSITE DISTANCE, a.m.c, TWIN MUSCLE, TITAN & CARBON CROWN: (alignment mark) view image here |
| A M C Co Ltd (Tokita AC Inc) | V Spec | 10.5 | SOLE: (loft), V SPEC, a·m·c |
| A M C Co Ltd (Tokita AC Inc) | Vegas-A1 | 10.5 | SOLE: 1, Vegas-A1, (line), 380 ß-titan (in oval), STRONG FORGED, -(loft)-, EZ & MIGHTY, a·m·c FACE:ßTITAN view image here |
| A M C Co Ltd (Tokita AC Inc) | Velociteque | 10.5 | SOLE: Velociteque, TITANIUM, 1 SOLE (logo) HEAVY, (loft) CROWN: (alignment mark) view image here |
| A M C Co Ltd (Tokita AC Inc) | VV 360D | 10.5 | SOLE: VV Vivity, 1 (loft), 360D, STRONG TITANIUM, Sammy Golf FACE:10.2.3 view image here |
| Accumade, Inc. | G-1 385cc | 9 | SOLE: ACCUMADE, G-1, 1, (loft), Forged Titanium, Plasma Treated, 385cc CROWN: (A alignment mark) HOSEL: A view image here |
| Acropolis Golf | Ares | 5.5,7,10 | SOLE: (loft), ares, (six dots), god of war, plasma welded, titanium TOE: ACROPOLIS view image here |
| ACT Co Ltd | B.G. Holder Act R8 | N/A | SOLE: 1, B.G., HOLDER, ACT R8 view image here |
| ACT Co Ltd | BG Holder 430 | N/A | SOLE: BG, HOLDER, 1, ß RICH TITANIUM, CUPFACR 430 view image here |
| ACT Co Ltd | BG Holder 460 | N/A | SOLE: 1, ACTGOLF 06JAPAN, BG, HOLDER, ß RICH TITANIUM, CUPFACR 460 |
| | | | <u>view image here</u> |

| Dun dun 4 N | 1 - 6 - | March and March |
|-------------------------|---|---|
| Product Name | Lofts | Identification Markings |
| BG Holder Quality | N/A | SOLE: BG (in oval), HOLDER, QUALITY, 1, TITANIUM, ACT GOLF 07 JAPAN view image here |
| GMV | N/A | SOLE: GMV, ß RICH TITANIUM, CUP FACE view image here |
| GMV Square J70 | N/A | SOLE: 1, GMV, V•YELL, SQUARE, ACTJ70 view image here |
| Gross Magic Deka 365 | N/A | SOLE: GROSS MAGIC, DEKA365, 1 (ACT in golf scene logo), ß RICH TITANIUM, CUP FACE view image here |
| Gross Magic Deka 405 | N/A | SOLE: GROSS MAGIC, DEKA405, 1 (ACT in golf scene logo), ß RICH TITANIUM, CUP FACE view image here |
| Hideo | N/A | SOLE: HIDEO, (horses logo), asm, 1 <u>view image here</u> |
| Kinetics | N/A | SOLE: KiNETiCS, Follow Wind, 1, ßRICHTITANIUM, CUPFACE 430 view image here |
| Lontano | N/A | SOLE: 1, Lontano, NEXT Engine BACK: (ACT GOLF 12 JAPAN, Lontano over globe logo, ACT GOLF 12 JAPAN on circular inset) TOE: Your ball will fly to the further HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Lutin | 9.5 | SOLE: 1 (loft), Lutin, Ti-ness BACK: (wings logo on inset) view image here |
| Titleist 905R | 7.5,8.5,9.5,10.5,11.5 | SOLE: (loft), Titleist, (circular weight plug) (segmented triangle) (segmented triangle), PRO • TITANIUM 905R CROWN: (line and triangle alignment mark) view image here |
| Titleist 905R (LH) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, (segmented triangle) (segmented triangle), (circular weight plug), PRO • TITANIUM 905R CROWN: (line and triangle alignment mark) view image here |
| | GMV GMV Square J70 Gross Magic Deka 365 Gross Magic Deka 405 Hideo Kinetics Lontano Lutin Titleist 905R | BG Holder Quality N/A GMV N/A GMV Square J70 N/A Gross Magic Deka 365 N/A Gross Magic Deka 405 N/A Hideo N/A Kinetics N/A Lontano N/A Lutin 9.5 Titleist 905R 7.5,8.5,9.5,10.5,11.5 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|------------------------------------|-----------------------|--|
| Acushnet Company | Titleist 905S | 7.5,8.5,9.5,10.5 | SOLE: (loft), Titleist, (segmented triangle) (circular weight plug) (segmented triangle), PRO • TITANIUM 905S CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 905S (LH) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, (segmented triangle) (circular weight plug) (segmented triangle), PRO • TITANIUM 905S CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 905T | 7.5,8.5,9.5,10.5,11.5 | SOLE: (loft), Titleist, (segmented triangle) (circular weight plug) (segmented triangle), PRO • TITANIUM 905T CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 905T (LH) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, (segmented triangle) (circular weight plug) (segmented triangle), PRO • TITANIUM 905T CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 905Z | 8.5,9.5,10.5 | SOLE: (loft), Titleist, (segmented triangle) (circular weight plug) (segmented triangle), PRO • TITANIUM 905Z CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 907 D1 460 | 7.5,8.5,9.5,10.5,11.5 | SOLE: (loft), Titleist, (three line arrow), 907 D1 BACK: 460cc TOE: D1 CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 907 D1 460 (LH) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, (three line arrow), 907 D1 BACK: 460cc TOE: D1 CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 907 D2 460 (Version 1) | 7.5,8.5,9.5,10.5 | SOLE: Titleist, (three line arrow), 907 D2 BACK: 460cc TOE: (loft) CROWN: (line and triangle alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|---|-----------------------|---|
| Acushnet Company | Titleist 907 D2 460 (Version 2) | 7.5,8.5,9.5,10.5,11.5 | SOLE: (loft), Titleist, (three line arrow), 907 D2 BACK: 460cc TOE: D2 CROWN: (line and triangle alignment mark) |
| Acushnet Company | Titleist 907 D2 460 (Version 2) (LH) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, (three line arrow), 907 D2 BACK: 460cc TOE: D2 CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 907 D4 425 | 7.5,8.5,9.5 | SOLE: (loft), Titleist, (three line arrow), 907 D4 BACK: 425cc TOE: D4 CROWN: (line and triangle alignment mark) |
| Acushnet Company | Titleist 907 D4 425cc | 10.5 | SOLE: (loft), Titleist, (three line arrow), 907 D4 BACK: 425cc TOE: D4 CROWN: (line and triangle alignment mark) |
| Acushnet Company | Titleist 909 D Comp | 7.5,8.5,9.5,10.5,11.5 | SOLE: (loft), Titleist, 909 D COMP, (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 909 D Comp (LH) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, 909 D COMP, (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 909 D Comp (w/ Surefit) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, 909 D COMP, (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 909 D2 | 7.5,8.5,9.5,10.5,11.5 | SOLE: (loft), Titleist, 909 D2 BACK: (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------------------------|---------------------|--|
| Acushnet Company | Titleist 909 D2 (LH) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, 909 D2 BACK: (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 909 D2 (w/ Surefit) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, 909 D2 BACK: (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) |
| Acushnet Company | Titleist 909 D2 (w/ Surefit) (LH) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, 909 D2 BACK: (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 909 D3 | 8.5,9.5,10.5 | SOLE: (loft), Titleist, 909 D3 BACK: (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 909 D3 (LH) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, 909 D3 BACK: (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 909 D3 (w/ Surefit) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, 909 D3 BACK: (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 909 D3 (w/ Surefit) (LH) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, 909 D3 BACK: (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 910 D2 (w/ Surefit) | 7.5,8.5,9.5,10.5,12 | SOLE: (loft), Titleist, 910 D2, (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 910 D2 (w/ Surefit) (LH) | 8.5,9.5,10.5,12 | SOLE: (loft), Titleist, 910 D2, (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------------------------|---------------------|--|
| Acushnet Company | Titleist 910 D3 (w/ Surefit) | 7.5,8.5,9.5,10.5 | SOLE: (loft), Titleist, 910 D3, (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 910 D3 (w/ Surefit) (LH) | 8.5,9.5,10.5 | SOLE: (loft), Titleist, 910 D3, (circular weight) TOE: Titleist CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 913 D2 (LH) | 8.5,9.5,10.5,12 | SOLE: (loft), Titleist, 913D2, (bent line w/ six slashes), ((screw), (dot) in insert) TOE: Titleist CROWN: (line, triangle alignment mark) view image here |
| Acushnet Company | Titleist 913 D2 (Version 1) | 7.5,8.5,9.5,10.5,12 | SOLE: (loft), Titleist, 913D2, (bent line w/ six slashes), ((dot), (screw) in insert) TOE: Titleist CROWN: (line, triangle alignment mark) view image here |
| Acushnet Company | Titleist 913 D2 (Version 2) | 9.5 | SOLE: (loft w/ dot), Titleist, 913D2, (bent line w/ six slashes), ((dot), (screw) in insert), (port w/ screw) TOE: Titleist CROWN: (line, triangle alignment mark) HOSEL: (dot), (orientation indicators) view image here |
| Acushnet Company | Titleist 913 D3 | 7.5,8.5,9.5,10.5,12 | SOLE: (loft), Titleist, 913D3, (bent line w/ six slashes), ((dot), (screw) in insert) TOE: Titleist CROWN: (line, triangle alignment mark) view image here |
| Acushnet Company | Titleist 913 D3 (LH) | 8.5,9.5,10.5,12 | SOLE: (loft), Titleist, 913D3, (bent line w/ six slashes), ((screw), (dot) in insert) TOE: Titleist CROWN: (line, triangle alignment mark) view image here |
| Acushnet Company | Titleist 915 D2 | 7.5,8.5,9.5,10.5,12 | SOLE: 915 D2, (screw in insert), Titleist, (six lines), ACTIVE RECOIL CHANNEL, (loft), (port for screw) TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), (orientation indicators) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|----------------------|------------------|--|
| Acushnet Company | Titleist 915 D2 (LH) | 8.5,9.5,10.5,12 | SOLE: 915 D2, (six lines), ACTIVE RECOIL CHANNEL, Titleist, (screw in insert), (port for screw), (loft) TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), (orientation indicators) view image here |
| Acushnet Company | Titleist 915 D3 | 7.5,8.5,9.5,10.5 | SOLE: 915 D3, (screw in insert), Titleist, (six lines), ACTIVE RECOIL CHANNEL, (loft), (port for screw) TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), (orientation indicators) |
| Acushnet Company | Titleist 915 D3 (LH) | 8.5,9.5,10.5 | SOLE: 915 D3, (six lines), ACTIVE RECOIL CHANNEL, Titleist, (screw in insert), (port for screw), (loft) TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), (orientation indicators) view image here |
| Acushnet Company | Titleist 915 D4 | 8.5,9.5,10.5 | SOLE: 915 D4, Titleist, (screw in insert), ACTIVE RECOIL CHANNEL, (six lines), (loft), (port for screw) TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), (orientation indicators) view image here |
| Acushnet Company | Titleist 915 D4 (LH) | 8.5,9.5,10.5 | SOLE: (six lines), ACTIVE RECOIL CHANNEL, 915 D4, Titleist, (screw in insert), (loft), (port for screw) TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), (orientation indicators) view image here |
| Acushnet Company | Titleist 915 D5 | 9.5 | SOLE: 915 D5, (screw in insert), Titleist, (six lines), ACTIVE RECOIL CHANNEL, (loft), (port for screw) TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), (orientation indicators) view image here |
| Acushnet Company | Titleist 917 D2 | 8.5,9.5,10.5,12 | SOLE: SUREFIT CG, Titleist, 917D2, (loft), Active Recoil Channel TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), (orientation indicators) FACE:RADIAL SPEED FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|----------------------|--------------------------------|--|
| Acushnet Company | Titleist 917 D2 (LH) | 8.5,9.5,10.5,12 | SOLE: Active Recoil Channel, Titleist, 917D2, (loft), SUREFIT CG TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), (orientation indicators) FACE:RADIAL SPEED FACE view image here |
| Acushnet Company | Titleist 917 D3 | 8.5,9.5,10.5 | SOLE: SUREFIT CG, Titleist, 917D3, (loft), Active Recoil Channel TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), (orientation indicators) FACE:RADIAL SPEED FACE view image here |
| Acushnet Company | Titleist 917 D3 (LH) | 8.5,9.5,10.5 | SOLE: Active Recoil Channel, Titleist, 917D3, (loft), SUREFIT CG TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), (orientation indicators) FACE:RADIAL SPEED FACE view image here |
| Acushnet Company | Titleist 975E | 8.5 | SOLE: (loft), Titleist, (elongated triangle) (elongated triangle), PRO TITANIUM, 975E CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 975E-FS | 8.5 | SOLE: (loft), Titleist, (elongated triangle) (elongated triangle), Pro Titanium, 975E-FS CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 975E-VS | 7.5,9.5 | SOLE: (loft), Titleist, (elongated triangle) (elongated triangle), PRO TITANIUM, 975E-VS CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 975J | 6.5,7.5,8.5,9.5,10.5,11.5,12.5 | SOLE: (loft), Titleist, (elongated triangle) (elongated triangle), PRO·TITANIUM, 975J CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 975J Z.5° | 5 | SOLE: Z.(loft), (line), Titleist, (elongated triangle) (elongated triangle), PRO-TITANIUM, 975J CROWN: (line and triangle alignment mark) view image here |

| | | Identification Markings |
|-----------------------|--|---|
| Titleist 975J-FS | 8.5 | SOLE: (loft), Titleist, (elongated triangle) (elongated triangle), PRO TITANIUM, 975J·FS CROWN: (line and triangle alignment mark) view image here |
| Titleist 975J-VS | 7.5,8.5,9.5,10.5,11.5 | SOLE: (loft), Titleist, (elongated triangle) (elongated triangle), PRO TITANIUM, 975J·VS CROWN: (line and triangle alignment mark) view image here |
| Titleist 975J-VS (LH) | 7.5,8.5,10.5 | SOLE: (loft), Titleist, (elongated triangle) (elongated triangle), PRO TITANIUM, 975J-VS CROWN: (line and triangle alignment mark) FACE:15-3-3-3 |
| Titleist 975L-FE | 7.5,8.5,9.5,10.5,11.5 | SOLE: (loft), Titleist, (elongated triangle) (elongated triangle), PRO TITANIUM, 975L-FE CROWN: (line and triangle alignment mark) view image here |
| Titleist 975L-FF | 7.5,8.5,9.5,10.5,11.5 | SOLE: (loft),Titleist, (elongated triangle) (elongated triangle), PRO TITANIUM, 975L-FF CROWN: (arrow alignment mark) view image here |
| Titleist 975L-FF (LH) | 7.5,8.5,10.5 | SOLE: (loft), Titleist, (elongated triangle) (elongated triangle), PRO TITANIUM, 975L·FF CROWN: (line and triangle alignment mark) view image here |
| Titleist 975X | 8.5 | SOLE: (loft), (line), Titleist, (elongated triangle) (elongated triangle), PRO TITANIUM, 975X CROWN: (line and triangle alignment mark) <u>view image here</u> |
| Titleist 976R | 7 | SOLE: (loft), Titleist, (elongated triangle), TITANIUM 976R CROWN: (line and triangle alignment mark) view image here |
| Titleist 983E | 6.5,7.5,8.5,9.5,10.5 | SOLE: (loft), Titleist, (segmented triangle) (segmented triangle), TITANIUM 983E CROWN: (line and triangle alignment mark) view image here |
| | Titleist 975J-VS (LH) Titleist 975L-FE Titleist 975L-FF (LH) Titleist 975X Titleist 976R | Titleist 975J-VS (LH) 7.5,8.5,9.5,10.5,11.5 Titleist 975L-FE 7.5,8.5,9.5,10.5,11.5 Titleist 975L-FF 7.5,8.5,9.5,10.5,11.5 Titleist 975L-FF (LH) 7.5,8.5,10.5 Titleist 975X 8.5 Titleist 976R 7 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------|---------------------------|---|
| Acushnet Company | Titleist 983E (LH) | 8.5,9.5,10.5 | SOLE: (loft), TITLEIST, (segmented triangle) (segmented triangle), TITANIUM 983E CROWN: (line and triangle alignment mark) |
| Acushnet Company | Titleist 983K | 6.5,7.5,8.5,9.5,10.5,11.5 | SOLE: (loft), Titleist, (segmented triangle) (segmented triangle), TITANIUM 983K CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist 983K (LH) | 8.5,9.5,10.5 | SOLE: (loft), TITLEIST, (segmented triangle) (segmented triangle), TITANIUM 983K CROWN: (line and arrow alignment mark) view image here |
| Acushnet Company | Titleist 983X | 8.5 | SOLE: (loft), Titleist, (segmented triangle) (segmented triangle), TITANIUM 983X CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist C16 | 9,10.5 | SOLE: Active Recoil Channel, Titleist, C16, (loft), 811 Ti Body TOE: Titleist CROWN: (C16 alignment mark), ATI 425 THIN CROWN HOSEL: (dot), (orientation indicators) HEEL: SUREFIT CG FACE:SP700 RADIAL SPEED FACE view image here |
| Acushnet Company | Titleist Dot 905S | 8.5,9.5,10.5 | SOLE: (loft), Titleist, (segmented triangle) (circular weight plug) (segmented triangle), PRO • TITANIUM • 905S CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist Dot 905T | 8.5,9.5 | SOLE: (loft), Titleist, (segmented triangle) (circular weight plug) (segmented triangle), PRO • TITANIUM • 905T CROWN: (line and triangle alignment mark) view image here |
| Acushnet Company | Titleist GT2 | 8,9,10,11 | SOLE: GT2 BACK: (weight port) TOE: Titleist CROWN: (GT alignment mark) HOSEL: (dot) (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|-------------------|---------------|--|
| Acushnet Company | Titleist GT2 (LH) | 8,9,10,11 | SOLE: GT2 BACK: (weight port) TOE: Titleist CROWN: (GT alignment mark) HOSEL: (dot) (orientation indicators) HEEL: (loft) |
| Acushnet Company | Titleist GT3 | 8,9,10,11 | SOLE: GT3 (weight port) TOE: Titleist CROWN: (GT alignment mark) HOSEL: (dot) (orientation indicators) HEEL: (loft) view image here |
| Acushnet Company | Titleist GT3 (LH) | 8,9,10,11 | SOLE: (weight port) GT3 TOE: Titleist CROWN: (GT alignment mark) HOSEL: (dot) (orientation indicators) HEEL: (loft) view image here |
| Acushnet Company | Titleist GT4 | 8,9,10 | SOLE: GT4 (weight port) BACK: (weight port) TOE: Titleist CROWN: (GT alignment mark) HOSEL: (dot) (orientation indicators) HEEL: (loft) |
| Acushnet Company | Titleist GT4 (LH) | 8,9,10 | SOLE: (weight port) GT4 BACK: (weight port) TOE: Titleist CROWN: (GT alignment mark) HOSEL: (dot) (orientation indicators) HEEL: (loft) view image here |
| Acushnet Company | Titleist TS1 | 9.5,10.5,12.5 | SOLE: TS1 TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), orientation indicators HEEL: (loft) view image here |
| Acushnet Company | Titleist TS1 (LH) | 10.5 | SOLE: TS1 TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), orientation indicators HEEL: (loft) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------|-------------------|---|
| Acushnet Company | Titleist TS2 | 8.5,9.5,10.5,11.5 | SOLE: Titleist, TS2 CROWN: (triangle alignment mark) HOSEL: (dot), orientation indicators HEEL: (loft) view image here |
| Acushnet Company | Titleist TS2 (LH) | 8.5,9.5,10.5,11.5 | SOLE: Titleist, TS2 CROWN: (triangle alignment mark) HOSEL: (dot), orientation indicators HEEL: (loft) view image here |
| Acushnet Company | Titleist TS3 | 8.5,9.5,10.5,11.5 | SOLE: Titleist, TS3 CROWN: (triangle alignment mark) HOSEL: (dot), orientation indicators HEEL: (loft) view image here |
| Acushnet Company | Titleist TS3 (LH) | 8.5,9.5,10.5 | SOLE: Titleist, TS3 CROWN: (triangle alignment mark) HOSEL: (dot), orientation indicators HEEL: (loft) view image here |
| Acushnet Company | Titleist TS4 | 8.5,9.5,10.5 | SOLE: TS4 TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), orientation indicators HEEL: (loft) view image here |
| Acushnet Company | Titleist TS4 (LH) | 8.5,9.5,10.5 | SOLE: TS4 TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (dot), orientation indicators HEEL: (loft) view image here |
| Acushnet Company | Titleist TSi1 | 9,10,12 | SOLE: TSi1, Titleist, (loft) CROWN: TSi HOSEL: (dot), orientation indicators FACE:(gear graphic) ATI view image here |
| Acushnet Company | Titleist TSi1 (LH) | 10 | SOLE: Titleist, TSi1, (loft) CROWN: TSi HOSEL: (dot), orientation indicators FACE:(gear graphic) ATI view image here |

| November 04, 2024 | | | |
|-------------------|------------------------------|-----------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Acushnet Company | Titleist TSi2 | 8,9,10,11 | SOLE: TSi2 TOE: Titleist CROWN: (TSi alignment mark) HOSEL: (dot), orientation indicators HEEL: (loft) FACE:*ATI |
| Acushnet Company | Titleist TSi2 (LH) | 8,9,10,11 | SOLE: TSi2 TOE: Titleist CROWN: (TSi alignment mark) HOSEL: (dot), orientation indicators HEEL: (loft) FACE:*ATI view image here |
| Acushnet Company | Titleist TSi3 (LH) | 8,9,10 | SOLE: TSi3 BACK: (weight location indicators on weight cover) TOE: Titleist CROWN: (TSi alignment mark) HOSEL: (dot), orientation indicators HEEL: (loft) FACE:ATI view image here |
| Acushnet Company | Titleist TSi3 (Version 1) | 8,9,10,11 | SOLE: TSi3 BACK: (weight location indicators on weight cover) TOE: Titleist CROWN: (TSi alignment mark) HOSEL: (dot), orientation indicators HEEL: (loft) FACE:ATI view image here |
| Acushnet Company | Titleist TSi3 (Version 2) | 9 | SOLE: TSi3 BACK: (weight location indicators on weight cover) TOE: Titleist CROWN: (TSi alignment mark) HOSEL: (dot), orientation indicators HEEL: (loft) view image here |
| Acushnet Company | Titleist TSi4 | 8,9,10 | SOLE: TSi4 TOE: Titleist CROWN: (TSi alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) FACE:ATI view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|---------------------------|-----------|--|
| Acushnet Company | Titleist TSi4 (LH) | 8,9,10 | SOLE: TSi4 TOE: Titleist CROWN: (TSi alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) FACE:ATI view image here |
| Acushnet Company | Titleist TSR | 13 | SOLE: (weight port) BACK: (weight port) TOE: Titleist CROWN: (TSR alignment mark) HOSEL: (club number/letter), (dot), orientation indicators HEEL: TSR |
| Acushnet Company | Titleist TSR1 | 9,10,12 | BACK: (weight port) TOE: Titleist CROWN: (TSR alignment mark) HOSEL: (loft), (dot), orientation indicators HEEL: TSR1 view image here |
| Acushnet Company | Titleist TSR1 (LH) | 9,10,12 | BACK: (weight port) TOE: Titleist CROWN: (TSR alignment mark) HOSEL: (loft), (dot), orientation indicators HEEL: TSR1 view image here |
| Acushnet Company | Titleist TSR2 (LH) | 9,10,11 | BACK: (weight port) TOE: Titleist CROWN: (TSR alignment mark) HOSEL: (loft), (dot), orientation indicators HEEL: TSR2 view image here |
| Acushnet Company | Titleist TSR2 (Version 1) | 8,9,10,11 | BACK: (weight port) TOE: Titleist CROWN: (TSR alignment mark) HOSEL: (loft), (dot), orientation indicators HEEL: TSR2 view image here |
| Acushnet Company | Titleist TSR2 (Version 2) | 9 | BACK: (weight port) TOE: Titleist CROWN: (triangle alignment mark) HOSEL: (loft), (dot), orientation indicators HEEL: TSR2 |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------------|---------------|--|
| Acushnet Company | Titleist TSR3 | 8,9,10,11 | BACK: (T2, T1, N, H1, H2 on weight port) TOE: Titleist CROWN: (TSR alignment mark) HOSEL: (loft), (dot), orientation indicators HEEL: TSR3 |
| Acushnet Company | Titleist TSR3 (LH) | 8,9,10 | BACK: (H2, H1, N, T1, T2 on weight port) TOE: Titleist CROWN: (TSR alignment mark) HOSEL: (loft), (dot), orientation indicators HEEL: TSR3 |
| Acushnet Company | Titleist TSR4 | 8,9,10 | SOLE: (weight port) BACK: (weight port) TOE: Titleist CROWN: (TSR alignment mark) HOSEL: (loft), (dot), orientation indicators HEEL: TSR4 |
| Acushnet Company | Titleist TSR4 (LH) | 8,9 | SOLE: (weight port) BACK: (weight port) TOE: Titleist CROWN: (TSR alignment mark) HOSEL: (loft), (dot), orientation indicators HEEL: TSR4 |
| Acushnet Company | Titleist VG3 (Tour) | 9.5 | SOLE: (loft), (dot), ACTIVE RECOIL CHANNEL, Titleist, VG3, PRECISION WEIGHTING TOE: Titleist CROWN: (alignment mark) HOSEL: •, (orientation indicators) view image here |
| Acushnet Company | Titleist VG3 (Version 1) | 9,10,11 | SOLE: (loft), Titleist, VG3 TOE: Titleist, (bent line) CROWN: (line, triangle alignment mark) view image here |
| Acushnet Company | Titleist VG3 (Version 2) | 9.5,10.5,11.5 | SOLE: (bent line media blast), Titleist, VG3, (triangular weight insert), (VG3 media blast), (bent line media blast) BACK: PRECISION TUNGSTEN WEIGHT TOE: Titleist, FORGED CROWN: (line, triangle alignment mark) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------------------------|--------------|---|
| Acushnet Company | Titleist VG3 (Version 3) | 9.5,10.5 | SOLE: (loft), Titleist, VG3, PRECISION WEIGHTING, (hole for shaft screw) TOE: Titleist, FORGED CROWN: (alignment mark) HOSEL: •, (orientation indicators) |
| | | 10.5.10.5 | view image here |
| Acushnet Company | Titleist VG3 (Version 3) (Ladies) | 12.5,13.5 | SOLE: (loft), Titleist, VG3, PRECISION WEIGHTING TOE: Titleist, FORGED CROWN: (alignment mark) |
| | | | <u>view image here</u> |
| Acushnet Company | Titleist VG3 (Version 4) | 9.5,10.5 | SOLE: (loft), ACTIVE RECOIL CHANNEL, Titleist, VG3, PRECISION WEIGHTING TOE: Titleist CROWN: (alignment mark) HOSEL: •, (orientation indicators) view image here |
| Acushnet Company | Titleist VG3 (Version 4) (Ladies) | 12.5,13.5 | SOLE: (loft), ACTIVE RECOIL CHANNEL, Titleist, VG3, PRECISION WEIGHTING TOE: Titleist CROWN: (alignment mark) view image here |
| Acushnet Company | Titleist VG3 (Version 5) | 9.5,10.5 | SOLE: (loft), (weight port), Titleist, VG3 TOE: Titleist CROWN: (alignment mark) HOSEL: •, (orientation indicators) view image here |
| Acushnet Company | Titleist VG3 (Version 5) (Ladies) | 12.5,13.5 | SOLE: (loft), (inset), Titleist, VG3 TOE: Titleist CROWN: (alignment mark) view image here |
| Acushnet Company | Titleist VG3 (w/ Surefit) | 9,10,11 | SOLE: (loft), Titleist, VG3 TOE: Titleist, (bent line) CROWN: (line, triangle alignment mark) view image here |
| Acushnet Company | Titleist VG3C | 8.5,9.5,10.5 | SOLE: Titleist, VG3C TOE: Titleist CROWN: (line, triangle alignment mark) HEEL: (loft) view image here |
| Acushnet Company | Titleist VG3C (w/ Surefit) | 8.5,9.5,10.5 | SOLE: Titleist, VG3C TOE: Titleist CROWN: (line, triangle alignment mark) HEEL: (loft) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------------------|-------------|---|
| Acushnet Company | Titleist VLA | N/A | SOLE: (5 diagonal dots), (L-shaped line), LAUNCH, (line), Titleist, (elongated triangle) (elongated triangle), VLA, (5 vertical dots) CROWN: (line and arrow alignment mark) |
| | | | view image here |
| Adams Golf | 350 ST | 8,9,10 | SOLE: (Adams Golf logo) ADAMSGOLF, 350ST TITANIUM, (loft) CROWN: (triangle alignment mark) |
| | | | view image here |
| Adams Golf | Adams Blue | 9.5,10.5,12 | SOLE: Adams, (D in circle over stripe), blue CROWN: (A in circle alignment mark) HEEL: (loft) |
| | | | <u>view image here</u> |
| Adams Golf | Adams Blue (LH) | 9.5,10.5 | SOLE: (D in circle over stripe), Adams, blue CROWN: (A in circle alignment mark) HEEL: (loft) |
| | | | view image here |
| Adams Golf | GT3 | 9,10 | SOLE: (loft), High Launch, GT3 (six lines), Titanium • 454cc TOE: (triangle logo)ADAMSGOLF CROWN: (triangle alignment mark) |
| | | | <u>view image here</u> |
| Adams Golf | GT3 (Womens) | 13 | SOLE: 1, High Launch, Womens, GT3 (six lines), Titanium • 454cc TOE: (triangle logo)ADAMSGOLF CROWN: (triangle alignment mark) view image here |
| Adams Golf | Idea | 10.5 | SOLE: Adams, (idea in rectangle), (parallel lines), (parallel lines), (curved line), ((club number/letter in circle) over parallel lines), (bent line) CROWN: (bent line), (line), (bent line), (line) HEEL: (loft) |
| Adams Golf | Idea a2 OS 460cc | N/A | SOLE: (Adams Golf logo)ADAMSGOLF, |
| Adama Guii | Senior | | IDEA, (line), a2 OS, 460cc, TITANIUM, 1, (eight dots) CROWN: (triangle alignment mark) view image here |
| Adams Golf | Idea a2 OS 460cc Womens (1) | N/A | SOLE: (Adams Golf logo)ADAMSGOLF, IDEA, (line), WOMENS, a2 OS, 460cc, TITANIUM, 1, (eight dots) CROWN: (triangle alignment mark) |
| | | | <u>view image here</u> |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------------------|-------|--|
| Adams Golf | Idea a2 OS 460cc Womens (Driver) | N/A | SOLE: (Adams Golf logo)ADAMSGOLF, IDEA, (line), WOMENS, a2 OS, 460cc, TITANIUM, Driver, (eight dots) CROWN: (triangle alignment mark) view image here |
| Adams Golf | Idea a3OS (Men's) | 10 | SOLE: (Adams Golf logo)ADAMSGOLF, IDEA, (line), 460cc, (loft), TITANIUM, HIGH MOI, (a3OS on lined insert) CROWN: (triangle alignment mark) view image here |
| Adams Golf | Idea a3OS (Senior) | N/A | SOLE: (Adams Golf logo)ADAMSGOLF, IDEA, (line), 460cc, 1, TITANIUM, HIGH MOI, (a3OS on lined insert) CROWN: (triangle alignment mark) view image here |
| Adams Golf | Idea a3OS Women's (Version 1) | 13.5 | SOLE: (Adams Golf logo)ADAMSGOLF, IDEA, (line), 460cc, TITANIUM, 1, WOMENS, HIGH MOI, (a3OS, (floral graphic) on insert) CROWN: (triangle alignment mark), (floral graphic) view image here |
| Adams Golf | Idea a3OS Women's (Version 2) | 13.5 | SOLE: (Adams Golf logo)ADAMSGOLF, IDEA, (line), 460cc, TITANIUM, Driver, WOMENS, HIGH MOI, (a3OS, (floral graphic) on insert) CROWN: (triangle alignment mark), (floral graphic) view image here |
| Adams Golf | Insight Belle | 11 | SOLE: WOMENS, (Adams Golf logo)ADAMSGOLF, INSIGHT, (loft), (W over V, BELLE 4300 on semi-circular insert) TOE: (Adams Golf logo)ADAMSGOLF CROWN: (W over V alignment mark) HEEL: TITANIUM • 440 cc |
| Adams Golf | Insight Belle High Launch | 14 | SOLE: WOMENS, (Adams Golf logo)ADAMSGOLF, INSIGHT, HIGH LAUNCH, (W over V, BELLE 4300 on semi-circular insert) TOE: (Adams Golf logo)ADAMSGOLF CROWN: (W over V alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|-------------------|---|
| Adams Golf | Insight BTY 4350 460cc | 8.5,9.5,10.5 | SOLE: (Adams Golf logo)ADAMSGOLF, INSIGHT, (loft), (BTY 4350 in rectangle insert), (weight port) TOE: (Adams Golf logo)ADAMSGOLF HEEL: TITANIUM • 460 cc |
| Adams Golf | Insight BUL 4950 | 10.5 | SOLE: (Adams Golf logo)ADAMSGOLF, INSIGHT, (loft), (BUL 4950 in rectangle insert) TOE: (Adams Golf logo)ADAMSGOLF CROWN: (W over V alignment mark) view image here |
| Adams Golf | Insight BUL 5000 (Version 1) | 8.5,9.5,10.5,12.5 | SOLE: (Adams Golf logo)ADAMSGOLF, INSIGHT, (loft), (BUL 5000 in rectangle insert) TOE: (Adams Golf logo)ADAMSGOLF CROWN: (W over V alignment mark) HEEL: TITANIUM • 460 cc |
| Adams Golf | Insight BUL 5000 (Version 2) | 5,6.5,9.5,10.5,14 | SOLE: (Adams Golf logo)ADAMSGOLF, INSIGHT, (loft), (BUL 5000 in rectangle insert) TOE: (Adams Golf logo)ADAMSGOLF CROWN: (W over V alignment mark) HEEL: TITANIUM 460 cc |
| Adams Golf | Insight BUL 5000 HL | N/A | SOLE: (Adams Golf logo)ADAMSGOLF, INSIGHT, HIGH LAUNCH, (BUL 5000 in rectangle insert) TOE: (Adams Golf logo)ADAMSGOLF CROWN: (W over V alignment mark) HEEL: TITANIUM • 460 cc |
| Adams Golf | Insight Tech A4 | 8.5,9.5,10.5 | SOLE: (Adams Golf logo)ADAMSGOLF, (two lines), INSIGHT, TECH, PROTOTYPE, 9015D, a4, (loft) TOE: (two lines) HEEL: (two lines) |
| Adams Golf | Insight Tour 4350 460cc (Version 1) | 7.5 | SOLE: (weight port), (Adams Golf logo)ADAMSGOLF, INSIGHT, (loft), (TOUR 4350 in rectangle insert), (weight port) TOE: (Adams Golf logo)ADAMSGOLF HEEL: TITANIUM•460 cc |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|------------------|--|
| Adams Golf | Insight Tour 4350 460cc (Version 2) | 7.5,8.5,9.5,10.5 | SOLE: (weight port), (Adams Golf logo)ADAMSGOLF, INSIGHT, (loft), (TOUR 4350 in rectangle insert), (weight port) TOE: (Adams Golf logo)ADAMSGOLF HEEL: TITANIUM-460cc |
| Adams Golf | Insight Tour Prototype DF 4250 460cc (Version 1) | 8.5,10.5 | SOLE: (weight port), (Adams Golf logo)ADAMSGOLF, INSIGHT, TOUR PROTOTYPE DF, (loft), (TOUR 4250 in rectangle insert), (weight port) TOE: (Adams Golf logo)ADAMSGOLF HEEL: TITANIUM•460cc |
| Adams Golf | Insight Tour Prototype DF 4250 460cc (Version 2) | 7.5,8.5,9.5,10.5 | SOLE: (weight port), (Adams Golf logo)ADAMSGOLF, INSIGHT, TOUR PROTOTYPE DF, (loft), (TOUR 4250 in rectangle insert), (weight port) TOE: (Adams Golf logo)ADAMSGOLF HEEL: TITANIUM-460cc |
| | | | <u>view image here</u> |
| Adams Golf | Insight XTD 9015D LCA | 9.5,10.5 | SOLE: (Adams Golf logo)ADAMSGOLF, INSIGHT, (line)XTD, PROTOTYPE, 9015D BACK: 460cc• EXTREME DISTANCE TOE: (swinging golfer), (curved line), (dot), LONG DRIVERS, (banner)OF AMERICA(banner) HEEL: (loft) |
| | | 0.5 | view image here |
| Adams Golf | Insight XTD 9015D LDA | 8.5 | SOLE: (Adams Golf logo)ADAMSGOLF, INSIGHT, (line)XTD, PROTOTYPE, 9015D BACK: 460cc• EXTREME DISTANCE TOE: (swinging golfer), (curved line), (dot), LONG DRIVERS, (banner)OF AMERICA(banner) HEEL: (loft) |
| | 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 55057505 | view image here |
| Adams Golf | Insight XTD 9016D 460cc | 5.5,6.5,7.5,8.5 | SOLE: (Adams Golf logo)ADAMSGOLF, INSIGHT, (line)XTD, PROTOTYPE, 9016D BACK: 460cc• EXTREME DISTANCE TOE: (curved line and dot), (swinging golfer graphic), LONG DRIVERS, (banner)OF AMERICA(banner) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------------|-------------------|---|
| Adams Golf | Insight XTD 9016D LDA | 9.5,10.5 | SOLE: (Adams Golf logo)ADAMSGOLF, INSIGHT, (line)XTD, PROTOTYPE, 9016D BACK: 460cc• EXTREME DISTANCE TOE: (swinging golfer), (curved line), (dot), LONG DRIVERS, (banner)OF AMERICA(banner) HEEL: (loft) view image here |
| Adams Golf | Insight XTD 9016D LDA (LH) | 6.5,7.5 | SOLE: (Adams Golf logo)ADAMSGOLF, INSIGHT, (line)XTD, PROTOTYPE, 9016D BACK: 460cc• EXTREME DISTANCE TOE: (swinging golfer), (curved line), (dot), LONG DRIVERS, (banner)OF AMERICA(banner) HEEL: (loft) view image here |
| Adams Golf | Insight XTD A3 460 | 8.5,9.5,10.5,11.5 | SOLE: a3, (Adams Golf logo)ADAMSGOLF, INSIGHT, (line)XTD, HIGH MOI• 460cc, (•BOXER• in rectangle insert) CROWN: (triangle alignment mark), (five lines) HEEL: (loft) view image here |
| Adams Golf | Insight XTD A3 460 (LH) | 9.5,10.5 | SOLE: a3, (Adams Golf logo)ADAMSGOLF, INSIGHT, (line)XTD, HIGH MOI• 460cc, (•BOXER• in lined rectangle insert) CROWN: (triangle alignment mark), (five lines) HEEL: (loft) |
| Adams Golf | Insight XTD A3 OS 460 | 9.5,10.5,12.5 | SOLE: a3OS, (Adams Golf logo)ADAMSGOLF, INSIGHT, (line)XTD, HIGH MOI• 460cc, (•BOXER• in rectangle insert) CROWN: (triangle alignment mark), (five lines) HEEL: (loft) |
| Adams Golf | Insight XTD A3 OS 460 HL | N/A | SOLE: a3OS, (Adams Golf logo)ADAMSGOLF, INSIGHT, (line)XTD, HIGH MOI • 460cc, (•BOXER• in rectangle insert) CROWN: (triangle alignment mark), (five lines) HEEL: HL |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---|--------------|--|
| Adams Golf | Insight XTD A3 OS 460 Womens | 12.5 | SOLE: a3OS, (Adams Golf logo)ADAMSGOLF, INSIGHT, (line) XTD, Womens, HIGH MOI • 460cc, (•BOXER• in insert) CROWN: (triangle alignment mark) HEEL: (loft) |
| Adams Golf | Insight XTD A3 OS 460 Womens HL | N/A | SOLE: a3OS, (Adams Golf logo)ADAMSGOLF, INSIGHT, (line) XTD, Womens, HIGH MOI • 460cc, (•BOXER• in insert) CROWN: (triangle alignment mark) HEEL: High, Launch |
| Adams Golf | Insight XTD Pro DF2400X 460 | 8.5,9.5,10.5 | SOLE: PRO DF2400X, (Adams Golf logo)ADAMSGOLF, INSIGHT, (line)XTD, HIGH MOI• 460cc BACK: (•BOXER• in rectangle insert) HEEL: (loft) view image here |
| Adams Golf | Insight XTD Pro SF2400X 460cc (Version 1) | 11.5 | SOLE: PRO SF2400X, (Adams Golf logo)ADAMSGOLF, INSIGHT, (line)XTD, HIGH MOI• 460cc BACK: (•BOXER• in rectangle insert) HEEL: (loft) view image here |
| Adams Golf | Insight XTD Pro SF2400X 460cc (Version 2) | 10.5 | SOLE: BADDS, (Adams Golf logo)ADAMSGOLF, INSIGHT, (line)XTD, HIGH MOI• 460cc BACK: (•BOXER• in rectangle insert) HEEL: (loft) view image here |
| Adams Golf | Ovation 460cc | 10.5,11.5 | SOLE: (loft), Ovation, 460cc• Titanium, High Launch • Low Spin, (three vertical dots) TOE: (triangle logo)ADAMSGOLF CROWN: (three dots) view image here |
| Adams Golf | Prototype A W • 21 | 10.5 | SOLE: PROTOTYPE, A W • 21, (Adams Golf logo), ADAMSGOLF, (loft) CROWN: (triangle alignment mark) HOSEL: 168-17 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|-------------------|--|
| Adams Golf | Redline 460cc | 8.5,9.5,10.5,11.5 | SOLE: (Adams Golf logo)ADAMSGOLF, (segmented curved line), REDLINE, TITANIUM,•460cc•.830 COR, (loft), TUNGSTEN PERIMETER WEIGHTING CROWN: (triangle alignment mark) |
| Adams Golf | Redline 460cc Offset | 9.5,10.5,11.5 | SOLE: (Adams Golf logo)ADAMS GOLF, (segmented curved line), REDLINE, TITANIUM•460cc•.830 COR, OFFSET, (loft), TUNGSTEN PERIMETER WEIGHTING BACK: (three oval weight inserts) CROWN: (triangle alignment mark) |
| Adams Golf | Redline 460cc Offset (LH) | 10.5 | SOLE: (Adams Golf logo)ADAMS GOLF, (segmented curved line), REDLINE, TITANIUM•460cc•.830 COR, OFFSET, (loft), TUNGSTEN PERIMETER WEIGHTING BACK: (three oval weight inserts) CROWN: (triangle alignment mark) view image here |
| Adams Golf | Redline 460cc Offset Womens | N/A | SOLE: (Adams Golf logo)ADAMSGOLF, (segmented curved line), REDLINE, TITANIUM•460cc•.830 COR, WOMENS, 1, TUNGSTEN PERIMETER WEIGHTING BACK: (three oval weight inserts) CROWN: (triangle alignment mark) view image here |
| Adams Golf | Redline RPM Composite Top • Dual 460cc L.D. SPEC | N/A | SOLE: (weight port), 460cc • Titanium, (segmented curved line), REDLINE, RPM, Composite Top • Dual, L.D. SPEC., (weight port) TOE: (triangle logo)ADAMSGOLF CROWN: (triangle alignment mark) HOSEL: RPD200006 |
| Adams Golf | Redline RPM Composite Top 460cc (Draw) | 9,10,11 | SOLE: (segmented curved line), REDLINE, RPM, Composite Top, 460cc • Titanium, (loft), (curved oval media blast) TOE: (triangle logo)ADAMSGOLF CROWN: (triangle alignment mark) view image here |
| Adams Golf | Redline RPM Composite Top 460cc (Draw) (LH) | 9,10 | SOLE: (segmented curved line), REDLINE, RPM, Composite Top, 460cc • Titanium, (loft), (curved oval media blast) TOE: (triangle logo)ADAMSGOLF CROWN: (triangle alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|-------------------|---|
| Adams Golf | Redline RPM Composite Top 460cc (Neutral) | 8,9,10,11 | SOLE: (segmented curved line), REDLINE, RPM, Composite Top, 460cc • Titanium, (loft), (curved oval media blast) TOE: (triangle logo)ADAMSGOLF CROWN: (triangle alignment mark) view image here |
| Adams Golf | Redline RPM Composite Top 460cc (Neutral) (LH) | 9,10 | SOLE: (segmented curved line), REDLINE, RPM, Composite Top, 460cc • Titanium, (loft), (curved oval media blast) TOE: (triangle logo)ADAMSGOLF CROWN: (triangle alignment mark) view image here |
| Adams Golf | Redline RPM Composite Top• Dual 400 | 8.5,9.5,10.5 | SOLE: (weight port), 400cc • Titanium, (segmented curved line), REDLINE, RPM, Composite Top • Dual, (loft), (weight port) TOE: (triangle logo)ADAMSGOLF CROWN: (triangle alignment mark) view image here |
| Adams Golf | Redline RPM Composite Top• Dual 460cc | 8.5,9.5,10.5,11.5 | SOLE: (weight port), 460cc • Titanium, (segmented curved line), REDLINE, RPM, Composite Top • Dual, (loft), (weight port) TOE: (triangle logo)ADAMSGOLF CROWN: (triangle alignment mark) |
| Adams Golf | Redline RPM Quad 430cc | 8.5,9.5,10.5 | SOLE: (weight port), 430cc• Titanium, (segmented curved line), REDLINE, RPM, Composite Top • Quad, (loft), (weight port) BACK: (two weight ports) TOE: (triangle logo)ADAMSGOLF CROWN: (triangle alignment mark) view image here |
| Adams Golf | Redline RPM Titanium 460 (Draw) | 9.5,10.5,11.5 | SOLE: (solid curved line), (triangle logo)ADAMSGOLF, RPM, Titanium • 460cc, Draw, (loft), (circular weight), (solid curved line) CROWN: (triangle alignment mark) view image here |
| Adams Golf | Redline RPM Titanium 460 (Draw)(Senior) | 10.5,11.5 | SOLE: (solid curved line), (triangle logo)ADAMSGOLF, RPM, Titanium • 460cc, Draw, (loft), (circular weight), (solid curved line) CROWN: (triangle alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|----------------------|--|
| Adams Golf | Redline RPM Titanium 460 (Standard) | 9.5,10.5,11.5 | SOLE: (solid curved line), (triangle logo)ADAMSGOLF, (circular weight), RPM, Titanium • 460cc, (loft), (solid curved line) CROWN: (triangle alignment mark) view image here |
| Adams Golf | Redline RPM Titanium 460 (Womens) | 14 | SOLE: (solid curved line), (triangle logo)ADAMSGOLF, RPM, Titanium • 460cc, Womens, 1 (circular weight), (solid curved line) CROWN: (triangle alignment mark) view image here |
| Adams Golf | Redline Super 460cc | 10.5 | SOLE: (loft), (segmented curved line), REDLINE, SUPER, Ti • 460cc, Max. Moment Of Inertia TOE: (triangle logo)ADAMSGOLF view image here |
| Adams Golf | Redline Tour | 6.5,7.5,8.5,9.5,10.5 | SOLE: (Adams Golf logo)ADAMSGOLF, (segmented curved line), REDLINE, TITANIUM,•.830 COR, TOUR, (loft), TUNGSTEN PERIMETER WEIGHTING CROWN: (triangle alignment mark) view image here |
| Adams Golf | SC Series 814N | 8,9,10.5 | SOLE: ADAMS™, SC, Series (loft), 814N, TRANS-BETA, FORGED TITANIUM, FALDO TOE: (Adams Golf logo) CROWN: (Arrow alignment mark) FACE:MILLED view image here |
| Adams Golf | SC Series 899T | 7.5 | SOLE: ADAMS, SC, Series, 899T, TITANIUM CROWN: (Adams Golf logo alignment mark) FACE:(Adams Golf logo) view image here |
| Adams Golf | Speedline | 8.5,9.5,10.5 | SOLE: (graph graphic), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, (loft), (graph graphic) BACK: AERODYNAMIC TECHNOLOGY view image here |
| Adams Golf | Speedline 9032LD | 8.5 | SOLE: (graph graphic), (curved line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9032LD, (loft), (curved line), (graph graphic) BACK: AERODYNAMIC TECHNOLOGY view image here |
| | | | Hott illiago Hoto |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------|---------------------|--|
| Adams Golf | Speedline 9032LD (JS) | 4.5,5.5,6.5,7.5,8.5 | SOLE: (graph graphic), (curved line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9032LD, (loft), (curved line), (graph graphic) BACK: AERODYNAMIC TECHNOLOGY FACE:(JS logo media blast) view image here |
| Adams Golf | Speedline 9032LD (JS) (LH) | 6.5 | SOLE: (graph graphic), (curved line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9032LD, (loft), (curved line), (graph graphic) BACK: AERODYNAMIC TECHNOLOGY FACE:(JS logo media blast) view image here |
| Adams Golf | Speedline 9032LD (LDA) | 4.5,5.5,6.5,7.5,8.5 | SOLE: (graph graphic), (curved line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9032LD, (loft), (curved line), (graph graphic) BACK: AERODYNAMIC TECHNOLOGY FACE:((swinging golfer), (curved line), (dot), LONG DRIVERS, (banner)OF AMERICA(banner) media blast) view image here |
| Adams Golf | Speedline 9032LD (LDA) (LH) | 6.5 | SOLE: (graph graphic), (curved line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9032LD, (loft), (curved line), (graph graphic) BACK: AERODYNAMIC TECHNOLOGY FACE:((swinging golfer), (curved line), (golf ball), LONG DRIVERS, (banner)OF AMERICA(banner) media blast) view image here |
| Adams Golf | Speedline 9032LD (LH) | 6.5 | SOLE: (graph graphic), (curved line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9032LD, (loft), (curved line), (graph graphic) BACK: AERODYNAMIC TECHNOLOGY view image here |
| Adams Golf | Speedline 9032LS | 8.5,9.5,10.5 | SOLE: (graph graphic), (curved line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9032LS, (loft), (curved line), (graph graphic) BACK: AERODYNAMIC TECHNOLOGY view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------|--------------|---|
| Adams Golf | Speedline 9064LD | 5.5,6.5,7.5 | SOLE: (line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9064LD, (4G AERODYNAMIC, (clubhead graphic w/ three streamlines), TECHNOLOGY media blast), (loft), (line) TOE: (segmented lines) HEEL: (segmented lines) FACE:(golfer w/ streamline & golf ball), LONG DRIVERS, (ribbon)OF AMERICA(ribbon) |
| Adams Golf | Speedline 9064LD JS | 5.5,6.5,7.5 | SOLE: (line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9064LD, (4G AERODYNAMIC, (clubhead graphic w/ three streamlines), TECHNOLOGY media blast), (loft), (line) TOE: (segmented lines) HEEL: (segmented lines) FACE:(JS logo) |
| Adams Golf | Speedline 9064LS | 8.5,9.5,10.5 | SOLE: (line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9064LS, (4G AERODYNAMIC, (clubhead graphic w/ three streamlines), TECHNOLOGY media blast), (loft), (line) TOE: (segmented lines) HEEL: (segmented lines) |
| Adams Golf | Speedline 9064LS (LH) | 9.5 | SOLE: (line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9064LS, (4G AERODYNAMIC, (clubhead graphic w/ three streamlines), TECHNOLOGY media blast), (loft), (line) TOE: (segmented lines) HEEL: (segmented lines) |
| Adams Golf | Speedline 9064LS C1 | 8.5 | SOLE: (line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9064LS, (4G AERODYNAMIC, (clubhead graphic w/ three streamlines), TECHNOLOGY media blast), (loft), (line) TOE: (segmented lines) HOSEL: C1 HEEL: (segmented lines) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------------------|---------------|--|
| Adams Golf | Speedline 9064LS C2 | 8.5,9.5 | SOLE: (line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9064LS, (4G AERODYNAMIC, (clubhead graphic w/ three streamlines), TECHNOLOGY media blast), (loft), (line) TOE: (segmented lines) HOSEL: C2 HEEL: (segmented lines) |
| Adams Golf | Speedline 9064LS DFS | 8.5,9.5,10.5 | SOLE: (recessed triangle), (movable weight), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9064LS, (4G AERODYNAMIC, (clubhead graphic w/ three streamlines), TECHNOLOGY media blast), (loft), (recessed triangle) TOE: (segmented lines) HOSEL: (dot), (length indicator), (orientation indicators) HEEL: (segmented lines) |
| Adams Golf | Speedline 9064LS DFS (LH) | 9.5 | SOLE: (recessed triangle), (movable weight), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9064LS, (4G AERODYNAMIC, (clubhead graphic w/ three streamlines), TECHNOLOGY media blast), (loft), (recessed triangle) TOE: (segmented lines) HOSEL: (dot), (length indicator), (orientation indicators) HEEL: (segmented lines) |
| Adams Golf | Speedline 9088 LDA (Version 1) | 5,6,7 | SOLE: (recessed lined arrow), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9088 LDA, (recessed lined arrow), (loft) FACE:(golfer w/ streamline & golf ball), LONG DRIVERS, (ribbon)OF AMERICA(ribbon) |
| Adams Golf | Speedline 9088 LDA (Version 2) | 5,6,7 | SOLE: (recessed lined arrow), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9088 LDA, (recessed lined arrow), (loft) FACE:(JS logo media blast) view image here |
| Adams Golf | Speedline 9088 UL | 9.5,10.5,12.5 | SOLE: (recessed lined arrow), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, 9088 UL, (recessed lined arrow), (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------------------|-------------------|---|
| Adams Golf | Speedline Classic (Version 1) | 8.5,9.5,10.5 | SOLE: (Adams Golf logo)ADAMSGOLF, SPEEDLINE, Classic, (loft) BACK: AERODYNAMIC TECHNOLOGY TOE: (three lines) HEEL: (three lines) |
| Adams Golf | Speedline Classic (Version 2) | 8.5,9.5,10.5 | SOLE: (Adams Golf logo)ADAMSGOLF, SPEEDLINE, Classic, (loft) TOE: (graph graphic) HEEL: (graph graphic) view image here |
| Adams Golf | Speedline Classic DF | 5.5,6.5,7.5 | SOLE: (Adams Golf logo)ADAMSGOLF, SPEEDLINE, Classic, DF, (loft) BACK: AERODYNAMIC TECHNOLOGY TOE: (three lines) HEEL: (three lines) |
| Adams Golf | Speedline Classic DF LDA | 5.5,6.5,7.5 | SOLE: (graph graphic), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, Classic, DF, (loft), (graph graphic) FACE:(Long Drivers of America logo), LONG DRIVERS, (banner graphic)OF AMERICA(banner graphic) |
| Adams Golf | Speedline Draw (LH) | 10.5 | SOLE: (graph graphic), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, Draw, (loft), (graph graphic) BACK: AERODYNAMIC TECHNOLOGY CROWN: (S alignment mark) view image here |
| Adams Golf | Speedline F11 | 8.5,9.5,10.5,12.5 | SOLE: (line within recessed bent line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, F11, VELOCITY SLOT TECH, (loft), (line within recessed bent line) view image here |
| Adams Golf | Speedline F11 (LH) | 9.5,10.5 | SOLE: (line within recessed bent line), (Adams Golf logo)ADAMSGOLF, SPEEDLINE, F11, VELOCITY SLOT TECH, (loft), (line within recessed bent line), (three recessed curved lines) CROWN: (three recessed curved lines) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|------------------|---|
| Adams Golf | Speedline FAST 10 | 8.5,9.5,10.5 | SOLE: (curved line), (drag force formula), SPEEDLINE, FAST, 10, (conservation of momentum formula), (force formula), (curved line) BACK: AERODYNAMIC TECHNOLOGY TOE: ((Adams Golf logo)ADAMSGOLF over graph graphic) HEEL: (loft over graph graphic) view image here |
| Adams Golf | Speedline Fast 12 | 8.5,9.5,10.5 | SOLE: SPEEDLINE, (curved line), FAST 12, (loft) TOE: (Adams Golf logo) ADAMSGOLF CROWN: (three recessed curved lines) view image here |
| Adams Golf | Speedline Fast 12 LS (Version 1) | 7.5,8.5,9.5,10.5 | SOLE: SPEEDLINE, (curved line), FAST 12 LS, (loft), (screw), (weight port) TOE: (Adams Golf logo) ADAMSGOLF CROWN: (three recessed curved lines) HOSEL: (dot), (length indicator w/ insert) |
| Adams Golf | Speedline Fast 12 LS (Version 1) (LH) | 9.5 | SOLE: SPEEDLINE, (curved line), FAST 12 LS, (loft), (screw), (weight port) TOE: (Adams Golf logo) ADAMSGOLF CROWN: (three recessed curved lines) HOSEL: (dot) view image here |
| Adams Golf | Speedline Fast 12 LS (Version 2) | 7.5,8.5,9.5 | SOLE: SPEEDLINE, (curved line), FAST 12 LS, (loft), (weight port) BACK: (line) TOE: (Adams Golf logo) ADAMSGOLF CROWN: (three recessed curved lines) view image here |
| Adams Golf | Speedline Launch Lab Custom | 8,9.5,10.5 | SOLE: (Adams Golf logo) ADAMSGOLF, SPEEDLINE, LAUNCH LAB, CUSTOM, (loft w/ line) CROWN: (three recessed curved lines) view image here |
| Adams Golf | Speedline Launch Lab Custom (LH) | 9.5 | SOLE: (Adams Golf logo) ADAMSGOLF, SPEEDLINE, LAUNCH LAB, CUSTOM, (loft w/ line) CROWN: (three recessed curved lines) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------|--------------------|---|
| Adams Golf | Speedline Prototype 3458D | 8.5,9.5,10.5 | SOLE: (Adams Golf logo)ADAMSGOLF, SPEEDLINE, PROTOTYPE 3458-D, (loft) BACK: AERODYNAMIC TECHNOLOGY TOE: (three lines) HEEL: (three lines) |
| Adams Golf | Speedline Super LS LDA VST | 5,7 | SOLE: (bent line), (SUPER LS, SPEEDLINE, LDA, VST on insert), (bent line) TOE: (Adams Golf logo) ADAMSGOLF CROWN: (LS alignment mark), (SPEEDLINE over segmented lines) HEEL: (loft), XTD FACE:(Long Drivers of America logo), LONG DRIVERS, (banner graphic)OF AMERICA(banner graphic) |
| Adams Golf | Speedline Super LS XTD | 7.5,8.5,9.5,10.5 | SOLE: (bent line), (SUPER LS, SPEEDLINE, VST on insert), (bent line), (screw) TOE: (Adams Golf logo) ADAMSGOLF CROWN: (LS alignment mark), (SPEEDLINE over segmented lines) HOSEL: (dot), (orientation indicator) HEEL: (loft), XTD |
| Adams Golf | Speedline Super LS XTD (LH) | 9.5 | SOLE: (bent line), (VST, SUPER LS, SPEEDLINE on insert), (bent line), (screw) TOE: (Adams Golf logo) ADAMSGOLF CROWN: (LS alignment mark), (SPEEDLINE over segmented lines) HOSEL: (dot), (orientation indicator) HEEL: (loft), XTD |
| Adams Golf | Speedline Super S | 9.5,10.5,10.5,11.5 | SOLE: (Adams Golf logo) ADAMSGOLF, (bent line), (SUPER S, SPEEDLINE, VST on insert), (bent line), (screw) CROWN: (S alignment mark), (SPEEDLINE over segmented lines) HOSEL: (window w/ loft), (club number/letter) view image here |
| Adams Golf | Speedline Super S (Asia) | 9.5,10.5,10.5,11.5 | SOLE: (Adams Golf logo) ADAMSGOLF, (bent line), (SUPER S, SPEEDLINE, VST on insert), (bent line), (screw) CROWN: (S alignment mark), (SPEEDLINE over segmented lines) HOSEL: (window w/ loft), (club number/letter) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------------------|---------------------|--|
| Adams Golf | Speedline Super S (Asia) (LH) | 9.5,10.5,10.5,11.5 | SOLE: (Adams Golf logo) ADAMSGOLF, (bent line), (SUPER S, SPEEDLINE, VST on insert), (bent line), (screw) CROWN: (S alignment mark), (SPEEDLINE over segmented lines) HOSEL: (window w/ loft), (club number/letter) |
| Adams Golf | Speedline Super S (LH) | 9.5,10.5,10.5,11.5 | SOLE: (Adams Golf logo) ADAMSGOLF, (bent line), (VST, SUPER S, SPEEDLINE on insert), (bent line), (screw) CROWN: (S alignment mark), (SPEEDLINE over segmented lines) HOSEL: (window w/ loft), (club number/letter) view image here |
| Adams Golf | Speedline Super S Tour | 8.5 | SOLE: (Adams Golf logo) ADAMSGOLF, (bent line), (SUPER S, SPEEDLINE, VST on insert), (bent line), (screw) CROWN: (S alignment mark), (SPEEDLINE over segmented lines) HOSEL: (dot), (orientation indicator) HEEL: (loft)T view image here |
| Adams Golf | Speedline Super S Women's | 10.5,11.5,11.5,12.5 | SOLE: (Adams Golf logo) ADAMSGOLF, (bent line), (SUPER S, SPEEDLINE, VST on insert), (bent line), (screw) CROWN: (S alignment mark), (SPEEDLINE over segmented lines) HOSEL: (window w/ loft), (club number/letter) view image here |
| Adams Golf | Speedline Super S Women's (LH) | 10.5,11.5,11.5,12.5 | SOLE: (Adams Golf logo) ADAMSGOLF, (bent line), (SUPER S, SPEEDLINE, VST on insert), (bent line), (screw) CROWN: (S alignment mark), (SPEEDLINE over segmented lines) HOSEL: (window w/ loft), (club number/letter) view image here |
| Adams Golf | Speedline Tech | 9.5,10.5,12.5 | SOLE: (line), SPEEDLINE, TECH, (line), (port for screw) BACK: (Adams Golf logo)ADAMSGOLF HOSEL: (dot), (orientation indicator) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------------|---------------|---|
| Adams Golf | Tight Lies 2 | 8.5,9.5,10.5 | SOLE: Tight Lies², SPIN CONTROL, (Adams Golf logo), ADAMS, DRIVER, (loft) TOE: (Adams Golf logo) CROWN: (Arrow alignment mark) view image here |
| Adams Golf | Tight Lies 2, No. 1 | N/A | SOLE: Tight Lies², SPIN CONTROL, 1, (Adams Golf logo) ADAMS TOE: (Adams Golf logo) CROWN: (two recessed alignment lines) view image here |
| Adams Golf | Tight Lies GT 300 Steel Womens | N/A | SOLE: (Adams Golf logo)ADAMSGOLF, (line), GT STEEL 300, TIGHT LIES, 1 Womens CROWN: (Adams Golf logo alignment mark) view image here |
| Adams Golf | Tight Lies GT 303 Steel | 9.5,10.5,11.5 | SOLE: (Adams Golf logo)ADAMSGOLF, (line), GT STEEL 303, TIGHT LIES, (loft) CROWN: (Adams Golf logo alignment mark) view image here |
| Adams Golf | Tight Lies GT 303 Steel (LH) | 9.5,10.5,11.5 | SOLE: (Adams Golf logo)ADAMSGOLF, (line), GT STEEL 303, TIGHT LIES, (loft) CROWN: (Adams Golf logo alignment mark) view image here |
| Adams Golf | Tight Lies GT 363 Titanium | 8,9,10 | SOLE: (Adams Golf logo)ADAMSGOLF, (line), GT TITANIUM 363, TIGHT LIES, (loft) CROWN: (Adams Golf logo alignment mark) view image here |
| Adams Golf | Tight Lies GT 363 Titanium (LH) | 9,10,11 | SOLE: (Adams Golf logo)ADAMS GOLF, (line), GT TITANIUM 363, TIGHT LIES, (loft) CROWN: (Adams Golf logo alignment mark) view image here |
| Adams Golf | Tight Lies GT 363 Titanium Offset | 10 | SOLE: (AdamsGolf logo) ADAMSGOLF, (line), GT TITANIUM 363, TIGHT LIES, (loft) Offset CROWN: (Adams Golf logo alignment mark) view image here |
| Adams Golf | Tight Lies GT 363 Titanium Women's | N/A | SOLE: (Adams Golf logo) ADAMSGOLF, (line), GT TITANIUM 363, TIGHT LIES, 1 Womens CROWN: (Adams Golf logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|------------------------------------|-------------|---|
| Adams Golf | Tight Lies GT 403 Titanium | 8,9,10,11 | SOLE: (Adams Golf logo) ADAMSGOLF, (line) GT TITANIUM 403, TIGHT LIES, (loft) CROWN: (Adams Golf logo alignment mark) view image here |
| Adams Golf | Tight Lies GT 410 Titanium | 9,10 | SOLE: (Adams Golf logo) ADAMSGOLF, (line), GT (dot) Titanium 410, TIGHT LIES, (loft) CROWN: (Adams Golf logo alignment mark) view image here |
| Adams Golf | Tight Lies ST 303cc | 7,8,9,10,11 | SOLE: Tight Lies, (line) ST (line), (loft), 303cc, (t-shaped line), forged titanium BACK: (Adams Golf logo) ADAMSGOLF CROWN: (triangle alignment mark) |
| Adams Golf | Tight Lies ST 363 Titanium | 8,9,10,11 | SOLE: (Adams logo)ADAMSGOLF, (line), ST TITANIUM 363, TIGHT LIES, (loft) CROWN: (Adams logo alignment mark) view image here |
| Adams Golf | Tight Lies ST 363 Titanium (LH) | 9,10 | SOLE: (Adams logo)ADAMS GOLF, (line), ST TITANIUM 363, TIGHT LIES, (loft) CROWN: (Adams logo alignment mark) view image here |
| Adams Golf | Tight Lies ST High COR | 9,10 | SOLE: Tight Lies, (line)ST(line), HIGH C.O.R., (loft), 303cc, (T logo), forged titanium BACK: (logo)ADAMSGOLF CROWN: (triangular alignment mark) view image here |
| Adams Golf | Tight Lies Womens Idea | N/A | SOLE: (Adams Golf logo)ADAMSGOLF, TIGHT LIES, adams, (line), IDEA, WOMENS, 1, (eight punchmarks) CROWN: (triangle alignment mark) view image here |
| Adams Golf | Tight Lies² | 10.5 | SOLE: Tight Lies², SPIN CONTROL, (loft), (Adams Golf logo), ADAMSGOLF view image here |
| Adams Golf | Tight Lies² (AW-42) | 10 | SOLE: Forged Titanium, Tight Lies², SPIN CONTROL, (loft), (Adams Golf logo) ADAMSGOLF CROWN: (triangle alignment mark) HOSEL: AW-42 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------|-----------|---|
| Adams Golf | Tight Lies² (AW-32) | 8,9 | SOLE: Forged Titanium, Tight Lies², SPIN CONTROL, (loft), (Adams Golf logo) ADAMSGOLF CROWN: (triangle alignment mark) HOSEL: AW-32 view image here |
| Adams Golf | Tight Lies² (AW-41) | 10 | SOLE: Forged Titanium, Tight Lies², SPIN CONTROL, (loft), (Adams Golf logo) ADAMSGOLF CROWN: (triangle alignment mark) HOSEL: AW-41 view image here |
| Adams Golf | XTD | 9,10.5,12 | SOLE: Adams, XTD, (weight port), (port screw) BACK: AERODYNAMIC TECHNOLOGY TOE: (A logo within two lines) HOSEL: (triangle), (lines), (orientation indicators) HEEL: (loft within two lines) |
| Adams Golf | XTD (LH) | 9,10.5 | SOLE: Adams, XTD, (weight port), (port screw) BACK: AERODYNAMIC TECHNOLOGY TOE: (A logo within two lines) HOSEL: (lines), (orientation indicators) HEEL: (loft within two lines) |
| Adams Golf | XTD Tour | 8 | SOLE: Adams, XTD, (weight port), (port screw) BACK: AERODYNAMIC TECHNOLOGY TOE: (A logo within two lines) HOSEL: (lines), (orientation indicators) HEEL: (loft w/ t within two lines) |
| Adams Golf | XTD Women's | 12 | SOLE: Adams, XTD, (weight port), (port screw) BACK: AERODYNAMIC TECHNOLOGY TOE: (A logo within two lines) HOSEL: (lines), (orientation indicators) HEEL: (loft within two lines) |
| Adams Golf | XTD Women's (LH) | 12 | SOLE: Adams, XTD, (weight port), (port screw) BACK: AERODYNAMIC TECHNOLOGY TOE: (A logo within two lines) HOSEL: (lines), (orientation indicators) HEEL: (loft within two lines) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|-------------------------|----------|---|
| Adller Japan Inc | Jade Adller 460-RX | 9.5,10.5 | SOLE: DEEP GRAVITY DESIGN, 460-RX, (JADE, ADLLER on A logo in inset), JADE ADLLER, (loft) BACK: ADLLER JAPAN |
| | | | view image here |
| Adller Japan Inc | RC TM - X | 9.5,10.5 | SOLE: RC, TM-X, (weight port), (weight port), ROYAL COLLECTION BACK: (weight port), (weight port) HOSEL: (triangle), (Orientation markings) HEEL: (loft) FACE:RC view image here |
| Adllar Japan Inc | Royal Collection AM-X | 9.5,10.5 | SOLE: (weight port), (weight port), RC, |
| Adller Japan Inc | Royal Collection Alvi-A | 5.5,10.5 | ROYAL COLLECTION, (weight port), (weight port) TOE: AM-X HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| Adller Japan Inc | Sonartec TD-II | 10.5 | SOLE: (weight port), (logo), SONARTEC |
| Adiioi bapan ino | | | TD-II HOSEL: (orientation indicators) FACE:(logo) |
| | | | view image here |
| Advance Co Ltd | Alpha Xenon GTR-460 | 10.5 | SOLE: ALPHA, XENON, GTR-460, (loft) (underlined) 1, FORGED TITANIUM 460, POWER DRIVE, GTR, 460 CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Advance Co Ltd | Cyber Sonic | 9.5,10.5 | SOLE: 460, (Cyber Sonic, FORGED |
| Advance Co Eta | CS-W460 | 0.0,10.0 | TITANIUM, CS-W over CS logo media blast), 1, (loft), (line), (REAR WEIGHT DESIGN FOR STRONG TRAJECTORY on circular inset) CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE |
| | | | view image here |
| Advance Co Ltd | Cyber Sonic CS-X 460 | 9.5,10.5 | SOLE: Cyber Sonic, CS-X, 460, (CS logo), 1 (loft) (underlined), SHALLOW BACK DESIGN FOR HIGH TRAJECTORY, (CS logo), FORGED TITANIUM CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|-----------------------------------|---------|---|
| Advance Co Ltd | Cyber Sonic CS-XL 420 (ladies) | 13 | SOLE: Cyber Sonic, CS-XL, 420, (CS logo), 1 (loft) (underlined), SHALLOW BACK DESIGN FOR HIGH TRAJECTORY, (CS logo), FORGED TITANIUM CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Advance Co Ltd | Exgran E.G.R 460 | 10.5 | SOLE: EXGRAN, E.G.R, 460, FORGED TITANIUM, 6AL-4V, (logo), 1 (loft), EGR 460, (logo) TOE: EXGRAN, E.G.R, 460, (logo) CROWN: (alignment mark) view image here |
| Advance Co Ltd | Exgran E.G.Z 460 | 10.5 | SOLE: EXGRAN, E.G.Z, 460, FORGED TITANIUM, 6AL-4V, (logo), 1, LOFT, (loft), EXGRAN, E.G.Z, 460, (logo) CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Advanced Golf Technology | Aurora | 8.5 | SOLE: (loft), AURORA, (line), Scalloped Face Technology, ORIGINAL, ADVANCED GOLF TECHNOLOGY view image here |
| Advanced Golf Technology | Supernova 313 | 10 | SOLE: Forged Aermet, SUPERNOVA, 313, 1 (loft), ORIGINAL, Advanced Golf Technology™ view image here |
| AIBM | Lazer Flite | 10.5 | CROWN: (SG alignment mark) HEEL: (loft), Pat. Pend. view image here |
| Aichi Steel Co Ltd | Lexus | 10,11.5 | SOLE: (loft) 1, (L logo) LEXUS CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Aichi Steel Co Ltd | Lexus (LH) | 10 | SOLE: 1 (loft), (logo) LEXUS CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Aichi Steel Co Ltd | Toyota | 10,11.5 | SOLE: 1 (loft), (logo) TOYOTA HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|---|----------|--|
| AJ Antonious Co. | Prophecy Plus | 10.5 | SOLE: 1 (loft), TITANIUM FACE, PROPHECY, (PLUS on black rectangle), PAT. NO. 5,482,279, OTHER PAT. PEND, MERIT FACE:TITANIUM view image here |
| Akia Golf Co | Dream Tour SV-400 Rototype | 9 | SOLE: DR, Dream Tour, SV-400 (curved line), akia, (line), ROTOTYPE, (circular weight), (circular weight), (loft) TOE: ((curved line), DREAM, TOUR, (curved line) in oval insert) CROWN: (recessed arrow alignment mark) view image here |
| Akia Golf Co | Dream Tour SV-430 | 9.5 | SOLE: DR, Dream Tour, SV-430 (curved line), akia, (circular weight), (circular weight), (loft) BACK: FORGED BETA TITANIUM TOE: ((curved line), DREAM, TOUR, (curved line) in oval insert) |
| Akia Golf Co | Dreamtour SV-400 Tour Spec (Version 2) | 8,9 | SOLE: DR, Dreamtour, SV-400 (line), akia (underlined), TOUR SPEC, (loft) TOE: DREAM, TOUR HEEL: Forged, Beta, Titanium (in rectangle) |
| Akia Golf Co | Dreamtour SV-460 | 10 | SOLE: DR, Dreamtour, SV-460 (line), akia, (loft) TOE: DREAM, TOUR HEEL: Forged, Beta, Titanium (in rectangle) <u>view image here</u> |
| Akira Products Co Ltd | 20 ADR | 9.5,10.5 | SOLE: (ADR, (logo), AKIRA on inset), (loft) BACK: (weight port), (weight port) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | ADR | 9.5,10.5 | SOLE: (logo) AKIRA, INNER VIBRATION, ABSORBING SYSTEM, AKIRA DRIVING RESULT/AKIRA DRIVING, ADR, RESULT/AKIRA DRIVING RESULT/AKIRA, (loft) BACK: DRIVING RESULT TOE: (logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|------------------------------|----------|--|
| Akira Products Co Ltd | ADR - Vintage | 10.5 | SOLE: (logo) AKIRA, INNER VIBRATION, ABSORBING SYSTEM, AKIRA DRIVING RESULT/AKIRA DRIVING RESULT/AKIRA DRIVING RESULT, ADR, (loft) TOE: (logo) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | ADR - Vintage (Version 2) | 17 | SOLE: (logo) AKIRA, INNER VIBRATION, ABSORBING SYSTEM, AKIRA DRIVING RESULT/AKIRA DRIVING RESULT/AKIRA DRIVING RESULT, ADR TOE: (logo) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | ADR (ladies) | N/A | SOLE: (logo) AKIRA, INNER VIBRATION, ABSORBING SYSTEM, ADR, AKIRA DRIVING RESULT/AKIRA DRIVING RESULT/AKIRA DRIVING RESULT/AKIRA DRIVING RESULT, (logo) TOE: (logo) HEEL: CONFORMING, TO R&A/USGA, SLE RULE |
| Akira Products Co Ltd | ADR (Version 10) | 9.5,10.5 | SOLE: ((logo) Akira on inset), (weight port), ADR, SUPREME LONG DISTANCE, PRECISION MILLING FACE, STRONG BLACK II, (loft) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(ADR, B in media blast with shield) view image here |
| Akira Products Co Ltd | ADR (Version 2) | 9.5,10.5 | SOLE: NINE SQUARE DIMPLE, SOLID BODY SYSTEM, AKIRA (line) ADR (in inset), HEAVY WEIGHT PLATE, (loft) TOE: (logo) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | ADR (Version 4) | 10.5 | SOLE: (logo) AKIRA, LOW & DEEP, CENTER OF GRAVITY DESIGN, TUNABLE WEIGHT SYSTEM, (loft), HEAVY WEIGHT PLATE, (ADR on cavity) TOE: (logo) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|-----------------|---------------|--|
| Akira Products Co Ltd | ADR (Version 5) | 9.5,10.5 | SOLE: (logo) AKIRA, DUAL STEP SOLE, DESIGN, (loft), (ADR, AKIRA DRIVING, RESULT on inset) TOE: (logo) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | ADR (Version 6) | 9.5,10.5 | SOLE: AKIRA, LOW & DEEP, CENTER OF GRAVITY DESIGN, TUNABLE WEIGHT SYSTEM, (loft), ((ADR on plate) in cavity), TUNABLE GRAVITY SYSTEM HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | ADR (Version 7) | 9.5,10.5 | SOLE: ADR, L CUP FACE, LOW, DEEP & WIDE, CENTER OF GRAVITY DESIGN, TUNABLE WEIGHT SYSTEM, (loft) BACK: ((AKIRA on plate) in cavity) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | ADR (Version 8) | 9.5,10.5 | SOLE: ADR, L CUP FACE, STRONG BLACK, (loft) BACK: ((AKIRA on inset) in cavity) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(ADR, B in media blast graphic and shield) view image here |
| Akira Products Co Ltd | ADR (Version 9) | 9.5,10.5 | SOLE: ((logo) AKIRA on inset), (weight port with pattern), (ADR, SUPREME LONG DISTANCE, SHALLOW BACK DESIGN, PRECISION MILLING FACE in media blast), (loft) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE |
| Akira Products Co Ltd | ADR 8 | 9.5,10.5,11.5 | SOLE: (logo) AKIRA, TUNABLE GRAVITY SYSTEM, DYNAMIC TRAJECTORY, (loft), (A D (in square) R on inset) TOE: (8 logo) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|----------------------|----------|--|
| Akira Products Co Ltd | ADR EZ | 9.5,10.5 | SOLE: AKIRA, LOW CENTER OF GRAVITY, POWER CONTROLLABLE SYSTEM, (loft), (ADR, EZ on inset) CROWN: (arrow alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Akira Products Co Ltd | ADR EZ (Ladies) | 12.5 | SOLE: AKIRA, LOW CENTER OF GRAVITY, POWER CONTROLLABLE SYSTEM, (loft), (ADR, EZ on inset) CROWN: (arrow alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Akira Products Co Ltd | ADR HT | N/A | SOLE: (logo) AKIRA, INNER VIBRATION, ABSORBING SYSTEM, ADR, AKIRA DRIVING RESULT/AKIRA DRIVING RESULT/AKIRA DRIVING RESULT, AKIRA, (logo), (logo), H.T. BACK: DRIVING RESULT, (logo) TOE: (logo) HEEL: CONFORMING, TO R&A/USGA, SLE RULE |
| Akira Products Co Ltd | ADR HT (Version 2) | N/A | SOLE: AKIRA, LOW & DEEP, CENTER OF GRAVITY DESIGN, TUNABLE WEIGHT SYSTEM, HT, ((ADR on plate) in cavity), TUNABLE GRAVITY SYSTEM HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | ADR HT (Version 4) | N/A | SOLE: (logo) AKIRA, LOW & DEEP, CENTER OF GRAVITY DESIGN, TUNABLE WEIGHT SYSTEM, HT, HEAVY WEIGHT PLATE, (ADR on cavity) TOE: (logo) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | ADR Tour (Version 1) | 9,10 | SOLE: (logo) AKIRA, TUNGSTEN, PLATE, ADR, ALL-ROUND SOLE, (loft), Tour view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|-----------------------------------|----------|---|
| Akira Products Co Ltd | ADR Tour (Version 2) | 8,9,10 | SOLE: (logo) AKIRA, INNER VIBRATION, ABSORBING SYSTEM, AKIRA DRIVING RESULT/AKIRA DRIVING RESULT/AKIRA DRIVING RESULT, AKIRA, ADR, TOUR, (loft) BACK: DRIVING RESULT, (logo) TOE: (logo) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | ADR-Premium | 9.5,10.5 | SOLE: AKIRA, SUPREME LONG DISTANCE & FORGIVENESS DESIGN, VARIABLE WEIGHT SYSTEM, V.W.SCREW, V.W.SCREW, (ADR on inset) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | ADR-Premium HT | 14 | SOLE: AKIRA, SUPREME LONG DISTANCE & FORGIVENESS DESIGN, VARIABLE WEIGHT SYSTEM, V.W.SCREW, V.W.SCREW, (ADR on inset) BACK: (weight port), (weight port), (weight port) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | ADR-Tour (version 2) | 8 | SOLE: (logo) AKIRA, INNER VIBRATION, ABSORBING SYSTEM, AKIRA DRIVING RESULT/AKIRA DRIVING, ADR, RESULT/AKIRA DRIVING RESULT/AKIRA, TOUR, (loft) BACK: DRIVING RESULT, (logo) TOE: (logo) HEEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(scorelines in centre of the face) view image here |
| Akira Products Co Ltd | Akira ADR Platinum | 9.5,10.5 | SOLE: (inset), (logo), AKIRA, MAXIMUM COR PERFORMANCE, (ADR, PLATINUM on inset), (inset), (loft) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | Akira ADR Platinum (version 2) | 9.5,10.5 | SOLE: (logo), AKIRA, ((weight port) in cavity), ((weight port) in cavity), (loft) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE, (triangle), NEUTRAL, LEFT, RIGHT view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|--------------------------|-----------|--|
| Akira Products Co Ltd | Akira ADR Platinum HT | N/A | SOLE: (inset), (logo), AKIRA, MAXIMUM COR PERFORMANCE, (ADR, PLATINUM on inset), (inset), HT HOSEL: CONFORMING, TO R&A/USGA, SLE RULE |
| | | 10.5 | view image here |
| Akira Products Co Ltd | AR-11 | 10.5 | SOLE: AR-11, ULTRA POWER, ADVANCED TECHNOLOGY, OCTA-DIMPLE SOLID SOLE, (loft), (AKIRA on inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | view image here |
| Akira Products Co Ltd | AR-11 (Ladies) | 12.5 | SOLE: AR-11, ULTRA POWER, ADVANCED TECHNOLOGY, OCTA-DIMPLE SOLID SOLE, (loft), (AKIRA on inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| N: 5 1 1 0 111 | ADO | 10 5 10 5 | view image here |
| Akira Products Co Ltd | AR9 | 10.5,12.5 | SOLE: (loft) (logo) AKIRA, (AR9, AKIRA DRIVING RESULT on inset) view image here |
| Akira Products Co Ltd | K109 (Version 4) | 9 | SOLE: (logo), (K109, PROTOTYPE on inset), (loft) view image here |
| Akira Products Co Ltd | K109 Prototype | 9 | SOLE: (logo), (K109, PROTOTYPE on inset), (loft) FACE:(scoreline in centre of face) view image here |
| Akira Products Co Ltd | Prototype GL-01 | 10 | SOLE: (weight port), (weight port), (LIGHT/MIDDLE or HEAVY, PLATE on weight port), (logo), PROTOTYPE, GL-01, (weight port), (weight port) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | Prototype GL-02 | 9.5,10.5 | SOLE: (logo), (weight port), (weight port), (LIGHT/MIDDLE or HEAVY, PLATE on weight port), PROTOTYPE, GL-02, HOSEL: (dot), (orientation indicators) HEEL: CONFORMING, TO R&A/USGA, SLE RULE, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|-------------------------------|-------|---|
| Akira Products Co Ltd | Prototype H | 9,10 | SOLE: PROTOTYPE, H7(loft), (logo) BACK: (weight port), FOR TOURNAMENT PLAYERS, (weight port) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(no central score lines) |
| Akira Products Co Ltd | Prototype H109 | 9 | SOLE: PROTOTYPE H109, FOR TOURNAMENT PLAYERS, (loft) TOE: (logo) AKIRA HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(no central scorelines) |
| Akira Products Co Ltd | Prototype H109 (Version 2) | 9 | SOLE: PROTOTYPE H109, FOR TOURNAMENT PLAYERS, (loft) TOE: (logo) AKIRA HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Akira Products Co Ltd | Prototype H109 (Version 3) | 9 | SOLE: PROTOTYPE H109, FOR TOURNAMENT PLAYERS, K.K FACE MODEL (loft) TOE: (logo) AKIRA HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| Akira Products Co Ltd | Prototype H209 | 9 | view image here SOLE: (logo) AKIRA, SPECIAL MADE FOR, TOURNAMENT PLAYERS, PRECISE FORGED BODY, & FORGED CUP FACE, (H209, PROTOTYPE on plate) TOE: (media blast logo) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | Prototype H210 | 10 | SOLE: (logo) AKIRA, SPECIAL MADE FOR, TOURNAMENT PLAYERS, PRECISE FORGED BODY, & FORGED CUP FACE, (H210, PROTOTYPE on plate) TOE: (media blast logo) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | Prototype H3 | 9,10 | SOLE: PROTOTYPE H3(loft), (logo), FOR TOURNAMENT PLAYERS TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|------------------------------|-------|---|
| Akira Products Co Ltd | Prototype H3 (Version 2) | 9 | SOLE: PROTOTYPE H3(loft), (logo), FOR TOURNAMENT PLAYERS TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(no central score lines) |
| Akira Products Co Ltd | Prototype H5 | 9,10 | SOLE: PROTOTYPE, (logo), FOR TOURNAMENT PLAYERS, (H-5(loft) on inset) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | Prototype H5 (Version 2) | 9 | SOLE: PROTOTYPE, (logo), FOR TOURNAMENT PLAYERS, (H-5(loft) on inset) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(no central score lines) |
| Akira Products Co Ltd | Prototype H-6 | 9 | SOLE: PROTOTYPE H6, (loft), (logo), FOR TOURNAMENT PLAYERS HOSEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(scorelines across face) view image here |
| Akira Products Co Ltd | Prototype H-6 (Version 2) | 9 | SOLE: PROTOTYPE H6, (loft), (logo), FOR TOURNAMENT PLAYERS HOSEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(no central score lines) |
| Akira Products Co Ltd | Prototype H-6 (Version 3) | 10 | SOLE: PROTOTYPE H6, (loft), (logo), Vol. 450, FOR TOURNAMENT PLAYERS HOSEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(scorelines across face) view image here |
| Akira Products Co Ltd | Prototype H7 (Version 2) | 9 | SOLE: PROTOTYPE, H7(loft), (logo) BACK: (weight port), FOR TOURNAMENT PLAYERS, (weight port) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(scorelines across face) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|------------------------------|-------|---|
| Akira Products Co Ltd | Prototype H-8 | 9,10 | SOLE: H8(loft), (logo), PROTOTYPE, (weight screws in plate) BACK: (weight port), FOR TOURNAMENT PLAYERS, (weight port), (weight port) TOE: (logo) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | Prototype H-8 (Version 2) | 9,10 | SOLE: H8(loft), (logo), PROTOTYPE, (weight screws in plate) BACK: (weight port), FOR TOURNAMENT PLAYERS, (weight port), (weight port) TOE: (logo) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:PLUS |
| Akira Products Co Ltd | Prototype M109 | N/A | SOLE: (logo), PROTOTYPE M109 TOE: (logo) AKIRA HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | Prototype M109 Ver.2 | N/A | SOLE: (logo), PROTOTYPE M109 TOE: (logo) AKIRA HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | Prototype M110 | N/A | SOLE: (logo), PROTOTYPE M110 HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | Prototype M209 | 10 | SOLE: PROTOTYPE M2(09), (logo) view image here |
| Akira Products Co Ltd | Prototype M210 | 11.5 | SOLE: PROTOTYPE M210, (logo) view image here |
| Akira Products Co Ltd | Prototype M3 | 9,10 | SOLE: PROTOTYPE M3(loft), (logo), FOR TOURNAMENT PLAYERS TOE: (media blast logo) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Akira Products Co Ltd | Prototype M5 | 9,10 | SOLE: PROTOTYPE M5(loft), (logo), FOR TOURNAMENT PLAYRES HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|----------------------------------|------------|--|
| Akira Products Co Ltd | TM (Version 1) | 8.5,9.5 | SOLE: (logo) AKIRA, TM-(number to denote loft), FOR TOURNAMENT PLAYERS, (loft), TUNGSTEN, WEIGHT TOE: (logo) view image here |
| Akira Products Co Ltd | TM (Version 2) | 9,10,10.5 | SOLE: (logo) AKIRA TM-(number to denote loft), (two weight inserts), FOR TOURNAMENT PLAYERS, (loft) TOE: (logo) view image here |
| Akira Products Co Ltd | TM (Version 3) | 9,10,10.5 | SOLE: (logo) AKIRA TM-(number to denote loft), FOR TOURNAMENT PLAYERS, (loft) TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(scorelines in centre of face) |
| Akira Products Co Ltd | TM (Version 4) | 9,10 | SOLE: (logo) AKIRA TM- (number to denote loft), FOR TOURNAMENT PLAYERS, (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Alien Sports, Inc. | Ultimate Driver | 6,8 | SOLE: Designed by, Pat Simmons, (curved line), alien, (curved line), GOLF •, ULTIMATE, DRIVER, UTD-(loft), PATENT PENDING, Ti6AL-4V CROWN: (One horizontal recessed alignment line and two verticle recessed lines) view image here |
| All New Flying Golf | Flyin Tour | 10.5 | SOLE: (bent line), (club number/letter), Flyin(triangle) Tour, (loft), (bent line) CROWN: (fountain pen graphic w/ dot alignment mark) view image here |
| All Out Golf | N-Forcer LD 460cc (Ver. 1) | 5,6.5 | SOLE: CUP FACE, (loft), (N-FORCER over LD media blast), 460 cc, ALLOUT TOE: ALL OUT GOLF HEEL: #001 |
| All Out Golf | N-Forcer LD 460cc (Version 2) | 7.5,9,10.5 | SOLE: CUP FACE, (loft), (N-FORCER over LD media blast), 460 cc, ALLOUT TOE: ALL OUT GOLF view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|---------------------------|---------|---|
| All Out Golf | N-Timidator 460 | 5,6.5 | SOLE: Cup Face, (N-TIMIDATOR-XTREME CT, (+ inside circle) over 460 media blast), (loft)* TOE: ALL OUT GOLF view image here |
| Alpen Co Ltd | TIGORA LD | 13.5 | SOLE: (logo), TIGORA, wide sweet area design, (club number/loft) CROWN: (alignment mark) view image here |
| ALTR Golf Inc. | Type 1.0 | 10.5 | SOLE: TYPE 1.0, (weight port), ALTR, (ALTR logo) BACK: PRECISION WEIGHTED CG CROWN: (ALTR Golf logo alignment mark) HOSEL: (dot) HEEL: (loft) FACE:(ALTR Golf logo) |
| ALTR Golf Inc. | Type 2.0 | 10.5 | SOLE: TYPE 2.0, (weight port), (ALTR logo), ALTR, CARBON CROWN, (weight port) BACK: PRECISION WEIGHTED CG CROWN: (ALTR Golf logo alignment mark) HOSEL: (loft), (dot), (orientation indicators) FACE:(ALTR Golf logo) |
| Amer Sports Japan Inc (Wilson) | Deep Red II Distance | 10.5 | SOLE: (W logo), DEEP RED II, DISTANCE, (line), (loft) CROWN: (W logo) view image here |
| Amer Sports Japan Inc (Wilson) | Deep Red PF 380 HT | 9 | SOLE: Deep Red, PF, 380HT (loft), (line), Tour, (W logo) Wilson TOE: PF 380HT (logo) |
| Amer Sports Japan Inc (Wilson) | Deep Red PF 420 ST | 9 | SOLE: Deep Red, PF, 420ST (loft), (line), Tour, (W logo) Wilson TOE: PF 420ST (logo) view image here |
| Amer Sports UK Ltd | Deep Red Forged Ti 400 | 9.5 | SOLE: (W logo), DEEP RED, TI FORGED, 400 (underlined), (loft) CROWN: (W logo) view image here |
| Amur Golf | 460 DMS (Version 3) | 9,10,12 | SOLE: U(A over M logo)R, GOLF, (circular weight), (washboard w/five raised lines), 15 3-3-3 Beta Ti, Amur 460 DMS, (loft), (circular weight), (circular weight) FACE:(no scorelines on face) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------|-----------------------------|---------|---|
| Amur Golf | 460 DMS (Version 3) (LH) | 7 | SOLE: U(A over M logo)R, GOLF, (circular weight), (washboard w/five raised lines), 15 3-3-3 Beta Ti, Amur 460 DMS, (loft), (circular weight), (circular weight) FACE:(no scorelines on face) |
| | | | <u>view image here</u> |
| Amur Golf | DMS-GX² (Version2) | 9,10,11 | SOLE: U(A over M logo)R, GOLF, (loft), (washboard w/five raised lines), 15-3.3 3 Beta Ti, Amur, DMS-GX ² FACE:(no scorelines on face) |
| | | | <u>view image here</u> |
| Amur Golf | DMS-GXL | 10,11 | SOLE: U(A over M logo)R, GOLF, (loft), (washboard w/five raised lines), Find The Cure, (pink ribbon graphic), (Amur w/ six hearts), (DMS w/ five hearts) - (GXL w/ three hearts) TOE: (streak w/ pink ribbon graphic) FACE:(no scorelines on face) view image here |
| Aoi Incorporated | Nayuta Dr.3.1. | N/A | SOLE: AOI, Nayuta, Dr.3.1 |
| | | | CROWN: Nayuta, |
| | | | view image here |
| Apilch Golf, Inc. | Mad Driver | 6,7 | SOLE: A, P, Golf BACK: 615, (loft), MAD DRIVER |
| | | | <u>view image here</u> |
| Armortek Sports, Inc. | iX-5D | 9.5 | SOLE: (triangular logo) ARMORTEK, iX - 5D, (Metal Matrix Face, (loft)D, Pat.6059670 in oval) |
| | | | view image here |
| Armortek Sports, Inc. | Typhoon A325 | 9.5 | SOLE: Multilayer >(loft), ARMORTEK, TYPHOON, Forged Ti, A325 |
| | | | view image here |
| Arrowtech Company LLC | A.299 | 9 | SOLE: (Arrowtech in semi-circle), Titanium Plating, Driver, A.299, (loft) CROWN: (Arrowtech logo alignment mark) |
| | | | <u>view image here</u> |
| Arrowtech Company LLC | A.299 Fairway Driver | 13 | SOLE: (Arrowtech in semi-circle), Titanium Plating, Fairway Driver, A.299, (loft) CROWN: (Arrowtech logo alignment mark) |
| | | | view image here |
| Arrowtech Company LLC | A.299L | 10.5 | SOLE: (Arrowtech in semi-circle), Titanium Plating, Driver, A.299L, (loft) CROWN: (Arrowtech logo alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------|-----------------------------|-----------|---|
| Arrowtech Company LLC | A.299L Fairway Driver | 13 | SOLE: (Arrowtech in semi-circle), Titanium Plating, Fairway Driver, A.299L, (loft) CROWN: (Arrowtech logo alignment mark) |
| | | | view image here |
| Asahi Golf Co Ltd | Kenmochi KD-01 | 9.5,10.5 | SOLE: (loft), (Japanese symbols media blast), (Japanese symbol in square), KENMOCHI, (KD-01 on inset) HOSEL: (orientation indicators) |
| | | 40.5.44.5 | view image here |
| Asahi Golf Co Ltd | MDT MHG-850T | 10.5,11.5 | SOLE: 1 (loft), MDT, 6AL-4V TITANIUM, TUNGSTEN, INNER WEIGHT HOSEL: ASAHI HEEL: MHG-850T |
| | | | view image here |
| Asahi Golf Co Ltd | MDT MHG-851TL C | 13 | SOLE: 1 (loft), MDT, 6AL-4V TITANIUM, TUNGSTEN, INNER WEIGHT HOSEL: ASAHI HEEL: MHG-851TL |
| | | | <u>view image here</u> |
| Asahi Golf Co Ltd | MDT MHG-870 | 10.5,12 | SOLE: Precision, Deformation, EX, TRA-1, DR (loft), MDT HOSEL: ASAHI HEEL: MHG-870 <u>view image here</u> |
| Asahi Golf Co Ltd | MDT MHG-921T C W#1 | 9 | SOLE: MDT, Ti-C.compo, (loft) 1, INNER WEIGHT, MHG-921T TOE: (aG logo) HOSEL: ASAHI view image here |
| Asahi Golf Co Ltd | Metal Factory A-9 | 9.5,10.5 | SOLE: (weight port), (MF logo), METALFACTORY, A9, [(loft)], E139.745278, (weight port) view image here |
| Asahi Golf Co Ltd | Metalfactory A+ (version 2) | 9.5,10.5 | SOLE: (weight port), [(loft)], METALFACTORY, A+ HOSEL: (line), (dot), (orientation markings) view image here |
| Asahi Golf Co Ltd | Metalfactory A10 - STR- | 9.5,10.5 | SOLE: (MF logo), METALFACTORY, A10, - STR -, [(loft)] HOSEL: (line), (dot), (orientation markings) |
| | | | view image nore |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|----------------------|---------------|---|
| Asahi Golf Co Ltd | Metalfactory A-7 | 9.5,10.5,11.5 | SOLE: (logo), METALFACTORY, (line), MANUFACTURING STUDIO JAPAN, (logo), METALFACTORY, [(loft)], A7, E139.745278 view image here |
| Asahi Golf Co Ltd | Metalfactory A9 Sky | 9.5,10.5 | SOLE: (MF logo), METALFACTORY, A9, -SKY-, [(loft)], (triangle), (triangle) view image here |
| Asahi Golf Co Ltd | Metalfactory GT-3000 | 9.5,10.5 | SOLE: (METALFACTORY, TETSUMARU, -JAPAN- around (japanese character) on circular inset), METALFACTORY, line, MANUFACTURING STUDIO JAPAN, [GT-3000] ((loft) in shape) view image here |
| Asahi Golf Co Ltd | Metalfactory S-360 | 9.5,10.5 | SOLE: (METALFACTORY, TETSUMARU, -JAPAN- around (japanese character) on circular inset), METALFACTORY, line, MANUFACTURING STUDIO JAPAN, [S-360] ((loft) in shape) view image here |
| Asahi Golf Co Ltd | PC-1 | 10.5 | SOLE: 1 (loft), TITANIUM, (logo), POWER CONTROL, ASAHI, PC-1 |
| Asahi Golf Co Ltd | S-Drive Titanium 400 | 12 | SOLE: 1 (loft), S_DRIVE, TITANIUM 400 view image here |
| Asahi Golf Co Ltd | Tour-Z TZ-811 | 10.5 | SOLE: 1, TOUR-Z (oval), TZ-811, (loft), (2 dots) TITANIUM (2 dots) CROWN: (alignment mark) HOSEL: ASAHI view image here |
| Asahi Golf Co Ltd | Tour-Z TZ-997 | 10.5 | SOLE: TOUR-Z, (loft), TZ-997, (T,Z in shield cavity) HOSEL: ASAHI view image here |
| Aserta Sports, Inc. | Axis 460cc | 9.5,10.5 | SOLE: (triangle logo), (ASERTA in rectangle), Axis, (line), (six lines), 460cc FORGED, PATENTED, V. 1.2, (loft) TOE: LST (triangle logo), (line), LASER SURFACE TECHNOLOGY CROWN: (triangle logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|-------------------------------|--------------------------------|--|
| Ashton Golf Co Ltd | Atrex 545 | 10.25 | SOLE: ATREX 545, (K logo in sheil dand wreath), (ASHTON GOLF in banner), (K logo in sheild on inset) BACK: (loft) view image here |
| Ashton Golf Co Ltd | Atrex-460 | 9.5 | SOLE: Max Distnace Tech, ATREX-460, (loft), MV-Technology TOE: SP-700 FORGED, TITANIUM CROWN: (alignment mark) HEEL: ASHTON GOLF view image here |
| Ashton Golf, LLC | E3 460 | 10 | SOLE: MICROSPEC™, (cross in circle w/ line graphic), TECHNOLOGY, ASHTON, (loft), E3, 460CC, CNC MILLED TVC TITANIUM TOE: ASHTON E3 view image here |
| Ashton Golf, LLC | X-1 455cc (LH) (Version 2) | 5.5,6.5,7.5,8.5,9.5,10.5,12.5 | SOLE: (loft), ASHTON (X (1 subscript) over AG logo graphic), Moly Ti CROWN: (AG logo alignment mark) view image here |
| Ashton Golf, LLC | X-1 455cc (Version 1) | 4.5,5.5 | SOLE: (loft), ASHTON (X (1subscript) over AG logo graphic), Moly Titanium CROWN: (AG logo alignment mark) view image here |
| Ashton Golf, LLC | X-1 455cc (Version 2) | 4.5,5.5,6.5,7.5,8.5,9.5,10.5,1 | SOLE: (loft), ASHTON (X (1 subscript) over AG logo graphic), Moly Ti CROWN: (AG logo alignment mark) view image here |
| Ashton Golf, LLC | X-1 455cc (Version 3) | 5.5,6.5,7.5,8.5,9.5 | SOLE: (loft), ASHTON (X (1 subscript) over AG logo graphic), Moly Ti view image here |
| Aspec Co Ltd | Ishino Golf | 9,10 | SOLE: HYPER-3, 1 (loft), ISHINO, GOLF, TUNGSTEN, BALANCE TOE: (I logo), HYPER-3, Gold CROWN: (alignment mark) HEEL: FORGED ß-TITANIUM view image here |
| Atop Golf | Lynx Boom Boom 2 | 9,10.5 | SOLE: (logo), BOOM, BOOM, 2, HOT 1 TECHNOLOGY, Lynx HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|-------------------------------|--------------|--|
| Avanti Corporation | George Spirits (Version 3) | N/A | SOLE: Designed By George Takei, George Spirits, (arrow logo), Designed For Athlete Golfers TOE: (arrow logo) HOSEL: GT450 |
| Avatar Golf, Inc. | DXL 400 | 8.5,9.5,10.5 | SOLE: AVATAR, DXL 400, DIRECTIONAL, WEIGHTING, (loft), Pat., Pend. TOE: (oval weight insert) HEEL: (oval weight insert) view image here |
| Avatar Golf, Inc. | DXL 400 (LH) | 8.5,10.5 | SOLE: AVATAR, DXL 400, DIRECTIONAL, WEIGHTING, (loft), Pat., Pend. TOE: (oval weight insert) HEEL: (oval weight insert) view image here |
| Axis Golf Co Ltd | 512ZFX Tour-Spec Driver | N/A | SOLE: 512ZFX, TOUR-SPEC DRIVER, (weight port), (weight port), (weight port), (weight port), (weight port), (weight port) TOUR-SPEC, (weight port), (weight port) HOSEL: (orientation indicators) |
| Axis Golf Co Ltd | Harry Taylor | N/A | SOLE: ((four weight screws), Harry Taylor, Design on plate) TOE: (HT logo) HOSEL: (dot) |
| Axis Golf Co Ltd | Z 1 Series Tour Spec | 9.5,10.5 | SOLE: 1, Z, SERIES, TOUR-SPEC HEEL: (loft) view image here |
| Axis Golf Co Ltd | Z Series 460 | N/A | SOLE: Z, SERIES, TOUR-SPEC, AXIS GOLF, 460(dot) view image here |
| Axis Golf Co Ltd | Z360 | N/A | SOLE: (weight port), (weight port), (weight port), Z, SERIES TOUR-SPEC, AXIS GOLF, 360. HEEL: (weight port), (weight port), (weight port) view image here |
| B&J Golf | Vega Dual Airflow | 8.5,9.5 | SOLE: (V-drive, DUAL AIRFLOW over (VEGA (G w/ star) media blast), (loft), (DAF over V on circle insert w/ six dots) BACK: AIRFLOW STABILIZER TOE: (V w/ line over circle graphic) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|---------------|---------------|--|
| B.i.G. Bioengineered in Germany | CP-01-D | 10.5,12,14 | SOLE: (club number/letter), (atomic logo) B.i.G., CP-01 BACK: (weight port), (weight port) TOE: (atomic logo) B.i.G. HOSEL: (loft indicator) |
| B.i.G. Bioengineered in Germany | E2T2-D (DD13) | 8.5,9.5,10.5 | SOLE: (atomic logo w/ weight port), (port for screw) BACK: B.i.G TOE: (atomic logo) B.i.G. CROWN: (atomic logo alignment mark) HOSEL: (loft indicator), (dot) HEEL: Bioengineered in Germany FACE:E2T2·D, (atomic logo) |
| B.i.G. Bioengineered in Germany | E2T2-S (DS13) | 9,11,13 | SOLE: (atomic logo w/ weight port), (port for screw) BACK: B.i.G. TOE: (atomic logo) B.i.G. CROWN: (atomic logo alignment mark) HOSEL: (loft indicator), (dot) HEEL: Bioengineered in Germany FACE:E2T2·S, (atomic logo) |
| B.i.G. Bioengineered in Germany | RP-01-D | 10.5,12,14,16 | view image here SOLE: (club number/letter), (atomic logo) B.i.G., RP-01 BACK: (weight port), (weight port) TOE: (atomic logo) B.i.G. HOSEL: (loft indicator) |
| B.i.G. Bioengineered in Germany | TP-01-D | 10.5,12 | SOLE: (club number/letter), (atomic logo) B.i.G., TP-01 BACK: (weight port), (weight port) TOE: (atomic logo) B.i.G. HOSEL: (loft indicator) view image here |
| B.I.G. Stealex GmbH | TP-01 | 8.5 | SOLE: (logo), B.i.G., TP-01 TOE: (logo), B.i.G. HOSEL: A <u>view image here</u> |
| Ball Killer Golf | War Dog | 5 | SOLE: 1 (loft), BALL, KILLER™, GOLF, Beta Ti WAR DOG, 2003, OFF SET CROWN: (arrow alignment mark) BALL KILLER <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|---------------------------|---|
| Bang Golf Japan | Big Bang 460 | 9,10 | SOLE: BIG, BaNG, GOLF JAPAN, Long Distance 460, (loft), New F.A. & E.T. System, 100% TVC Beta-Titanium CROWN: (alignment mark) HEEL: The First World Long Driver Champion! view image here |
| Bang Golf, Inc. | Bang-O-Matic (Version 3) | 4.5,5,6,6.5,7.5,9,10.5,12 | SOLE: BanG®, GOLF, BANG-O-MATIC BANG-O-MATIC, (two rings with circle) (loft w/ degree symbol), (FA, SYSTEM in rectangle) view image here |
| Bang Golf, Inc. | Bang-O-Matic (Version 3) (LH) | 10.5,12 | SOLE: BanG®, GOLF, (loft w/ degree symbol), BANG-O-MATIC BANG-O-MATIC, (two rings with circle), (FA, SYSTEM in rectangle) CROWN: (three recessed curved lines) |
| Bang Golf, Inc. | Bang-O-Matic 460cc (LH) (Version 3) | 4.5,6,7.5,9 | SOLE: BanG®, GOLF, BANG-O-MATIC BANG-O-MATIC, (two rings with circle) (loft w/ degree symbol), (FA, SYSTEM in rectangle) view image here |
| Bang Golf, Inc. | Bang-O-Matic George Slupski 401cc | 4.5,6,7.5,9,10.5 | SOLE: BanG®, GOLF, BANG-O-MATIC BANG-O-MATIC, (two rings with circle) (loft), (FA, SYSTEM in rectangle) TOE: (George Slupski signature), George Slupski view image here |
| Bang Golf, Inc. | Bang-O-Matic HL (Version 3) | 14 | SOLE: BanG®, GOLF, BANG-O-MATIC BANG-O-MATIC, (two rings with circle) HL, (FA, SYSTEM in rectangle) view image here |
| Bang Golf, Inc. | Bang-O-Matic HL² (LH) | 16 | SOLE: BanG®, GOLF, HL², BANG-O-MATIC BANG-O-MATIC, (two rings with circle), (FA, SYSTEM in rectangle) CROWN: (three recessed curved lines) view image here |
| Bang Golf, Inc. | Bang-O-Matic Nancy Abiecunus 401cc | 6,7.5,9,10.5 | SOLE: BanG®, GOLF, BANG-O-MATIC BANG-O-MATIC, (two rings with circle) (loft), (FA, SYSTEM in rectangle) TOE: (Nancy Abiecunas signature), Nancy Abiecunas view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--|---------------------|--|
| Bang Golf, Inc. | Bangster OL | 4,5,6,7.5,9,10.5,12 | SOLE: OL, • STREET LEGAL• STREET LEGAL, (two rings with circle), Bangster, FUHGEDABOUDIT, (loft) TOE: BANGster, 100% BETA Ti |
| | | | view image here |
| Bang Golf, Inc. | Bangster OL (LH) | 6,7.5,9,10.5,12 | SOLE: OL, Bangster • STREET LEGAL• STREET LEGAL, (two rings with circle), FUHGEDABOUDIT, (loft) TOE: BANGster, 100% BETA Ti view image here |
| Dang Calf Inc | Bangster OL HL | 14 | |
| Bang Golf, Inc. | bangster OL AL | 14 | SOLE: OL, • STREET LEGAL• STREET LEGAL, (two rings with circle), Bangster, FUHGEDABOUDIT, HL TOE: BANGster, 100% BETA Ti CROWN: (three recessed curved lines) view image here |
| Bang Golf, Inc. | Bangster OL HL (LH) | 14 | SOLE: OL, Bangster, FUHGEDABOUDIT, • |
| Dang Golf, IIIc. | Dungstor OETTE (ETT) | | STREET LEGAL• STREET LEGAL, (two rings with circle), HL TOE: BANGster, 100% BETA Ti CROWN: (three recessed curved lines) |
| Bang Golf, Inc. | Big Bang 450cc CS | 6,7.5 | SOLE: CS Tour(vertical alignment)Tools, |
| | | | BIG, BANG®, GOLF, SP700 BETA TITANIUM, 450CC, 1 (loft) view image here |
| Bang Golf, Inc. | Big Bang eW 450cc | 6,7.5,9 | SOLE: eW Tour(vertical alignment)Tools, BIG, BANG®, GOLF, SP700 BETA TITANIUM, 450CC, 1 (loft) view image here |
| Bang Golf, Inc. | Limited Run Prototype Cryo Hardbody | 3,4,5,6,7 | SOLE: BANG®, GOLF, LIMITED RUN, PROTOTYPE, CRYO HARDBODY, WORLD LONG, DRIVE TOUR, 1 (loft) view image here |
| Bang Golf, Inc. | Mellow Yellow 420 (Version 1) | 4,6,7.5,9,10.5,12 | SOLE: BanG, GOLF, MELLOW, 420, YELLOW, (loft) view image here |
| Bang Golf, Inc. | Mellow Yellow 420 (Version 1) (LH) | 6,7.5,9,12 | SOLE: BanG, GOLF, MELLOW, 420, YELLOW, (loft) view image here |
| Bang Golf, Inc. | Mellow Yellow 420 (Version 2) | 4,7.5 | SOLE: BanG, GOLF, MELLOW, (dot), 420, YELLOW, (loft) |
| | | | view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|---------------------------------------|---------------------|--|
| Bang Golf, Inc. | Mellow Yellow 420 (Version 2) (LH) | 4 | SOLE: BanG, GOLF, MELLOW, (dot), 420, YELLOW, (loft) |
| | | | <u>view image here</u> |
| Bang Golf, Inc. | Mellow Yellow 420 HL (Version 1) | 14 | SOLE: BanG, GOLF, MELLOW, 420, YELLOW, HL |
| | | | <u>view image here</u> |
| Bang Golf, Inc. | Mellow Yellow Square 460 | 4.5,6,7.5,9,10.5,12 | SOLE: BanG, GOLF, MELLOW, 460 (2 superscript), YELLOW, (FA, SYSTEM in rectangle), (loft) BACK: (three circles) TOE: MY (SQUARE superscript) |
| | | | view image here |
| Bang Golf, Inc. | Mellow Yellow Square 460 (LH) | 4.5,6,7.5,9,10.5 | SOLE: BanG, GOLF, MELLOW, 460², YELLOW, (FA, SYSTEM in rectangle), (loft) BACK: (three circles) TOE: MY (SQUARE superscript) |
| | | | <u>view image here</u> |
| Bang Golf, Inc. | Mellow Yellow Square 460 HL | 14 | SOLE: BanG, GOLF, MELLOW, 460 (2 superscript), YELLOW, (FA, SYSTEM in rectangle), HL BACK: (three circles) TOE: MY (SQUARE superscript) view image here |
| Bang Golf, Inc. | Mellow Yellow Square 460 HL (LH) | 14 | SOLE: BanG, GOLF, MELLOW, 460 (2 superscript), YELLOW, (FA, SYSTEM in rectangle), HL BACK: (three circles) TOE: MY (SQUARE superscript) view image here |
| Bang Golf, Inc. | P2 | 2,3,4,5,6,7.5,9 | SOLE: BanG®, GOLF, 1 (loft) P2, IN THE GRID view image here |
| D 0 K I | D0 | 22456750 | |
| Bang Golf, Inc. | P3 | 2,3,4,5,6,7.5,9 | SOLE: BANG®, GOLF, 1 (loft) P3, IN THE GRID view image here |
| Bang Golf, Inc. | Pink-O-Matic Big Pink | 7.5,9,10.5 | SOLE: BanG®, GOLF, PINK-O-MATIC BIG PINK (around two rings with circle), (loft), (FA, SYSTEM in rectangle) TOE: (pink flamingo graphic) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|-----------------------|---------------------------------|--|
| Bang Golf, Inc. | Quest | 6.5 | SOLE: Quest, (line), (loft), (six dots) (Quest on recessed quadrilateral) CROWN: (lightningbolt graphic alignment mark) FACE:Quest view image here |
| Bang Golf, Inc. | SF Series 360 eW | 6 | SOLE: BANG®, (SF SERIES 360, SPRINGBOARD FACE, eW(Omega symbol)TITANIUM, (loft) view image here |
| Bang Golf, Inc. | SRV II Double Trouble | 6,7.5 | SOLE: Bang®, GOLF, S.R.V II, DOUBLE TROUBLE, 1 (loft), eW TITANIUM, 340 view image here |
| Bang Golf, Inc. | ST 539 | 4.5,5.5,6.5,7.5,8.5,9.5,10.5,1: | SOLE: (three curved lines media blast), BanG, GOLF, ST 539, (BANG-O-MATIC II BANG-O-MATIC II, (two rings with circle) in circle), (four curved lines media blast), (loft), (FA, SYSTEM in rectangle), (three curved lines media blast) BACK: (five curved lines media blast), (recessed curved line) TOE: 539 Yards LDA Official, World Long Drive Record CROWN: (three recessed curved lines) FACE:100% BetaTi view image here |
| Bang Golf, Inc. | ST 539 (LH) | 4.5,5.5,6.5,7.5,8.5,9.5,10.5 | SOLE: BanG, GOLF, ST 539, (three curved lines media blast), (BANG-O-MATIC II BANG-O-MATIC II, (two rings with circle) in circle), (four curved lines media blast), (loft), (FA, SYSTEM in rectangle), (three curved lines media blast) BACK: (five curved lines media blast), (recessed curved line) TOE: 539 Yards LDA Official, World Long Drive Record CROWN: (three recessed curved lines) FACE:100% BetaTi view image here |
| Bang Golf, Inc. | The Bang Storm | 4,5.5,7,8.5,9.5,10.5 | SOLE: THE, BanG STORM (w/ large S logo and O hurrcane graphic), C8457, (loft) view image here |
| Bang Golf, Inc. | The Bang Storm (LH) | 4,5.5,7,8.5,9.5,10.5 | SOLE: THE, BanG STORM (w/ large S logo and O hurrcane graphic), C8457, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|-------------------------------|------------------------------|--|
| Bang Golf, Inc. | The Bang Storm Offset (LH) | 8.5 | SOLE: THE, BanG STORM (w/ large S logo and O hurrcane graphic), FA457, (loft) TOE: OFF (w/ O graphic), Slice, Anti, SET view image here |
| Bang Golf, Inc. | Titanium-Nickel Prototype | 4,5,6,7 | SOLE: BANG, GOLF, PROTOTYPE, (number) of 1000, WORLD LONG, DRIVE TOUR, 1 (loft) view image here |
| Bavaria Golf International | S4 Axis R 345 | 10.5 | SOLE: Axis, (line), R 345, (loft) TOE: S4 CROWN: (alignment mark) view image here |
| Bavaria Golf International | S4 Axis R 375 | 10.5 | SOLE: Axis, (line), R 375, (loft) TOE: S4 CROWN: (alignment mark) view image here |
| Bavaria Golf International | S4 RS1 | 10.5 | SOLE: RS-1, (4 circles), (4 circles), S4, (4 circles), (loft) view image here |
| Bavaria Golf International | S4 RS-3 | N/A | SOLE: RS-3, S4, FITTED, LOFT, (circle), (7 circles) view image here |
| Beijing Ns Golf | Ns 430 (LH) | 9,9.5,10,10.5,11 | SOLE: CUSTOM MADE, (logo), Ns Selection, (loft), (line), 430 TOE: (logo), Ns, JAPAN CROWN: (alignment mark) FACE:SP-700 view image here |
| Beijing Ns Golf | Ns 440 | 9,10 | SOLE: CUSTOM MADE, (logo), Ns Selection 2007, (loft), (line), 440 TOE: (logo), Ns, JAPAN CROWN: (alignment mark) FACE:SP-700 view image here |
| Beijing Ns Golf | Ns 440 (Version 2) | 8.5,9,9.5,10,10.5,11,11.5,12 | SOLE: CUSTOM MADE, (logo), Ns Selection, (loft), (line), 440 TOE: (logo), Ns, JAPAN CROWN: (alignment mark) FACE:SP-700 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|------------------------------|-------------------------------|---|
| Beijing Ns Golf | Ns 460(alpha) (Version 1) | 10 | SOLE: (logo), CUSTOM MADE, Ns Selection 2007, (loft), (line), 460(alpha symbol) TOE: (logo), Ns, JAPAN CROWN: (alignment mark) FACE:SP-700 view image here |
| Beijing Ns Golf | Ns 460(alpha) (Version 1) | 9 | SOLE: (logo), CUSTOM MADE, Ns Selection 2007, (loft), (line), 460(alpha symbol) TOE: (logo), Ns, JAPAN CROWN: (alignment mark) FACE:SP-700 view image here |
| Beijing Ns Golf | Ns 460(alpha) (Version 3) | 9,9.5,10,10.5,11,11.5,12,12.5 | SOLE: (logo), Ns selection, 460(alpha symbol), (loft), (line) TOE: (logo), Ns, JAPAN CROWN: (alignment mark) FACE:SP-700 view image here |
| Beijing Ns Golf | Ns 460a (Version 2) | 8.5,9,9.5,10,10.5,11 | SOLE: (logo), Ns selection, 460a, (loft), (line) CROWN: (alignment mark) FACE:SP-700 view image here |
| Beijing Ns Golf | Ns 460s | 9,9.5,10,10.5,11,11.5,12,12.5 | SOLE: Ns selection, 460s, (loft), (line), (logo) CROWN: (alignment mark) FACE:SP-700 view image here |
| Belair Co Ltd | Belair Peed 408 | N/A | SOLE: (logo), TOUR MODEL, PEED, TM-SYSTEM, 408, 1, BELAIR view image here |
| Belair Co Ltd | Belair Peed 460 | N/A | SOLE: (logo), TOUR MODEL, PEED, ß RICH TITAN460, 1, BELAIR view image here |
| Belair Co Ltd | Belair Square | N/A | SOLE: BELAIR, (line), Titanium SQUARE, 1 <u>view image here</u> |
| Belair Co Ltd | Belair ZZEP 405D | N/A | SOLE: 1, (line), TOUR MODEL, ZZEP, ß RICH TITAN, (line), BELAIR BACK: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|---------------|---------------------|---|
| Belair Co Ltd | FX-103 | 9,10,11,12,13 | SOLE: 1, TOUR MODEL, FX-103, (B logo), BELAIR, (loft) view image here |
| Belair Co Ltd | Peed 400 | N/A | SOLE: (logo), 1, TOUR MODEL, PEED, ß TITAN, 400, BELAIR view image here |
| Belair Co Ltd | Peed 460 | N/A | SOLE: (logo), TOUR MODEL, PEED, ß RICH TITAN 460, 1, BELAIR FACE:ß RICH view image here |
| Belair Co Ltd | SX-05 | N/A | SOLE: TOUR MODEL, SX-05, 1, BELAIR, (B logo in inset), (circle round weight) view image here |
| Belly Golf, Inc./Hangtime Golf | Hangtime X 20 | 9 | SOLE: X 20 TOUR, HANGTIME™TECHNOLOGY, (four dots and a line), (loft), HT-Ti FACE/Beta-Ti HEAD, BELLY GOLF, INC. CROWN: (dot alignment mark) view image here |
| Ben Hogan Company | Big Ben 420 | 9.5 | SOLE: (BH in star graphic on recessed oval), Ben Hogan, (line) (line), Big Ben 420, (TITANIUM, (loft) on recessed oval) TOE: (SPEED SLOT on oval insert) CROWN: (star graphic alignment mark) view image here |
| Ben Hogan Company | Big Ben 460 | 9.5 | SOLE: (BH in star graphic on recessed oval), Ben Hogan, (line) (line), Big Ben 460, (TITANIUM, (loft) on recessed oval) TOE: (SPEED SLOT on oval insert) CROWN: (star graphic alignment mark) view image here |
| Ben Hogan Company | Big Ben C·S3 | 7.5,8.5,9.5,10.5,12 | SOLE: (BH in star graphic), Ben Hogan, (line) (line), Big Ben C•S3, FORMED FACE, TITANIUM, (loft), ((arrow) C•S3 (arrow) in oval), Custom Shot Shaping System BACK: (circular weight) TOE: (circular weight) CROWN: (star graphic alignment mark) HEEL: (circular weight) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|-------------------|----------|--|
| Ben Hogan Company | Big Ben C·S3 (LH) | 9.5,10.5 | SOLE: (BH in star graphic), Ben Hogan, (line) (line), Big Ben C•S3, FORMED FACE, TITANIUM, (loft), ((arrow) C•S3 (arrow) in oval), Custom Shot Shaping System BACK: (circular weight) TOE: (circular weight) CROWN: (star graphic alignment mark) HEEL: (circular weight) view image here |
| Ben Hogan Golf Equipment Co. | GS 53 | 9,10.5 | SOLE: Ben Hogan, (loft), (BH logo) TOE: SPEED SLOT CROWN: (BH logo alignment marker) HEEL: GS53 view image here |
| Ben Hogan Golf Equipment Co. | GS 53 Max | 9,10.5 | SOLE: GS53 MAX, Ben Hogan TOE: SPEED SLOT CROWN: (BH logo alignment marker) HOSEL: (dot) HEEL: (loft) view image here |
| Ben Sayers Golf Ltd | Benny | 10.5 | SOLE: Ben Sayers, benny (underlined), (loft), TITANIUM TOE: 460cc•ABSOLUTE MOI (underlined) CROWN: (alignment mark) view image here |
| Ben Sayers Golf Ltd | Benny HT | N/A | SOLE: Ben Sayers, benny (underlined), HT, TITANIUM TOE: 460cc•ABSOLUTE MOI (underlined) CROWN: (alignment mark) view image here |
| Ben Sayers Golf Ltd | Benny RS12 | 10.5 | SOLE: benny, (line), (RS logo), (XX1 media blast), TITANIUM, (loft) BACK: Ben Sayers TOE: 460cc • ABSOLUTE MOI (underlined) CROWN: (alignment mark) HEEL: INTERNAL WEIGHT SYSTEM (underlined) FACE:(RS XXI media blast logo) |
| Ben Sayers Golf Ltd | Benny RS12 HT | N/A | SOLE: benny, (line), (RS logo), (XX1 media blast), TITANIUM, HT BACK: Ben Sayers TOE: 460cc • ABSOLUTE MOI (underlined) CROWN: (alignment mark) HEEL: INTERNAL WEIGHT SYSTEM (underlined) FACE:(RS XXI media blast logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|------------------------------|---------|--|
| Ben Sayers Golf Ltd | M1 (offset) | 12 | SOLE: 460, Ben Sayers, M(underlined) 1, OFFSET, (loft), CWPS CROWN: (alignment mark) view image here |
| Ben Sayers Golf Ltd | M2 Draw (offset) | 12 | SOLE: Draw, M (underlined) 2, Ben Sayers, 460, (loft) BACK: (2 lines) LAUNCH CONTROL (2 lines) CROWN: (alignment mark) view image here |
| Ben Sayers Golf Ltd | M2 Draw (offset) (ladies) | 12 | SOLE: Draw, M (underlined) 2, Ben Sayers, 460, (loft) BACK: (2 lines) LAUNCH CONTROL (2 lines) CROWN: (alignment mark) view image here |
| Ben Sayers Golf Ltd | M2 Series (Version 1) | 10.5 | SOLE: M (underlined) 2, FORGED TI, 460, (loft) BACK: (i logo), Ben Sayers CROWN: (alignment mark) view image here |
| Ben Sayers Golf Ltd | M2 Series (Version 2) | 10.5,12 | SOLE: M(underlined)2, Ben Sayers, 460, (loft) BACK: (lines) LAUNCH CONTROL (lines) CROWN: (alignment mark) view image here |
| Ben Sayers Golf Ltd | M2 Square | 10.5 | SOLE: M (underlined) 2 2(superscript), Ben Sayers, 460, (loft) BACK: (2 lines) LAUNCH CONTROL (2 lines) CROWN: (alignment mark) view image here |
| Ben Sayers Golf Ltd | M2 Square Driver HT | N/A | SOLE: M (underlined) 2 2(superscript), Ben Sayers, 460, HT BACK: (2 lines) LAUNCH CONTROL (2 lines) CROWN: (alignment mark) view image here |
| Ben Sayers Golf Ltd | M3 | 10.5,12 | SOLE: M (underlined) 3, CARBON•FUSED, 460, Ben Sayers, (curved line), (loft) BACK: HIGH MOI • LOW CG view image here |
| Ben Sayers Golf Ltd | MX 1 (Offset) | 12 | SOLE: MX1, Ben Sayers, (loft), (DRV, I on triangular inset) CROWN: (alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|------------------------|-------|--|
| Ben Sayers Golf Ltd | MX 1 (Offset) (Ladies) | N/A | SOLE: MX1, Ben Sayers, HT, (DRV, I on triangular inset) CROWN: (alignment mark) view image here |
| Benross Golf | Gold | 12 | SOLE: (logo) BENROSS, GOLD (G logo in circle), (loft) CROWN: (alignment mark) view image here |
| Benross Golf | Hot Speed | 12 | SOLE: HOT, SPEED (loft), (logo) BENROSS CROWN: (arrow alignment mark) FACE:SPEED view image here |
| Benross Golf | Hot Speed 10 | 12 | SOLE: HOT, SPEED 10, (logo), BENROSS, MID-SPIN - MID-LAUNCH CROWN: (alignment mark), (3 lines), (3 lines) HOSEL: (loft), (dot), (orientation indicators) FACE:SPEED 10 view image here |
| Benross Golf | Hot Speed 2 | 12 | SOLE: (logo) BENROSS, HOT, SPEED 2, (loft) CROWN: (arrow alignment mark) FACE:SPEED 2 view image here |
| Benross Golf | Innovator | 10,12 | SOLE: (logo) BENROSS, INNNOVATOR, (loft) BACK: TRAJECTORY CONTROL, CNC MILLED FACE, FORGED TITANIUM, DEEP C.G. TOE: (logo), BENROSS, Hi-moi, (in shape) CROWN: (alignment mark) view image here |
| Benross Golf | Innovator Max | N/A | SOLE: (logo) BENROSS, INNNOVATOR, MAX BACK: TRAJECTORY CONTROL, CNC MILLED FACE, FORGED TITANIUM, DEEP C.G. TOE: (logo), BENROSS, Hi-moi (in shape) CROWN: (alignment mark) view image here |
| Benross Golf | Innovator X | 10 | SOLE: INNOVATOR, (logo) BENROSS, (loft) TOE: INNOVATOR X CROWN: (alignment mark) HEEL: HIGH MOI - DEEP C.G. view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------|-----------|---|
| Benross Golf | Jewel | 12 | SOLE: (logo) BENROSS, JEWEL, (star logo), (loft) CROWN: (alignment mark) |
| | | | view image here |
| Benross Golf | Quad | 10 | SOLE: (logo) BENROSS, quad, (loft) CROWN: (alignment mark) FACE:(quad media blast) view image here |
| Daniera Calf | Rip Speed | 10 | SOLE: RIP, SPEED (loft), (logo) BENROSS |
| Benross Golf | кір эреец | 10 | FACE:SPEED (IOII), (IOGO) BENROSS |
| | | | view image here |
| Benross Golf | Rip Speed 10 | 10 | SOLE: RIP, SPEED 10, (logo), BENROSS, LOW-SPIN, LOW-LAUNCH CROWN: (3 lines), (3 lines) HOSEL: (loft), (dot), (orientation indicators) FACE:SPEED 10 |
| | | | view image here |
| Benross Golf | Rip Speed 2 | 10 | SOLE: (logo) BENROSS, RIP, SPEED 2, (loft) FACE:SPEED 2 view image here |
| Benross Golf | V10 460cc | 10.5 | SOLE: Benross, (line)V10, (logo), TRIMASS (underlined), (loft) BACK: Benross TOE: (logo), TRIMASS, TECHNOLOGY CROWN: (alignment mark) HEEL: (logo), (weight bias) |
| Benross Golf | V12+ | 9,10.5 | SOLE: 460cc, Benross, (3 lines) V12+, FORGED TITANIUM, (loft), LAUNCH CONTROL BACK: Benross TOE: FORGED TITANIUM CROWN: (V12 alignment mark) view image here |
| Benross Golf | V5 | 9,10.5,12 | SOLE: (logo), (logo) BENROSS, V5, 460, (loft), MAX, F.D.A (in shape) BACK: (logo) BENROSS TOE: FORGED, TITANIUM CROWN: V5 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|------------------------|--------|---|
| Benross Golf | V6 | 9,10.5 | SOLE: (logo) BENROSS, (line) V6 460, (logo), TRIMASS BACK: (logo) BENROSS TOE: VMC, VARIABLE MASS CONTROL CROWN: (alignment mark) HEEL: (loft) view image here |
| Benross Golf | V8 Compressor | 9,10.5 | SOLE: Benross V8, (line), COMPRESSOR, |
| | | | (line), 440GT, (loft) BACK: Benross TOE: GRAPHITE/TITANIUM CROWN: V8 FACE:SP-700 |
| | | | <u>view image here</u> |
| Benross Golf | Veloct | 12 | SOLE: (logo) BENROSS, CONVEX TRAJECTORY, (logo), VELOCT, 1, (loft) CROWN: (alignment mark) view image here |
| Benross Golf | Veloct (Version 2) | 10,12 | |
| Benross Goli | veloct (version z) | 10,12 | SOLE: (logo) BENROSS, CONVEX TRAJECTORY, (logo), VELOCT, (loft) BACK: (logo) BENROSS CROWN: (alignment mark) view image here |
| Benross Golf | Veloct Max (Version 2) | N/A | SOLE: (logo) BENROSS, CONVEX TRAJECTORY, (logo), VELOCT, MAX BACK: (logo) BENROSS CROWN: (alignment mark) view image here |
| Benross Golf | VT Xtreme | 10 | SOLE: (logo) BENROSS, VT XTREME, (loft) BACK: (X logo) CROWN: (alignment mark) |
| | | | view image here |
| Benross Golf | VX Proto | 10 | SOLE: (logo) BENROSS, VX, PROTO, (loft) CROWN: (alignment mark) |
| | | | view image here |
| Best Tech Co Ltd | ID7 | 9,10 | SOLE: (i.D, id7 over YES! media blast logo), (POWER WEIGHT LOW GRAVITY TECHNOLOGY on weight port), (loft) HEEL: KJ TECHNOLOGY view image here |
| Best Tech Co Ltd | ID7 (Black) | 9,10 | SOLE: (i.D, id7 over YES! media blast logo), (POWER WEIGHT LOW GRAVITY TECHNOLOGY on weight port), (loft) HEEL: KJ TECHNOLOGY |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|---|-------------|---|
| Biam General Titanium Inc. | СМ | 10 | SOLE: (loft), Forged, CM, TiTANiUM, ACTIVE BETA FACE, 300CC CROWN: (T alignment mark) view image here |
| Biam General Titanium | Super Maraging | 11 | SOLE: Super, Maraging, (loft) |
| Inc. | | | view image here |
| Big Apple Golf Inc | Soft e-Driver | 11,13,15,17 | SOLE: SOFT e-(loft indicator), BIG CARRY BIO MATCH DRIVER, BIG DRIVE, (logo), TITANIUM CROWN: (alignment mark) |
| | | | view image here |
| Big Fish Leisure Sports Development PTE Ltd | NEXtwave DLT | N/A | SOLE: NEXtWAVE, (weight port), DLT TOE: (Fish logo) CROWN: (aligment mark) HOSEL: (dot), (orientation Indicators) |
| | | | <u>view image here</u> |
| Bio-Mechanical Golf Accademy Co Ltd | Navitec | N/A | SOLE: G-3 MEMORIAL, NAVITEC, 1 |
| riceacemy Co Lia | | | view image here |
| Bio-Mechanical Golf Accademy Co Ltd | Navitec 460 | N/A | SOLE: NAVITEC - 460 -, (line), TITAN HI-POWER ENGINE, 1 |
| | | | <u>view image here</u> |
| Birth Corporation | Akio | N/A | SOLE: (logo), Club Akio, Produced by Japan, ASSEMBLY by GINZO, premium edition BACK: (logo on weight port), (logo on weight port) |
| | | | view image here |
| Birth Corporation | Alba Japan (Version 2) | N/A | SOLE: Ratisa, (4 moon shapes), (gorilla logo), ALBA JAPAN CRAFTED |
| | | | <u>view image here</u> |
| Birth Corporation | Bleft (LH) | N/A | SOLE: BLEFT, 460, (Beta symbol), Ti, BIRTH, FORGED |
| | | | <u>view image here</u> |
| Birth Corporation | Neo Collect 555 | N/A | SOLE: (NEO • COLLECT, premium edition, B • B • Fighter over NEO media blast), 555, BIRTH, (B logo on weight port), (B logo on weight port) |
| | | | view image here |
| Birth Corporation | Neo Collect B.B. Fighter (Version 2) | N/A | SOLE: NEO • COLLECT (underlined), B • B • Fighter, 450 (underlined), BIRTH, (B logo) BACK: REBORN 450 TRUST |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------|------------------------------------|--------------|---|
| Birth Corporation | Neo Colletct 455 | N/A | SOLE: (NEO • COLLETCT, Premium edition, L DRIVE 455 (underline) over NEO media blast), BIRTH, (B logo on triangular inset) view image here |
| Birth Corporation | Neo Colletct Bd | N/A | SOLE: (NEO • COLLETCT, Premium edition, B d over NEO media blast), BIRTH, (B logo on triangular inset) view image here |
| Birth Corporation | Neo Colletct SL440 | N/A | SOLE: NEO . COLLETCT, Premium edition, SL, 440 (underlined), BIRTH, (B logo on triangular inset) view image here |
| Birth Corporation | Sniper X Alba Japan (Version 2) | N/A | SOLE: Sniper X, (gorilla logo), Ti-INNOVATION, ALBA JAPAN view image here |
| Birth Corporation | Tour Force Extra | N/A | SOLE: Tour Force, EXTRA, V, BIRTH, BC1303 CROWN: (alignment mark) view image here |
| Black Diamond Golf | Black Diamond BE747 | 9.5,10.5 | SOLE: Blackdiamond, (weight port), (weight port), (logo on insert), (weight port), (weight port), 1, (loft), Blackdiamond, BE747 CROWN: (B logo) view image here |
| Black Titanium Golf Co. | Black Titanium (Version 1) | 8 | SOLE: BLACK MAGIC, GOLF, BLACK, TITANIUM, (loft) view image here |
| Black Titanium Golf Co. | Black Titanium (Version 2) | 10.5 | SOLE: Black Titanium, Golf, BLACK TITANIUM, (loft) view image here |
| Blade Golf | Blade X-400 | 8.5,9.5,10.5 | SOLE: (loft w/ line), BLADE (w/ + over B), X400 CROWN: (B alignment mark) view image here |
| Blade Golf | X 460 (Version 2) | 8.5,9.5,10.5 | SOLE: (loft), (line), BLADE, GOLF, X, 460 CROWN: (recessed B alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--------------------------|--------------|---|
| Blue Hawk Golf | XT30 460cc (Version 2) | 8.5,9.5,10.5 | SOLE: (loft), BLUE HAWK+, (line) GOLF (line), XT30, 460cc TOE: (hawk graphic on curve) CROWN: (triangle alignment mark) FACE:Beta Ti |
| Blue Lotus Co Ltd | Williams FW32 | 8 | view image here SOLE: (DENSIMET ® on inset), (W logo on circular inset), FW32, WILLIAMS, (DENSIMET ® on inset), (loft) BACK: WILLIAMS F1 TEAM TECHNOLOGY TOE: (AERODYNAMIC WING on inset) FACE:WFTi view image here |
| Bobby Jones Golf | Players Series | 9.5,10.5,11 | SOLE: (loft), Bobby Jones, (circular insert w/ golfer graphic), Jesse Ortiz, (circular weight insert), (circular weight insert) view image here |
| Bobby Jones Golf | Players Series OLA | 12.5 | SOLE: OLA, Bobby Jones, (circular insert w/ golfer graphic), Jesse Ortiz, (circular weight insert), (circular weight insert) view image here |
| Bobby Jones Golf | Workshop Edition | 7,9,10.5 | SOLE: (loft), (Bobby Jones, (swinging golfer over clover leaf insert) Jesse Ortiz in circle), Workshop, (line), Edition CROWN: (rounded triangular alignment mark) HEEL: (weight port) |
| Bobby Jones Golf | Workshop Edition Tour | 8 | SOLE: (loft), TOUR, (Bobby Jones, (swinging golfer over clover leaf insert) Jesse Ortiz in circle), Workshop, (line), Edition CROWN: (rounded triangular alignment mark) HEEL: (weight port) view image here |
| BombTech Golf | BombTech Golf 3.0 | 9,10.5 | SOLE: (loft), BOMBTECH, GOLF 3.0, 450CC CROWN: BOMBTECH view image here |
| BombTech Golf | Grenade | 9,10.5 | SOLE: BOMBTECH, GOLF, (loft), GRENADE, 460CC view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--------------------------------|-----------|---|
| BombTech Golf | Grenade 2 | 9,10.5 | SOLE: (loft), GRENADE 2, 450CC TOE: BOMBTECH, GOLF, CROWN: GRENADE 2 view image here |
| Break Ltd | Mactec NV 301 (Version 2) | 10 | SOLE: (one piece logo), ULTIMATE CUP FACE, MACTEC, NV301, (loft), (logo, MACTEC on triangular inset) CROWN: (flame graphic), (triangle), (3 dots), PORTGAS . D . ACE, (underline), ONEPIECE LIMITED EDTION, (logo), (flame graphic) HEEL: MacGregor |
| Bridgestone Sports Co Ltd | 16 Tour Stage ViQ CL Driver | N/A | SOLE: (logo), (triangle), ViQ, TOURSTAGE, BRIDGESTONE CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | Access HD600 | 10.5,11.5 | SOLE: 1, (loft), ACCESS, FORGED TITANIUM, HD-600, DESIGNED BY, YUJI NUMAZAWA, BRIDGESTONE CROWN: (alignment mark) |
| Bridgestone Sports Co Ltd | B::M DC-300 | 9.5,10.5 | view image here SOLE: (Diamond graphic through B (4 triangles) M), BREAK THE MODE, DC-300, TUNGSTEN COPPER, WEIGHT FOR, ADVANCED, SPIN CONTROL, BRIDGESTONE, DUAL COMPOSITE CONSTRUCTION TOE: DEEP, (loft) LOFT view image here |
| Bridgestone Sports Co Ltd | B::M DC-300 (LH) | 10.5 | SOLE: B::M (with line through), BREAK THE MODE, DC-300, TUNGSTEN COPPER, WEIGHT FOR, ADVANCED, SPIN CONTROL, BRIDGESTONE, DUAL COMPOSITE CONSTRUCTION TOE: DEEP, (loft) LOFT view image here |
| Bridgestone Sports Co Ltd | B::M Joe Spec Metal | 14 | SOLE: B (4 triangles) M (blue with red diamond through letters), BREAK THE MODE(white), JOE SPEC.(red), METAL(red), (2 red triangles), SPOON(blue), LOFT(blue), 14°(blue), (1 red triangle) BACK: BRIDGESTONE |

| | Troveribel 04, 2024 | | | | |
|------------------------------|----------------------|--------------|--|--|--|
| Manufacturer | Product Name | Lofts | Identification Markings | | |
| Bridgestone Sports Co Ltd | B::M Joe Spec. | 9 | SOLE: (Diamond graphic through B (4 triangles) M), JOE SPEC., FORGED TITANIUM, (two triangles), DRIVER, LOFT, (loft), (triangle) BACK: BRIDGESTONE | | |
| Bridgestone Sports Co Ltd | B1 | 7.5,9.5,10.5 | SOLE: (B logo), (triangle), FADE, (five weight ports), (B logo), SP-, C-OR, (weight port) DRAW, (triangle) HOSEL: (dot), (orientation indicators) HEEL: (loft), B1 FACE:POWER MILLING, SP-C-OR | | |
| Bridgestone Sports Co Ltd | B1 ST | 9.5,10.5 | SOLE: (B logo), (weight chanel), (triangle), FADE, DRAW, (triangle), (B logo), (weight port), (weight port), SP-, C-OR CROWN: SPINE STABILIZER HOSEL: (dot), (orientation indicators) HEEL: (loft), B1 ST FACE:SLIPLESS BITE, MILLING view image here | | |
| Bridgestone Sports Co Ltd | B2 | 9.5,10.5 | SOLE: (B logo), (weight port), D.B.D. (triangle), (B logo), SP-COR, (weight port) HOSEL: (dot), (orientation indicators) HEEL: (loft), B2 FACE:POWER MILLING, SP-COR view image here | | |
| Bridgestone Sports Co Ltd | B2 HT | 9.5,10.5 | SOLE: (B logo), (weight port), SD, D.B.D, DD, (weight port), (B logo), SP-, COR CROWN: FLEXION LAYER HOSEL: (dot), (orientation indicators) HEEL: (loft), B2 HT FACE:SLIPLESS BITE, MILLING view image here | | |
| Bridgestone Sports Co Ltd | B2 HT LH (Left hand) | 9.5,10.5 | SOLE: (weight port), SP-, COR, (B logo), (B logo), (weight port), SD, D.B.D, DD, (weight port) CROWN: FLEXION LAYER HOSEL: (dot), (orientation indicators) HEEL: (loft), B2 HT FACE:SLIPLESS BITE, MILLING view image here | | |
| Bridgestone Sports Co Ltd | B3 DD | 9.5,10.5 | SOLE: (B logo), (B logo), SP-, COR, (weight port) HOSEL: (dot), (orientation indicators) HEEL: (loft), B3, DD FACE:POWER MILLING, SP-COR view image here | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--------------|-----------|--|
| Bridgestone Sports Co Ltd | B3 SD | 9.5,10.5 | SOLE: (B logo), (B logo), SP-, COR, (weight port) HOSEL: (dot), (orientation indicators) HEEL: (loft), B3, SD FACE:POWER MILLING, SP-COR view image here |
| Bridgestone Sports Co Ltd | ВЗМАХ | 9.5,10.5 | SOLE: HIGH, MOI, CARBON, MONOCOQUE, (B logo), (B logo), SP-, COR, (weight port) HOSEL: (dot), (orientation indicators) HEEL: (loft), B3MAX FACE:SLIPLESS BITE, MILLING view image here |
| Bridgestone Sports Co Ltd | B3MAX D | 10.5 | SOLE: CARBON, MONOCOQUE, (B logo), D.B.D, (B logo), SP-, COR, (weight port) HOSEL: (dot), (orientation indicators) HEEL: (loft), B3MAX D FACE:SLIPLESS BITE, MILLING view image here |
| Bridgestone Sports Co Ltd | Beam | 9,10,11 | SOLE: 1, LOFT (loft), (circle) STREAM SOLE BEAM, BRIDGESTONE CROWN: BEAM view image here |
| Bridgestone Sports Co Ltd | Beam CL | 12,13 | SOLE: (loft) 1, BEAM CL (underlined), BRIDGESTONE, (line) BEAM'S IDEAL (LINE), FULL SWEET SPOT, DESIGN, 360 CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Beam CL 430 | 12.5,13.5 | SOLE: 1 (loft), BEAM CL (underlined), 430, (3 circles), (line) CL DESIGN FOR BEAM (line) CROWN: (3 circles alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Beam Z | 9.5,10.5 | SOLE: (loft) 1, BEAM Z (underlined), BRIDGESTONE, (line) BEAM'S IDEAL (LINE), FULL SWEET SPOT, DESIGN, 430 CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |

| | | November 04, 2024 | | | | |
|------------------------------|------------------|-------------------|---|--|--|--|
| Manufacturer | Product Name | Lofts . | Identification Markings | | | |
| Bridgestone Sports Co Ltd | BG-100 | 9.5,10.5 | SOLE: BRIDGESTONE, GOLF, BG-100, (weight port), (B logo) HEEL: (loft) view image here | | | |
| Bridgestone Sports Co Ltd | BG-100L | 11.5,13.5 | SOLE: BG-100L, (inset), (inset), (inset), BRIDGESTONE, GOLF, (B logo) CROWN: (alignment mark) HEEL: (loft) view image here | | | |
| Bridgestone Sports Co Ltd | B-Jr | 18 | SOLE: (B logo), (loft), 1, B-Jr, BRIDGESTONE, GOLF CROWN: (alignment marker) view image here | | | |
| Bridgestone Sports Co Ltd | B-LD | 11.5,13.5 | SOLE: (B logo), D.B.D, (inset), (inset), (B logo), (weight port) CROWN: (alignment mark) HEEL: (loft), B-LD FACE:POWER MILLING, SP-COR view image here | | | |
| Bridgestone Sports Co Ltd | B-LD (version 2) | 11.5,13.5 | SOLE: (inset), (inset), (inset), (B Logo), (weight port), D.B.D, (B logo), (SP-, COR in inset) CROWN: (alignment mark) HEEL: (loft), B-LD FACE:SLIPLESS BITE, MILLING view image here | | | |
| Bridgestone Sports Co Ltd | B-Limited 415 | 9 | SOLE: (B logo), (weight port), SP-, COR, (weight port) TOE: (B logo) HOSEL: (dot), (orientation indicators) HEEL: B-Limited 415, (loft) FACE:POWER MILLING, SP-COR view image here | | | |
| Bridgestone Sports Co Ltd | B-Limited B1 | 9.5 | SOLE: (B logo), (triangle), FADE, (weight port), (B logo), SP-, COR, DRAW, (triangle) HOSEL: (dot), (orientation indicators) HEEL: (loft), B1, B-Limited FACE:POWER MILLING, SP-COR | | | |
| Bridgestone Sports Co Ltd | B-Limited B1 LS | 9 | SOLE: (B logo), (weight port), (B logo), SP-, COR, (weight port) CROWN: SPINE STABILIZER HOSEL: (dot), (orientation indicators) HEEL: (loft), B-Limited, B1 LS FACE:SLIPLESS BITE, MILLING view image here | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|------------------------------------|-------|--|
| Bridgestone Sports Co Ltd | B-Limited B1 LS 415 | 9 | SOLE: (B logo), (B logo), (weight port), (weight port), SP-, COR CROWN: SPINE STABILIZER HOSEL: (dot), (orientation indicators) HEEL: (loft), B-Limited, B1 LS, 415 FACE:SLIPLESS BITE, MILLING view image here |
| Bridgestone Sports Co Ltd | B-Limited B1 LS 415 (Version 2) | 9 | SOLE: (B logo), (B logo), (weight port), (weight port), SP-, COR CROWN: SPINE STABILIZER HOSEL: (dot), (orientation indicators) HEEL: (loft), B-Limited, B1 LS, 415, (star) FACE:SLIPLESS BITE, MILLING view image here |
| Bridgestone Sports Co Ltd | Bridgestone | N/A | SOLE: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Elle Golf | 15 | SOLE: ELLE, GOLF, LOW GRAVITY DESIGN, (3 lines), 1 (loft) CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | Elle Golf CL | N/A | SOLE: (heart and clover media blast logo), ELLE, GOLF, CL, LOW GRAVITY DESIGN, (1 in circle) CROWN: (heart and clover alignment mark) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Elle Golf CL (Version 2) | N/A | SOLE: Viens sur le green, ELLE, GOLF, CL, (logo), 1 CROWN: (alignment mark) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Gazelle | 14.5 | SOLE: TITANIUM FACE, Gazelle, (loft) CROWN: (alignment mark) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Gazelle HT | N/A | SOLE: TITANIUM FACE, Gazelle, HT CROWN: (alignment mark) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Gazelle L-01 | 13.5 | SOLE: TITANIUM FACE, Gazelle, L-01, (loft) CROWN: (alignment mark) HEEL: BRIDGESTONE view image here |

| Monufacturer | Droduot Name | Lofto | Identification Markings |
|------------------------------|----------------------------|--------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Bridgestone Sports Co Ltd | Gazelle M-01 | 10.5 | SOLE: TITANIUM FACE, Gazelle, M-01, (loft) CROWN: (alignment mark) HEEL: BRIDGESTONE |
| | | | view image here |
| Bridgestone Sports Co Ltd | Golf Jr. | N/A | SOLE: -1-, BRIDGESTONE, GOLF, (lines), (B logo) HEEL: (lines), Jr. view image here |
| Bridgestone Sports Co Ltd | Inceptor EVX | 10.5 | SOLE: 1, (loft), Inceptor, EVX (in shape), BRIDGESTONE, OPTIMUM GRAVITY DESIGN, TYPE 430 CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Inceptor EVX II | 10.5 | SOLE: 1, (loft), Inceptor, (EVX-II on inset), BRIDGESTONE, TYPE, 460, OPTIMUM GRAVITY DESIGN CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | J015 | 9.5,10.5 | SOLE: (J015 on inset), (lines), (B logo), (lines), (loft) TOE: BRIDGESTONE, GOLF FACE:(no central scorelines) view image here |
| Bridgestone Sports Co Ltd | J015 (Tour) (Prototype) | 9.5 | SOLE: (J015 on inset), (lines), (B logo), (lines), (loft) TOE: BRIDGESTONE, GOLF view image here |
| Bridgestone Sports Co Ltd | J015 (Version 2) | 9.5,10.5 | SOLE: (J015 on inset), (lines), (B logo), (lines), (port for shaft screw), (loft) TOE: BRIDGESTONE, GOLF HOSEL: (arrow), (orientation indicators) view image here |
| Bridgestone Sports Co Ltd | J015 P16-01 (Prototype) | 9.5 | SOLE: (J015 on inset), (lines), (B logo), (lines), (loft) TOE: BRIDGESTONE, GOLF HEEL: P16-01 view image here |
| Bridgestone Sports Co Ltd | J33P 375 | 8.5,9.5,10.5 | SOLE: Bridgestone, Golf, J33P, (loft) TOE: (B logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---------------------|-----------------|--|
| | | , | - |
| Bridgestone Sports Co Ltd | J33R 385 | 8.5,9.5,10.5 | SOLE: Bridgestone, Golf, J33R, (circle) (loft) (circle) TOE: (B logo) |
| | | 0.5.0.5.40.5 | view image here |
| Bridgestone Sports Co Ltd | J33R 400 | 8.5,9.5,10.5 | SOLE: Bridgestone, Golf, J33R, (diamond) (loft) (diamond) TOE: (B logo) |
| | | | view image here |
| Bridgestone Sports Co Ltd | J33R 415 | 8.5,9.5,10.5 | SOLE: Bridgestone, Golf, J33P, (loft) TOE: (B logo) |
| | | | view image here |
| Bridgestone Sports Co Ltd | J33R 460 | 8.5,9.5,10.5,12 | SOLE: 460, BRIDGESTONE, GOLF, J33R, (loft) Toe: (B logo) |
| | | | view image here |
| Bridgestone Sports Co Ltd | J340 Prototype | N/A | SOLE: BRIDGESTONE, PROTOTYPE, J340, 1 |
| | | | <u>view image here</u> |
| Bridgestone Sports Co Ltd | J38 | 8.5,9.5,10.5 | SOLE: 460, BRIDGESTONE, GOLF TOE: (B logo) HEEL: J38, (lines), (loft), (dotted line), CONFORMING, TO R&A/USGA, SLE RULE |
| | | | view image here |
| Bridgestone Sports Co Ltd | J40 430 | 8.5,9.5 | SOLE: J40, 430, (B media blast logo) HEEL: (loft), BRIDGESTONE, GOLF |
| | | | view image here |
| Bridgestone Sports Co Ltd | J40 445 | 9.5,10.5,12 | SOLE: J40, 445, (B media blast logo) HEEL: (loft), BRIDGESTONE, GOLF |
| | | | <u>view image here</u> |
| Bridgestone Sports Co Ltd | J40 445 (Version 2) | 9.5,10.5 | SOLE: J40, 445, (B media blast logo) HEEL: (arrow), (loft), (arrow), BRIDGESTONE, GOLF |
| | | | view image here |
| Bridgestone Sports Co Ltd | J615 CL | 11,12,13.5 | SOLE: BRIDGESTONE, GOLF, (decorative graphic), (B media blast logo), J615 CL, - (loft)-, (decorative inset) |
| | | | <u>view image here</u> |
| Bridgestone Sports Co Ltd | J715 | 8.5,9.5,10.5,12 | SOLE: (B logo), BRIDGESTONE, GOLF, J715 HOSEL: (arrow), (orientation indicators) |
| | | | HEEL: (loft) (underlined) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|------------------|-----------------|---|
| Bridgestone Sports Co Ltd | J715 (LH) | 9.5,10.5 | SOLE: BRIDGESTONE, GOLF, (B logo), J715 HOSEL: (arrow), (orientation indicators) HEEL: (loft) (underlined) view image here |
| Bridgestone Sports Co Ltd | J715 B3 | 8.5,9.5,10.5,12 | SOLE: (B logo), BRIDGESTONE, GOLF, J715 HOSEL: (arrow), (orientation indicators) HEEL: B3, (loft), (underlined) view image here |
| Bridgestone Sports Co Ltd | J715 B3 (LH) | 9.5,10.5 | SOLE: BRIDGESTONE, GOLF, (B logo), J715 TOE: (logo) HOSEL: (arrow), (orientation indicators) HEEL: B3, (loft), (underlined) view image here |
| Bridgestone Sports Co Ltd | J715 B3+ | 8.5,9.5 | SOLE: (B logo), BRIDGESTONE, GOLF, J715 HOSEL: (arrow), (orientation indicators) HEEL: B3+, (loft) (underlined) view image here |
| Bridgestone Sports Co Ltd | J715 B5 | 8.5,9.5,10.5 | SOLE: (B logo), BRIDGESTONE, GOLF, J715 HOSEL: (arrow), (orientation indicators) HEEL: B5, (loft), (underlined) view image here |
| Bridgestone Sports Co Ltd | J715 B5+ | 8.5,9.5 | SOLE: (B logo), BRIDGESTONE, GOLF, J715 HOSEL: (arrow), (orientation indicators) HEEL: B5+, (loft) (underlined) view image here |
| Bridgestone Sports Co Ltd | J815 | 8.5,9.5,10.5,12 | SOLE: (lines), BRIDGESTONE, GOLF, J815, (B logo) CROWN: (decorative alignment graphics) HOSEL: (arrow), (orientation indicators) HEEL: (loft) (underlined) view image here |
| Bridgestone Sports Co Ltd | J815 (Version 2) | 8.5,9.5,10.5,12 | SOLE: (lines), BRIDGESTONE, GOLF, J815, (B logo) HOSEL: (arrow), (orientation indicators) HEEL: (loft) (underlined) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|-------------------------------------|-------------|---|
| Bridgestone Sports Co Ltd | J815 Prototype P25-1 (Prototype) | 9.5 | SOLE: (lines), BRIDGESTONE, GOLF, J815, (B logo) CROWN: (decorative alignment graphics) HOSEL: (arrow) HEEL: (loft) (underlined), P25-1 |
| Bridgestone Sports Co Ltd | J817 | 9.5,10.5 | SOLE: (B logo), (weight port), (line), (loft), (line), (weight port) J817 TOE: TOUR B HEEL: BRIDGESTONE, GOLF view image here |
| Bridgestone Sports Co Ltd | JGR | 9.5,10.5,12 | SOLE: (JGR logo), (B media blast logo), BRIDGESTONE, GOLF, SPEEDARC, (decorative graphic) TOE: (lines) CROWN: (decorative alignment graphics) HEEL: (loft) FACE:power mILLInG TecHnoLoGy view image here |
| Bridgestone Sports Co Ltd | JGR P01-2 | 9.5 | SOLE: (JGR logo), (B media blast logo), BRIDGESTONE, GOLF, SPEEDARC, (decorative graphic) TOE: (lines) CROWN: (decorative alignment graphics) HEEL: (loft), P01-2 FACE:POWER MILLING TECHNOLOGY, view image here |
| Bridgestone Sports Co Ltd | JGR Prototype P26-1 (Prototype) | 9.5 | SOLE: (JGR logo), (B media blast logo), BRIDGESTONE, GOLF, SPEEDARC, (decorative graphic) TOE: (lines) CROWN: (decorative alignment graphics) HEEL: (loft), P26-1 FACE:power mILLInG TecHnoLoGy view image here |
| Bridgestone Sports Co Ltd | JGR Prototype P46-1 (Prototype) | 9.5 | SOLE: (JGR logo), (B media blast logo), BRIDGESTONE, GOLF, SPEEDARC, (decorative graphic) TOE: (lines) CROWN: (decorative alignment graphics) HEEL: (loft), P46-1 FACE:power mILLInG TecHnoLoGy view image here |
| Bridgestone Sports Co Ltd | Monterey ER-X II | 10.5 | SOLE: 1 (loft), Monterey, ER-X II, TYPE400, ER-X, II, OPTIMUM GRAVITY, DESIGN BACK: BRIDGESTONE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|------------------------------|----------|---|
| Bridgestone Sports Co Ltd | Newing Dynaspec | 10.5 | SOLE: 1, Newing, DYNASPEC, 400, BRIDGESTONE, (loft) CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Newing Dynaspec 400 | 10.5 | SOLE: 1, Newing, Dynaspec, 400, Bridgestone, (loft) CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | Newing Dynaspec CL 430 | 13.5 | SOLE: 430 (line), Newing, DYNASPEC, CL, (loft) (line), GRAVITY, CONTROL, DESIGN CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Newing Dynaspec Neo | 10.5 | SOLE: 1, Newing, DYNASPEC, — NEO —, 430, BRIDGESTONE, (loft) CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Newing Dynaspec Neo-G | 10.5 | SOLE: 450, (line), Newing, DYNASPEC, — NEO-G—, (line), (loft), GRAVITY CONTROL DESIGN CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Newing Dynaspec Neo-G 460 | 10.5 | SOLE: 460 (line), Newing, DYNASPEC, (line) NEO-G (line), (loft) (line), GRAVITY, CONTROL, DESIGN CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE |
| Bridgestone Sports Co Ltd | Newing EZ-Drive XV-1 | 9.5,10.5 | SOLE: Newing, EZ-DRIVE, 1, (loft), XV1 BACK: BRIDGESTONE CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|-----------------------------|----------|--|
| Bridgestone Sports Co Ltd | Newing EZ-Drive XV2 | 10,11 | SOLE: 430, Newing, EZ-DRIVE, XV2, (loft), 1 CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Newing EZ-Drive XV-III | 10.5 | SOLE: 1, Newing, EZ-DRIVE, XV-III, BRIDGESTONE, (loft) view image here |
| Bridgestone Sports Co Ltd | Newing MD-1 | 10.5 | SOLE: Newing, MD-1, MIRACLE, DISTANCE (underlined), TITANIUM, LOFT, (loft in oval), 1 BACK: BRIDGESTONE CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | Newing MD-2 | 10.5 | SOLE: 1, (loft), Newing, MD-2, MIRACLE DISTANCE, 430, BRIDGESTONE CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | Newing NS 03 | 9,10.5 | SOLE: Newing, 1, NS, (triangle) 03 (triangle), POWER CONSCIOUS FORM, BRIDGESTONE BACK: LOFT (loft) CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | Newing Over Drive | 10.5 | SOLE: 1, Newing, Over Drive, (loft) BACK:HEEL-WEIGHT-DESIGN HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Newing Potencia | 9.5,10.5 | SOLE: 1, (triangle) POTENCIA (triangle), Newing, (loft) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Newing Potencia (Ladies) | 13.5 | SOLE: 1, (triangle) POTENCIA (triangle), Newing, (loft) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | P01-7 | 9.5 | SOLE: (line), P01-7, (line), (B logo), (weight port) FACE:POWER MILLING, TECHNOLOGY view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|-------------------------|-----------|---|
| Bridgestone Sports Co Ltd | P14-01 | 9 | SOLE: PROTOTYPE, P14-01 TOE: XTREME IMPACT TECHNOLOGY HEEL: BRIDGESTONE, (loft) view image here |
| Bridgestone Sports Co Ltd | Paradiso CL (Version 1) | N/A | SOLE: (logo) Paradiso, Feel Sports Paradise, 1, CL BACK: Bridgestone CROWN: (alignment mark) |
| Bridgestone Sports Co Ltd | Paradiso CL (Version 2) | N/A | SOLE: 1, (logo) PARADISO, TITANIUM, CL, BRIDGESTONE CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Paradiso CL (Version 3) | N/A | SOLE: (logo), PARADISO, CL, 1, It's All About Having Fun, (oval) TITANIUM (oval) CROWN: (logo alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Paradiso CL (Version 4) | N/A | SOLE: (logo), PARADISO, CL, 1, (flower logos), (3 dots) TITANIUM (3 dots) BACK: Its' All About Having Fun CROWN: (3 dots alignment mark) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Paradiso CL (Version 5) | 11.5 | SOLE: (logo), PARADISO, CL, (loft) 1, (flower logos), (3 dots) TITANIUM (3 dots) BACK: It's All About Having Fun CROWN: (3 dots alignment mark) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Paradiso CL (Version 6) | 11.5,14.5 | SOLE: Freedom to Relax, (loft) 1, TITANIUM, Paradiso, CL CROWN: (alignment mark) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Paradiso CL (Version 7) | 11,14.5 | SOLE: Freedom to Relax, (3 curved lines), (loft) 1, Paradiso, CL, (3 curved lines) CROWN: (alignment mark) HEEL: BRIDGESTONE view image here |

| November 04, 2024 | | | |
|------------------------------|---------------------|---------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Bridgestone Sports Co Ltd | Paradiso CL Ti | N/A | SOLE: (logo) Paradiso, Feel Sports Paradise, 1, Titanium CL BACK: Bridgestone CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | PHYZ | 9.5,10.5,11.5 | SOLE: (logo), PHYZ, HUMAN HARMONIZED, DESIGN (loft) CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | PHYZ (LH) | 9.5,10.5 | SOLE: (logo), PHYZ, HUMAN HARMONIZED, DESIGN (loft) CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | PHYZ (Version 2) | 9.5,10.5,11.5 | SOLE: (logo), PHYZ, (•,• around port for shaft screw) CROWN: (alignment mark) HOSEL: (arrow), (orientation indicators) HEEL: (•-NORMAL, •-LONG in shape), • (loft) • view image here |
| Bridgestone Sports Co Ltd | PHYZ (Version 3) | 9.5,10.5,12 | SOLE: (4 lines), (logo), PHYZ, ((media blast diamond pattern) in shape) TOE: (line) HUMAN HARMONIZED DESIGN (line) CROWN: (alignment mark) HEEL: (line), (3 lines), (loft), (3 lines) FACE:(diamond pattern) |
| Bridgestone Sports Co Ltd | PHYZ CL | 11,12,13.5 | SOLE: (logo), PHYZ, HUMAN HARMONIZED, DESIGN, CL, (loft) (decorative gem on inset) CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | PHYZ CL (Version 2) | 11,12,13.5 | SOLE: (logo), PHYZ, (jewels on inset) • CL •, - (loft) - CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | PHYZ CL (Version 3) | 11,12,13.5 | SOLE: (2 lines), (2 decorative gems), (2 lines), (logo), PHYZ, ((CL over media blast chain link and flower pattern) in shape) TOE: (line) HUMAN HARMONIZED DESIGN (line) CROWN: (alignment mark) HEEL: (line), (3 lines), (loft), (3 lines) FACE:(chain link and flower pattern) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|----------------------|-----------|--|
| Bridgestone Sports Co Ltd | Phyz Premium | 10.5,11.5 | SOLE: (logo) PHYZ, HUMAN HARMONIZED, DESIGN, (loft), PREMIUM MODEL, (HARMONIC METAL on inset) CROWN: (alignment mark) view image here |
| | | 40.5 | |
| Bridgestone Sports Co Ltd | Phyz5 | 10.5 | SOLE: PHYZ, HUMAN HARMONIZED, DESIGN, (logo on inset) CROWN: (alignment mark) HEEL: (loft) |
| | | | view image here |
| Bridgestone Sports Co Ltd | Precept EC Fuel | 9,10.5,13 | SOLE: Precept, EC, Fuel, 01 TOE: EC Technology Loft (loft) HEEL: Bridgestone |
| | | | view image here |
| Bridgestone Sports Co Ltd | Precept EV Evolution | N/A | SOLE: PRECEPT, EV, EVOLUTION, 1 |
| Liu | | | view image here |
| Bridgestone Sports Co | Precept EV Evolution | N/A | SOLE: PRECEPT, EV, EVOLUTION, 1 |
| Ltd | (LH) | | view image here |
| Bridgestone Sports Co Ltd | Precept EV2 | 10.5 | SOLE: PRECEPT, EV(underlined)2, EXTRA VELOCITY, TITANIUM, 1, (loft), LOFT BACK: BRIDGESTONE |
| | | | view image here |
| Bridgestone Sports Co Ltd | Precept EX-10 | 10.5,13 | SOLE: 1, PRECEPT, EX-10, (line), EXTRA LONG, EXTRA FORGIVENESS, (loft), 460 HEEL: CONFORMING, TO R&A/USGA, SLE RULE |
| | | | view image here |
| Bridgestone Sports Co Ltd | Precept EX-10 (LH) | 10.5,13 | SOLE: 1, PRECEPT, EX-10, (line), EXTRA LONG, EXTRA FORGIVENESS, (loft), 460 HEEL: CONFORMING, TO R&A/USGA, SLE RULE |
| | | | view image here |
| Bridgestone Sports Co Ltd | Precept EX-11 | 10,11.5 | SOLE: PRECEPT, EX-11, 1, (loft) |
| | | | view image here |
| Bridgestone Sports Co Ltd | Precept EX-22 | 10.5,13 | SOLE: 1, PRECEPT, (curved line) EX-22 (curved line), EXTRA LONG EXTRA FORGIVENESS, 460, (loft) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |
| Bridgestone Sports Co Ltd | Precept EZ | 10,11.5 | SOLE: PRECEPT, EZ, 1, (loft) |
| Liu | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---|--------------|---|
| Bridgestone Sports Co Ltd | Precept FD-07 | 10.5,12.5,13 | SOLE: 1, PRECEPT, FD-07 (underlined), 460, (loft), (arrows) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Precept FD-09 | 10.5,13 | SOLE: 1, PRECEPT, FD-09, (line), 460, (loft) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Precept FD-X | 9.5,11 | SOLE: 1, PRECEPT, FD-X (underlined), 460, (loft), (circle with lines through) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Precept FT390 Forged Titanium (Version 1) | 9 | SOLE: PRECEPT, FT390, FORGED TITANIUM, 1 BACK: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Precept FT390 Forged Titanium (Version 2) | 10.5 | SOLE: PRECEPT, FT390, FORGED TITANIUM, 1,•• BACK: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Precept Laddie | N/A | SOLE: PRECEPT, -LADDIE-, LOW AND DEEP CENTER OF GRAVITY, 1 view image here |
| Bridgestone Sports Co Ltd | Precept Laddie (Version 2) | 10.5 | SOLE: 1, PRECEPT, -LADDIE-, (loft) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Precept Lady (Version 1) | 13 | SOLE: MAXIMUM DISTANCE, Lady, PRECEPT, 1, (loft), TITANIUM, 450cc CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | Precept Lady (Version 2) | N/A | SOLE: PRECEPT, (diamond)LADY(diamond), LOW AND DEEP CENTER OF GRAVITY, 1 view image here |
| Bridgestone Sports Co Ltd | Precept Miracle Distance | N/A | SOLE: PRECEPT, MIRACLE DISTANCE, 1, BRIDGESTONE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---|----------|--|
| Bridgestone Sports Co Ltd | Precept MS-02 | 11,13.5 | SOLE: 1, PRECEPT, (curved line) MS-02 (curved line), (loft), 460 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Precept MS-02 (LH) | 11,13.5 | SOLE: 1, PRECEPT, (curved line) MS-02 (curved line), (loft), 460 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Precept MS-X | 10.5,13 | SOLE: PRECEPT, MS-X, five triangles, 460 CROWN: (alignment mark) HEEL: (loft) view image here |
| Bridgestone Sports Co Ltd | Precept PD1 | 9.5,10.5 | SOLE: 1, PRECEPT, (line) POWER DRIVE CONCEPT (line) PD1 (line), (loft), (line symbol line) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Precept SA-71 Series | 9.5,11.5 | SOLE: 1 (loft), PRECEPT, SA-71 (underlined), SERIES III 430 HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Precept SA-71 Series III (ladies) | 12.5 | SOLE: 1 (loft), PRECEPT, SA-71 (underlined), SERIES III 430 HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Precept SA-71 Series III (ladies) (LH) | 12.5 | SOLE: 1 (loft), PRECEPT, SA-71 (underlined), SERIES III 430 HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Precept SA-71 Series III (LH) | 11.5 | SOLE: 1 (loft), PRECEPT, SA-71 (underlined), SERIES III 430 HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Precept SA-71 Series IV | 10.5,13 | SOLE: 1 (loft), PRECEPT, (3 lines) SA-71 (3 lines), SERIES, IV (in circle), 460 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---|--------------|---|
| Bridgestone Sports Co Ltd | Precept SA-71 Series IV (LH) | 10.5,13 | SOLE: 1 (loft), PRECEPT, (3 lines) SA-71 (3 lines), SERIES, IV (in circle), 460 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Precept Supple Blue | N/A | SOLE: 1, PRECEPT, SUPPLE, BLUE, BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Precept Tera | 9 | SOLE: PRECEPT, TERA, FORGED TITAN, BRIDGESTONE, 1 (loft), GREAT FEEL & DISTANCE CROWN: (alignment logo) view image here |
| Bridgestone Sports Co Ltd | Precept Tour Premium 260LS | 8.5,9.5,10.5 | SOLE: 1, PRECEPT, TOUR PREMIUM, (line) 260LS (line), TITANIUM TOE: PRECEPT view image here |
| Bridgestone Sports Co Ltd | Precept Tour Premium 310LS (Version 1) | N/A | SOLE: 1, PRECEPT, TOUR PREMIUM, (line) 310LS (line), SP700 FACE, TITANIUM TOE: PRECEPT view image here |
| Bridgestone Sports Co Ltd | Precept Tour Premium 310LS (Version 2) | 7.5,8.5,9.5 | SOLE: 1, LOFT (loft), PRECEPT, TOUR PREMIUM, (line) 310LS (line), SP 700 FACE, TITANIUM TOE: PRECEPT view image here |
| Bridgestone Sports Co Ltd | Precept Tour Premium 320LS | 8,9,10 | SOLE: 1, LOFT (loft), PRECEPT, TOUR PREMIUM, —320LS—, MOON SOLE BACK: SAT - 2041, ßTITANIUM FACE, (circular weight insert with four punchmarks) view image here |
| Bridgestone Sports Co Ltd | Precept UD-02 | 10.5,13 | SOLE: 1 (loft), PRECEPT, (rectangles) UD-02 (rectangles), 460, LOW AND DEEP CENTER OF GRAVITY HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Precept UD-10 | 10.5,12 | SOLE: 460, 1, PRECEPT, UD-10, (angled line), LOW AND DEEP, CENTER OF GRAVITY, (loft) HEEL: CONFORMING, TO R&A/USGA, SLE RULE |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--------------------------|-----------|--|
| Bridgestone Sports Co Ltd | Precept UDL-55 | 13.5 | SOLE: 1 (loft), PRECEPT, UDL-55, WIDE SWEET AREA, 430cc CROWN: (alignment mark) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Precept UDM-55 | 10.5,12.5 | SOLE: 1 (loft), PRECEPT, UDM-55, WIDE SWEET AREA, 450cc CROWN: (alignment mark) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Precept XM1 (LH) | 12.5 | SOLE: 1, PRECEPT • XM1 (in shape) •, 450, (loft) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Precept XM1 (Version 1) | 12.5 | SOLE: 1, • XM1 (in shape) • PRECEPT, 450, (loft) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Precept XM1 (Version 2) | 10.5 | SOLE: 1, •• XM1 (in shape) • PRECEPT, 450, (loft) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Precept XM1 450L (LH) | 10.5,12.5 | SOLE: 1, PRECEPT •XM1 (in shape)•, 450L, (loft) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Prototype 03-65-1-390 | N/A | SOLE: PROTOTYPE, 03-65-1-390 BACK: BRIDGESTONE <u>view image here</u> |
| Bridgestone Sports Co Ltd | Prototype 03-65-1-420 | N/A | SOLE: PROTOTYPE, 03-65-1-420 BACK: BRIDGESTONE <u>view image here</u> |
| Bridgestone Sports Co Ltd | Prototype 05-58-1 | 8.5 | SOLE: BRIDGESTONE, PROTOTYPE 05-58-1, (loft) view image here |
| Bridgestone Sports Co Ltd | Prototype 05-58-2 | 8.5 | SOLE: BRIDGESTONE, PROTOTYPE 05-58-2, (loft) view image here |
| Bridgestone Sports Co Ltd | Prototype 05-58-6 | N/A | SOLE: PROTOTYPE, 05-58-6 BACK: BRIDGESTONE HOSEL: P055806C01 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|-----------------------------------|-------|--|
| Bridgestone Sports Co Ltd | Prototype 05-58-7 | N/A | SOLE: PROTOTYPE, 05-58-7 BACK: BRIDGESTONE HOSEL: P055807C02 <u>view image here</u> |
| Bridgestone Sports Co Ltd | Prototype 06-36-2 | N/A | SOLE: (logo), TOURSTAGE, PROTOTYPE, 06-36-2 view image here |
| Bridgestone Sports Co Ltd | Prototype 06-37-3 | N/A | SOLE: (logo), TOURSTAGE, PROTOTYPE, 06-37-3 view image here |
| Bridgestone Sports Co Ltd | Prototype 06-38-1 | N/A | SOLE: (logo), TOURSTAGE, PROTOTYPE, 06-38-1 view image here |
| Bridgestone Sports Co Ltd | Prototype 06-38-2 | N/A | SOLE: (logo), TOURSTAGE, PROTOTYPE, 06-38-2 view image here |
| Bridgestone Sports Co Ltd | Prototype 06-38-3 | N/A | SOLE: (logo), TOURSTAGE, PROTOTYPE, 06-38-3 view image here |
| Bridgestone Sports Co Ltd | Prototype 06-39-3 | N/A | SOLE: (logo), TOURSTAGE, PROTOTYPE, 06-39-3 <u>view image here</u> |
| Bridgestone Sports Co Ltd | Prototype 07-52-1 (prototype) | 1 | SOLE: BRIDGESTONE, PROTOTYPE 07-52-1, LOFT (loft) view image here |
| Bridgestone Sports Co Ltd | Prototype 07-52-3 (prototype) | 3 | SOLE: BRIDGESTONE, PROTOTYPE 07-52-3, LOFT (loft) view image here |
| Bridgestone Sports Co Ltd | Prototype 07-52-5 (prototype) | 5 | SOLE: BRIDGESTONE, PROTOTYPE 07-52-5, LOFT (loft) view image here |
| Bridgestone Sports Co Ltd | Prototype 08-14-05 (prototype) | N/A | SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-14-05 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |
| Bridgestone Sports Co Ltd | Prototype 08-14-06 (prototype) | N/A | SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-14-06 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|-----------------------------------|-------|--|
| Bridgestone Sports Co Ltd | Prototype 08-14-08 (prototype) | N/A | SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-14-08 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Prototype 08-14-10 (prototype) | N/A | SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-14-10 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Prototype 08-31-3 (prototype) | N/A | SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-31-3 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Prototype 08-31-4 (prototype) | N/A | SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-31-4 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Prototype 08W-03 (prototype) | N/A | SOLE: TOURSTAGE, PROTOTYPE, 08W-03 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Prototype C0801 (prototype) | N/A | SOLE: TOURSTAGE, (logo), PROTOTYPE, C0801 TOE: (logo) view image here |
| Bridgestone Sports Co Ltd | Prototype C0801-1 (prototype) | N/A | SOLE: PROTOTYPE, C0801-1 view image here |
| Bridgestone Sports Co Ltd | Prototype P18-22 | N/A | SOLE: (B logo), P18-22 HOSEL: (dot), N, R, U, L (orientation indicators) view image here |
| Bridgestone Sports Co Ltd | Reygrande AD-11 | 10.5 | SOLE: (loft) 1, TITANIUM, Reygrande AD-11, 460, BRIDGESTONE CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | Reygrande MD-R | 10.5 | SOLE: (loft) 1, TITANIUM, Reygrande, MD-R, 460 CROWN: (alignment mark) HEEL: BRIDGESTONE |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|----------------------------|---------------|--|
| Bridgestone Sports Co Ltd | Reygrande Super ver 3.2 | 10.5 | SOLE: Reygrande, SUPER, (line) Ti-I (line), (loft in circle), BRIDGESTONE CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | Reygrande Super Ver 8.1 | 10.5 | SOLE: Ver. 8.1, (RG logo), 1, Reygrande, SUPER, (loft) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |
| Bridgestone Sports Co Ltd | Reygrande Ver. 4.1 | 10.5 | SOLE: Reygrande, Super, Ver. 4.1 (underlined), 1, (loft), Bridgestone CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | Reygrande ver. 6.1 | 10.5 | SOLE: Reygrande, SUPER, Ver. 6.1 (underlined), (RG logo), 1, (loft) CROWN: (alignment mark) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Shotron ES-III | 11 | SOLE: Shotron, Wide Sweet Area, ES-III, 410, Driver, 1 (loft), Bridgestone <u>view image here</u> |
| Bridgestone Sports Co Ltd | Tour B J819 | 9.5,10.5 | SOLE: (B logo), (weight port), J819, LOFT: (loft) TOE: TOUR B CROWN: BOOST POWER TECHNOLOGY, HONEYCOMB RIGIDITY TECHNOLOGY view image here |
| Bridgestone Sports Co Ltd | Tour B JGR | 9.5,10.5,11.5 | SOLE: JGR, (B media blast), (weight port) HEEL: ((loft) over lines) TOUR B FACE:POWER MILLING TECHNOLOGY view image here |
| Bridgestone Sports Co Ltd | Tour B JGR (Ladies) | 11.5,13.5 | SOLE: JGR, (B media blast) CROWN: (alignment mark) HEEL: ((loft) over lines) TOUR B FACE:POWER MILLING TECHNOLOGY view image here |
| Bridgestone Sports Co Ltd | Tour B JGR (LH) | 9.5,10.5 | SOLE: JGR, (B media blast), (weight port) HEEL: ((loft) over lines) TOUR B FACE:(POWER MILLING TECHNOLOGY in media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|------------------------|-----------|--|
| Bridgestone Sports Co Ltd | Tour B JGR (Version 2) | 9.5,10.5 | SOLE: TOUR B, JGR, BOOST POWER TECH, (B logo), (triangle), (SP, COR (triangle) in triangle), (loft) CROWN: TOUR B FACE:POWER MILLING TECHNOLOGY, ((triangle) in triangle) view image here |
| Bridgestone Sports Co Ltd | Tour B JGR Lady | 11.5,13.5 | SOLE: TOUR B, JGR, BOOST POWER TECH, (B logo), (triangle), (SP, COR (triangle) in triangle), (loft) CROWN: TOUR B, (triangle alignment mark) FACE:POWER MILLING, TECHNOLOGY, ((triangle) in triangle) view image here |
| Bridgestone Sports Co Ltd | TOUR B JGR P02-2 | 9.5 | SOLE: TOUR B, JGR, BOOST POWER TECH, (B logo), (triangle), (SP, COR (triangle) in triangle), (loft) CROWN: TOUR B HEEL: P02-2 FACE:POWER MILLING TECHNOLOGY, ((triangle) in triangle) view image here |
| Bridgestone Sports Co Ltd | Tour B JGR P38-1 | N/A | SOLE: (line), PO1-7, (line), (B logo), (weight port) HEEL: 17-38-1 FACE:POWER MILLING TECHNOLOGY view image here |
| Bridgestone Sports Co Ltd | Tour B JGR P38-2 | N/A | SOLE: (line), PO1-7, (line), (B logo), (weight port) HEEL: 17-38-2 FACE:POWER MILLING TECHNOLOGY view image here |
| Bridgestone Sports Co Ltd | Tour B P40-1 | N/A | SOLE: (B logo), (weight port), TOUR B, XD-3, P40-1, (weight port) HOSEL: (dot), (orientation indicators) view image here |
| Bridgestone Sports Co Ltd | Tour B P40-2 | N/A | SOLE: (B logo), (weight port), TOUR B, XD-3, P40-2, (weight port) HOSEL: (dot), (orientation indicators) view image here |
| Bridgestone Sports Co Ltd | Tour B P40-3 | N/A | SOLE: (B logo), (weight port), TOUR B, XD-3, P40-3, (weight port) HOSEL: (dot), (orientation indicators) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|-------------------------|--------------|--|
| Bridgestone Sports Co Ltd | Tour B X | 9.5,10.5 | SOLE: (B logo), SP///COR, (triangle), (B logo), FADE, DRAW, BACK: (five weight ports) HOSEL: (dot), (orientation indicators) HEEL: TOUR B X (loft) FACE:POWER MILLING TECHNOLOGY, (triangle), SP///COR |
| Bridgestone Sports Co Ltd | Tour B X P01-3 | 9.5 | SOLE: (B logo), SP///COR, (triangle), (B logo), FADE, DRAW, P01-3 BACK: (five weight ports) HOSEL: (dot), (orientation indicators) HEEL: TOUR B X (loft) FACE:POWER MILLING TECHNOLOGY, (triangle), SP///COR |
| Bridgestone Sports Co Ltd | Tour B XD-3 (P22-1) | 9.5 | SOLE: (B logo), TOUR B, XD-3, HEEL: BRIDGESTONE, GOLF, (loft), P22-1 view image here |
| Bridgestone Sports Co Ltd | Tour B XD-3 (P29-2) | 9.5 | SOLE: (B logo), TOUR B, XD-3, (weight port), (weight port) HEEL: BRIDGESTONE, GOLF, (loft), P29-2 view image here |
| Bridgestone Sports Co Ltd | Tour B XD-3 (P40-2) | 9.5 | SOLE: (B logo), (weight port), BOOST POWER (triangle), TECHNOLOGY, TOUR B, XD-3, P40-2, (weight port) HOSEL: (dot), (orientation indicators) HEEL: (dot), (dot), (dot), (loft) view image here |
| Bridgestone Sports Co Ltd | Tour B XD-3 (P40-3) | 9.5 | SOLE: (B logo), (weight port), BOOST POWER (triangle), TECHNOLOGY, TOUR B, XD-3, P40-3, (weight port) HOSEL: (dot), (orientation indicators) HEEL: (dot), (dot), (dot), (loft) view image here |
| Bridgestone Sports Co Ltd | Tour B XD-3 (P43-1) | 9.5 | SOLE: (B logo), BOOST POWER (triangle), TECHNOLOGY, TOUR B, XD-3, (loft) HOSEL: (dot), (orientation indicators) HEEL: P43-1 view image here |
| Bridgestone Sports Co Ltd | Tour B XD-3 (Version 1) | 8.5,9.5,10.5 | SOLE: (B logo), TOUR B, XD-3 HEEL: BRIDGESTONE, GOLF, (loft) view image here |

| November 04, 2024 | | | |
|------------------------------|--|--------------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Bridgestone Sports Co Ltd | Tour B XD-3 (Version 2) | 8.5,9.5,10.5 | SOLE: (B logo), TOUR B, XD-3 CROWN: (curved graphics) HEEL: BRIDGESTONE, GOLF, (loft) view image here |
| Bridgestone Sports Co Ltd | Tour B XD-3 (Version 3) | 9.5,10.5 | SOLE: (B logo), TOUR B, XD-3 CROWN: (TOUR B in textured paint) HOSEL: (dot), (orientation indicators) HEEL: BRIDGESTONE, GOLF, (loft) view image here |
| Bridgestone Sports Co Ltd | Tour B XD-3 (Version 4) | 10.5 | SOLE: (B logo), TOUR B, XD-3, (weight port), (weight port) HOSEL: (dot), (orientation indicators) HEEL: BRIDGESTONE, GOLF, (loft) view image here |
| Bridgestone Sports Co Ltd | Tour B XD-3 (Version 4) (Prototype) | 9.5 | SOLE: (B logo), TOUR B, XD-3, (weight port), (weight port) HOSEL: (dot), (orientation indicators) HEEL: BRIDGESTONE, GOLF, (loft) view image here |
| Bridgestone Sports Co Ltd | Tour B XD-3 (Version 5) | 9.5,10.5 | SOLE: (B logo), (weight port), BOOST POWER (triangle), TECHNOLOGY, TOUR B, XD-3, (weight port) HOSEL: (dot), (orientation indicators) HEEL: (dot), (dot), (dot), (loft) view image here |
| Bridgestone Sports Co Ltd | Tour B XD-3C | 9.5 | SOLE: (B logo), TOUR B, XD-3C, (weight port), BRIDGESTONE, GOLF HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Bridgestone Sports Co Ltd | Tour B XD-3C (P78-2) | 9.5 | SOLE: (B logo), TOUR B, XD-3C, (weight port), BRIDGESTONE, GOLF HOSEL: (dot), (orientation indicators) HEEL: (loft), P78-2 view image here |
| Bridgestone Sports Co Ltd | Tour B XD-5 (Version 1) | 8.5,9.5,10.5 | SOLE: (B logo), TOUR B, XD-5 HEEL: BRIDGESTONE, GOLF, (loft) view image here |
| Bridgestone Sports Co Ltd | Tour B XD-5 (Version 2) | 8.5,9.5,10.5 | SOLE: (B logo), TOUR B, XD-5 CROWN: (curved graphics) HEEL: BRIDGESTONE, GOLF, (loft) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---|----------|---|
| Bridgestone Sports Co Ltd | Tour B XD-5 (Version 3) | 9.5,10.5 | SOLE: (B logo), TOUR B, XD-5 CROWN: (TOUR B in textured paint) HOSEL: (dot), (orientation indicators) HEEL: BRIDGESTONE, GOLF, (loft) view image here |
| D:1 1 0 1 0 | T D VD 5 (Vi | 10.5 | |
| Bridgestone Sports Co Ltd | Tour B XD-5 (Version 4) | 10.5 | SOLE: (B logo), TOUR B, XD-5, (weight port), (weight port) HOSEL: (dot), (orientation indicators) HEEL: BRIDGESTONE, GOLF, (loft) |
| | | | view image here |
| Bridgestone Sports Co Ltd | Tour B XD-5 (Version 4) (Prototype) | 9.5 | SOLE: (B logo), TOUR B, XD-5, (weight port), (weight port) HOSEL: (dot), (orientation indicators) HEEL: BRIDGESTONE, GOLF, (loft) |
| | | | <u>view image here</u> |
| Bridgestone Sports Co Ltd | Tour B XD-7 (Version 3) | 9 | SOLE: (B logo), TOUR B, XD-7 CROWN: (curved graphics) HEEL: BRIDGESTONE, GOLF, (star), (loft), (star) |
| | | | view image here |
| Bridgestone Sports Co Ltd | Tour B XD-7 (Version 4) | 9 | SOLE: (B logo), TOUR B, XD-7 HEEL: BRIDGESTONE, GOLF, (star), (loft), (star) |
| | | | view image here |
| Bridgestone Sports Co Ltd | Tour B XD-7 (Version 5) | 9 | SOLE: (B logo), TOUR B, XD-7 CROWN: (TOUR B in textured paint) HOSEL: (dot), (orientation indiciatiors) HEEL: BRIDGESTONE, GOLF, (loft) |
| D:1 1 0 1 0 | T D VD 7 (// | 9 | view image here |
| Bridgestone Sports Co Ltd | Tour B XD-7 (Version 6) (Prototype) | 9 | SOLE: (B logo), TOUR B, XD-7, (weight port), (weight port) HOSEL: (dot), (orientation indicators) HEEL: BRIDGESTONE, GOLF, (loft) |
| | | | <u>view image here</u> |
| Bridgestone Sports Co Ltd | Tour Stage Jr | N/A | SOLE: 1, (logo) TOURSTAGE, Jr. BACK: BRIDGESTONE CROWN: (alignment mark) |
| | | | view image here |
| Bridgestone Sports Co Ltd | Tour Stage X-Drive 05-65-A (prototype) | N/A | SOLE: (logo), TOURSTAGE, X-DRIVE, 05-65-A, TURBO RUBBER TECHNOLOGY TOE: (logo), TOURSTAGE HOSEL: P056501C10 HEEL: BRIDGESTONE |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---|-----------|---|
| Bridgestone Sports Co Ltd | Tour Stage X-Drive 05-65-B (prototype) | N/A | SOLE: (logo), TOURSTAGE, X-DRIVE, 05-65-B, TURBO RUBBER TECHNOLOGY TOE: (logo), TOURSTAGE HOSEL: P056504C01 HEEL: BRIDGESTONE |
| | | | <u>view image here</u> |
| Bridgestone Sports Co Ltd | Tour Stage X-Drive 05-65-C (prototype) | N/A | SOLE: (logo), TOURSTAGE, X-DRIVE, 05-65-C, TURBO RUBBER TECHNOLOGY TOE: (logo), TOURSTAGE HOSEL: P056506C01 HEEL: BRIDGESTONE |
| | | | <u>view image here</u> |
| Bridgestone Sports Co Ltd | Tour Stage X-Drive 05-68-1 (prototype) | N/A | SOLE: (logo), TOURSTAGE, X-DRIVE, 05-68-1, TURBO RUBBER TECHNOLOGY TOE: (logo), TOURSTAGE HOSEL: P056801C09 HEEL: BRIDGESTONE |
| | | | view image here |
| Bridgestone Sports Co Ltd | Tourstage 09-75-1 (Prototype) | N/A | SOLE: (logo), TOURSTAGE, 09-75-1 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage 09-75-2 (Prototype) | N/A | SOLE: (logo), TOURSTAGE, 09-75-2 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage CL | 11.5,13.5 | SOLE: (decorative marking), (logo) TOURSTAGE, CL, (loft) CROWN: (diamond alignment mark) view image here |
| Bridgestone Sports Co Ltd | TourStage EXE | 10,11,12 | SOLE: (logo), TOURSTAGE, EXE, 1 BACK: (logo), (shapes) LOFT (loft) (shapes) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage EXE (Version 2) | 10,11,12 | SOLE: (logo), TOURSTAGE, EXE, 1 BACK: (logo), (shapes) LOFT (loft) (shapes) view image here |
| Bridgestone Sports Co Ltd | TourStage EXE Custom Edition Type 1 | N/A | SOLE: (logo) TOURSTAGE, EXE (in logo), 1, (logo), (3 lines) Custom Edition (3 lines) HEEL: CONFORMING, TO R&A/USGA, SLE RULE |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--|-----------|---|
| Bridgestone Sports Co Ltd | TourStage EXE Custom Edition Type II | N/A | SOLE: (logo) TOURSTAGE, EXE (in logo), 1, (logo), (3 lines) Custom Edition (3 lines) TOE: (logo), (dot) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage EXE Custom Edition Type III | N/A | SOLE: (logo) TOURSTAGE, EXE (in logo), 1, (logo), (3 lines) Custom Edition (3 lines) HEEL: (logo), CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage EXE Super Premium | 10.5,11.5 | SOLE: (logo) TOURSTAGE, EXE (with logo), 1 (loft), (logo), Super Premium HEEL: CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |
| Bridgestone Sports Co Ltd | Tourstage J290 | N/A | SOLE: TOURSTAGE, J290, 1 <u>view image here</u> |
| Bridgestone Sports Co Ltd | TourStage J310 | N/A | SOLE: TOURSTAGE, J310, 1 <u>view image here</u> |
| Bridgestone Sports Co Ltd | Tourstage Jr | N/A | SOLE: 1, (media blast logo), (logo) TOURSTAGE, Jr. CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage Jr Titanium 400 | N/A | SOLE: TITANIUM, 400, (logo) TOURSTAGE, Jr. BACK: BRIDGESTONE TOE: (logo) TOURSTAGE CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage Jr Titanium 415 | N/A | SOLE: 1, (logo) TOURSTAGE, Jr. 415, TITANIUM, (media blast logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage MR-23 US Drive Maru Spec | 8.5 | SOLE: (logo), TourStage, MR-23, (diamond), U.S. Drive, Driver, (loft) BACK: Bridgestone TOE: (logo), TourStage HEEL: Maru Spec. |

| Bridgestone Sports Co Ltd Spec (Version 4) Spe | Manufacturer | Product Name | Lofts | Identification Markings |
|--|---|---------------------------------------|---------------|--|
| Bridgestone Sports Co | - · · · · · · · · · · · · · · · · · · · | | 8,9 | MR-23 in diamond inset), (diamond), U.S. SPEC., BRIDGESTONE HEEL: AS-ROLLED, NEO ß TITANIUM, |
| HUMAN HARMONIZED, DESIGN, (oft), (HARMONIC METAL on inset) CROWN: (alignment mark) view image here | | | | view image here |
| Bridgestone Sports Co Ltd Tourstage Phyz (LH) Bridgestone Sports Co Ltd Tourstage Phyz CL Tourstage Phyz | - · · · · · · · · · · · · · · · · · · · | Tourstage Phyz | 9.5,10.5,11.5 | HUMAN HARMONIZED, DESIGN, (loft), (HARMONIC METAL on inset) |
| Litd HUMAN HARMONIZED, DESIGN, (loft), (HARMONIC METAL on inset) CROWN: (alignment mark) view image here Bridgestone Sports Co Litd Bridgestone Sports Co Litd Tourstage Phyz CL 11,12,13.5 SOLE: (logo) TOURSTAGE, (logo) PHYZ, HUMAN HARMONIZED, DESIGN, Cloft), (HARMONIC METAL, (decorative gem) on inset) CROWN: (alignment mark) view image here Bridgestone Sports Co Litd TourStage Prototype 07-63-10 (prototype) N/A SOLE: TOURSTAGE, PROTOTYPE, 07-63-10 view image here Bridgestone Sports Co Litd Bridgestone Sports Co Litd TourStage Prototype 08-31-1 N/A SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-31-1, (logo), TOURSTAGE, PROTOTYPE, 08-31-2, (weight port) HEEL: BRIDGESTONE, CONFORMING, TO RAAUSGA, SLE RULE view image here Bridgestone Sports Co Litd Bridgestone Sports Co Litd TourStage Prototype 08-W-10 (prototype) Bridgestone Sports Co Litd TourStage Prototype 08-W-10 (prototype) N/A SOLE: (logo) TOURSTAGE, PROTOTYPE, 08-31-2, (weight port) HEEL: BRIDGESTONE, CONFORMING, TO REAVUSGA, SLE RULE view image here Bridgestone Sports Co Litd Bridgestone Sports Co Litd Tourstage Prototype 10W-02-5 Tourstage Prototype 10W-02-5 TOE: (four recessed curved lines) HEEL: (four recessed curved lines) | | | | view image here |
| Bridgestone Sports Co Ltd Tourstage Phyz CL 11,12,13.5 SOLE: (logo) TOURSTAGE, (logo) PHYZ, HUMAN HARMONIZED, DESIGN, CL, (loft), (HARMONIC METAL, (decorative gem) on inset) CROWN: (alignment mark) view image here Bridgestone Sports Co Ltd TourStage Prototype 07-63-10 (prototype) Bridgestone Sports Co Ltd TourStage Prototype 08-31-1 TourStage Prototype 08-31-1 N/A SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-31-1 SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-31-1 SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-31-1 Bridgestone Sports Co Ltd TourStage Prototype 08-31-2 N/A SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-31-2 SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-31-2 Bridgestone Sports Co Ltd TourStage Prototype 08-31-2 N/A SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-31-2 SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-31-2 Bridgestone Sports Co Ltd TourStage Prototype 08W-10 (prototype) N/A SOLE: (logo) TOURSTAGE, PROTOTYPE, 08W-10 HEEL: BRIDGESTONE, CONFORMING, TO R&AUSGA, SLE RULE view image here Bridgestone Sports Co Ltd TourStage Prototype 10W-02-5 Tourstage Prototype 10W-02-5 TOE: (four recessed curved lines) HEEL: (four recessed curved lines) | | Tourstage Phyz (LH) | 9.5,10.5 | HUMAN HARMONIZED, DESIGN, (loft), (HARMONIC METAL on inset) |
| HUMAN HARMONIZED, DESIGN, CL, (loft), (HARMONIZED, DESIGN, CL, (loft), (PARMONIZED, PROTOTYPE, O7-63-10 (prototype) O7-63-10 (prototype) O7-63-10 (prototype) O7-63-10 (prototype) O7-63-10 (prototype) O8-31-1 (prototype) O8-31-1, (weight port) O8-31-1, (weight port) O8-31-1, (weight port) O8-31-2 (prototype) O8-31- | | | | view image here |
| Bridgestone Sports Co Ltd TourStage Prototype 07-63-10 (prototype) Bridgestone Sports Co Ltd Bridgestone Sports Co Ltd TourStage Prototype 08-31-1 Bridgestone Sports Co Ltd Brid | - | Tourstage Phyz CL | 11,12,13.5 | HUMAN HARMONIZED, DESIGN, CL, (loft), (HARMONIC METAL, (decorative gem) on inset) |
| Ltd 07-63-10 (prototype) 07-63-10 view image here Bridgestone Sports Co Ltd 08-31-1 Bridgestone Sports Co Ltd 08-31-1 Bridgestone Sports Co Ltd 08-31-1 Bridgestone Sports Co Ltd 08-31-2 TourStage Prototype 08-31-2 N/A SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-31-2, (weight port) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here Bridgestone Sports Co Ltd 08-31-2 Bridgestone Sports Co Ltd 08-31-2 TourStage Prototype 08-31-2 N/A SOLE: (logo) TOURSTAGE, PROTOTYPE, 08-31-2, (weight port) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here Bridgestone Sports Co Ltd 08-31-3 TourStage Prototype 08-31-3 N/A SOLE: (logo) TOURSTAGE, PROTOTYPE, 08-31-3 O8-31-3 SOLE: TOURSTAGE, PROTOTYPE, 10W-02-5 TOE: (four recessed curved lines) | | | | view image here |
| Bridgestone Sports Co Ltd Bridgestone Sports Co | - | | N/A | |
| Ltd 08-31-1 08-31-1, (weight port) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here Bridgestone Sports Co Ltd Bridgestone Sports Co Ltd TourStage Prototype 08-31-2 N/A SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-31-2, (weight port) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here Bridgestone Sports Co Ltd SOLE: (logo) TOURSTAGE, PROTOTYPE, 08W-10 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here Bridgestone Sports Co Ltd Tourstage Prototype 10W-02-5 Tourstage Prototype 10W-02-5 TOE: (four recessed curved lines) HEEL: (four recessed curved lines) | | | | view image here |
| Bridgestone Sports Co Ltd TourStage Prototype 08-31-2 N/A SOLE: (logo), TOURSTAGE, PROTOTYPE, 08-31-2, (weight port) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here Bridgestone Sports Co Ltd SOLE: (logo) TOURSTAGE, PROTOTYPE, 08W-10 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here Bridgestone Sports Co Ltd Tourstage Prototype 08W-10 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here SOLE: TOURSTAGE, PROTOTYPE 10W-02-5 TOE: (four recessed curved lines) HEEL: (four recessed curved lines) | | | N/A | 08-31-1, (weight port) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE |
| Ltd 08-31-2 08-31-2, (weight port) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here Bridgestone Sports Co Ltd SOLE: (logo) TOURSTAGE, PROTOTYPE, 08W-10 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here Bridgestone Sports Co Ltd SOLE: TOURSTAGE, PROTOTYPE 10W-02-5 Tourstage Prototype 10W-02-5 TOE: (four recessed curved lines) HEEL: (four recessed curved lines) | | T 0: 5 :: | N/A | - |
| Bridgestone Sports Co Ltd TourStage Prototype 08W-10 (prototype) N/A SOLE: (logo) TOURSTAGE, PROTOTYPE, 08W-10 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here Bridgestone Sports Co Ltd Tourstage Prototype 10W-02-5 TOE: (four recessed curved lines) HEEL: (four recessed curved lines) | - · · · · · · · · · · · · · · · · · · · | | N/A | 08-31-2, (weight port) HEEL: BRIDGESTONE, CONFORMING, |
| Ltd 08W-10 (prototype) 08W-10 (prototype) 08W-10 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here Bridgestone Sports Co Ltd SOLE: TOURSTAGE, PROTOTYPE 10W-02-5 TOE: (four recessed curved lines) HEEL: (four recessed curved lines) | | | | view image here |
| Ltd 10W-02-5 10W-02-5 TOE: (four recessed curved lines) HEEL: (four recessed curved lines) | - | · · · · · · · · · · · · · · · · · · · | N/A | 08W-10 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE |
| view image here | - · · · · · · · · · · · · · · · · · · · | | N/A | 10W-02-5 TOE: (four recessed curved lines) |
| | | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---|-------|---|
| Bridgestone Sports Co Ltd | TourStage Prototype 14-2 | 9.5 | SOLE: (logo), TOURSTAGE, PROTOTYPE, 14-2, (loft) TOE: (logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage RV-10 Type 330 Prototype | 10 | SOLE: TOURSTAGE, ATHLETIC SPIRIT, RV-10, -TYPE 330-, BRIDGESTONE, DRIVER, (loft), (large V) HEEL: PROTOTYPE view image here |
| Bridgestone Sports Co Ltd | TourStage RX-1 Type 275 Prospec Prototype | 9 | SOLE: TOURSTAGE, ATHLETE SPIRIT, PROSPEC, -RX-1 TYPE 275-, 1, BRIDGESTONE BACK: LOFT, (loft), (arrow graphic) TOE: (B logo) HEEL: PROTOTYPE <u>view image here</u> |
| Bridgestone Sports Co Ltd | TourStage RX-1 Type 315 | 9,10 | SOLE: TOURSTAGE, ATHLETE SPIRIT, PROSPEC, -RX-1 TYPE 315-, 1, BRIDGESTONE BACK: LOFT, (loft), (arrow graphic) TOE: (B logo) view image here |
| Bridgestone Sports Co Ltd | TourStage Synergy Deep | 9,10 | SOLE: TourStage, Synergy, (dots) Deep (dots), -(loft)- BACK: Bridgestone Four Piece Construction HEEL: Prototype <u>view image here</u> |
| Bridgestone Sports Co Ltd | TourStage Type 315 Prototype | 8,9 | SOLE: TOURSTAGE, ATHLETE SPIRIT, PROTOTYPE, -TYPE 315-, 1, BRIDGESTONE_ BACK: LOFT, (loft), (arrow) TOE: (B logo) view image here |
| Bridgestone Sports Co Ltd | TourStage V IQ D | 9.5 | SOLE: (logo), TourStage, ViQ (underlined) D, (loft), Turbo Rubber Insert BACK: Bridgestone TOE: (logo) TourStage CROWN: (alignment mark) HEEL: Conforming, To R&A/USGA, SLE Rule view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---------------------------------|----------|---|
| Bridgestone Sports Co Ltd | TourStage V IQ D (Prototype) | 9.5 | SOLE: (logo), TourStage, ViQD (underlined), (loft), Turbo Rubber Insert BACK: Bridgestone TOE: (logo) TourStage CROWN: (alignment mark) HEEL: Prototype view image here |
| Bridgestone Sports Co Ltd | TourStage V IQ D 450 | N/A | SOLE: (logo), TOURSTAGE, ViQD (underlined), (loft), Turbo Rubber insert, 450 BACK: BRIDGESTONE TOE: (logo) TOURSTAGE CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage V002 | 10.5 | SOLE: V002, (TOURSTAGE over logo media blast), (loft) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | TourStage V101 | 10.5 | SOLE: (logo), TOURSTAGE, V101, (loft) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | TourStage V500 (Version 1) | 8,9 | SOLE: (TourStage logo), TOURSTAGE, SUPERIOR PERFORMANCE, V500, STRATEGIC TITANIUM, 1 (loft), BRIDGESTONE TOE: (Bridgestone logo) HEEL: POWER SPEC. view image here |
| Bridgestone Sports Co Ltd | TourStage V500 (Version 2) | 9,10 | SOLE: (TourStage logo), TOURSTAGE, SUPERIOR PERFORMANCE, V500, STRATEGIC TITANIUM, 1 (loft), BRIDGESTONE View image here |
| Bridgestone Sports Co Ltd | Tourstage V551 | 9.5,10.5 | SOLE: (logo), TOURSTAGE, V551 HEEL: (loft), BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Tourstage V562 | 10.5 | SOLE: V562, (logo), TOURSTAGE CROWN: (arrow alignment mark) HEEL: (loft), BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Tourstage V6000 | 10.5 | SOLE: (TOURSTAGE over logo media blast), V6000, (loft) HEEL: BRIDGESTONE view image here |

| Manufacturar | Droduot Name | Lofta | Identification Manuscrap |
|------------------------------|------------------------------|----------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Bridgestone Sports Co Ltd | Tourstage V771 | 9.5,10.5 | SOLE: (logo over media blast (logo)), TOURSTAGE, (underline), V771 HEEL: (loft), BRIDGESTONE |
| | | | view image here |
| Bridgestone Sports Co Ltd | Tourstage V773 | 9.5,10.5 | SOLE: (weight port), (logo), (logo), TOURSTAGE, (line), V773, (line) HEEL: (loft), BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Tourstage V800 Titanium | 10 | SOLE: (curved line and triangle graphic), TOURSTAGE, ATHLETE SPIRIT, V800, GRAVITY CONTROL DESIGN, (1 in circle), MOON SOLE BACK: BRIDGESTONE, (circular weight insert), SAT-2041, ß TITANIUM FACE, LOFT 10° view image here |
| Bridgestone Sports Co Ltd | TourStage V-GT | 9.5,10.5 | SOLE: (logo), TOURSTAGE, V-GT, GEOMETRIC TECHNOLOGY, LOFT (loft) TOE: (logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage ViQ (LH) | 9.5,10.5 | SOLE: (logo), TOURSTAGE, ViQ, (loft) TOE: (logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage ViQ (Version 1) | 9.5,10.5 | SOLE: (logo), TOURSTAGE, ViQ, (loft) TOE: (logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage ViQ (Version 2) | 9.5,10.5 | SOLE: (logo), TOURSTAGE, ViQ, (line), 460, -(loft)-, POWERZONE TECH TOE: (logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--------------------------------------|---------------|---|
| Bridgestone Sports Co Ltd | Tourstage ViQ (Version 3) | 9.5,10.5,11.5 | SOLE: SUPER TURBO RUBBER TECHNOLOGY, ((triangular inset), ViQ over media blast logo), TOURSTAGE, (loft), (SUPER TURBORUBBER TECHNOLOGY SUPER TURBORUBBER TECHNOLOGY on circular weight) TOE: IMPACT MANAGEMENT SYSTEM HEEL: BRIDGESTONE, CONFORMING TO R&A/USGA SLE RULE FACE:(media blast logo) |
| Bridgestone Sports Co Ltd | Tourstage ViQ (Version 4) | 9.5,10.5,11.5 | SOLE: IMPACT, (3 lines) MANAGEMENT SYSTEM, (3 lines), (logo) TOURSTAGE, (triangular shape), ViQ, (loft) BACK: SUPER TURBO RUBBER TECHNOLOGY CROWN: (alignment graphic) view image here |
| Bridgestone Sports Co Ltd | Tourstage ViQ (Version 5) | 9.5,10.5 | SOLE: (logo), (triangle), ViQ, TOURSTAGE, BRIDGESTONE, (line), (line), (loft), (line) CROWN: (alignment mark) view image here |
| Bridgestone Sports Co Ltd | TourStage ViQ (version 6) | 9.5,10.5 | SOLE: (logo) TOURSTAGE, (weight port), (triangle), (triangle), ViQ, ViQ, (loft) <u>view image here</u> |
| Bridgestone Sports Co Ltd | Tourstage ViQ 10-09-1 (Prototype) | 9.5 | SOLE: SUPER TURBO RUBBER TECHNOLOGY, ((triangular inset), ViQ over media blast logo), TOURSTAGE, (loft), (SUPER TURBORUBBER TECHNOLOGY SUPER TURBORUBBER TECHNOLOGY on circular weight) TOE: IMPACT MANAGEMENT SYSTEM HEEL: BRIDGESTONE 10-09-1, CONFORMING TO R&A/USGA SLE RULE FACE: (media blast logo) |
| Bridgestone Sports Co Ltd | Tourstage ViQ 10-09-2 (Prototype) | 9.5 | SOLE: SUPER TURBO RUBBER TECHNOLOGY, ((triangular inset), ViQ over media blast logo), TOURSTAGE, (loft), (SUPER TURBORUBBER TECHNOLOGY SUPER TURBORUBBER TECHNOLOGY on circular weight) TOE: IMPACT MANAGEMENT SYSTEM HEEL: BRIDGESTONE 10-09-2, CONFORMING TO R&A/USGA SLE RULE FACE: (media blast logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--------------------------------------|----------------|--|
| Bridgestone Sports Co Ltd | Tourstage ViQ 10-12-1 (Prototype) | 9.5 | SOLE: SUPER TURBO RUBBER TECHNOLOGY, ((triangular inset), ViQ over media blast logo), TOURSTAGE, (loft), (SUPER TURBORUBBER TECHNOLOGY SUPER TURBORUBBER TECHNOLOGY on circular weight) TOE: IMPACT MANAGEMENT SYSTEM HEEL: BRIDGESTONE 10-12-1, CONFORMING TO R&A/USGA SLE RULE FACE:(media blast logo) |
| Bridgestone Sports Co Ltd | TourStage ViQ CL (Version 1) | 12.5,13.5 | SOLE: (logo), TOURSTAGE, ViQ (underlined), CL, (loft) TOE: (logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage ViQ CL (Version 2) | 11.5,12.5,13.5 | SOLE: (logo) TOURSTAGE, ViQ, (line), CL, 430, -(loft)-, CL DESIGN, ViQ (underlined), CL TOE: (logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage ViQ CL (Version 3) | 11,12,13.5 | SOLE: (3 gemstones), SUPER TURBO RUBBER TECHNOLOGY, ((triangular inset), ViQ over media blast logo), CL, TOURSTAGE, (loft), (SUPER TURBORUBBER TECHNOLOGY SUPER TURBORUBBER TECHNOLOGY on circular weight port) TOE: IMPACT MANAGEMENT SYSTEM HEEL: BRIDGESTONE, CONFORMING TO R&A/USGA SLE RULE FACE:(media blast logo) |
| Bridgestone Sports Co Ltd | Tourstage ViQ CL (Version 4) | 11,12,13.5 | SOLE: (3 gemstones), (logo) TOURSTAGE, (triangular shape), ViQ, CL, (loft) BACK: SUPER TURBO RUBBER TECHNOLOGY CROWN: (alignment graphic) view image here |
| Bridgestone Sports Co Ltd | Tourstage ViQ CL (Version 5) | 11,12,13.5 | SOLE: (3 gemstones), (logo), TOURSTAGE, (triangular shape), ViQ, CL, (loft), (logo), S.T.R.T CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---|----------|---|
| Bridgestone Sports Co Ltd | TourStage ViQ CL Regina | 13.5 | SOLE: (decorative stone), ViQ, CL, TOURSTAGE, (loft), Regina, (3 decorative gems), SUPER TURBO RUBBER TECHNOLOGY, (SUPER TURBORUBBER TECHNOLOGY, SUPER TURBORUBBER TECHNOLOGY on circular weight port) TOE: IMPACT MANAGEMENT SYSTEM HEEL: BRIDGESTONE, CONFORMING TO R&A/USGA SLE RULE FACE:(heart media blast logo) |
| Bridgestone Sports Co Ltd | TourStage ViQ Deep (Version 1) | 9.5,10.5 | SOLE: (logo), TOURSTAGE, ViQ (underlined), DEEP, (loft) BACK: Power DEEP FACE 430 TOE: (logo) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage ViQ Deep (Version 2) | 9.5,10.5 | SOLE: IMPACT (underlined)/, (two lines), / MANAGEMENT SYSTEM (underlined), (two lines), (logo), TOURSTAGE, ViQ, (loft) HEEL: (logo) DEEP (logo) view image here |
| Bridgestone Sports Co Ltd | Tourstage ViQ Deep (Version 3) | 9.5 | SOLE: IMPACT, (3 lines) MANAGEMENT SYSTEM, (3 lines), (logo) TOURSTAGE, (triangular shape) ViQ, (loft) BACK: SUPER TURBO RUBBER TECHNOLOGY CROWN: (arrow alignment mark) HEEL: (triangle) DEEP (triangle) |
| Bridgestone Sports Co Ltd | Tourstage ViQ Deep 12-09 (Prototype) | 9.5 | SOLE: IMPACT, (3 lines) MANAGEMENT SYSTEM, (3 lines), (logo) TOURSTAGE, (triangular shape) ViQ, (loft) BACK: SUPER TURBO RUBBER TECHNOLOGY CROWN: (alignment graphic) HEEL: (triangle) DEEP (triangle), 12-09 view image here |
| Bridgestone Sports Co Ltd | TourStage ViQ Deep 460 | 9.5,10.5 | SOLE: TOURSTAGE, ViQ (underlined), (logo), 460 -(loft)-, POWERZONE TECH, ViQ (underlined) BACK: (triangle) DEEP (triangle) TOE: (logo) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|------------------------------------|----------|---|
| Bridgestone Sports Co Ltd | TourStage ViQ HT (Version 1) | N/A | SOLE: (logo), TOURSTAGE, ViQ, HT TOE: (logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |
| Bridgestone Sports Co Ltd | TourStage ViQ HT (Version 2) | N/A | SOLE: (logo), TOURSTAGE, ViQ (underlined), 460, -HT-, POWERZONE TECH TOE: (logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage ViQ MX | 9.5,10.5 | SOLE: (logo), TOURSTAGE, ViQ (underlined), MX, (loft) BACK: Maximum volume 460 TOE: (logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage ViQ MX HT | N/A | SOLE: (logo), TOURSTAGE, ViQ (underlined), MX, HT BACK: Maximum volume 460 TOE: (logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |
| Bridgestone Sports Co Ltd | TourStage ViQ P01-5 (prototype) | 9.5 | SOLE: TOURSTAGE, ViQ (underlined), (logo), 460, -(loft)-, POWERZONE TECH, ViQ (underlined) TOE: (logo), P01-5 CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |
| Bridgestone Sports Co Ltd | TourStage ViQ P01-6 (prototype) | 9.5 | SOLE: TOURSTAGE, ViQ (underlined), (logo), 460, -(loft)-, POWERZONE TECH, ViQ (underlined) TOE: (logo), P01-6 CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---------------------------------------|----------|--|
| Bridgestone Sports Co Ltd | TourStage ViQ P01-7 (prototype) | 9.5 | SOLE: TOURSTAGE, ViQ (underlined), (logo), 430, -(loft)-, POWERZONE TECH, ViQ (underlined) TOE: (logo), P01-7 CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE |
| Bridgestone Sports Co Ltd | TourStage ViQ P07-01-8 (prototype) | 9.5,10.5 | SOLE: TOURSTAGE, (logo), ViQ (underlined), 460, -(loft)-, POWERZONE TECH TOE: (logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, P07-01-8 |
| Bridgestone Sports Co Ltd | TourStage ViQ Premium Spec | 9.5,10.5 | SOLE: (logo), TOURSTAGE, , ViQ, (line), LOFT (loft)> CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage ViQ Premium Spec HT | N/A | SOLE: (logo), TOURSTAGE, , ViQ, (line), LOFT HT> CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage ViQ Prototype 1 | 9.5 | SOLE: (logo), TOURSTAGE, ViQ, (loft) BACK: PROTOTYPE 1 TOE: (logo) CROWN: (alignment mark) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage ViQ2 | 9.5,10.5 | SOLE: (logo) TOURSTAGE, (weight port), (triangle), ViQ, (loft) BACK: TURBO RUBBER TECHNOLOGY view image here |
| Bridgestone Sports Co Ltd | TourStage Vmax | 10 | SOLE: (logo), TOURSTAGE, SUPERIOR PERFORMANCE, VMAX, STRATEGIC TITANIUM, 1 (loft), BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | TourStage X100 (Version 1) | 8 | SOLE: (TourStage logo), TOURSTAGE, SUPERIOR PERFORMANCE, X100, STRATEGIC TITANIUM, 1, 8°, BRIDGESTONE view image here |

| Bridgestone Sports Co Ltd | TourStage X500 | 9 | SOLE: (TourStage logo), TOURSTAGE, |
|------------------------------|---|------|---|
| | | | SUPERIOR PERFORMANCE, X500, STRATEGIC TITANIUM, 1, BRIDGESTONE BACK: AS ROLLED, INT.D.B TITANIUM FACE, LOFT (loft) TOE: (Bridgestone logo) view image here |
| Bridgestone Sports Co Ltd | Tourstage X500 | 8,10 | SOLE: (Tourstage logo), TOURSTAGE, SUPERIOR PERFORMANCE, X500, STRATEGIC TITANIUM, 1, BRIDGESTONE BACK: AS ROLLED, INT.D. ß TITANIUM FACE, LOFT (loft) TOE: (B logo) view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 08-14-08 (prototype) | 9.5 | SOLE: X-DRIVE, (logo), TOURSTAGE TOE: R.S.D. TECHNOLOGY HEEL: PROTOTYPE, 08-14-08, BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |
| Bridgestone Sports Co Ltd | TourStage X-Drive 08W-11 (prototype) | N/A | SOLE: (logo), TOURSTAGE, X-DRIVE, 08W-11 HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 08W-13 (prototype) | N/A | SOLE: (logo), TOURSTAGE, X-DRIVE, 08W-13 HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 08W-14 (prototype) | N/A | SOLE: (logo), TOURSTAGE, X-DRIVE, 08W-14 HEEL: CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |
| Bridgestone Sports Co Ltd | TourStage X-Drive 08W-15 (prototype) | N/A | SOLE: (logo), TOURSTAGE, X-DRIVE, 08W-15 HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 08W-16 (prototype) | N/A | SOLE: (logo), TOURSTAGE, X-DRIVE, 08W-16 HEEL: CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--|---------|--|
| Bridgestone Sports Co Ltd | Tourstage X-Drive 09-75-3 (Prototype) | N/A | SOLE: (logo), TOURSTAGE, X-DRIVE, 09-75-3 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 09W-01-1 (Prototype) | N/A | SOLE: X-DRIVE, 09W-01-1, (logo), TOURSTAGE HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 09W-01-2 (Prototype) | N/A | SOLE: X-DRIVE, 09W-01-2, (logo), TOURSTAGE HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 10W-02-1 (Prototype) | 9.5 | SOLE: TOURSTAGE, X-DRIVE, PROTOTYPE 10W-02-1, (loft) view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 10W-02-2 (Prototype) | 9.5 | SOLE: TOURSTAGE, X-DRIVE, PROTOTYPE 10W-02-2, (loft) view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 10W-02-3 (Prototype) | 9.5 | SOLE: TOURSTAGE, X-DRIVE, PROTOTYPE 10W-02-3, (loft) view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 10W-02-4 (Prototype) | 9.5 | SOLE: TOURSTAGE, X-DRIVE, PROTOTYPE 10W-02-4, (loft) view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 10W-02-5 (Prototype) | 9.5 | SOLE: TOURSTAGE, X-DRIVE, PROTOTYPE 10W-02-5, (loft) view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 340 | 8.5,9.5 | SOLE: (logo), TourStage, X-Drive, (loft), Turbo Rubber Technology BACK: (square)340(square) TOE: (logo) TourStage HEEL: Bridgestone view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 350 P34-1 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 350 HEEL: BRIDGESTONE, P34-1 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--|--------------|---|
| Bridgestone Sports Co Ltd | TourStage X-Drive 365 | 8.5,9.5,10.5 | SOLE: (logo), TOURSTAGE, X-DRIVE, (loft), TURBO RUBBER TECHNOLOGY BACK: (square) 365 (square) TOE: (logo), TOURSTAGE HEEL: BRIDGESTONE |
| Bridgestone Sports Co Ltd | TourStage X-Drive 385 | 8.5,9.5 | SOLE: (logo), TourStage, X-Drive, (loft), Turbo Rubber Technology BACK: (square) 385 (square) TOE: (logo), TourStage HEEL: Bridgestone view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 405 | 8.5,9.5,10.5 | SOLE: (logo), TourStage, X-Drive, (loft), Turbo Rubber Technology BACK: (square)405(square) TOE: (logo) TourStage HEEL: Bridgestone view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 410 | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 410 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 410P P36-3 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 410P HEEL: BRIDGESTONE, P36-3 |
| Bridgestone Sports Co Ltd | TourStage X-Drive 410P P39-1 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 410P HEEL: BRIDGESTONE, P39-1 view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 410P P43-1 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 410P HEEL: BRIDGESTONE, P43-1 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--|--------------|--|
| Bridgestone Sports Co Ltd | TourStage X-Drive 430 | 9.5,10.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 430 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 430 P37-1 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 430 HEEL: BRIDGESTONE, P37-1 |
| Bridgestone Sports Co Ltd | TourStage X-Drive 430 P81-1 (prototype) | 9.5 | SOLE: 430, (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo) HEEL: BRIDGESTONE, P81-1 |
| Bridgestone Sports Co Ltd | TourStage X-Drive 430P | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 430P HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 430P P37-3 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 430P HEEL: BRIDGESTONE, P37-3 |
| Bridgestone Sports Co Ltd | TourStage X-Drive 430P P81-3 | 9.5 | SOLE: 430P, (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo) HEEL: BRIDGESTONE, P81-3 view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 435 | 8.5,9.5,10.5 | SOLE: (logo), TOURSTAGE, X-DRIVE, (loft), TURBO RUBBER TECHNOLOGY BACK: (square) 435 (square) TOE: (logo), TOURSTAGE HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--|--------------|---|
| Bridgestone Sports Co Ltd | TourStage X-Drive 445 | 9.5,10.5 | SOLE: X-DRIVE, (v-shaped line), (logo), TOURSTAGE, THE NEXT TECHNOLOGY, (loft) TOE: (logo) HEEL: (triangle) 445 (triangle), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 460 | 8.5,9.5,10.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 460 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 460 (LH) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 460 view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 460 GR | 9.5,10.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), GR, THE NEXT TECHNOLOGY TOE: (logo), (square) 460 (square) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 460 GR P49-1 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), GR, THE NEXT TECHNOLOGY TOE: (logo), (square) 460 (square) HEEL: BRIDGESTONE, P49-1 view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 460 GR P49-2 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), GR, THE NEXT TECHNOLOGY TOE: (logo), (square) 460 (square) HEEL: BRIDGESTONE, P49-2 view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 460 P38-2 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 460 HEEL: BRIDGESTONE, P38-2 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---|--------------|--|
| Bridgestone Sports Co Ltd | TourStage X-Drive 460P | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 460P HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 460P P38-3 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo), 460P HEEL: BRIDGESTONE, P38-3 view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 701 | 8.5,9.5,10.5 | SOLE: (logo), TOURSTAGE, X-DRIVE TOE: R.S.D. TECHNOLOGY HEEL: 701, (lines), (loft), (dotted line), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 701 (LH) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE TOE: R.S.D. TECHNOLOGY HEEL: 701, (lines), (loft), (dotted line), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 701 (Version 2) (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE TOE: R.S.D. TECHNOLOGY HEEL: 701, (lines), (loft), (dotted line), (weight bias), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 701 106 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE TOE: R.S.D. TECHNOLOGY HEEL: 701, (lines), (loft), (dotted line), 106(weight bias), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 701G | 8.5,9.5,10.5 | SOLE: (logo), TOURSTAGE, X-DRIVE TOE: R.S.D. TECHNOLOGY HEEL: 701G, (lines), (loft), (dotted line), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--|--------------|--|
| Bridgestone Sports Co Ltd | TourStage X-Drive 701R | 9.5,10.5 | SOLE: (logo), TOUR, TOURSTAGE, X-DRIVE TOE: R.S.D. TECHNOLOGY HEEL: 701R, (lines), (loft), (dotted line), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 703 | 8.5,9.5,10.5 | SOLE: (logo), TOURSTAGE, X-DRIVE, (X DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703 (line), (loft), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 703 (Circles) 08W-19 (Prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (X-DRIVE media blast logo) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703, (line), (loft), (circles) 08W-19, BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 703 (star) 08W-19 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE, (X DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703, (line), (loft), (star) 08W-19, BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |
| Bridgestone Sports Co Ltd | TourStage X-Drive 703 08W-11 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE, (X DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703 (line), (loft), 08W-11, BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 703 08W-13 | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE, (X DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703 (line), (loft), 08W-13, BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 703 08W-15 | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE, (X DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703 (line), (loft), 08W-15, BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Bridgestone Sports Co | Manufacturer | Product Name | Lofts | Identification Markings |
|--|------------------------|-----------------------|--------------|--|
| Bridgestone Sports Co Ltd Tourstage X-Drive 703 08W-19 (prototype) 9.5 SOLE: (logo), TOURSTAGE, X-DRIVE, (X DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703, (line), (loft), 08W-19, BRIDGESTONE, COHFORMING, TO R&AUSGA, SLE RULE view image here SOLE: (logo), TOURSTAGE, X-DRIVE, (X DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703 LIMITED, (line), (loft), BRIDGESTONE, COHFORMING, TO R&AUSGA, SLE RULE view image here SOLE: (logo), TOURSTAGE, X-DRIVE, (X DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703 LIMITED, (line), (loft), BRIDGESTONE, COHFORMING, TO R&AUSGA, SLE RULE view image here SOLE: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo), TOURSTAGE, (X-DRIVE over X-DRIVE media blast), (logo), TOURSTAGE, (X-DRIVE over X-DRIVE, (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo | - | | 9.5 | DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703 (line), (loft), 08W-16, BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE |
| DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 705, (line), (loft), 08W-19, BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE View.Image.here Bridgestone Sports Co Ltd Tourstage X-Drive 703 Limited Tourstage X-Drive 705 Type 415 Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 415 10W-02-3, (Prototype) Tourstage X-Drive 705 Type 415 10W-02-3, (Prototype) Tourstage X-Drive 705 Type 415 10W-02-3, (Prototype) Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 415 10W-02-3, (Prototype) Tourstage X-Drive 705 Type 415 10W-02-3, (Prototype) Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 415 10W-02-3, (Prototype) Tourstage X-Drive 705 Type 415 P07-1 (Prototype) Sole: (logo) Tourstage, (X-Drive over X-Drive, logo), Tourst media blast), (705 on inset), (loft), TYPE 415 Toe: INTEGRATED POWER BODY HEEL: 10W-02-3, Bridgestone View.Image.here Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 415 P07-1 (Prototype) Sole: (logo) Tourstage, (X-Drive over X-Drive media blast), (logo), Tourstage, (X-Drive over X-Drive, media blast), (logo), Tourstage, (X-Drive over X-Drive, media blast), (logo), Tourstage, (X-Drive over X-Drive, media blast), (logo), Tourstage, (X-Drive, Ver X-Drive, Media blast), (logo), Tourstage, (X-Drive, Ver X-Drive, Media, Bridgestone View.Image.here Bridgestone Sports Co Ltd Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 455 Tourstage X-Drive | Duides atoms Counts Co | Tourstage V Drive 702 | 0.5 | |
| Bridgestone Sports Co Ltd Tourstage X-Drive 703 Limited P.5 SOLE: (logo), TOURSTAGE, X-DRIVE, (X DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703 LIMITED, (line), (loft), BRIDGESTONE, CONFORMING, TO R&AUSSAG, SLE RULE view image here SOLE: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo), TOURST media blast), (705 on inset), (loft), TYPE 415 TOE: INTERGRATED POWER BODY HEEL: BRIDGESTONE view image here Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 415 10W-02-3 (Prototype) P.5 SOLE: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo), TOURST media blast), (705 on inset), (loft), TYPE 415 TOE: INTERGRATED POWER BODY HEEL: 10W-02-3, BRIDGESTONE view image here Bridgestone Sports Co Ltd SOLE: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo), TOURST media blast), (705 on inset), (loft), TYPE 415 TOE: INTEGRATED POWER BODY HEEL: 10W-02-3, BRIDGESTONE view image here SOLE: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE media blast), (logo), TOURST, (705 on inset), (loft), TYPE 415 TOE: INTEGRATED POWER BODY HEEL: P07-1, BRIDGESTONE Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 455 TOE: INTEGRATED POWER BODY HEEL: P07-1, BRIDGESTONE SOLE: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo), TOURSTAGE, (X-DRIVE o | | | 9.3 | DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703, (line), (loft), 08W-19, BRIDGESTONE, CONFORMING, TO |
| Ltd Limited Limited Limited Limited DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703 LIMITED, (line), (loft), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here Sole: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo), TOURST media blast), (705 on inset), (loft), TYPE 415 TOE: INTERGRATED POWER BODY HEEL: BRIDGESTONE view image here Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 415 10W-02-3 (Prototype) Prototype) Prototype) Prototype Pr | | | | <u>view image here</u> |
| Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 415 Tourstage X-Drive 705 Type 415 Bridgestone Sports Co Ltd Sole: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo), TOURST media blast), (705 on inset), (loft), TYPE 415 TOE: INTERGRATED POWER BODY HEEL: BRIDGESTONE view image here Sole: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo), TOURSTAGE, (X-DRIVE over X-DRIVE, (logo), TOURST media blast), (705 on inset), (loft), TYPE 415 TOE: INTEGRATED POWER BODY HEEL: 10W-02-3, BRIDGESTONE view image here Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 415 P07-1 (Prototype) Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 455 Toe: INTEGRATED POWER BODY HEEL: P07-1, BRIDGESTONE view image here Sole: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE media blast), (logo), TOURST, (705 on inset), (loft), TYPE 415 TOE: INTEGRATED POWER BODY HEEL: P07-1, BRIDGESTONE view image here Sole: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo)) TOURSTA media blast), (705 on inset), (loft), TYPE 455 TOE: INTEGRATED POWER BODY HEEL: BRIDGESTONE Bridgestone Sports Co Ltd | - | _ | 9.5 | DRIVE media blast) TOE: R.S.D. TECHNOLOGY, (3 lines) HEEL: 703 LIMITED, (line), (loft), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE |
| Ltd Type 415 Toe: INTERGRATED POWER BODY HEEL: BRIDGESTONE View image here Solle: (logo) ToursTAGE, (X-DRIVE over X-DRIVE, (logo), TOURSTAGE, (X-DRIVE over X-DRIVE over Neelle, 10W-02-3, BRIDGESTONE View image here Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 415 P07-1 (Prototype) Tourstage X-Drive 705 Type 415 P07-1 (Prototype) Tourstage X-Drive 705 Type 415 Toe: INTEGRATED POWER BODY HEEL: P07-1, BRIDGESTONE View image here Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 455 Toe: INTEGRATED POWER BODY HEEL: P07-1, BRIDGESTONE View image here Solle: (logo) ToursTAGE, (X-DRIVE over X-DRIVE, (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo) TOURSTA media blast), (705 on inset), (loft), TYPE 455 TOE: INTERGRATED POWER BODY HEEL: BRIDGESTONE | | | | |
| Ltd Type 415 10W-02-3 (Prototype) Type 415 10W-02-3 (Prototype) X-DRIVE, (logo), TOURST media blast), (705 on inset), (loft), TYPE 415 TOE: INTEGRATED POWER BODY HEEL: 10W-02-3, BRIDGESTONE view image here SOLE: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE media blast), (logo), TOURST, (705 on inset), (loft), TYPE 415 TOE: INTEGRATED POWER BODY HEEL: P07-1, BRIDGESTONE view image here Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 | | | 8.5,9.5,10.5 | X-DRIVE, (logo), TOURST media blast), (705 on inset), (loft), TYPE 415 TOE: INTERGRATED POWER BODY HEEL: BRIDGESTONE |
| Ltd Type 415 10W-02-3 (Prototype) Type 415 10W-02-3 (Prototype) X-DRIVE, (logo), TOURST media blast), (705 on inset), (loft), TYPE 415 TOE: INTEGRATED POWER BODY HEEL: 10W-02-3, BRIDGESTONE view image here SOLE: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE media blast), (logo), TOURST, (705 on inset), (loft), TYPE 415 TOE: INTEGRATED POWER BODY HEEL: P07-1, BRIDGESTONE view image here Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 455 Tourstage X-Drive 705 Type 455 TOE: INTERGRATED POWER BODY HEEL: BRIDGESTONE | Bridgestone Sports Co | Tourstage X-Drive 705 | 9.5 | - |
| Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 415 P07-1 (Prototype) Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 415 P07-1 (Prototype) SOLE: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE media blast), (logo), TOURST, (705 on inset), (loft), TYPE 415 TOE: INTEGRATED POWER BODY HEEL: P07-1, BRIDGESTONE view image here SOLE: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo) TOURSTA media blast), (705 on inset), (loft), TYPE 455 TOE: INTERGRATED POWER BODY HEEL: BRIDGESTONE | - | 1 7. | | (705 on inset), (loft), TYPE 415 TOE: INTEGRATED POWER BODY |
| Ltd Type 415 P07-1 ((Prototype) Type 415 P07-1 ((Prototype) X-DRIVE media blast), (logo), TOURST, (705 on inset), (loft), TYPE 415 TOE: INTEGRATED POWER BODY HEEL: P07-1, BRIDGESTONE view image here SOLE: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo) TOURSTA media blast), (705 on inset), (loft), TYPE 455 TOE: INTERGRATED POWER BODY HEEL: BRIDGESTONE | | | | view image here |
| Bridgestone Sports Co Ltd Tourstage X-Drive 705 Type 455 Type 455 SOLE: (logo) TOURSTAGE, (X-DRIVE over X-DRIVE, (logo) TOURSTA media blast), (705 on inset), (loft), TYPE 455 TOE: INTERGRATED POWER BODY HEEL: BRIDGESTONE | - | Type 415 P07-1 | 9.5 | X-DRIVE media blast), (logo), TOURST, (705 on inset), (loft), TYPE 415 TOE: INTEGRATED POWER BODY |
| Ltd Type 455 X-DRIVE, (logo) TOURSTA media blast), (705 on inset), (loft), TYPE 455 TOE: INTERGRATED POWER BODY HEEL: BRIDGESTONE | | | | view image here |
| viourimaga bara | | | 8.5,9.5,10.5 | X-DRIVE, (logo) TOURSTA media blast), (705 on inset), (loft), TYPE 455 TOE: INTERGRATED POWER BODY |
| view image nere | | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---|--------------|--|
| Bridgestone Sports Co Ltd | Tourstage X-Drive 705 Type 455 10W-02-2 (Version 2) (Prototype) | 9.5 | SOLE: (X-DRIVE over X-DRIVE, (logo), TOURSTA media blast), (705 on inset), (loft), TYPE 455 TOE: INTERGRATED POWER BODY HEEL: 10W-01-2, BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 707 | 8.5,9.5,10.5 | SOLE: X-DRIVE, (logo), TOURSTAGE, (/// VARIABLE ///ADJUST /// SYSTEM around port for shaft screw), (loft), 707 BACK: BRIDGESTONE TOE: INTEGRATED POWER BODY view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 707 P01-2 (Prototype) | 9.5 | SOLE: X-DRIVE, (logo), TOURSTAGE, (/// VARIABLE ///ADJUST /// SYSTEM around port for shaft screw), (loft), 707, P01-2 BACK: BRIDGESTONE TOE: INTEGRATED POWER BODY view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 707 P01-3 (Prototype) | 9.5 | SOLE: X-DRIVE, (logo), TOURSTAGE, (/// VARIABLE ///ADJUST /// SYSTEM around port for shaft screw), (loft), 707, P01-3 BACK: BRIDGESTONE TOE: INTEGRATED POWER BODY view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 709 D430 | 8.5,9.5,10.5 | SOLE: - D430 -, (logo), (TOURSTAGE, X-DRIVE 709 over laser X logo), (VARIABLE /// ADJUST /// SYSTEM /// around port for shaft screw) TOE: (logo), XTREME IMPACT TECHNOLOGY, HOSEL: (arrow), (orientation indicators) HEEL: BRIDGESTONE, (loft) |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 709 D450 | 8.5,9.5,10.5 | SOLE: - D450 -, (logo), (TOURSTAGE, X-DRIVE 709 over laser X logo), (VARIABLE /// ADJUST /// SYSTEM /// around port for shaft screw) TOE: (logo) XTREME IMPACT TECHNOLOGY, HOSEL: (arrow), (orientation indicators) HEEL: BRIDGESTONE, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|-------------------------------------|----------|---|
| Bridgestone Sports Co Ltd | Tourstage X-Drive 709 Limited | 9.5 | SOLE: (logo), (X-DRIVE 709 over X logo), (VARIABLE /// ADJUST /// SYSTEM /// around port for shaft screw), (limited in logo) TOE: (logo), TOURSTAGE, XTREME IMPACT TECHNOLOGY HOSEL: (arrow), (orientation indicators) HEEL: BRIDGESTONE, (loft) view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive 901 | 8.5,9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE TOE: R.S.D. TECHNOLOGY HEEL: 901, (lines), (loft), (dotted line), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 905 | 9.5 | SOLE: (lines) (logo) TOURSTAGE (lines), (X-DRIVE over X-DRIVE, (logo), TOURST media blast), (905 on inset), (loft) TOE: INTEGRATED POWER BODY HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive 909 | 8.5,9.5 | SOLE: (logo), (TOURSTAGE, X-DRIVE 909 over laser X logo), (VARIABLE /// ADJUST /// SYSTEM /// around port for shaft screw) TOE: (logo), XTREME IMPACT TECHNOLOGY, HOSEL: (arrow), (orientation indicators) HEEL: BRIDGESTONE, (loft) |
| Bridgestone Sports Co Ltd | TourStage X-Drive GR | 9.5 | SOLE: X-DRIVE GR, (logo), TOURSTAGE, THE NEXT TECHNOLOGY, (loft) TOE: (logo), (square) 460 (square) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive GR (LH) | 9.5,10.5 | SOLE: (logo) TOURSTAGE, X-DRIVE, GR, (loft) HEEL: BRIDGESTONE <u>view image here</u> |
| Bridgestone Sports Co Ltd | TourStage X-Drive GR (Version 2) | 9.5,10.5 | SOLE: X-DRIVE (GR over media blast logo), TOURSTAGE, (loft) TOE: R.S.D. TECHNOLOGY HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---|----------|---|
| Bridgestone Sports Co Ltd | Tourstage X-Drive GR (Version 3) | 9.5,10.5 | SOLE: (logo), TOURSTAGE, (X-DRIVE, GR over media blast logo) HEEL: (loft), BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive GR (Version 4) | 9.5,10.5 | SOLE: (logo) TOURSTAGE, X-DRIVE, GR, (loft) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive GR (Version 5) | 9.5,10.5 | SOLE: GR, (logo), TOURSTAGE, X-DRIVE CROWN: (logo), GENERATE REACTION DESIGN, GR HOSEL: (arrow), (orientation indicators) HEEL: (loft) |
| Bridgestone Sports Co Ltd | Tourstage X-Drive GR (Version 6) | 9.5,10.5 | SOLE: GR, (logo), TOURSTAGE, X-DRIVE HOSEL: (arrow), (orientation indicators) HEEL: (loft) view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive GR 08-31-01 (prototype) | 9.5 | SOLE: X-DRIVE (GR over media blast logo), TOURSTAGE, (loft) TOE: R.S.D. TECHNOLOGY HEEL: 08-31-01, BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive GR 08-31-02 (prototype) | 9.5 | SOLE: X-DRIVE (GR over media blast logo), TOURSTAGE, (loft), 08-31-02 TOE: R.S.D. TECHNOLOGY HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive GR 08-31-03 (prototype) | 9.5 | SOLE: X-DRIVE (GR over media blast logo), TOURSTAGE, (loft), 08-31-03 TOE: R.S.D. TECHNOLOGY HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive GR 08-31-03 (Version 2) (prototype) | 9.5 | SOLE: X-DRIVE (GR over media blast logo), TOURSTAGE, (loft), 08-31-03, (weight bias), BRIDGESTONE TOE: R.S.D. TECHNOLOGY HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---|-------|--|
| Bridgestone Sports Co Ltd | TourStage X-Drive GR 08-31-04 (prototype) | 9.5 | SOLE: X-DRIVE (GR over media blast logo), TOURSTAGE, (loft), 08-31-04 TOE: R.S.D. TECHNOLOGY HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive GR 08-31-04 (Version 2) (prototype) | 9.5 | SOLE: X-DRIVE (GR over media blast logo), TOURSTAGE, (loft), 08-31-04, (weight bias), BRIDGESTONE TOE: R.S.D. TECHNOLOGY HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive GR 09-10-1 (prototype) | 9.5 | SOLE: X-DRIVE (GR over media blast logo), TOURSTAGE, (loft), 09-10-1 TOE: R.S.D. TECHNOLOGY HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive GR 09-11-1 (prototype) | 9.5 | SOLE: X-DRIVE (GR over media blast logo), TOURSTAGE, (loft), 09-11-1, BRIDGESTONE TOE: R.S.D. TECHNOLOGY HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive GR 09-11-2 (prototype) | 9.5 | SOLE: X-DRIVE (GR over media blast logo), TOURSTAGE, (loft), 09-11-2, TOE: R.S.D. TECHNOLOGY HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive GR 09-53-2 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, (X-DRIVE, GR over media blast logo) HEEL: (loft), 09-53-2, BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive GR 10-20-1 (Prototype) | 9.5 | SOLE: (logo), TOURSTAGE, (X-DRIVE, GR over media blast logo) HEEL: (loft), 10-20-1, BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive P01-2 | 9.5 | SOLE: X-DRIVE, (logo), TOURSTAGE, (loft), P01-2 HEEL: BRIDGESTONE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---|-------|--|
| Bridgestone Sports Co Ltd | Tourstage X-Drive P02-6 | 9.5 | SOLE: X-DRIVE, (logo) TOURSTAGE, (loft) TOE: INTEGRATED POWER BODY HEEL: BRIDGESTONE, P02-6 view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive P02-6 (Version 2) (Prototype) | 9.5 | SOLE: X-DRIVE, (logo), TOURSTAGE, (loft) TOE: INTEGRATED POWER BODY HEEL: BRIDGESTONE, P02-6, (star logo) view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive P11-2 (Prototype) | 9.5 | SOLE: X-DRIVE, (logo), TOURSTAGE, (VARIABLE /// ADJUST /// SYSTEM /// around port for shaft screw), (loft), 707, P11-2 TOE: INTEGRATED POWER BODY HOSEL: (orientation indicators) HEEL: BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive P11-26 (Prototype) | 9.5 | SOLE: (logo) TOURSTAGE, X-DRIVE, GR, (loft) HEEL: BRIDGESTONE, P11-26 view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive P25-1 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo) HEEL: BRIDGESTONE, P25-1 view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive P29-1 (prototype) | 8.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo) HEEL: BRIDGESTONE, P29-1 view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive P39-7 (prototype) | 8.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo) HEEL: BRIDGESTONE, P39-7 |
| Bridgestone Sports Co Ltd | TourStage X-Drive P39-8 | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo) HEEL: BRIDGESTONE, P39-8, CONFORMING, TO R&A/USGA, SLE RULE view image here |

| | November 04, 2024 | | | | | |
|------------------------------|--|--------------|--|--|--|--|
| Manufacturer | Product Name | Lofts | Identification Markings | | | |
| Bridgestone Sports Co Ltd | TourStage X-Drive P39-8 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo) HEEL: BRIDGESTONE, P39-8 | | | |
| D:1 1 0 1 0 | TownOte we V Daine | 0.5 | view image here | | | |
| Bridgestone Sports Co Ltd | TourStage X-Drive P44-1 (prototype) | 8.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo) HEEL: BRIDGESTONE, P44-1 view image here | | | |
| Bridgestone Sports Co Ltd | TourStage X-Drive P45-1 (prototype) | 9.5 | SOLE: X-DRIVE, (logo), TOURSTAGE, THE NEXT TECHNOLOGY, (loft) TOE: (logo) HEEL: BRIDGESTONE, P45-1 <u>view image here</u> | | | |
| Bridgestone Sports Co Ltd | TourStage X-Drive P51-1 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo) HEEL: BRIDGESTONE, P51-1 | | | |
| Bridgestone Sports Co Ltd | TourStage X-Drive P51-2 (prototype) | 9.5 | SOLE: (logo), TOURSTAGE, X-DRIVE (underlined), (loft), THE NEXT TECHNOLOGY TOE: (logo) HEEL: BRIDGESTONE, P51-2 view image here | | | |
| Bridgestone Sports Co Ltd | TourStage X-Drive P51-3 | 8.5,9.5,10.5 | SOLE: (logo), TOURSTAGE, X-DRIVE TOE: R.S.D. TECHNOLOGY HEEL: P51-3, (3 lines), (loft), (dotted line), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here | | | |
| Bridgestone Sports Co Ltd | TourStage X-Drive P51-4 | 8.5,9.5,10.5 | SOLE: (logo), TOURSTAGE, X-DRIVE TOE: R.S.D. TECHNOLOGY HEEL: P51-4, (3 lines), (loft), (dotted line), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here | | | |
| Bridgestone Sports Co Ltd | TourStage X-Drive P51-5 | 8.5,9.5,10.5 | SOLE: (logo), TOURSTAGE, X-DRIVE TOE: R.S.D. TECHNOLOGY HEEL: P51-5, (3 lines), (loft), (dotted line), BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--|-------|--|
| Bridgestone Sports Co Ltd | Tourstage X-Drive Prototype 10W-02-6 | 9.5 | SOLE: TOURSTAGE, X-DRIVE, PROTOTYPE 10W-02-6, (loft) view image here |
| Bridgestone Sports Co Ltd | Tourstage X-Drive Prototype P13-12 (Prototype) | N/A | SOLE: (logo), TOURSTAGE X-DRIVE, PROTOTYPE P13-12 TOE: (B logo) HOSEL: (arrow), (orientation indicators) view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive Type 300 Pro Spec | 8,9 | SOLE: (TourStage logo), TOURSTAGE, X-DRIVE, TYPE 300, Pro Spec, FORGED TITANIUM, 1 (loft), BRIDGESTONE TOE: (TourStage logo), TOURSTAGE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive Type 325 Pro Spec | 9 | SOLE: (logo), TourStage, X-Drive, Type 325, Pro Spec, Forged Titanium, 1 (loft), Bridgestone TOE: TourStage [logo] view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive Type 350 Pro Spec | 8,9 | SOLE: (TourStage logo), TOURSTAGE, X-DRIVE, TYPE 350, Pro Spec, FORGED TITANIUM, 1 (loft), BRIDGESTONE TOE: (TourStage logo), TOURSTAGE view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive Type 350 Prototype II | N/A | SOLE: (logo), TourStage, X-Drive, Type 350 Prototype II, Forged Titanium, 1, Bridgestone view image here |
| Bridgestone Sports Co Ltd | TourStage X-Drive Type 365 Pro Spec | 9 | SOLE: TourStage, X-Drive, Type 36, Pro Spec, Premium Forged Ti, 1 (loft), Bridgestone TOE: (logo) TourStage |
| Bridgestone Sports Co Ltd | TourStage X-Drive Type 390 Pro Spec | 9 | SOLE: (logo), TourStage, X-Drive, Type 390, Pro Spec, Forged Titanium, 1 (loft), Bridgestone TOE: TourStage (logo) |
| Bridgestone Sports Co Ltd | TourStage X-Drive Type390 ProSpec | 9 | SOLE: (logo), TourStage, X-Drive, Type 390, Pro Spec, Premium Forged Ti, 1 (loft), Bridgestone: TourStage TOE: (logo) HEEL: Tungsten Compiste Hosel (arrow symbol) |
| | | | view illiage liere |

| November 04, 2024 | | | |
|------------------------------|---------------------|--------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Bridgestone Sports Co Ltd | TourStage Z100 | 8 | SOLE: (TourStage logo), TOURSTAGE, SUPERIOR PERFORMANCE, Z100, STRATEGIC TITANIUM, 1, 8°, BRIDGESTONE view image here |
| Bridgestone Sports Co Ltd | TourStage Z150 | 14 | SOLE: ((TourStage logo), TOURSTAGE, (line), Z 150 within teardrop graphic) BACK: (circular insert with three punchmarks) TOE: NICKEL TUNGSTEN HEEL: (loft) view image here |
| Bridgestone Sports Co Ltd | TourStage Z150 (LH) | 14 | SOLE: ((TourStage logo), TOURSTAGE, (line), Z 150 within teardrop graphic) BACK: (circular insert with three punchmarks) TOE: NICKEL TUNGSTEN HEEL: (loft) view image here |
| Bridgestone Sports Co Ltd | TourStage Z310 | 8,9,10 | SOLE: ((TourStage logo), TOURSTAGE, (line), Z 310 within double tearshaped graphic) BACK: FORGED TOE: (triangle logo) TOURSTAGE HEEL: (loft) view image here |
| Bridgestone Sports Co Ltd | TourStage Z340 | 8,9,10 | SOLE: ((TourStage logo), TOURSTAGE, (line), Z 340 within double tearshaped graphic) BACK: FORGED TOE: (TourStage logo) TOURSTAGE HEEL: (loft) |
| Bridgestone Sports Co Ltd | TourStage Z350 | 8,9,10 | SOLE: (TourStage logo), TOURSTAGE, (line), Z 350 BACK: (circular insert with three punchmarks), FORGED TOE: (TourStage logo), TOURSTAGE HEEL: (loft) view image here |
| Bridgestone Sports Co Ltd | TourStage Z350 (LH) | 8,9,10 | SOLE: ((TourStage logo), TOURSTAGE, (line), Z 350 BACK: (circular insert with three punchmarks), FORGED TOE: (TourStage logo) TOURSTAGE HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|-----------------------------------|---------|---|
| Bridgestone Sports Co Ltd | TourStage Z375 | 8,9,10 | SOLE: (TourStage logo), TOURSTAGE, (line), Z 375 BACK: (circular insert with three punchmarks), FORGED TOE: (TourStage logo), TOURSTAGE HEEL: (loft) view image here |
| Bridgestone Sports Co Ltd | TourStage Z375 (LH) | 8,9,10 | SOLE: ((TourStage logo), TOURSTAGE, (line), Z 375 BACK: (circular insert with three punchmarks), FORGED TOE: (TourStage logo) TOURSTAGE FACE:(loft) |
| Bridgestone Sports Co Ltd | V.m.i.D. | 10.5,12 | SOLE: (B logo), BRIDGESTONE, GOLF, V.m.i.D., (loft), 460 view image here |
| Bridgestone Sports Co Ltd | Widerex Super Ver.1 | 10.5 | SOLE: 1, (logo), WIDEREX, SUPER, (loft), Ver.1 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | X-Drive 08-14-08 (prototype) | 9.5 | SOLE: X-DRIVE, 08-14-08, (loft) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |
| Bridgestone Sports Co Ltd | X-Drive 701 (prototype) | 9.5 | SOLE: X-DRIVE, 701, (lines), (loft), (dotted line) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | X-Drive 701G (prototype) | 9.5 | SOLE: X-DRIVE, 701G, (lines), (loft), (dotted line) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | X-Drive 901 (prototype) | 9.5 | SOLE: X-DRIVE, 901, (lines), (loft), (dotted line) HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Bridgestone Sports Co Ltd | X-Drive GR 10-20-2 (Prototype) | 9.5 | SOLE: (logo), TOURSTAGE, (X-DRIVE, GR over media blast logo) HEEL: (loft), BRIDGESTONE, 10-20-2 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|-----------------------------------|-------|---|
| | | , | |
| Bridgestone Sports Co Ltd | X-Drive GR 11-20-1 (Prototype) | 9.5 | SOLE: (logo) TOURSTAGE, X-DRIVE, GR, (loft) HEEL: BRIDGESTONE, 11-20-1 |
| | | | view image here |
| Bridgestone Sports Co Ltd | X-Drive GR 11-20-2 (Prototype) | 9.5 | SOLE: (logo) TOURSTAGE, X-DRIVE, GR, (loft) HEEL: BRIDGESTONE, 11-20-2 |
| | | | view image here |
| Bridgestone Sports Co Ltd | X-Drive Prototype 08-14-05 | N/A | SOLE: X-DRIVE (weight port), PROTOTYPE, 08-14-05 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE |
| | | N/A | view image here |
| Bridgestone Sports Co Ltd | X-Drive Prototype 08-14-06 | N/A | SOLE: X-DRIVE (weight port), PROTOTYPE, 08-14-06 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE |
| | | | view image here |
| Bridgestone Sports Co Ltd | X-Drive Prototype 08-14-08 | N/A | SOLE: X-DRIVE (weight port), PROTOTYPE, 08-14-08 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE |
| | | | view image here |
| Bridgestone Sports Co Ltd | X-Drive Prototype 08-14-10 | N/A | SOLE: X-DRIVE (weight port), PROTOTYPE, 08-14-10 HEEL: BRIDGESTONE, CONFORMING, TO R&A/USGA, SLE RULE View image here |
| Bright Wish International (HK) Co., Ltd | S807 | 9.5 | SOLE: (SUPER TECH, (loft), RING STYLE, S807 on pinwheel graphic), ((cougar logo), ONUCA, STYLE, INFINITE VARIETY on insert) CROWN: Pride of luxury, (top of arrow)style(end of arrow) |
| British Golf | Braveheart Golf - The | 10 | SOLE: Big Dog, by BGC., (loft), 1, 250cc |
| Components | Spiritual Home of Golf 250cc | | CROWN: (alignment mark) view image here |
| British Golf | No Grooves (with | N/A | SOLE: No Grooves, Low Vibration |
| Components | hosel) | | Component, Medieum Trajectory |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|----------------------|--------------------------|--|
| Brosnan Golf | Blockhead | 10.5 | SOLE: BLOCKHEAD, NEW AGE, MOI DESIGN, FORGED PURE, TITANIUM, (loft) TOE: (dot within triangle) BROSNAN, (line) GOLF (line) CROWN: (kangaroo graphic alignment mark) view image here |
| Brosnan Golf | Longreach 460 | 10.5 | SOLE: (triangle) BROSNAN, (line)GOLF(line), LONGREACH, (curved line), 460, FORGED TI, (circular weight), (loft), DRAW CROWN: (kangaroo graphic alignment mark) |
| Brosnan Golf | Rippa | 9.5 | view image here SOLE: RIPPA, (curved line), (triangle)BROSNAN, (line)GOLF(line), (loft) BACK: (FORGED, (curved line), TITANIUM on hexagon insert) CROWN: (kangaroo alignment mark) view image here |
| Brosnan Golf Australia | Brosnan Tour Classic | 10.5 | SOLE: (triangle) Brosnan, -GOLF-, (hole logo under T), Tour Classic (flag logo above i) CROWN: (alignment mark) HEEL: TITANIUM, (loft) |
| Brute Golf GmbH | Brute 2.1 | 3,4,5,6,8,9.5,10.5,12,14 | SOLE: (loft), (BRUTE GOLF in logo), BRUTE 2.1 CROWN: (alignment mark) FACE:(logo) view image here |
| BRUTE Golf, LLC | 400 | 3,4,5,6 | SOLE: (BRUTE GOLF logo), 400 HEEL: (loft), FORGED, 460CC FACE:(helmet logo) view image here |
| BRUTE Golf, LLC | BRUTE 2.0 | 2,3,4,5,6,7.5,9,10.5 | SOLE: (loft), (BRUTE GOLF logo), BRUTE 2.0, DIAMOND.REINFORCED.TECHNOLOGY CROWN: (alignment marker) FACE:(BRUTE GOLF logo) view image here |
| BRUTE Golf, LLC | BRUTE LUX | 3,5,7.5 | SOLE: (BRUTE GOLF logo), BRUTE, LUX CROWN: (triangle alignment mark) HEEL: (loft), FORGED FACE:(BRUTE GOLF logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-----------------------------------|-----------------------|---|
| Brutus Golf, Inc. | Brutus 265 | 8.5 | SOLE: BRUTUS, 265, 6AL 4V, TITANIUM, (line), Made in, USA (line), 1, (loft) view image here |
| Burke Golf LLP | AZALEA by Burke | 9.5 | SOLE: (weight port), (weight port), (weight port), AZALEA, THE BURKE GOLF AZALEA3D2101, (flower), AZALEA, THE BURKE GOLF TOE: (logo) BURKE CROWN: (flower alignment mark) HEEL: AZALEA 460CC, (loft), (degree) FACE:(flower design) |
| Burrows Golf | Mac Long Powersphere | 9.5,10.5 | SOLE: mac, Long (loft), 1 (concavity with swirl design), Burrows, POWERSPHERE, (circular weight with swirl design) CROWN: (dot and three curved lines alignment mark) FACE:HotFace view image here |
| Burrows Golf | Mac Powersphere | 8.5 | SOLE: mac, (loft), ((concavity with swirl design)), Burrows, POWERSPHERE, (circular weight with swirl design) CROWN: (dot and three curved lines alignment mark) FACE:HotFace |
| Burrows Golf | Mac Powersphere 10.9 Carry 421 | 9 | SOLE: MAC, (loft), CARRY, (concavity with swirl design), by Burrows Golf, POWERSPHERE, (circular weight insert with 421) CROWN: (dot and three curved lines alignment mark) FACE:HotFace view image here |
| Burrows Golf | Mac Powersphere 400 | 7.5,8.5,9.5,10.5,11.5 | SOLE: MAC, (loft), by Burrows Golf, POWERSPHERE, (concavity with swirl design), (circular weight insert with 400) CROWN: (dot and three curved lines alignment mark) FACE:HotFace view image here |
| Burrows Golf | Mac Powersphere 400 (LH) | 8.5,9.5,10.5 | SOLE: MAC, (loft), by Burrows Golf, POWERSPHERE, (concavity with swirl design), (circular weight insert with 400) CROWN: (dot and three curved lines alignment mark) FACE:HotFace view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---|--------------|--|
| Burrows Golf | Mac Powersphere 421 | 8.5,9.5,10.5 | SOLE: MAC, (loft), (concavity with swirl design), by Burrows Golf, POWERSPHERE, (circular weight insert with 421) CROWN: (dot and three curved lines alignment mark) FACE:HotFace view image here |
| Burrows Golf | Mac Powersphere 421 (LH) | 8.5,9.5,10.5 | SOLE: by Burrows Golf, MAC, (loft), POWERSPHERE, (concavity with swirl design), (circular weight insert with 421) CROWN: (dot and three curved lines alignment mark) FACE:Hot Face view image here |
| Burrows Golf | Mac Powersphere Carry Draw Face 350cc | 10.9 | SOLE: MAC, (loft), CARRY, (concavity with swirl design), by Burrows Golf, POWERSPHERE, (circular weight insert with DRAW, FACE) CROWN: (dot and three curved lines alignment mark) FACE:HotFace |
| Burrows Golf | Mac Powersphere Carry Square Face 410cc | 10.9 | SOLE: MAC, (loft), CARRY, (concavity with swirl design), Burrows, POWERSPHERE, (circular weight insert with SQUARE, FACE) CROWN: (dot and three curved lines alignment mark) FACE:HotFace view image here |
| Burrows Golf | Mac Powersphere Draw (1.5°) | 9.5 | SOLE: MAC, (loft), (concavity with swirl design), Burrows, POWERSPHERE, (circular weight insert with 1.5°, DRAW) CROWN: (dot and three curved lines alignment mark) FACE:HotFace <u>view image here</u> |
| Burrows Golf | Mac Powersphere Draw 1.5 ° | 10.5 | SOLE: MAC, (loft), (concavity with swirl design), Burrows, POWERSPHERE, (circular weight insert with 1.5°, DRAW) CROWN: (dot and three curved lines alignment mark) FACE:HotFace <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------|--|----------------------|---|
| Burrows Golf | Mac Powersphere Draw Face 350cc | 8.5,9.5 | SOLE: MAC, (loft), (concavity with swirl design), by Burrows Golf, POWERSPHERE, (circular weight insert with DRAW, FACE) CROWN: (dot and three curved lines alignment mark) FACE:HotFace |
| Burrows Golf | Mac Powersphere Draw Face 350cc (LH) | 8.5 | SOLE: by Burrows Golf, MAC, (loft), POWERSPHERE, (concavity with swirl design), (circular weight insert with DRAW, FACE) CROWN: (dot and three curved lines alignment mark) FACE:Hot Face view image here |
| Burrows Golf | Mac Powersphere Draw Face 410cc | 8.5,9.5,10.5 | SOLE: MAC, (loft), (concavity with swirl design), Burrows, POWERSPHERE, (circular weight insert with DRAW, FACE) CROWN: (dot and three curved lines alignment mark) FACE:HotFace |
| Burrows Golf | Mac Powersphere Square (Zero) | 6.5,7.5,9.5,10.5 | SOLE: mac, Burrows, (loft), ((concavity with swirl design), POWERSPHERE, (circular weight insert with ZERO SQUARE) CROWN: (dot and three curved lines alignment mark) FACE:HotFace view image here |
| Burrows Golf | Mac Powersphere Square Face 350cc | 6.5,7.5,8.5,9.5,10.5 | SOLE: MAC, (loft), (concavity with swirl design), by Burrows Golf, POWERSPHERE, (circular weight insert with SQUARE, FACE) CROWN: (dot and three curved lines alignment mark) FACE:HotFace view image here |
| Burrows Golf | Mac Powersphere Square Face 350cc (LH) | 8.5,9.5,10.5 | SOLE: MAC, by Burrows Golf, (loft), POWERSPHERE, (concavity with swirl design), (circular weight insert with SQUARE, FACE) CROWN: (dot and three curved lines alignment mark) FACE:HotFace view image here |
| Byron Butler Golf, Inc. | Butler SSTi | 9.5 | SOLE: (loft), Butler, SSTi, FORGED, Byron Butler CROWN: (arrow alignment mark) view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------|----------------------------------|----------|---|
| Byron Butler Golf, Inc. | Butler SS-TI | 9.5 | SOLE: (loft), Butler, SS TI , USA, Byron Butler CROWN: (tee-like alignment mark) view image here |
| Byron Trade Co Ltd | Veteran | 10 | SOLE: VETERAN, (crest logo with lion on shield), (loft) view image here |
| Caido Golf Inc. | Previlege B-Honors | 9.5,10.5 | SOLE: PREVILEGE, B-Honors, (CG logo in wreath logo), CAIDO, (loft) BACK: (CG logo on weight port), (CG logo on weight port) TOE: (CG logo), CAIDO GOLF CROWN: (CG logo and arrow alignment mark) view image here |
| Caido Golf Inc. | Previlege SRP3 | 9.5,10 | SOLE: PREVILEGE, SRP3, (CG logo in wreath logo), CAIDO, (CG logo on weight port), (loft), (CG logo on weight port) CROWN: (CG logo in wreath logo) view image here |
| Caido Golf Inc. | Previlege SRP3 Tour | 9.5,10 | SOLE: PREVILEGE, SRP3, TOUR, (CG logo in wreath logo), CAIDO, (CG logo on weight port), (loft), (CG logo on weight port) CROWN: (CG logo in wreath logo) |
| Caido Golf Inc. | PVD64 (Prototype) | 9,10 | SOLE: ((crown), (CG logo), (CADIO GOLF) in crest logo), Caido, PVD64, (loft) CROWN: (alignment mark) view image here |
| Caldwell Golf Co., Inc. | Cal Woody | 9 | SOLE: LEGAL, CORK, LC, SERIES, Caldwell, Golf.Com BACK: LC (w/ loft in C) CROWN: (CalWoody in partial oval) view image here |
| Caldwell Golf Co., Inc. | Malibu Woody (LH) (Version 2) | 9 | SOLE: LEGAL, CORK, LC, SERIES, Caldwell, Golf.Com BACK: LC (w/ loft in C) HEEL: (MalibuWoody in partial oval) view image here |
| Caldwell Golf Co., Inc. | Malibu Woody (Version 1) | 9 | SOLE: LEGAL, CORK, LC, SERIES, Caldwell, Golf.Com BACK: LC (w/ loft in C) CROWN: (MalibuWoody in partial oval) view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------|-----------------------------|----------|--|
| Caldwell Golf Co., Inc. | Malibu Woody (Version 2) | 7.5,10.5 | SOLE: LEGAL, CORK, LC, SERIES, Caldwell, Golf.Com BACK: LC (w/ loft in C) HEEL: (MalibuWoody in partial oval) view image here |
| Callaway Golf | 2+ Tour | 10.5 | SOLE: Callaway, (2+ in double circle w/ four lines), (weight port), 2+TOUR HEEL: (loft) FACE:FLASH FACE SS22 view image here |
| Callaway Golf | 2+ Tour (LH) | 10.5 | SOLE: Callaway, (2+ in double circle w/ four lines), (weight port), 2+TOUR HEEL: (loft) FACE:FLASH FACE SS22 view image here |
| Callaway Golf | Bertha Mini 1.5 | 12,14 | SOLE: ((bent line), Callaway, (Chevron logo) over lined graphic), (bent line), (Chevron logo), Bertha, (line), mini 1.5, HYPER SPEED FACE CUP, (bent line), ((bent line) over lined graphic), (port screw) CROWN: (Chevron logo alignment mark) HOSEL: (loft), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Bertha Mini 1.5 (LH) | 12,14 | SOLE: ((bent line), Callaway, (Chevron logo) over lined graphic), (bent line), HYPER SPEED FACE CUP, Bertha, (line), mini 1.5, (Chevron logo), (bent line), ((bent line) over lined graphic), (port screw) CROWN: (Chevron logo alignment mark) HOSEL: (loft), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Big Bertha (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), (curved line), BIG, BERTHA, (three steps w/ lines), (line), (screw in port), (weight port) BACK: (adjustable weight), DRAW (orientation indicators w/ triangles) FADE TOE: (triangle) APW (triangle), ADJUSTABLE PERIMETER, WEIGHTING CROWN: (Chevron logo alignment mark) HOSEL: (loft), (orientation indicators), (line) FACE:(double X graphic) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------------|-------------|--|
| Callaway Golf | Big Bertha (LH) (Women's) | 11 | SOLE: (loft), Callaway, GOLF, (line) (Chevron logo), Big Bertha CROWN: (Chevron logo alignment mark) <u>view image here</u> |
| Callaway Golf | Big Bertha (Version 1) | 9,10.5 | SOLE: Callaway, (Chevron logo), (curved line), (three steps w/ lines), BIG, BERTHA, (line), (weight port), (screw in port) BACK: (adjustable weight), FADE (orientation indicators w/ triangles) DRAW TOE: (triangle) APW (triangle), ADJUSTABLE PERIMETER, WEIGHTING CROWN: (Chevron logo alignment mark) HOSEL: (loft), (orientation indicators), (line) FACE:(double X graphic) |
| Callaway Golf | Big Bertha (Version 2) | 9,10.5,12.5 | SOLE: Callaway, (Chevron logo), BIG, BERTHA, JAILBREAK TECHNOLOGY, (loft) CROWN: (Chevron logo alignment mark), BB, CARBON HOSEL: (orientation indicators) FACE:FORGED TI view image here |
| Callaway Golf | Big Bertha (Version 2) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK TECHNOLOGY, BIG, BERTHA, (loft) CROWN: (Chevron logo alignment mark), BB, CARBON HOSEL: (orientation indicators) FACE:FORGED TI view image here |
| Callaway Golf | Big Bertha (Women's) | 11 | SOLE: (loft), Callaway, GOLF, (Chevron logo) (line), Big Bertha CROWN: (Chevron logo alignment mark) <u>view image here</u> |
| Callaway Golf | Big Bertha 460 | 9,10,11 | SOLE: (loft), (Chevron logo), BIG BERTHA, (line), 460 BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Big Bertha 460 (LH) | 10 | SOLE: (loft), BIG BERTHA, (line), 460, (Chevron logo) BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--|---------|---|
| Callaway Golf | Big Bertha 460 (LH) (w/ OptiFit) | 10 | SOLE: (loft), BIG BERTHA, (line), 460, (Chevron logo) BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) |
| Callaway Golf | Big Bertha 460 (w/ OptiFit) | 9,10,11 | SOLE: (loft), (Chevron logo), BIG BERTHA, (line), 460 BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Big Bertha 460 HT (LH) (w/ OptiFit) | 13 | SOLE: (loft)HT, BIG BERTHA, (line), 460, (Chevron logo) BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) |
| Callaway Golf | Big Bertha 460 HT (Version 1) | 13 | SOLE: (loft)HT, (Chevron logo), BIG BERTHA (with three rasied dots in the B in 'BIG'), (line), 460 BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) |
| | | | view image here |
| Callaway Golf | Big Bertha 460 HT (Version 1) (LH) | 13 | SOLE: (loft)HT, BIG BERTHA (with three rasied dots in the B in 'BIG'), (line), 460, (Chevron logo) BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) |
| | | | view image here |
| Callaway Golf | Big Bertha 460 HT (w/ OptiFit) | 13 | SOLE: (loft)HT, (Chevron logo), BIG BERTHA, (line), 460 BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Big Bertha Alpha | 9,10.5 | SOLE: (weight port), Callaway, (Chevron logo), (line), BIG, (line), BERTHA, ALPHA, (GRAVITY CORE, (weight port) w/in circle), (weight port), (line), (screw in port) HOSEL: (loft), (orientation indicators), (line) FACE:(double X graphic) view image here |
| Callaway Golf | Big Bertha Alpha (LH) | 9 | SOLE: (line), (weight port), Callaway, (Chevron logo), (GRAVITY CORE, (weight port) w/in circle), BIG, (line), BERTHA, ALPHA, , (screw in port), (line), (weight port) HOSEL: (loft), (orientation indicators), (line) FACE:(double X graphic) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|---------------|---|
| Callaway Golf | Big Bertha Alpha 815 (Diamond) (Version 1) | 8.5 | SOLE: Callaway, (Chevron logo), (weight port), (bent line), GRAVITY, (BIG, BERTHA, ALPHA, (diamond) (diamond) (weight port) over lines), CORE, R • MOTO, TECHNOLOGY, (bent line), 815, (weight port), (screw in port) HOSEL: (loft), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | Big Bertha Alpha 815 (Diamond) (LH) | 8.5,9,10.5 | SOLE: (weight port), Callaway, (Chevron logo), (bent line), R • MOTO, TECHNOLOGY, GRAVITY, ((weight port), BIG, BERTHA, ALPHA, (diamond) (diamond) over lines), CORE, (screw in port), (bent line), 815, (weight port) HOSEL: (loft), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Big Bertha Alpha 815 (Diamond) (Version 1) | 9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), (bent line), GRAVITY, (BIG, BERTHA, ALPHA, (diamond) (diamond) (weight port) over lines), CORE, R • MOTO, TECHNOLOGY, (bent line), 815, (weight port), (screw in port) HOSEL: (loft), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Big Bertha Alpha 815 (Diamond) (Version 2) | 9 | SOLE: Callaway, (Chevron logo), (weight port), (bent line), GRAVITY, (BIG, BERTHA, ALPHA, (diamond) (diamond) (weight port) over lines), CORE, R • MOTO, TECHNOLOGY, (bent line), 815, (weight port), (screw in port) HOSEL: (loft w/ .0), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Big Bertha Alpha 815 (Version 1) | 8.5,9,10.5,12 | SOLE: (weight port), Callaway, (Chevron logo), (bent line), GRAVITY, (BIG, BERTHA, ALPHA, (weight port) over lines), CORE, R • MOTO, TECHNOLOGY, (bent line), 815, (weight port), (screw in port) CROWN: (Chevron logo alignment mark) HOSEL: (loft), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--|---------------|---|
| Callaway Golf | Big Bertha Alpha 815 (Version 1) (LH) | 8.5,9,10.5,12 | SOLE: Callaway, (Chevron logo), (weight port), (bent line), R • MOTO, TECHNOLOGY, GRAVITY, ((weight port), BIG, BERTHA, ALPHA over lines), CORE, (screw in port), (bent line), 815, (weight port) CROWN: (Chevron logo alignment mark) HOSEL: (loft), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Big Bertha Alpha 815 (Version 2) | 9,12 | SOLE: (weight port), Callaway, (Chevron logo), (bent line), GRAVITY, (BIG, BERTHA, ALPHA, (weight port) over lines), CORE, R • MOTO, TECHNOLOGY, (bent line), 815, (weight port), (screw in port) CROWN: (Chevron logo alignment mark) HOSEL: (loft w/ .0), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | Big Bertha Alpha 815 (Version 2) (LH) | 9,12 | SOLE: Callaway, (Chevron logo), (weight port), (bent line), R • MOTO, TECHNOLOGY, GRAVITY, ((weight port), BIG, BERTHA, ALPHA over lines), CORE, (screw in port), (bent line), 815, (weight port) CROWN: (Chevron logo alignment mark) HOSEL: (loft w/ .0), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Big Bertha Alpha 816 (Diamond) | 8.5,9,10.5 | SOLE: (weight port), NEUTRAL, (four lines), BIG, BERTHA, ALPHA, (bent line), R • MOTO, TECHNOLOGY, 816 (diamond) (diamond) (four lines), DRAW, (weight port), (screw in port) BACK: (weight port) TOE: Callaway, (Chevron logo) HOSEL: (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic w/ segmented circle) view image here |

| Callaway Golf Big Bertha Alpha 816 (Diamond) (LH) Big Bertha Alpha Pro Callaway Golf Big Bertha Alpha Pro (Version 1) (LH) Big Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Alpha Pro (Version 1) (LH) Big Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Alpha Pro (Version 1) (LH) Big Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Bertha Bertha Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Bertha Bertha Bertha Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Bertha Bertha Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Bertha Bertha Bertha Bertha Alpha Pro (Version 1) (LH) Callaway Golf Big Bertha Bertha Bertha Bertha Bertha Alpha Bertha Be | Manufacturer | Product Name | Lofts | Identification Markings |
|--|---------------|----------------------|-------------|---|
| Callaway Golf Big Bertha Alpha Pro (Version 1) (LH) | Callaway Golf | | 8.5,9,10.5 | R • MOTO, TECHNOLOGY, (bent line), BIG, BERTHA, ALPHA, (four lines), 816 (diamond) (diamond), DRAW, (weight port), (screw in port) BACK: (weight port) TOE: Callaway, (Chevron logo) HOSEL: (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic w/ segmented circle) |
| (Chevron logo), (GRAVITY CORE, (weight port) wind circle), BIG, (line), BERTHA, ALPHA, (screw in port), (line), (weight port) HOSEL: PRO, (loft), (orientation indicators), (line) FACE: (double X graphic) View image here Callaway Golf Big Bertha Alpha Pro (Version 2) (LH) SolE: (line), (weight port), Callaway, (Chevron logo), (GRAVITY CORE, (weight port) win circle), BIG, (line), BERTHA, ALPHA, (screw in port), (line), (weight port) HOSEL: PRO, (loft), (orientation indicators), (line) View image here Callaway Golf Big Bertha B21 9,10.5,12.5 SolE: Callaway, (Chevron logo), (weight port), BIG BERTHA, B21, JAILBREAK, TECHNOLOGY (CROWN: (Chevron logo alignment mark), BIG BERTHA HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21 View image here Callaway Golf Callaway Golf Callaway, Golf Collevan logo alignment mark), BIG BERTHA, B21, (weight port) (CROWN: (Chevron logo), JAILBREAK, TECHNOLOGY, BIG BERTHA, B21, (weight port) (CROWN: (Chevron logo alignment mark), BIG BERTHA, B21, (weight port) (CROWN: (Chevron logo alignment mark), BIG BERTHA, B21, (weight port) (CROWN: (Chevron logo alignment mark), BIG BERTHA, B21, (weight port) (CROWN: (Chevron logo alignment mark), BIG BERTHA, B21, (weight port) (CROWN: (Chevron logo alignment mark), BIG BERTHA, B21, (weight port) (CROWN: (Chevron logo alignment mark), BIG BERTHA | Callaway Golf | Big Bertha Alpha Pro | 8.5 | logo), (line), BIG, (line), BERTHA, ALPHA, (GRAVITY CORE, (weight port) w/in circle), (weight port), (line), (screw in port) HOSEL: PRO, (loft), (orientation indicators), (line) FACE:(double X graphic) |
| (Version 2) (LH) (Chevron logo), (GRAVITY CORE, (weight port) wiin circle), BIG, (line), BERTHA, ALPHA, (screw in port), (line), (weight port) HOSEL: PRO, (loft), (orientation indicators), (line) view image here Solle: Callaway, (Chevron logo), (weight port), BIG BERTHA, B21, JAILBREAK, TECHNOLOGY CROWN: (Chevron logo alignment mark), BIG BERTHA HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21 view image here Solle: Callaway, (Chevron logo), (weight port), Chevron logo), JAILBREAK, TECHNOLOGY, BIG BERTHA, B21, (weight port), CROWN: (Chevron logo), JAILBREAK, TECHNOLOGY, BIG BERTHA, B21, (weight port), CROWN: (Chevron logo alignment mark), BIG BERTHA, B21, (weight port), CROWN: (Chevron logo alignment mark), BIG BERTHA, B21, (weight port), CROWN: (Chevron logo alignment mark), BIG BERTHA | Callaway Golf | | 8.5 | (Chevron logo), (GRAVITY CORE, (weight port) w/in circle), BIG, (line), BERTHA, ALPHA, (screw in port), (line), (weight port) HOSEL: PRO, (loft), (orientation indicators), (line) FACE:(double X graphic) |
| port), BIG BERTHA, B21, JAILBREAK, TECHNOLOGY CROWN: (Chevron logo alignment mark), BIG BERTHA HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21 view image here Callaway Golf Big Bertha B21 (LH) 9,10.5 SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, BIG BERTHA, B21, (weight port) CROWN: (Chevron logo alignment mark), BIG BERTHA HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21 | Callaway Golf | | 8.5 | (Chevron logo), (GRAVITY CORE, (weight port) w/in circle), BIG, (line), BERTHA, ALPHA, , (screw in port), (line), (weight port) HOSEL: PRO, (loft), (orientation indicators), (line) |
| JAILBREAK, TECHNOLOGY, BIG BERTHA, B21, (weight port) CROWN: (Chevron logo alignment mark), BIG BERTHA HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21 | Callaway Golf | Big Bertha B21 | 9,10.5,12.5 | port), BIG BERTHA, B21, JAILBREAK, TECHNOLOGY CROWN: (Chevron logo alignment mark), BIG BERTHA HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21 |
| view image here | Callaway Golf | Big Bertha B21 (LH) | 9,10.5 | JAILBREAK, TECHNOLOGY, BIG BERTHA, B21, (weight port) CROWN: (Chevron logo alignment mark), BIG BERTHA HOSEL: (loft), (orientation indicators) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------------|-----------------|---|
| Callaway Golf | Big Bertha C4 | 8,9,10,11,12,14 | SOLE: Callaway, GOLF, BIG BERTHA, (C4 logo), (loft) DRIVER TOE: (C4 logo) CROWN: (arrow alignment mark) view image here |
| Callaway Golf | Big Bertha C4 (LH) | 9,10,11 | SOLE: Callaway, GOLF, BIG BERTHA, (C4 logo), (loft) DRIVER TOE: (C4 logo) CROWN: (arrow alignment mark) view image here |
| Callaway Golf | Big Bertha Diablo Draw | 9,10,11 | SOLE: Callaway, GOLF, BIG BERTHA, DIABLO, (segmented line), ((Chevron logo on shield with two horns), (loft)(weight bias) CROWN: (Chevron logo alignment mark) FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Big Bertha Diablo Draw (LH) | 9,10 | SOLE: Callaway, GOLF, BIG BERTHA, DIABLO, (segmented line), ((Chevron logo on shield with two horns), (loft)(weight bias) FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Big Bertha Diablo Draw HT | 13 | SOLE: Callaway, GOLF, BIG BERTHA, DIABLO, (segmented line), (Chevron logo on shield with two horns), (loft), HT, (weight bias) CROWN: (Chevron logo alignment mark) FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Big Bertha Diablo Neutral | 8,9,10 | SOLE: Callaway, GOLF, BIG BERTHA, DIABLO, (segmented line), ((Chevron logo on shield with two horns), (loft)(weight bias) FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Big Bertha Diablo Neutral (LH) | 9 | SOLE: Callaway, GOLF, BIG BERTHA, DIABLO, (segmented line), ((Chevron logo on shield with two horns), (loft)(weight bias) FACE:(Chevron logo on shield with two horns media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------|--------------|--|
| Callaway Golf | Big Bertha Diablo TH | 8.5,9.5 | SOLE: Callaway, GOLF, BIG BERTHA, DIABLO, (segmented line), ((Chevron logo on shield with two horns), (loft) TH FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Big Bertha Diablo Tour | 8.5,9.5,10.5 | SOLE: Callaway, GOLF, BIG BERTHA, DIABLO, (segmented line), ((Chevron logo on shield with two horns), (loft) TOUR FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Big Bertha Fusion | 9,10.5,13.5 | SOLE: Callaway, (Chevron logo), (line) BIG BERTHA (line), FUSION CROWN: (raised Chevron logo alignment mark) HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Big Bertha Fusion (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), (line) BIG BERTHA (line), FUSION CROWN: (raised Chevron logo alignment mark) HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Big Bertha Fusion FT-2 | 9,10,11 | SOLE: FT-2, BIG BERTHA, (line), FUSION, (line), (loft), (Chevron logo insert) BACK: Callaway, GOLF TOE: (line), FUSION, (line) HEEL: ((line), (weight bias in rectangle) (line) in hexagon) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | Big Bertha Fusion FT-3 | 9,10,11 | SOLE: FT-3, BIG BERTHA, (line), FUSION, (line), (loft), (chevron logo insert) BACK: Callaway, GOLF TOE: (line), FUSION, (line) CROWN: (chevron logo alignment mark) HEEL: (three dots, (weight bias)) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--|----------|---|
| Callaway Golf | Big Bertha Fusion FT-3 (LH) | 10,11 | SOLE: FT-3, BIG BERTHA, (line), FUSION, (line), (loft), (Chevron logo insert) BACK: Callaway, GOLF TOE: (line), FUSION, (line) CROWN: (Chevron logo alignment mark) HEEL: (three dots, (weight bias)) |
| Callaway Golf | Big Bertha Fusion FT-3 (w/ Opti-Fit) | 9,10,11 | SOLE: BIG BERTHA, (line), FUSION, (line), (loft), (Chevron logo insert), FT-3 BACK: Callaway, GOLF TOE: (line), FUSION, (line) CROWN: (Chevron logo alignment mark) HEEL: (three dots, (weight bias)) |
| Callaway Golf | Big Bertha Fusion FT-3 (w/ Opti-Fit) (LH) | 10,11 | SOLE: BIG BERTHA, (line), FUSION, (line), HT, (Chevron logo insert), FT-3 BACK: Callaway, GOLF TOE: (line), FUSION, (line) CROWN: (Chevron logo alignment mark) HEEL: (three dots, (weight bias)) view image here |
| Callaway Golf | Big Bertha Fusion FT-3 HT | N/A | SOLE: BIG BERTHA, (line), FUSION, (line), HT, (chevron logo insert), FT-3 BACK: Callaway, GOLF TOE: (line), FUSION, (line) CROWN: (chevron logo alignment mark) HEEL: (three dots, (weight bias)) |
| Callaway Golf | Big Bertha Fusion FT-3 HT (w/ Opti-Fit) | N/A | SOLE: BIG BERTHA, (line), FUSION, (line), HT, (Chevron logo insert), FT-3 BACK: Callaway, GOLF TOE: (line), FUSION, (line) CROWN: (Chevron logo alignment mark) HEEL: (three dots, (weight bias)) view image here |
| Callaway Golf | Big Bertha Fusion Tour FT-2 | 9.5,10.5 | SOLE: FT-2, BIG BERTHA, (line), FUSION, (line) TOUR (line), (loft), (Chevron logo insert) BACK: Callaway, GOLF TOE: (line), FUSION, (line) HEEL: ((line), ((weight bias in rectangle) (line) in hexagon) FACE:(Chevron logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--|----------------|--|
| Callaway Golf | Big Bertha Fusion Tour FT-3 | 8.5,9.5,10.5 | SOLE: FT-3, BIG BERTHA, (line), FUSION, (line) TOUR (line), (loft), (chevron logo insert) BACK: Callaway, GOLF TOE: (line), FUSION, (line) HEEL: (three dots, (weight bias)) FACE:(chevron logo media blast) |
| Callaway Golf | Big Bertha Fusion Tour FT-3 (LH) | 9.5 | SOLE: BIG BERTHA, (line), FUSION, (line) TOUR (line), (loft), (chevron logo insert), FT-3 BACK: Callaway, GOLF TOE: (line), FUSION, (line) HEEL: (three dots, (weight bias)) FACE:(chevron logo media blast) view image here |
| Callaway Golf | Big Bertha Fusion Tour FT-3 (w/ OptiFit) | 8.5,9.5,10.5 | SOLE: FT-3, BIG BERTHA, (line), FUSION, (line) TOUR (line), (loft), (Chevron logo insert) BACK: Callaway, GOLF TOE: (line), FUSION, (line) HEEL: (three dots, (weight bias)) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | Big Bertha Fusion Tour FT-3 (w/ Opti-Fit) (LH) | 9.5 | SOLE: BIG BERTHA, (line), FUSION, (line) TOUR (line), (loft), (Chevron logo insert), FT-3 BACK: Callaway, GOLF TOE: (line), FUSION, (line) HEEL: (three dots, (weight bias)) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | Big Bertha Hawk Eye VFT | 7,8,9,10,11,12 | SOLE: BIG BERTHA, HAWK EYE, (Hawk Eye logo), VFT-TITANIUM, (loft), (triangular hologram w/ Variable Face Thickness, Callaway, GOLF and repeated Hawk Eye logos) TOE: (Hawk Eye logo), VFT CROWN: (Chevron logo alignment mark) |
| Callaway Golf | Big Bertha Hawk Eye VFT (LH) | 9,10,11 | SOLE: BIG BERTHA, HAWK EYE, (Hawk Eye logo), VFT-TITANIUM, (loft), (triangular hologram w/ Variable Face Thickness, Callaway, GOLF and repeated Hawk Eye logos) TOE: (Hawk Eye logo), VFT CROWN: (Chevron logo alignment mark) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------------|------------------|--|
| Callaway Golf | Big Bertha Hawk Eye VFT Pro Series | 7.5,8.5,9.5,10.5 | SOLE: BIG BERTHA, HAWK EYE, (Hawk Eye logo), VFT-TITANIUM, PRO, (loft), SERIES, (Variable Face Thickness, Callaway, GOLF on triangular insert) TOE: (Hawkeye logo), VFT CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Big Bertha HT | 13.5 | SOLE: Callaway, (Chevron logo), (curved line), (three steps w/ lines), BIG, BERTHA, (line), (weight port), (screw in port) BACK: (adjustable weight), FADE (orientation indicators w/ triangles) DRAW TOE: (triangle) APW (triangle), ADJUSTABLE PERIMETER, WEIGHTING CROWN: (Chevron logo alignment mark) HOSEL: (loft)HT, (orientation indicators), (line) FACE:(double X graphic) |
| Callaway Golf | Big Bertha HT (LH) | 13.5 | SOLE: Callaway, (Chevron logo), (curved line), BIG, BERTHA, (three steps w/ lines), (line), (screw in port), (weight port) BACK: (adjustable weight), DRAW (orientation indicators w/ triangles) FADE TOE: (triangle) APW (triangle), ADJUSTABLE PERIMETER, WEIGHTING CROWN: (Chevron logo alignment mark) HOSEL: (loft)HT, (orientation indicators), (line) FACE:(double X graphic) |
| Callaway Golf | Big Bertha HT (Women's) | 13 | SOLE: (loft)HT, Callaway, GOLF, (Chevron logo) (line), Big Bertha CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Big Bertha Pro (Version 1) | 8.5 | SOLE: Callaway, (Chevron logo), (curved line), (three steps w/ lines), BIG, BERTHA, (line), (weight port), (screw in port) BACK: (adjustable weight), FADE (orientation indicators w/ triangles) DRAW TOE: (triangle) APW (triangle), ADJUSTABLE PERIMETER, WEIGHTING HOSEL: PRO, (loft), (orientation indicators), (line) FACE:(double X graphic) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-------------------------------------|-----------|---|
| Callaway Golf | Big Bertha Pro (Version 1) (LH) | 8.5 | SOLE: Callaway, (Chevron logo), (curved line), BIG, BERTHA, (three steps w/ lines), (line), (weight port), (screw in port) BACK: (adjustable weight), FADE (orientation indicators w/ triangles) DRAW TOE: (triangle) APW (triangle), ADJUSTABLE PERIMETER, WEIGHTING HOSEL: PRO, (loft), (orientation indicators), (line) FACE:(double X graphic) |
| Callaway Golf | Big Bertha Pro (Version 2) | 8.5 | SOLE: Callaway, (Chevron logo), (curved line), (three steps w/ lines), BIG, BERTHA, 440, (line), (weight port), (screw in port) BACK: (adjustable weight), FADE (orientation indicators w/ triangles) DRAW TOE: (triangle) APW (triangle), ADJUSTABLE PERIMETER, WEIGHTING HOSEL: PRO, (loft), (orientation indicators), (line) FACE:(double X graphic) |
| Callaway Golf | Big Bertha Pro (Version 2) (LH) | 8.5 | SOLE: Callaway, (Chevron logo), (curved line), BIG, BERTHA, 440, (three steps w/ lines), (line), (screw in port), (weight port) BACK: (adjustable weight), FADE (orientation indicators w/ triangles) DRAW TOE: (triangle) APW (triangle), ADJUSTABLE PERIMETER, WEIGHTING HOSEL: PRO, (loft), (orientation indicators), (line) FACE:(double X graphic) |
| Callaway Golf | Big Bertha Reva (Version 1) | 10.5,12.5 | SOLE: Callaway, (Chevron logo), (weight port), BIG BERTHA, REVA, JAILBREAK, TECHNOLOGY CROWN: (Chevron logo alignment mark), BIG BERTHA HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21 view image here |
| Callaway Golf | Big Bertha Reva (Version 1) (LH) | 10.5,12.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, BIG BERTHA, REVA, (weight port) CROWN: (Chevron logo alignment mark), BIG BERTHA HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-------------------------------------|------------------|---|
| Callaway Golf | Big Bertha Reva (Version 2) | 10.5,12,12.5 | SOLE: Callaway, (Chevron logo), BIG BERTHA, REVA, JAILBREAK TECHNOLOGY, (loft) CROWN: (Chevron logo alignment mark), REVA, CARBON HOSEL: (orientation indicators) FACE:FORGED TI view image here |
| Callaway Golf | Big Bertha Reva (Version 2) (LH) | 10.5,12,12.5 | SOLE: Callaway, (Chevron logo), JAILBREAK TECHNOLOGY, BIG BERTHA, REVA, (loft) CROWN: (Chevron logo alignment mark), REVA, CARBON HOSEL: (orientation indicators) FACE:FORGED TI view image here |
| Callaway Golf | Big Bertha Steelhead | 7,8,9,10,11,12 | SOLE: BIG BERTHA, STEELHEAD, (line)III(line), (loft), Callaway TOE: III CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Big Bertha Steelhead III (LH) | 9,10,11,12 | SOLE: BIG BERTHA, STEELHEAD, (line)III(line), (loft), Callaway TOE: III CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Big Bertha Steelhead Plus | 6,7,8,9,10,11,12 | SOLE: BIG BERTHA, STEELHEAD, PLUS, (loft), Callaway, GOLF CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Big Bertha Steelhead Plus (LH) | 9,10,11,12 | SOLE: BIG BERTHA, STEELHEAD, PLUS, (loft), Callaway, GOLF CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Big Bertha Titanium | 8,9,10,11 | SOLE: Callaway, GOLF, (curved line), BIG BERTHA, (line), TITANIUM, (curved line), (loft) CROWN: (arrow alignment mark) view image here |
| Callaway Golf | Big Bertha Titanium (LH) | 9,10,11 | SOLE: Callaway, GOLF, (curved line), BIG BERTHA, (line), TITANIUM, (curved line), (loft) CROWN: (arrow alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--|--------------|--|
| Callaway Golf | Big Bertha Titanium 454 | 8,9,10,11,13 | SOLE: Callaway, GOLF, (curved line), BIG BERTHA, (line), TITANIUM 454, (curved line), (loft) BACK: (S2H2 in oval) CROWN: (arrow alignment mark) view image here |
| Callaway Golf | Big Bertha Titanium 454 (LH) | 9,10,11 | SOLE: Callaway, GOLF, (curved line), BIG BERTHA, (line), TITANIUM 454, (curved line), (loft) BACK: (S2H2 in oval) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Big Bertha Titanium 454 High Trajectory | N/A | SOLE: Callaway, GOLF, (curved line), BIG BERTHA, (line), TITANIUM 454, (curved line), HIGH TRAJECTORY, DRIVER BACK: (S2H2 in oval) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Big Bertha V Series | 9.5,10.5 | SOLE: Callaway, (Chevron logo), (Isaac Newton golfer w/ apple in striped window), (YOU CAN'T ARGUE, WITH PHYSICS in window), BIG, BERTHA, (two lines), V SERIES TOE: SPEED OPTIMIZED TECHNOLOGY, (three stripes over kinetic energy formulas) CROWN: (Chevron alignment mark) HOSEL: (loft), (orientation indicators) HEEL: (three stripes over kinetic energy formulas) |
| Callaway Golf | Big Bertha V Series (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), (Isaac Newton golfer w/ apple in striped window), (YOU CAN'T ARGUE, WITH PHYSICS in window), BIG, BERTHA, (two lines), V SERIES TOE: SPEED OPTIMIZED TECHNOLOGY, (three stripes over kinetic energy formulas) CROWN: (Chevron alignment mark) HOSEL: (loft), (orientation indicators) HEEL: (three stripes over kinetic energy formulas) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------------|--------|---|
| Callaway Golf | Big Bertha V Series (Women's) | 9,10.5 | SOLE: Callaway, (Chevron logo), (Isaac Newton golfer w/ apple in striped window), (YOU CAN'T ARGUE, WITH PHYSICS in window), BIG, BERTHA, (two lines), V SERIES TOE: SPEED OPTIMIZED TECHNOLOGY, (three stripes over kinetic energy formulas), CROWN: (Chevron alignment mark) HOSEL: (loft), (orientation indicators) HEEL: (three stripes over kinetic energy formulas) view image here |
| Callaway Golf | Big Bertha V Series (Women's) (LH) | 10.5 | SOLE: Callaway, (Chevron logo), (Isaac Newton golfer w/ apple in striped window), (YOU CAN'T ARGUE, WITH PHYSICS in window), BIG, BERTHA, (two lines), V SERIES, (port screw) TOE: SPEED OPTIMIZED TECHNOLOGY, (three stripes over kinetic energy formulas), CROWN: (Chevron alignment mark) HOSEL: (loft), (orientation indicators) HEEL: (three stripes over kinetic energy formulas) FACE:(two bent lines)HYPER SPEED FACE |
| Callaway Golf | Big Bertha V Series HT | 13.5 | SOLE: Callaway, (Chevron logo), (Isaac Newton golfer w/ apple in striped window), (YOU CAN'T ARGUE, WITH PHYSICS in window), BIG, BERTHA, (two lines), V SERIES TOE: SPEED OPTIMIZED TECHNOLOGY, (three stripes over kinetic energy formulas) CROWN: (Chevron alignment mark) HOSEL: (loft)HT, (orientation indicators) HEEL: (three stripes over kinetic energy formulas) |
| Callaway Golf | Big Bertha V Series HT (LH) | 13.5 | SOLE: Callaway, (Chevron logo), (Isaac Newton golfer w/ apple in striped window), (YOU CAN'T ARGUE, WITH PHYSICS in window), BIG, BERTHA, (two lines), V SERIES TOE: SPEED OPTIMIZED TECHNOLOGY, (three stripes over kinetic energy formulas) CROWN: (Chevron alignment mark) HOSEL: (loft HT), (orientation indicators) HEEL: (three stripes over kinetic energy formulas) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--|--------------|--|
| Callaway Golf | Big Bertha V Series HT (Women's) | 13.5 | SOLE: Callaway, (Chevron logo), (Isaac Newton golfer w/ apple in striped window), (YOU CAN'T ARGUE, WITH PHYSICS in window), BIG, BERTHA, (two lines), V SERIES, (port screw) TOE: SPEED OPTIMIZED TECHNOLOGY, (three stripes over kinetic energy formulas), CROWN: (Chevron alignment mark) HOSEL: (loft)HT, (orientation indicators) HEEL: (three stripes over kinetic energy formulas) FACE:(two bent lines)HYPER SPEED FACE |
| Callaway Golf | Big Bertha V Series HT (Women's) (LH) | 13.5 | SOLE: Callaway, (Chevron logo), (Isaac Newton golfer w/ apple in striped window), (YOU CAN'T ARGUE, WITH PHYSICS in window), BIG, BERTHA, (two lines), V SERIES, (port screw) TOE: SPEED OPTIMIZED TECHNOLOGY, (three stripes over kinetic energy formulas), CROWN: (Chevron alignment mark) HOSEL: (loft)HT, (orientation indicators) HEEL: (three stripes over kinetic energy formulas) FACE:(two bent lines)HYPER SPEED FACE view image here |
| Callaway Golf | Diablo Edge | 9,10,11 | SOLE: Callaway, (DIABLO, (segmented line), EDGE, over (Chevron logo on shield with two horns media blast)), (loft), (winged graphic design) CROWN: (Chevron logo on shield with two horns alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | Diablo Edge (LH) | 10,11 | SOLE: Callaway, (DIABLO, (segmented line), EDGE, over (Chevron logo on shield with two horns media blast)), (loft), (winged graphic design) CROWN: (Chevron logo on shield with two horns alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | Diablo Edge (Tour) | 8.5,9.5,10.5 | SOLE: Callaway, (DIABLO, (segmented line), EDGE, over (Chevron logo on shield with two horns media blast)), (loft), (winged graphic design) FACE:(X graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|----------------------------|---------------|--|
| Callaway Golf | Diablo Edge (Tour) (LH) | 9.5 | SOLE: Callaway, (DIABLO, (segmented line), EDGE, over (Chevron logo on shield with two horns media blast)), (loft), (winged graphic design) FACE:(X graphic media blast) view image here |
| Callaway Golf | Diablo Edge HT | 13 | SOLE: Callaway, (DIABLO, (segmented line), EDGE, over (Chevron logo on shield with two horns media blast)), (loft), HT, (winged graphic design) CROWN: (Chevron logo on shield with two horns alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | Diablo Octane | 9.5,10.5,11.5 | SOLE: (recessed Chevron logo on shield with two horns), (loft) BACK: (flame graphic) TOE: Callaway CROWN: (four bent lines), (four bent lines) HEEL: DIABLO, (line), Octane FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Diablo Octane (LH) | 10.5,11.5 | SOLE: (recessed Chevron logo on shield with two horns), (loft) BACK: (flame graphic) TOE: Callaway CROWN: (four bent lines), (four bent lines) HEEL: DIABLO, (line), Octane FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Diablo Octane Black | 9.5,10.5,11.5 | SOLE: (recessed Chevron logo on shield with two horns), (loft) BACK: (flame graphic) TOE: Callaway CROWN: (three bent lines), (three bent lines) HEEL: DIABLO, (line), Octane, Black FACE:(Chevron logo on shield with two horns media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------|---------------|--|
| Callaway Golf | Diablo Octane Black (LH) | 10.5,11.5 | SOLE: (recessed Chevron logo on shield with two horns), (loft) BACK: (flame graphic) TOE: Callaway CROWN: (three bent lines), (three bent lines) HEEL: DIABLO, (line), Octane, Black FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Diablo Octane Black Tour | 8.5,9.5,10.5 | SOLE: (recessed Chevron logo on shield with two horns), (loft), TOUR TOE: Callaway HEEL: DIABLO, (line), Octane, Black FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Diablo Octane HT | 13.5 | SOLE: (recessed Chevron logo on shield with two horns), (loft), HT BACK: (flame graphic) TOE: Callaway CROWN: (four bent lines), (four bent lines) HEEL: DIABLO, (line), Octane FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Diablo Octane I-Mix | 9.5,10.5,11.5 | SOLE: (curved arrow), I-MIX, (curved arrow), (recessed Chevron logo on shield with two horns), (loft) BACK: (flame graphic) TOE: Callaway CROWN: (three bent lines), (three bent lines) HEEL: DIABLO, (line), Octane FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Diablo Octane I-Mix (LH) | 10.5,11.5 | SOLE: (recessed Chevron logo on shield with two horns), (curved arrow), I-MIX, (curved arrow), (loft) BACK: (flame graphic) TOE: Callaway CROWN: (three bent lines), (three bent lines) HEEL: DIABLO, (line), Octane FACE:(Chevron logo on shield with two horns media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|----------------------------|----------------|--|
| Callaway Golf | Diablo Octane I-Mix HT | 13.5 | SOLE: (curved arrow), I-MIX, (curved arrow), (recessed Chevron logo on shield with two horns), (loft), HT BACK: (flame graphic) TOE: Callaway CROWN: (three bent lines), (three bent lines) HEEL: DIABLO, (line), Octane FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Diablo Octane Tour | 8.5,9.5,10.5 | SOLE: (recessed chevron logo on shield with two horns), (loft), TOUR TOE: Callaway HEEL: DIABLO, (line), Octane FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | Diablo Octane Tour (LH) | 9.5 | SOLE: (recessed chevron logo on shield with two horns), (loft), TOUR TOE: Callaway HEEL: DIABLO, (line), Octane FACE:(Chevron logo on shield with two horns media blast) view image here |
| Callaway Golf | EL 460 (LH) | 10.5 | SOLE: (loft), (E(pentagon)L, 460, (Chevron logo) inside four-sided recessed curve) BACK: Callaway, GOLF TOE: (X graphic), HYPERBOLIC, FACE CROWN: (Chevron logo alignment mark) HEEL: (POWER, GENERATOR in recessed teardrop on triangle insert) view image here |
| Callaway Golf | Epic Flash | 9,10.5,11.5,12 | SOLE: Callaway, (Chevron logo), FADE, DRAW, EPIC, FLASH, JAILBREAK, TECHNOLOGY CROWN: (Chevron logo alignment mark w/adjacent stripe), EPIC HOSEL: (loft), (orientation indicators) FACE:FLASH FACE, (circle graphic) |
| Callaway Golf | Epic Flash (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, EPIC, FLASH, FADE, DRAW CROWN: (Chevron logo alignment mark w/adjacent stripe), EPIC HOSEL: (loft), (orientation indicators) FACE:(circle graphic), FLASH FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------------|------------|--|
| Callaway Golf | Epic Flash (Tour) (LH) | 8.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, EPIC, FLASH, FADE, DRAW CROWN: (Chevron logo alignment mark w/adjacent stripe), EPIC HOSEL: (loft), (orientation indicators) FACE:(circle graphic), FLASH FACE view image here |
| Callaway Golf | Epic Flash (Tour) (Version 1) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), FADE, DRAW, EPIC, FLASH, JAILBREAK, TECHNOLOGY CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE:FLASH FACE, (circle graphic) view image here |
| Callaway Golf | Epic Flash (Tour) (Version 1) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, EPIC, FLASH, FADE, DRAW CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE:(circle graphic), FLASH FACE, view image here |
| Callaway Golf | Epic Flash (Tour) (Version 2) | 5 | SOLE: Callaway, (Chevron logo), EPIC, FLASH CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE:FLASH FACE view image here |
| Callaway Golf | Epic Flash (Tour) (Version 2) (LH) | 5 | SOLE: Callaway, (Chevron logo), EPIC, FLASH CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE:FLASH FACE view image here |
| Callaway Golf | Epic Flash (Tour) (Version 3) | 5 | SOLE: Callaway, (Chevron logo), EPIC, FLASH CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) HEEL: F FACE:FLASH FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|------------------|--|
| Callaway Golf | Epic Flash Star | 9.5,10.5,12,13.5 | SOLE: Callaway, (Chevron logo), FADE, DRAW, EPIC, FLASH, *STAR*, JAILBREAK, TECHNOLOGY CROWN: (Chevron logo alignment mark), EPIC HEEL: (loft) FACE:FLASH FACE, (circle graphic) |
| Callaway Golf | Epic Flash Star (LH) | 10.5,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, EPIC, FLASH, *STAR*, FADE, DRAW CROWN: (Chevron logo alignment mark), EPIC HEEL: (loft) FACE:FLASH FACE, (circle graphic) view image here |
| Callaway Golf | Epic Flash Sub Zero (Version 1) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), FADE, DRAW, EPIC, FLASH, JAILBREAK, TECHNOLOGY, SUB ZERO CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE:FLASH FACE, (circle graphic) view image here |
| Callaway Golf | Epic Flash Sub Zero (Version 1) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, EPIC, FLASH, SUB ZERO, FADE, DRAW CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE:(circle graphic), FLASH FACE view image here |
| Callaway Golf | Epic Flash Sub Zero (Version 2) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), FADE, DRAW, EPIC, FLASH, JAILBREAK, TECHNOLOGY, SUB ZERO CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) HEEL: (diamond) FACE:FLASH FACE, (circle graphic) |
| Callaway Golf | Epic Flash Sub Zero (Version 2) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, EPIC, FLASH, SUB ZERO, FADE, DRAW CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) HEEL: (diamond) FACE:FLASH FACE, (circle graphic) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|------------|---|
| Callaway Golf | Epic Flash Sub Zero (Version 3) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), FADE, DRAW, EPIC, FLASH, JAILBREAK, TECHNOLOGY, SUB ZERO CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) HEEL: (two diamonds) FACE:FLASH FACE, (circle graphic) view image here |
| Callaway Golf | Epic Flash Sub Zero (Version 3) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, EPIC, FLASH, SUB ZERO, FADE, DRAW CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) HEEL: (two diamonds) FACE:FLASH FACE, (circle graphic) view image here |
| Callaway Golf | Epic Flash Sub Zero (Version 4) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), FADE, DRAW, EPIC, FLASH, JAILBREAK, TECHNOLOGY, SUB ZERO CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) HEEL: (three diamonds) FACE:FLASH FACE, (circle graphic) view image here |
| Callaway Golf | Epic Flash Sub Zero (Version 4) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, EPIC, FLASH, SUB ZERO, FADE, DRAW CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) HEEL: (three diamonds) FACE:FLASH FACE, (circle graphic) view image here |
| Callaway Golf | Epic Max (Version 1) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, MAX, JAILBREAK, AI SPEED, FRAME CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21, (circle graphic) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------|-------------|--|
| Callaway Golf | Epic Max (Version 1) (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, MAX, JAILBREAK, AI SPEED, FRAME CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE:(circle graphic), FLASH FACE SS21 |
| Callaway Golf | Epic Max (Version 2) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, MAX, JAILBREAK, AI SPEED, FRAME HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21, (circle graphic) view image here |
| Callaway Golf | Epic Max (Version 2) (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, MAX, JAILBREAK, AI SPEED, FRAME HOSEL: (loft), (orientation indicators) FACE:(circle graphic), FLASH FACE SS21 |
| Callaway Golf | Epic Max Fast | 9.5,10.5,12 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, MAX FAST, JAILBREAK, AI SPEED, FRAME CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft) FACE:FLASH FACE SS21, (circle graphic) |
| Callaway Golf | Epic Max LS (Version 1) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, MAX LS, JAILBREAK, AI SPEED, FRAME CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21, (circle graphic) |
| Callaway Golf | Epic Max LS (Version 1) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, MAX LS, JAILBREAK, AI SPEED, FRAME CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE: (circle graphic), FLASH FACE SS21 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------|---------------|--|
| Callaway Golf | Epic Max LS (Version 2) | 9,10.5 | SOLE: Callaway, (Chevron logo), (sliding weight port), EPIC, MAX LS, JAILBREAK, AI SPEED, FRAME HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21, (circle graphic) |
| Callaway Golf | Epic Max LS (Version 2) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), (sliding weight port), EPIC, MAX LS, JAILBREAK, AI SPEED, FRAME HOSEL: (loft), (orientation indicators) FACE: (circle graphic), FLASH FACE SS21 |
| Callaway Golf | Epic Max Star | 10.5,12 | SOLE: Callaway, (Chevron logo), FADE, (sliding weight port), *STAR*, DRAW, EPIC, MAX, JAILBREAK, AI SPEED, FRAME CROWN: (Callaway logo alignment mark), EPIC HOSEL: (loft) FACE:FLASH FACE SS21, (circle graphic) view image here |
| Callaway Golf | Epic Max Star (LH) | 10.5 | SOLE: Callaway, (Chevron logo), FADE, (sliding weight port), *STAR*, DRAW, EPIC, MAX, JAILBREAK, AI SPEED, FRAME CROWN: (Callaway logo alignment mark), EPIC HOSEL: (loft) FACE:(circle graphic), FLASH FACE SS21 |
| Callaway Golf | Epic Speed (Version 1) | 8.5,9,10.5,12 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, SPEED, JAILBREAK, AI SPEED, FRAME CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21, (circle graphic) |
| Callaway Golf | Epic Speed (Version 1) (LH) | 8.5,9,10.5,12 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, SPEED, JAILBREAK, AI SPEED, FRAME CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE:(circle graphic), FLASH FACE SS21 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------------|------------|---|
| Callaway Golf | Epic Speed (Version 2) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, SPEED, (weight port), JAILBREAK, AI SPEED, FRAME CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) HEEL: (three diamonds) FACE:FLASH FACE SS21, (circle graphic) |
| Callaway Golf | Epic Speed (Version 2) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, SPEED, (weight port), JAILBREAK, AI SPEED, FRAME CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) HEEL: (three diamonds) FACE:(circle graphic), FLASH FACE SS21 view image here |
| Callaway Golf | Epic Speed (Version 3) | 5 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, SPEED CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE:(circle graphic) view image here |
| Callaway Golf | Epic Speed (Version 4) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, SPEED, JAILBREAK, AI SPEED, FRAME HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS21, (circle graphic) |
| Callaway Golf | Epic Speed (Version 4) (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, SPEED, JAILBREAK, AI SPEED, FRAME HOSEL: (loft), (orientation indicators) FACE:(circle graphic), FLASH FACE SS21 |
| Callaway Golf | Epic Speed (Version 5) (LH) | 6 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, SPEED, (weight port), JAILBREAK, AI SPEED, FRAME CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) FACE:(circle graphic), FLASH FACE SS21 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------|--------------------------|---|
| Callaway Golf | Epic Speed DS | 9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, SPEED, (weight port), JAILBREAK, AI SPEED, FRAME CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) HEEL: (three diamonds), DS FACE:FLASH FACE SS21, (circle graphic) |
| Callaway Golf | Epic Speed LS | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, SPEED, (weight port), JAILBREAK, AI SPEED, FRAME CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) HEEL: (three diamonds), LS FACE:FLASH FACE SS21, (circle graphic) view image here |
| Callaway Golf | Epic Speed LS (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), EPIC, SPEED, (weight port), JAILBREAK, AI SPEED, FRAME CROWN: (Chevron logo alignment mark), EPIC HOSEL: (loft), (orientation indicators) HEEL: (three diamonds), LS FACE: (circle graphic), FLASH FACE SS21 |
| Callaway Golf | ERC Fusion | 7.5,8,8.5,9,9.5,10,11,12 | SOLE: E•R•C, (line), FUSION, (line), (loft), (Chevron logo insert) BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | ERC Fusion (LH) | 9,10,11 | SOLE: E•R•C, (line), FUSION, (line), (loft), (Chevron logo insert) BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | ERC HOT Tour | 8,9 | SOLE: (curved line), E•R•C, HOT, (loft) TOUR, (Chevron logo insert) BACK: Callaway, GOLF TOE: (line), FUSION, (line), TECHNOLOGY CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Filly | 11.5,12.5 | SOLE: Callaway, (Chevron logo), filly, (curved line), (two curved lines w/ diamond), (loft) CROWN: (Chevron logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------|--------------|---|
| Callaway Golf | FT Optiforce 440 | 9.5 | SOLE: Callaway, (Chevron logo), (bent line), (lines), (bent line), FT Optiforce, 440, (port w/ screw) TOE: Speed Optimized Technology HOSEL: (loft), (line), (orientation indicators), (line) FACE:(X over O media blast) view image here |
| Callaway Golf | FT Optiforce 440 (LH) | 9.5 | SOLE: Callaway, (Chevron logo), (bent line), (lines), (bent line), FT Optiforce, 440, (port w/ screw) TOE: Speed Optimized Technology HOSEL: (loft), (line), (orientation indicators), (line) FACE:(X over O media blast) view image here |
| Callaway Golf | FT Optiforce 460 | 10.5 | SOLE: Callaway, (Chevron logo), (bent line), (lines), (bent line), FT Optiforce, 460, (screw in port) TOE: Speed Optimized Technology CROWN: (arrow alignment mark), (line) (segmented line), (eight lines), (segmented line), (line), (eight lines) HOSEL: (loft), (line), (orientation indicators), (line) FACE:(X over circle logo) |
| Callaway Golf | FT Optiforce 460 (LH) | 10.5 | SOLE: Callaway, (Chevron logo), (bent line), (lines), (bent line), FT Optiforce, 460, (screw in port) TOE: Speed Optimized Technology CROWN: (arrow alignment mark), (line) (segmented line), (eight lines), (segmented line), (line), (eight lines) HOSEL: (loft), (line), (orientation indicators), (line) FACE:(X over circle logo) |
| Callaway Golf | FT Tour (Version 1) | 8.5,9.5,10.5 | SOLE: (loft), FT, TOUR TOE: Callaway, (Chevron logo) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT Tour (Version 1) (LH) | 9.5 | SOLE: (loft), FT, TOUR TOE: Callaway, (Chevron logo) FACE:(X graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------|------------------|--|
| Callaway Golf | FT Tour (Version 2) | 7.5,8.5,9.5,10.5 | SOLE: (loft), FT, TOUR TOE: Callaway, (Chevron logo) HEEL: (three dots) (weight bias), TOUR, (squares in square graphic) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT Tour (Version 2) (LH) | 9.5 | SOLE: (loft), FT, TOUR TOE: Callaway, (Chevron logo) HEEL: (three dots) (weight bias), TOUR, (squares in square graphic) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT Tour (Version 3) | 9.5 | SOLE: (loft), FT, TOUR TOE: Callaway, (Chevron logo) HOSEL: H HEEL: TOUR, (squares in square graphic) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT Tour (Version 4) | 9.5 | SOLE: (loft), FT, TOUR TOE: Callaway, (Chevron logo) HOSEL: LT HEEL: TOUR, (squares in square graphic) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-5 | 9,10,11 | SOLE: (loft), FT-5, (Chevron logo) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY CROWN: (Chevron logo alignment mark) HEEL: (three dots, (weight bias)) |
| Callaway Golf | FT-5 (LH) | 10,11 | SOLE: (loft), FT-5, (Chevron logo) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY CROWN: (Chevron logo alignment mark) HEEL: (three dots, (weight bias)) |
| Callaway Golf | FT-5 (Tour) (LH) (Version 1) | 8.5,9.5 | SOLE: (loft), FT-5, (Chevron logo) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY HEEL: (three dots, (weight bias)) FACE:(Chevron logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|------------------------------|--------------|--|
| Callaway Golf | FT-5 (Tour) (Version 1) | 8.5,9.5,10.5 | SOLE: (loft), FT-5, (Chevron logo) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY HEEL: (three dots, (weight bias)) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | FT-5 (Tour) (Version 2) | 8.5,9.5 | SOLE: (loft)T, FT-5, (Chevron logo) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY HEEL: (three dots, (weight bias)) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | FT-5 (Tour) (Version 3) | 9.5 | SOLE: (loft)TH, FT-5, (Chevron logo) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY HEEL: (three dots, (weight bias)) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | FT-5 (Tour) (w/ Opti-Fit) | 8.5,9.5,10.5 | SOLE: (Chevron logo), FT-5, (loft) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY HEEL: (three dots, (weight bias)) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | FT-5 (w/ Opti-Fit) | 9,10,11 | SOLE: (Chevron logo), FT-5, (loft) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY CROWN: (Chevron logo alignment mark) HEEL: (three dots, (weight bias)) |
| Callaway Golf | FT-5 (w/ Opti-Fit) (LH) | 10,11 | SOLE: (loft), FT-5, (Chevron logo) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY CROWN: (Chevron logo alignment mark) HEEL: (three dots, (weight bias)) |
| Callaway Golf | FT-5 HT | 13 | SOLE: (loft) HT, FT-5, (Chevron logo) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY CROWN: (Chevron logo alignment mark) HEEL: (three dots, (weight bias)) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------------|---------|---|
| Callaway Golf | FT-5 I-MIX | 9,10 | SOLE: (loft), FT-5, (Chevron logo) BACK: Callaway, GOLF TOE: (curved arrow), I-MIX, (curved arrow) CROWN: (Chevron logo alignment mark) HEEL: (three dots, (weight bias)) view image here |
| Callaway Golf | FT-5 I-MIX (Tour) (LH) (Version 1) | 8.5,9.5 | SOLE: (loft), FT-5, (Chevron logo) BACK: Callaway, GOLF TOE: (curved arrow), I-MIX, (curved arrow) HEEL: (three dots, (weight bias)) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | FT-5 I-MIX (Tour) (Version 1) | 8.5,9.5 | SOLE: (loft), FT-5, (Chevron logo) BACK: Callaway, GOLF TOE: (curved arrow), I-MIX, (curved arrow) HEEL: (three dots, (weight bias)) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | FT-5 I-MIX (Tour) (Version 2) | 8.5,9.5 | SOLE: (loft)T, FT-5, (Chevron logo) BACK: Callaway, GOLF TOE: (curved arrow), I-MIX, (curved arrow) HEEL: (three dots, (weight bias)) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | FT-9 | 9,10,11 | SOLE: Callaway, GOLF, (line), (loft), (Chervon logo), (Chevron logo) FT 9, (line), (weight bias) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 (LH) | 10,11 | SOLE: Callaway, GOLF, (line), (loft), (Chervon logo), FT 9 (Chevron logo), (line), (weight bias) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 (Light Weight) | 9 | SOLE: Callaway, GOLF, (line), (loft), (Chervon logo), (Chevron logo) FT 9, (line) CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 (Women's) | 9,10,11 | SOLE: Callaway, GOLF, (line), (loft), (Chervon logo), (Chevron logo) FT 9, (line), (weight bias) FACE:(X graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|----------------------|---------|---|
| Callaway Golf | FT-9 (Women's) (LH) | 10,11 | SOLE: Callaway, GOLF, (line), FT 9, (Chevron logo), (line), (weight bias), (loft), (Chervon logo) CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 HT | 13 | SOLE: Callaway, GOLF, (line), (loft)HT, (Chervon logo), (Chevron logo) FT 9, (line), (weight bias) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 HT (Women's) | 13 | SOLE: Callaway, GOLF, (line), (loft), HT, (Chervon logo), (Chevron logo) FT 9, (line), (weight bias) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 I-Mix | 9,10,11 | SOLE: Callaway, GOLF, (line), (loft), (Chervon logo), (curved arrow), I-MIX, (curved arrow), (Chevron logo) FT 9, (line), (weight bias) CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 I-Mix (LH) | 9,10 | SOLE: Callaway, GOLF, (line), (loft), (Chervon logo), (curved arrow), I-MIX, (curved arrow), FT 9, (Chevron logo), (line), (weight bias) CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 I-Mix HT | 13 | SOLE: Callaway, GOLF, (line), (loft) HT, (Chervon logo), (curved arrow), I-MIX, (curved arrow), (Chevron logo) FT 9, (line), (weight bias) CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 I-Mix Tour (LH) | 9.5° | SOLE: Callaway, GOLF, (line), (loft), (Chervon logo), (curved arrow), I-MIX, (curved arrow), FT 9, (Chevron logo), TOUR, (line), (weight bias) CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|--------------|--|
| Callaway Golf | FT-9 Tour | 8.5,9.5,10.5 | SOLE: Callaway, GOLF, (line), (loft), (Chervon logo), (Chevron logo) FT 9, (line) TOUR, (weight bias) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 Tour (LH) | 8.5,9.5 | SOLE: Callaway, GOLF, (line), (loft), (Chervon logo), FT 9, (Chevron logo), TOUR, (line), (weight bias) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 Tour Authentic (Version 1) (LH) | 7.5 | SOLE: (loft), TOUR AUTHENTIC, FT 9 TOE: Callaway, (Chevron logo) HEEL: (three dots), (weight bias) view image here |
| Callaway Golf | FT-9 Tour Authentic (Version 2) | 8.5 | SOLE: (loft), TOUR AUTHENTIC, FT, 9 TOE: Callaway, (Chevron logo) HEEL: (three dots, (weight bias)) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 Tour Authentic (Version 3) | 7.5,9.5,10.5 | SOLE: (loft), TOUR AUTHENTIC, FT 9 TOE: Callaway, (Chevron logo) HEEL: (three dots), (weight bias), TOUR, (square graphic) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 Tour Authentic (Version 3) (LH) | 9.5 | SOLE: (loft), TOUR AUTHENTIC, FT 9 TOE: Callaway, (Chevron logo) HEEL: (three dots), (weight bias), TOUR, (square graphic) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-9 Tour I-Mix | 8.5,9.5,10.5 | SOLE: Callaway, GOLF, (line), (loft), (Chervon logo), (curved arrow), I-MIX, (curved arrow), (Chevron logo) FT 9, (line), TOUR, (weight bias) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-i (Ovarian Cancer Edition) | 11 | SOLE: (Chevron logo), (FT-i over square), (loft) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY HEEL: (ribbon graphic), LIMITED, PROTOTYPE, EDITION FACE:(ribbon graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------|-------------|--|
| Callaway Golf | FT-i (Tour) (Version 1) | 7.5,8.5,9.5 | SOLE: (Chevron logo), (FT-i over square), (loft) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY HEEL: (three squares), (weight bias) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | FT-i (Tour) (Version 1) (LH) | 9.5 | SOLE: (loft), (FT-i over square), (Chevron logo) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY CROWN: (Chevron logo alignment mark) HEEL: (three squares), (weight bias) view image here |
| Callaway Golf | FT-i (Tour) (Version 2) | 9.5 | SOLE: (Chevron logo), (FT-i over square), (loft) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY HEEL: (three dots, (weight bias)) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | FT-i (Tour) (Version 3) (LH) | 8.5 | SOLE: (loft), (FT-i over square), (Chevron logo BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY HEEL: (three dots, (weight bias)) |
| Callaway Golf | FT-i (Tour) (Version 4) | 8.5,9.5 | SOLE: (Chevron logo), (FT-i over square), (loft) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY HEEL: (target graphic over triangle), TOUR LOW CG, (three squares, (weight bias)) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | FT-i (Version 1) | 9,10,11 | SOLE: (Chevron logo), (FT-i over square), (loft) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY CROWN: (Chevron logo alignment mark) HEEL: (three squares), (weight bias) view image here |
| Callaway Golf | FT-i (Version 1) (LH) | 10,11 | SOLE: (loft), (FT-i over square), (Chevron logo) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY CROWN: (Chevron logo alignment mark) HEEL: (three squares), (weight bias) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------------|---------|--|
| Callaway Golf | FT-i (Version 2) (LH) | 10 | SOLE: (loft), (FT-i over square), (Chevron logo) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY CROWN: (Chevron logo alignment mark) HEEL: (three dots, (weight bias)) |
| Callaway Golf | FT-i HT (Version 1) | 13 | SOLE: (Chevron logo), (FT-i over square), (loft)HT BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY CROWN: (Chevron logo alignment mark) HEEL: (three squares), (weight bias) view image here |
| Callaway Golf | FT-i I-MIX | 9,10,11 | SOLE: (Chevron logo), (FT-i over square), (loft) BACK: Callaway, GOLF TOE: (curved arrow), I-MIX, (curved arrow) HEEL: (three squares), (weight bias)) |
| Callaway Golf | FT-i I-MIX (Tour) | 7.5 | SOLE: (Chevron logo), (FT-i over square), (loft) BACK: Callaway, GOLF TOE: (curved arrow), I-MIX, (curved arrow) HEEL: (three squares), (weight bias)) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | FT-i I-MIX Tour Low CG (Tour) | 8.5,9.5 | SOLE: (Chevron logo), (FT-i over square), (loft) BACK: Callaway, GOLF TOE: (curved arrow), I-MIX, (curved arrow) HEEL: (target graphic), TOUR LOW CG, (three squares), (weight bias)) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | FT-i I-MIX Tour Low CG (Tour) (LH) | 9.5 | SOLE: (Chevron logo), (FT-i over square), (loft) BACK: Callaway, GOLF TOE: (curved arrow), I-MIX, (curved arrow) HEEL: (target graphic), TOUR LOW CG, (three squares), (weight bias)) FACE:(Chevron logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-------------------------------|---------|--|
| Callaway Golf | FT-i XXV (Limited Edition) | 9.5,10 | SOLE: (Chevron logo), (FT-i over square), XXV, (loft) BACK: Callaway, GOLF TOE: FUSION, TECHNOLOGY HEEL: (three squares), (weight bias), LIMITED, PROTOTYPE, EDITION view image here |
| Callaway Golf | FT-iQ (LH) (Version 2) | 10,11 | SOLE: Callaway, GOLF, (line), (line), FT, iQ, (line), (line), (loft), (Chevron logo), (Chevron logo) BACK: (FUSION, TECHNOLOGY in irregular pentagon insert), (iQ, SMART, MOI in irregular pentagon insert) CROWN: (Chervon logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-iQ (Version 1) | 10 | SOLE: Callaway, GOLF, (line), (line), FT, iQ, (line), (line), (loft), (Chevron logo) BACK: (D, DRAW, WEIGHT in irregular pentagon insert), (iQ, SMART, MOI in irregular pentagon insert) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-iQ (Version 2) | 9,10,11 | SOLE: Callaway, GOLF, (line), (line), FT, iQ, (line), (line), (loft), (Chevron logo), (Chevron logo) BACK: (FUSION, TECHNOLOGY in irregular pentagon insert), (iQ, SMART, MOI in irregular pentagon insert) CROWN: (Chervon logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-iQ (Women's) | 9,10,11 | SOLE: Callaway, GOLF, (line), (line), FT, iQ, (line), (line), (loft), (Chevron logo), (Chevron logo) BACK: (FUSION, TECHNOLOGY in irregular pentagon insert), (iQ, SMART, MOI in irregular pentagon insert) CROWN: (Chervon logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-iQ HT (Version 2) | 13 | SOLE: Callaway, GOLF, (line), (line), FT, iQ, (line), (line), (loft)HT, (Chevron logo), (Chevron logo) BACK: (FUSION, TECHNOLOGY in irregular pentagon insert), (iQ, SMART, MOI in irregular pentagon insert) CROWN: (Chervon logo alignment mark) FACE:(X graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------|--------------|---|
| Callaway Golf | FT-iQ HT (Women's) | 13 | SOLE: Callaway, GOLF, (line), (line), FT, iQ, (line), (line), (loft)HT, (Chevron logo), (Chevron logo) BACK: (FUSION, TECHNOLOGY in irregular pentagon insert), (iQ, SMART, MOI in irregular pentagon insert) CROWN: (Chervon logo alignment mark) FACE:(X graphic media blast) |
| Callaway Golf | FT-iQ I-Mix | 9,10,11 | SOLE: Callaway, GOLF, (line), (line), FT, iQ, (line), (curved arrow), I-MIX, (curved arrow), (line), (loft), (Chevron logo), (Chevron logo) BACK: (FUSION, TECHNOLOGY in irregular pentagon insert), (iQ, SMART, MOI in irregular pentagon insert) CROWN: (Chervon logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-iQ I-Mix (LH) | 10,11 | SOLE: Callaway, GOLF, (line), (line), FT, iQ, (line), (curved arrow), I-MIX, (curved arrow), (line), (loft), (Chevron logo), (Chevron logo) BACK: (FUSION, TECHNOLOGY in irregular pentagon insert), (iQ, SMART, MOI in irregular pentagon insert) CROWN: (Chervon logo alignment mark) FACE:(X graphic media blast) |
| Callaway Golf | FT-iQ I-Mix HT | 13 | SOLE: Callaway, GOLF, (line), (line), FT, iQ, (line), (curved arrow), I-MIX, (curved arrow), (line), (loft) HT, (Chevron logo), (Chevron logo) BACK: (FUSION, TECHNOLOGY in irregular pentagon insert), (iQ, SMART, MOI in irregular pentagon insert) CROWN: (Chervon logo alignment mark) FACE:(X graphic media blast) |
| Callaway Golf | FT-iQ Tour | 8.5,9.5,10.5 | SOLE: Callaway, GOLF, TOUR, (line), (line), FT, iQ, (line), (line), (loft), (Chevron logo), (Chevron logo) BACK: (FUSION, TECHNOLOGY in irregular pentagon insert), (iQ, SMART, MOI in irregular pentagon insert) FACE:(X graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------|--------------|---|
| Callaway Golf | FT-iQ Tour (LH) | 7.5,9.5 | SOLE: Callaway, GOLF, TOUR, (line), (line), FT, iQ, (line), (line), (loft), (Chevron logo), (Chevron logo) BACK: (FUSION, TECHNOLOGY in irregular pentagon insert), (iQ, SMART, MOI in irregular pentagon insert) FACE:(X graphic media blast) |
| Callaway Golf | FT-iQ Tour I-Mix | 8.5,9.5,10.5 | SOLE: Callaway, GOLF, TOUR, (line), (line), FT, iQ, (line), (curved arrow), l-MIX, (curved arrow), (line), (loft), (Chevron logo), (Chevron logo) BACK: (FUSION, TECHNOLOGY in irregular pentagon insert), (iQ, SMART, MOI in irregular pentagon insert) CROWN: (Chervon logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-iQ Tour I-Mix (LH) | 9.5 | SOLE: Callaway, GOLF, TOUR, (line), (line), FT, iQ, (line), (curved arrow), I-MIX, (curved arrow), (line), (loft), (Chevron logo), (Chevron logo) BACK: (FUSION, TECHNOLOGY in irregular pentagon insert), (iQ, SMART, MOI in irregular pentagon insert) FACE:(X graphic media blast) |
| Callaway Golf | FT-iz | 9,10,11 | SOLE: Callaway, (twelve lines), FT, iz, (loft), (Chevron logo), (iz, POWER, SOURCE on striped hexagon in trapezoid insert) CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-iz (LH) | 10,11 | SOLE: Callaway, (twelve lines), (loft), (Chevron logo), FT, iz, , (iz, POWER, SOURCE on striped hexagon in trapezoid insert) CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-iz HT | 13 | SOLE: Callaway, (twelve lines), FT, iz, (loft) HT, (Chevron logo), (iz, POWER, SOURCE on striped hexagon in trapezoid insert) CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------|--------------|--|
| Callaway Golf | FT-iz I-Mix | 9,10,11 | SOLE: Callaway, (twelve lines), (curved arrow), I-MIX, (curved arrow), FT, iz, (loft), (Chevron logo), (iz, POWER, SOURCE on striped hexagon in trapezoid insert) CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-iz I-Mix (LH) | 10,11 | SOLE: Callaway, (twelve lines), (curved arrow), I-MIX, (curved arrow), (loft), (Chevron logo), FT, iz, (iz, POWER, SOURCE on striped hexagon in trapezoid insert) CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) |
| Callaway Golf | FT-iz I-Mix HT | 13 | SOLE: Callaway, (curved arrow), I-MIX, (curved arrow), (twelve lines), FT, iz, (loft), HT, (Chevron logo), (iz, POWER, SOURCE on striped hexagon in trapezoid insert) CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) |
| Callaway Golf | FT-iz I-Mix Tour | 8.5,9.5,10.5 | SOLE: Callaway, (twelve lines), (curved arrow), I-MIX, (curved arrow), FT, iz, (loft), TOUR, (iz, POWER, SOURCE on striped hexagon in trapezoid insert) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-iz I-Mix Tour (LH) | 9.5 | SOLE: Callaway, (twelve lines), (curved arrow), I-MIX, (curved arrow), (loft), TOUR, FT, iz, (iz, POWER, SOURCE on striped hexagon in trapezoid insert) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-iz Tour | 8.5,9.5,10.5 | SOLE: Callaway, (twelve lines), FT, iz, (loft), TOUR, (iz, POWER, SOURCE on striped hexagon in trapezoid insert) FACE:(X graphic media blast) view image here |
| Callaway Golf | FT-iz Tour (LH) | 9.5 | SOLE: Callaway, (twelve lines), (loft), TOUR, FT, iz, (iz, POWER, SOURCE on striped hexagon in trapezoid insert) FACE:(X graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------|-----------------|---|
| Callaway Golf | GBB Epic (LH) | 9,10.5,13.5 | SOLE: JAILBREAK, TECHNOLOGY, GBB, EPIC, FADE, (eight lines), (Chevron logo), (eight lines), DRAW, Great Big Bertha EPIC TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark) HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | GBB Epic (Version 1) | 8.5,9,10.5,13.5 | SOLE: Great Big Bertha EPIC, DRAW, (eight lines), (Chevron logo), (eight lines), FADE, GBB, EPIC, JAILBREAK, TECHNOLOGY TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark) HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | GBB Epic (Version 2) | 8.5,9 | SOLE: Great Big Bertha EPIC, DRAW, (eight lines), (Chevron logo), (eight lines), FADE, GBB, EPIC, JAILBREAK, TECHNOLOGY TOE: Callaway, (Chevron logo) HOSEL: (loft), (line), (orientation indicators), (line) view image here |
| Callaway Golf | GBB Epic Sub Zero | 9,10.5 | SOLE: Great Big Bertha EPIC, GBB, EPIC, JAILBREAK, TECHNOLOGY TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark) HOSEL: (loft), SUB, ZERO, (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | GBB Epic Sub Zero (LH) | 9 | SOLE: JAILBREAK, TECHNOLOGY, GBB, EPIC, Great Big Bertha EPIC TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark) HOSEL: (loft), SUB, ZERO, (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------|-------|--|
| Callaway Golf | GBB Epic Sub Zero 440 | 9 | SOLE: Great Big Bertha EPIC, GBB, EPIC, JAILBREAK, TECHNOLOGY TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark) HOSEL: (loft), SUB, ZERO, (line), (orientation indicators), (line) HEEL: 440 FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | GBB Epic Sub Zero PM440 (LH) | 9 | SOLE: Great Big Bertha EPIC, JAILBREAK, TECHNOLOGY, GBB, EPIC TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark) HOSEL: (loft), SUB, ZERO, (line), (orientation indicators), (line) HEEL: PM440 FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Gems | N/A | SOLE: (curved line), (curved line), Callaway, GOLF, GEMS, (curved line), TITANIUM DRIVER CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Great Big Bertha (Asia) | 8.5 | SOLE: (line), (five lines), (bent line), (three lines), GREAT, BIG BERTHA, (weight port), (three lines) (bent line), (five lines), (line), (bent line), R • MOTO, TECHNOLOGY, (screw in port) BACK: (line) FADE, (two lines), (Chevron logo), (two lines), DRAW, (line), (weight w/ triangles) TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark) HOSEL: (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | Great Big Bertha (Asia) (LH) | 8.5 | view image here SOLE: GREAT, BIG BERTHA, R.MOTO TECHNOLOGY, (channel w/ moveable weight, (line), FADE, (line), (line), (Chevron logo), (line), (line), DRAW, (line) TOE: Callaway, (Chevron logo) CROWN: (Chevron alignment mark) HOSEL: (orientation/loft indicators) HEEL: (loft) FACE: (media blast logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------------------|---------------------|--|
| Callaway Golf | Great Big Bertha (Version 1) | 8.5,9,9.5,10.5,13.5 | SOLE: (line), (five lines), (bent line), (three lines), GREAT, BIG BERTHA, (weight port), (three lines) (bent line), (five lines), (line), (bent line), R • MOTO, TECHNOLOGY, (screw in port) BACK: (line) FADE, (two lines), (Chevron logo), (two lines), DRAW, (line), (weight w/ triangles) TOE: Callaway, (Chevron logo) CROWN: (raised Chevron logo alignment mark) HOSEL: (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | Great Big Bertha (Version 1) (LH) | 8.5,9,10.5,13.5 | SOLE: R • MOTO, TECHNOLOGY, (bent line), (line), (five lines), (bent line), (three lines), (weight port), GREAT, BIG BERTHA, (three lines) (bent line), (five lines), (line), (screw in port) BACK: (line) DRAW, (two lines), (Chevron logo), (two lines), FADE, (line), (weight w/ triangles) TOE: Callaway, (Chevron logo) CROWN: (raised Chevron logo alignment mark) HOSEL: (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | Great Big Bertha (Version 2) | 8.5,9,9.5,10.5 | SOLE: (line), (five lines), (bent line), (three lines), GREAT, BIG BERTHA, (weight port), (three lines) (bent line), (five lines), (line), (bent line), R • MOTO, TECHNOLOGY, (screw in port) BACK: (line) FADE, (two lines), (Chevron logo), (two lines), DRAW, (line), (weight w/ triangles), (weight w/ triangles) TOE: Callaway, (Chevron logo) CROWN: (raised Chevron logo alignment mark) HOSEL: (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic w/ segmented circle) |

| Product Name | Lofts | Identification Markings |
|--------------------------------------|--|---|
| Great Big Bertha (Version 2) (LH) | 9,10.5 | SOLE: R • MOTO TECHNOLOGY, (bent line), (line), (five lines), (bent line), (three lines), (weight port), GREAT, BIG BERTHA, (three lines) (bent line), (five lines), (line), (screw in port) BACK: (line) DRAW, (two lines), (Chevron logo), (two lines), FADE, (line), (two weights w/ triangles) TOE: Callaway, (Chevron logo) CROWN: (raised Chevron logo alignment mark) HOSEL: (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic w/ segmented circle) |
| Great Big Bertha (Version 3) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), FORGED CARBON, GREAT, BIG, BERTHA, JAILBREAK TECHNOLOGY, (loft) CROWN: (Chevron logo alignment mark), GBB, CARBON HOSEL: (orientation indicators) FACE:FLASH FACE SS23 |
| Great Big Bertha (Version 3) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), FORGED CARBON, JAILBREAK TECHNOLOGY, GREAT, BIG, BERTHA, (loft) CROWN: (Chevron logo alignment mark), GBB, CARBON HOSEL: (orientation indicators) FACE:FLASH FACE SS23 view image here |
| Great Big Bertha (Women's) | 9,10.5,13.5 | SOLE: (line), (five lines), (bent line), (three lines), GREAT, BIG BERTHA, (weight port), (three lines) (bent line), (five lines), (line), (bent line), R • MOTO, TECHNOLOGY, (screw in port) BACK: (line) FADE, (two lines), (Chevron logo), (two lines), DRAW, (line), (weight w/ triangles) TOE: Callaway, (Chevron logo) CROWN: (raised Chevron logo alignment mark) HOSEL: (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic w/ segmented circle) |
| | Great Big Bertha (Version 2) (LH) Great Big Bertha (Version 3) Great Big Bertha (Version 3) (LH) | Great Big Bertha (Version 2) (LH) Great Big Bertha (Version 3) Great Big Bertha (Version 3) Great Big Bertha (Version 3) 9,10.5 Great Big Bertha (Version 3) 9,10.5 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|------------------------------------|------------------|---|
| Callaway Golf | Great Big Bertha (Women's) (LH) | 9,10.5 | SOLE: R • MOTO, TECHNOLOGY, (bent line), (line), (five lines), (bent line), (three lines), (weight port), GREAT, BIG BERTHA, (three lines) (bent line), (five lines), (line), (screw in port) BACK: (line) DRAW, (two lines), (Chevron logo), (two lines), FADE, (line), (weight w/ triangles) TOE: Callaway, (Chevron logo) CROWN: (raised Chevron logo alignment mark) HOSEL: (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | Great Big Bertha II | 9,10,11 | SOLE: 11°, GREAT BIG BERTHA, (2 curved lines interrupted by II), driver BACK: (raised plastic insert with Callaway, GOLF) CROWN: (Chevron logo alignment mark) |
| Callaway Golf | Great Big Bertha II (LH) | 9,10,11 | SOLE: (loft), GREAT BIG BERTHA, (two curved lines interrupted by II), driver BACK: (plastic insert with Callaway, GOLF) CROWN: (Chevron logo alignment mark) |
| Callaway Golf | Great Big Bertha II 415 | 8,9,10,11 | SOLE: (loft), GREAT BIG BERTHA, (two curved lines interrupted by II), 415, driver BACK: (Callaway, GOLF on oval insert) CROWN: (Chevron logo alignment mark) |
| Callaway Golf | Great Big Bertha II Pro Series | 7.5,8.5,9.5,10.5 | SOLE: (loft), GREAT BIG BERTHA, (two curved lines interrupted by II), pro, series BACK: (Callaway, GOLF on insert) view image here |
| Callaway Golf | Hawk Eye | 8.3 | SOLE: HAWK EYE, Titanium, DRIVER, (circular weight insert), Pro, Series, (loft), Callaway, GOLF CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Hawk Eye Pro Series | 7.5,8.2,8.5,9.5 | SOLE: HAWK EYE, Titanium, DRIVER, (circular weight insert), Pro, Series, (loft), Callaway, GOLF CROWN: (Chevron logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------------|--------------|--|
| Callaway Golf | Hyper ERC (LH) | 10.5,11.5 | SOLE: (loft), (HYPER, E•R•C, (Chevron logo) inside four-sided recessed curve) BACK: Callaway, GOLF TOE: (X graphic), HYPERBOLIC, FACE CROWN: (Chevron logo alignment mark) HEEL: (POWER, GENERATOR in recessed teardrop on triangle insert) view image here |
| Callaway Golf | Hyper X | 9,10,11 | SOLE: HYPER, X, (loft), Callaway GOLF, (curved line) TOE: (X graphic), HYPERBOLIC, FACE CROWN: (arrow alignment mark) view image here |
| Callaway Golf | Hyper X (LH) | 10,11 | SOLE: HYPER, X, (loft), (curved line), Callaway GOLF TOE: (X graphic), HYPERBOLIC, FACE CROWN: (arrow alignment mark) view image here |
| Callaway Golf | Hyper X (LH) (w/ OptiFit) | 10,11 | SOLE: HYPER, X, (loft), Callaway GOLF, (curved line) TOE: (X graphic), HYPERBOLIC, FACE CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Hyper X (w/ OptiFit) | 9,10,11 | SOLE: HYPER, X, (loft), Callaway GOLF, (curved line) TOE: (X graphic), HYPERBOLIC, FACE CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Hyper X Tour | 8.5,9.5,10.5 | SOLE: HYPER, X, (loft), Callaway GOLF, (curved line) BACK: TOUR, (line) (chevron logo) (line) TOE: (X graphic), HYPERBOLIC, FACE view image here |
| Callaway Golf | Hyper X Tour (LH) | 8.5,9.5 | SOLE: HYPER, X, (loft), (curved line), Callaway GOLF BACK: TOUR, (line) (chevron logo) (line) TOE: (X graphic), HYPERBOLIC, FACE view image here |
| Callaway Golf | Hyper X Tour (LH) (w/ OptiFit) | 9.5 | SOLE: HYPER, X, (loft), Callaway GOLF, (curved line) BACK: TOUR, (line) (Chevron logo) (line) TOE: (X graphic), HYPERBOLIC, FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|------------------------------|--------------------|--|
| Callaway Golf | Hyper X Tour (w/ OptiFit) | 8.5,9.5,10.5 | SOLE: HYPER, X, (loft), Callaway GOLF, (curved line) BACK: TOUR, (line) (Chevron logo) (line) TOE: (X graphic), HYPERBOLIC, FACE view image here |
| Callaway Golf | Legacy (Version 1) | 8.5,9.5,10.5 | SOLE: Callaway, (LEGACY over GOLF), (chevron logo) BACK: (Chevron logo) TOE: (X graphic), HYPERBOLIC, FACE CROWN: (Chevron logo alignment mark) HEEL: (POWER, WEIGHTING on insert), (loft) view image here |
| Callaway Golf | Legacy (Version 1) (LH) | 10.5 | SOLE: Callaway, (LEGACY over GOLF), (Chevron logo) BACK: (Chevron logo) TOE: (X graphic), HYPERBOLIC, FACE CROWN: (Chevron logo alignment mark) HEEL: (loft), (POWER, WEIGHTING on insert) view image here |
| Callaway Golf | Legacy (Version 2) | 9.5,10.5,11.5,12.5 | SOLE: Callaway, (LEGACY over GOLF), (chevron logo) BACK: (Chevron logo) TOE: (X graphic), HYPERBOLIC, FACE CROWN: (Chevron logo alignment mark) HEEL: (POWER, WEIGHTING on insert), (loft w/ underline) view image here |
| Callaway Golf | Legacy (Version 2) (LH) | 10.5 | SOLE: Callaway, (LEGACY over GOLF), (Chevron logo) BACK: (Chevron logo) TOE: (X graphic), HYPERBOLIC, FACE CROWN: (Chevron logo alignment mark) HEEL: (loft w/ underline), (POWER, WEIGHTING on insert) view image here |
| Callaway Golf | Legacy (Version 4) | 9.5,10.5,11.5 | SOLE: (three curved lines), Callaway, LEGACY, (Chevron logo), (three curved lines), (loft) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Legacy (Version 5) | 8.5,9.5,10.5 | SOLE: (two curved lines), Callaway, LEGACY, (Chevron logo), (two curved lines), (loft) CROWN: (Chevron logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------|-----------|--|
| Callaway Golf | Legacy (Version 5) (LH) | 10.5 | SOLE: (two curved lines), Callaway, LEGACY, (Chevron logo), (two curved lines), (loft) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Legacy (Version 6) (LH) | 10.5 | SOLE: (three curved lines), Callaway, LEGACY, (Chevron logo), (three curved lines), (loft), (line) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Legacy (Version 7) | 8,9 | SOLE: Callaway, LEGACY, (Chevron logo) BACK: (weight port) CROWN: (Chevron logo alignment mark) HEEL: (loft)T view image here |
| Callaway Golf | Legacy (Version 8) | 9.5,10.5 | SOLE: Callaway, LEGACY, (Chevron logo) BACK: (weight port) CROWN: (Chevron logo alignment mark) HEEL: (loft) view image here |
| Callaway Golf | Legacy (Version 9) (LH) | 10.5 | SOLE: (bent line), (bent line), Callaway, LEGACY, (Chevron logo), (bent line) BACK: (weight port) CROWN: (Chevron logo alignment mark) HEEL: (loft) view image here |
| Callaway Golf | Legacy (Womens) (Version 1) | 12.5 | SOLE: (three curved lines), Callaway, LEGACY, (Chevron logo), (three curved lines), (loft), (line) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Legacy (Women's) (Version 1) | 11.5 | SOLE: (three curved lines), Callaway, LEGACY, (Chevron logo), (three curved lines), (loft), (line) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Legacy (Women's) (Version 2) | 11.5,12.5 | SOLE: (curved line), (curved line), Callaway, LEGACY, (Chevron logo) BACK: (weight port w/ gem) CROWN: (Chevron logo alignment mark) HEEL: (loft) view image here |
| Callaway Golf | Legacy Aero (LH) (Version 1) | 10.5 | SOLE: LEGACY, (Chervon logo), (curved line), GOLF, Callaway, AERO, (loft) CROWN: (Chevron logo alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------------|---------------|--|
| Callaway Golf | Legacy Aero (LH) (Version 2) | 10.5 | SOLE: LEGACY, (Chervon logo), (curved line), GOLF, Callaway, AERO, (loft), (line) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Legacy Aero (Version 1) | 8.5,9.5,10.5 | SOLE: Callaway, GOLF, (curved line), LEGACY, (Chervon logo), AERO, (loft) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Legacy Aero (Version 2) | 9.5,10.5,11.5 | SOLE: Callaway, GOLF, (curved line), LEGACY, (Chervon logo), AERO, (loft), (line) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Legacy Aero (Womens) | 11.5,12.5 | SOLE: Callaway, GOLF, (curved line), LEGACY, (Chervon logo), AERO, (loft), (line) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Legacy Aero I-Mix (LH) (Version 1) | 10.5 | SOLE: LEGACY, (curved arrow) I-MIX, (curved arrow), (Chervon logo), (curved line), GOLF, Callaway, AERO, (loft) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Legacy Aero I-Mix (LH) (Version 2) | 10.5 | SOLE: LEGACY, (curved arrow) I-MIX, (curved arrow), (Chervon logo), (curved line), GOLF, Callaway, AERO, (loft), (line) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Legacy Aero I-Mix (Version 1) | 8.5,9.5,10.5 | SOLE: Callaway, GOLF, (curved line), LEGACY, (Chevron logo), (curved arrow), I-MIX, (curved arrow), AERO, (loft) CROWN: (Chervon logo alignment mark) view image here |
| Callaway Golf | Legacy Aero I-Mix (Version 2) | 9.5,10.5,11.5 | SOLE: Callaway, GOLF, (curved line), LEGACY, (Chevron logo), (curved arrow), I-MIX, (curved arrow), AERO, (loft), (line) CROWN: (Chervon logo alignment mark) view image here |
| Callaway Golf | Legacy Apex (Version 1) | 8.5,9.5,10.5 | SOLE: Callaway, LEGACY, APEX (Chevron logo), (rubber medallion w/ two raised bars) CROWN: (Chevron logo alignment mark) HEEL: (loft) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------------|---------------|--|
| Callaway Golf | Legacy Apex (Version 1) (LH) | 10.5 | SOLE: Callaway, LEGACY, APEX (Chevron logo), (rubber medallion w/ two raised bars) CROWN: (Chevron logo alignment mark) HEEL: (loft) view image here |
| Callaway Golf | Legacy Apex (Version 2) | 9.5,10.5,11.5 | SOLE: Callaway, LEGACY, APEX (Chevron logo), (rubber medallion w/ two raised bars) CROWN: (Chevron logo alignment mark) HEEL: (loft), (line) view image here |
| Callaway Golf | Legacy Apex (Version 2) (LH) | 9.5 | SOLE: Callaway, LEGACY, APEX (Chevron logo), (rubber medallion w/ two raised bars) CROWN: (Chevron logo alignment mark) HEEL: (loft), (line) view image here |
| Callaway Golf | Legacy Apex (Womens) | 11.5,12.5 | SOLE: Callaway, LEGACY, APEX (Chevron logo), (rubber medallion w/ two raised bars) CROWN: (Chevron logo alignment mark) HEEL: (loft), (line) view image here |
| Callaway Golf | Legacy Apex I-Mix (Version 1) | 8.5,9.5,10.5 | SOLE: Callaway, LEGACY, APEX (Chevron logo), (curved arrow), I-MIX, (curved arrow), (rubber medallion w/ two raised bars) CROWN: (Chevron logo alignment mark) HEEL: (loft) view image here |
| Callaway Golf | Legacy Apex I-Mix (Version 1) (LH) | 10.5 | SOLE: Callaway, LEGACY, APEX (Chevron logo), (curved arrow), I-MIX, (curved arrow), (rubber medallion w/ two raised bars) CROWN: (Chevron logo alignment mark) HEEL: (loft) view image here |
| Callaway Golf | Legacy Apex I-Mix (Version 2) | 9.5,10.5,11.5 | SOLE: Callaway, LEGACY, APEX (Chevron logo), (curved arrow), I-MIX, (curved arrow), (rubber medallion w/ two raised bars) CROWN: (Chevron logo alignment mark) HEEL: (loft), (line) view image here |
| Callaway Golf | Legacy Black | 8.5,9.5,10.5 | SOLE: Callaway, (bent line), LEGACY, BLACK (Chevron logo),(loft), (bent line), (rubber insert) TOE: (Chevron logo) FACE:(Chevron logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--|---------------|--|
| Callaway Golf | Legacy Black 440 | 9.5 | SOLE: Callaway, LEGACY, BLACK (Chevron logo), (triangle insert w/ screw), (port w/ screw), 440, (loft) HOSEL: (line), (orientation indicators), (line) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | Legacy Black 460 | 10.5 | SOLE: Callaway, LEGACY, BLACK (Chevron logo), (triangle insert w/ screw), (port w/ screw), 460, (loft) HOSEL: (line), (orientation indicators), (line) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | Legacy Black Tour Authentic (Version 1) | N/A | SOLE: Callaway, LEGACY, BLACK (Chevron logo), (triangle insert w/ screw), TOUR AUTHENTIC, (port w/ screw) HOSEL: (line), (orientation indicators), (line) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | Legacy Black Tour Authentic (Version 2) | 9 | SOLE: Callaway, LEGACY, BLACK (Chevron logo), (triangle insert w/ screw), TOUR AUTHENTIC, (port w/ screw), (loft) HOSEL: (line), (orientation indicators), (line) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | Legacy I-Mix (Version 1) | 9.5,10.5,11.5 | SOLE: ((three curved lines), Callaway, LEGACY, (Chevron logo), (curved arrow), I-MIX, (curved arrow), (three curved lines), (loft) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Legacy I-Mix (Version 2) | 8.5,9.5,10.5 | SOLE: (two curved lines), Callaway, LEGACY, (Chevron logo), (curved arrow), I-MIX, (curved arrow), (two curved lines), (loft) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Legacy Platinum | 9.5,10.5 | SOLE: Callaway, (shield w/ five stars, C, graphic on lined background w/ ten stars insert), LEGACY, PLATINUM (Chevron logo), (diamond insert) CROWN: (Chevron logo alignment mark) HEEL: (loft) FACE:8-1-1 Ti |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------------|--------------|---|
| Callaway Golf | Legacy Platinum (Light Weight) | 9.5 | SOLE: Callaway, (shield w/ five stars, C, graphic on lined background w/ ten stars insert), LEGACY, PLATINUM (Chevron logo), (diamond insert) CROWN: (Chevron logo alignment mark) HEEL: (loft w/ line) FACE:8-1-1 Ti |
| Callaway Golf | Legacy Tour | 8.5,9.5,10.5 | SOLE: Callaway, (bent line), LEGACY, TOUR (Chevron logo) HEEL: (loft) FACE:(Chevron logo media blast) view image here |
| Callaway Golf | Mavrik (Version 1) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS20, (circle graphic) view image here |
| Callaway Golf | Mavrik (Version 1) (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS20, (circle graphic) |
| Callaway Golf | Mavrik (Version 2) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) HEEL: (one diamond) FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Mavrik (Version 2) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) HEEL: (one diamond) FACE:FLASH FACE SS20 |
| Callaway Golf | Mavrik (Version 3) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS20 |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|----------------------------|-----------|---|
| Callaway Golf | Mavrik (Version 3) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, (weight port) CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Mavrik (Version 4) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK CROWN: (Chevron logo alignment mark), MAVRIK HOSEL: (loft), (orientation indicators) FACE:FLASH FACE, (circle graphic) view image here |
| Callaway Golf | Mavrik (Version 4) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, (weight port) CROWN: (Chevron logo alignment mark), MAVRIK HOSEL: (loft), (orientation indicators) FACE:(circle graphic), FLASH FACE |
| Callaway Golf | Mavrik 440 | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, 440 CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) HEEL: (one diamond) FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Mavrik 440 (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, 440 CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) HEEL: (one diamond) FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Mavrik Max (Tour) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, MAX CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS20 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------------|-------------|--|
| Callaway Golf | Mavrik Max (Tour) (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, MAX CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Mavrik Max (Version 1) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, MAX CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS20, (circle graphic) view image here |
| Callaway Golf | Mavrik Max (Version 1) (LH) | 9.5,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, (weight port), MAX CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS20, (circle graphic) view image here |
| Callaway Golf | Mavrik Max (Version 2) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, MAX CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) HEEL: (one diamond) FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Mavrik Max (Version 2) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, (weight port), MAVRIK, (weight port), MAX CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) HEEL: (one diamond) FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Mavrik Max (Version 3) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, (weight port), MAX CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) HEEL: LS FACE:FLASH FACE SS20 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-------------------------------------|----------|---|
| Callaway Golf | Mavrik Max Fast | 9.5,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, MAX FAST CROWN: (Chevron logo), MAVRIK HOSEL: (loft) FACE:FLASH FACE SS20, (circle graphic) view image here |
| Callaway Golf | Mavrik Max Lite | 11.5,13 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, MAX LITE, (weight port) CROWN: (Chevron logo), MAVRIK HOSEL: (loft) FACE:FLASH FACE SS20, (circle graphic) view image here |
| Callaway Golf | Mavrik Sub Zero (Tour) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, SUB ZERO CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Mavrik Sub Zero (Tour) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, (weight port), MAVRIK, (weight port), SUB ZERO CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Mavrik Sub Zero (Version 1) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, SUB ZERO CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS20, (circle graphic) view image here |
| Callaway Golf | Mavrik Sub Zero (Version 1) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, SUB ZERO CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS20, (circle graphic) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-------------------------------------|----------------|--|
| Callaway Golf | Mavrik Sub Zero (Version 2) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, SUB ZERO CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) HEEL: (one diamond) FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Mavrik Sub Zero (Version 2) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, SUB ZERO CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) HEEL: (one diamond) FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Mavrik Sub Zero (Version 3) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, SUB ZERO CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) HEEL: (three diamonds) FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Mavrik Sub Zero (Version 3) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, MAVRIK, SUB ZERO CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) HEEL: (three diamonds) FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Mavrik Sub Zero (Version 4) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK, TECHNOLOGY, (weight port), MAVRIK, (weight port), SUB ZERO CROWN: (Chevron logo), MAVRIK HOSEL: (loft), (orientation indicators) HEEL: (three diamonds), LS FACE:FLASH FACE SS20 view image here |
| Callaway Golf | Paradym (Version 1) | 9,10.5,11.5,12 | SOLE: Callaway, (Chevron logo), FADE, DRAW, PARA\DYM, FORGED CARBON, JAILBREAK AI BACK: (weight port) CROWN: (Chevron logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED TI view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------|--------------|--|
| Callaway Golf | Paradym (Version 1) (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, PARA\DYM, FORGED CARBON, FADE, DRAW BACK: (weight port) CROWN: (Chevron logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED TI |
| Callaway Golf | Paradym (Version 2) | 8,8.5,9,10.5 | SOLE: Callaway, (Chevron logo), PARA\DYM, FORGED CARBON, (weight port), JAILBREAK AI, (three diamonds) BACK: (weight port) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED TI view image here |
| Callaway Golf | Paradym (Version 2) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, (weight port), PARA\DYM, FORGED CARBON, (three diamonds) BACK: (weight port) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED TI |
| Callaway Golf | Paradym (Version 3) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), FADE, DRAW, PARA\DYM, FORGED CARBON, (weight port), JAILBREAK AI BACK: (weight port) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED TI |
| Callaway Golf | Paradym (Version 3) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, (weight port), PARA\DYM, FORGED CARBON, FADE, DRAW BACK: (weight port) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED TI view image here |
| Callaway Golf | Paradym (Version 4) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), PARA\DYM, FORGED CARBON, (weight port), JAILBREAK AI, (three diamonds)S BACK: (weight port) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED TI view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------|------------|---|
| Callaway Golf | Paradym (Version 4) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, (weight port), PARA\DYM, FORGED CARBON, (three diamonds)S BACK: (weight port) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED TI |
| Callaway Golf | Paradym (Version 5) | 8.5,10.5 | SOLE: Callaway, (Chevron logo), PARA\DYM, FORGED CARBON, (weight port), JAILBREAK AI, (three diamonds) BACK: (weight port) HOSEL: (orientation indicators) HEEL: (loft)+ FACE:FORGED TI view image here |
| Callaway Golf | Paradym (Version 6) | 8.5,10.5 | SOLE: Callaway, (Chevron logo), FADE, DRAW, PARA\DYM, FORGED CARBON, (weight port), JAILBREAK AI BACK: (weight port) HOSEL: (orientation indicators) HEEL: (loft)+ FACE:FORGED TI view image here |
| Callaway Golf | Paradym (Version 7) | 8.5,10.5 | SOLE: Callaway, (Chevron logo), PARA\DYM, FORGED CARBON, (weight port), JAILBREAK AI, (three diamonds)S BACK: (weight port) HOSEL: (orientation indicators) HEEL: (loft)+ FACE:FORGED TI view image here |
| Callaway Golf | Paradym (Version 8) | 9 | SOLE: Callaway, (Chevron logo), PARA\DYM, FORGED CARBON, JAILBREAK AI, (three diamonds)S+ BACK: (weight port) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED TI view image here |
| Callaway Golf | Paradym (Version 9) | 9,10.5 | SOLE: Callaway, (Chevron logo), PARA\DYM, FORGED CARBON, JAILBREAK AI, (three diamonds)+ BACK: (weight port) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED TI view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------------------|---------------------|--|
| Callaway Golf | Paradym Ai Smoke (Version 1) | 8,8.5,9,9,10.5,10.5 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, (weight port), FORGED CARBON, (three diamonds) CROWN: Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke (Version 1) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, (weight port), FORGED CARBON, (three diamonds) CROWN: Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke (Version 2) | 9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, FORGED CARBON, (three diamonds)+ CROWN: Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke (Version 2) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, (weight port), FORGED CARBON, (three diamonds)S CROWN: Ai SMOKE HOSEL: (orientation indicator) HEEL: (loft) FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke (Version 3) | 9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, (weight port), FORGED CARBON, (three diamonds)S CROWN: Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke (Version 3) (LH) | 9 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, (three diamonds) BACK: (weight port) HOSEL: (orientation indicator) HEEL: (loft) FACE:FORGED TI |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------------------|--------|---|
| Callaway Golf | Paradym Ai Smoke (Version 4) | 10.5+ | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, (weight port), FORGED CARBON, (three diamonds) CROWN: (Chevron logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft)+ FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke (Version 4) (LH) | 10.5 | SOLE: Callaway, (Chevron logo), (five stars), (weight port), PARA\DYM, Ai SMOKE, (weight port), (five stars), (three diamonds) CROWN: Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke (Version 5) | 9+ | SOLE: Callaway, (Chevron logo), FADE, FORGED, (weight port), PARA\DYM, Ai SMOKE, (weight port), DRAW, CARBON, (three diamonds)T CROWN: Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft)+ FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke (Version 6) | 9,10.5 | SOLE: Callaway, (Chevron logo), (five stars), (weight port), PARA\DYM, Ai SMOKE, (weight port), (five stars), (three diamonds) CROWN: Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke Good | 9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), Good, (weight port), PARA\DYM, Ai SMOKE, (three diamonds) HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE view image here |
| Callaway Golf | Paradym Ai Smoke Good (LH) | 10.5 | SOLE: Callaway, (Chevron logo), (weight port), Good, (weight port), PARA\DYM, Ai SMOKE, (three diamonds) HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--|-------------------|--|
| Callaway Golf | Paradym Ai Smoke Good Max | 9,10.5 | SOLE: Callaway, (Chevron logo), FADE, (weight port), Good, (weight port), DRAW, PARA\DYM, Ai SMOKE, MAX CROWN: (Chevron logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE view image here |
| Callaway Golf | Paradym Ai Smoke Good Max (LH) | 9 | SOLE: Callaway, (Chevron logo), FADE, (weight port), Good, (weight port), DRAW, PARA\DYM, Ai SMOKE, MAX CROWN: (Chevron logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE view image here |
| Callaway Golf | Paradym Ai Smoke Max (Version 1) | 9,10.5,11.5,12 | SOLE: Callaway, (Chevron logo), FADE, (weight port), DRAW, PARA\DYM, Ai SMOKE, (weight port), FORGED CARBON, MAX CROWN: (Chevron logo alignment mark), Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE view image here |
| Callaway Golf | Paradym Ai Smoke Max (Version 1) (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, FADE, (weight port), DRAW, FORGED CARBON, MAX CROWN: (Chevron logo alignment mark), Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE view image here |
| Callaway Golf | Paradym Ai Smoke Max (Version 2) | 8.5,9,9,10.5,10.5 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, (weight port), FORGED CARBON, (three diamonds), MAX CROWN: Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--|-----------|--|
| Callaway Golf | Paradym Ai Smoke Max (Version 2) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, (weight port), FORGED CARBON, (three diamonds), MAX CROWN: Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke Max (Version 3) | 9,10.5 | SOLE: Callaway, (Chevron logo), FADE, (weight port), DRAW, PARA\DYM, Ai SMOKE, (weight port), FORGED CARBON, MAX CROWN: Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft)+ FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke Max (Version 3) (LH) | 10.5 | SOLE: Callaway, (Chevron logo), (five stars), FADE, (weight port), PARA\DYM, Ai SMOKE, (weight port), (five stars), DRAW, MAX CROWN: (Chevron logo alignment mark), Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke Max (Version 4) | 9,10.5 | SOLE: Callaway, (Chevron logo), FADE, (five stars), (weight port), PARA\DYM, Ai SMOKE, (weight port), DRAW, (five stars), MAX CROWN: (Chevron logo alignment mark), Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke Max D | 9,10.5,12 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, FORGED CARBON, MAX D CROWN: (Chevron logo alignment mark), Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|------------------|---|
| Callaway Golf | Paradym Ai Smoke Max D (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), PARA\DYM, Ai SMOKE, (weight port), FORGED CARBON, MAX D CROWN: (Chevron logo alignment mark), Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE view image here |
| Callaway Golf | Paradym Ai Smoke Max Fast | 9.5,10.5,11.5,12 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, MAX FAST, FORGED CARBON CROWN: (Chevron logo alignment mark), Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |
| Callaway Golf | Paradym Ai Smoke Ti340 Mini Driver (Version 1) | 11.5,13.5 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, (weight port), Ti 340 MINI, DRIVER CROWN: (Chevron logo alignment mark), Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE view image here |
| Callaway Golf | Paradym Ai Smoke Ti340 Mini Driver (Version 1) (LH) | 13.5 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, (weight port), Ti 340 MINI, DRIVER CROWN: (Chevron logo alignment mark), Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE view image here |
| Callaway Golf | Paradym Ai Smoke Ti340 Mini Driver (Version 2) | 11.5,13.5 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, (weight port), Ti 340 MINI, DRIVER CROWN: Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|------------------|---|
| Callaway Golf | Paradym Ai Smoke Ti340 Mini Driver (Version 2) (LH) | 13.5 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, Ai SMOKE, (weight port), Ti 340 MINI, DRIVER CROWN: Ai SMOKE HOSEL: (orientation indicators) HEEL: (loft) FACE:Ai SMART FACE |
| Callaway Golf | Paradym Long Drive | 4.5 | SOLE: Callaway, (Chevron logo), (weight port), PARA\DYM, LONG DRIVE CROWN: (Chevron logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED TI view image here |
| Callaway Golf | Paradym Max Fast | 9.5,10.5,11.5,12 | SOLE: Callaway, (Chevron logo), PARA\DYM, MAX FAST, FORGED CARBON, JAILBREAK AI BACK: (weight port) CROWN: (Chevron logo alignment mark) HEEL: (loft) FACE:FORGED TI |
| Callaway Golf | Paradym Star | 10.5,12 | SOLE: Callaway, (Chevron logo), PARA\DYM, *STAR*, JAILBREAK AI, FORGED CARBON BACK: (weight port) CROWN: (Chevron logo alignment mark) HEEL: (loft) FACE:FORGED TI |
| Callaway Golf | Paradym X | 9,10.5,12 | SOLE: Callaway, (Chevron logo), PARA\DYM, X, FORGED CARBON, JAILBREAK AI BACK: (weight port) CROWN: (Chevron logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED TI |
| Callaway Golf | Paradym X (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, PARA\DYM, X, FORGED CARBON BACK: (weight port) CROWN: (Chevron logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED TI |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|------------------------------|-------------------|---|
| Callaway Golf | Razr Fit (Version 1) | 8.5,9.5,10.5,11.5 | SOLE: (weight port), (bent line), (Callaway, Chevron logo in triangle), (Chevron logo media blast), (bent line), RAZR FIT, (weight port), (loft) TOE: FORGED, COMPOSITE HOSEL: (orientation indicators) FACE:(X over circle logo) |
| Callaway Golf | Razr Fit (Version 1) (LH) | 9.5,10.5 | SOLE: (weight port), (bent line), (Callaway, Chevron logo in triangle), (Chevron logo media blast), (bent line), RAZR FIT, (weight port), (loft) TOE: FORGED, COMPOSITE HOSEL: (orientation indicators) FACE:(X over circle logo) |
| Callaway Golf | Razr Fit (Version 2) | 8.5,9.5 | SOLE: (weight port), (bent line), (Callaway, Chevron logo in triangle), (Chevron logo media blast), (bent line), RAZR FIT, (weight port), (loft) TOE: FORGED, COMPOSITE FACE:(X over circle logo) view image here |
| Callaway Golf | Razr Fit (Version 2) (LH) | 8.5 | SOLE: (weight port), (bent line), (Callaway, Chevron logo in triangle), (Chevron logo media blast), (bent line), RAZR FIT, (weight port), (loft) TOE: FORGED, COMPOSITE FACE:(X over circle logo) |
| Callaway Golf | Razr Fit Tour Authentic | 8.5,9.5,10.5 | SOLE: (weight port), (bent line), (Callaway, Chevron logo in triangle), (Chevron logo media blast), (bent line), RAZR FIT, (weight port), (port w/ screw), (loft) TOE: TOUR, AUTHENTIC FACE:(X over circle logo) |
| Callaway Golf | Razr Fit Xtreme (Asia) | 9.5 | SOLE: (recessed weight port w/ three lines), (three bent lines), (line), Callaway, (Chevron logo), RAZR FIT XTREME, (line), (recessed weight port w/ three lines), (port w/ screw), (loft) TOE: (four lines) SPEED FRAME FACE FACE:(X over circle logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------------|-------------------|---|
| Callaway Golf | Razr Fit Xtreme (LH) | 9.5,10.5 | SOLE: (three bent lines), (recessed weight port w/ three lines), (line), Callaway, (Chevron logo), RAZR FIT XTREME, (line), (port w/ screw), (loft), (recessed weight port w/ three lines) TOE: SPEED FRAME FACE, (four lines) FACE:(X over circle logo) |
| Callaway Golf | Razr Fit Xtreme (Version 1) | 9.5,11.5 | SOLE: (recessed weight port w/ three lines), (three bent lines), (line), Callaway, (Chevron logo), RAZR FIT XTREME, (line), (recessed weight port w/ three lines), (port w/ screw), (loft) TOE: (five lines) SPEED FRAME FACE FACE:(X over circle logo) |
| Callaway Golf | Razr Fit Xtreme (Version 2) | 8.5,9.5,10.5,11.5 | SOLE: (recessed weight port w/ three lines), (three bent lines), (line), Callaway, (Chevron logo), RAZR FIT XTREME, (line), (recessed weight port w/ three lines), (port w/ screw), (loft) TOE: (four lines) SPEED FRAME FACE FACE:(X over circle logo) |
| Callaway Golf | Razr Fit Xtreme HT | 13.5 | SOLE: (recessed weight port w/ three lines), (three bent lines), (line), Callaway, (Chevron logo), RAZR FIT XTREME, (line), (recessed weight port w/ three lines), (port w/ screw), (loft), HT TOE: (four lines) SPEED FRAME FACE FACE:(X over circle logo) |
| Callaway Golf | Razr Hawk Draw | 8.5,9.5,10.5,11.5 | SOLE: Callaway, (Chevron logo), RAZR, HAWK, (loft), (draw on arrow metal insert) TOE: FORGED, Composite CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | Razr Hawk Draw (LH) | 10.5,11.5 | SOLE: Callaway, (Chevron logo), RAZR, HAWK, (loft), (draw on arrow metal insert) TOE: FORGED, Composite CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|----------------------------------|---------------|---|
| Callaway Golf | Razr Hawk Draw (Women's) | 11.5 | SOLE: Callaway, (Chevron logo), RAZR, HAWK, (loft), (draw on arrow metal insert) TOE: FORGED, Composite CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) |
| Callaway Golf | Razr Hawk Draw (Women's) (LH) | 11.5 | SOLE: Callaway, (Chevron logo), RAZR, HAWK, (loft), (draw on arrow metal insert) TOE: FORGED, Composite CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | Razr Hawk Draw HT | 13.5 | SOLE: Callaway, (Chevron logo), RAZR, HAWK, (loft), HT, (draw on arrow metal insert) TOE: FORGED, Composite CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | Razr Hawk Draw HT (Women's) | 13.5 | SOLE: Callaway, (Chevron logo), RAZR, HAWK, (loft), HT, (draw on arrow metal insert) TOE: FORGED, Composite CROWN: (Chevron logo alignment mark) FACE:(X graphic media blast) view image here |
| Callaway Golf | Razr Hawk I-Mix Draw | 9.5,10.5,11.5 | SOLE: Callaway, (Chevron logo), RAZR, HAWK, (curved arrow), I-MIX, (curved arrow), (draw on arrow metal insert) TOE: FORGED, Composite CROWN: (Chevron logo alignment mark) HEEL: (loft), (squares in square graphic) FACE:(X graphic media blast) view image here |
| Callaway Golf | Razr Hawk I-Mix Draw (LH) | 10.5,11.5 | SOLE: Callaway, (Chevron logo), RAZR, HAWK, (curved arrow), I-MIX, (curved arrow), (draw on arrow metal insert) TOE: FORGED, Composite CROWN: (Chevron logo alignment mark) HEEL: (loft), (squares in square graphic) FACE:(X graphic media blast) view image here |
| Callaway Golf | Razr Hawk I-Mix Draw HT | 13.5 | SOLE: Callaway, (Chevron logo), RAZR, HAWK, (draw on arrow metal insert) TOE: FORGED, Composite CROWN: (Chevron logo alignment mark) HEEL: (loft), HT FACE:(X graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|-------------------|--|
| Callaway Golf | Razr Hawk I-Mix Neutral | 9.5,10.5,11.5 | SOLE: Callaway, (Chevron logo), RAZR, HAWK, (curved arrow), I-MIX, (curved arrow), (neutral on arrow metal insert) TOE: FORGED, Composite CROWN: (Chevron logo alignment mark) HEEL: (loft), (squares in square graphic) FACE:(X graphic media blast) view image here |
| Callaway Golf | Razr Hawk Neutral | 8.5,9.5,10.5,11.5 | SOLE: Callaway, (Chevron logo), RAZR, HAWK, (loft), (neutral on arrow metal insert) TOE: FORGED, Composite CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | Razr Hawk Tour (LH) | 9.5 | SOLE: (loft), Callaway, (Chevron logo), RAZR, HAWK, (tour on arrow metal insert) TOE: FORCED, Composite FACE:(X graphic media blast) view image here |
| Callaway Golf | Razr Hawk Tour (Version 1) | 8.5,9.5,10.5 | SOLE: (loft), Callaway, (Chevron logo), RAZR, HAWK, (tour on arrow metal insert) TOE: FORGED, Composite FACE:(X graphic media blast) view image here |
| Callaway Golf | Razr Hawk Tour (Version 2) | 7.5 | SOLE: (loft), Callaway, (Chevron logo), RAZR, HAWK, (tour on arrow metal insert) TOE: FORGED, Composite HEEL: TOUR, (squares in square graphic) FACE:(X graphic media blast) view image here |
| Callaway Golf | Razr Hawk Tour Prototype (LH) | 9.5 | SOLE: Callaway, (Chevron logo), (loft), RAZR, HAWK, PROTOTYPE BACK: (tour on arrow metal insert) HEEL: (three dots) (weight bias), TOUR, (squares in square graphic) FACE:(X graphic media blast) view image here |
| Callaway Golf | Razr Hawk Tour Prototype (Version 1) | 7.5,8.5,9.5,10.5 | SOLE: Callaway, (Chevron logo), (loft), RAZR, HAWK, PROTOTYPE BACK: (tour on arrow metal insert) HEEL: (three dots) (weight bias), TOUR, (squares in square graphic) FACE:(X graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|-------------------|--|
| Callaway Golf | Razr Hawk Tour Prototype (Version 2) | 7.5,8.5,9.5,10.5 | SOLE: Callaway, (Chevron logo), (loft), RAZR, HAWK, PROTOTYPE BACK: (dot), (tour on arrow metal insert) HOSEL: H HEEL: (three dots) (weight bias), TOUR, (squares in square graphic) FACE:(X graphic media blast) view image here |
| Callaway Golf | Razr X Black | 8.5,9.5,10.5,11.5 | SOLE: (honeycomb graphic), (honeycomb graphic), (bent line), (Callaway, Chevron logo in triangle), (honeycomb graphic), (RAZR X, Black, (loft) on honeycomb graphic) CROWN: (bent line), (bent line) FACE:(X over circle logo), SPEED FRAME FACE |
| Callaway Golf | Razr X Black (LH) | 9.5,10.5 | SOLE: (honeycomb graphic), (honeycomb graphic), (bent line), (Callaway, Chevron logo in triangle), (honeycomb graphic), (RAZR X, Black, (loft) on honeycomb graphic) CROWN: (bent line), (bent line) FACE:(X over circle logo), SPEED FRAME FACE |
| Callaway Golf | Razr X Black HT | 13.5 | SOLE: (honeycomb graphic), (honeycomb graphic), (bent line), (Callaway, Chevron logo in triangle), (honeycomb graphic), (RAZR X, Black, (loft) HT on honeycomb graphic) CROWN: (bent line), (bent line) FACE:(X over circle logo), SPEED FRAME FACE |
| Callaway Golf | Razr X Black Ti | 9.5,10.5 | SOLE: (honeycomb graphic), (honeycomb graphic), (Chevron logo media blast), (Callaway, Chevron logo in triangle), (honeycomb graphic), (RAZR X, Black Ti, (loft) on honeycomb graphic) CROWN: (bent line), (bent line) FACE:(X over circle logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------|----------------------|---|
| Callaway Golf | Razr X White | 9.5,10.5 | SOLE: (honeycomb graphic w/ bent line), (honeycomb graphic w/ bent line), (Chevron logo media blast), (Callaway, (Chevron logo) in triangle), (honeycomb graphic w/ bent line), ((bent line), RAZR X, WHITE, (loft) on honeycomb graphic) TOE: (arrow) HIGH STRENGTH TITANIUM CROWN: (Chevron logo alignment line), (curved line w/ six lines), (curved line), (curved line w/ six lines) FACE:(X over circle logo) |
| Callaway Golf | Rogue | 8.5,9,10.5,11.5,13.5 | SOLE: ROGUE, JAILBREAK, TECHNOLOGY TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Rogue (LH) | 8.5,9,10.5,13.5 | SOLE: JAILBREAK, TECHNOLOGY, ROGUE TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Rogue Draw | 9,10.5,13.5 | SOLE: ROGUE, JAILBREAK, TECHNOLOGY, DRAW TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Rogue Draw (LH) | 9,10.5,13.5 | SOLE: JAILBREAK, TECHNOLOGY, ROGUE, DRAW TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|------------------------------|-----------------|---|
| Callaway Golf | Rogue ST | 8.5,9,10.5,10.5 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line),JAILBREAK AI, SPEED FRAME, (three diamonds) IS CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 |
| Callaway Golf | Rogue ST (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, SPEED FRAME, (weight port), ROGUE, (line)ST(line), (three diamonds) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 view image here |
| Callaway Golf | Rogue ST LS (Version 1) | 8.5,9,10.5,10.5 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line), JAILBREAK AI, SPEED FRAME, (three diamonds)LS IS CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 |
| Callaway Golf | Rogue ST LS (Version 1) (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, SPEED FRAME, (weight port), ROGUE, (line)ST(line), (three diamonds)LS CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 view image here |
| Callaway Golf | Rogue ST LS (Version 2) | 9,10.5 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line), (weight port), JAILBREAK AI, SPEED FRAME, (three diamonds)LS HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 <u>view image here</u> |
| Callaway Golf | Rogue ST LS (Version 2) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, SPEED FRAME, (weight port), ROGUE, (line)ST(line), (three diamonds)LS HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|----------------------------------|----------------|---|
| Callaway Golf | Rogue ST Max (Version 1) | 9,10.5,11.5,12 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line), JAILBREAK AI, SPEED FRAME, MAX CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 |
| Callaway Golf | Rogue ST Max (Version 1) (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, SPEED FRAME, ROGUE, (line)ST(line), MAX CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 view image here |
| Callaway Golf | Rogue ST Max (Version 2) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line), JAILBREAK AI, SPEED FRAME, MAX HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 |
| Callaway Golf | Rogue ST Max (Version 2) (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, SPEED FRAME, ROGUE, (line)ST(line), MAX HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 view image here |
| Callaway Golf | Rogue ST Max (Version 3) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line), MAX BACK: (weight port) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) view image here |
| Callaway Golf | Rogue ST Max (Version 3) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line), MAX BACK: (weight port) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|------------------------------------|--------------------|--|
| Callaway Golf | Rogue ST Max D (Version 1) | 9,10.5,11.5,12 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line), JAILBREAK AI, SPEED FRAME, MAX D, (weight port) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 |
| Callaway Golf | Rogue ST Max D (Version 1) (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, SPEED FRAME, ROGUE, (line)ST(line), MAX D, (weight port) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 view image here |
| Callaway Golf | Rogue ST Max D (Version 2) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line), JAILBREAK AI, SPEED FRAME, MAX D, (weight port) HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 |
| Callaway Golf | Rogue ST Max D (Version 2) (LH) | 9,10.5,12 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, SPEED FRAME, ROGUE, (line)ST(line), MAX D, (weight port) HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 view image here |
| Callaway Golf | Rogue ST Max Fast | 9,9.5,10.5,11.5,12 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line), JAILBREAK AI, SPEED FRAME, MAX FAST, (weight port) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft) FACE:FLASH FACE SS22 |
| Callaway Golf | Rogue ST Max LS (Version 1) | 9,9,10.5,10.5 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line), JAILBREAK AI, SPEED FRAME, MAX LS IS CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-------------------------------------|-----------------|---|
| Callaway Golf | Rogue ST Max LS (Version 1) (LH) | 7.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, SPEED FRAME, ROGUE, (line)ST(line), , MAX LS IS CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 view image here |
| Callaway Golf | Rogue ST Max LS (Version 2) | 9,10.5 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line),JAILBREAK AI, SPEED FRAME, MAX LS IS HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 |
| Callaway Golf | Rogue ST Max LS (Version 2) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, SPEED FRAME, ROGUE, (line)ST(line), MAX LS IS HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 view image here |
| Callaway Golf | Rogue ST S | 8.5,9,10.5,10.5 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line), (weight port), JAILBREAK AI, SPEED FRAME, (three diamonds)S CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 |
| Callaway Golf | Rogue ST S (LH) | 8.5,9,10.5 | SOLE: Callaway, (Chevron logo), JAILBREAK AI, SPEED FRAME, (weight port), ROGUE, (line)ST(line), (three diamonds)S CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 |
| Callaway Golf | Rogue ST XLS | 9,10.5 | SOLE: Callaway, (Chevron logo), ROGUE, (line)ST(line), JAILBREAK AI, SPEED FRAME, (three diamonds)XLS IS CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (orientation indicators) FACE:FLASH FACE SS22 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|------------------------------------|------------|--|
| Callaway Golf | Rogue Sub Zero (Tour) | 9 | SOLE: ROGUE, SUB ZERO, JAILBREAK, TECHNOLOGY TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle), (w/ scorelines on face) view image here |
| Callaway Golf | Rogue Sub Zero (Tour) (LH) | 9 | SOLE: JAILBREAK, TECHNOLOGY, SUB ZERO, ROGUE TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Rogue Sub Zero (Version 1) | 8.5,9,10.5 | SOLE: ROGUE, SUB ZERO, JAILBREAK, TECHNOLOGY TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Rogue Sub Zero (Version 1) (LH) | 8.5,9,10.5 | SOLE: JAILBREAK, TECHNOLOGY, SUB ZERO, ROGUE TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Rogue Sub Zero (Version 2) | 9,10.5 | SOLE: ROGUE, SUB ZERO (over Chevron logo), JAILBREAK, TECHNOLOGY TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|------------------------------------|----------|---|
| Callaway Golf | Rogue Sub Zero (Version 2) (LH) | 9 | SOLE: JAILBREAK, TECHNOLOGY, SUB ZERO (over Chevron logo), ROGUE TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Rogue Sub Zero-V | 9,10.5 | SOLE: ROGUE, SUB ZERO-V, JAILBREAK, TECHNOLOGY TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), ROGUE HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | Warbird | 9.5,10.5 | SOLE: (triangle), (WARBIRD, (line) in arrow graphic over bird media blast), (triangle), (loft) BACK: Callaway CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | X 460 | 9,10,11 | SOLE: Callaway, GOLF, X, 460, (loft) BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) FACE:(X media blast) view image here |
| Callaway Golf | X 460 (LH) | 9,10 | SOLE: Callaway, GOLF, X, 460, (loft) BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) FACE:(X media blast) view image here |
| Callaway Golf | X 460 (LH) (w/ OptiFit) | 9,10 | SOLE: Callaway, GOLF, X, 460, (loft) BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) FACE:(X media blast) view image here |
| Callaway Golf | X 460 (w/ OptiFit) | 9,10,11 | SOLE: Callaway, GOLF, X, 460, (loft) BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) FACE:(X media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-------------------------|--------------|---|
| Callaway Golf | X 460 (Women's) | 10,11 | SOLE: Callaway, GOLF, X, 460, (loft) BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) FACE:(X media blast) view image here |
| Callaway Golf | X 460 HT | N/A | SOLE: Callaway, GOLF, X, 460, HIGH, TRAJECTORY BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) FACE:(X media blast) view image here |
| Callaway Golf | X 460 HT (w/ OptiFit) | 13 | SOLE: Callaway, GOLF, X, 460, HIGH, TRAJECTORY BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) FACE:(X media blast) view image here |
| Callaway Golf | X 460 HT (Women's) | N/A | SOLE: Callaway, GOLF, X, 460, HIGH, TRAJECTORY BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) FACE:(X media blast) view image here |
| Callaway Golf | X 460 Tour | 8.5,9.5,10.5 | SOLE: Callaway, GOLF, X, 460, (loft), TOUR BACK: Callaway, GOLF TOE: X CROWN: (Chevron logo alignment mark) FACE:(X media blast) view image here |
| Callaway Golf | X 460 Tour (LH) | 8.5,9.5 | SOLE: Callaway, GOLF, X, 460, (loft), TOUR BACK: Callaway, GOLF TOE: X CROWN: (Chevron logo alignment mark) FACE:(X media blast) view image here |
| Callaway Golf | X 460 Tour (w/ OptiFit) | 8.5,9.5,10.5 | SOLE: Callaway, GOLF, X, 460, (loft), TOUR BACK: Callaway, GOLF TOE: X CROWN: (Chevron logo alignment mark) FACE:(X media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-------------------------------|-------------------|--|
| Callaway Golf | X Hot (Asian Version) | 9.5,10.5,11.5 | SOLE: ((bent line) (line), over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft), (bent line), ((bent line), (line) over lined graphic), (screw) HOSEL: (orientation indicators) HEEL: SPEED FRAME FACE FACE:(X over O graphic) view image here |
| Callaway Golf | X Hot (Asian Version) (LH) | 9.5,10.5 | SOLE: ((line) (bent line), over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft), (bent line), ((line), (bent line) over lined graphic), (screw) HOSEL: (orientation indicator) HEEL: SPEED FRAME FACE (nine dashes) FACE:(X over O graphic) view image here |
| Callaway Golf | X Hot (LH) | 9.5,10.5 | SOLE: ((line), (bent line) over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft), (screw), (bent line), ((line), (bent line) over lined graphic) TOE: SPEED FRAME FACE CROWN: (Chevron logo alignment mark), ((line), (segmented line), (line w/ eight lines) graphic), ((segmented line), (line), (line w/ eight lines) graphic) HOSEL: (dash), (orientation indicators) FACE:(X over O graphic) view image here |
| Callaway Golf | X Hot (Version 1) | 8.5,9.5,10.5,11.5 | SOLE: ((bent line) (line), over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft), (bent line), ((bent line), (line) over lined graphic), (screw) TOE: SPEED FRAME FACE CROWN: (Chevron logo alignment mark), ((line), (segmented line), (line w/ eight lines) graphic), ((segmented line), (line), (line w/ eight lines) graphic) HOSEL: (dash), (orientation indicators) FACE:(X over O graphic) view image here |
| Callaway Golf | X Hot (Version 2) | 9,10.5 | SOLE: Callaway, (Chevron logo), XHOT CROWN: (Chevron logo alignment mark) HOSEL: (loft), (orientation indicators) FACE:(X over O graphic) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------|----------|---|
| Callaway Golf | X Hot (Women's) | 11.5 | SOLE: ((bent line) (line), over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft), (bent line), ((bent line), (line) over lined graphic), (screw) TOE: SPEED FRAME FACE CROWN: (Chevron logo alignment mark) HOSEL: (orientation indicator) FACE:(X over O graphic) |
| Callaway Golf | X Hot HT | 13.5 | SOLE: ((bent line) (line), over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft), HT, (bent line), ((bent line), (line) over lined graphic), (screw) TOE: SPEED FRAME FACE CROWN: (Chevron logo alignment mark), ((line), (segmented line), (line w/ eight lines) graphic), ((segmented line), (line), (line w/ eight lines) graphic) HOSEL: (dash), (orientation indicators) FACE:(X over O graphic) |
| Callaway Golf | X Hot HT (Asian Version) | 13.5 | view image here SOLE: ((bent line) (line), over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft), HT, (bent line), ((bent line), (line) over lined graphic), (screw) HOSEL: (orientation indicator) HEEL: (nine dashes) SPEED FRAME FACE FACE:(X over O graphic) |
| Callaway Golf | X Hot HT (Women's) | 13.5 | SOLE: ((bent line) (line), over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft), HT, (bent line), ((bent line), (line) over lined graphic), (screw) TOE: SPEED FRAME FACE CROWN: (Chevron logo alignment mark) HOSEL: (orientation indicator) FACE:(X over O graphic) view image here |
| Callaway Golf | X Hot N-14 | 9.5,10.5 | SOLE: ((bent line) (line), over lined graphic), Callaway, (Chevron logo), (two lines), XHOT, N-14, (two lines), (loft), ((bent line), (line) over lined graphic) CROWN: (Chevron logo alignment mark), ((line), (segmented line), (line w/ eight lines) graphic), ((segmented line), (line), (line w/ eight lines) graphic) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------|------------------|---|
| Callaway Golf | X Hot N-14 (Women's) | 10.5 | SOLE: ((bent line) (line), over lined graphic), Callaway, (Chevron logo), (two lines), XHOT, N-14, (two lines), (loft), ((bent line), (line) over lined graphic) TOE: SPEED FRAME FACE CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | X Hot Phrankenwood (LH) | N/A | SOLE: ((line), (bent line) over lined graphic), (bent line), Callaway, (Chevron logo), XHOT, Phrankenwood, ((line), (bent line) over lined graphic), SPEED FRAME FACE CUP HOSEL: PRO FACE:(X over O graphic) |
| Callaway Golf | X Hot Pro | 7.5,8.5,9.5,10.5 | SOLE: ((bent line) (line), over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft) PRO, (bent line), ((bent line), (line) over lined graphic), (screw) TOE: SPEED FRAME FACE HOSEL: (line) FACE:(X over O graphic) |
| Callaway Golf | X Hot Pro (Asia) | 9.5,10.5 | SOLE: ((bent line) (line), over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft) PRO, (bent line), ((bent line), (line) over lined graphic), (screw) HOSEL: (line) HEEL: (nine lines) SPEED FRAME FACE FACE:(X over O graphic) |
| Callaway Golf | X Hot Pro (LH) | 9.5 | SOLE: ((line) (bent line), over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft) PRO, (screw), (bent line), ((line), (bent line) over lined graphic) TOE: SPEED FRAME FACE HOSEL: (line) FACE:(X over O graphic) view image here |
| Callaway Golf | X Hot Pro LD (Version 1) | 5,7 | SOLE: ((bent line) (line), over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft) LD PRO, (bent line), ((bent line), (line) over lined graphic), (screw) TOE: SPEED FRAME FACE HOSEL: (line) FACE:(swinging golfer graphic), LONG DRIVERS, (banner)OF AMERICA(banner) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|----------------------------------|----------|---|
| Callaway Golf | X Hot Pro LD (Version 1) (LH) | 5 | SOLE: ((line) (bent line), over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft) LD PRO, (screw), (bent line), ((line), (bent line) over lined graphic) TOE: SPEED FRAME FACE HOSEL: (line) FACE:(swinging golfer graphic), LONG DRIVERS, (banner)OF AMERICA(banner) |
| Callaway Golf | X Hot Pro LD (Version 2) | 5 | SOLE: ((bent line) (line), over lined graphic), (bent line), Callaway, (Chevron logo), (two lines), XHOT, (two lines), (loft) LD PRO, (bent line), ((bent line), (line) over lined graphic), (screw) TOE: SPEED FRAME FACE HOSEL: (line) FACE:(S logo) |
| Callaway Golf | X Series | 9.5,10.5 | SOLE: X, SERIES TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark) HEEL: (loft) view image here |
| Callaway Golf | X Series 416 | 9.5,10.5 | SOLE: Callaway, (Chevron logo), X, SERIES, 416 CROWN: (Chevron logo alignment mark) HOSEL: (line), (orientation indicators) HEEL: (loft) view image here |
| Callaway Golf | X Series 416 (LH) | 10.5 | SOLE: Callaway, (Chevron logo), X, SERIES, 416 CROWN: (Chevron logo alignment mark) HOSEL: (line), (orientation indicators) HEEL: (loft) view image here |
| Callaway Golf | X Series 416 (Women's) | 10.5 | SOLE: Callaway, (Chevron logo), X, SERIES, 416 CROWN: (Chevron logo alignment mark) HOSEL: (line), (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------|--------|---|
| Callaway Golf | X2 Hot | 9,10.5 | SOLE: Callaway, (Chevron logo), (lines), (lines), X², HOT, (arrow, arrow) HYPER SPEED FACE, (port screw) CROWN: (Chevron logo), (three parallelograms on bent graphic), (three parallelograms on bent graphic) HOSEL: (line), (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic) |
| Callaway Golf | X2 Hot (Japan) | 9,10.5 | SOLE: Callaway, (Chevron logo), (lines), (lines), X², HOT, (arrow, arrow) HYPER SPEED FACE, (port screw) CROWN: (Chevron logo), (three parallelograms on bent graphic), (three parallelograms on bent graphic) HOSEL: (line), (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic) |
| Callaway Golf | X2 Hot (Japan) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), X², HOT, (lines), (lines), (arrow, arrow) HYPER SPEED FACE, (port screw) CROWN: (Chevron logo), (three parallelograms on bent graphic), (three parallelograms on bent graphic) HOSEL: (line), (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic) |
| Callaway Golf | X2 Hot (Japan) HT | 13.5 | SOLE: Callaway, (Chevron logo), (lines), (lines), X², HOT, (arrow, arrow) HYPER SPEED FACE, (port screw) CROWN: (Chevron logo), (three parallelograms on bent graphic), (three parallelograms on bent graphic) HOSEL: (line), (orientation indicators), (line) HEEL: (loft)HT FACE:(double X graphic) |
| Callaway Golf | X2 Hot (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), X², HOT, (lines), (lines), (arrow, arrow) HYPER SPEED FACE, (port screw) CROWN: (Chevron logo), (three parallelograms on bent graphic), (three parallelograms on bent graphic) HOSEL: (line), (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------|-------|---|
| Callaway Golf | X2 Hot (Women's) | 10.5 | SOLE: Callaway, (Chevron logo), (lines), (lines), X², HOT, (arrow, arrow) HYPER SPEED FACE, (port screw) CROWN: (Chevron logo), (three parallelograms on bent graphic), (three parallelograms on bent graphic) HOSEL: (line), (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic) |
| Callaway Golf | X2 Hot (Women's) (LH) | 10.5 | SOLE: Callaway, (Chevron logo), X², HOT, (lines), (lines), (arrow, arrow) HYPER SPEED FACE, (port screw) CROWN: (Chevron logo), (three parallelograms on bent graphic), (three parallelograms on bent graphic) HOSEL: (line), (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic) |
| Callaway Golf | X2 Hot (Women's) HT | 13.5 | SOLE: Callaway, (Chevron logo), (lines), (lines), X², HOT, (arrow, arrow) HYPER SPEED FACE, (port screw) CROWN: (Chevron logo), (three parallelograms on bent graphic), (three parallelograms on bent graphic) HOSEL: (line), (orientation indicators), (line) HEEL: (loft)HT FACE:(double X graphic) |
| Callaway Golf | X2 Hot HT | 13.5 | SOLE: Callaway, (Chevron logo), (lines), (lines), X², HOT, (arrow, arrow) HYPER SPEED FACE, (port screw) CROWN: (Chevron logo), (three parallelograms on bent graphic), (three parallelograms on bent graphic) HOSEL: (line), (orientation indicators), (line) HEEL: (loft)HT FACE:(double X graphic) |
| Callaway Golf | X2 Hot HT (Asia) (LH) | 13.5 | SOLE: Callaway, (Chevron logo), X², HOT, (lines), (lines), (arrow, arrow) HYPER SPEED FACE, (port screw) CROWN: (Chevron logo), (three parallelograms on bent graphic), (three parallelograms on bent graphic) HOSEL: (line), (orientation indicators), (line) HEEL: (loft)HT FACE:(double X graphic) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------------|-------|---|
| Callaway Golf | X2 Hot HT (LH) | 13.5 | SOLE: Callaway, (Chevron logo), X², HOT, (lines), (lines), (arrow, arrow) HYPER SPEED FACE, (port screw) CROWN: (Chevron logo), (three parallelograms on bent graphic), (three parallelograms on bent graphic) HOSEL: (line), (orientation indicators), (line) HEEL: (loft)HT FACE:(double X graphic) |
| Callaway Golf | X2 Hot Pro (Japan) | 9 | SOLE: Callaway, (Chevron logo), (weight), X², HOT, (arrow, arrow) HYPER SPEED FACE, (port screw) HOSEL: (line), (orientation indicators), (line) HEEL: PRO, (loft) FACE:(double X graphic) view image here |
| Callaway Golf | X2 Hot Pro (Version 1) | 8.5 | SOLE: Callaway, (Chevron logo), (weight), X², HOT, (arrow, arrow) HYPER SPEED FACE, (port screw) HOSEL: (line), (orientation indicators), (line) HEEL: PRO, (loft) FACE:(double X graphic) view image here |
| Callaway Golf | X2 Hot Pro (Version 1) (LH) | 8.5 | SOLE: Callaway, (Chevron logo), X², HOT, (weight), (arrow, arrow) HYPER SPEED FACE, (port screw) HOSEL: (line), (orientation indicators), (line) HEEL: PRO, (loft) FACE:(double X graphic) view image here |
| Callaway Golf | X2 Hot Pro (Version 2) | 8.5 | SOLE: Callaway, (Chevron logo), (lines), (lines), X², HOT, (arrow, arrow) HYPER SPEED FACE, (port screw) HOSEL: (line), (orientation indicators), (line) HEEL: PRO, (loft) FACE:(double X graphic) view image here |
| Callaway Golf | X2 Hot Pro (Version 2) (LH) | 8.5 | SOLE: Callaway, (Chevron logo), X², HOT, (lines), (lines), (arrow, arrow) HYPER SPEED FACE, (port screw) HOSEL: (line), (orientation indicators), (line) HEEL: PRO, (loft) FACE:(double X graphic) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------------|-------|--|
| Callaway Golf | X2 Hot Pro (Version 3) | 8.5 | SOLE: Callaway, (Chevron logo), (weight), X², HOT, (arrow, arrow) HYPER SPEED FACE, (port screw) CROWN: (Chevron logo alignment mark) HOSEL: (line), (orientation indicators), (line) HEEL: PRO, (loft) FACE:(double X graphic) |
| Callaway Golf | X2 Hot Pro (Version 3) (LH) | 5.5 | SOLE: Callaway, (Chevron logo), X², HOT, (weight), (arrow, arrow) HYPER SPEED FACE, (port screw) HOSEL: (line), (orientation indicators), (line) HEEL: PRO, (loft) FACE:(swinging golfer and ball graphic), LONG DRIVERS, (banner) OF AMERICA (banner) |
| Callaway Golf | X2 Hot Pro (Version 4) | 5.5 | SOLE: Callaway, (Chevron logo), (weight), X², HOT, (arrow, arrow) HYPER SPEED FACE, (port screw) HOSEL: (line), (orientation indicators), (line) HEEL: PRO, (loft) FACE:(swinging golfer and ball graphic), LONG DRIVERS, (banner) OF AMERICA (banner) |
| Callaway Golf | X2 Hot Pro (Version 5) | 6.5 | view image here SOLE: Callaway, (Chevron logo), (lines), (lines), X², HOT, (arrow, arrow) HYPER SPEED FACE, (port screw) HOSEL: (line), (orientation indicators), (line) HEEL: PRO, (loft) FACE:(swinging golfer and ball graphic), LONG DRIVERS, (banner) OF AMERICA (banner) view image here |
| Callaway Golf | XJ | N/A | SOLE: Callaway, (Chevron logo), Xj CROWN: (Chevron logo alignment marks) HEEL: D view image here |
| Callaway Golf | XJ Hot | N/A | SOLE: Callaway, (Chevron logo), Xj, HOT, (club number/letter) CROWN: (Chevron logo alignment mark) view image here |
| Callaway Golf | XJ Series Junior Driver | N/A | SOLE: Callaway, GOLF, XJ, SERIES, DRIVER BACK: Callaway, GOLF CROWN: (Chevron logo alignment mark) FACE:(X media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-------------------|--------------------|---|
| Callaway Golf | XR | 8.5,9,10.5,12,13.5 | SOLE: Callaway, (Chevron logo), (four lines), (bent line), (segmented bent line), XR (w/ R over two lines), R • MOTO, TECHNOLOGY, (bent segmented line), (bent line), (four lines), (port screw) CROWN: (two quadrilaterals), (Chevron logo alignment mark), (two quadrilaterals) HOSEL: (loft), (line), (orientation indicators), (line) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | XR (LH) | 9,10.5,12,13.5 | SOLE: Callaway, (Chevron logo), (four lines), (bent line), (segmented bent line), R • MOTO, TECHNOLOGY, XR (w/ R over two lines), (bent segmented line), (bent line), (four lines), (port screw) CROWN: (two quadrilaterals), (Chevron logo alignment mark), (two quadrilaterals) HOSEL: (line), (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | XR (Women's) | 10.5,12,13.5 | SOLE: Callaway, (Chevron logo), (four lines), (bent line), (segmented bent line), XR (w/ R over two lines), R • MOTO, TECHNOLOGY, (bent segmented line), (bent line), (four lines), (port screw) CROWN: (two quadrilaterals), (Chevron logo alignment mark), (two quadrilaterals) HOSEL: (line), (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | XR (Women's) (LH) | 10.5,12 | SOLE: Callaway, (Chevron logo), (four lines), (bent line), (segmented bent line), R • MOTO, TECHNOLOGY, XR (w/ R over two lines), (bent segmented line), (bent line), (four lines), (port screw) CROWN: (two quadrilaterals), (Chevron logo alignment mark), (two quadrilaterals) HOSEL: (line), (orientation indicators), (line) HEEL: (loft) FACE:(double X graphic w/ segmented circle) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|------------------------------|--------------------------|---|
| Callaway Golf | XR 16 | 8.5,9,9.5,10.5,12.5,13.5 | SOLE: (pointed line), XR (w/ R over two lines) TOE: (two lines), (four lines), Callaway, (Chevron logo) CROWN: (raised Chevron logo alignment mark) HOSEL: (loft), (orientation indicators), (line) HEEL: (two lines), (four lines), (two lines), XR16 FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | XR 16 (LH) | 9,10.5,13.5 | SOLE: XR (w/ R over two lines), (pointed line) TOE: Callaway, (Chevron logo), (four lines), (two lines) CROWN: (raised Chevron logo alignment mark) HOSEL: (loft), (line), (orientation indicators), (line) HEEL: XR16, (two lines), (four lines), (two lines) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | XR 16 (Women's) | 9,10.5,13.5 | SOLE: (pointed line), XR (w/ R over two lines) TOE: (two lines), (four lines), Callaway, (Chevron logo) CROWN: (raised Chevron logo alignment mark) HOSEL: (loft), (line), (orientation indicators), (line) HEEL: (two lines), (four lines), (two lines), XR16 FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | XR 16 460 Sub Zero (Tour) | 10.5 | SOLE: (weight port), XR (w/ R over two lines), (weight port), 460 TOE: (two lines), (four lines), Callaway, (Chevron logo) HOSEL: (loft), (line), (orientation indicators), (line) HEEL: (two lines), (four lines), (two lines), XR16 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------------|------------|--|
| Callaway Golf | XR 16 460 Sub Zero (Version 1) | 9.5 | SOLE: (weight port), XR (w/ R over two lines), (weight port), 460 TOE: (two lines), (four lines), Callaway, (Chevron logo) HOSEL: (loft), SUB, ZERO, (line), (orientation indicators), (line) HEEL: (two lines), (four lines), (two lines), XR16 view image here |
| Callaway Golf | XR 16 LD | 5 | SOLE: XR (w/ R over two lines) TOE: (two lines), (four lines), Callaway, (Chevron logo) CROWN: (raised Chevron logo alignment mark) HOSEL: (loft), LD, (orientation indicators), (line) HEEL: (two lines), (four lines), (two lines), XR16 FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | XR 16 LD (LH) | 5 | SOLE: XR (w/ R over two lines) TOE: Callaway, (Chevron logo), (four lines), (two lines) CROWN: (raised Chevron logo alignment mark) HOSEL: (loft), LD, (orientation indicators), (line) HEEL: XR16, (two lines), (four lines), (two lines) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | XR 16 Pro | 8.5,9,10.5 | SOLE: XR (w/ R over two lines) TOE: (two lines), (four lines), Callaway, (Chevron logo) CROWN: (raised Chevron logo alignment mark) HOSEL: PRO, (loft), (orientation indicators), (line) HEEL: (two lines), (four lines), (two lines), XR16 FACE:(double X graphic w/ segmented circle) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-------------------------------|---------|---|
| Callaway Golf | XR 16 Pro (LH) | 9 | SOLE: XR (w/ R over two lines) TOE: Callaway, (Chevron logo), (four lines), (two lines) CROWN: (raised Chevron logo alignment mark) HOSEL: PRO, (loft), (orientation indicators), (line) HEEL: XR16, (two lines), (four lines), (two lines) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | XR 16 Sub Zero (LH) | 8.5 | SOLE: (weight port), XR (w/ R over two lines), (weight port) TOE: Callaway, (Chevron logo), (four lines), (two lines) HOSEL: (loft), SUB, ZERO, (line), (orientation indicators), (line) HEEL: XR16, (two lines), (four lines), (two lines) |
| Callaway Golf | XR 16 Sub Zero (Version 1) | 8.5,9.5 | SOLE: (weight port), XR (w/ R over two lines), (weight port) TOE: (two lines), (four lines), Callaway, (Chevron logo) HOSEL: (loft), SUB, ZERO, (line), (orientation indicators), (line) HEEL: (two lines), (four lines), (two lines), XR16 |
| Callaway Golf | XR 16 Sub Zero (Version 2) | 9.5 | SOLE: (weight port), XR (w/ R over two lines), (weight port) TOE: (two lines), (four lines), Callaway, (Chevron logo) HOSEL: (loft), SUB, ZERO, (line), (orientation indicators), (line) HEEL: (two lines), (four lines), (two lines), XR16 FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | XR LD (Version 1) | 5 | SOLE: Callaway, (Chevron logo), (four lines), (bent line), (segmented bent line), XR (w/ R over two lines), R • MOTO, TECHNOLOGY, (bent segmented line), (bent line), (four lines), (port screw) CROWN: (two quadrilaterals), (two quadrilaterals) HOSEL: (line), (orientation indicators), (line) HEEL: (loft), LD FACE:(S logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------|--------|--|
| Callaway Golf | XR LD (Version 2) | 5,6.5 | SOLE: Callaway, (Chevron logo), (four lines), (bent line), (segmented bent line), XR (w/ R over two lines), R • MOTO, TECHNOLOGY, (bent segmented line), (bent line), (four lines), (port screw) CROWN: (two quadrilaterals), (two quadrilaterals) HOSEL: (line), (orientation indicators), (line) HEEL: (loft), LD FACE:(swinging golfer graphic), LONG DRIVERS, (banner)OF AMERICA(banner) |
| Callaway Golf | XR LD (Version 2) (LH) | 5 | SOLE: Callaway, (Chevron logo), (four lines), (bent line), (segmented bent line), XR (w/ R over two lines), R • MOTO, TECHNOLOGY, (bent segmented line), (bent line), (four lines), (port screw) CROWN: (two quadrilaterals), (two quadrilaterals) HOSEL: (line), (orientation indicators), (line) HEEL: (loft), LD FACE:(swinging golfer graphic), LONG DRIVERS, (banner)OF AMERICA(banner) |
| Callaway Golf | XR LD (Version 3) | 5 | SOLE: Callaway, (Chevron logo), (four lines), (bent line), (segmented bent line), XR (w/ R over two lines), R • MOTO, TECHNOLOGY, (bent segmented line), (bent line), (four lines), (port screw) CROWN: (two quadrilaterals), (two quadrilaterals) HOSEL: (line), (orientation indicators), (line) HEEL: (line), (loft), LD FACE:(swinging golfer graphic), LONG DRIVERS, (banner)OF AMERICA(banner) |
| Callaway Golf | XR Pro (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), (four lines), (bent line), (segmented bent line), (weight port), XR (w/R over two lines), R • MOTO, (bent segmented line), (bent line), (four lines), (port screw) CROWN: (two quadrilaterals), (Chevron logo alignment mark), (two quadrilaterals) HOSEL: (line), (orientation indicators), (line) HEEL: PRO, (loft) FACE:(double X graphic w/ segmented circle) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|------------------------------|--------|---|
| Callaway Golf | XR Pro (Version 1) | 9,10.5 | SOLE: Callaway, (Chevron logo), (four lines), (bent line), (segmented bent line), XR (w/ R over two lines), (weight port), R • MOTO TECHNOLOGY, (bent segmented line), (bent line), (four lines), (port screw) HOSEL: (line), (orientation indicators), (line) HEEL: PRO, (loft) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | XR Pro (Version 2) | 8.5 | SOLE: Callaway, (Chevron logo), (four lines), (bent line), (segmented bent line), XR (w/ R over two lines), (weight port), R • MOTO, TECHNOLOGY, (bent segmented line), (bent line), (four lines), (port screw) HOSEL: (line), (orientation indicators), (line) HEEL: PRO, (loft) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | XR Speed (Version 1) | 9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), XR, SPEED CROWN: (Chevron logo alignment mark) HOSEL: (loft) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | XR Speed (Version 1) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), XR, SPEED CROWN: (Chevron logo alignment mark) HOSEL: (loft) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | XR Speed (Version 2) | 9,10.5 | SOLE: Callaway, (Chevron logo), XR, SPEED CROWN: (Chevron logo alignment mark) HOSEL: (loft) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | XR Speed (Version 2) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), XR, SPEED CROWN: (Chevron logo alignment mark) HOSEL: (loft) FACE:(double X graphic w/ segmented circle) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------------------|--------|--|
| Callaway Golf | XR Speed (Women's) (LH) | 9,10.5 | SOLE: Callaway, (Chevron logo), XR, SPEED CROWN: (Chevron logo alignment mark) HOSEL: (loft) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | XR Speed (Women's) (Version 1) | 9,10.5 | SOLE: Callaway, (Chevron logo), (weight port), XR, SPEED CROWN: (Chevron logo alignment mark) HOSEL: (loft) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf | XR Speed (Women's) (Version 2) | 10.5 | SOLE: Callaway, (Chevron logo), XR, SPEED CROWN: (Chevron logo alignment mark) HOSEL: (loft) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | XR Speed HT | 13.5 | SOLE: Callaway, (Chevron logo), XR, SPEED CROWN: (Chevron logo alignment mark) HOSEL: (loft), HT FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | XR Speed HT (LH) | 13.5 | SOLE: Callaway, (Chevron logo), XR, SPEED CROWN: (Chevron logo alignment mark) HOSEL: (loft), HT FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | XR Speed HT (Women's) (Version 1) | 13.5 | SOLE: Callaway, (Chevron logo), (weight port), XR, SPEED CROWN: (Chevron logo alignment mark) HOSEL: (loft), HT FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf | XR Speed HT (Women's) (Version 2) | 13.5 | SOLE: Callaway, (Chevron logo), XR, SPEED CROWN: (Chevron logo alignment mark) HOSEL: (loft), HT FACE:(double X graphic w/ segmented circle) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------|---|-------------------|--|
| Callaway Golf | X-Series N-415 | 9.5,10.5,13.5 | SOLE: Callaway, (Chevron logo), X, SERIES, N 415, (loft) CROWN: (Chevron logo alignment mark), (three parallelograms on bent graphic), (three parallelograms on bent graphic) |
| Callaway Golf | X-Series N-415 (LH) | 10.5 | SOLE: Callaway, (Chevron logo), X, SERIES, N 415, (loft) CROWN: (Chevron logo alignment mark), (three parallelograms on bent graphic), (three parallelograms on bent graphic) view image here |
| Callaway Golf | X-Series N-415 (Women's) | 10.5,13.5 | SOLE: Callaway, (Chevron logo), X, SERIES, N 415, (loft) CROWN: (Chevron logo alignment mark), (three parallelograms on bent graphic), (three parallelograms on bent graphic) view image here |
| Callaway Golf | XT Junior | N/A | SOLE: Callaway, (Chevron logo), Xt CROWN: (Chevron logo alignment mark) HOSEL: D view image here |
| Callaway Golf Company | Big Bertha Beta | 9.5,10.5 | SOLE: Callaway, (Chevron logo), (Chevron logo in window), BIG, BERTHA, BETA CROWN: (Chevron alignment mark) HEEL: (loft) FACE:(media blast logo) view image here |
| Callaway Golf Company | Big Bertha Beta (Ladies) | 11.5,12.5 | SOLE: Callaway, (Chevron logo), (Chevron logo in window), BIG, BERTHA, BETA CROWN: (Chevron alignment mark) HEEL: (loft) FACE:(media blast logo) view image here |
| Callaway Golf Company | Big Bertha Beta (Ladies) (Version 2) | 11.5,12.5,13.5 | SOLE: Callaway, (chevron logo), (C logo), BIG, BERTHA, BETA CROWN: (chevron alignment mark) HEEL: (loft) view image here |
| Callaway Golf Company | Big Bertha Beta (Version 2) | 7.5,9.5,10.5,11.5 | SOLE: Callaway, (chevron logo), (C logo in cavity), BIG, BERTHA, BETA CROWN: (chevron alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------|---|-------------------|--|
| Callaway Golf Company | Callaway Collection | 8.5,9.5,10.5 | SOLE: (Callaway, COLLECTION over media blast Chevron logo), (C on inset) CROWN: (Chevron alignment mark) HEEL: (loft) |
| | | | view image here |
| Callaway Golf Company | EL 460 | 8.5,9.5,10.5,11.5 | SOLE: (loft), (chevron) E (shape) L, 460, POWER, GENERATOR BACK: Callaway, GOLF TOE: (logo), HYPERBOLIC, FACE CROWN: (alignment mark) |
| | | | view image here |
| Callaway Golf Company | ERC Fusion | 10.5 | SOLE: E.R.C (underlined), Fusion (underlined), (loft) BACK: Callaway Golf CROWN: (alignment mark) |
| | | | view image here |
| Callaway Golf Company | ERC III CF | 9.5,10.5,11.5,12 | SOLE: E.R.C, (line)III(line), (loft) CF, Callaway, GOLF, (chevron) TOE: C(diamond)M(diamond)T, FORGED CROWN: (alignment mark) |
| | | | view image here |
| Callaway Golf Company | ERC III CF (Japan Tour Spec Version 2) | 9.5 | SOLE: E.R.C, —III—,•••, (loft) CF, Callaway, GOLF, (chevron) TOE: C(diamond)M(diamond)T, FORGED CROWN: (alignment mark) |
| | | | <u>view image here</u> |
| Callaway Golf Company | ERC III CF (Japan Tour Spec) | 9.5 | SOLE: E.R.C, (line)III(line), (loft). CF, Callaway, GOLF, (chevron) TOE: C(diamond)M(diamond)T, FORGED CROWN: (alignment mark) view image here |
| Callaway Golf Company | Filly (Version 2) | 11.5,12.5 | SOLE: Callaway, (Chevron logo), decorative graphic, filly, (decorative markings on inset) CROWN: (Chevron logo) HEEL: (loft) view image here |
| Callaway Golf Company | GBB Epic Forged | 9.5,10.5 | SOLE: GBB, EPIC, FORGED, (weight port) BACK: (line) (weight port) (line) GREAT BIG BERTHA EPIC (line) TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), (graphics lines), (graphics lines) HEEL: (loft) FACE:(double X graphic w/ segmented circle) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------|------------------------------|-------------|--|
| Callaway Golf Company | GBB Epic Star | 9.5,10.5,12 | SOLE: (DRAW, (eight lines) (chevron) (eight lines) (moveable weight), FADE in weight channel), GBB, EPIC, (star) STAR (star), JAILBREAK, TECHNOLOGY BACK: (line), GREAT BIG BERTHA EPIC (star) (line) TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), (graphics lines), (graphics lines) HEEL: (loft) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf Company | GBB Epic Star (LH) | 10.5 | SOLE: (FADE, (eight lines) (chevron) (eight lines) (moveable weight), DRAW in weight channel), GBB, EPIC, (star) STAR (star), JAILBREAK, TECHNOLOGY BACK: (line), GREAT BIG BERTHA EPIC (star) (line) TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), (graphics lines), (graphics lines) HEEL: (loft) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf Company | GBB Epic Star (Version 2) | 9.5,10.5 | view image here SOLE: (DRAW, (three lines), (moveable weight), (moveable weight), (three lines) FADE in weight channel), GBB, EPIC, (star) STAR (star), JAILBREAK, TECHNOLOGY BACK: (line), GREAT BIG BERTHA EPIC (star) (line) TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), (line), (line), (line), (line) HEEL: (loft) FACE:(double X graphic w/ segmented circle) |
| Callaway Golf Company | Great Big Bertha (Asia) | 9,10.5 | view image here SOLE: GREAT, BIG BERTHA, R.MOTO TECHNOLOGY, (channel w/ moveable weight, (line), FADE, (line), (line), (Chevron logo), (line), (line), DRAW, (line) TOE: Callaway, (Chevron logo) CROWN: (Chevron alignment mark) HOSEL: (orientation/loft indicators) HEEL: (loft) FACE:(media blast logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------|---------------------|------------------------|---|
| Callaway Golf Company | Great Big Bertha II | 12 | SOLE: (loft), Great Big Bertha, II (2lines), Driver BACK: Callaway, Golf CROWN: (alignment mark) view image here |
| Callaway Golf Company | Hyper ERC | 8.5,9.5,10.5,11.5,12.5 | SOLE: (loft), (chevron), HYPER, E.R.C, POWER, GENERATOR BACK: Callaway, GOLF TOE: (logo), HYPERBOLIC, FACE CROWN: (alignment mark) view image here |
| Callaway Golf Company | Rogue Star | 9.5,10.5,12 | SOLE: ROGUE, (star) STAR (star), JAILBREAK, TECHNOLOGY TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), ROGUE, (curved line), (curved line) HOSEL: (loft) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf Company | Rogue Star (LH) | 10.5 | SOLE: ROGUE, (star) STAR (star), JAILBREAK, TECHNOLOGY TOE: Callaway, (Chevron logo) CROWN: (Chevron logo alignment mark), ROGUE, (curved line), (curved line) HOSEL: (loft) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf Company | X18 CF | 9,10 | SOLE: Callaway, GOLF, X18, CF, (loft) BACK: (line), FUSION (underlined), TECHNOLOGY TOE: CORRECT ADDRESS, (arrow logo), SOLE DESIGN CROWN: (alignment mark) FACE:X view image here |
| Callaway Golf Company | XR16 | 9.5,10.5 | SOLE: (pointed line), XR (w/ R over two lines) TOE: (2 lines), (4 lines), Callaway, (Chevron logo) CROWN: (raised Chevron logo alignment marks) HOSEL: (loft), (orientation indicators), (line) HEEL: (2 lines), (4 lines), (2 lines), XR16 FACE:(double X graphic w/ segmented circle) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|----------------------------|-------------|---|
| Callaway Golf Company | XR16 (LH) | 9.5,10.5 | SOLE: XR (w/ R over two lines), (pointed line) TOE: Callaway, (Chevron logo), (4 lines), (2 lines) CROWN: (raised Chevron logo alignment marks) HOSEL: (loft), (line), (orientation indicators), (line) HEEL: XR16, (2 lines), (4 lines), (2 lines) FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf Company | XR16 Pro | 8.5,9,10.5 | SOLE: XR (w/ R over two lines) TOE: (2 lines), (4 lines), Callaway, (Chevron logo) CROWN: (raised Chevron logo alignment marks) HOSEL: PRO, (loft), (orientation indicators), (line) HEEL: (2 lines), (4 lines), (2 lines), XR16 FACE:(double X graphic w/ segmented circle) view image here |
| Callaway Golf Company | XR16 Pro (LH) | 9 | SOLE: XR (w/ R over two lines) TOE: Callaway, (Chevron logo), (4 lines), (2 lines) CROWN: (raised Chevron logo alignment marks) HOSEL: PRO, (loft), (orientation indicators), (line) HEEL: XR16, (2 lines), (4 lines), (2 lines) FACE:(double X graphic w/ segmented circle) view image here |
| Camzestaim Korea Co., Ltd | Zestaim Noir | 9.5,10.5 | SOLE: (weight port) (logo), ZESTAIM, (weight port), (weight port) CROWN: (logo alignment mark) HOSEL: MADE IN CHINA HEEL: NOIR 460, 6-4Ti, CONFIRMING, (loft) view image here |
| Camzestaim Korea Co., Ltd | Zestiam Zero Gravity II | 9.5 | SOLE: (inset with Z logo), (logo), ZESTAIM, ZERO GRAVITY II, ZGII (loft) BACK: (weight port) TOE: (weight port) CROWN: (logo alignment mark) HEEL: (weight port) view image here |
| Cana Golf | CQ 08 460 | 9.5,10.5,12 | SOLE: 460, CANA, CQ 08, (loft) FACE:15-3-3-3 |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|-----------------------------------|---------|--|
| Central Kosho Co Ltd | American Tour Ti-007 | 10,11 | SOLE: FORGED TITANIUM 460, AMERICAN TOUR, Ti-007, (loft) |
| | | | view image here |
| Central Kosho Co Ltd | Confidence CF-400 | 10.5 | SOLE: Confidence (underlined), CF-400, - (loft)- 1, Spec.400, FORGED TITANIUM TOE: Confidence (underlined) |
| | | | view image here |
| Central Kosho Co Ltd | Confidence CFT-01 | 10.5 | SOLE: Confidence (underlined), CFT-01 Titanium, (loft), STAINLESS POWER WEIGHT |
| | | | view image here |
| Central Kosho Co Ltd | Confidence CTR-100 | 10,10.5 | SOLE: (CC logo), CONFIDENCE, FORGED TITANIUM, —CTR-100—, (loft in shape) |
| | | | view image here |
| Central Kosho Co Ltd | Confidence New CFT-001 | 10.5 | SOLE: (CC logo) CONFIDENCE, CFT-001, TRIPLE WEIGHT, FORGED-(loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | view image here |
| Central Kosho Co Ltd | Proto Type | 9.5 | SOLE: PROTO TYPE, (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | view image here |
| Central Kosho Co Ltd | SP-010 Version I (Version 2) | N/A | SOLE: (S logo), SPALDING, SP-010, - HIGHBALL VERSION I -, TourProGrind, 1 DRIVER HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | view image here |
| Central Kosho Co Ltd | SP-010 Version II (Version 2) | N/A | SOLE: (S logo), SPALDING, SP-010, - HIGHBALL VERSION II -, TourProGrind, 1 DRIVER HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | <u>view image here</u> |
| Central Kosho Co Ltd | SP-010 Version III (Version 2) | N/A | SOLE: (S logo), SPALDING, SP-010, - HIGHBALL VERSION III -, TourProGrind, 1 DRIVER HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|---------------------------------|------------|---|
| Central Kosho Co Ltd | Spalding Alpha Trec SPD-14H | 10,10.5,12 | SOLE: 1, (S logo), SPALDING, ALPHA TREC, SPD-14H, 6AL4V FORGED Ti, (loft) HEEL: CONFORMING TO, SLE RULE view image here |
| Central Kosho Co Ltd | Spalding Hyper Power 460 | 10,10.5,12 | SOLE: (S logo) SPALDING, HYPER POWER 460, Tour Pro Grind, PREMIUM MODEL, (loft) view image here |
| Central Kosho Co Ltd | Spalding Legacy 320Ti | 10.5 | SOLE: 1 (loft), Legacy, 320Ti, Precise Titan, Long Distance, Tungsten Balance TOE: Spalding view image here |
| Central Kosho Co Ltd | Spalding Legacy 360Ti | 10 | SOLE: 1 (loft), Legacy, 360Ti, Precise Titan, Long Distance, Tungsten Balance TOE: Spalding view image here |
| Central Kosho Co Ltd | Spalding LK-10 | 13 | SOLE: (S logo), SPALDING, LK-10, DRIVER, (loft) view image here |
| Central Kosho Co Ltd | Spalding LS-09 | 13.5 | SOLE: SPALDING, LS-09, FORGED TITANIUM, 1 (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Central Kosho Co Ltd | Spalding Royal Top | 10.5 | SOLE: 1, SPALDING®, ROYAL TOP, FORGED TITANIUM, — (loft) —, (S logo) view image here |
| Central Kosho Co Ltd | Spalding Royal Top The Truth | 10.5 | SOLE: SPALDING, ROYAL TOP, THE TRUTH, — FORGED TITANIUM —, (loft) TOE: (S logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Central Kosho Co Ltd | Spalding SP-002 | 10,10.5,12 | SOLE: SPALDING, SP-002, (loft), (curved line), TOUR MODEL TITANIUM, TourProGrind, (curved line) view image here |
| Central Kosho Co Ltd | Spalding SP-007 | 10,10.5,11 | SOLE: SPALDING, (curved line), HI POWER, SP-007, by Tour Pro Grind, (curved line), (loft) TOE: (S logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|------------------------------|------------|---|
| Central Kosho Co Ltd | Spalding SP-011R | 10,10.5,12 | SOLE: SPALDING, SP-011R, (loft), TOURMODEL TITANIUM, TourProGrind view image here |
| Central Kosho Co Ltd | Spalding SP-05 | 10.5 | SOLE: SPALDING, SP-05 (loft), Tour Pro Grind, FIVE STAR PRO MODEL <u>view image here</u> |
| Central Kosho Co Ltd | Spalding SP-06LS Titanium | 14.5 | SOLE: SP-06LS, SPALDING, - Forged Titanium -, 1, LOFT (loft) TOE: (S logo) view image here |
| Central Kosho Co Ltd | Spalding SP-07 | 12 | SOLE: SPALDING, PROGRESS TOUR MODEL, by Tour Pro Grind, SP-07 (loft) TOE: CERTAIN TRAJECTORY FACE:(S logo) view image here |
| Central Kosho Co Ltd | Spalding SP-07 R-Type | 10.5 | SOLE: SPALDING, PROGRESS TOUR MODEL, by Tour Pro Grind, R-TYPE SP-07 (loft) TOE: CERTAIN TRAJECTORY HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(S logo) |
| Central Kosho Co Ltd | Spalding SP-07 S-Type | 10 | SOLE: SPALDING, PROGRESS TOUR MODEL, by Tour Pro Grind, S-TYPE SP-07 (loft) TOE: CERTAIN TRAJECTORY HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(S logo) view image here |
| Central Kosho Co Ltd | Spalding SP-08L | 13.5 | SOLE: SPALDING, FORGED TITANIUM, –400–, (logo), SP-08L, (loft) view image here |
| Central Kosho Co Ltd | Spalding SP-09R | 10.5,12 | SOLE: (S logo), SPALDING, TOURMODEL TITANIUM, TourProGrind, SP-09R, (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Central Kosho Co Ltd | Spalding SP-09S | 10 | SOLE: (S logo), SPALDING, TOURMODEL TITANIUM, TourProGrind, SP-09S, (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|---------------------------------------|-------|---|
| Central Kosho Co Ltd | Spalding Tour Pro Grind SP-03 | 10.5 | SOLE: SPALDING, SP-03-(loft), TourProGrind, DUAL POWER TOE: (S logo) view image here |
| Central Kosho Co Ltd | Spalding Tour Pro Grind Spec-03 | 10.5 | SOLE: 1, (logo) SPALDING, TOUR SPEC-03, SUPER PREMIUM TITANIUM, Tour Pro Grind 415, (loft) BACK: POWER SYSTEM TOE: (logo) view image here |
| Central Kosho Co Ltd | Spalding Tour Pro Grind Ti-415 | 10.5 | SOLE: HYPER POWER 1, (S logo) SPALDING, TourProGrind-Ti415, FORGED, (loft) view image here |
| Central Kosho Co Ltd | Spalding Tour Spec-011 (Version 2) | 10.5 | SOLE: (S logo), SPALDING, TOUR SPEC-011, —TourProGrind—, 1 (loft), FORGED POWER, TITANIUM HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Central Kosho Co Ltd | Spalding Tour Spec-08 | 10.5 | SOLE: 1, (S logo) SPALDING, TOUR SPEC-08, HYPER PREMIUM TITANIUM, Tour Pro Grind 460Ti, (loft) BACK: POWER SYSTEM TOE: (S logo) view image here |
| Central Kosho Co Ltd | Spalding Tour Spec-09 | 10.5 | SOLE: SPALDING, TOUR SPEC-09, — by Tour Pro Grind —, 1 (loft), FORGED TITANIUM HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Central Kosho Co Ltd | Spalding TourComp Evolution | 10.5 | SOLE: 1, (S logo) SPALDING, — TOURCOMP, EVOLUTION—, SUPER TITANIUM, (loft) HEEL: LOWER CENTER OF GRAVITY view image here |
| Central Kosho Co Ltd | Spalding TourComp II | 10.5 | SOLE: (loft), (S logo) SPALDING, TOURCOMP II, SUPER TITANIUM, 460cc view image here |
| Central Kosho Co Ltd | Spalding ZK-10 (Version 2) | 10.5 | SOLE: (S logo), SPALDING, ZK-10, HIGH PERFORMANCE, DRIVER 460, (loft), 1 <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|---------------------------------|-----------------|---|
| Central Kosho Co Ltd | Tour Pro Grind | N/A | SOLE: SPALDING, 1, Tour Pro Grind, HIGH TRAJECTORY, — DRIVER —, (S logo), — FORGED TITANIUM — view image here |
| Central Kosho Co Ltd | Tour Pro Grind - Ti 415 | 12 | SOLE: HYPER POWER, 1, (S logo) SPALDING, Tour Pro Grind - Ti415, FORGED, (loft) view image here |
| Ceramix Golf Co. Inc. | Clay Woody | N/A | SOLE: CLAY (tree graphic) WOODY, 1, (swinging golfer logo)CERAMIX(w/ X logo)GOLF.COM, 800 737 3736 view image here |
| Ceramix Golf Co. Inc. | Corkwoody | 9 | SOLE: LEGAL, CORK, LC, SERIES, Corkwood (small circle), Golf BACK: L ((loft) in C) CROWN: (Corkwoody in partial oval) view image here |
| Charles Claire LLP | Lynx #BB (Version 2) | N/A | SOLE: 1, 2, 3, (channel w/ moveable weight), FADE, #BB, (cat logo), DRAW, (channel w/ moveable weight), 1, 2, 3 HOSEL: (dot), (orientation loft indicators), (line) FACE:(cat logo) |
| Charles Claire LLP | Lynx Black Cat | N/A | SOLE: (cat logo), (LW, line, LW, in hexagon), (HW, line, HW in hexagon), Spin, Control, TOE: Lynx, HOSEL: (dot), (orientation indicators), (dot), HEEL: Black, Cat |
| Charles Claire LLP | Lynx Boom Boom 2 (Version 2) | 7.5,9,10.5,12.5 | SOLE: (logo), BOOM, BOOM, 2, HOT 1 TECHNOLOGY, Lynx HEEL: (loft) view image here |
| Charles Claire LLP | Lynx Boom Boom 3 | 7.5,9,10.5,12 | SOLE: (logo), BOOM, BOOM, 3, HOT 1 TECHNOLOGY, Lynx HEEL: (loft) view image here |
| Charles Claire LLP | Lynx Parallax (Version 2) | 10.5 | SOLE: (cat logo), PARALLAX, Lynx CROWN: (alignment mark) HOSEL: (dot), (orientation loft indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|--------------------------------|--------|---|
| Charles Claire LLP | Lynx Parallax (Version 3) | 10.5 | SOLE: Lynx, (weight port), (cat logo), PARALLAX, (loft) HOSEL: (dot), (orientation loft indicators), (line) view image here |
| Chicago Classics Golf, Co. | Chicago Classic | 11.5 | SOLE: (PRECISION, FREQUENCY, MATCHED in outline), (line), CHICAGO CLASSIC, (line), (TITANIUM, (loft) in outline), 1 CROWN: (logo alignment mark) view image here |
| Chicago Classics Golf, Co. | SE 300 | 9.5 | SOLE: (loft), THIN FACE, SE, Chicago, THE POWER DRIVER, FORGED-Ti, 300 CROWN: (alignment mark) FACE:15-3-3-3 |
| Chiyoda Co Ltd | Advisor Dynamax | 9 | SOLE: Extreme Gravity, (DC logo), DYNAMAX, (loft) 1, TITANIUM 460, (raised star in shape) CROWN: (DC logo alignment mark) HEEL: advisor view image here |
| Chiyoda Co Ltd | Advisor Dynamax (Version 2) | 8,10.5 | SOLE: Extreme Gravity, (DC logo), DYNAMAX, (loft) 1, TITANIUM 460, (raised star in shape) CROWN: (DC logo alignment mark) HEEL: advisor FACE:SP-700 view image here |
| Chiyoda Co Ltd | Advisor Dynamax (Version 4) | 7 | SOLE: Extreme Gravity, (DC logo), DYNAMAX, (loft) 1, TITANIUM 460, (raised star in shape) CROWN: (DC logo alignment mark) HEEL: advisor FACE:DYNAMAX view image here |
| Chiyoda Co Ltd | Advisor EQ-1 | 6,7,8 | SOLE: (logo), advisor, EQ-1, (loft), (triangle) F-Ti 460 (triangle) CROWN: (logo alignment mark) view image here |
| Chiyoda Co Ltd | Advisor EQ-1 (Version 2) | 9 | SOLE: (logo), advisor, EQ-1, (loft), (triangle) F-Ti 460 (triangle) CROWN: (logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--------------------------|--------|---|
| Chiyoda Co Ltd | Advisor EQ-1 Zero | 9,10.5 | SOLE: (logo), advisor, EQ-1, 0, ZERO, (triangle) F-Ti 460 (triangle) BACK: (loft) CROWN: (alignment mark) view image here |
| Chiyoda Co Ltd | Advisor Gi3-II | 10.5 | SOLE: advisor, Gi-3-II, (logo), (advisor on logo on plate), (460), (loft) CROWN: (logo alignment mark), advisor, EXTREME GRAVITY FACE:C.FACE view image here |
| Chiyoda Co Ltd | Daiwa Advisor | 10.5 | SOLE: WEIGHTED TECHNOLOGY, (A logo), ADVISOR, Daiwa, FORGED TITANIUM, 1 -(loft)- view image here |
| Chiyoda Co Ltd | Daiwa Advisor A8 | 10.5 | SOLE: 460 titanium, ADVISOR, (line), 1 (loft), (D logo), A8, Daiwa BACK: ((D logo), by DAIWA in quadrilateral insert) TOE: (D logo), by DAIWA |
| Chiyoda Co Ltd | Daiwa Advisor AD-F1 | 10.5 | view image here SOLE: Daiwa, (A logo), ADVISOR, AD-F1, INTEGRATED TECHNOLOGY, 1 (loft) BACK: Spec . 450Ti FACE:15-3-3-3 |
| Chiyoda Co Ltd | Daiwa Advisor AD-Z | 10.5 | SOLE: Daiwa, (A logo), ADVISOR, AD-Z, TWIN WEIGHT GRAVITY SYSTEM, FORGED-Ti, 1 TOE: (triangle) 460 HEEL: (loft) view image here |
| Chiyoda Co Ltd | Daiwa Advisor R-10 | 10.5 | SOLE: R-10, ADVISOR, (D logo), Daiwa, 1, (loft), 460 forged titanium BACK: (circular weight), (circular weight) TOE: (D logo), by DAIWA |
| Chiyoda Co Ltd | Daiwa Advisor Royal-X | 10.5 | SOLE: Daiwa, GOLF, (D logo), ADVISOR, Royal-X, 1 (loft), (line), HIGH M.O.I DESIGN BACK: FORGED 460-Ti TOE: (D logo), by Daiwa CROWN: (D logo alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(D logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--------------------------|-------|--|
| Chiyoda Co Ltd | Daiwa Advisor SP 700 | 10.5 | SOLE: 1(loft), (A logo), (Designed by Daiwa on boomerang insert), ADVISOR TOE: Daiwa CROWN: (A logo alignment mark) FACE:SP 700 view image here |
| Chiyoda Co Ltd | Daiwa Advisor TR-460 | 10.5 | SOLE: Daiwa, GOLF, (D logo), ADVISOR, TR-460, (loft), (line), HIGH M.O.I DESIGN BACK: FORGED 460-Ti TOE: (D logo), by Daiwa CROWN: (D logo alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(D logo media blast) |
| Chiyoda Co Ltd | Daiwa AromaLazer AL-1 | N/A | SOLE: (A logo), AromaLaser, 1, AL-1, Daiwa BACK: (triangle) Forged 430-Ti (triangle) TOE: (A logo) view image here |
| Chiyoda Co Ltd | Daiwa Cats Eye CE-02 | 12 | SOLE: 1 (loft), (line), CE-02, CATS EYE, DEEP & LOW GRAVITY, SYSTEM, Daiwa TOE: CATS EYE HOSEL: CONFORMING TO, R&A/USGA SLE RULE HEEL: FORGED 440 view image here |
| Chiyoda Co Ltd | Daiwa Cats Eye CE-3 | 12 | SOLE: daiwa golf, (D logo), (CE logo), CATS EYE, CE-3, Forged 430, Titanium, 1, Loft (loft) TOE: (D logo) HOSEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Chiyoda Co Ltd | Daiwa Cats Eye DCE-01 | 12 | SOLE: Ti420, BROAD TITANIUM FOR LADIES', CATS EYE, DCE-01, 1 (loft), Daiwa <u>view image here</u> |
| Chiyoda Co Ltd | Daiwa CP-L200 | 11.5 | SOLE: Forged Titanium, (curved line), Cp-L200, ~Easy & Elegant~, 430, (curved line), (media blast logo), 1, (Daiwa, GOLF on triangular inset), (7 dots) BACK: Premium Model TOE: (logo) HOSEL: CONFORMING TO, R&A/USGA SLE RULE HEEL: Loft: (loft) FACE:(media blast logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--------------------------------------|-------|---|
| Chiyoda Co Ltd | Daiwa DG-L2 | 12 | SOLE: Daiwa, GOLF, (DG logo), DG-L2, Forged 430, Titanium, 1, Loft (loft) TOE: (D logo) HOSEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Chiyoda Co Ltd | Daiwa DG-L2 Light | 12 | SOLE: Daiwa, GOLF, (DG logo), DG-L2, (media blast logo), Forged 430, Titanium, 1, Loft (loft) TOE: (D logo) HOSEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Chiyoda Co Ltd | Daiwa D-Stage X-10 | 10.5 | SOLE: (D logo), D-Stage (underlined), Premium model, 460, X-10 (media blast logo), (loft) BACK: CUP FACE & SHALLOW BACK DESIGN TOE: Daiwa GOLF HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(media blast logo) |
| Chiyoda Co Ltd | Daiwa D-Stage X-10 (Ladies) | 11.5 | SOLE: (D logo), D-Stage (underlined), Premium model, 430, X-10, (loft) BACK: CUP FACE & SHALLOW BACK DESIGN TOE: Daiwa GOLF view image here |
| Chiyoda Co Ltd | Daiwa D-Stage X-10 Light | 10 | SOLE: (D logo), D-Stage (underlined), Premium model, 460, (Light media blast logo), X-10, (loft) BACK: CUP FACE & SHALLOW BACK DESIGN TOE: Daiwa GOLF view image here |
| Chiyoda Co Ltd | Daiwa D-Stage X-10 Light (Ladies) | 11.5 | SOLE: (D logo), D-Stage (underlined), Premium model, 430, X-10, (Light media blast logo), (loft) BACK: CUP FACE & SHALLOW BACK DESIGN TOE: Daiwa GOLF view image here |
| Chiyoda Co Ltd | Daiwa DT-420L | 13 | SOLE: FORGED Ti, (line). (triangle), (loft) 1, DT-420L, DISTANCE & TRAJECTORY, (media blast logo), (broken curved line), (D logo), by Daiwa, (2 triangles), Daiwa, GOLF FACE:ß-FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---------------------------------|-------|---|
| Chiyoda Co Ltd | Daiwa DT-460 | 10.5 | SOLE: FORGED Ti, (loft) 1, DT-460, DISTANCE & TRAJECTORY, (media blast logo), (D logo), by Daiwa, Daiwa, GOLF FACE:ß-FACE |
| Chiyoda Co Ltd | Daiwa Golf Advisor BX-1 | 10.5 | SOLE: ADVISOR, 1, (triangle), Daiwa, GOLF, D, by Daiwa, FORGED 450-Ti, BX-1, (loft) TOE: D, by Daiwa HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Chiyoda Co Ltd | Daiwa Golf Advisor BX-1 (LH) | 10.5 | SOLE: 1, ADVISOR, D, by Daiwa, (triangle), Daiwa, GOLF, FORGED 450-Ti, BX-1, (loft) TOE: D, by Daiwa HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Chiyoda Co Ltd | Daiwa Golf DG-L1 | 12 | SOLE: 1 (in circle), DG-L1, LOFT (loft), Daiwa, GOLF, (logo) HOSEL: CONFORMING TO, R&A/USGA SLE RULE HEEL: FORGED 440 view image here |
| Chiyoda Co Ltd | Daiwa Golf DG-M1 | 10.5 | SOLE: (1 in circle), Daiwa, GOLF, DG-M1, LOFT (loft), (logo in shape) HOSEL: CONFORMING TO, R&A/USGA SLE RULE HEEL: FORGED 460 view image here |
| Chiyoda Co Ltd | Daiwa Golf DS-One | 10.5 | SOLE: (loft) 1, DS-ONE, NEW-CONCEPT, SHALLOW DESIGN, (media blast logo), Daiwa, GOLF BACK: FORGED 440-Ti HOSEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Chiyoda Co Ltd | Daiwa Golf DS-One (ladies) | 11.5 | SOLE: (loft) 1, DS-ONE, NEW-CONCEPT, SHALLOW DESIGN, (media blast logo), Daiwa, GOLF BACK: FORGED 440-Ti TOE: (D logo), by Daiwa HOSEL: CONFORMING TO, R&A/USGA SLE RULE view image here |

| November 04, 2024 | | | |
|-------------------|--------------------------------|---------------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Chiyoda Co Ltd | Daiwa Golf Theorist TR-460 | 9.5,10.5,11.5 | SOLE: Daiwa, GOLF, (D logo), THEORIST, TR-460, (loft underlined), HIGH M.O.I DESIGN BACK: FORGED 460-Ti TOE: (D logo), by Daiwa CROWN: (D logo alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(D logo) |
| Chiyoda Co Ltd | Daiwa Golf Theorist TR-460L | 13 | SOLE: Daiwa, GOLF, (D logo), THEORIST, TR-460L, (loft) (underlined), HIGH M.O.I DESIGN BACK: FORGED 460-Ti TOE: (D logo), by Daiwa CROWN: (D logo alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(media blast D logo) |
| Chiyoda Co Ltd | Daiwa GT-Impact | 10.5 | SOLE: GT-IMPACT, 460 forged titanium, 1, (loft), Daiwa BACK: ((D logo), by DAIWA in quadrilateral insert) TOE: (D logo), by DAIWA view image here |
| Chiyoda Co Ltd | Daiwa Jasphe Rose | 11.5 | SOLE: JASPHE ROSE, TITANIUM 450, 1 (loft), Daiwa, (weight port) TOE: (OPTIMUM GRAVITY DISTRIBUTE, Daiwa in recessed oval) HEEL: (CONFORMING TO, R&A/USGA SLE RULE in recessed oval) view image here |
| Chiyoda Co Ltd | Daiwa JPD | 10.5,12.5 | SOLE: Daiwa (shield w/ J) Golf, JPD, FORGED 460 TITANIUM, (triangle), (four quadrilaterals), (triangle), Daiwa, (D logo, by DAIWA on circular insert), (loft) view image here |
| Chiyoda Co Ltd | Daiwa New Cats Eye CE-N2 | 12 | SOLE: 1 (loft), (curved line), CE-N2, NEW, CATS EYE, DEEP & LOW GRAVITY, SYSTEM, Daiwa, GOLF TOE: Daiwa, GOLF, (logo) HOSEL: CONFORMIN, R&A/USGA SLE RULE HEEL: FORGED 440 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-----------------------------------|----------|--|
| Chiyoda Co Ltd | Daiwa New Super Lady | 11.5 | SOLE: ((D logo), by DAIWA on circular insert), (recessed curved line), ((curved line), (four segmented lines w/ 1 (loft), 440) (curved line) in recessed rounded triangle), NEW, SUPER, LADY, (ribbon graphic), Daiwa, (weight insert), (weight insert) TOE: (D logo), by DAIWA view image here |
| Chiyoda Co Ltd | Daiwa Royal SL-100 | 12 | SOLE: Extreme Gravity, ROYAL, SL-100, (S, L in laurel wreath and bow graphic), (loft), titanium, (decorative weight port) BACK: (weight port) HEEL: Daiwa view image here |
| Chiyoda Co Ltd | Daiwa Royal -X Light | 10 | SOLE: Extreme Gravity, ROYAL-X, Light, (X in laurel wreath and bow graphic), (loft), titanium, (decorative weight port) BACK: (weight port) HEEL: Daiwa |
| Chiyoda Co Ltd | Daiwa Theorex ST-1 | 10.5 | SOLE: Daiwa, GOLF, (D logo), THEOREX, ST-1, CONFORMING TO, R&A/USGA SLE RULE, 460 FORGED TITANIUM, (loft), 1 TOE: (D logo) |
| Chiyoda Co Ltd | Daiwa Theory+ TH-420L (ladies) | 13 | SOLE: Daiwa, (line), D-TRAJECTORY WEIGHTED SYSTEM, THEORY+, TH-420L, FORGED-Ti, (loft), (2 triangles) FACE:ß-FACE view image here |
| Chiyoda Co Ltd | Daiwa Theory+ TH-460 | 9.5,10.5 | SOLE: Daiwa, (line), D-TRAJECTORY WEIGHTED SYSTEM, THEORY+, TH-460, FORGED-Ti, (loft), (2 triangles) FACE:ß-FACE view image here |
| Chiyoda Co Ltd | Daiwa Ultra Light 7S | 10.5 | SOLE: (D logo), by Daiwa, Ultra Light, 7S, FORGED 460 TITANIUM, (triangle), (four quadrilaterals), (triangle), Daiwa, (D logo, by DAIWA on circular insert), (loft) view image here |
| Chiyoda Co Ltd | Golf Cube | 10.5 | SOLE: GOLF CUBE, DR, (cube logo), (loft) CROWN: (cube logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--------------------------|----------------|--|
| Chiyoda Co Ltd | Person's P3-L1 | 14 | Identification Markings SOLE: (logo with heart 7, 6 crown), |
| Omyoud do Eta | 1 | | PERSON'S, 1 (loft), P3-L1 BACK: FORGED 440 |
| | | | TOE: PERSON'S, GOLF |
| | | | view image here |
| Chiyoda Co Ltd | Theory TH-340L | 13 | SOLE: THEORY, TH-340L, 1 (loft), Daiwa BACK: FORGED TITANIUM |
| | | | TOE: Daiwa |
| | | | view image here |
| Chiyoda Co Ltd | Theory TH-400 | 9.5,10.5 | SOLE: THEORY, TH-400, 1 (loft), Daiwa BACK: FORGED TITANIUM |
| | | | TOE: Daiwa |
| | | | view image here |
| Chrisco Golf AS | Olyo CS-2305 Ti 420cc | 9,10,11 | SOLE: 420cc, 1, (OlyO w/ triangle inside Os in oval), (line), CS-2305 TI, TITANIUM, (loft) |
| | | | CROWN: (triangle in circle alignment mark) |
| | | | view image here |
| Chrisco Golf AS | Olyo CS-2605 Ti 380cc | 9,10,11 | SOLE: (loft), (OlyO w/ triangle inside Os in oval), (line), 1, CS-2605 TI, 380cc |
| | | | CROWN: (triangle in circle alignment mark) |
| | | | view image here |
| Chrisco Golf AS | Olyo CS-3005 Ti | 9,10,11 | SOLE: (circular weight), (loft) (olyo in recessed oval), CS-3005 Ti, (circular weight) |
| | | | BACK: (circular weight) CROWN: (triangle in circle alignment mark) |
| | | | view image here |
| Chrisco Golf AS | Olyo Lw35 | 10,11,12,13 | SOLE: (circular weight), (circular insert w/ |
| | | | loft), (OlyO w/ triangle inside Os in oval), (circular weight), (circular insert w/ Lw35) |
| | | | BACK: (circular weight) CROWN: (triangle in circle alignment mark) |
| | | | <u>view image here</u> |
| Chrisco Golf AS | Olyo MS 4 460cc | 10,11,12,14,15 | SOLE: (circular weight), (loft), (OlyO w/ |
| | | | triangle inside Os in oval), MS 4, 460cc, (circular weight) |
| | | | CROWN: (triangle in circle alignment mark) |
| 01.1.0.11.1 | OLVO NO OZOGOT | 10.11.10.10 | view image here |
| Chrisco Golf AS | OLYO MS-0703CT 400cc | 10,11,12,13 | SOLE: (loft), (OlyO w/ triangle inside Os in oval), MS-0703CT, 400cc |
| | | | CROWN: (triangle in circle alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|-------------------------------------|--------------|--|
| Chrisco Golf AS | Olyo Square Head | 10,11,12 | SOLE: (loft), (OlyO w/ triangle inside Os in oval), SQUARE HEAD, 440cc CROWN: (triangle in circle alignment mark) |
| | | 40.5.40.40 | view image here |
| Chrisco Golf AS | Olyo TS-0402Ti 460cc | 10.5,12,13 | SOLE: (loft), (OlyO w/ triangle inside Os in oval), TS-0402Ti, 460cc CROWN: (triangle in circle alignment mark) view image here |
| Chrisco Golf AS | Olyo TS-2203 Ti 400cc | 10.5,12 | SOLE: 400 CC, (OlyO w/ triangle inside Os in oval), TS-2203 TI, TITANIUM, (loft) CROWN: (triangle in circle alignment mark) view image here |
| 01 1 0 111 | | 8,9,10,11 | - |
| Chujo Co Ltd | Kamui Pro 430 | 0,9,10,11 | SOLE: (triangle) 430 (triangle), SUPER FINE, TITAN FACE, 1, (loft), CFM, (logo), KAMUI, FULL TITAN 4PIECE FORGED |
| | | | view image here |
| Chujo Co Ltd | Kamui Pro Model 320 | 9 | SOLE: Kamui, Pro Model, 320 (logo), Direction & Distance, 1 TOE: (logo) Titan Forged Loft (loft) |
| | | | view image here |
| Chujo Co Ltd | Kamui Pro V | 9,10 | SOLE: Kamui, Pro, V, (logo), Kamui, 1 TOE: (logo) Titan Forged, Loft (loft), Pro-Type |
| | | | view image here |
| Chujo Co Ltd | Kamui Typhoon Pro-03 (Version 1) | 8,10,11,12 | SOLE: KAMUI, T(y)phoon, ro-03, 455FTI LOFT (loft), (logo) FACE:(logo) |
| | | | view image here |
| Chujo Co Ltd | Kamui Typhoon Pro-03 (Version 2) | 9 | SOLE: (logo) KAMUI, T(y)phoon, ro-03, 455FTI LOFT (loft), (logo) FACE:(logo) |
| | | | <u>view image here</u> |
| Chujo Co Ltd | Kamui Typhoon-Pro 03 G | 8,9,10,11,12 | SOLE: KAMUI, T(y)phoon, ro-03 G, 455FTI LOFT (loft), (logo) FACE:(logo) |
| | | | view image here |
| Chujo Co Ltd | Kamui Typhoon-Pro-09D (LH) | 8,9,10,11 | SOLE: KAMUI, (logo in cavity), 450FTi LOFT (loft) BACK: (Designed by Chujo Co Ltd on inset TOE: T(y)Phoon - 09D, ro HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------------|--------------|---|
| Chujo Co Ltd | KP-01 | 10,11 | SOLE: KP-01, LOFT(Loft) BACK: (weight port), (weight port) TOE: KAMUIPRO HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) view image here |
| Chujo Co Ltd | KP-01 (Version 2) | 8,9,10,11 | SOLE: KP-01, LOFT(Loft) BACK: (weight port), (weight port) TOE: (logo), KAMUIPRO HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) |
| Chujo Co Ltd | KP-X | 8.5,9.5,10.5 | SOLE: KP-X, (logo), (KAMUIPRO.CO.,LTD. on weight port), (loft),(KAMUIPRO.CO.,LTD. on weight port), TOE: FULL FORGED HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Chujo Co Ltd | TP-X1 | 8,9,10,11,12 | SOLE: (KAMUIPRO around (weight port)), NITROGEN, KAMUIPRO, TP-X1, (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo), DUAL STRUCTURE view image here |
| Chujo Co Ltd | Typhoon Pro-05 | 9,10 | SOLE: (flame logo), T(y)phoon, ro-05, LOFT (loft), (flame logo), (since 1973, (logo), KAMUI, PRO, CO.,LTD. on shield inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) |
| Chujo Co Ltd | Typhoon Pro-05 (version 2) | 9,10,11 | SOLE: (flame logo), T(y)phoon, ro-05, LOFT (loft), (flame logo), (since 1973, (logo), KAMUI, PRO, CO.,LTD. on shield inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:+, (logo) |
| Chujo Co Ltd | Typhoon Pro-05S | 8,9,10,11,12 | SOLE: (flame logo), T(y)phoon, ro-05S, LOFT (loft), (flame logo), (since 1973, (logo), KAMUI, PRO, CO.,LTD. on shield inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------|--------------|---|
| Chujo Co Ltd | Typhoon Pro-05S (LH) | 8,9,10,11 | SOLE: (flame logo), T(y)phoon, ro-05S, LOFT (loft), (flame logo), (since 1973, (logo), KAMUI, PRO, CO.,LTD. on shield inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) |
| Chujo Co Ltd | Typhoon Pro-07 | 8,9,10,11,12 | SOLE: T(y)Phoon - 07, ro, 460FTI LOFT (loft), ((logo), KAMUI, PRO on inset) TOE: AERO CAVITY HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) view image here |
| Chujo Co Ltd | Typhoon Pro-07 (Version 2) | 8,9,10,11,12 | SOLE: T(y)Phoon - 07, ro, 460FTI LOFT (loft), ((logo), KAMUI, PRO on inset) TOE: AERO CAVITY HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Chujo Co Ltd | Typhoon Pro-07S | 8,9,10,11,12 | SOLE: T(y)phoon-07S, ro, 460FTI LOFT (loft), ((logo), KAMUI, PRO on inset) TOE: AERO CAVITY HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) view image here |
| Chujo Co Ltd | Typhoon Pro-07S (LH) | 8,9,10,11 | SOLE: T(y)Phoon-07S, ro, 460FTI LOFT (loft), ((logo), KAMUI, PRO on inset) TOE: AERO CAVITY HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) view image here |
| Chujo Co Ltd | Typhoon Pro-07S (Version 2) | 8,9,10,11,12 | SOLE: T(y)Phoon-07S, ro, 460FTI LOFT (loft), ((logo), KAMUI, PRO on inset) TOE: AERO CAVITY HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Chujo Co Ltd | Typhoon Pro-07S (Version 3) | 8,9,10,11,12 | SOLE: T(y)Phoon-07S, ro, 460FTI LOFT (loft), ((logo), KAMUI, PRO on inset) TOE: AERO CAVITY HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:III view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------|--------------|---|
| Chujo Co Ltd | Typhoon Pro-09D | 8,9,10,11,12 | SOLE: KAMUI, (logo in cavity), 450FTi LOFT (loft) BACK: (Designed by Chujo Co Ltd on inset) TOE: T(y)Phoon - 09D, ro HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) |
| Chujo Co Ltd | Typhoon Pro-09s | 8,9,10,11,12 | SOLE: KAMUI, (logo), (decorative graphic), 450FTi LOFT (loft) BACK: (Designed by Chujo Co Ltd on inset) TOE: T(y)Phoon - 09s, ro HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) |
| Chujo Co Ltd | Typhoon-Pro 05S (Version 2) | 8,9,10,11,12 | SOLE: (flame logo), T(y)phoon, ro-05S, LOFT (loft), (flame logo), (since 1973, (logo), KAMUI, PRO, CO.,LTD. on shield inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| Chujo Co Ltd | Typhoon-Pro-09S | HT | view image here SOLE: KAMUI, (logo in cavity), 450FTi LOFT HT BACK: (Designed by Chujo Co Ltd on inset) TOE: T(y)Phoon, ro - 09S HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) view image here |
| Chujo Co Ltd | Typhoon-Pro-X Nitrogen | 8,9,10,11,12 | SOLE: KAMUI, (logo in cavity), 450FTI LOFT (loft) BACK: (weight port), (weight port) TOE: T(y)Phoon, ro - X nitrogen HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) view image here |
| Chujo Co Ltd | XP-03 | N/A | SOLE: XP-03, HIGH RIGIDITY CHANNEL SYSTEM, (triangle), (KAMUIPRO around (weight port)), (KAMUIPRO around (weight port)) TOE: KAMUIPRO FACE:(logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|--------------------------------------|-----------|---|
| Chujo Co Ltd | XP-03 (LH) | N/A | SOLE: HIGH RIGIDITY CHANNEL SYSTEM, (triangle), XP-03, (KAMUIPRO around (weight port)), (KAMUIPRO around (weight port)) TOE: KAMUIPRO HOSEL: (dot), (line) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo) |
| Chujo Co Ltd | XP-03 Version II | N/A | SOLE: XP-03, HIGH RIGIDITY CHANNEL SYSTEM, (triangle), (KAMUIPRO around (weight port)), (KAMUIPRO around (weight port)) TOE: KAMUIPRO HOSEL: (dot) FACE:(logo) |
| Circle Creek P/L, Trading as Prosimmon Golf | Prosimmon Icon Tour | 10.5 | SOLE: 6AL-4V, CT RESPONSE CHANNEL, PROSIMMON, (LOW-CG, PORT around (weight port)), ICON with logo in o, TOUR O CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) |
| Circle One als D/I | Prosimmon Omega | 10.5 | view image here |
| Circle Creek P/L, Trading as Prosimmon Golf | Prosininon Onlega | 10.5 | SOLE: FORGED 6A-4V, TITANIUM, PROSIMMON, OMEGA CROWN: (alignment mark) HEEL: (loft) view image here |
| Cisco Co Ltd | Three Star 460 | N/A | SOLE: (star circle star circle star), CISCO, THREE•STAR, 460, N·N·PRO·001 |
| | | | view image here |
| Cisco Co Ltd | Winng 460 | N/A | SOLE: (5 circles), CISCO, WINNG, 460, ORIGINAL DRIVER view image here |
| Classic Golf UK | 460CC Square (offset) | 9,10.5,12 | SOLE: 460CC Square (underlined), Classic Golf U.K., Offset, (loft) view image here |
| Classic Golf UK | 460CC Square HL (offset) | N/A | SOLE: 460CC Square (underlined), Classic Golf U.K., Offset, HL view image here |
| Classic Golf UK | 460CC Square HL (offset) (ladies) | N/A | SOLE: 460CC Square (underlined), Classic Golf U.K., Offset, HL |
| | | | view image here |

| | Product Name | | Identification Markings |
|------------------|------------------------------------|-----------|--|
| Classic Golf UK | Smith & Chung 460 | 9,10.5,12 | SOLE: 460 SQUARE, (line), Smith/Chung, 1 (loft) view image here |
| Classic Golf UK | Smith & Chung 460 (ladies) | 12 | SOLE: 460 SQUARE, (line), Smith/Chung, 1 (loft) view image here |
| Classic Golf UK | Smith/Chung 460 Square | 14 | SOLE: 460 SQUARE (underlined), Smith/Chung, 1 (loft) |
| Classic Golf UK | Smith/Chung 460 Square (ladies) | 14 | SOLE: 460 SQUARE (underlined), Smith/Chung, 1 (loft) view image here |
| Classic Golf UK | US Tour V12 | 9,10,12 | SOLE: Hustler, US Tour, V12, 400J-(loft) FACE:ß-Ti view image here |
| Cles Corporation | Cougar Ti Cat III | 10.5 | SOLE: (loft), (logo) Cougar, Ti CAT III, OVERSIZE, 460cc, FORGED CROWN: (logo alignment mark) view image here |
| Cles Corporation | Cougar Ti-Cat 3 (Version 2) | N/A | SOLE: 1, (logo) COUGAR, Ti CAT 3, OVERSIZE, 460cc, FORGED CROWN: (alignment mark) view image here |
| Cles Corporation | Cougar X-7IM WG-Impact | 10.5 | SOLE: (loft), (X logo), 7IM, (line), WG-IMPACT, (logo) Cougar, 450cc, TI MATRIX CROWN: (alignment mark) view image here |
| Cles Corporation | Cougar X-7IM WG-Impact (LH) | 10.5 | SOLE: (loft), (X logo), 7IM, (line), WG-IMPACT, (logo) Cougar, 450cc, TI MATRIX CROWN: (alignment mark) view image here |
| Cles Corporation | World Eagle | 10.5 | SOLE: (logo), WORLD EAGLE X-01, 1 (loft) view image here |
| Cles Corporation | World Eagle (LH) | 10.5 | SOLE: (logo), WORLD EAGLE X-01, 1 (loft) view image here |
| Cles Corporation | World Eagle F-01 | 10.5 | SOLE: (loft), (logo), WORLD EAGLE, F-01, 1 CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------------------------|-------|--|
| Cles Corporation | World Eagle F-01 (LH) | 10.5 | SOLE: (loft), (logo), WORLD EAGLE, F-01, 1 CROWN: (alignment mark) view image here |
| Cles Corporation | World Eagle F-01 (Version 2) | 10.5 | SOLE: (arrow logo), WORLD EAGLE, F-01 (alpha symbol), (loft) CROWN: (alignment mark) view image here |
| Cles Corporation | World Eagle F-01 (Version 2) (LH) | 10.5 | SOLE: (logo), WORLD EAGLE, F-01 (alpha symbol), (loft) CROWN: (alignment mark) <u>view image here</u> |
| Cles Corporation | World Eagle FL-01 | 14 | SOLE: (logo), WORLD EAGLE, FL-01, 1, (loft) CROWN: (alignment mark) view image here |
| Cles Corporation | World Eagle FL-01 V2 (Ladies) | 13 | SOLE: (arrow logo), WORLD EAGLE, FL-01 (star) V2, (loft) CROWN: (alignment mark) view image here |
| Cles Corporation | World Eagle WE-101 SP | 10.5 | SOLE: WORLD EAGLE, (arrow logo) 1, WE-101, SP, (loft), 450CC CROWN: (arrow logo alignment mark) view image here |
| Cles Corporation | World Eagle WE-101 SP (Ladies) | 12 | SOLE: WORLD EAGLE, (arrow logo) 1, WE-101, SP, (loft), 450CC CROWN: (arrow logo alignment mark) view image here |
| Cles Corporation | World Eagle WE-5Z | 10.5 | SOLE: 1, WE-5Z, (logo), WORLD EAGLE, (loft) CROWN: (alignment mark) view image here |
| Cles Corporation | World Eagle WE-G510 | 10 | SOLE: (arrow logo), WORLD EAGLE, (loft), WE-G510, (star in circle) CROWN: (alignment mark) view image here |
| Cles Corporation | World Eagle WE-G510 (Ladies) | 11.5 | SOLE: (arrow logo), WORLD EAGLE, (loft), WE-G510, (star in circle) CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|---|-----------|---|
| Cles Corporation | World Eagle WE-G510 (Ladies) (LH) | 11.5 | SOLE: (arrow logo), (loft), WORLD EAGLE, WE-G510, (star in circle) CROWN: (alignment mark) view image here |
| Cles Corporation | World Eagle WE-G510 (LH) | 10 | SOLE: (arrow logo), (loft), WORLD EAGLE, WE-G510, (star in circle) CROWN: (alignment mark) view image here |
| Cles Corporation | World Eagle XL-01 | 13 | SOLE: (logo), WORLD EAGLE XL-01, 1 (loft) view image here |
| Cleveland Golf | 588 Altitude | 9,10.5,12 | SOLE: (Cleveland over triangular pattern), 588, ALTITUDE, (CG logo), (loft) BACK: (line) PRECISION WEIGHTING (line) CROWN: (bent line), ALTITUDE, (bent line) view image here |
| Cleveland Golf | 588 Altitude (LH) | 10.5 | SOLE: (Cleveland over triangular pattern), 588, ALTITUDE, (CG logo), (loft) BACK: (line) PRECISION WEIGHTING (line) CROWN: ((bent line), ALTITUDE, (bent line) alignment decal) view image here |
| Cleveland Golf | 588 Custom | 9,10.5 | SOLE: (Cleveland, (weight), (CG logo), Custom, 588, (loft), (screw port) BACK: (bent line) (bent line) CROWN: (bent line), (bent line) HOSEL: (window w/ orientation indicators), (lines), (orientation indicators) |
| Cleveland Golf | 588 Custom (LH) | 9,10.5 | SOLE: Cleveland, Custom, 588 (CG logo), (weight), (loft), (screw port) BACK: (bent line) (bent line) CROWN: (bent line), (bent line) HOSEL: (window w/ orientation indicators), (lines), (orientation indicators) |
| Cleveland Golf | Black 265 | 9,10.5,12 | SOLE: Cleveland, (weight port), (Cleveland logo) BLACK, 265, (loft) TOE: (curved line), SPEED CROWN DESIGN, (three lines) FACE:(460 cc media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-------------------------|----------------|--|
| Cleveland Golf | Black 265 (LH) | 9,10.5 | SOLE: Cleveland, BLACK, 265, (Cleveland logo), (weight port), (loft) TOE: (curved line), SPEED CROWN DESIGN, (three lines) FACE:(460 cc media blast) view image here |
| Cleveland Golf | Black Tour | 7.5,9,10.5 | SOLE: Cleveland, (weight port), (Cleveland logo) BLACK, TOUR, (loft) TOE: (curved line), SPEED CROWN DESIGN, (three lines) FACE:(460 cc media blast) view image here |
| Cleveland Golf | Bloom | N/A | SOLE: Cleveland, (flower), BLOOM, (club number/letter) view image here |
| Cleveland Golf | Bloom (LH) | N/A | SOLE: Cleveland, BLOOM, (flower), (club number/letter) view image here |
| Cleveland Golf | CG Black | 9,10.5,12 | SOLE: Cleveland, (CG logo), BLACK, (loft) TOE: (bent line) (two lines) SPEED INNOVATION CROWN: (bent line), (bent line) HEEL: (bent segmented line) view image here |
| Cleveland Golf | CG Black (LH) | 10.5,12 | SOLE: Cleveland, BLACK, (CG logo), (loft) TOE: SPEED INNOVATION, (two lines), (bent line) CROWN: (bent line), (bent line) HEEL: (bent segmented line) view image here |
| Cleveland Golf | CG Black Custom | 9,10.5,10.5,12 | SOLE: Cleveland, (CG logo), BLACK, CUSTOM, (port for screw), (bent line) TOE: SPEED INNOVATION CROWN: (two segmented lines), (three bent lines), (three bent lines), (two segmented lines) HOSEL: (diamond), (orientation indicators), (lofts) |
| Cleveland Golf | CG Black Custom (LH) | 9,10.5,10.5,12 | SOLE: (bent line), Cleveland, BLACK, CUSTOM, (CG logo), (port for screw) TOE: SPEED INNOVATION CROWN: (two segmented lines), (three bent lines), (three bent lines), (two segmented lines) HOSEL: (orientation indicators), (lofts) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-------------------------|------------------|--|
| Cleveland Golf | Classic 270 | 9,10.5,12 | SOLE: (CLASSIC, C on shield insert), Cleveland, EST. 1979, (club number/letter), (loft) TOE: (dot) 270 (dot), ULTRALITE CROWN: Classic |
| Cleveland Golf | Classic 270 (LH) | 9,10.5 | SOLE: (CLASSIC, C on shield insert), Cleveland, EST. 1979, (club number/letter), (loft) TOE: (dot) 270 (dot), ULTRALITE CROWN: Classic view image here |
| Cleveland Golf | Classic 290 (LH) | 9,10.5 | SOLE: (CLASSIC, C on shield insert), Cleveland, EST. 1979, (club number/letter), (loft) TOE: (dot) 290 (dot), ULTRALITE CROWN: Classic view image here |
| Cleveland Golf | Classic 290 (Version 1) | 7.5,9,10.5,12 | SOLE: (CLASSIC, C on shield insert), Cleveland, EST. 1979, (club number/letter), (loft) TOE: (dot) 290 (dot), ULTRALITE CROWN: Classic view image here |
| Cleveland Golf | Classic 290 (Version 2) | 9 | SOLE: (CLASSIC, C on shield insert), Cleveland, EST. 1979, (club number/letter), (loft w/ underline) TOE: (dot) 290 (dot), ULTRALITE CROWN: Classic view image here |
| Cleveland Golf | Classic 310 | 7.5,8.5,9.5,10.5 | SOLE: (CLASSIC, C on shield insert), Cleveland, EST. 1979, (club number/letter), (loft) TOE: (dot) 310 (dot), ULTRALITE CROWN: Classic view image here |
| Cleveland Golf | Classic 310 (LH) | 9.5,10.5 | SOLE: (CLASSIC, C on shield insert), Cleveland, EST. 1979, (club number/letter), (loft) TOE: (dot) 310 (dot), ULTRALITE CROWN: Classic view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---------------------------|-----------------------|---|
| Cleveland Golf | Classic XL 285 | 7.5,9,10.5,12 | SOLE: DESIGNED IN HUNTINGTON BEACH, CA, (curved line), (EST. 1979, (CG logo) on shield insert), Cleveland, CLASSIC XL, (curved line), (club number/letter), (curved line), (loft) TOE: (285 over two lines) CROWN: (dot alignment mark) |
| Cleveland Golf | Classic XL 285 (LH) | 9,10.5 | SOLE: (curved line), (EST. 1979, (CG logo) on shield insert), Cleveland, CLASSIC XL, (club number/letter), (curved line), DESIGNED IN HUNTINGTON BEACH, CA, (curved line), (loft) TOE: (285 over two lines) CROWN: (dot alignment mark) |
| Cleveland Golf | Classic XL 310 | 7.5,8.5,9.5,10.5 | SOLE: (curved line), (EST. 1979, (CG logo) on shield insert), Cleveland, CLASSIC XL, (club number/letter), (loft) TOE: 310 CROWN: (dot alignment mark) |
| Cleveland Golf | Classic XL Custom | 7.5,9,10.5 | SOLE: (weight port w/ triangle, (number), triangle, (number), (DESIGNED IN HUNTINGTON BEACH, CA on angled line), (EST. 1979, (CG logo) on shield insert), Cleveland, CLASSIC XL, (club number/letter), (port for screw), (loft) TOE: Custom CROWN: (dot alignment mark) HOSEL: (window w/ orientations), (dashes), (orientation indicators) |
| Cleveland Golf | Classic XL Custom (LH) | 9,10.5 | SOLE: (club number/letter), (EST. 1979, (CG logo) on shield insert), Cleveland, CLASSIC XL, (DESIGNED IN HUNTINGTON BEACH, CA on angled line), (weight port w/ triangle, (number), triangle, (number), (port for screw), (loft) TOE: Custom CROWN: (dot alignment mark) HOSEL: (window w/ orientations), (dashes), (orientation indicators) |
| Cleveland Golf | HiBore | 7.5,8.5,9.5,10.5,11.5 | SOLE: Cleveland, HiBORE (w/ line), (Cleveland Golf logo in oval), (loft) BACK: PATENT PENDING, TITANIUM TOE: (curved line), DISTANCE DRIVEN GEOMETRY™, (Cleveland Golf logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--------------------|-------------------|--|
| Cleveland Golf | HiBore (LH) | 9.5,10.5 | SOLE: Cleveland, HiBORE (w/ line), (Cleveland Golf logo in oval), (loft) BACK: PATENT PENDING, TITANIUM TOE: (curved line), DISTANCE DRIVEN GEOMETRY™, (Cleveland Golf logo) |
| Cleveland Golf | HiBore (Version B) | 8.5,9.5,10.5 | SOLE: Cleveland, HiBORE (w/ line), (Cleveland Golf logo in oval), (loft) BACK: TITANIUM HOSEL: B view image here |
| Cleveland Golf | HiBore (Version C) | 9.5 | SOLE: Cleveland, HiBORE (w/ line), (Cleveland Golf logo in oval), (loft) BACK: TITANIUM HOSEL: C view image here |
| Cleveland Golf | HiBore Bloom | 11.5 | SOLE: (Cleveland logo), HIBORE, bloom (bloom logo), (loft) TOE: Cleveland, DISTANCEDRIVENGEOMETRY, (leaf graphics w/ Cleveland logo) CROWN: ((curved line) (bloom logo) (curved line) alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH, MOI FACE:(bloom logo) |
| Cleveland Golf | HiBore Bloom HT | N/A | SOLE: (Cleveland logo), HIBORE, bloom (bloom logo), H.T TOE: Cleveland, DISTANCEDRIVENGEOMETRY, (leaf graphics w/ Cleveland logo) CROWN: ((curved line) (bloom logo) (curved line) alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH, MOI FACE:(bloom logo) |
| Cleveland Golf | HiBore MOAI XLS | 8.5,9.5,10.5,11.5 | SOLE: (Cleveland Golf logo), HiBORE, MOAI, XLS, (loft) TOE: DISTANCE DRIVEN GEOMETRY, (banner graphic)Cleveland(banner graphic w/ Cleveland logo) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH MOI FACE:FFP |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--|-------------------|---|
| Cleveland Golf | HiBore Monster XLS (LH) (Version 1) | 10.5 | SOLE: HiBORE, MONSTER, XLS, (Cleveland Golf logo), (loft) TOE: (banner graphic w/ Cleveland logo)Cleveland(banner graphic) DISTANCE DRIVEN GEOMETRY CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), MAX MOI FACE:FFP |
| Cleveland Golf | HiBore Monster XLS (Version 1) | 8.5,9.5,10.5,11.5 | SOLE: (Cleveland Golf logo), HiBORE, MONSTER, XLS, (loft) TOE: DISTANCE DRIVEN GEOMETRY, (banner graphic)Cleveland(banner graphic w/ Cleveland logo) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), MAX MOI FACE:FFP |
| Cleveland Golf | HiBore Monster XLS (Version 1) (LH) | 9.5 | SOLE: HiBORE, MONSTER, XLS, (Cleveland Golf logo), (loft) TOE: (banner graphic w/ Cleveland logo)Cleveland(banner graphic) DISTANCE DRIVEN GEOMETRY CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), MAX MOI FACE:FFP |
| Cleveland Golf | HiBore Monster XLS (Version 2) | 8.5,9.5 | SOLE: (Cleveland Golf logo), HiBORE, MONSTER, XLS, (loft) TOE: DISTANCE DRIVEN GEOMETRY, (banner graphic)Cleveland(banner graphic w/ Cleveland logo) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), MAX MOI FACE:(scorelines across entire face) |
| Cleveland Golf | HiBore Monster XLS Draw | 10.5 | SOLE: (Cleveland Golf logo), HiBORE, MONSTER, XLS, (loft), DRAW TOE: DISTANCE DRIVEN GEOMETRY (banner graphic)Cleveland(banner graphic w/ Cleveland logo) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), MAX MOI FACE:FFP |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--|------------------|---|
| Cleveland Golf | HiBore Monster XLS Tour (Version 1) | 7.5,8.5,9.5,10.5 | SOLE: (Cleveland Golf logo), HiBORE, MONSTER, XLS, (loft), TOUR TOE: TOUR SPEC (banner graphic)Cleveland(banner graphic w/ Cleveland logo) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH MOI FACE:FFP |
| Cleveland Golf | HiBore Monster XLS Tour (Version 2) | 8.5,9.5 | SOLE: (Cleveland Golf logo), HiBORE, MONSTER, XLS, (loft), TOUR TOE: TOURSPEC (banner graphic)Cleveland(banner graphic w/ Cleveland logo) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH MOI FACE:FFP, (scorelines across entire face) view image here |
| Cleveland Golf | HiBore W Series (Version 1) | 11.5 | SOLE: Cleveland, HiBORE (w/ line), (Cleveland Golf logo in oval), (loft) BACK: PATENT PENDING, TITANIUM TOE: (curved line), DISTANCE DRIVEN GEOMETRY™, (Cleveland Golf logo) view image here |
| Cleveland Golf | HiBore W Series (Version 2) | 16° | SOLE: Cleveland, HiBORE (w/ line), (Cleveland Golf logo in oval), (loft), DRIVER BACK: PATENT PENDING, TITANIUM TOE: (curved line), DISTANCE DRIVEN GEOMETRY™, (Cleveland Golf logo) view image here |
| Cleveland Golf | HiBore W Series (Version 3) | N/A | SOLE: Cleveland, HiBORE (w/ line), (Cleveland Golf logo in oval), DRIVER BACK: PATENT PENDING, TITANIUM TOE: (curved line), DISTANCE DRIVEN GEOMETRY™, (Cleveland Golf logo) view image here |
| Cleveland Golf | HiBore XL (LH) | 9.5,10.5 | SOLE: HiBORE (w/ line), XL, (Cleveland Golf logo in oval), (loft) TOE: (Cleveland logo in graphic) Cleveland, DISTANCE DRIVEN GEOMETRY CROWN: (Cleveland logo alignment mark) HEEL: HIGH MOI FACE:FFP view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-----------------------|--------------|---|
| Cleveland Golf | HiBore XL (Version 1) | 9.5 | SOLE: HiBORE (w/ line), XL, (Cleveland Golf logo in oval), (loft), TITANIUM TOE: FCP, FACE CENTERED PERFORMANCE view image here |
| Cleveland Golf | HiBore XL (Version 2) | 8.5,9.5,11.5 | SOLE: HiBORE (w/ line), XL, (Cleveland Golf logo in oval), (loft) TOE: Cleveland (Cleveland logo in graphic), DISTANCE DRIVEN GEOMETRY CROWN: (Cleveland logo alignment mark) HEEL: HIGH MOI view image here |
| Cleveland Golf | HiBore XL (Version 3) | 8.5,9.5,11.5 | SOLE: HiBORE (w/ line), XL, (Cleveland Golf logo in oval), (loft) TOE: Cleveland (Cleveland logo in graphic), DISTANCE DRIVEN GEOMETRY CROWN: (Cleveland logo alignment mark) HEEL: HIGH MOI FACE:FFP |
| Cleveland Golf | HiBore XL (Version 4) | 10.5 | SOLE: HiBORE (w/ line), XL, (Cleveland Golf logo in oval), (loft) TOE: Cleveland (Cleveland logo in graphic), DISTANCE DRIVEN GEOMETRY CROWN: (Cleveland logo alignment mark) HEEL: CG, HIGH MOI FACE:(w/ or w/o 'FFP') |
| Cleveland Golf | HiBore XL (Version 5) | 10.5 | SOLE: HiBORE (w/ line), XL (w/ raised dot present anywhere in 'L'), (Cleveland Golf logo in oval), (loft) TOE: Cleveland (Cleveland logo in graphic), DISTANCE DRIVEN GEOMETRY CROWN: (Cleveland logo alignment mark) HEEL: HIGH MOI FACE:(w/ or w/o 'FFP') |
| Cleveland Golf | HiBore XL (Version 6) | 10.5 | SOLE: HiBORE (w/ line) (w/ no raised dot in 'H'), XL, (Cleveland Golf logo in oval), (loft) TOE: Cleveland (Cleveland logo in graphic), DISTANCE DRIVEN GEOMETRY CROWN: (Cleveland logo alignment mark) HEEL: HIGH MOI FACE:(w/ or w/o 'FFP') |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|----------------------------------|-----------------------|---|
| Cleveland Golf | HiBore XL (Women's) | 11.5 | SOLE: HiBORE (w/ line), XL, (Cleveland Golf logo in oval), (loft) TOE: Cleveland (Cleveland logo in graphic), DISTANCE DRIVEN GEOMETRY CROWN: (Cleveland logo alignment mark) HEEL: HIGH MOI FACE:FFP |
| Cleveland Golf | HiBore XL SuperLoft | N/A | SOLE: HiBORE (w/ line), XL, (Cleveland Golf logo in oval), SUPER, LOFT TOE: Cleveland (Cleveland logo in graphic), DISTANCE DRIVEN GEOMETRY CROWN: (Cleveland logo alignment mark) HEEL: HIGH MOI FACE:FFP view image here |
| Cleveland Golf | HiBore XL SuperLoft (Women's) | N/A | SOLE: HiBORE (w/ line), XL, (Cleveland Golf logo in oval), SUPER LOFT TOE: Cleveland (Cleveland logo in graphic), DISTANCE DRIVEN GEOMETRY CROWN: (Cleveland logo alignment mark) HEEL: HIGH MOI FACE:FFP view image here |
| Cleveland Golf | HiBore XL Tour (LH) | 9.5,10.5 | SOLE: HiBORE (w/ line), XL, (Cleveland Golf logo in oval), TOUR, (loft) TOE: (Cleveland Golf logo in eye shaped graphic), Cleveland, TOUR SPEC CROWN: (Cleveland Golf logo) HEEL: HIGH MOI FACE:FFP |
| Cleveland Golf | HiBore XL Tour (Version 1) | 7.5,8.5,9.5,10.5,11.5 | SOLE: HiBORE (w/ line), XL, (Cleveland Golf logo in oval), TOUR, (loft) TOE: Cleveland, TOUR Spec (Cleveland Golf logo in eye shaped graphic) CROWN: (Cleveland Golf logo) HEEL: HIGH MOI view image here |
| Cleveland Golf | HiBore XL Tour (Version 2) | 7.5,8.5,9.5,10.5,11.5 | SOLE: HiBORE (w/ line), XL, (Cleveland Golf logo in oval), TOUR, (loft) TOE: Cleveland, TOUR Spec (Cleveland Golf logo in eye shaped graphic) CROWN: (Cleveland Golf logo) HEEL: HIGH MOI FACE:FFP |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--------------------------------|-------------------|--|
| Cleveland Golf | HiBore XLS (LH) (Version 1) | 9.5,10.5 | SOLE: HiBORE, XLS, (Cleveland Golf logo), (loft) TOE: Cleveland, DISTANCE DRIVEN GEOMETRY, (Cleveland logo in graphic) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH, MOI FACE:FFP |
| Cleveland Golf | HiBore XLS (LH) (Version 2) | 9.5 | SOLE: HiBORE, XLS, (Cleveland Golf logo), (loft), (line) TOE: Cleveland, DISTANCE DRIVEN GEOMETRY, (Cleveland logo in graphic) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH, MOI FACE:FFP |
| Cleveland Golf | HiBore XLS (Version 1) | 8.5,9.5,10.5,11.5 | SOLE: (Cleveland Golf logo), HiBORE, XLS, (loft) TOE: Cleveland, DISTANCE DRIVEN GEOMETRY, (Cleveland logo in graphic) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH, MOI FACE:FFP |
| Cleveland Golf | HiBore XLS (Version 2) | 8.5,9.5 | SOLE: (Cleveland Golf logo), HiBORE, XLS, (loft), (line) TOE: Cleveland, DISTANCE DRIVEN GEOMETRY, (Cleveland Golf logo in graphic) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH, MOI FACE:FFP |
| Cleveland Golf | HiBore XLS (Version 3) | 10.5 | SOLE: (Cleveland Golf logo), HiBORE, XLS, (loft), (underline) TOE: TOUR SPEC Cleveland, (Cleveland logo in graphic) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH, MOI FACE:FFP |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-------------------------------------|------------------|---|
| Cleveland Golf | HiBore XLS (Version 4) | 8.5 | SOLE: (Cleveland Golf logo), HiBORE, XLS, (loft), TOUR TOE: Cleveland, DISTANCE DRIVEN GEOMETRY, (Cleveland logo in graphic) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH, MOI FACE:(scorelines across entire face) |
| Cleveland Golf | HiBore XLS Draw | 9,10.5,12 | SOLE: (Cleveland Golf logo), HiBORE, XLS, (loft), DRAW TOE: Cleveland, DISTANCE DRIVEN GEOMETRY, (Cleveland Golf logo in graphic) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH, MOI FACE:FFP |
| Cleveland Golf | HiBore XLS Tour (LH) (Version 1) | 9.5,10.5 | SOLE: HiBORE, XLS, (Cleveland Golf logo), (loft), TOUR TOE: Cleveland TOURSPEC, (Cleveland logo in graphic) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH, MOI FACE:FFP |
| Cleveland Golf | HiBore XLS Tour (Version 1) | 7.5,8.5,9.5,10.5 | SOLE: (Cleveland Golf logo), HiBORE, XLS, TOUR TOE: TOUR SPEC Cleveland, (Cleveland Golf logo in graphic) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH, MOI FACE:FFP |
| Cleveland Golf | HiBore XLS Tour (Version 2) | 8.5 | SOLE: (Cleveland Golf logo), HiBORE, XLS, (loft), TOUR TOE: TOURSPEC Cleveland, (Cleveland logo in graphic) CROWN: (XLS on alignment aid insert) HEEL: (rod w/ double arrow graphic), HIGH, MOI FACE:(scorelines across entire face) |
| Cleveland Golf | Launcher (Version 1) | 8.5,9.5,10.5 | SOLE: Cleveland, (line), LAUNCHER, (Cleveland Golf logo), (loft), TITANIUM CROWN: (Cleveland Golf logo) view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|------------------------------|------------------|--|
| Cleveland Golf | Launcher (Version 2) | 8.5,9.5,10.5 | SOLE: Cleveland, (line), (Cleveland Golf logo), (loft), TITANIUM CROWN: (Cleveland Golf logo) view image here |
| Cleveland Golf | Launcher (Version 3) | 7.5,9,10.5,12 | SOLE: LAUNCHER (Launcher logo), (Cleveland logo), (loft) TOE: Cleveland, (line) CROWN: (Launcher logo alignment mark) HEEL: (line), (rod w/ double arrow graphic), HIGH, MOI FACE:(Launcher logo media blast) view image here |
| Cleveland Golf | Launcher (Version 3) (LH) | 9,10.5 | SOLE: (Launcher logo), LAUNCHER, (Cleveland logo), (loft) TOE: Cleveland, (line) CROWN: (Launcher logo alignment mark) HEEL: (line), (rod w/ double arrow graphic), HIGH, MOI FACE:(Launcher logo media blast) view image here |
| Cleveland Golf | Launcher (Version 4) | 9 | SOLE: LAUNCHER (Launcher logo), (Cleveland logo), (loft) TOE: Cleveland, (line) CROWN: (Launcher logo alignment mark) HEEL: (line), (rod w/ double arrow graphic), HIGH, MOI FACE:(Launcher logo media blast), (scorelines across entire face) |
| Cleveland Golf | Launcher (Version 5) | 9 | SOLE: LAUNCHER (Launcher logo), (Cleveland logo), (loft w/ underline) TOE: Cleveland, (line) CROWN: (Launcher logo alignment mark) HEEL: (line), (rod w/ double arrow graphic), HIGH, MOI FACE:(Launcher logo media blast) view image here |
| Cleveland Golf | Launcher (Version 6) | 9,10.5,12 | SOLE: LAUNCHER (Launcher logo), (Cleveland logo), (loft w/star) TOE: Cleveland, (line) CROWN: (Launcher logo alignment mark) HEEL: (line), (rod w/ double arrow graphic), HIGH, MOI FACE:(Launcher logo media blast) view image here |
| Cleveland Golf | Launcher 400 | 7.5,8.5,9.5,10.5 | SOLE: Cleveland, (line), LAUNCHER, 400, (Cleveland Golf logo), (loft), TITANIUM <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|----------------------------------|-----------------------|---|
| Cleveland Golf | Launcher 400T | 7,8,9,10 | SOLE: Cleveland, (line), LAUNCHER, 400T, (Cleveland Golf logo), (loft), TITANIUM <u>view image here</u> |
| Cleveland Golf | Launcher 460 | 7.5,8.5,9.5,10.5,11.5 | SOLE: Cleveland, (line), LAUNCHER, 460, (Cleveland Golf logo), (loft), TITANIUM view image here |
| Cleveland Golf | Launcher 460 Type J | 9.5,10.5 | SOLE: (Cleveland Golf logo), Cleveland, (line), TYPE J, (screw w/ segmented lines), (loft) BACK: ((triangle) TUNGSTEN-NICKEL WEIGHTING (triangle) on weight plate) TOE: LAUNCHER 460 view image here |
| Cleveland Golf | Launcher Comp (Version 1) | 8.5,9.5,10.5 | SOLE: Cleveland, (line), LAUNCHER • COMP, (Cleveland Golf logo), (loft) view image here |
| Cleveland Golf | Launcher Comp (Version 2) | 8.5,9.5,10.5 | SOLE: Cleveland, (line), LAUNCHER• COMP, (Cleveland logo), (loft w/ line under 5) BACK: TITANIUM• COMPOSITE TOE: LAUNCHER view image here |
| Cleveland Golf | Launcher Comp 460 | 8.5,9.5,10.5,11.5 | SOLE: Cleveland, (line), LAUNCHER • COMP, (Cleveland Golf logo), (loft) BACK: TITANIUM • COMPOSITE TOE: LAUNCHER 460 view image here |
| Cleveland Golf | Launcher DST (Version 1) | 7.5,9,10.5,12 | SOLE: (Cleveland Golf logo), Cleveland, LAUNCHER, DST, (loft) TOE: (line), DISTANCE DRIVEN SUB 300g, (line) FACE:(460 media blast) view image here |
| Cleveland Golf | Launcher DST (Version 1) (LH) | 9,10.5 | SOLE: (Cleveland Golf logo), Cleveland, LAUNCHER, DST, (loft) TOE: (line), SUB 300g DISTANCE DRIVEN, (line) FACE:(460 media blast) view image here |
| Cleveland Golf | Launcher DST (Version 2) | 9 | SOLE: (Cleveland Golf logo), Cleveland, LAUNCHER, DST, (loft w/ underline) TOE: (line), DISTANCE DRIVEN SUB 300g, (line) FACE:(460 media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---------------------------------|--------------|---|
| Cleveland Golf | Launcher DST Draw | 9,10.5 | SOLE: (Cleveland Golf logo), DRAW, Cleveland, LAUNCHER, DST, (loft) TOE: (line), DISTANCE DRIVEN SUB 300g, (line) FACE:(460 media blast) view image here |
| Cleveland Golf | Launcher DST Tour | 8.5,9.5,10.5 | SOLE: (Cleveland Golf logo), TOUR, Cleveland, LAUNCHER, DST, (loft) TOE: (line), DISTANCE DRIVEN TOUR SPEC, (line) FACE:(460 media blast) view image here |
| Cleveland Golf | Launcher DST Tour (LH) | 9.5 | SOLE: (Cleveland Golf logo), TOUR, Cleveland, LAUNCHER, DST, (loft) TOE: (line), TOUR SPEC DISTANCE DRIVEN, (line) FACE:(460 media blast) view image here |
| Cleveland Golf | Launcher HB | 9,10.5,12 | SOLE: Cleveland, (Cleveland logo), LAUNCHER, HB, Flex-Fin Technology, (loft) CROWN: HiBORE CROWN TECHNOLOGY view image here |
| Cleveland Golf | Launcher HB (LH) | 10.5 | SOLE: Cleveland, Flex-Fin Technology, LAUNCHER, HB, (Cleveland logo), (loft) CROWN: HiBORE CROWN TECHNOLOGY view image here |
| Cleveland Golf | Launcher HB Turbo | 9,10.5,12 | SOLE: Cleveland, LAUNCHER HB, TURBO, (loft) BACK: DEEP WEIGHTING CROWN: HIBORE CROWN HEEL: ULTRALIGHT HOSEL FACE:TURBOCHARGED, CUP FACE view image here |
| Cleveland Golf | Launcher HB Turbo (LH) | 10.5 | SOLE: Cleveland, LAUNCHER HB, TURBO, (loft) BACK: DEEP WEIGHTING CROWN: HIBORE CROWN HEEL: ULTRALIGHT HOSEL FACE:TURBOCHARGED, CUP FACE view image here |
| Cleveland Golf | Launcher HB Turbo Draw Model | 10.5 | SOLE: Cleveland, LAUNCHER HB, TURBO, (loft), DRAW, MODEL BACK: DEEP WEIGHTING CROWN: HIBORE CROWN HEEL: ULTRALIGHT HOSEL FACE:TURBOCHARGED, CUP FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---|----------------------------|--|
| Cleveland Golf | Launcher HB Turbo JS Proto | N/A | SOLE: Cleveland, LAUNCHER HB, TURBO, JS, PROTO BACK: DEEP WEIGHTING CROWN: HIBORE CROWN HOSEL: ULTRALIGHT HOSEL FACE:TURBOCHARGED, CUP FACE View image here |
| Cleveland Golf | Launcher Ti 460 | 7.5,8.5,9.5,10.5,11.5,15.5 | SOLE: (Cleveland Golf logo), CLEVELAND, (line), Ti 460, (loft) BACK: THIN CROWN TECHNOLOGY TOE: LAUNCHER 460 CROWN: (Cleveland Golf logo) view image here |
| Cleveland Golf | Launcher Ti 460 (LH) | 9.5,10.5 | SOLE: (Cleveland Golf logo), Cleveland, (line), Ti 460, (loft) BACK: THIN CROWN TECHNOLOGY TOE: LAUNCHER 460 CROWN: (Cleveland Golf logo) view image here |
| Cleveland Golf | Launcher Ti 460 Offset | 9.5,10.5,11.5 | SOLE: (Cleveland Golf logo), CLEVELAND, (line), Ti 460, (loft), OFFSET BACK: THIN CROWN TECHNOLOGY TOE: LAUNCHER 460, OFFSET CROWN: (Cleveland Golf logo) view image here |
| Cleveland Golf | Launcher Ti 460 Offset (LH) | 10.5 | SOLE: (Cleveland Golf logo), Cleveland, (line), Ti 460, (loft), OFFSET TOE: LAUNCHER 460, OFFSET CROWN: (Cleveland Golf logo) view image here |
| Cleveland Golf | Launcher Ti 460 W Series | 12,14 | SOLE: (SERIES over W), Cleveland, (line), Ti 460, (loft), DRIVER BACK: THIN CROWN TECHNOLOGY TOE: LAUNCHER 460 CROWN: (Cleveland Golf logo) view image here |
| Cleveland Golf | Launcher Ultralite SL290 (LH) | 9,10.5 | SOLE: Cleveland, SL290, (Cleveland logo), (loft) TOE: LAUNCHER, ULTRALITE FACE:(460cc media blast) view image here |
| Cleveland Golf | Launcher Ultralite SL290 (Version 1) | 7.5,9,10.5,12 | SOLE: (Cleveland logo), Cleveland, SL290, (loft) TOE: LAUNCHER, ULTRALITE FACE:(460cc media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---|------------------|--|
| Cleveland Golf | Launcher Ultralite SL290 (Version 2) | 9 | SOLE: (Cleveland logo), Cleveland, SL290, (loft w/ underline) TOE: LAUNCHER, ULTRALITE FACE:(460cc media blast) view image here |
| Cleveland Golf | Launcher Ultralite TL310 | 7.5,8.5,9.5,10.5 | SOLE: (Cleveland logo), Cleveland, TL310, (loft) TOE: LAUNCHER, ULTRALITE FACE:(440cc media blast) view image here |
| Cleveland Golf | Launcher Ultralite TL310 (LH) | 9.5,10.5 | SOLE: Cleveland, TL310, (Cleveland logo), (loft) TOE: LAUNCHER, ULTRALITE FACE:(440cc media blast) view image here |
| Cleveland Golf | Launcher Ultralite XL270 | 9,10.5,12 | SOLE: (Cleveland logo), Cleveland, XL270, (loft) TOE: LAUNCHER, ULTRALITE FACE:(460cc media blast) view image here |
| Cleveland Golf | Launcher Ultralite XL270 (LH) | 9,10.5 | SOLE: Cleveland, XL270, (Cleveland logo), (loft) TOE: LAUNCHER, ULTRALITE FACE:(460cc media blast) view image here |
| Cleveland Golf | Launcher Ultralite XL270 Draw | 9,10.5,12 | SOLE: DRAW, (Cleveland logo), Cleveland, XL270, (loft) TOE: LAUNCHER, ULTRALITE FACE:(460cc media blast) view image here |
| Cleveland Golf | Launcher VK | 9.5,10.5 | SOLE: (line), (three slashes), LAUNCHER, VK, (Cleveland logo), (two slashes) (loft), (line) FACE:Cleveland view image here |
| Cleveland Golf | Launcher XL | 9.5,10.5,10.5 | SOLE: LAUNCHER, XL, (Cleveland logo), (loft) view image here |
| Cleveland Golf | Launcher XL (LH) | 10.5 | SOLE: Cleveland, LAUNCHER, XL CROWN: (arrow alignment marker) HOSEL: LOFT, (orientation indicators) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---------------------------|---------|---|
| Cleveland Golf | Launcher XL Lite | 10.5,12 | SOLE: Cleveland, LAUNCHER, XL LITE, (loft) CROWN: (arrow alignment marker) view image here |
| Cleveland Golf | Launcher XL Lite (LH) | 10.5 | SOLE: Cleveland, LAUNCHER, XL LITE, (loft) CROWN: (arrow alignment marker) view image here |
| Cleveland Golf | Launcher XL Lite Draw | 10.5 | SOLE: Cleveland, LAUNCHER, XL LITE, (loft), DRAW CROWN: (arrow alignment marker) view image here |
| Cleveland Golf | Launcher XL2 | 9-12 | SOLE: Cleveland, LAUNCHER, XL2, REBOUND FRAME CROWN: (arrow alignment marker), LAUNCHER HOSEL: (orientation indicators) HEEL: (loft) FACE:MAINFRAME XL view image here |
| Cleveland Golf | Launcher XL2 (LH) | 9-12 | SOLE: Cleveland, REBOUND FRAME, LAUNCHER, XL2 CROWN: (arrow alignment marker), LAUNCHER HOSEL: (orientation indicators) HEEL: (loft) FACE:MAINFRAME XL |
| Cleveland Golf | Launcher XL2 Draw | 9-12 | SOLE: Cleveland, LAUNCHER, XL2, REBOUND FRAME, DRAW CROWN: (arrow alignment marker), LAUNCHER HOSEL: (orientation indicators) HEEL: (loft) FACE:MAINFRAME XL view image here |
| Cleveland Golf | Launcher XL2 Draw (LH) | 9-12 | SOLE: Cleveland, REBOUND FRAME, LAUNCHER, XL2, DRAW CROWN: (arrow alignment marker), LAUNCHER HOSEL: (orientation indicators) HEEL: (loft) FACE:MAINFRAME XL view image here |
| Cleveland Golf | Q-169 B | N/A | SOLE: Cleveland, Q-169, B CROWN: (Cleveland Golf logo) <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---|--------------|--|
| Cleveland Golf | Quadpro | 8.5,9.5,10.5 | SOLE: Cleveland, TITANIUM, QUADPRO, (line), (loft), (DRIVER in recessed oval) CROWN: (Cleveland Golf logo) view image here |
| Cleveland Golf | Quadpro B | N/A | SOLE: Cleveland, TITANIUM, QUADPRO, (line), B, (DRIVER in recessed oval) CROWN: (Cleveland Golf logo) view image here |
| Cleveland Golf | Type J Launcher W 460 | N/A | SOLE: Cleveland, (line), TYPE J, (Cleveland Golf logo) 1, (circle), (circle), (weight port) BACK: THIN CROWN TECHNOLOGY TOE: LAUNCHER W 460 view image here |
| Climb Free Co Ltd | Alba Japan | N/A | SOLE: (gorilla logo), X, ALBA JAPAN HOSEL: (3 circles) view image here |
| Climb Free Co Ltd | Birth | N/A | SOLE: BIRTH, (arrow logo), ALWAYS CHARGE, IT Limited, 1 DRIVER view image here |
| Climb Free Co Ltd | Birth B Design | N/A | SOLE: BIRTH (B logo) DESIGN, GRAND CRU LABEL, CON•TROL, LD BACK: (B logo on inset) view image here |
| Climb Free Co Ltd | Birth Black Bullet 420 Lef (LH) | N/A | SOLE: BLACK BULLET, PREMIUM EDITION, 420 LEF, -T.M-, CONFORMED, SLE RULE, BIRTH, (arrow logo), ALWAYSCHARGE view image here |
| Climb Free Co Ltd | Birth Black Bullet 450 Trust T.M | N/A | SOLE: BLACK BULLET, PREMIUM EDITION, 450 TRUST, T (dot) M, BIRTH, (arrow logo), ALWAYS CHARGE view image here |
| Climb Free Co Ltd | Birth Black Bullet Premium Edition Trust Vic | N/A | SOLE: BLACK BULLET, PREMIUM EDITION, TRUST • VIC, D•R•I•V•E•R, BIRTH, (arrow logo), ALWAYS CHARGE view image here |
| Climb Free Co Ltd | Birth Black Bullet Premium Edition Trust Vic (LH) | N/A | SOLE: BLACK BULLET, PREMIUM EDITION, TRUST • VIC, D•R•I•V•E•R, BIRTH, (arrow logo), ALWAYS CHARGE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|---|-------|---|
| Climb Free Co Ltd | Birth Black Bullet Premium TL Edition II | N/A | SOLE: BLACK BULLET, Premium TL Edition II, BIRTH, (arrow logo), ALWAYS CHARGE, 1 DRIVER |
| | | | view image here |
| Climb Free Co Ltd | Birth Black Bullet Pro 410 | N/A | SOLE: BLACK BULLET, PREMIUM EDITION, PRO 410, BIRTH, (arrow logo), ALWAYSCHARGE |
| | | | view image here |
| Climb Free Co Ltd | Birth Black Bullet Tour Limited Edition | N/A | SOLE: BLACK BULLET, Tour Limited Edition, BIRTH, (arrow logo), ALWAYS CHARGE, 1 DRIVER view image here |
| Climb Free Co Ltd | Birth Black Bullet | N/A | SOLE: BLACK BULLET, PREMIUM |
| Ciirib Free Co Lta | Widelow GT | N/X | EDITION, WIDELOW, GT, BIRTH, (arrow logo), ALWAYSCHARGE, 1 Driver |
| | | | view image here |
| Climb Free Co Ltd | Birth Black Bullet World Stage 460 | N/A | SOLE: BLACK BULLET, PREMIUM EDITION, WORLD STAGE, 460, BIRTH, (arrow logo), ALWAYS CHARGE |
| | | | view image here |
| Climb Free Co Ltd | Birth Dynasty Contest VI | N/A | SOLE: CONTEST, V1, Dynasty, CLUB, T (dot) M, (M logo) BACK: DOUBLE, TUNGSTEN TOE: BIRTH |
| | | | view image here |
| Climb Free Co Ltd | Birth Forward Next | N/A | SOLE: FORWARD, NEXT, BIRTH, (arrow logo), ALWAYSCHARGE, TWIN, WEIGHT |
| | | | view image here |
| Climb Free Co Ltd | Birth Glamour Cheer | N/A | SOLE: GLAMOUR, CHEER, BIRTH, (arrow logo), ALWAYSCHARGE, SUPER DEEP DESIGN |
| | | | view image here |
| Climb Free Co Ltd | Birth Glamour Cheer Gold | N/A | SOLE: GLAMOUR, CHEER, GOLD, BIRTH, (arrow logo), ALWAYSCHARGE, SUPER DEEP DESIGN |
| | | | view image here |
| Climb Free Co Ltd | Birth Manage-3rd | N/A | SOLE: MANAGE, 3rd, BIRTH (through arrow logo), BIG C.O.G ANGLE, 1 |
| | | | view image here |
| Climb Free Co Ltd | Birth MSGF 350 | N/A | SOLE: MSGF, High Pressure ß Titanium (underlined), 10-2-3, Birth, (arrow logo), Always Charge, 350 |
| | | | view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|------------------------|-------|--|
| Climb Free Co Ltd | Drum Star | N/A | SOLE: (double line), Drumstar (with star for a), CUPFACE TITANIUM, CONFORMING SLE, DOUBLE WEIGHT SYSTEM, (3 stars) view image here |
| Climb Free Co Ltd | Dynasty Contest IV | N/A | SOLE: CONTEST, V1, Dynasty, CLUB, (logo) TOE: BIRTH view image here |
| Climb Free Co Ltd | e.zo | N/A | SOLE: (logo), e.zo, (line), MMG, (line), PRO GOLF SHOP, by MIYAZAWA, HIGH PRESSURE ß TITANIUM (underlined), SP700, 420 |
| Climb Free Co Ltd | E.ZO II | N/A | SOLE: E.ZO, II, Driver, GOLF PRO SHOP, by M M G view image here |
| Climb Free Co Ltd | G Meister 460 | N/A | SOLE: G MEISTER, (line), 460 TOE: SPORTS, MEISTERS', SQUARE, PRODUSED BY SPORTS HOUSE (in square) view image here |
| Climb Free Co Ltd | Golfin Dawn | N/A | SOLE: Golfin', dc(reversed):n, Golfin' Dawn, (line), The First and The Ultimate, Egonomically Designed Golf Clubs, SP700 Ti, FORGED BACK: DOUBLE, TUNGSTEN |
| Climb Free Co Ltd | Mach Punch | N/A | SOLE: Mach Punch, ICHIKAWA, 450, T.i TITANIUM, T.M, 1 view image here |
| Climb Free Co Ltd | Mach Punch (Version 2) | N/A | SOLE: Mach Punch, ICHIKAWA, 1 DAICHI, T.i TITANIUM, 450, (adjustable weight port) view image here |
| Climb Free Co Ltd | Meister | N/A | SOLE: (G logo), MEISTER, PRODUSED BY, SPORTS HOUSE (in rectangle) TOE: SPORTS, MEISTERS', SQUARE, PRODUSED BY SPORTS HOUSE (in square) view image here |
| Climb Free Co Ltd | MSGF 420 Surprise | N/A | SOLE: MSGF (in oval), 420, (arrow logo), SURPRISE, SP 700 FORGED, PRO SELECT view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|------------------------------------|-----------|--|
| Climb Free Co Ltd | MSGF 420 Surprise II | N/A | SOLE: MSGF (in oval), (arrow logo), SURPRISE, II, SP 700 FORGED, PRO SELECT, 420 view image here |
| Climb Free Co Ltd | MSGF 450 Surprise III | N/A | SOLE: MSGF (in oval), (arrow logo), SURPRISE, III, CONFORMED, SLE RULE, 450 view image here |
| Climb Free Co Ltd | MSGF GABA | N/A | SOLE: GABA, (MSGF logo), 1 DRIVER view image here |
| Climb Free Co Ltd | Muso NGSL (offset) | N/A | SOLE: MUSO, HIGH M.O.I., OFFSET NECK, N.G.S.L. view image here |
| Climb Free Co Ltd | Sniper X Alba Japan (Version 1) | N/A | SOLE: (gorilla logo), Sniper X, ALBA JAPAN <u>view image here</u> |
| Climb Free Co Ltd | Sprash 450 Tour | N/A | SOLE: sp(r logo)ash, 450 TOUR, SUCCEED (in shape) view image here |
| Club Factory GmbH | Edelmetall Z1 | N/A | SOLE: (EDELMETALL, Z-1 in cavity) view image here |
| Coates Golf | Eland | 10,12 | SOLE: COATES, (shield w/ antelope logo) TOE: ELAND, (loft) CROWN: (shield w/ antelope logo alignment mark) view image here |
| Coates Golf | Eland (LH) | 10,12 | SOLE: COATES, (shield w/ antelope logo) TOE: ELAND, (loft) CROWN: (shield w/ antelope logo alignment mark) view image here |
| Cobra PUMA Golf | Aerojet (Version 1) | 9,10.5,12 | SOLE: AEROJET, (weight port), PWR BRIDGE, AJ, PWRSHELL BACK: cobra TOE: cobra CROWN: (cobra logo alignment mark), AEROJET HOSEL: (orientation indicators) HEEL: (loft) FACE:H.O.T. FACE, (circle media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|-----------------------------|-----------|--|
| Cobra PUMA Golf | Aerojet (Version 1) (LH) | 9,10.5,12 | SOLE: PWRSHELL, AJ, PWR BRIDGE, AEROJET, (weight port) BACK: cobra TOE: cobra CROWN: (cobra logo alignment mark), AEROJET HOSEL: (orientation indicators) HEEL: (loft) FACE:(circle media blast), H.O.T. FACE |
| Cobra PUMA Golf | Aerojet (Version 2) | 9,10.5 | SOLE: AEROJET, (weight port), PWR BRIDGE, AJ, PWRSHELL BACK: cobra TOE: cobra HOSEL: (orientation indicators) HEEL: (loft) FACE:H.O.T. FACE, (circle media blast) view image here |
| Cobra PUMA Golf | Aerojet LS (Version 1) | 9,10.5 | SOLE: AEROJET, (weight port), FADE, PWR BRIDGE, AJ, PWRSHELL, (weight port), NEUTRAL BACK: cobra TOE: cobra CROWN: (cobra logo alignment mark), AEROJET HOSEL: (orientation indicators) HEEL: LS, (loft) FACE:H.O.T. FACE, (circle media blast) view image here |
| Cobra PUMA Golf | Aerojet LS (Version 1) (LH) | 9,10.5 | SOLE: PWRSHELL, AJ, NEUTRAL, (weight port), PWR BRIDGE, FADE, (weight port), AEROJET BACK: cobra TOE: cobra CROWN: (cobra logo alignment mark), AEROJET HOSEL: (orientation indicators) HEEL: (loft), LS FACE:(circle media blast), H.O.T. FACE |
| Cobra PUMA Golf | Aerojet LS (Version 2) | 9,10.5 | SOLE: AEROJET, (weight port), PWR BRIDGE, FADE, AJ, NEUTRAL, PWRSHELL, (weight port) BACK: cobra TOE: cobra HOSEL: (orientation indicators) HEEL: LS, (loft) FACE:H.O.T. FACE, (circle media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|------------------------|-----------|---|
| Cobra PUMA Golf | Aerojet LS (Version 3) | 5.5,7.5 | SOLE: AEROJET, (weight port), PWR BRIDGE, FADE, AJ, NEUTRAL, PWRSHELL, (weight port) BACK: cobra TOE: cobra CROWN: AEROJET HOSEL: (orientation indicators) HEEL: LS, (loft) FACE:H.O.T. FACE, (circle media blast) view image here |
| Cobra PUMA Golf | Aerojet Max | 9,10.5,12 | SOLE: NEUTRAL, (weight port), AEROJET, PWR BRIDGE, AJ, PWRSHELL, DRAW, (weight port) BACK: cobra TOE: cobra CROWN: (cobra logo alignment mark), AEROJET HOSEL: (orientation indicators) HEEL: MAX, (loft) FACE:H.O.T. FACE, (circle media blast) view image here |
| Cobra PUMA Golf | Aerojet Max (LH) | 9,10.5,12 | SOLE: PWRSHELL, AJ, PWR BRIDGE, AEROJET, NEUTRAL, (weight port), DRAW, (weight port) BACK: cobra TOE: cobra CROWN: (cobra logo alignment mark), AEROJET HOSEL: (orientation indicators) HEEL: (loft), MAX FACE:(circle media blast), H.O.T. FACE |
| Cobra PUMA Golf | AMP (LH) | 9.5,10.5 | SOLE: ADVANCED, MATERIAL PLACEMENT, cobra, AMP, (screw), SPEED TUNED, (loft) TOE: (Cobra logo) CROWN: (cobra alignment mark) HOSEL: AFT, (triangle), (orientation indicators) FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |
| Cobra PUMA Golf | AMP (PVD) (Version 2) | 7.5 | SOLE: ADVANCED, MATERIAL PLACEMENT, cobra, AMP, SPEED TUNED, (loft), (screw) TOE: (Cobra logo) CROWN: (cobra alignment mark) HOSEL: AFT, (triangle), (orientation indicators) FACE:E9 FACE TECHNOLOGY <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|-----------------------|-------------------------------|--|
| Cobra PUMA Golf | AMP (Version 1) | 8.5,9.5,10.5,11.5 | SOLE: ADVANCED, MATERIAL PLACEMENT, cobra, AMP, SPEED TUNED, (loft), (screw) TOE: (Cobra logo) CROWN: (cobra alignment mark) HOSEL: AFT, (triangle), (orientation indicators) FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |
| Cobra PUMA Golf | AMP (Version 2) | 7.5,8.5,9.5 | SOLE: ADVANCED, MATERIAL PLACEMENT, cobra, AMP, SPEED TUNED, (loft), (screw) TOE: (Cobra logo) CROWN: (cobra alignment mark) HOSEL: AFT, (triangle), (orientation indicators) FACE:E9 FACE TECHNOLOGY view image here |
| Cobra PUMA Golf | AMP (Women's) | N/A | SOLE: ADVANCED, MATERIAL PLACEMENT, cobra, AMP, SPEED TUNED (club number/letter), (screw) TOE: (Cobra logo) CROWN: (cobra alignment mark) HOSEL: AFT, (triangle), (orientation indicators) FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |
| Cobra PUMA Golf | AMP CELL | 8.5,9.5,9.5,10.5,10.5,11.5 | SOLE: CELL TECHNOLOGY, (curved line), (raised waffle graphic), (curved line), AMP, CELL, cobra, SmartPad, (screw) TOE: (Cobra logo) CROWN: (cobra alignment mark on waffle graphic), (curved line), (curved line) HOSEL: LOFT, (triangle), (window w/ loft setting), MyFly FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |
| Cobra PUMA Golf | AMP CELL (Women's) | 11.5,12.5,12.5,13.5,13.5,14.5 | SOLE: CELL TECHNOLOGY, (curved line), (raised waffle graphic), (curved line), AMP, CELL, cobra, SmartPad, (screw) TOE: (Cobra logo) CROWN: (cobra alignment mark on waffle graphic), (curved line), (curved line) HOSEL: LOFT, (triangle), (window w/ loft setting), MyFly FACE:DUAL ROLL, E9 FACE TECHNOLOGY <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|----------------------------|-------------------------------|---|
| Cobra PUMA Golf | AMP CELL (Women's) (LH) | 11.5,12.5,12.5,13.5,13.5,14.5 | SOLE: CELL TECHNOLOGY, cobra, SmartPad, (curved line), (raised waffle graphic), (curved line), AMP, CELL, (screw) TOE: (Cobra logo) CROWN: (cobra alignment mark on waffle graphic), (curved line), (curved line) HOSEL: LOFT, (triangle), (window w/ loft setting), MyFly FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |
| Cobra PUMA Golf | AMP CELL PRO | 7.5,8.5,8.5,9.5,9.5,10.5 | SOLE: CELL TECHNOLOGY, (curved line), (raised waffle graphic), (curved line), AMP, CELL, PRO, cobra, SmartPad, (screw) TOE: (Cobra logo) CROWN: (cobra alignment mark on waffle graphic), (curved line), (curved line) HOSEL: LOFT, (triangle), (window w/ loft setting), MyFly FACE:DUAL ROLL, E9 FACE TECHNOLOGY |
| Cobra PUMA Golf | AMP CELL PRO (LH) | 7.5,8.5,8.5,9.5,9.5,10.5 | SOLE: CELL TECHNOLOGY, cobra, SmartPad, (curved line), (raised waffle graphic), (curved line), AMP, CELL, PRO, (screw) TOE: (Cobra logo) CROWN: (cobra alignment mark on waffle graphic), (curved line), (curved line) HOSEL: LOFT, (triangle), (window w/ loft setting), MyFly FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |
| Cobra PUMA Golf | AMP OS | 10.5,11.5 | SOLE: ADVANCED, MATERIAL PLACEMENT, cobra, AMP, SPEED TUNED, (loft) TOE: (Cobra logo) CROWN: (cobra alignment mark w/ bent line in stripe) HOSEL: OFFSET FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--------------------------|--------------------------------|---|
| Cobra PUMA Golf | AMP OS (LH) | 10.5 | SOLE: ADVANCED, MATERIAL PLACEMENT, cobra, AMP, SPEED TUNED, (loft) TOE: (Cobra logo) CROWN: (cobra alignment mark w/ bent line in stripe) HOSEL: OFFSET FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |
| Cobra PUMA Golf | AMP OS (Women's) | N/A | SOLE: ADVANCED, MATERIAL PLACEMENT, cobra, AMP, SPEED TUNED, (club number/letter) TOE: (Cobra logo) CROWN: (cobra alignment mark w/ bent line in stripe) HOSEL: OFFSET FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |
| Cobra PUMA Golf | AMP OS (Women's) (LH) | N/A | SOLE: ADVANCED, MATERIAL PLACEMENT, cobra, AMP, (club number/letter), SPEED TUNED TOE: (Cobra logo) CROWN: (cobra alignment mark w/ bent line in stripe) HOSEL: OFFSET FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |
| Cobra PUMA Golf | AMP-D | 9.5,10.5,11.5 | SOLE: ADVANCED, MATERIAL PLACEMENT, cobra, AMP-D, SPEED TUNED, (loft) TOE: (Cobra logo) CROWN: (cobra alignment mark) FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |
| Cobra PUMA Golf | BioCell | 9,9.5,9.5,10.5,10.5,11.5,11.5, | SOLE: cobra, SMARTPAD, (line), BiO, CELL, (screw in port) CROWN: (cobra alignment mark), (snake skin graphic), (two curved lines) HOSEL: MYFLY8, (outlined window w/ loft) HEEL: LOFT, (triangle) FACE:E9, BIOFACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|-------------------------------|--------------------------------|---|
| Cobra PUMA Golf | BioCell (Tour) (Version 1) | 7,7.5,7.5,8.5,8.5,9.5,9.5,10 | SOLE: cobra, SMARTPAD, (line), BiO, CELL, (screw in port) CROWN: (cobra alignment mark), (snake skin graphic), (two curved lines) HOSEL: MYFLY8, (outlined window w/ loft) HEEL: LOFT, (triangle) FACE:E9, BIOFACE view image here |
| Cobra PUMA Golf | BioCell (Tour) (Version 2) | 7,7.5,7.5,8.5,8.5,9.5,9.5,10 | SOLE: cobra, SMARTPAD, (line), BiO, CELL, (screw in port) CROWN: (snake skin graphic), (two curved lines) HOSEL: MYFLY8, (outlined window w/ loft) HEEL: LOFT, (triangle) FACE:E9, BIOFACE view image here |
| Cobra PUMA Golf | BioCell+ | 8,8.5,8.5,9.5,9.5,10.5,10.5,11 | SOLE: BiO, CELL+, (line), SMARTPAD, cobra, (screw in port) CROWN: (cobra alignment mark), (outlined snake skin graphic, w/ T.O.P. Technology) HOSEL: MYFLY8, (outlined window w/ loft) HEEL: LOFT, (triangle) FACE:E9, BIOFACE view image here |
| Cobra PUMA Golf | Cobra CXw-270 | 10.5 | SOLE: (GraVity, (line), Back on oval inset), (Cobra logo), cobra, CXw-270, Hyper-Ti, 1, (line), (loft) CROWN: (Cobra logo) view image here |
| Cobra PUMA Golf | Cobra CXw-310 (Version 1) | 8.5 | SOLE: (GRAVITY, (line), BACK on oval inset), (Cobra logo), cobra, CXw-310, HYPER-TI, 1, (line), (loft)t CROWN: (Cobra logo) |
| Cobra PUMA Golf | Cobra CXw-310 (Version 2) | 9.5 | SOLE: (GRAVITY, (line), BACK on oval inset), (Cobra logo), cobra, CXw-310, (two dots), HYPER-TI, 1, (line),(loft)t CROWN: (Cobra Logo) view image here |
| Cobra PUMA Golf | Cobra S3 (LH) | 9.5,10.5 | SOLE: (line), S3 cobra (Cobra logo), (line), (port for shaft screw), AFT TOE: E9 FACE TECHNOLOGY CROWN: (Cobra logo alignment mark) HOSEL: (loft) (triangle), (orientation indicators) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|-------------------------------|------------------|---|
| Cobra PUMA Golf | Cobra S3 (Tour) | 7.5,8.5,9.5,10.5 | SOLE: (line), (Cobra logo), cobra S3, (line), (port for shaft screw), AFT TOE: E9 FACE TECHNOLOGY CROWN: (Cobra logo alignment mark) HOSEL: (loft) (triangle), (orientation indicators) |
| Cobra PUMA Golf | Cobra S3 (Version 1) | 9.5,10.5,11.5 | SOLE: (line), (Cobra logo) cobra S3, (line), (port for shaft screw), AFT TOE: E9 FACE TECHNOLOGY CROWN: (Cobra logo alignment mark) HOSEL: (loft) (triangle), (orientation indicators) |
| Cobra PUMA Golf | Cobra S3 (Version 2) | 5.5,6.5 | view image here SOLE: (line), (Cobra logo) cobra S3, (line) TOE: E9 FACE TECHNOLOGY CROWN: (Cobra logo alignment mark) HOSEL: (loft) view image here |
| Cobra PUMA Golf | Cobra S3 (Womens) | N/A | SOLE: (line), (Cobra logo) cobra S3, (line), (port for shaft screw), AFT TOE: E9 FACE TECHNOLOGY CROWN: (Cobra logo alignment mark) HOSEL: (club number) (triangle), (orientation indicators) |
| Cobra PUMA Golf | Cobra S3 Max | 9.5,10.5,11.5 | SOLE: (line), (Cobra logo), cobra, S3, MAX, (line) TOE: E9 FACE TECHNOLOGY CROWN: (Cobra logo alignment mark) HOSEL: (loft) view image here |
| Cobra PUMA Golf | Cobra S3 Max (LH) | 10.5 | SOLE: (line), S3, MAX, cobra, (Cobra logo), (line) TOE: E9 FACE TECHNOLOGY CROWN: (Cobra logo alignment mark) HOSEL: (loft) view image here |
| Cobra PUMA Golf | Cobra S3 Max (Womens) (LH) | N/A | SOLE: (line), S3, MAX, cobra, (Cobra logo), (line) TOE: E9 FACE TECHNOLOGY CROWN: (Cobra logo alignment mark) HOSEL: (club number/letter) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|----------------------------------|------------|---|
| Cobra PUMA Golf | Cobra Women's Sapphire | 15 | SOLE: (vine graphic), (Sapphire over vine graphic), (cobra over Cobra logo), (vine graphic), (club number) CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | Darkspeed LS (Version 1) | 8,9,10.5 | SOLE: cobra, DARK, SPEED, HIGH, (weight port), (weight port), FADE, PWR BRIDGE, NEUTRAL, (weight port), PWRSHELL, LS CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:H.O.T. FACE, (circle media blast) |
| Cobra PUMA Golf | Darkspeed LS (Version 1) (LH) | 9,10.5 | SOLE: cobra, DARK, SPEED, (weight port), (weight port), HIGH, FADE, PWR BRIDGE, PWRSHELL, NEUTRAL, (weight port), LS CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:(circle media blast), H.O.T. FACE |
| Cobra PUMA Golf | Darkspeed LS (Version 2) | 6,8,9,10.5 | SOLE: cobra, DARK, SPEED, HIGH, (weight port), (weight port), FADE, PWR BRIDGE, NEUTRAL, (weight port), PWRSHELL, LS HOSEL: (orientation indicators) HEEL: (loft) FACE:(circle media blast) view image here |
| Cobra PUMA Golf | Darkspeed LS (Version 3) | 6 | SOLE: cobra, DARK, SPEED, HIGH, (weight port), (weight port), FADE, PWR BRIDGE, NEUTRAL, (weight port), PWRSHELL, LS HOSEL: (orientation indicators) HEEL: (loft) FACE:H.O.T. FACE, (circle media blast) view image here |
| Cobra PUMA Golf | Darkspeed Max | 9,10.5,12 | SOLE: cobra, DARK, SPEED, NEUTRAL, (weight port), PWR BRIDGE, PWRSHELL, MAX, DRAW, (weight port) CROWN: (cobra logo alignment mark), DARK SPEED HOSEL: (orientation indicators) HEEL: (loft) FACE:H.O.T. FACE, (circle media blast) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|---------------------------------|-----------|--|
| Cobra PUMA Golf | Darkspeed Max (LH) | 10.5,12 | SOLE: cobra, DARK, SPEED, PWR BRIDGE, (weight port), NEUTRAL, PWRSHELL, (weight port), DRAW, MAX CROWN: (cobra logo alignment mark), DARK SPEED HOSEL: (orientation indicators) HEEL: (loft) FACE:(circle media blast), H.O.T. FACE |
| Cobra PUMA Golf | Darkspeed X (Version 1) | 9,10.5,12 | SOLE: cobra, DARK, SPEED, HIGH, (weight port), NEUTRAL, (weight port), PWR BRIDGE, PWRSHELL, X CROWN: (cobra logo alignment mark), DARK SPEED HOSEL: (orientation indicators) HEEL: (loft) FACE:H.O.T. FACE, (circle media blast) view image here |
| Cobra PUMA Golf | Darkspeed X (Version 1) (LH) | 9,10.5 | SOLE: cobra, DARK, SPEED, PWR BRIDGE, (weight port), NEUTRAL, (weight port), HIGH, PWRSHELL, X CROWN: (cobra logo alignment mark), DARK SPEED HOSEL: (orientation indicators) HEEL: (loft) FACE:(circle media blast), H.O.T. FACE |
| Cobra PUMA Golf | Darkspeed X (Version 2) | 9,10.5 | SOLE: cobra, DARK, SPEED, HIGH, (weight port), NEUTRAL, (weight port), PWR BRIDGE, PWRSHELL, X HOSEL: (orientation indicators) HEEL: (loft) FACE:(circle media blast) |
| Cobra PUMA Golf | DS-Adapt LS (Version 1) | 9,10.5 | SOLE: DS-ADAPT, FADE (weight port), cobra, (weight port) HIGH, LS, NEUTRAL, (weight port) CROWN: (cobra logo alignment mark), DS-ADAPT HOSEL: (orientation indicators) HEEL: (loft) FACE:H.O.T. FACE |
| Cobra PUMA Golf | DS-Adapt LS (Version 2) | 9 | SOLE: DS-ADAPT, FADE (weight port), cobra, (weight port) HIGH, LS, NEUTRAL, (weight port) CROWN: DS-ADAPT HOSEL: (dot) (orientation indicators) HEEL: (loft) FACE:H.O.T. FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--------------------------|--------------------------------|---|
| Cobra PUMA Golf | DS-Adapt X (Version 1) | 9,10.5 | SOLE: DS-ADAPT, cobra, (weight port) HIGH, (weight port), LOW, X BACK: cobra CROWN: (cobra logo alignment mark), DS-ADAPT HOSEL: (orientation indicators) HEEL: (loft) FACE:H.O.T. FACE |
| Cobra PUMA Golf | Ferrari (Version 1) | 8.5,9.5,10.5 | SOLE: cobra, (curved line) (Ferrari logo between parallel lines), (curved line) CROWN: ((line) Ferrari (line) alignment mark) HOSEL: (loft) view image here |
| Cobra PUMA Golf | Fly-Z | 9,9.5,9.5,10.5,10.5,11.5,11.5, | SOLE: (curved lines), BACK CG ZONE, (curved lines), (traingular weight insert), (fourteen lines), FLY-Z, (line), SMARTPAD, cobra, (screw in port) CROWN: (Cobra logo alignment mark), (thirteen curved lines) HOSEL: (window w/ loft), (line) HEEL: MYFLY, LOFT (triangle) FACE:SPEED CHANNEL (eleven lines) view image here |
| Cobra PUMA Golf | Fly-Z (LH) | 9,9.5,9.5,10.5,10.5,11.5,11.5, | SOLE: (curved lines), cobra, SMARTPAD, (line), (fourteen lines), (traingular weight insert), BACK CG ZONE, FLY-Z, (curved lines), (screw in port) CROWN: (Cobra logo alignment mark), (thirteen curved lines) HOSEL: (window w/ loft), (line) HEEL: MYFLY, LOFT (triangle) FACE:(eleven lines), SPEED CHANNEL |
| Cobra PUMA Golf | Fly-Z (Womens's) (LH) | 10.5,11,11,12,12,13,13,13.5 | SOLE: (curved lines), cobra, SMARTPAD, (line), (fourteen lines), (traingular weight insert), BACK CG ZONE, FLY-Z, (curved lines), (screw in port) CROWN: (Cobra logo alignment mark), (thirteen curved lines) HOSEL: (window w/ loft), (line) HEEL: MYFLY, LOFT (triangle) FACE:(eleven lines), SPEED CHANNEL |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|---|--------------------------|--|
| Cobra PUMA Golf | Fly-Z+ | 8.5,9,9,10,10,11,11,11.5 | SOLE: (two curved lines), FLY-Z+, (channel w/ adjustable weight), (stripes), BACK CG, (curved arrow) FLIPZONE, (curved arrow), FRONT CG), cobra, SMARTPAD, (screw in port), CARBON FIBER (w/underline) ZONES (w/underline), (curved line) TOE: (Cobra logo) CROWN: (Cobra logo alignment mark), (nine curved lines) HOSEL: (window w/ loft) HEEL: MYFLY, LOFT (triangle) FACE:SPEED CHANNEL (eleven lines) |
| Cobra PUMA Golf | F-MAX Superlite | 9.5,10.5,11.5 | SOLE: cobra, SUPERLITE, F-MAX, DRAW, (loft) CROWN: cobra <u>view image here</u> |
| Cobra PUMA Golf | F-MAX Superlite (LH) | 10.5 | SOLE: cobra, SUPERLITE, F-MAX, DRAW, (loft) CROWN: cobra view image here |
| Cobra PUMA Golf | F-MAX Superlite Offset (Version 1) | N/A | SOLE: cobra, SUPERLITE, F-MAX, DRAW, OFFSET, (club number/letter) CROWN: cobra <u>view image here</u> |
| Cobra PUMA Golf | F-MAX Superlite Offset (Version 1) (LH) | N/A | SOLE: cobra, SUPERLITE, F-MAX, DRAW, OFFSET, (club number/letter) CROWN: cobra view image here |
| Cobra PUMA Golf | F-MAX Superlite Offset (Version 2) | 9.5,10.5,11.5 | SOLE: cobra, SUPERLITE, F-MAX, DRAW, OFFSET, (loft) CROWN: cobra <u>view image here</u> |
| Cobra PUMA Golf | F-MAX Superlite Offset (Version 2) (LH) | 10.5 | SOLE: cobra, SUPERLITE, F-MAX, DRAW, OFFSET, (loft) CROWN: cobra view image here |
| Cobra PUMA Golf | King Cobra 355 SZ Offset (Women's) | N/A | SOLE: 1, KING, cobra, 355 SZ, OFFSET, (nine dots), 31.2 CM² SWEET ZONE / .830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|----------------------------------|-------------|---|
| Cobra PUMA Golf | King Cobra 400 SZ | 7.5,9,10.5 | SOLE: (loft), KING, cobra, 400 SZ, (nine dots), 33.8 CM² SWEET ZONE / .830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) |
| Cobra PUMA Golf | King Cobra 400 SZ (LH) | 7.5,10.5 | SOLE: (loft), KING, cobra, 400 SZ, (nine dots), 33.8 CM² SWEET ZONE / .830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) |
| Cobra PUMA Golf | King Cobra 400 SZ Offset | 11 | SOLE: (loft), KING, cobra, 400 SZ, OFFSET, (nine dots), 33.8 CM² SWEET ZONE / .830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra 400 SZ Offset (LH) | 9,10.5 | SOLE: (loft), KING, cobra, 400 SZ, OFFSET, (nine dots), 33.8 CM² SWEET ZONE / .830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra 400 SZ Tour | 7.5,8.5,9.5 | SOLE: (loft), KING, cobra, 400 SZ, TOUR, (nine dots), 33.8 CM² SWEET ZONE / .830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) |
| Cobra PUMA Golf | King Cobra 400 SZ Tour (LH) | 7.5,8.5,9.5 | view image here SOLE: (loft), KING, cobra, 400 SZ, TOUR, (nine dots), 33.8 CM² SWEET ZONE / .830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra 414 Comp | 7.5,9,10.5 | SOLE: (loft), COMPOSITE TOP, KING, cobra, 414 COMP, 35.0 CM2SWEET ZONE/.830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra 414 Comp (LH) | 7.5,9,10.5 | SOLE: (loft), COMPOSITE TOP, KING, cobra, 414 COMP, 35.0 CM²SWEET ZONE/.830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra 414 Comp Tour | 7.5,8.5,9.5 | SOLE: (loft), COMPOSITE TOP, KING, cobra, 414 COMP, TOUR, 35.0 CM2SWEET ZONE/.830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|----------------------------------|---------------|---|
| Cobra PUMA Golf | King Cobra 414 Comp Tour (LH) | 7.5,8.5,9.5 | SOLE: (loft), COMPOSITE TOP, KING, cobra, 414 COMP, TOUR, 35.0 CM2SWEET ZONE/HI-COR, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra 440 SZ | 7.5,9,10.5,12 | SOLE: (loft), KING, cobra, 440 SZ, (nine dots), 37.7 CM² SWEET ZONE / .830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra 440 SZ (LH) | 7.5,9,10.5,12 | SOLE: (loft), KING, cobra, 440 SZ, (nine dots), 37.7 CM² SWEET ZONE / .830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra 450 SZ Tour | 4,5,6,7,8,9 | SOLE: (loft), KING, cobra, 450 SZ, TOUR, (nine dots), 41.0 CM² SWEET ZONE / .830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra 454 Comp | 7.5,9,10.5 | SOLE: (loft), COMPOSITE TOP, KING, cobra, 454 COMP, 41.0 CM²SWEET ZONE/.830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra 454 Comp (LH) | 7.5,9,10.5 | SOLE: (loft), COMPOSITE TOP, KING, cobra, 454 COMP, 41.0 CM2SWEET ZONE/.830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra 460 SZ | 9,10.5,12 | SOLE: (loft), KING, cobra, 460 SZ, (nine dots), 41.9 CM² SWEET ZONE / .830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra 460 SZ (LH) | 9,10.5,12 | SOLE: (loft), KING, cobra, 460 SZ, (nine dots), 41.9 CM² SWEET ZONE / .830, MILLED, TITANIUM CROWN: (Cobra logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|-------------|--|
| Cobra PUMA Golf | King Cobra F/Speed 460 (LH) (Version 3) | 8,9,10.5,12 | SOLE: (oval), (loft), KING, cobra, F/SPEED, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4200 G*cm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: F / SPEED RANGE 125-155 mph |
| Cobra PUMA Golf | King Cobra F/Speed 460 (Version 1) | 8,9,10.5,12 | SOLE: (oval), (loft), KING, cobra, F/SPEED, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4200 KG*mm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: F / SPEED RANGE 125-155 mph |
| Cobra PUMA Golf | King Cobra F/Speed 460 (Version 2) | 9.5,10.5 | SOLE: (three weights in oval insert), (loft), KING, cobra, F/SPEED, MILLED TITANIUM, 460cc, (three weights in oval insert) BACK: (Cobra logo on oval insert) TOE: MOI 4200 KG*mm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: F / SPEED RANGE 51-65 m/s |
| Cobra PUMA Golf | King Cobra F/Speed 460 (Version 3) | 8,9,10.5,12 | SOLE: (oval), (loft), KING, cobra, F/SPEED, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4200 G*cm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: F / SPEED RANGE 125-155 mph |
| Cobra PUMA Golf | King Cobra F/Speed 460 (Version 4) | 9.5,10.5 | SOLE: (three weights in oval insert), (loft), KING, cobra, F/SPEED, MILLED TITANIUM, 460cc, (three weights in oval insert) BACK: (Cobra logo on oval insert) TOE: MOI 4200 G*cm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: F / SPEED RANGE 51-65 m/s |
| Cobra PUMA Golf | King Cobra HS9 F/ST 460 (Version 1) | 10 | SOLE: (shield insert), (loft), (line), F/ST, KING, cobra, HS9, (shield insert), (shield insert) TOE: F / ST SPEED RANGE 125-155 mph CROWN: (Cobra logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|---------|---|
| Cobra PUMA Golf | King Cobra HS9 F/ST 460 (Version 2) | 9 | SOLE: (shield insert), (loft), (line), F/ST, KING, cobra, HS9, (shield insert), (shield insert) TOE: F / ST SPEED RANGE 125-155 mph CROWN: (Cobra logo alignment mark) HEEL: (c in square) view image here |
| Cobra PUMA Golf | King Cobra HS9 M/ST 460 | 10.5,12 | SOLE: (shield insert), (loft), (line), M/ST, KING, cobra, HS9, (shield insert), (shield insert) TOE: M / ST SPEED RANGE 110-125 mph CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra HS9 X/ST 460 | 8,9 | SOLE: (shield insert), (loft), (line), X/ST, KING, cobra, HS9, (shield insert), (shield insert) TOE: X / ST SPEED RANGE 155+ mph CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra L4V F Series | 8,9 | SOLE: F/(loft), KING, cobra, L4V, MAXIMUM, INERTIA, (Cobra logo) BACK: (line) TUNGSTEN WEIGHTING (line) TOE: (Cobra logo) cobra (line) CROWN: (Cobra logo alignment mark) FACE:L4V view image here |
| Cobra PUMA Golf | King Cobra L4V F Series (LH) | 8,10 | SOLE: F/(loft), KING, cobra, L4V, MAXIMUM, INERTIA, (Cobra logo) BACK: (line) TUNGSTEN WEIGHTING (line) TOE: (line) (Cobra logo) cobra CROWN: (Cobra logo alignment mark) FACE:L4V view image here |
| Cobra PUMA Golf | King Cobra L4V M Series | 8,10.5 | SOLE: M/(loft), KING, cobra, L4V, MAXIMUM, INERTIA, (Cobra logo) BACK: (line) TUNGSTEN WEIGHTING (line) TOE: (Cobra logo) cobra (line) CROWN: (Cobra logo alignment mark) FACE:L4V view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|---------------------------------------|-------------------|--|
| Cobra PUMA Golf | King Cobra L4V M Series (LH) | 8,12 | SOLE: M/(loft), KING, cobra, L4V, MAXIMUM, INERTIA, (Cobra logo) BACK: (line) TUNGSTEN WEIGHTING (line) TOE: (line) (Cobra logo) cobra CROWN: (Cobra logo alignment mark) FACE:L4V view image here |
| Cobra PUMA Golf | King Cobra L4V X Series | 8,8 | SOLE: X/(loft), KING, cobra, L4V, MAXIMUM, INERTIA, (Cobra logo) BACK: (line) TUNGSTEN WEIGHTING (line) TOE: (Cobra logo) cobra (line) CROWN: (Cobra logo alignment mark) FACE:L4V <u>view image here</u> |
| Cobra PUMA Golf | King Cobra L5V | 8.5,9.5,10.5,11.5 | SOLE: King, cobra, (Cobra logo), L5V, (weight port) TOE: •VOLUME •DIMENSIONS •INERTIA •COR CROWN: (Cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: •ADJUSTABLE /INTERCHANGEABLE (loft) view image here |
| Cobra PUMA Golf | King Cobra L5V (LH) | 9.5,10.5,11.5 | SOLE: King, cobra, (Cobra logo), L5V, (weight port) TOE: •VOLUME •DIMENSIONS •INERTIA •COR CROWN: (Cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) •ADJUSTABLE /INTERCHANGEABLE view image here |
| Cobra PUMA Golf | King Cobra M/Speed 460 (Version 1) | 11 | SOLE: (three weights in oval insert), (loft), KING, cobra, M/SPEED, MILLED TITANIUM, 460cc, (three weights in oval insert) BACK: (Cobra logo on oval insert) TOE: MOI 4100 KG*mm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: M / SPEED RANGE 46-57 m/s |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|-----------|---|
| Cobra PUMA Golf | King Cobra M/Speed 460 (Version 2) | 11 | SOLE: (three weights in oval insert), (loft), KING, cobra, M/SPEED, MILLED TITANIUM, 460cc, (three weights in oval insert) BACK: (Cobra logo on oval insert) TOE: MOI 4100 G*cm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: M / SPEED RANGE 46-57 m/s |
| Cobra PUMA Golf | King Cobra M/Speed 460 Offset (Senior) (Version 1) | 12 | SOLE: (oval), (loft), KING, cobra, M/SPEED, OFFSET, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4000 KG*mm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: M / SPEED RANGE < 110 mph |
| Cobra PUMA Golf | King Cobra M/Speed 460 Offset (Senior) (Version 2) | 12 | SOLE: (oval), (loft), KING, cobra, M/SPEED, OFFSET, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4000 G*cm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: M / SPEED RANGE < 110 mph |
| Cobra PUMA Golf | King Cobra M/Speed 460 Offset (Version 1) | 9,10.5,12 | SOLE: (oval), (loft), KING, cobra, M/SPEED, OFFSET, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4100 KG*mm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: M / SPEED RANGE 110-140 mph |
| Cobra PUMA Golf | King Cobra M/Speed 460 Offset (Version 2) | 9,10.5,12 | SOLE: (oval), (loft), KING, cobra, M/SPEED, OFFSET, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4100 G*cm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: M / SPEED RANGE 110-140 mph |
| Cobra PUMA Golf | King Cobra M/Speed 460 Offset (Version 2) (LH) | 9,10.5,12 | SOLE: (oval), (loft), KING, cobra, M/SPEED, OFFSET, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4100 G*cm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: M / SPEED RANGE 110-140 mph |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|---|-------------------|---|
| Cobra PUMA Golf | King Cobra M/Speed 460 Offset (Women's) (Version 1) | 14.5 | SOLE: (oval), 1, KING, cobra, M/SPEED, OFFSET, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4000 KG*mm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: M / SPEED RANGE < 100 mph |
| Cobra PUMA Golf | King Cobra M/Speed 460 Offset (Women's) (Version 2) | 14.5 | SOLE: (oval), 1, KING, cobra, M/SPEED, OFFSET, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4100 G*cm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: M / SPEED RANGE <100 mph |
| Cobra PUMA Golf | King Cobra S2 | 8.5,9.5,10.5,11.5 | SOLE: (cobra, (over Cobra logo), (seven ribbed lines), S2, (seven ribbed lines) CROWN: (Cobra logo alignment mark) HOSEL: AFT, (orientation indicators) HEEL: (loft) view image here |
| Cobra PUMA Golf | King Cobra S2 (LH) | 9.5,10.5 | SOLE: (cobra, (over Cobra logo), (seven ribbed lines), S2, (seven ribbed lines) CROWN: (Cobra logo alignment mark) HOSEL: AFT, (orientation indicators) HEEL: (loft) view image here |
| Cobra PUMA Golf | King Cobra S2 (Women's) | N/A | SOLE: ((cobra over Cobra logo), (seven ribbed lines), S2, (seven ribbed lines) CROWN: (Cobra logo alignment mark) HOSEL: AFT, (orientation indicators) HEEL: 1 |
| Cobra PUMA Golf | King Cobra S2 Offset | 9.5,10.5,11.5 | SOLE: (cobra, (over Cobra logo), (seven ribbed lines), S2, OFFSET, (seven ribbed lines) CROWN: (Cobra logo alignment mark) HEEL: (loft) view image here |
| Cobra PUMA Golf | King Cobra S2 Offset (LH) | 10.5 | SOLE: ((cobra over Cobra logo), (seven ribbed lines), S2, OFFSET, (seven ribbed lines) CROWN: (Cobra logo alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|--------------|---|
| Cobra PUMA Golf | King Cobra S2 Offset (Women's) | N/A | SOLE: ((cobra over Cobra logo), (seven ribbed lines), S2, OFFSET, (seven ribbed lines) CROWN: (Cobra logo alignment mark) HEEL: 1 view image here |
| Cobra PUMA Golf | King Cobra S2 Offset (Women's) (LH) | N/A | SOLE: ((cobra over Cobra logo), (seven ribbed lines), S2, OFFSET, (seven ribbed lines) CROWN: (Cobra logo alignment mark) HEEL: 1 |
| Cobra PUMA Golf | King Cobra S2 Pro | 8.5,9.5,10.5 | SOLE: (cobra over Cobra logo), (seven ribbed lines), S2, (seven ribbed lines), (port for shaft screw) CROWN: (Cobra logo alignment mark) HOSEL: AFT, (orientation indicators) HEEL: (loft)p |
| Cobra PUMA Golf | King Cobra S9-1 F/Speed Tuned | 9.5,10.5 | SOLE: (loft), KING, cobra, S9-1, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: F/SPEED TUNED view image here |
| Cobra PUMA Golf | King Cobra S9-1 F/Speed Tuned (LH) | 9.5,10.5 | SOLE: (loft), KING, cobra, S9-1, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: F/SPEED TUNED view image here |
| Cobra PUMA Golf | King Cobra S9-1 F/Speed Tuned (LH) (w/ Adjustable Hosel System) | 9.5,10.5 | SOLE: (loft), KING, cobra, S9-1, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: F/SPEED TUNED view image here |
| Cobra PUMA Golf | King Cobra S9-1 F/Speed Tuned (w/ Adjustable Hosel System) | 9.5,10.5 | SOLE: (loft), KING, cobra, S9-1, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: F/SPEED TUNED view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|-----------|---|
| Cobra PUMA Golf | King Cobra S9-1 M/Speed Tuned | 10.5,11.5 | SOLE: (loft), KING, cobra, S9-1, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: M/SPEED TUNED |
| Cobra PUMA Golf | King Cobra S9-1 M/Speed Tuned (LH) | 10.5,11.5 | view image here SOLE: (loft), KING, cobra, S9-1, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: M/SPEED TUNED |
| Cobra PUMA Golf | King Cobra S9-1 M/Speed Tuned (LH) (w/ Adjustable Hosel System) | 10.5,11.5 | view image here SOLE: (loft), KING, cobra, S9-1, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: M/SPEED TUNED |
| Cobra PUMA Golf | King Cobra S9-1 M/Speed Tuned (w/ Adjustable Hosel System) | 10.5,11.5 | SOLE: (loft), KING, cobra, S9-1, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: M/SPEED TUNED |
| Cobra PUMA Golf | King Cobra S9-1 M/Speed Tuned (Women's) | N/A | SOLE: 1, KING, cobra, S9-1, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: M/SPEED TUNED view image here |
| Cobra PUMA Golf | King Cobra S9-1 M/Speed Tuned (Women's) (LH) | N/A | SOLE: 1, KING, cobra, S9-1, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: M/SPEED TUNED view image here |
| Cobra PUMA Golf | King Cobra S9-1 M/Speed Tuned Ladies (w/ Adjustable Hosel System) | N/A | SOLE: 1, KING, cobra, S9-1, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: M/SPEED TUNED view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|------------------|---|
| Cobra PUMA Golf | King Cobra S9-1 M/Speed Tuned Offset | 9.5,10.5 | SOLE: (loft), KING, cobra, S9-1, OFFSET, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: M/SPEED TUNED view image here |
| Cobra PUMA Golf | King Cobra S9-1 M/Speed Tuned Offset (LH) | 9.5,10.5 | SOLE: (loft), KING, cobra, S9-1, OFFSET, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: M/SPEED TUNED |
| Cobra PUMA Golf | King Cobra S9-1 M/Speed Tuned Offset (Senior) | 11.5 | SOLE: (loft), KING, cobra, S9-1, OFFSET, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: M/SPEED TUNED view image here |
| Cobra PUMA Golf | King Cobra S9-1 M/Speed Tuned Offset (Senior) (LH) | 11.5 | SOLE: (loft), KING, cobra, S9-1, OFFSET, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: M/SPEED TUNED view image here |
| Cobra PUMA Golf | King Cobra S9-1 M/Speed Tuned Offset (Women's) | N/A | SOLE: 1, KING, cobra, S9-1, OFFSET, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: M/SPEED TUNED view image here |
| Cobra PUMA Golf | King Cobra S9-1 M/Speed Tuned Offset (Women's) (LH) | N/A | SOLE: 1, KING, cobra, S9-1, OFFSET, (Cobra logo on trapezoid insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: M/SPEED TUNED view image here |
| Cobra PUMA Golf | King Cobra S9-1 Pro D | 7.5,8.5,9.5,10.5 | SOLE: (loft), KING, cobra, S9-1, PRO D, (weight port) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: CARBON TECHNOLOGY view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|---|------------------|---|
| Cobra PUMA Golf | King Cobra S9-1 Pro D (LH) | 9.5,10.5 | SOLE: (loft), KING, cobra, S9-1, PRO D, (weight port) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: CARBON TECHNOLOGY view image here |
| Cobra PUMA Golf | King Cobra S9-1 Pro S | 7.5,8.5,9.5,10.5 | SOLE: (loft), KING, cobra, S9-1, PRO S, (weight port) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: CARBON TECHNOLOGY view image here |
| Cobra PUMA Golf | King Cobra S9-1 Pro S (LH) | 9.5,10.5 | SOLE: (loft), KING, cobra, S9-1, PRO S, (weight port) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) HEEL: CARBON TECHNOLOGY view image here |
| Cobra PUMA Golf | King Cobra Speed LD F Series (LH) (Version 3) | 9.5,10.5 | SOLE: F/(loft), KING, cobra, SPEED LD, HIGH INERTIA, (FREQUENCY, (Cobra logo), TUNED on quadrilateral insert) CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra Speed LD F Series (Version 1) | 9,10.5 | SOLE: F/(loft), KING, cobra, SPEED LD, 5000 INERTIA, (F on shield insert) TOE: 460 CC/.83 COR/HOT ZONE 52 cm² CROWN: (Cobra logo alignment mark) HEEL: F/SPEED RANGE 125-155 mph |
| Cobra PUMA Golf | King Cobra Speed LD F Series (Version 1) (LH) | 9,10.5 | SOLE: F/(loft), KING, cobra, SPEED LD, 5000 INERTIA, (F on shield insert) TOE: 460 CC/.83 COR/HOT ZONE 52 cm² CROWN: (Cobra logo alignment mark) HEEL: F/SPEED RANGE 125-155 mph |
| Cobra PUMA Golf | King Cobra Speed LD F Series (Version 2) | 9.5,10.5 | SOLE: F/(loft), KING, cobra, SPEED LD, 5000 INERTIA, (F on shield insert) TOE: 460 CC/.83 COR/HOT ZONE 52 cm² CROWN: (Cobra logo alignment mark) HEEL: F/SPEED RANGE 51-65 m/s view image here |
| Cobra PUMA Golf | King Cobra Speed LD F Series (Version 3) | 9.5,10.5 | SOLE: F/(loft), KING, cobra, SPEED LD, HIGH INERTIA, (FREQUENCY, (Cobra logo), TUNED on quadrilateral insert) CROWN: (Cobra logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|-------------|--|
| Cobra PUMA Golf | King Cobra Speed LD M Series (LH) (Version 1) | 10.5,12 | SOLE: M/(loft), KING, cobra, SPEED LD, 5000 INERTIA, (M on shield insert) TOE: 460 CC/.83 COR/HOT ZONE 52 cm² CROWN: (Cobra logo alignment mark) HEEL: M/SPEED RANGE 110-140 mph |
| Cobra PUMA Golf | King Cobra Speed LD M Series (LH) (Version 3) | 10.5,12 | SOLE: M/(loft), KING, cobra, SPEED LD, HIGH INERTIA, (FREQUENCY, (Cobra logo), TUNED on quadrilateral insert) CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra Speed LD M Series (Version 1) | 10.5,12 | SOLE: M/(loft), KING, cobra, SPEED LD, 5000 INERTIA, (M on shield insert) TOE: 460 CC/.83 COR/HOT ZONE 52 cm² CROWN: (Cobra logo alignment mark) HEEL: M/SPEED RANGE 110-140 mph |
| Cobra PUMA Golf | King Cobra Speed LD M Series (Version 2) | 9.5,10.5,12 | SOLE: M/(loft), KING, cobra, SPEED LD, 5000 INERTIA, (M on shield insert) TOE: 460 CC/.83 COR/HOT ZONE 52 cm² CROWN: (Cobra logo alignment mark) HEEL: M/SPEED RANGE 46-57 m/s |
| Cobra PUMA Golf | King Cobra Speed LD M Series (Version 3) | 10.5,12 | SOLE: M/(loft), KING, cobra, SPEED LD, HIGH INERTIA, (FREQUENCY, (Cobra logo), TUNED on quadrilateral insert) CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra Speed LD M Series Offset (LH) (Version 1) | 9,10.5 | SOLE: M/(loft), KING, cobra, SPEED LD, OFFSET, 5000 INERTIA, (M on shield insert) TOE: 460 CC/.83 COR/HOT ZONE 52 cm² CROWN: (Cobra logo alignment mark) HEEL: M/SPEED RANGE 110-140 mph view image here |
| Cobra PUMA Golf | King Cobra Speed LD M Series Offset (Senior) | 12 | SOLE: M/(loft), KING, cobra, SPEED LD, OFFSET, 5000 INERTIA, (M on shield insert) TOE: 460 CC/.83 COR/HOT ZONE 52 cm² CROWN: (Cobra logo alignment mark) HEEL: M/SPEED RANGE <110 mph view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|-------------|--|
| Cobra PUMA Golf | King Cobra Speed LD M Series Offset (Senior) (LH) | 12 | SOLE: M/(loft), KING, cobra, SPEED LD, OFFSET, 5000 INERTIA, (M on shield insert) TOE: 460 CC/.83 COR/HOT ZONE 52 cm² CROWN: (Cobra logo alignment mark) HEEL: M/SPEED RANGE <110 mph view image here |
| Cobra PUMA Golf | King Cobra Speed LD M Series Offset (Version 1) | 9,10.5 | SOLE: M/(loft), KING, cobra, SPEED LD, OFFSET, 5000 INERTIA, (M on shield insert) TOE: 460 CC/.83 COR/HOT ZONE 52 cm² CROWN: (Cobra logo alignment mark) HEEL: M/SPEED RANGE 110-140 mph view image here |
| Cobra PUMA Golf | King Cobra Speed LD M Series Offset (Womens) (LH) (Ver.3) | N/A | SOLE: 1, KING, cobra, SPEED LD, OFFSET, 5000 INERTIA, (M on shield insert) TOE: 460 CC/.83 COR/HOT ZONE 52 cm² CROWN: (Cobra logo alignment mark) HEEL: m/SPEED RANGE < 100 mph view image here |
| Cobra PUMA Golf | King Cobra Speed LD M Series Offset (Womens) (Version 1) | N/A | SOLE: 1, KING, cobra, SPEED LD, OFFSET, 5000 INERTIA, (M on shield insert) CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra Speed LD M Series Offset (Womens) (Version 2) | N/A | SOLE: 1, KING, cobra, SPEED LD, OFFSET, 5000 INERTIA, (M on shield insert) TOE: 460 CC/.83 COR/HOT ZONE 52 cm² CROWN: (Cobra logo alignment mark) HEEL: m/SPEED RANGE < 45 m/s |
| Cobra PUMA Golf | King Cobra Speed LD M Series Offset Womens (LH) (Ver. 4) | 9.5,10.5,12 | SOLE: M/(loft), KING, cobra, SPEED LD, OFFSET, HIGH INERTIA, (FREQUENCY, (Cobra logo), TUNED on quadrilateral insert) CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra Speed LD M Series Offset Womens (Ver. 4) | 9.5,10.5,12 | SOLE: M/(loft), KING, cobra, SPEED LD, OFFSET, HIGH INERTIA, (FREQUENCY, (Cobra logo), TUNED on quadrilateral insert) CROWN: (Cobra logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|------------------------------|--|
| Cobra PUMA Golf | King Cobra Speed LD Offset Womens | N/A | SOLE: 1, KING, cobra, SPEED LD, OFFSET, HIGH INERTIA, (FREQUENCY, (Cobra logo), TUNED on quadrilateral insert) CROWN: (Cobra logo alignment mark) |
| | | | view image here |
| Cobra PUMA Golf | King Cobra Speed LD Offset Womens (LH) | N/A | SOLE: 1, KING, cobra, SPEED LD, OFFSET, HIGH INERTIA, (FREQUENCY, (Cobra logo), TUNED on quadrilateral insert) CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra Speed Pro | 4.5,5.5,6.5,7.5,8.5,9.5,10.5 | SOLE: X/(loft), KING, cobra, SPEED PRO D |
| CODIA POMA GOII | D X Series (Version 1) | 4.0,0.0,0.0,1.0,0.0,0.0,10.0 | BACK: (circular weight) TOE: (Cobra logo)cobra CROWN: (Cobra logo alignment mark) HEEL: X/SPEED RANGE 150+ mph |
| | | | view image here |
| Cobra PUMA Golf | King Cobra Speed Pro D X Series (Version 1) (LH) | 9.5,10.5 | SOLE: X/(loft), KING, cobra, SPEED PRO D BACK: (circular weight) TOE: (Cobra logo)cobra CROWN: (Cobra logo alignment mark) HEEL: X/SPEED RANGE 150+ mph |
| | | | view image here |
| Cobra PUMA Golf | King Cobra Speed Pro D X Series (Version 2) | 8.5,10.5 | SOLE: X/(loft), KING, cobra, SPEED PRO D BACK: (circular weight plug) TOE: (Cobra logo)cobra CROWN: (Cobra logo alignment mark) HEEL: X/SPEED RANGE 63+ m/s |
| Cobra PUMA Golf | King Cobra Speed Pro | 9.5 | SOLE: X/(loft), KING, cobra, SPEED PRO D |
| | D X Series (Version 2) (LH) | | BACK: (circular weight plug) TOE: (Cobra logo)cobra CROWN: (Cobra logo alignment mark) HEEL: X/SPEED RANGE 63+ m/s |
| Cobra PUMA Golf | King Cobra Speed Pro D X Series (Version 3) | 4.5 | SOLE: X/(loft), KING, cobra, SPEED PRO D BACK: (circular weight) TOE: (Cobra logo)cobra CROWN: (Cobra logo alignment mark) HEEL: X/SPEED RANGE 150+ mph FACE:15-333@3.4 view image here |
| Cobra PUMA Golf | King Cobra Speed Pro D X Series (Version 4) | 4.5,5.5,6.5 | SOLE: X/(loft), KING, cobra, SPEED PRO D BACK: (circular weight plug) TOE: (Cobra logo)cobra CROWN: (Cobra logo alignment mark) view image here |
| | | | view image nore |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|------------------|--|
| Cobra PUMA Golf | King Cobra Speed Pro LD X Series | 8.5,9.5,10.5 | SOLE: X/(loft), KING, cobra, SPEED PRO LD, 5000 INERTIA, (X on shield insert) TOE: (Cobra logo)cobra CROWN: (Cobra logo alignment mark) HEEL: X/SPEED RANGE 150+ mph |
| Cobra PUMA Golf | King Cobra Speed Pro S Plus X | 7.5,8.5,9.5,10.5 | SOLE: X/(loft), KING, cobra, SPEED PRO S+ BACK: (circular weight) TOE: (Cobra logo)cobra CROWN: (Cobra logo alignment mark) HEEL: X/SPEED RANGE 150+ mph |
| Cobra PUMA Golf | King Cobra Speed Pro S Plus X (LH) | 9.5,10.5 | SOLE: X/(loft), KING, cobra, SPEED PRO S+ BACK: (circular weight) TOE: (Cobra logo)cobra CROWN: (Cobra logo alignment mark) HEEL: X/SPEED RANGE 150+ mph |
| Cobra PUMA Golf | King Cobra Speed Pro S X Series (Version 1) | 7.5,8.5,9.5,10.5 | SOLE: X/(loft), KING, cobra, SPEED PRO S BACK: (circular weight) TOE: (Cobra logo)cobra CROWN: (Cobra logo alignment mark) HEEL: X/SPEED RANGE 150+ mph |
| Cobra PUMA Golf | King Cobra Speed Pro S X Series (Version 1) (LH) | 9.5,10.5 | SOLE: X/(loft), KING, cobra, SPEED PRO S BACK: (circular weight) TOE: (Cobra logo)cobra CROWN: (Cobra logo alignment mark) HEEL: X/SPEED RANGE 150+ mph |
| Cobra PUMA Golf | King Cobra Speed Pro S X Series (Version 2) | 8.5,9.5,10.5 | SOLE: X/(loft), KING, cobra, SPEED PRO S BACK: (circular weight plug) TOE: (Cobra logo)cobra CROWN: (Cobra logo alignment mark) HEEL: X/SPEED RANGE 63+ m/s |
| Cobra PUMA Golf | King Cobra Speed Pro S X Series (Version 2) (LH) | 9.5 | SOLE: X/(loft), KING, cobra, SPEED PRO S BACK: (circular weight plug) TOE: (Cobra logo)cobra CROWN: (Cobra logo alignment mark) HEEL: X/SPEED RANGE 63+ m/s view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--------------------------------|-------------|---|
| Cobra PUMA Golf | King Cobra SS 310 Tour | 7.5,9,10.5 | SOLE: (loft), KING, COBRA, TOUR, SS, (line), 310, BETA TITANIUM, .825 C.O.R. / 20.5 CM² SWEET SPOT CROWN: (Cobra logo alignment mark) |
| Cobra PUMA Golf | King Cobra SS 350 | 9 | SOLE: (loft), King, cobra, SS, (line), 350, BETA TITANIUM, .825 C.O.R. / 25.0 CM² SWEET SPOT CROWN: (Cobra logo alignment mark) |
| Cobra PUMA Golf | King Cobra SS 350 Offset | 9 | SOLE: (loft), KING, cobra, OFFSET SS, (line), 350, BETA TITANIUM, .825 C.O.R. / 25.0 CM² SWEET SPOT CROWN: (Cobra logo alignment mark) |
| Cobra PUMA Golf | King Cobra SS 350 Tour | 7.5,8.5,9.5 | SOLE: (loft), King, cobra, TOUR SS, (line), 350, BETA TITANIUM, .825 C.O.R./ 25.0 CM² SWEET SPOT CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra SS 350 Tour (LH) | 7.5,8.5,9.5 | SOLE: (loft), KING, cobra, TOUR SS, (line), 350, BETA TITANIUM, .825 C.O.R. / 25.0 CM ² SWEET SPOT CROWN: (Cobra logo alignment mark) |
| Cobra PUMA Golf | King Cobra SS 370 Tour | 7.5,8.5,9.5 | view image here SOLE: (loft), KING, cobra, TOUR, SS, (line), 370, BETA TITANIUM, TOUR C.O.R. / 26.0 CM² SWEET SPOT CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra SS 370 Tour (LH) | 7.5,8.5 | SOLE: (loft), KING, cobra, TOUR SS, (line), 370, BETA TITANIUM, TOUR C.O.R. / 26.0 CM² SWEET SPOT CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra SS 380 | 9,10.5 | SOLE: (loft), KING, cobra, SS, (line), 380, BETA TITANIUM, .827 C.O.R. / 26.5 CM² SWEET SPOT CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra SS 380 (LH) | 7.5,10.5 | SOLE: (loft), KING, cobra, SS, (line), 380, BETA TITANIUM, .827 C.O.R. / 26.5 CM² SWEET SPOT CROWN: (Cobra logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|------------------|--|
| Cobra PUMA Golf | King Cobra SS 427 | 9,10.5 | SOLE: (loft), KING, cobra, SS, (line), 427, BETA TITANIUM, .828 C.O.R. / 27.0 CM² SWEET SPOT CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra X/Speed 460 (LH) (Version 3) | 7.5,8.5,9.5,10.5 | SOLE: (oval), (loft), KING, cobra, X/SPEED, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4200 G*cm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: X / SPEED RANGE 150+ mph |
| Cobra PUMA Golf | King Cobra X/Speed 460 (Version 1) | 7.5,8.5,9.5,10.5 | SOLE: (oval), (loft), KING, cobra, X/SPEED, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4200 KG*mm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: X / SPEED RANGE 150 mph |
| Cobra PUMA Golf | King Cobra X/Speed 460 (Version 2) | 9 | SOLE: (three weights in oval insert), (loft), KING, cobra, X/SPEED, MILLED TITANIUM, 460cc, (three weights in oval insert) BACK: (Cobra logo on oval insert) TOE: MOI 4200 KG*mm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: X / SPEED RANGE 63+ m/s |
| Cobra PUMA Golf | King Cobra X/Speed 460 (Version 3) | 7.5,8.5,9.5,10.5 | SOLE: (oval), (loft), KING, cobra, X/SPEED, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4200 G*cm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: X / SPEED RANGE 150+ mph |
| Cobra PUMA Golf | King Cobra X/Speed 460 (Version 4) | 9 | SOLE: (three weights in oval insert), (loft), KING, cobra, X/SPEED, MILLED TITANIUM, 460cc, (three weights in oval insert) BACK: (Cobra logo on oval insert) TOE: MOI 4200 G*cm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: X / SPEED RANGE 63+ m/s |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|------------------------------|--------------|--|
| Cobra PUMA Golf | King Cobra X/Speed XB | 7.5,8.5,9.5 | SOLE: (oval), (loft), KING, cobra, X/SPEED, (oval) BACK: (Cobra logo on oval insert) CROWN: (Cobra logo alignment mark) FACE:XB view image here |
| Cobra PUMA Golf | King Cobra X/Speed XC | 7.5,8.5,9.5 | SOLE: (oval), (loft), KING, cobra, X/SPEED, (oval) BACK: (Cobra logo on oval insert) CROWN: (Cobra logo alignment mark) FACE:XC view image here |
| Cobra PUMA Golf | King Cobra X/Speed XD | 7.5,8.5,9.5 | SOLE: (oval), (loft), KING, cobra, X/SPEED, (oval) BACK: (Cobra logo on oval insert) CROWN: (Cobra logo alignment mark) FACE:XD view image here |
| Cobra PUMA Golf | King Cobra X/Speed XE | 8.5,9.5,10.5 | SOLE: (oval), (loft), KING, cobra, X/SPEED, (oval) BACK: (Cobra logo on oval insert) CROWN: (Cobra logo alignment mark) FACE:xe view image here |
| Cobra PUMA Golf | King Cobra X/Speed XF | 8.5,9.5,10.5 | SOLE: (oval), (loft), KING, cobra, X/SPEED, (oval) BACK: (Cobra logo on oval insert) CROWN: (Cobra logo alignment mark) FACE:xf view image here |
| Cobra PUMA Golf | King Cobra X/Speed XG | 8.5,9.5,10.5 | SOLE: (oval), (loft), KING, cobra, X/SPEED, (oval) BACK: (Cobra logo on oval insert) CROWN: (Cobra logo alignment mark) FACE:xg view image here |
| Cobra PUMA Golf | King Cobra X/Speed XN 460 | 9.5 | SOLE: (oval), (loft), KING, cobra, X/SPEED, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) FACE:XN view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|---------------------|--|
| Cobra PUMA Golf | King Cobra X/Speed XT | 8.5,9.5,10.5 | SOLE: (oval), (loft), KING, cobra, X/SPEED, XT, (oval) BACK: (Cobra logo on oval insert) CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra X/Speed XV 460 | 8.5,9.5,10.5 | SOLE: (oval), (loft), KING, cobra, X/SPEED, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: (Cobra logo) cobra CROWN: (Cobra logo alignment mark) FACE:XV view image here |
| Cobra PUMA Golf | King Cobra XX/Speed (Z) 460cc (Version 1) | 4.5,5.5 | SOLE: (oval), (loft)z, KING, cobra, XX/SPEED, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra XX/Speed (Z) 460cc (Version 2) | 5.5 | SOLE: (oval), (loft)z, KING, cobra, XX/SPEED, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4200 KG*mm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: XX / SPEED RANGE 165+ mph |
| Cobra PUMA Golf | King Cobra XX/Speed 460cc (Version 1) | 4.5,5.5,6.5,7.5,8.5 | view image here SOLE: (oval), (loft), KING, cobra, XX/SPEED, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) CROWN: (Cobra logo alignment mark) view image here |
| Cobra PUMA Golf | King Cobra XX/Speed 460cc (Version 2) | 5.5,6.5,7.5,8.5 | SOLE: (oval), (loft), KING, cobra, XX/SPEED, MILLED TITANIUM, 460cc, (oval) BACK: (Cobra logo on oval insert) TOE: MOI 4200 G*cm²/HOT ZONE 54.5 cm² CROWN: (Cobra logo alignment mark) HEEL: XX / SPEED RANGE 165+ mph |
| Cobra PUMA Golf | King Cobra ZL | 8.5,9.5,10.5,11.5 | SOLE: (cobra, (over Cobra logo), Z, ZERO, L, LIMITS, (weight port) BACK: MAXIMUM DISTANCE ENGINEERED CROWN: (Cobra logo alignment mark) HOSEL: AFT, (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--------------------|----------|---|
| Cobra PUMA Golf | King Cobra ZL (LH) | 9.5,10.5 | SOLE: (cobra, (over Cobra logo), Z, ZERO, L, LIMITS, (weight port) BACK: MAXIMUM DISTANCE ENGINEERED CROWN: (Cobra logo alignment mark) HOSEL: AFT, (orientation indicators) HEEL: (loft) view image here |
| Cobra PUMA Golf | King F6 | N/A | SOLE: KING F6, TOWERING, PENETRATING, SMARTPAD CROWN: (Cobra logo alignment mark) HOSEL: (window w/ loft) HEEL: COBRA, MYFLY, LOFT (triangle) FACE:(Speed Channel media blast) view image here |
| Cobra PUMA Golf | King F6 (LH) | N/A | SOLE: KING F6, PENETRATING, TOWERING, SMARTPAD CROWN: (Cobra logo alignment mark) HOSEL: (window w/ loft) HEEL: MYFLY, LOFT (triangle), COBRA FACE:(Speed Channel media blast) view image here |
| Cobra PUMA Golf | King F6+ | N/A | SOLE: KING F6+, TOWERING, MID, PENETRATING, CARBONTRAC, (line), TRAJECTORIES, (line), (position indicators), SMARTPAD CROWN: (Cobra logo alignment mark) HOSEL: (window w/ loft) HEEL: COBRA, MYFLY, LOFT (triangle) FACE:(Speed Channel media blast) view image here |
| Cobra PUMA Golf | King F6+ (LH) | N/A | SOLE: KING F6+, PENETRATING, MID, TOWERING, CARBONTRAC, (line), TRAJECTORIES, (line), (position indicators), SMARTPAD CROWN: (Cobra logo alignment mark) HOSEL: (window w/ loft) HEEL: MYFLY, LOFT (triangle), COBRA FACE:(Speed Channel media blast) |
| Cobra PUMA Golf | King F6+ Pro | N/A | SOLE: KING F6+, PRO, TOWERING, MID, PENETRATING, CARBONTRAC, (line), TRAJECTORIES, (line), (position indicators), SMARTPAD CROWN: (Cobra logo alignment mark) HOSEL: (window w/ loft) HEEL: COBRA, MYFLY, LOFT (triangle) FACE:(Speed Channel media blast) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|---------------------|-------|--|
| Cobra PUMA Golf | King F7 (LH) | N/A | SOLE: COBRA, KING F7, LOW, HIGH, SMARTPAD, DRAW CROWN: COBRA, (two lines), TEXTREME CARBON, (two lines) HOSEL: (window w/ loft) HEEL: MYFLY, LOFT (triangle) |
| Cobra PUMA Golf | King F7 (Version 2) | N/A | SOLE: COBRA, KING F7, HIGH, LOW, SMARTPAD, DRAW CROWN: COBRA, (two lines), TEXTREME CARBON, (two lines) HOSEL: (window w/ loft) HEEL: MYFLY, LOFT (triangle) |
| Cobra PUMA Golf | King F7 (Version 3) | N/A | SOLE: COBRA, KING F7 (line), HIGH, LOW, SMARTPAD, DRAW CROWN: COBRA, TEXTREME CARBON HOSEL: (window w/ loft) HEEL: MYFLY, LOFT (triangle) view image here |
| Cobra PUMA Golf | King F7+ | N/A | SOLE: COBRA, KING F7+, HIGH, LOW, SMARTPAD, DRAW CROWN: COBRA, (two lines), TEXTREME CARBON, (two lines) HOSEL: (window w/ loft) HEEL: MYFLY, LOFT (triangle) |
| Cobra PUMA Golf | King F7+ (LH) | N/A | SOLE: COBRA, KING F7+, LOW, HIGH, SMARTPAD, DRAW CROWN: COBRA, (two lines), TEXTREME CARBON, (two lines) HOSEL: (window w/ loft) HEEL: MYFLY, LOFT (triangle) |
| Cobra PUMA Golf | King F8 | N/A | SOLE: COBRA, HIGH, KING, F8, SMARTPAD, DRAW TOE: 360° AERO (w/ AERO in oval) CROWN: (Cobra logo alignment mark), ULTRALIGHT CARBON FIBER HOSEL: (window w/ loft) HEEL: MYFLY, LOFT (triangle) FACE:CNC MILLED view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|-------------------------------------|--------------------|---|
| Cobra PUMA Golf | King F8+ | N/A | SOLE: COBRA, HIGH, KING, F8+, SMARTPAD, LOW TOE: 360° AERO (w/ AERO in oval) CROWN: (Cobra logo alignment mark), ULTRALIGHT CARBON FIBER HOSEL: (window w/ loft) HEEL: MYFLY, LOFT (triangle) FACE:CNC MILLED |
| Cobra PUMA Golf | King F9 Speedback | 7.5,9,10.5,12,12.5 | SOLE: ULTRALITE CARBON WRAP, cobra, (weight indicator)G), HI, LO, (weight indicator)G), KING F9 BACK: SPEEDBACK TOE: 360° AERO CROWN: (Cobra logo alignment mark) HOSEL: MYFLY, (window w/ loft orientation indicator) HEEL: (loft) FACE:CNCMILLED, E9 SPEED TUNED |
| Cobra PUMA Golf | King F9 Speedback (LH) | 9,10.5,12 | SOLE: ULTRALITE CARBON WRAP, cobra, (weight indicator)G), LO, HI, (weight indicator)G), KING F9 BACK: SPEEDBACK TOE: 360° AERO CROWN: (Cobra logo alignment mark) HOSEL: MYFLY, (window w/ loft orientation indicator) HEEL: (loft) FACE:CNCMILLED, E9 SPEED TUNED |
| Cobra PUMA Golf | King F9 Speedback (Women's) (LH) | 12.5 | SOLE: ULTRALITE CARBON WRAP, cobra, (weight indicator)G), LO, HI, (weight indicator)G), KING F9 BACK: SPEEDBACK TOE: 360° AERO CROWN: (Cobra logo alignment mark) HOSEL: MYFLY, (window w/ loft orientation indicator) HEEL: (loft) FACE:CNCMILLED, E9 SPEED TUNED view image here |
| Cobra PUMA Golf | King Jr (Version 2) | N/A | SOLE: KING JR, DRIVER CROWN: (Cobra logo alignment mark) HEEL: cobra FACE:JR view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|-----------------------------|-----------|--|
| Cobra PUMA Golf | King Jr (Version 2) (LH) | N/A | SOLE: KING JR, DRIVER CROWN: (Cobra logo alignment mark) HEEL: cobra FACE:JR view image here |
| Cobra PUMA Golf | King Ltd | N/A | SOLE: KING, LTD, ((SPACEPORT, INTERNAL ACCESS on outer ring of spoked viewing panel), (SPACE IS IN IT (dot) SPACE IS IN IT (dot) on inner viewing panel)), SMARTPAD, cobra CROWN: (Cobra logo alignment mark) HOSEL: (window w/ loft) HEEL: MYFLY, LOFT (triangle) FACE:(Speed Channel media blast) view image here |
| Cobra PUMA Golf | King LTD Black | N/A | SOLE: KING, LTD BLACK, ((SPACEPORT, INTERNAL ACCESS on outer ring of spoked viewing panel), (SPACE IS IN IT (dot) SPACE IS IN IT (dot) on inner viewing panel)), SMARTPAD, cobra CROWN: (Cobra logo alignment mark) HOSEL: (window w/ loft) HEEL: MYFLY, LOFT (triangle) |
| Cobra PUMA Golf | King Ltd Pro | N/A | view image here SOLE: KING, LTD PRO, ((SPACEPORT, INTERNAL ACCESS on outer ring of spoked viewing panel), (SPACE IS IN IT (dot) SPACE IS IN IT (dot) on inner viewing panel)), SMARTPAD, cobra CROWN: (Cobra logo alignment mark) HOSEL: (window w/ loft) HEEL: MYFLY, LOFT (triangle) FACE:(Speed Channel media blast) |
| Cobra PUMA Golf | King LTDx (Version 1) | 9,10.5,12 | SOLE: cobra, (weight port), PWR, COR, KING, LTDx BACK: cobra TOE: (infinity symbol)CNCMILLED CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:H.O.T. FACE, (infinity symbol in circle media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|----------------------------------|-----------|--|
| Cobra PUMA Golf | King LTDx (Version 1) (LH) | 9,10.5,12 | SOLE: cobra, PWR, COR, KING, (weight port), LTDx BACK: cobra TOE: (infinity symbol)CNCMILLED CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol in circle media blast), H.O.T. FACE view image here |
| Cobra PUMA Golf | King LTDx (Version 3) | 7.5 | SOLE: cobra, (weight port), PWR, COR, KING, LTDx BACK: cobra HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol in circle media blast) view image here |
| Cobra PUMA Golf | King LTDx LS (Version 1) | 9,10.5 | SOLE: cobra, (weight port), PWR, COR, (weight port), KING, LTDxLS BACK: cobra TOE: (infinity symbol)CNCMILLED CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:H.O.T. FACE, (infinity symbol in circle media blast) view image here |
| Cobra PUMA Golf | King LTDx LS (Version 1) (LH) | 9,10.5 | SOLE: cobra, (weight port), PWR, COR, (weight port), KING, LTDxLS BACK: cobra TOE: (infinity symbol)CNCMILLED CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol in circle media blast), H.O.T. FACE view image here |
| Cobra PUMA Golf | King LTDx LS (Version 2) | 9 | SOLE: cobra, (weight port), PWR, COR, (weight port), KING, LTDxLS BACK: cobra TOE: (infinity symbol)CNCMILLED HOSEL: (orientation indicators) HEEL: (loft) FACE:H.O.T. FACE, (infinity symbol in circle media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|-----------------------------------|------------|--|
| Cobra PUMA Golf | King LTDx LS (Version 3) | 5.5 | SOLE: cobra, (weight port), PWR, COR, (weight port), KING, LTDxLS BACK: cobra HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol in circle media blast) view image here |
| Cobra PUMA Golf | King LTDx Max | 9,10.5,12 | SOLE: cobra, NEUTRAL, (weight port), THIN-PLY CARBON, PWR, COR, KING, LTDx, MAX, DRAW, (weight port) BACK: cobra TOE: (infinity symbol), CNCMILLED CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:H.O.T. FACE, (infinity symbol in circle media blast) view image here |
| Cobra PUMA Golf | King LTDx Max (LH) | 9,10.5,12 | SOLE: cobra, THIN-PLY CARBON, PWR, COR, KING, (weight port), NEUTRAL, LTDx, MAX, DRAW, (weight port) BACK: cobra TOE: (infinity symbol), CNCMILLED CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol in circle media blast), H.O.T. FACE |
| Cobra PUMA Golf | King Radspeed (Version 1) | 5.5,9,10.5 | SOLE: RADSPEED, (weight port), HI, cobra, LO, (weight port), RADIAL, 8, 8, WEIGHTS, CARBON THIN-PLY WRAP BACK: RAD, SPEED, 8G TOE: KING, CNC MILLED CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol)FACE, (infinity symbol media blast) view image here |
| Cobra PUMA Golf | King Radspeed (Version 1) (LH) | 9,10.5 | SOLE: RADSPEED, WEIGHTS, 8, 8, (weight port), cobra, HI, (weight port), RADIAL, LO, CARBON THIN-PLY WRAP BACK: RAD, SPEED, 8G TOE: KING CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol)FACE, (infinity symbol media blast), CNC MILLED view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|------------------------------|-------|---|
| Cobra PUMA Golf | King Radspeed (Version 2) | 10.5 | SOLE: RADSPEED, (weight port), HI, cobra, LO, (weight port), RADIAL, 8, 8, WEIGHTS, CARBON THIN-PLY WRAP BACK: RAD, SPEED, 8G TOE: KING, CNC MILLED HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol media blast) |
| Cobra PUMA Golf | King Radspeed (Version 3) | 5.5 | SOLE: RADSPEED, (weight port), HI, cobra, LO, (weight port), RADIAL, 8, 8, WEIGHTS, CARBON THIN-PLY WRAP BACK: RAD, SPEED, 8G TOE: KING, CNC MILLED HOSEL: (orientation indicators) HEEL: (loft) |
| Cobra PUMA Golf | King Radspeed (Version 4) | 10.5 | SOLE: RADSPEED, (weight port), HI, cobra, LO, (weight port), RADIAL, 8, 8, WEIGHTS, CARBON THIN-PLY WRAP BACK: RAD, SPEED, 8G TOE: KING HOSEL: (orientation indicators) HEEL: (loft) FACE:CNCMILLED, (infinity symbol media blast) |
| Cobra PUMA Golf | King Radspeed (Version 5) | 5.5 | SOLE: RADSPEED, (weight port), cobra, (weight port), RADIAL, 8, 8, WEIGHTS, CARBON THIN-PLY WRAP BACK: RAD, SPEED, 8G TOE: KING, CNC MILLED CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol)FACE, (infinity symbol media blast) |
| Cobra PUMA Golf | King Radspeed Big Tour | 9 | SOLE: RAD, SPEED, 8, RADIAL, WEIGHTS, THIN-PLY CARBON FIBER, cobra, (weight port), BIG TOUR, 8 TOE: KING (club number/letter) CROWN: (cobra logo alignment mark) HEEL: (loft) FACE:CNC MILLED view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--------------------------|-----------|--|
| Cobra PUMA Golf | King Radspeed XB | 9,10.5,12 | SOLE: RAD, SPEED, XB, (weight port), cobra, RADIAL, 4, 4, WEIGHTS, CARBON THIN-PLY WRAP BACK: RAD, SPEED, 14G TOE: KING, CNC MILLED CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol)FACE, (infinity symbol media blast) |
| Cobra PUMA Golf | King Radspeed XB (LH) | 9,10.5,12 | SOLE: RAD, SPEED, XB, WEIGHTS, 4, 4, RADIAL, cobra, (weight port), CARBON THIN-PLY WRAP BACK: RAD, SPEED, 14G TOE: KING CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol)FACE, (infinity symbol media blast), CNC MILLED view image here |
| Cobra PUMA Golf | King Radspeed XD | 10.5,12 | SOLE: RAD, SPEED, XD, CARBON THIN-PLY WRAP, (weight port), cobra, RADIAL, 4, 4, WEIGHTS, 10G, DRAW BACK: RAD, SPEED, 8G TOE: KING, CNC MILLED CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol)FACE, (infinity symbol media blast) view image here |
| Cobra PUMA Golf | King Radspeed XD (LH) | 10.5,12 | SOLE: RAD, SPEED, XD, CARBON THIN PLY WRAP, WEIGHTS, 4, 4, RADIAL, cobra, (weight port), 10G, DRAW BACK: RAD, SPEED, 8G TOE: KING CROWN: (cobra logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol)FACE, (infinity symbol media blast), CNC MILLED view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|----------------------|----------------|--|
| Cobra PUMA Golf | King SZ | 7,9,10.5 | SOLE: cobra, HI, (weight port), KING SZ, LO, (weight port), SPEEDZONE BACK: SPEEDZONE CROWN: (cobra logo alignment mark), 360 CARBON WRAP HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol)FACE, CNC MILLED |
| Cobra PUMA Golf | King SZ (LH) | 9,10.5 | SOLE: cobra, (weight port), LO, KING SZ, (weight port), HI, SPEEDZONE BACK: SPEEDZONE CROWN: (cobra logo alignment mark), 360 CARBON WRAP HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol)FACE, CNC MILLED |
| Cobra PUMA Golf | King SZ Xtreme | 9,10.5,12,12.5 | SOLE: cobra, (weight port), KING SZ, SPEEDZONE XTREME CROWN: (cobra logo alignment mark), 360 CARBON WRAP HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol)FACE, CNC MILLED view image here |
| Cobra PUMA Golf | King SZ Xtreme (LH) | 9,10.5,12,12.5 | SOLE: cobra, KING SZ, (weight port), SPEEDZONE XTREME CROWN: (cobra logo alignment mark), 360 CARBON WRAP HOSEL: (orientation indicators) HEEL: (loft) FACE:(infinity symbol)FACE, CNC MILLED view image here |
| Cobra PUMA Golf | Long Tom (Version 1) | 8,9,10 | SOLE: ADVANCE MATERIAL, PLACEMENT, (bent line), (line), Long Tom, (line), (bent line), (loft) / 4 FT. BACK: (recessed lines), cobra, (recessed lines), cobra TOE: (Cobra logo) CROWN: (cobra alignment mark), (curved line), (curved line) FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|------------------------------|-----------------------|--|
| Cobra PUMA Golf | Long Tom (Version 1) (LH) | 9 | SOLE: ADVANCE MATERIAL, PLACEMENT, (bent line), (line), Long Tom, (line), (bent line), (loft) / 4 FT. BACK: (recessed lines), cobra, (recessed lines), cobra TOE: (Cobra logo) CROWN: (cobra alignment mark), (curved line), (curved line) FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |
| Cobra PUMA Golf | Long Tom (Version 2) | 4.5,5.5,6.5 | SOLE: ADVANCE MATERIAL, PLACEMENT, (bent line), (line), Long Tom, (line), (bent line), (loft) BACK: (recessed lines), cobra, (recessed lines), cobra TOE: (Cobra logo) CROWN: (cobra alignment mark), (curved line), (curved line) |
| Cobra PUMA Golf | Long Tom Raw | 9 | SOLE: (lasered thickness markings), (bent line), (line), Long Tom, (line), (bent line) BACK: (recessed lines), cobra, (recessed lines), cobra TOE: (number) of 500 RAW CROWN: (lasered thickness markings), (product number) HEEL: (lasered thickenss marking), (lie)-lie, (loft)-loft, 0.0-FA FACE:225r/500r, CT-Limit, 445cc |
| Cobra PUMA Golf | ZL Encore | 7.5,8.5,9.5,10.5,11.5 | SOLE: (curved line), ZL, ENCORE, cobra, (curved line), (weight port w/ number), (curved line), (loft), (screw) BACK: ZERO LIMITS TOE: (Cobra logo) CROWN: (cobra alignment mark) HOSEL: AFT, (orientation indicators) FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |
| Cobra PUMA Golf | ZL Encore (LH) | 9.5,10.5 | SOLE: (curved line), ZL, ENCORE, cobra, (curved line), (loft), (screw), (curved line), (weight port w/ number), (curved line), (loft), (screw) BACK: ZERO LIMITS TOE: (Cobra logo) CROWN: (cobra alignment mark) HOSEL: AFT, (orientation indicators) FACE:DUAL ROLL, E9 FACE TECHNOLOGY view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------------------|--------|---|
| Cobra-PUMA Golf | Cobra Jr (Boy's) | N/A | SOLE: JR, cobra, TITANIUM CROWN: (cobra logo alignment mark) <u>view image here</u> |
| Cobra-PUMA Golf | Cobra Jr (Boy's) (LH) | N/A | SOLE: JR, cobra, TITANIUM CROWN: (cobra logo alignment mark) view image here |
| Cobra-PUMA Golf | Cobra Jr (Girl's) | N/A | SOLE: JR, cobra, TITANIUM CROWN: (cobra logo alignment mark) <u>view image here</u> |
| Cobra-PUMA Golf | Cobra King Jr (Boy's) | N/A | SOLE: cobra, KING JR, TITANIUM CROWN: (cobra logo alignment mark) view image here |
| Cobra-PUMA Golf | Cobra King Jr (Boy's) (LH) | N/A | SOLE: cobra, KING JR, TITANIUM CROWN: (cobra logo alignment mark) view image here |
| Cobra-PUMA Golf | Cobra King Jr (Girl's) | N/A | SOLE: cobra, KING JR, TITANIUM CROWN: (cobra logo alignment mark) view image here |
| Cobra-PUMA Golf | Cobra King VT | N/A | SOLE: cobra, KING VT, TITANIUM CROWN: (cobra logo alignment mark) view image here |
| Cobra-PUMA Golf | Cobra VT | N/A | SOLE: VT, cobra, TITANIUM CROWN: (cobra logo alignment mark) view image here |
| Coldfire Golf LLC | Stewart Ryan Coldfire | 9 | SOLE: STEWART RYAN, (loft), COLDfire, (mountain and sun logo), DNA, THERMAL, CYCLING CROWN: (triangle and circle alignment mark) view image here |
| Colven Golf | Electra Gold | 8,9 | SOLE: DEEP FACE (loft), Colven Golf, 6/4 TITANIUM, Electra Gold view image here |
| Colven Golf | Gold Titanium | 8,9,10 | SOLE: (loft), GOLD, TITANIUM, COLVEN, GOLF view image here |
| Concept Co Ltd | Egnahc II | 13 | SOLE: Egnahc II, Driver, Easy To Make A Big Carry, SYB (with line through) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|-----------------------------|---------|---|
| Concept Co Ltd | Egnahc III | 11.5,13 | SOLE: 430/(loft), E3, EGNAHC III, SYB (with line through) view image here |
| Concept Co Ltd | Prelity 6 | 9.5,11 | SOLE: PRELITY, 6, SYB (with line through) BACK: 3PIECE • (loft) • 3TITAN view image here |
| Concept Co Ltd | Prelity Type Dd | 11 | SOLE: Form of Prelity, Type Dd, 1 (underlined), SYB (with line through) view image here |
| Concept Co Ltd | Prelity Type R | 9,10 | SOLE: Prelity, Type R, 1, S Y B view image here |
| Concept Co Ltd | Prelity Type R 380 | 9,10.5 | SOLE: Type R 380, Prelity, To The Evolving Golfer Sake., 1 BACK: SYB (with line through) view image here |
| Concept Co Ltd | SYB Prelity P5 | 9.5,11 | SOLE: P5, PRELITY, (SYB logo), 3-TITAN/3-PIECE view image here |
| Continental Golf/Carolina Custom Golf | Power Flow | 9 | SOLE: OXYDEN, (line), GOLF, (loft), (rectangular box), POWER FLOW CROWN: (Alignment mark) FACE:Hyper Beta Ti view image here |
| Cornerstone Golf, Inc. | John Daly Cub Club JC-JR | N/A | SOLE: DRIVER, JOHN DALY, (lion swinging club graphic in box), (four lines), CUB CLUB™, JC-JR CROWN: (logo alignment mark) view image here |
| Cornerstone Golf, Inc. | John Daly JC-2 | 10 | SOLE: JC-2, (lion swinging club graphic with ™), JOHN DALY, (loft) CROWN: (logo alignment mark) view image here |
| Cornerstone Golf, Inc. | John Daly JC-3 | 10.5 | SOLE: 1, JC-3, (lion swinging club graphic), John Daly, (loft) CROWN: (logo alignment mark) view image here |
| Cornerstone Golf, Inc. | John Daly JCOS-1 | 9 | SOLE: (loft), John Daly, (lion logo), TM, JCOS-1 Titanium, (Tungsten on oval), Longball Rebel™, (line), 300cc CROWN: ((lion logo), TM alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|--------------------------|--------|---|
| Cornerstone Golf, Inc. | Longball Rebel JCOS-1 | 8,9,10 | SOLE: (loft), John Daly, (Lion logo with ™), JCOS-1 Titanium, Longball Rebel™, (line), 300cc, Tungsten CROWN: (Lion logo™) view image here |
| Cosmo Ec Co., Ltd | Sedna Excelsior EX-01 | 14.5 | SOLE: (circular weight in port), SEDNA, (decorative mark) excelsior (decorative mark), EX-01, (E w/ slash), (circular weight in port) view image here |
| Cosmo Ec Co., Ltd | Sedna GP-5000 | N/A | SOLE: max M.O.I technology, (infinity symbol graphic), SEDNA, (line), GP-5000, (curved line), 15-3-3-3 face/460cc, 1 BACK: (circular weight) CROWN: (infinity symbol graphic alignment mark) view image here |
| Cosmo Ec Co., Ltd | Sedna SD-01 | 10 | SOLE: (infinity graphic), (circular weight), SEDNA, SD•01 view image here |
| Cougar Golf Australia | XC2 | 10 | SOLE: HIGH MOI, (logo), Cougar, XC2, (loft), TITANIUM CROWN: (alignment mark) view image here |
| Crazy Co Ltd | Crazy (Version 2) | N/A | SOLE: Designed By George Takei & Crazy, CRAZY, (cross logo), Designed For Athlete Golfers TOE: (logo) HOSEL: CRZ450 view image here |
| Crazy Co Ltd | Crazy (Version 3) | N/A | SOLE: CRAZY, (cross logo) TOE: (logo) HEEL: Produced by, AFD view image here |
| Crazy Co Ltd | Crazy (Version 4) | N/A | SOLE: Designed by CRAZY, CRAZY, (cross logo), for Athlete Golfers TOE: (logo) HOSEL: CRZ450 view image here |
| Crazy Co Ltd | FX BM-435 | N/A | SOLE: CRAZY, FX, BM-435, TRIPLE WEIGHT, TITANIUM, 1 TOE: (C logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------|---------------|--|
| Creato Inc | Morbido (prototype) | 9.5,10.5 | SOLE: Designed by M&N Studio, 1, (loft), PROTOTYPE, MORBIDO, PRO-FORME TITANIUM, 460 BACK: (M logo) view image here |
| Crews Co Ltd | C-Drive 375 | 9,10 | SOLE: Crews Golf, C-Drive 375, The Finest Tune, 375 Forged, (loft) (in box), Tour TOE: (logo) view image here |
| Crews Co Ltd | C-Drive 415 | 9,10 | SOLE: C-Drive 415, The Finest Tune, 415 Forged, Crews Golf, (loft), Tour view image here |
| Crews Co Ltd | Crews Wave Tour-D | 9.5 | SOLE: (loft) 1, Tour-D, The Finest Fune, 375 Forged, Crews Wave TOE: (logo) view image here |
| Crews Co Ltd | Hammer | 9,10.5 | SOLE: (C logo in circle), EVOLUTIONARY M.O.I., HAMMER, CREWS GOLF (loft) FACE:(with or without score-lines in centre) view image here |
| Crews Co Ltd | Hino 460 | 10.5 | SOLE: 1 (loft), HIGH TRAJECTORY, (logo), HINO (in shape), 460 (in shape) view image here |
| Crews Co Ltd | Tour Link 460 | 8.5 | SOLE: (C logo in square), TOUR LINK D-460, (loft), CREWS GOLF view image here |
| Crews Co Ltd | Tour Link D395 | 9,10 | SOLE: (C logo), TOUR LINK, CREWS GOLF, D, (loft) (underlined), 395 view image here |
| Crews Co Ltd | Tour Link D435 | 9.5,10.5,11.5 | SOLE: (C logo), TOUR LINK, CREWS GOLF, D, (loft) (underlined), 435 view image here |
| Crews Co Ltd | Tour Link D435 (LH) | 10.5 | SOLE: (C logo), TOUR LINK, CREWS GOLF, D, (loft) (underlined), 435 view image here |
| Crews Co Ltd | TourLink D-460 | 9.5,10.5 | SOLE: (c logo in square), TOUR LINK D-460, (loft), CREWS GOLF BACK: (screw weight) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|-------------------|------------|--|
| Crews Co Ltd | TourLink D-460 HT | 10.5 | SOLE: (c logo in square), TOUR LINK D-460, (loft) HT, CREWS GOLF BACK: (screw weight) <u>view image here</u> |
| Cryofire Golf | Cryo Fire 385cc | 7.5,12 | SOLE: (raised flame-like F), (loft), Forged, 385cc, Molecular, Enhanced, Beta Titanium, Cryo fire, Cold Treated, Active Variable, Face CROWN: (C F graphic) view image here |
| Cryofire Golf | Cryofire 360cc | 9 | SOLE: (Cryofire logo), (loft), Forged, 360cc, Molecular, Enhanced, Beta Titanium, Cryofire, Coldfire Treated, Active Variable, Face CROWN: (Cryofire logo) view image here |
| CT Golfsport | 300Ti (LH) | 9,11,12,13 | SOLE: CT®, Golfsport, (curved line), 300Ti, (loft) CROWN: (alignment mark) view image here |
| CT Golfsport | 400 | 10 | SOLE: 400cc, CT®, Golfsport, (curved line), ß-TITANIUM, (loft), (shape) CROWN: (alignment mark) FACE:10·2·3 |
| CT Golfsport | CT Golfsport | 13 | SOLE: CT®, Golfsport, (curved line), FORGED TITANIUM, 1 (loft) CROWN: (alignment mark) view image here |
| CT Golfsport | CT Golfsport (LH) | 13 | SOLE: CT®, Golfsport, (curved line), FORGED TITANIUM, 1 (loft) CROWN: (alignment mark) view image here |
| Cubic Balance Golf Technology, Inc. | Easyair Tizirc | 9 | SOLE: TIZIRC, (rounded triangle logo), (2 lines), CUBIC, BALANCE, (loft), ZIRCONIUM & TITANIUM, 370cc BACK: EASYAIR-T CROWN: (TIZIRC enclosed in black inset) |
| Cubic Balance Golf Technology, Inc. | Passage | 10 | SOLE: (loft), PASSAGE, BY, CUBIC BALANCE view image here |

| November 04, 2024 | | | |
|----------------------------|--------------|----------|--|
| Manufacturer | Product Name | Lofts . | Identification Markings |
| Custom Built Golf Clubs | CB 400cc Ti | N/A | SOLE: TITANIUM, CB, 400CC, 1 CROWN: (alignment mark) <u>view image here</u> |
| DAB Korea Co., Ltd. | DK-280 | 10.5 | SOLE: (teradactyl graphic), DABKO, DK-280, 1 (loft) CROWN: (arrow alignment mark) view image here |
| DAB Korea Co., Ltd. | DK-285 | 10.5 | SOLE: (teradactyl graphic), DABKO, DK-285, 1 (loft) CROWN: (arrow alignment mark) view image here |
| DAB Korea Co., Ltd. | DK-300 | 10.5 | SOLE: 1 10.5, (teradactyl graphic), DABKO, DK-300, HANDWORK TITANIUM, TI-15.3.3.31 (loft), (teradactyl graphic), DABKO, DK-300, HANDWORK TITANIUM, TI-15.3.3.3 CROWN: (arrow alignment mark) |
| DAB Korea Co., Ltd. | DK-340 | 10.5 | SOLE: (teradactyl graphic), DABKO, DK-340, 1 (loft) CROWN: (arrow alignment mark) view image here |
| Daiichi Giken Co Ltd | M.H-X | 9.5 | SOLE: M.H-X, (loft) <u>view image here</u> |
| Daiichi Golf Co Ltd | J460P | 9.5,10.5 | SOLE: J460P, WEIGHT CONTROL DESIGN, (loft) TOE: (DAIICHI GOLF, (logo), Jupiter, Health, &, Community in ovals) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Daiichi Golf Co Ltd | J460W | 10,11 | SOLE: J460W, WEIGHT CONTROL DESIGN, (loft) TOE: (DAIICHI GOLF, (logo), Jupiter, Health, &, Community in ovals) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Daiichi Golf Co Ltd | J460W HT | N/A | SOLE: J460W, WEIGHT CONTROL DESIGN, HT TOE: (DAIICHI GOLF, (logo), Jupiter, Health, &, Community in ovals) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|--------------------------------------|----------|---|
| Daiichi Golf Co Ltd | Jupiter 400 Forged Titan | 9.5,10.5 | SOLE: (logo), Jupiter, 400 FORGED TITAN (underlined), WEIGHT CONTROL SYSTEM, SP-700 FACE by DAIICHI GOLF, 1 (loft) |
| Daiichi Golf Co Ltd | Jupiter 430 Forged Titan | 9.5,10.5 | SOLE: 430 FORGED TITAN (underlined), WEIGHT CONTROL DESIGN, (logo), Jupiter, SP-700 FACE by DAIICHI GOLF, 1 (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Daiichi Golf Co Ltd | Jupiter 435GT Low 0.0 (Version 2) | N/A | SOLE: (1 over logo), Jupiter, ®, 435GT, VD & WEIGHT CONTROL, DAIICHI GOLF TOE: FACE ANGLE 0.0°, (logo), LOW TRAJECTORY HEEL: R&A / USGA, SLERULE |
| Daiichi Golf Co Ltd | Jupiter 435GT Low 1.0 | N/A | SOLE: (1 over media blast logo), Jupiter, 435GT, VD & WEIGHT CONTROL, DAIICHI GOLF TOE: FACE ANGLE 1.0°, (logo), LOW TRAJECTORY HEEL: R&A / USGA, SLERULE view image here |
| Daiichi Golf Co Ltd | Jupiter 435GT Mid 0.0 (Version 2) | N/A | SOLE: (1 over logo), Jupiter, ®, 435GT, VD & WEIGHT CONTROL, DAIICHI GOLF TOE: FACE ANGLE 0.0°, (logo), MID TRAJECTORY HEEL: R&A / USGA, SLERULE |
| Daiichi Golf Co Ltd | Jupiter 435GT Mid 1.0 (Version 2) | N/A | SOLE: (1 over logo), Jupiter, ®, 435GT, VD & WEIGHT CONTROL, DAIICHI GOLF TOE: FACE ANGLE 1.0°, (logo), MID TRAJECTORY HEEL: R&A / USGA, SLERULE view image here |
| Daiichi Golf Co Ltd | Jupiter 450 Brave | N/A | SOLE: (weight port), (eagle with crown logo), Brave, 450, JUPITER, SUPER LOW & DEEP GRAVITY, WEIGHT CONTROL, (weight port), (weight port) FACE:FORGED view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|---|-------|---|
| Daiichi Golf Co Ltd | Jupiter 450 Forged Titan | 10 | SOLE: 450 FORGED TITAN (underlined), 1 (loft), WEIGHT CONTROL DESIGN, (logo), Jupiter, SP-700 FACE by DAIICHI GOLF HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Daiichi Golf Co Ltd | Jupiter 450 Forged Titan (Version 2) | 11 | SOLE: 450 FORGED TITAN (underlined), WEIGHT CONTROL SYSTEM, (logo), Jupiter, SP-700 FACE by DAIICHI GOLF, 1 (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Daiichi Golf Co Ltd | Jupiter 450 Forged Titan HT | N/A | SOLE: 450 FORGED TITAN (underlined), 1 (loft)•, WEIGHT CONTROLE SYSTEM, (logo), Jupiter, SP-700 FACE by DAIICHI GOLF HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | 1,,,, | view image here |
| Daiichi Golf Co Ltd | Jupiter 455LX High 2.0 | N/A | SOLE: (1 over media blast logo), Jupiter, 455LX, VD & WEIGHT CONTROL, DAIICHI GOLF TOE: FACE ANGLE 2.0°, (logo), HIGH TRAJECTORY CROWN: (alignment mark) HEEL: R&A / USGA, SLERULE |
| Daiichi Golf Co Ltd | Jupiter 455LX Mid 1.0 | N/A | SOLE: (1 over media blast logo), Jupiter, 455LX, VD & WEIGHT CONTROL, DAIICHI GOLF TOE: FACE ANGLE 1.0°, (logo), MID TRAJECTORY CROWN: (alignment mark) HEEL: R&A / USGA, SLERULE view image here |
| Daiichi Golf Co Ltd | Jupiter 455LX Mid 2.0 | N/A | SOLE: (1 over media blast logo), Jupiter, |
| Dallotti Goti Go Eta | Suprior TooLX Wild 2.0 | | 455LX, VD & WEIGHT CONTROL, DAIICHI GOLF TOE: FACE ANGLE 2.0°, (logo), MID TRAJECTORY CROWN: (alignment mark) HEEL: R&A / USGA, SLERULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|--|----------|--|
| Daiichi Golf Co Ltd | Jupiter 456 Brace Generation2 | N/A | SOLE: (weight port), (eagle wings logo), GENERATION2, 456 Brave, JUPITER, (weight port), (weight port), (weight port), (weight port) BACK: (weight port), (weight port) FACE:FORGED, (eagle with crown logo) |
| Daiichi Golf Co Ltd | Jupiter 456 Brave | N/A | SOLE: (wavy crest design), JUPITER LOW SPIN, 456, Brave, WEIGHT CONTROL DAIICHIGOLF FACE:FORGED view image here |
| Daiichi Golf Co Ltd | Jupiter 460 Brave | N/A | SOLE: (shield), (crown), (wavy line) (wavy line), 460 (B logo) rave, JUPITER MID SPIN, WEIGHT CONTROL, by, DAIICHI GOLF, (crest) FACE:FORGED view image here |
| Daiichi Golf Co Ltd | Jupiter 460 Brave Generation2 | N/A | SOLE: (weight port), (weight port), (weight port), (logo), JUPITER, 460, BRAVE BACK: HEXAGON GENERATION 02 HOSEL: (dot) FACE:FORGED, (logo) |
| Daruot Trading (HK) Co Ltd | Tour AD, DI Technology (Version 2) | 9.5,10.5 | SOLE: DI TECHNOLOGY, (Tour, (AD logo) on A shaped inset), DI over AD media blast logo) TOE: Tour AD CROWN: (AD logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) view image here |
| DCG Global Solutions Ltd | L\$D Brassie | N/A | SOLE: (curved line), #, BRASSIE, 460 BACK: (circular weight) TOE: (circular weight) CROWN: (arrow alignment mark) HEEL: (circular weight) view image here |
| DCG Global Solutions Ltd | L\$D Brassie (LH) | 18 | SOLE: (curved line), #, BRASSIE, 460 BACK: (circular weight) TOE: (circular weight) CROWN: (arrow alignment mark) HEEL: (circular weight) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|--------------------|---------------|--|
| Dean Ota Enterprises | Airwood | 7,8,9,10,10.5 | SOLE: Dean Ota, (loft), Airwood, FILLED WITH 90 PSI, COMPRESSED AIR, BETA TI CROWN: (A alignment mark) view image here |
| Dean Ota Enterprises | Condor SC | 10.5 | SOLE: (circular weight), (loft), CONDOR® SC, M-70 COATING, Ti-Matrix, (circular weight), Shot Control Weighting BACK: (circular weight) CROWN: (dot alignment mark) view image here |
| Decathlon SE | Driver 100 (LH) | 14 | SOLE: ALUMINIUM FRAME, INESIS, 100 CROWN: (alignment mark) HEEL: LOFT (LOFT) (degree) view image here |
| Decathlon SE | Driver 100 (RH) | 14 | SOLE: ALUMINIUM FRAME, 100, INESIS CROWN: (alignment mark) HEEL: LOFT (Loft) (degree) view image here |
| Decathlon SE | Inesis (Kids) | 14 | SOLE: 1, (loft), (line), INESIS, KIDS CROWN: (alignment mark) view image here |
| Decathlon SE | Inesis (Kids) (LH) | 14 | SOLE: 1, (loft), (line), INESIS, KIDS CROWN: (alignment mark) view image here |
| Decathlon SE | Inesis 100 | 14 | SOLE: INESIS, ADVANCED ALUMINIUM, 100 HEEL: HL view image here |
| Decathlon SE | Inesis 100 (LH) | 14 | SOLE: INESIS, ADVANCED ALUMINIUM, 100 HEEL: HL view image here |
| Decathlon SE | Inesis 500 | 12 | SOLE: 6 4 ADVANCED TITANIUM, 500, INESIS CROWN: (alignment mark) HEEL: HL view image here |
| Decathlon SE | Inesis 500 (LH) | N/A | SOLE: 6 4 ADVANCED TITANIUM, 500, INESIS CROWN: (alignment mark) HEEL: HL view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|-----------------|-----------|---|
| Decathlon SE | Inesis 900 | 10,10.5 | SOLE: INESIS, ADVANCED TITANIUM, 900 HEEL: (loft) |
| DeLaCruz Golf | Cobalt Cruzer | 10 | view image here SOLE: (curved line), (loft) COBALT, CRUZER, (three lines), DELACRUZ, (curved line) |
| DeLaCruz Golf | Pro Mag Cruzer | N/A | view image here SOLE: PRO (screw), MAG, (screw) CRUZER (line under RUZER), DELA CRUZ (screw) BACK: (circular weight insert with swirl and three dots) TOE: (circular weight insert with swirl and three dots) HEEL: (circular weight insert with swirl and three dots) view image here |
| Delta Golf Co. (UK) Ltd. | Newbery Mjolnir | 8.5 | SOLE: (loft), Newbery, (line) Since 1919 (line), Mjolnir Rebound-Forged-Titanium, 400c.c view image here |
| Delta Industry Co Ltd | Tank JS 180 | N/A | SOLE: TANK, FORGED CUP FACE, JS 180 TOE: EXTREME, PERFORMANCE, (triangular logo) CROWN: (arrow alignment mark) HEEL: Conforms to, R&A/USGA, SLE rules, MADE IN JAPAN view image here |
| Delta Industry Co Ltd | Tank T7 | N/A | SOLE: TANK, PREMIERE, MAXIMUM MOI, POWER GRAVITY TECH., (T7 in shape), 1 CROWN: (arrow alignment mark) view image here |
| Delta Industry Co Ltd | Tank White Hole | N/A | SOLE: TANK, (White, hole, (TANK, T on shield inset) over media blast lines in shield shape) BACK: Feeling Distance Accuracy, Cup Face TOE: TANK CROWN: (alignment mark) HOSEL: (orientation indicators) |
| Delta Sport Handelshontor GmbH | B-Square 400 | 10.5,11.5 | SOLE: 1 (loft), B-SQUARE (underlined), GOLF (in oval), FORGED TITANIUM, 400cc CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|------------------------------------|-----------------|--|
| Delta Sport Handelshontor GmbH | B-Square 400 Forged Alloy | 12 | SOLE: 1 (loft), B-SQUARE, (line), GOLF (in oval), FORGED ALLOY, 400CC CROWN: (alignment mark) FACE:TITANIUM view image here |
| Delta Sport Handelshontor GmbH | B-Square 400 Titanium Matrix | 13 | SOLE: 400CC, 1 (loft), B-SQUARE, (line), GOLF (in oval), FORGED ALLOY (underlined), TITANIUM MATRIX CROWN: (alignment mark) FACE:TITANIUM view image here |
| Delta Sport Handelshontor GmbH | B-Square 420 | 10.5,11.5 | SOLE: B-SQUARE (underlined), GOLF (in oval), FORGED TITANIUM, (loft), 420cc CROWN: (alignment mark) view image here |
| Delta Sport Handelshontor GmbH | B-Square 420 (ladies) | 12,13 | SOLE: B-SQUARE (underlined), GOLF (in oval), FORGED TITANIUM, (loft), 420cc CROWN: (alignment mark) view image here |
| Delta Sport Handelshontor GmbH | B-Square Challenger | 10.5 | SOLE: 1, CHALLENGER, B-SQUARE, (line), GOLF, 450ccm, (loft), TITANIUM CROWN: (alignment mark) view image here |
| Delta Sport Handelshontor GmbH | B-Square Revolution | 10.5 | SOLE: TITANIUM, 1, B-SQUARE, (line), GOLF, REVOLUTION, 460cc, (loft), OVERSIZE CROWN: (alignment mark) view image here |
| Delta Sport Handelshontor GmbH | B-Square Revolution (Version 2) | 10.5,11.5,12,13 | SOLE: TITANIUM, 1, B-SQUARE, (line), GOLF, REVOLUTION, (loft), OVERSIZE CROWN: (alignment mark) view image here |
| Delta Sport Handelshontor GmbH | B-Square Titanium Matrix | 11,13 | SOLE: (loft), B-SQUARE, (line), GOLF, TITANIUM MATRIX, 1 view image here |
| Delta Sport Handelshontor GmbH | Crivit | 10.5,12 | SOLE: (logo), 1 CROWN: (alignment mark) view image here |
| Delta Sport Handelshontor GmbH | Crivit Junior | 16 | SOLE: (logo in oval), 1 CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|-------------------------------|------------|---|
| Design Tuning | Individual Black | 9.5,10.5 | SOLE: design tuning CROWN: (indented line), design tuning HEEL: SPEC, (loft), INDIVIDUAL BLACK view image here |
| Designer Golf Limited | Prestige XDC Mito | 14.5 | SOLE: (loft), PRESTIGE, X(underlined)DC, MITO, 460CC BACK: (2 triangles) view image here |
| Designer Golf Limited | Prestige XDC Zigg | 10.5,14.5 | SOLE: PRESTIGE, X(underlined)DC, ZIGG, 460CC, (loft) view image here |
| Diabang Japan | DiaBang Team Japan | N/A | SOLE: DiaBang, TEAM JAPAN, DB-001 FACE:FORGED view image here |
| Diamond Golf International Ltd | TW519 SHPR (Version 2) | 9,11 | SOLE: (W logo on inset), 6-4TI, 519, SHPR, (loft) BACK: WISHON GOLF CROWN: (W logo) FACE:(W logo) |
| Diamond Golf International Ltd | Wishon 919THI | 9,11,13,15 | view image here SOLE: (W logo), 919, THI, 460cc, LOW LAUNCH CROWN: (W logo) HEEL: WISHON GOLF (dot) (dot) (dot), (loft) view image here |
| Diamond Tour Golf | DTG 190 Extreme | 9,10,12 | SOLE: EXTREME DRIVER, (190 in circle), TECHNOLOGY, DTG, (loft) TOE: (circle of six dots and diamond graphic) DIAMOND TOUR GOLF CROWN: (190 alignment mark) FACE:(circle of six dots and diamond graphic media blast) view image here |
| Diamond Tour Golf | Grand Hawk 460 (Version 1) | 9,12 | SOLE: (loft), GRAND HAWK, (line), 460, titanium, (arrow graphic) view image here |
| Diamond Tour Golf | Grand Hawk 460 (Version 2) | 10 | SOLE: (loft), GRAND HAWK, (line), 460, 1, titanium, (arrow graphic) CROWN: (arrow graphic alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------------|------------------------|--|
| Diamond Tour Golf | Grand Hawk II (Version 1) | 11 | SOLE: Driver, GRAND HAWK, (three lines) II (three lines), (loft) BACK: (GRAND (diamond) HAWK on oval insert) CROWN: (GH alignment mark) view image here |
| Diamond Tour Golf | Grand Hawk III 360 | 8,9,10,11,12,14,16 | SOLE: GRAND HAWK, (loft), (two bent lines), SERIES III, (line), TITANIUM, (two bent lines), 360 CROWN: (arrow and dot alignment mark) |
| Diamond Tour Golf | MDD 872 (Version 1) | 10.5 | SOLE: (loft), MDD, (triangle), 872 Titanium CROWN: (arrow and dot alignment mark) FACE:15-3-3-3 |
| Diamond Tour Golf | MDD 872 (Version 3) | 8.5,9.5,10.5,11.5,12.5 | SOLE: (loft), MDD, (triangle), 872 Titanium CROWN: (arrow and dot alignment mark) FACE:15-3-3-3 view image here |
| Diamond Tour Golf | Pit Viper PV 380 | 9 | SOLE: PIT(line), VIPER, PV / 380, (loft), (six circles) CROWN: (P alignment mark) view image here |
| Diamond Tour Golf | Pit Viper PV 427 (Version 1) | 10 | SOLE: PIT(line), VIPER, PV / 427, (loft), (six circles) CROWN: (P alignment mark) FACE:ß view image here |
| Diamond Tour Golf | Pit Viper PV 427 (Version 2) | 8,9 | SOLE: PIT(line), VIPER, PV/427, (loft), (six circles) TOE: PV CROWN: (P alignment mark) FACE:ß |
| Diamond Tour Golf | Snake Bite 400RX | 10 | SOLE: BETA TI, SNAKE (line), BITE, 400RX, (loft), (dot), (double circle) CROWN: (S alignment mark) FACE:ß view image here |
| Diamond Tour Golf | Snake Bite 445RX | 10 | SOLE: BETA TI, SNAKE (line), BITE, 445RX, (loft), (dot), (double circle) CROWN: (S alignment mark) FACE:ß view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-----------------------------------|--------------------|--|
| Diamond Tour Golf | Snake Bite 445RX Offset | 10 | SOLE: BETA TI, SNAKE (line), BITE, 445RX, Offset, (loft), (dot), (double circle) CROWN: (S alignment mark) FACE:ß view image here |
| Diamond Town Colf | Snake Bite U-Launch | 10 | |
| Diamond Tour Golf | 460 | 10 | SOLE: (loft), SNAKE (line), BITE, U-LAUNCH, 460, (dot) CROWN: (S alignment mark) FACE:ß |
| | | | view image here |
| Diamond Tour Golf | Snake Bite U-Launch 460 Offset | 10 | SOLE: OFFSET, (loft), SNAKE (line), BITE, U-LAUNCH, 460, (dot) CROWN: (S alignment mark) FACE:ß |
| | | | <u>view image here</u> |
| Diamond Tour Golf | T+ Tour 410 | 8,9,10,11,12,14 | SOLE: 410, T+, TOUR, (loft), (TORCH on rounded insert) CROWN: (T+ alignment mark) FACE:ß |
| | | | view image here |
| Diamond Tour Golf | T+ Tour 460 | 8,9,10,11,12,13,15 | SOLE: 460, T+, TOUR, (loft), (TORCH on rounded insert) CROWN: (T+ alignment mark) FACE:ß |
| | | | <u>view image here</u> |
| Diamond Tour Golf | T+ Tubby | 9,10,12 | SOLE: (tubby, T+ enclosed in T-like graphic) TOE: (loft) |
| | | | view image here |
| Diamond Tour Golf | T+Tubby Inertia | 9,10,12 | SOLE: (tubby, T+, INERTIA enclosed in T-like graphic) TOE: (loft) |
| | | | view image here |
| Diamond Tour Golf | Tour Response Vaulter 460 | 8,9,10,11 | SOLE: Tour Response, (line), VAULTER, 460, TR, TITANIUM, (loft) FACE:15-3-3-3 |
| | | | view image here |
| Diamond Tour Golf | Tour+ Nessie 460 | 10 | SOLE: T+, 460, NESSIE, (loft), (dot) CROWN: (T+ alignment mark) |
| | | | view image here |
| Diamond Tour Golf | Turner 320cc | 8,9,10,11 | SOLE: (ß in circular inset), TURNER, ß-TITANIUM, (line), 320cc, -(loft)- CROWN: (ß alignment mark) |
| | | | <u>view image here</u> |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------|--------------|---|
| Diamond Tour Golf | Turner 501 | 10 | SOLE: (loft), 501, (line), (line), TURNER CROWN: (ß alignment mark) view image here |
| Diamond Tour Golf | Turner 504 | 10 | SOLE: (loft), 504, (line), (line), TURNER CROWN: (ß alignment mark) view image here |
| Diamond Tour Golf | Turner 518 SL 440cc | 8,9,10,11,12 | SOLE: (loft), 518 SL, (line), TURNER, 440 cc, (three curved lines) CROWN: (ß alignment mark) view image here |
| Diamond Tour Golf | Turner EW-3 460 | 8,9,10,12,14 | SOLE: (weight port), (loft), 460, TURNER, (e graphic)w3, (weight port) BACK: (weight port) CROWN: (ß alignment mark) view image here |
| Diamond Tour Golf | Turner MT | 8,9,10,12 | SOLE: M (t superscript), TURNER, Max MOI, Technology, (loft) BACK: (weight port) TOE: (weight port) CROWN: (T alignment mark) HEEL: (weight port) view image here |
| Diamond Tour Golf | Turner MT (LH) | 9,10,12 | SOLE: M (t superscript), TURNER, Max MOI, Technology, (loft) BACK: (weight port) TOE: (weight port) CROWN: (T alignment mark) HEEL: (weight port) |
| Diamond Tour Golf | Turner T-3 Offset | 10 | SOLE: 3, T (line)TI, TURNER, OFFSET, (loft), (dot) BACK: (circular weight) CROWN: (ß alignment mark) HEEL: (circular weight) (circular weight) view image here |
| Diamond Tour Golf | Turner T4 | 10 | SOLE: (weight port), T4 (line) TI, TURNER, (loft), (dot), (weight port) BACK: (two weight ports) CROWN: (ß alignment mark) view image here |
| Diamond Tour Golf | Turner T5 | 10 | SOLE: (weight port), T5 (line) TI, TURNER, (loft), (dot), (weight port) BACK: (three weight ports) CROWN: (ß alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|---------------------------------|----------|---|
| Diamond Tour Golf | Z Force Z 5 | 10 | SOLE: ((oval w/FORCE over Z) in recessed eye shape), Z 5, (loft), (dot), (three recessed curves) CROWN: (ZF alignment mark) view image here |
| Diamond Tour Golf | Z-Force H-3 460cc | 10 | SOLE: 460cc, (curved line), (curved line), H3, Z-FORCE, (loft), (dot) CROWN: (ZF alignment mark) view image here |
| Dick's Sporting Goods | Maxfli Crossbax | 9.5,10.5 | SOLE: (loft), MAXFLI, (two lines), CROSSBAX, (two lines), (MAX MOI on oval insert) CROWN: (double circle alignment mark) view image here |
| Dick's Sporting Goods | Maxfli Crossbax HL (Women's) | N/A | SOLE: HL, MAXFLI, (two lines), CROSSBAX, (two lines), (MAX MOI on oval insert) CROWN: (double circle alignment mark) view image here |
| Dick's Sporting Goods | Maxfli XS | 10.5 | SOLE: (two curved lines), (loft), SQUARE, XS, MAXFLI, (two curved lines), (MAXMOI on medallion) CROWN: (two circles alignment mark) view image here |
| Dick's Sporting Goods | Tommy Armour 845 | 9,10.5 | SOLE: Tommy Armour, HIGH MOI, 845, MM20, INERTIA TECHNOLOGY CROWN: (Tommy Armour logo) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:FORGED FACE view image here |
| Dick's Sporting Goods | Tommy Armour 845 (LH) | 10.5 | SOLE: Tommy Armour, MM20, 845, HIGH MOI, INERTIA TECHNOLOGY CROWN: (Tommy Armour logo) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:FORGED FACE view image here |
| Dick's Sporting Goods | Tommy Armour 845 (Women's) | 12 | SOLE: Tommy Armour, HIGH MOI, 845, MM20, INERTIA TECHNOLOGY CROWN: (Tommy Armour logo) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:FORGED FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|-----------------------------------|--------|---|
| Dick's Sporting Goods | Tommy Armour 845 Max | 9,10.5 | SOLE: Tommy Armour, INERTIA TECHNOLOGY, 845, MAX, (Tommy Armour logo), MM21 CROWN: (Tommy Armour logo alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:FLEX11 view image here |
| Dick's Sporting Goods | Tommy Armour 845 Max (LH) | 10.5 | SOLE: Tommy Armour, INERTIA TECHNOLOGY, 845, MAX, (Tommy Armour logo), MM21 CROWN: (Tommy Armour logo alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:FLEX11 view image here |
| Dick's Sporting Goods | Tommy Armour 845 Max (Women's) | 12 | SOLE: Tommy Armour, INERTIA TECHNOLOGY, 845, MAX, (Tommy Armour logo), MM21 CROWN: (Tommy Armour logo alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:FLEX11 view image here |
| Dick's Sporting Goods | Tommy Armour 845+ | 9,10.5 | SOLE: Tommy Armour, (weight port), 845+, (Tommy Armour logo), (weight port) CROWN: (Tommy Armour logo alignment mark) HOSEL: (triangle),(orientation indicators) HEEL: (loft) FACE:FLEX11 view image here |
| Dick's Sporting Goods | Tommy Armour Atomic | 9,10.5 | SOLE: Tommy Armour, ATOMIC CROWN: (Tommy Armour logo), ATOMIC HOSEL: (triangle), (orientation indicators) HEEL: MULTI MATERIAL, (loft) FACE:TI CUP-FACE, (Atomic logo) view image here |
| Dick's Sporting Goods | Tommy Armour Atomic (LH) | 10.5 | SOLE: Tommy Armour, ATOMIC CROWN: (Tommy Armour logo), ATOMIC HOSEL: (triangle), (orientation indicators) HEEL: (loft), MULTI MATERIAL FACE:TI CUP-FACE, (Atomic logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|---|--------|--|
| Dick's Sporting Goods | Tommy Armour Atomic (Women's) | 12 | SOLE: Tommy Armour, ATOMIC CROWN: (Tommy Armour logo), ATOMIC HOSEL: (triangle), (orientation indicators) HEEL: MULTI MATERIAL, (loft) FACE:TI CUP-FACE, (Atomic logo) view image here |
| Dick's Sporting Goods | Tommy Armour TA1 | 9,10.5 | SOLE: Tommy Armour, (Tommy Armour logo), TA1 CROWN: (Tommy Armour logo), MULTI-MATERIAL HOSEL: (triangle), (orientation indicators) HEEL: TUNGSTEN WEIGHTED, (loft) FACE:DAT 55G TI, CUP FACE view image here |
| Dick's Sporting Goods | Tommy Armour TA1 (LH) | 10.5 | SOLE: Tommy Armour, (Tommy Armour logo), TA1 CROWN: (Tommy Armour logo), MULTI-MATERIAL HOSEL: (triangle), (orientation indicators) HEEL: (loft), TUNGSTEN WEIGHTED FACE:DAT 55G TI, CUP FACE |
| Dick's Sporting Goods | Tommy Armour TA1 (Women's) | 12 | SOLE: Tommy Armour, (Tommy Armour logo), TA1 CROWN: (Tommy Armour logo), MULTI-MATERIAL HOSEL: (triangle), (orientation indicators) HEEL: TUNGSTEN WEIGHTED, (loft) FACE:DAT 55G TI, CUP FACE view image here |
| Dick's Sporting Goods | Top Flite Flawless Varsity (Version 2) | 12.5 | SOLE: (Top-Flite logo), TITANIUM, flawless HEEL: (loft w/degree symbol) view image here |
| Dick's Sporting Goods | Top Flite Gamer Varsity (Version 2) | 10.5 | SOLE: TITANIUM, (Top-Flite logo), GAMER HEEL: (loft w/degree symbol) FACE:TI view image here |
| Dimension Z Golf, Inc. | Widow Maker | 10 | SOLE: DIMENSION Z, (loft), Widow Maker, Hyper Elastic Steel, 1, 300cc CROWN: (alignment mark) view image here |
| Dimension Z Golf, Inc. | Widow Maker Z-450 | 9.5 | SOLE: Integrated Tuning Process, TM, DIMENSION Z, Widow Maker, Z-450, (loft), (Z in recessed oval) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------|-----------|---|
| Doi Golf, Inc. | 385 Magnum | 10.5 | SOLE: 385, MAGNUM, (DOI, GOLF, tee and line graphic in rectangle), 9-1 Mag, (loft) CROWN: (recessed arrow alignment mark) view image here |
| Dono Sports Corp. | D2X-Pro | 10 | SOLE: D2X-Pro, (D logo), (loft), (The True Square Club, (D logo), Premium Driver in oval) BACK: (elongated shape insert w/ oval) view image here |
| Dono Sports Corp. | DynaCube VSD-300 | N/A | SOLE: 1, (D logo), Dono golf, DynaCube BACK: VSD-300 CROWN: (D logo) FACE:HS-45T view image here |
| Dormy Golf | Open CWS 460 | 9.5,11,13 | SOLE: (loft), CONTROL WEIGHT SYSTEM, (dot), (CWS logo), 460CC, OPEN CROWN: (alignment mark) view image here |
| Dormy Golf | Open FGC | 9,10.5,12 | SOLE: OPEN, F • G • C, (loft), HIGH MOI, F G, C CROWN: (alignment mark) view image here |
| Dormy Golf | Open FGC (offset) | 14 | SOLE: OPEN, F • G • C, (loft), HIGH MOI, F G, C CROWN: (alignment mark) view image here |
| Dormy Golf | Open TT 410 | 13 | SOLE: (loft), TT 410, Forged Titanium Driver, OPEN BACK: (logo) view image here |
| Dormy Golf | Open TT 450 | 11,13 | SOLE: (loft), TT 450, Forged Titanium Driver, OPEN BACK: (logo) view image here |
| Dormy Golf | Square R Series 435 | 11,13 | SOLE: (loft), square (u double underlined), TITANIUM, 435cc, R, SERIES CROWN: (u double underlined) view image here |
| Dormy Golf | Square R-Series 460 | 11 | SOLE: (loft), square (with u double underlined), TITANIUM, 460cc, R, SERIES CROWN: U (double underlined) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|-------------------------------------|----------------------|---|
| Dormy Golf | Square R-Series 460 (offset) | 14 | SOLE: (loft), square (with u double underlined), TITANIUM, 460cc, R, SERIES CROWN: U (double underlined) view image here |
| Dream Golf Service | Yume MOI-Q | 9.5,10.5 | SOLE: Ti, (logo) yume, MOI-Q, (loft) TOE: Geotech Co.,Ltd, Japan HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| DTM Sports Co Ltd | Minerva | N/A | SOLE: ART, (weight port), EMIS, VALIENTE, CORAZÓN, MINERVA, (logo), VALIENTE, MINERVA, AE, (weight port), GIS HEEL: Made in Japan FACE:MINERVA view image here |
| Dunlop Slazenger Equipment | Maxfli Python | 9 | SOLE: (oval), MAXFLI, Python (P w/ snake graphic), (loft), (oval) CROWN: (dot in circle alignment mark), (curved line) view image here |
| Dunlop Sports Co Ltd (SRI Sports Limited) | Srixon W-403 AD (LH) (Version 1) | 8.5,9.5,10.5,11.5 | SOLE: SRIXON, (line under S), W-403, AD, 1 (loft) BACK: TITANIUM, ACCURACY, & DISTANCE TOE: SRIXON, (line under S) FACE:(scorelines in center of face) view image here |
| Dunlop Sports Co Ltd (SRI Sports Limited) | Srixon W-403 AD (Version 1) | 8.5,9.5,10.5,11.5,13 | SOLE: SRIXON, (line under S), W-403, AD, 1 (loft) BACK: TITANIUM, ACCURACY, & DISTANCE TOE: SRIXON, (line under S) FACE:(scorelines in center of face) view image here |
| Dunlop Sports Co Ltd (SRI Sports Limited) | Srixon W-404 (Version 1) | 8.5,9.5,10.5 | SOLE: TRAJECTORY, CONTROL, SRIXON, (line under S), W-404, (loft), TITANIUM TOE: SRIXON, (line under S) FACE:(scorelines in center of face) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|---------------------------|----------|---|
| Dunlop Sports Co Ltd (SRI Sports Limited) | XXIO Impact Power Body | 8,9,10 | SOLE: XXIO (curved line), IMPACT POWER BODY, (curved line), (loft), 1, (three punchmarks) ((dot) DIGITAL (dot), IMPACT, (two dots) on rounded triangle insert) (three punchmarks) TOE: XXIO, -BREAKTHROUGH-, FOR FUTURE OF GOLF FACE:(scorelines in center of face) |
| Dunlop Sports Group Americas | DDH MF-33 | N/A | SOLE: DRIVER, DUNLOP, (logo) DDH, MF-33 TOE: (Dunlop logo) CROWN: (alignment mark) view image here |
| Dunlop Sports Group Americas | DDH XD-08 | N/A | SOLE: DUNLOP, DDH, XD-08, DRIVER, (logo) TOE: (Dunlop logo) CROWN: (alignment mark) view image here |
| Dunlop Sports Group Americas | Dunlop Sport Tao | N/A | SOLE: (Dunlop logo) DUNLOP, SPORT, TAO, 460 FACE:(logo) view image here |
| Dunlop Sports Group Americas | Loco D Series | N/A | SOLE: 1, LoCo, d series, Titanium <u>view image here</u> |
| Dunlop Sports Group Americas | Loco L Series | 13 | SOLE: 1, LoCo, L series, (loft) TOE: (Dunlop logo) DUNLOP CROWN: LoCo view image here |
| Dunlop Sports Group Americas | Loco S Series | 10 | SOLE: 1, LoCo, s series, (loft) TOE: (Dunlop logo) DUNLOP CROWN: LoCo view image here |
| Dunlop Sports Group Americas | Super Loco Titanium | 10,13 | SOLE: 1, Super, LoCo, titanium, (loft) TOE: (Dunlop logo) DUNLOP CROWN: LoCo view image here |
| Dyna Golf Co Ltd | Dynamix | 9.5,10.5 | SOLE: (triangle), FORCE RESILIENCE GROOVE (triangle), Dynamix, DYNAGOLF, (DG logo), (3 x indented lines), (loft), SLICELESS TECHNOLOGY CROWN: ((DG logo) alignment mark) view image here |

| November 04, 2024 | Book door 631 | 1 | |
|----------------------------------|-------------------------------------|-----------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Dynacraft Golf Products, Inc. | 380L | 9.5,10.5 | SOLE: (loft w/ line under °), Dynacraft, 380 L, FORGED TITANIUM <u>view image here</u> |
| Dynacraft Golf Products, Inc. | BFC Long Drive Series 460cc | 6,8,10 | SOLE: PLASMA WELD, (loft), TECHNOLOGY, (LONG DRIVE SERIES, 460cc over BFC media blast), (Japanese character for power), VACUUM CAST BACK: (fixed screw with three punchmarks) TOE: Dynacraft CROWN: (oval and curve alignment mark) HOSEL: mcm |
| Dynacraft Golf Products, Inc. | BFC Long Drive Series 460cc (LH) | 10 | SOLE: PLASMA WELD, (loft), TECHNOLOGY, (LONG DRIVE SERIES, 460cc over BFC media blast), (Japanese character for power), VACUUM CAST BACK: (circular weight port) TOE: Dynacraft CROWN: (Dynacraft logo alignment mark) HOSEL: mcm |
| Dynacraft Golf Products, Inc. | Copperhead 325 Tour | 9 | SOLE: (Dynacraft logo), Dynacraft, copperhead, 325 tour, (loft), FORGED TITANIUM CROWN: (Dynacraft logo) FACE:BETA TI view image here |
| Dynacraft Golf Products, Inc. | Copperhead 340 Tour | 10 | SOLE: (Dynacraft logo), Dynacraft, copperhead, 340 tour, (loft), FORGED TITANIUM CROWN: (Dynacraft logo) FACE:BETA TI view image here |
| Dynacraft Golf Products, Inc. | Copperhead 400 Tour | 11 | SOLE: (Dynacraft logo), Dynacraft, copperhead, 400 tour, (loft), FORGED TITANIUM CROWN: (Dynacraft logo) FACE:BETA TI view image here |
| Dynacraft Golf Products, Inc. | DFS II | 8.5,10,12 | SOLE: (Dynacraft logo), D•F•S II, DYNACRAFT FLEX SYSTEM, FORGED, TITANIUM, (loft) BACK: (Dynacraft on rounded rectangle) CROWN: (II alignment mark) view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------------|-------------------------------|---------|---|
| Dynacraft Golf Products, Inc. | Direct Line 350cc | 9,10.5 | SOLE: (Dynacraft logo) 1, (loft), DIRECT LINE, forged Ti, 350cc CROWN: (Dynacraft logo alignment mark) view image here |
| Dynacraft Golf Products, Inc. | Dynafire 360cc | 10 | SOLE: (loft), 1 (flame graphic) DYNAFIRE, Dynacraft, FIRE FORGED, Beta Titanium, HI COR, 360cc CROWN: (Dynacraft logo) FACE:FORGED view image here |
| Dynacraft Golf Products, Inc. | Dynaflex DFS | 10 | SOLE: (loft), (DYNAFLEX in box), DFS, TITANIUM, 1, (Dynacraft logo), Dynacraft CROWN: (triangle in circle alignment mark) view image here |
| Dynacraft Golf Products, Inc. | Excalibur Convex | 10.5 | SOLE: 1, Excalibur, (line), CONVEX, (loft), tungsten, titanium, copper CROWN: (E in circle) FACE:titanium |
| Dynacraft Golf Products, Inc. | Excalibur Recoil | 8 | SOLE: Excalibur, RECOIL, (double line), face flex technology, 6-4tl, #1 (loft) CROWN: (arrowhead alignment mark) view image here |
| Dynacraft Golf Products, Inc. | Forged Pro Cavity | 10 | SOLE: (Dynacraft logo) Dynacraft, (line), FORGED PRO-CAVITY, (loft) CROWN: (dot alignment mark) view image here |
| Dynacraft Golf Products, Inc. | Genesis Flight Control 410 | 10.5,12 | SOLE: (loft), GENESIS, Flight Control, TITANIUM, 410, (circular weight port) BACK: (circular weight port), CUSTOM TUNED, PERFORMANCE, (circular weight port) TOE: DYNACRAFT CROWN: (Dynacraft logo alignment mark) view image here |
| Dynacraft Golf Products, Inc. | Launch Series 400cc (LH) | 9.5 | SOLE: LAUNCH SERIES, (loft), (Dynacraft, FORGED TITANIUM over logo graphic), 400cc, WRAP AROUND FACE TECHNOLOGY TOE: (Dyancraft logo on oval insert) CROWN: (Dynacraft logo alignment mark) HOSEL: mcm |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------------|-----------------------------------|------------|---|
| Dynacraft Golf Products, Inc. | Pal Joey Ti-Flex Steel | 7.5,9.5 | SOLE: PAL JOEY, (kangaroo logo), TI-FLEX, (line), steel, (ellipse), 1 (loft), 6al-4v titanium CROWN: (triangle in circle alignment mark) view image here |
| Dura anaft Calf | PC ³ | 7,11 | |
| Dynacraft Golf Products, Inc. | | 7,11 | SOLE: DYNACRAFT, PC³, (line), Power Chamber, TECHNOLOGY, (loft), FORGED TITANIUM |
| | | | <u>view image here</u> |
| Dynacraft Golf Products, Inc. | Superflex DFS | 10 | SOLE: (loft), (SUPERFLEX in box), DFS, TITANIUM, 1, (Dynacraft logo), Dynacraft CROWN: (triangle in circle alignment mark) |
| | | | view image here |
| Dynacraft Golf Products, Inc. | Team Dynacraft Pro Steel 310cc | N/A | SOLE: MULTILEVEL, MASS DESIGN, 1, (TEAM, Dynacraft in outline), PRO STEEL 310cc CROWN: (Dynacraft logo alignment mark) view image here |
| Dynacraft Golf | The Flame | 9.5 | SOLE: (loft), 1 (flame graphic) The, FLAME, |
| Products, Inc. | | | Dynacraft®, 315cc |
| | | | <u>view image here</u> |
| Dynacraft Golf Products, Inc. | Ti C Launch Series | 10,12 | SOLE: (loft), Dynacraft, TITANIUM • CARBON, (triangle with three dots), 420cc, (Ti in square)(C in square), INTERNAL TUNGSTEN WEIGHTING SYSTEM CROWN: (oval with arrow alignment mark) HOSEL: mcm |
| | | | view image here |
| Dynacraft International | Avatar Launch Series | 10,12,14.5 | SOLE: 460cc, avatar, CUP FACE TITANIUM, (loft in triangle), (LAUNCH, SERIES in rectangle insert) BACK: TRIPLE INTERNAL WEIGHTING TOE: DYNACRAFT CROWN: (A alignment mark) view image here |
| Dynamic Duo Co Ltd | KENTACK KH460 | 9.5,10.5 | SOLE: KENTACK JAPAN KH-460 KIKKOU |
| | | | DRIVER (hexagon) BY HONMA HIROO, (weight port), (weight port), JAPAN, KENTACK CROWN: (alignment marker) HEEL: (loft), Made in Japan |
| L A Colf | ez Tank | N/A | view image here |
| E.X Golf | еz тапк | IN/A | SOLE: ez, TANK TOE: ex (in logo) CROWN: (ex alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------|---------------------|-------------|---|
| Ebalon/XM Works | Anti-Slice | 9,10.5,12.5 | SOLE: (E logo) ebalon (with line over the e), ANTI, SLICE, 1, (loft), Titanium CROWN: (logo alignment mark) view image here |
| Eiger Enterprise Co Ltd | Quroyon QX-660 | N/A | SOLE: QUROYON (underlined), GOLF, (2 rectangles), DRIVER, QX-660, SP700 COLD ROLLED TITANIUM BACK: QUROYON, MADE TO WIN view image here |
| Eiger Enterprise Co Ltd | Quroyon QX-877 | N/A | SOLE: POWER (underlined), ß TITANIUM QX-877, PLASMA WELDED, (Q logo), QUROYON 1 BACK: QUROYON CROWN: (alignment mark) |
| Eiger Enterprise Co Ltd | Quroyon QX-901 | N/A | SOLE: QX-901, TOUR EDITION, 430 BETA TITANIUM, QUROYON CROWN: (alignment mark) HEEL: POWER CONVERTER view image here |
| Eiger Enterprise Co Ltd | Quroyon QX-903 | N/A | SOLE: QUROYON (underlined), GOLF, (2 vertical rectangles), QX-903, TOUR EDITION, LOW & DEEP CENTER GRAVITY HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Eiger Enterprise Co Ltd | Quroyon QX-905 | N/A | SOLE: QUROYON (underlined), GOLF, (2 vertical rectangles), TOUR EDITION, QX-905 HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Eiger Enterprise Co Ltd | Quroyon QX-906 | N/A | SOLE: QX-906, TOUR EDITION, QUROYON (underlined), GOLF, (2 rectangles), COG, DESIGN HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Eiger Enterprise Co Ltd | Quroyon QX-907 | N/A | SOLE: QUROYON, 3V PRO, QX-907, TOUR EDITION HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Eiger Enterprise Co Ltd | Quroyon QX-908 Tour | N/A | SOLE: TOUR, Quroyon, QX-908 BACK: COG DESIGN HEEL: Conforms to, R&A/USGA, SLE rules view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|------------------|-------------------------|---|
| Element 21 Golf | EMC 2 460cc | 9,10.5 | SOLE: ((e21 in oval), (loft), Emc2, (three dots) TOE: (SCANDIUM DRIVEN, 460cc, CUP FACE DESIGN on oval insert) CROWN: (oval alignment mark) FACE:Scandium (Sc in square) view image here |
| Element 21 Golf | EMC 2 460cc (LH) | 10.5 | SOLE: ((e21 in oval), (loft), Emc2, (three dots) TOE: (SCANDIUM DRIVEN, 460cc, CUP FACE DESIGN on oval insert) CROWN: (oval alignment mark) FACE:Scandium (Sc in square) view image here |
| Element 21 Golf | Shock | 10.5 | SOLE: SCANDIUM, (SHOCK w/ crack graphic), DRIVER, (loft), (E21 in oval) CROWN: (triangle alignment mark) view image here |
| ENA Corporation Ltd | H10 | 9.5,10.5,11.5,12.5,13.5 | SOLE: (H10 in japanese characters), FORGED TITANIUM FACE, EXPANDED SWEET AREA, ENA CORPORATION CROWN: ENA FACE:(loft), (media blast logo) view image here |
| ENA Corporation Ltd | HIO Premium | 9.5,10.5,11.5,12.5,13.5 | SOLE: (Japanese characters), PREMIUM, (line), ENA, (line) CROWN: ENA FACE:(loft), (media blast logo) view image here |
| ENA Corporation Ltd | HS-II | 10.5 | SOLE: ENA HS-II, FORGED TVC TITANIUM, (logo), ENA CORP., 1 CROWN: (alignment mark) FACE:(loft), (logo) view image here |
| ENA Corporation Ltd | HS-II 460C | 10.5 | SOLE: ENA HS-II 460C, FORGED TVC TITANIUM, (logo), ENA CORP., 1 CROWN: (alignment mark) FACE:(loft), (logo) view image here |
| ENA Corporation Ltd | HS-III | 10.5,11.5 | SOLE: 1 HS-III, (logo), LOW GRAVITY HIGH TRAJECTORY FORGED TITANIUM ENA CROWN: (alignment mark) FACE:(loft), (logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-----------------|-------------------------|---|
| ENA Corporation Ltd | SciTech-II | 10.5,12.5,13.5 | SOLE: II, (line), SCITECH, FORGED TITANIUM, (line), (logo), ENA CORP., 1 CROWN: (alignment mark) FACE:(logo), (loft) view image here |
| ENA Corporation Ltd | SE-II | 10.5,11.5 | SOLE: 1 (in circle), ENA, FORGED TITANIUM, SE(triangle)II (4 triangles), (logo), ENA CORP., (line), LOW AND DEEP CENTER OF GRAVITY CROWN: (alignment mark) FACE:(loft), (logo) view image here |
| ENA Corporation Ltd | SP | 10.5,11.5,12.5,13.5 | SOLE: ENA-SP, FORGED H-S TITANIUM FACE, 1 (loft), EXPANDED SWEET AREA, ENA CORPORATION CROWN: (alignment mark) FACE:(media blast logo) view image here |
| ENA Corporation Ltd | SP 270 | 9.5,10.5,11.5 | SOLE: ENA-SP 270, FORGED H-S TITANIUM FACE, 1, EXPANDED SWEET AREA, ENA CORPORATION CROWN: (alignment mark) FACE:(media blast loft), (media blast logo) view image here |
| ENA Corporation Ltd | Super Light | 9.5,10.5,11.5,12.5,13.5 | SOLE: FORGED, TITANIUM FACE, Super, Light, ENA, CORPORATION CROWN: (alignment mark) FACE:(logo), (loft) view image here |
| ENA Corporation Ltd | Super Light 320 | 10.5,11.5 | SOLE: (logo), LOW GRAVITY, Super, Light 1, TITANIUM, CRANE CROWN: ENA FACE:(loft) view image here |
| ENA Corporation Ltd | Super Light III | 12,13 | SOLE: (logo), LOW GRAVITY, Super, Light 1, TITANIUM, CRANE CROWN: ENA FACE:(loft) view image here |
| ENA Corporation Ltd | Super Light LG | 10.5,13 | SOLE: (logo), LOW GRAVITY, Super, Light 1, TITANIUM, CRANE CROWN: ENA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|-------------------|-------------------------|--|
| ENA Corporation Ltd | Tycoon II | 9.5,10.5,11.5,12.5,13.5 | SOLE: Tycoon (underlined) II, FORGED H-S TITANIUM FACE, LOW GRAVITY HIGH TRAJECTORY, ENA CORPORATION, (logo), ENA, EST. 1965 CROWN: (alignment mark) FACE:(loft), (logo) |
| Ena Golf Co., Ltd | Ena EG-01 | 10.5 | SOLE: ENA, (logo), (weight port), EG-01 CROWN: (ENA alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(loft) view image here |
| Ena Golf Co., Ltd | Ena Magic Wand | 10.5,11.5,13 | SOLE: (decorative marking), (weight port), Magic Wand, DESIGNED BY, ENA CROWN: (ENA alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(loft) view image here |
| Ena Golf Co., Ltd | Ena Magic Wand SF | 10.5 | SOLE: ENA, MagicWand, (weight port), (SF on inset) CROWN: (ENA alignment mark) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(loft) view image here |
| Ena Golf Co., Ltd | Osafune DS-01 | 9.5,10.5 | SOLE: DS-01, (weight port), OSAFUNE, ICHIMONJI, (weight port), N HOSEL: (dot), (orientation indicators) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Endeavor Co Ltd | Excalibur II | N/A | SOLE: Excalibur II, THE MARK OF, ROYAL PRESTIGE, 1 TITANIUM HEEL: Conforms to, USGA/R&A, SLE rules view image here |
| Endeavor Co Ltd | Excalibur XL | N/A | SOLE: 440 C.C., EXCALIBUR XL, INVINCIBLE WEAPON, (arrow logo), (weight port), (arrow logo) HEEL: Confoms to, R&A/USGA, SLE rules view image here |
| Endo Manufacturing Co Ltd | LFD C-edition | 9.5,10.5,11.5 | SOLE: LFD, (logo), C-edition HEEL: ENDO GOLF LAB, (loft) view image here |

| November 04, 2024 | | | | |
|-------------------|------------------------------------|----------------|--|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| Eon Sports Co Ltd | Fairline Alpha | N/A | SOLE: FAIRLINE, (line), (alpha symbol), SUPER FINE METAL, 1, EON SPORTS FACE:AerMet ™ view image here | |
| Eon Sports Co Ltd | Fairline Alpha Tour Succeed 330 | 9.5,10.5 | SOLE: Fairline Alpha, Tour Succeed 330, 1, Eon, Sports view image here | |
| Eon Sports Co Ltd | Fairline Beta Tour Succeed 400 | 10.5 | SOLE: Fairline Beta, Tour Succeed 400, 1, Eon, Sports view image here | |
| Eon Sports Co Ltd | Fairline Pride | 9 | SOLE: Fairline, Pride (underlined), VCT Crown Technology BACK: Loft (loft)° TOE: P Fairline Pride view image here | |
| Eon Sports Co Ltd | Fairline ZX | 9.5 | SOLE: Fairline ZX, ZX, New Aermet & Super Alloy, 1, Eon, Sports BACK: (loft) www.eon.co.jp TOE: (logo) | |
| Eon Sports Co Ltd | Giga B9 | 10.5,12.5 | SOLE: GIGA, HYPER DISTANCE, B9, (loft) view image here | |
| Eon Sports Co Ltd | Giga Grand Slam | 9.5,10.5 | SOLE: GIGA, (crown logo), Grand, Slam, V, (THE SPIRIT OF GOLF, G, (loft) on shield inset) view image here | |
| Eon Sports Co Ltd | Giga Grav. Zero Impact | 9.5,10.5,11.5 | SOLE: (GIGA, (logo), H-MONOCOQUE BODY, The Spirit of Golf on inset) TOE: GRAV. ZERO, (logo), IMPACT, LOFT, (loft) view image here | |
| Eon Sports Co Ltd | Giga HM Max | 9.5,10.5 | SOLE: GIGA, (HM, MAX, (curved line) in inset) TOE: LOFT (loft) view image here | |
| Eon Sports Co Ltd | Giga HS781 | 9,10,10.5,11.5 | SOLE: GIGA, H-MONOCOQUE BODY TOE: HS781 LOFT (loft) view image here | |
| Eon Sports Co Ltd | Giga HS781 Tour | 9 | SOLE: GIGA, H-MONOCOQUE BODY TOE: HS781 TOUR LOFT (loft) view image here | |
| | | | • | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------|---------------|---|
| Eon Sports Co Ltd | Giga HS783 | 9.5,10.5,11.5 | SOLE: (GIGA, H-MONOCOQUE BODY on patterned inset) TOE: HS783 LOFT (loft) view image here |
| Eon Sports Co Ltd | Giga HS787 | 9.5,10.5 | SOLE: (GIGA, H-MONOCOQUE BODY on inset) TOE: HS787 LOFT (loft) view image here |
| Eon Sports Co Ltd | Giga HS787 (Version 2) | 8 | SOLE: (GIGA, H-MONOCOQUE BODY on inset) TOE: HS787 LOFT (loft) HEEL: EON SPORTS view image here |
| Eon Sports Co Ltd | Giga HS787 Additional | 9.5,10.5 | SOLE: (GIGA, H-MONOCOQUE BODY on inset), Additional TOE: HS787 LOFT (loft) view image here |
| Eon Sports Co Ltd | Giga HS787 Tour Pride | 9,10 | SOLE: (GIGA, H-MONOCOQUE BODY on inset), Tour Pride TOE: HS787 LOFT (loft) view image here |
| Eon Sports Co Ltd | Giga HS797 | N/A | SOLE: (HS 797 (underline), SILICON TITANIUM (arrow) on inset in cavity) TOE: GIGA, MONOCOQUE BODY HEEL: HT, EON SPORTS view image here |
| Eon Sports Co Ltd | Giga HS797 Limited | 9.5,10.5 | SOLE: (HS 797 (underline), SILICON TITANIUM (arrow) on inset in cavity) TOE: GIGA, MONOCOQUE BODY, (weight port), (weight port) HEEL: (weight port), (weight port), (loft), EON SPORTS view image here |
| Eon Sports Co Ltd | Giga Turbo | 9.5,10.5 | SOLE: (GIGATURBO, MONOCOQUE BODY (arrow) on inset in cavity) TOE: HS797, (underline), SILICON TITANIUM HEEL: (loft), EON SPORTS view image here |
| Eon Sports Co Ltd | Giga X File | 9,9.5 | SOLE: GIGA X FILE, AERODYNAMIC, HOP UP DESIGN, 1 (loft) BACK: THE SPIRIT OF GOLF TOE: (logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------------------|---------------|---|
| Eon Sports Co Ltd | Giga XF 07 | 10,11 | SOLE: THE SPIRIT OF GOLF, XF, 07, (loft), TITANIUM, GIGA TOE: (logo), EON view image here |
| Eon Sports Co Ltd | Giga XF 460 | 9,10,11 | SOLE: EON SPORTS, GIGA, XF 460, 1 (loft), TITANIUM BACK: (golfer logo), NATURAL TURN, D.E.S.I.G.N view image here |
| Eon Sports Co Ltd | Giga XF Tour Spec | 10 | SOLE: Tour Spec, Giga XF, Weight, G, Balanced, (loft), TVC Titanium TOE: (G logo) view image here |
| Eon Sports Co Ltd | Ginnico | N/A | SOLE: (weight port), (star within star(s)), (weight port), GINNICO, (weight port), (star) HOSEL: (triangle), (orientation indicators) view image here |
| Eon Sports Co Ltd | Ginnico (version 2) | N/A | SOLE: (weight port), (star within star(s)), (weight port), GINNICO, (weight port), (star), (star) HOSEL: (triangle), (orientation indicators) view image here |
| Eon Sports Co Ltd | Ginnico Model 01 | N/A | SOLE: (5 x weight ports), (star within star(s)) BACK: GINNICO TOE: (star) HOSEL: (triangle), (orientation indicators) view image here |
| Eon Sports Co Ltd | Grav. Zero Impact | 9.5,10.5,11.5 | SOLE: (The Spirit of Golf, EON, H-MONOCOQUE BODY, (logo) on inset) TOE: GRAV. ZERO, (lines), IMPACT, LOFT, (loft) view image here |
| Eon Sports Co Ltd | HS 797 | 9.5,10.5,11.5 | SOLE: ((HS 797, (line), SILICON TITANIUM (arrow) in cavity) TOE: GIGA, MONOCOQUE BODY HEEL: (loft), EON SPORTS view image here |
| Eon Sports Co Ltd | HS 797 Additional (Version 2) | 9.5,10.5 | SOLE: SILICON TITANIUM, MONOCOQUE BODY, ((HS 797, Additional, (arrow) on inset in cavity) TOE: (weight port), (weight port), GIGA, MONOCOQUE BODY HEEL: (weight port), (weight port), (loft), EON SPORTS view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------------------------|----------------|---|
| Eon Sports Co Ltd | HS 797 Additional HT (Version 2) | НТ | SOLE: SILICON TITANIUM, MONOCOQUE BODY, ((HS 797, Additional, (arrow) on inset in cavity) TOE: (weight port), (weight port), GIGA, MONOCOQUE BODY HEEL: (weight port), (weight port), HT, EON SPORTS view image here |
| Eon Sports Co Ltd | HS781+ | 9,10,10.5,11.5 | SOLE: (GIGA, H-MONOCOQUE BODY on plate) TOE: HS781+ LOFT (loft) view image here |
| Eon Sports Co Ltd | Pride | 8,9,10 | SOLE: PRIDE (underlined), H MONOCOQUE BODY TOE: P, PRIDE, H, MONOCOQUE BODY HEEL: LOFT (loft) view image here |
| Eon Sports Co Ltd | Pride 460 | 8.5,9.5,10.5 | SOLE: PRIDE, 460, H-MONOCOQUE BODY TOE: (logo), EON HEEL: LOFT (loft) view image here |
| Eon Sports Co Ltd | Pride HS781 | 9,10 | SOLE: PRIDE, H-MONOCOQUE BODY TOE: HS781 LOFT (loft) view image here |
| Eon Sports Co Ltd | Pride HS781 Tour | 9 | SOLE: PRIDE, H-MONOCOQUE BODY TOE: HS781 TOUR LOFT (loft) view image here |
| Eon Sports Co Ltd | Zedo | 9,10 | SOLE: ZEDO, H-MONOCOQUE BODY TOE: ((loft), EON SPORTS on inset) view image here |
| Eon Sports Co Ltd | Zedo (Version 2) | 9,10 | SOLE: ((loft), EON SPORTS on inset), ZEDO, H-MONOCOQUE BODY view image here |
| Eon Sports Co Ltd | Zedo HS781 | 9,10,10.5,11.5 | SOLE: (ZEDO on inset) TOE: HS781 LOFT (loft) view image here |
| Eon Sports Co Ltd | Zedo HS783 | 9.5,10.5 | SOLE: (ZEDO on inset) TOE: HS783 LOFT (loft) view image here |
| Epon Golf Co Ltd | 504D H | 10.5 | SOLE: (e logo) EPON, 504DH HEEL: FORGED by ENDO |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------|---------------|---|
| Epon Golf Co Ltd | 504D J | 9.5 | SOLE: (e logo) EPON, 504DJ HEEL: FORGED by ENDO |
| | | | view image here |
| Epon Golf Co Ltd | AF-101 | 9.5,10.5 | SOLE: (logo) EPON, JAPAN FORGED, AF-101 TOE: (logo) HEEL: (loft) |
| | | | view image here |
| Epon Golf Co Ltd | AF-101 (LH) | 9.5,10.5 | SOLE: (logo) EPON, JAPAN FORGED, AF-101 TOE: (logo) HEEL: (loft) |
| | | | <u>view image here</u> |
| Epon Golf Co Ltd | AF-101 (prototype) | 9.5,10.5 | SOLE: P0701, (logo) EPON, JAPAN FORGED, AF-101 TOE: (logo) HEEL: (loft) |
| | | | <u>view image here</u> |
| Epon Golf Co Ltd | AF-102 | 8.5,9.5,10.5 | SOLE: (e logo) EPON, AF-102 TOE: (e logo) HEEL: FORGED by ENDO (loft) |
| Epon Golf Co Ltd | AF-103 | 9.5,10.5 | SOLE: (e logo) EPON, AF-103 |
| Epon don do Eta | 711 100 | 0.0,10.0 | HEEL: FORGED by ENDO, (loft) |
| Epon Golf Co Ltd | AF-103 (LH) | 9.5,10.5 | view image here SOLE: (e logo) EPON, AF-103 |
| Epon Gon Co Lia | Ar-103 (LIT) | 3.0,10.0 | HEEL: (loft), FORGED by ENDO |
| | | | view image here |
| Epon Golf Co Ltd | AF-105 | N/A | SOLE: (e logo) EPON, AF-105 HEEL: FORGED by ENDO |
| | | | view image here |
| Epon Golf Co Ltd | AF-106 | 10 | SOLE: (e logo), EPON, AF-106 |
| | | | view image here |
| Epon Golf Co Ltd | AF-151 | 9.5,10.5,11.5 | SOLE: AF-151, (e logo), EPON, JAPAN FORGED, (loft) TOE: (e logo) view image here |
| Epon Golf Co Ltd | AF-152 | 9.5,10.5 | SOLE: AF-152, (e logo) EPON, (loft) |
| , | | | HEEL: FORGED by ENDO |
| | | | <u>view image here</u> |

| November 04, 2024 | | | | |
|-------------------|---------------|----------|---|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| Epon Golf Co Ltd | AF-152 HT | N/A | SOLE: AF-152, (e logo) EPON, HT HEEL: FORGED by ENDO view image here | |
| Epon Golf Co Ltd | AF-153 | 9.5,10.5 | SOLE: (e logo), EPON, AF-153 HEEL: FORGED by ENDO, (loft) view image here | |
| Epon Golf Co Ltd | AF-155 | N/A | SOLE: (e logo), EPON, AF-155 view image here | |
| Epon Golf Co Ltd | AF-155i | N/A | SOLE: (weight port), (e logo), EPON, AF-155i HOSEL: (triangle), (orientation indicators) view image here | |
| Epon Golf Co Ltd | AF-156 | 10 | SOLE: (weight port), (e logo), EPON, AF-156 HOSEL: (triangle), (orientation indicators) view image here | |
| Epon Golf Co Ltd | AF-156S | 10 | SOLE: (weight port), (e logo), EPON, AF-156S HOSEL: (triangle), (orientation indicators) view image here | |
| Epon Golf Co Ltd | AF-157 | 10.5 | SOLE: (weight port), (e logo), EPON, AF-157 HOSEL: (triangle), (orientation indicators) view image here | |
| Epon Golf Co Ltd | AK-26 | 10.5,12 | SOLE: EPON HEEL: PAT.P 2015-212252/3, Any-C view image here | |
| Epon Golf Co Ltd | Dead or Alive | 10.5 | SOLE: (DEAD OR ALIVE, by EPON over media blast logo) view image here | |
| Epon Golf Co Ltd | DF-01 | 9.5 | SOLE: (weight port), DEAD OR ALIVE, (E logo), by EPON, DF-01 CROWN: (E logo alignment mark) HOSEL: (triangle), (orientation indicators) view image here | |
| Epon Golf Co Ltd | DF-02D | 10.5 | SOLE: (weight port), (weight port), (weight port), (weight port), DEAD OR ALIVE, by EPON, DF-02D CROWN: (e logo alignment mark) HOSEL: (triangle), (orientation indicators) | |
| | | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|---------------------|-----------|---|
| Epon Golf Co Ltd | E.M.B. | 9,12 | SOLE: (logo) EPON, JAPAN FORGED, E.M.B. HEEL: (loft) view image here |
| Epon Golf Co Ltd | E.M.B. (Version 2) | 9,10.5,12 | SOLE: (logo) EPON, JAPAN FORGED, E.M.B. (loft) view image here |
| Epon Golf Co Ltd | EF-01 | 10.5,12 | SOLE: (weight port), EPON HEEL: (triangle), (orientation indicators) view image here |
| Epon Golf Co Ltd | EF-02D | N/A | SOLE: (weight port), (weight port), (e logo), EPON, EF-02D, (weight port), (weight port) CROWN: (alignment mark) HOSEL: (triangle), (orientation indicators) view image here |
| Epon Golf Co Ltd | EF-02D HT | 12 | SOLE: (weight port), (weight port), (e logo), EPON, EF-02D, (weight port), (weight port) CROWN: (alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: HT |
| Epon Golf Co Ltd | EM-S Global Edition | 9.5,10.5 | SOLE: (e logo) EPON, JAPAN FORGED, EM-S, (media blast e logo), (loft) BACK: (line) unconscious (line) HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| Epon Golf Co Ltd | Epon 450 | 10 | SOLE: (e logo), EPON, 450 TOE: (e logo) view image here |
| Epon Golf Co Ltd | Epon 460 | 9.5,10.5 | SOLE: (logo) EPON, JAPAN FORGED, 460 TOE: (logo) HEEL: (loft) view image here |
| Epon Golf Co Ltd | Epon EM-S | 9.5,10.5 | SOLE: (e logo) EPON, JAPAN FORGED, EM-S (media blast logo), (loft) HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| Epon Golf Co Ltd | Epon Zero | N/A | SOLE: EPON, ZERO TOE: (e logo) HEEL: FORGED by ENDO |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|----------------------------------|----------|---|
| Epon Golf Co Ltd | LF-02D | 12 | SOLE: (weight port), (weight port), (e logo) EPON, LF-02D CROWN: (e logo alignment mark) HOSEL: (triangle), (orientation indicators) view image here |
| Epon Golf Co Ltd | RF-460 | 9.5,10.5 | SOLE: EPON, RF-460 TOE: (e logo) HEEL: FORGED by ENDO, (loft) view image here |
| Epon Golf Co Ltd | Technity 415 ZR | 9.5,10.5 | SOLE: TECHNITY (underlined), Forged TITAN, 415 TOE: EPON, ENDO PRODUCT HEEL: (loft) view image here |
| Epon Golf Co Ltd | Technity 415 ZR (Korea Model) | 9.5,10.5 | SOLE: TECHNITY (underlined), Forged TITAN, 415 TOE: ENDO, PRODUCT HEEL: (loft) view image here |
| Epon Golf Co Ltd | Technity 460 ZR | 9.5,10.5 | SOLE: TECHNITY (underlined), Forged TITAN, 460 TOE: EPON, ENDO PRODUCT HEEL: (loft) view image here |
| Epon Golf Co Ltd | Technity 460 ZR (Korea Model) | 9.5,10.5 | SOLE: TECHNITY (underlined), Forged TITAN, 460 TOE: ENDO, PRODUCT HEEL: (loft) view image here |
| Epon Golf Co Ltd | X | 9.5 | SOLE: EPON HEEL: X view image here |
| eSports Co Ltd | Air Gates | 10 | SOLE: AG-max, 460, Air Gates, (loft) TOE: FACE: SP-700 FORGED TITANIUM FACE:AG view image here |
| Estivant Golf Co Ltd | Estivant ES460 All Black | 9.5 | SOLE: [ES 460J ALL BLACK] Designed by MATSU, (diamond logo) BACK: (weight port), (weight port) TOE: ESTIVANT, (line), (line), (line), (line) FAR AND SURE (line), (line), (line), (line) CROWN: (decorative marking) HOSEL: (diamond logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|---|-------------|--|
| ET Japan Co Ltd | K. Grumman KP-Z.1 | 10 | SOLE: K. GRUMMAN, (loft), KP-Z.1, (in shape) TOE: (logo) HEEL: KABUTO GRUMMAN REALIZE 206MK |
| | | | view image here |
| ET Japan Co Ltd | K.Grumman KP-2.3 | N/A | SOLE: K.GRUMMAN (in shape), KP-Z.3 TOE: (tick logo) HEEL: KABUTO GRUMMAN REALIZE 206MK view image here |
| ET Japan Co Ltd | MK-300Y Triangle | 9.5,10,10.5 | SOLE: ET·J MK-300Y, R&A/USGA SLE RULE, (logo) TRIANGLE, (K logo) GRUMMAN TOE: (4 circles) HEEL: (4 circles) FACE:(loft) view image here |
| Etimo Co Ltd | Vrsst-Miyazawa | N/A | SOLE: (M logo) Miyazawa (over V R S S T , TM media blast), (V logo in media blast), 1 view image here |
| Euro Sports Inc | Fila (Ladies) | N/A | SOLE: ((f logo) repeated in grid), (1, 430cc in grid) CROWN: FILA view image here |
| Evangelist Japan Inc | Baldo 568 Competizione | N/A | SOLE: BALDO (with logo on L), competizione 568 TOE: (clover logo), competizione view image here |
| Evangelist Japan Inc | Baldo 568 Competizione (LH) | N/A | SOLE: BALDO (with logo on L), competizione 568 TOE: (clover logo), competizione view image here |
| Evangelist Japan Inc | Baldo 568 Competizione (LH) (Version 2) | N/A | SOLE: BALDO (with logo on L), competizione 568 TOE: (clover logo), competizione HEEL: STRONG, LUCK460 view image here |
| Evangelist Japan Inc | Baldo 568 Competizione (Version 2) | N/A | SOLE: BALDO (with logo on L), competizione 568 TOE: (clover logo), competizione HEEL: STRONG, LUCK460 |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|--|-------|---|
| Evangelist Japan Inc | Baldo 568 Competizione 420 | N/A | SOLE: BALDO (with logo on L), competizione 568 BACK: (weight port) TOE: (clover logo), competizione HEEL: STRONG, LUCK420 view image here |
| Evangelist Japan Inc | Baldo 568 Competizione 420 (LH) | N/A | SOLE: BALDO (with logo on L), competizione 568 BACK: (weight port) TOE: (clover logo), competizione HEEL: STRONG, LUCK420 view image here |
| Evangelist Japan Inc | Baldo 568 Competizione 460 (LH) | N/A | SOLE: BALDO (with logo on L), competizione 568 TOE: (clover logo), competizione HEEL: STRONG, LUCK460K view image here |
| Evangelist Japan Inc | Baldo 568 Competizione 460 (Version 3) | N/A | SOLE: BALDO (with logo on L), competizione 568 BACK: (weight port) TOE: (clover logo), competizione HEEL: STRONG, LUCK460K view image here |
| Evangelist Japan Inc | Baldo 568 Competizione Deep | N/A | SOLE: BALDO (with logo on L), 568, competizione TOE: (clover logo), competizione, 568 HOSEL: (orientation markers) BALDO BALDO BALDO BALDO HEEL: Deep view image here |
| Evangelist Japan Inc | Baldo 568 Competizione Deep Lefty | N/A | SOLE: BALDO (with logo on L), 568, competizione TOE: (clover logo), competizione, 568 HOSEL: (orientation markers) BALDO BALDO BALDO BALDO HEEL: Deep view image here |
| Evangelist Japan Inc | Baldo 568 Competizione Shallow | N/A | SOLE: BALDO (with logo on L), 568, competizione TOE: (clover logo), competizione, 568 HOSEL: (orientation markers) BALDO BALDO BALDO BALDO HEEL: Shallow view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|--|----------|--|
| Evangelist Japan Inc | Baldo 568 Competizione Shallow Lefty | N/A | SOLE: BALDO (with logo on L), 568, competizione TOE: (clover logo), competizione, 568 HOSEL: (orientation markers) BALDO BALDO BALDO BALDO HEEL: Shallow view image here |
| Evangelist Japan Inc | Baldo 568Jr | N/A | SOLE: BALDO (with chess piece over L), competizione 568Jr. TOE: (clover logo), competizione HEEL: Driver, to the world with BALDO view image here |
| Evangelist Japan Inc | Baldo 568LC Competizione | 9.5,10.5 | SOLE: competizione, 568LC TOE: BALDO (with logo on L), (clover logo) HEEL: Driver, (loft) view image here |
| Evangelist Japan Inc | Baldo 8C Craft (Version 2) | 9,10 | SOLE: BALDO (with logo on L), 8C CRAFT, LOFT, (loft) TOE: (clover logo in circle), ((star) EVANGELIST JAPAN SINCE 2007 (star) EVANGELIST JAPAN SINCE 2007 in circle) HEEL: CONFORMING, TO R&A USGA |
| Evangelist Japan Inc | Baldo 8C Craft Competizione | N/A | SOLE: (EVANGELIST JAPAN PRODUCTS, Baldo Competizione on weight port), BALDO (with logo on L), 8C CRAFT HEEL: Competizione• view image here |
| Evangelist Japan Inc | Baldo 8C Craft TA001 | N/A | SOLE: TA001, BALDO (with logo on L), 8C, CRAFT, TOE: (three lines) EVAnGELIST JAPAn PRODUCTS (clover leaf logo) view image here |
| Evangelist Japan Inc | Baldo 8C Craft TA001 (LH) | N/A | SOLE: BALDO (with logo on L), 8C, CRAFT, TA001 TOE: (three lines) EVAnGELIST JAPAn PRODUCTS (clover leaf logo) view image here |
| Evangelist Japan Inc | Baldo 8C Trajectory 01 | N/A | SOLE: (BALDO on weight port), BALDO (with logo on L), (8C, CRAFT on inset) TOE: Trajectory 01 • view image here |
| Evangelist Japan Inc | Baldo 8C Trajectory 02 | N/A | SOLE: (BALDO on weight port), BALDO (with logo on L), (8C, CRAFT on inset) TOE: Trajectory 02 • |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|--------------------------------|-------|--|
| Evangelist Japan Inc | Baldo 911D | N/A | SOLE: BALDO (with logo on L), 911D view image here |
| Evangelist Japan Inc | Baldo 911S | N/A | SOLE: BALDO (with logo on L), 911S |
| | D. I.I. O | N/A | view image here |
| Evangelist Japan Inc | Baldo Corsa 380 | N/A | SOLE: BALDO (with logo on L), CORSA BACK: (weight port) TOE: (clover logo), CORSA HEEL: PERFORMANCE, CORSA, 380 view image here |
| Evangelist Japan Inc | Baldo Corsa 380 (LH) | N/A | SOLE: BALDO (with logo on L), CORSA BACK: (weight port) TOE: (clover logo), CORSA HEEL: PERFORMANCE, CORSA, 380 view image here |
| Evangelist Japan Inc | Baldo Corsa 435 | N/A | SOLE: BALDO (with logo on L), CORSA BACK: (weight port) TOE: (clover logo), CORSA HEEL: PERFORMANCE, CORSA, 435 view image here |
| Evangelist Japan Inc | Baldo Corsa 435 (LH) | N/A | SOLE: BALDO (with logo on L), CORSA BACK: (weight port) TOE: (clover logo), CORSA HEEL: PERFORMANCE, CORSA, 435 view image here |
| Evangelist Japan Inc | Baldo Corsa 438 (LH) | N/A | SOLE: BALDO (with logo on L), CORSA, (weight port) TOE: (clover logo), CORSA HEEL: PERFORMANCE, CORSA, 438H view image here |
| Evangelist Japan Inc | Baldo Corsa 438 (Version 2) | N/A | SOLE: BALDO (with logo on L), CORSA, (weight port) TOE: (clover logo), CORSA HEEL: PERFORMANCE, CORSA, 438H view image here |
| Evangelist Japan Inc | Baldo Corsa 455 | N/A | SOLE: BALDO (with logo on L), CORSA BACK: (weight port) TOE: (clover logo), CORSA HEEL: PERFORMANCE, CORSA, 455 view image here |
| Evangelist Japan Inc | Baldo Corsa 455 (LH) | N/A | SOLE: BALDO (with logo on L), CORSA BACK: (weight port) TOE: (clover logo), CORSA HEEL: PERFORMANCE, CORSA, 455 |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|---------------------------------|-------|--|
| Evangelist Japan Inc | Baldo Corsa 458 (LH) | N/A | SOLE: BALDO (with logo on L), CORSA, (weight port) TOE: (clover logo), CORSA HEEL: PERFORMANCE, CORSA, 458H view image here |
| Evangelist Japan Inc | Baldo Corsa 458 (Version 2) | N/A | SOLE: BALDO (with logo on L), CORSA, (weight port) TOE: (clover logo), CORSA HEEL: PERFORMANCE, CORSA, 458H view image here |
| Evangelist Japan Inc | Baldo Corsa 460 | N/A | SOLE: BALDO (with logo on L), CORSA BACK: (weight port) TOE: (clover logo), CORSA HEEL: PERFORMANCE, CORSA, 460 view image here |
| Evangelist Japan Inc | Baldo Corsa 460 (LH) | N/A | SOLE: BALDO (with logo on L), CORSA BACK: (weight port) TOE: (clover logo), CORSA HEEL: PERFORMANCE, CORSA, 460 <u>view image here</u> |
| Evangelist Japan Inc | Baldo Corsa BC438 | N/A | SOLE: BALDO (with logo on L), CORSA, (weight port), BC438 TOE: (clover logo), CORSA view image here |
| Evangelist Japan Inc | Baldo Corsa BC438 Lefty (LH) | N/A | SOLE: BALDO (with logo on L), CORSA, (weight port), BC438 TOE: (clover logo), CORSA view image here |
| Evangelist Japan Inc | Baldo Corsa BC458 | N/A | SOLE: BALDO (with logo on L), CORSA, (weight port), BC458 TOE: (clover logo), CORSA view image here |
| Evangelist Japan Inc | Baldo Corsa BC458 Lefty (LH) | N/A | SOLE: BALDO (with logo on L), CORSA, (weight port), BC458 TOE: (clover logo), CORSA view image here |
| Evangelist Japan Inc | Baldo Magma | N/A | SOLE: (clover logo) BALDO (with logo on L), Magma view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|--------------------------------|-------|--|
| Evangelist Japan Inc | Baldo Sky Drive | N/A | SOLE: 468, MA, SKY, DRIVE BACK: (weight port) TOE: BALDO (with logo on L), (clover logo) CROWN: ((S logo) alignment mark) HOSEL: (dot), (orientation indicators) |
| Evangelist Japan Inc | BALDO SKYDRIVE DRIVER Ver.2 | N/A | SOLE: SKY, SKY, (weight port), DRIVE BACK: (weight port) TOE: BALDO (with logo on L), (clover logo) CROWN: ((S logo) alignment mark) HOSEL: (dot), (orientation indicators), BALDO BALDO BALDO FACE:DAT55G |
| Evangelist Japan Inc | BALDO TT Driver GT1 | N/A | SOLE: (weight port), BALDO (with logo on L), TT Driver, GT1, VRSSIST on inset, VRSSIST on inset, BOOSTER GROOVE TOE: (clover logo) HOSEL: arrow, (orientation indicators), baldo, baldo, baldo |
| Evangelist Japan Inc | BALDO TT Driver GT2 DEEP | N/A | SOLE: (weight port), BALDO (with logo on L), TT Driver, GT2, VRSSIST on inset, VRSSIST on inset, BOOSTER GROOVE TOE: (clover logo) HOSEL: arrow, (orientation indicators), baldo, baldo, baldo |
| Evangelist Japan Inc | BALDO TT Driver GT3 SHALLOW | N/A | SOLE: (weight port), BALDO (with logo on L), TT Driver, GT3, VRSSIST on inset, VRSSIST on inset, BOOSTER GROOVE TOE: (clover logo) HOSEL: arrow, (orientation indicators), baldo, baldo, baldo |
| Evangelist Japan Inc | Baldo TTX 420 | N/A | SOLE: BALDO (with logo on L), (weight port) BACK: (weight port) TOE: (clover logo), TTX (X in square), TOURIST TROPHY HEEL: BALDO (with logo on L), STRONG, LUCK420 view image here |
| Evangelist Japan Inc | Baldo TTX 420 (LH) | N/A | SOLE: BALDO (with logo on L), (weight port) BACK: (weight port) TOE: (clover logo), TTX (X in square), TOURIST TROPHY HEEL: BALDO (with logo on L), STRONG, LUCK420 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|--------------------|--------------|--|
| Evangelist Japan Inc | Baldo TTX 460 | N/A | SOLE: BALDO (with logo on L), (weight port) TOE: (clover logo), TTX (X in square), TOURIST TROPHY HEEL: BALDO (with logo on L), STRONG, LUCK460 |
| | | | view image here |
| Evangelist Japan Inc | Baldo TTX 460 (LH) | N/A | SOLE: BALDO (with logo on L), (weight port) TOE: (clover logo), TTX (X in square), TOURIST TROPHY HEEL: BALDO (with logo on L), STRONG, LUCK460 view image here |
| Francist Issue Iss | Baldo VT311 | N/A | |
| Evangelist Japan Inc | Daluo VISII | IVA | SOLE: BALDO (with logo on L), (PROTO (TT inside circle) TYPE), VT311 TOE: (three lines) EVAnGELIST JAPAn PRODUCTS (clover leaf logo) view image here |
| Evangelist Japan Inc | Baldo VT511 | N/A | SOLE: PROTO (TT inside oval) TYPE, BALDO (with logo on L), VT511 TOE: (three lines) EVAnGELIST JAPAn PRODUCTS (clover leaf logo) view image here |
| Evangelist Japan Inc | Baldo VT511 (LH) | N/A | SOLE: PROTO (TT inside circle) TYPE, VT511, BALDO (with logo on L) TOE: (three lines) EVANGELIST JAPAN PRODUCTS (clover leaf logo) view image here |
| Evangelist Japan Inc | Baldo VT811 | N/A | SOLE: PROTO (TT inside circle) TYPE, VT811, BALDO (with logo on L) TOE: (three lines) EVANGELIST JAPAN PRODUCTS (clover leaf logo) view image here |
| Evangelist Japan Inc | Diablo GT3000 430 | 8.5,9.5,10.5 | SOLE: EVANGELIST JAPAN INC., Diablo, (logo) GT3000, -430- LOFT (loft) HEEL: CONFORMING, TO R&A USGA, SLE RULE byEJ, SERIAL (number) view image here |
| Evangelist Japan Inc | Diablo GT3000 460 | 8.5,9.5,10.5 | SOLE: EVANGELIST JAPAN INC., Diablo, (logo) GT3000, -460- LOFT (loft) HEEL: CONFORMING, TO R&A USGA, SLE RULE byEJ, SERIAL (number) view image here |
| Evangelist Japan Inc | Nud Ghibli | N/A | SOLE: (two dots), (NUD logo), GHIBLI, (NUD logo) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|-----------------------------|-------|--|
| Evangelist Japan Inc | Nud Vortix | 10 | SOLE: VORTIX, (logo), nuD, (logo), (crown logo), (loft) CROWN: (crown logo alignment mark) view image here |
| Even Golf | Zeal Gate 101 | N/A | SOLE: ZEAL GATE, 101 |
| | | | TOE: (logo), HR-07 |
| | | | view image here |
| Ever Green Co Ltd | AFD | N/A | SOLE: A.F.D., Always Fine Distance, Premium Tune HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Ever Green Co Ltd | AFD (LH) | N/A | SOLE: A.F.D., Always Fine Distance |
| Ever Green de La | , (2.1.) | | TOE: A.F.D. |
| | | | <u>view image here</u> |
| Ever Green Co Ltd | AFD CG | N/A | SOLE: A.F.D., Confidential Gravity HEEL: Conforms to, R&A/USGA, SLE rules |
| | | | view image here |
| Ever Green Co Ltd | AFD Constructor 457 (LH) | N/A | SOLE: A.F.D., ALWAYS FINE DISTANCE, • CONSTRUCTOR 457 • BACK: DUAL, POWER TOE: AFD, TOURNAMENT HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Ever Green Co Ltd | AFD D-010 | N/A | SOLE: D-010, A.F.D., Always Fine Distance, PRO-SPEC TOE: A.F.D. view image here |
| Ever Green Co Ltd | AFD D-010 (LH) | N/A | SOLE: D-010, A.F.D., Always Fine Distance, PRO-SPEC TOE: A.F.D. HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Ever Green Co Ltd | AFD DT-303 | N/A | SOLE: (line) DT (line) 303 (line), A.F.D., Always Fine Distance TOE: A.F.D. view image here |
| Ever Green Co Ltd | AFD Flying Force 438 | N/A | SOLE: (AFD on inset), Flying Force, 438, A.F.D., Always Fine Distance HEEL: Conforms to, USGA/R&A, SLE rules view image here |
| Ever Green Co Ltd | AFD SD-01 | N/A | SOLE: A.F.D., Always Fine Distance, SD-01 TOE: A.F.D. |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-----------------------------------|-------|---|
| Ever Green Co Ltd | AFD SD-01 + | N/A | SOLE: A.F.D., Always Fine Distance, SD-01 + TOE: A.F.D. view image here |
| Ever Green Co Ltd | AFD SD-01+ (Version 2) (LH) | N/A | SOLE: A.F.D., Always Fine Distance, SD-01 + TOE: A.F.D. view image here |
| Ever Green Co Ltd | AFD ST-508 | N/A | SOLE: ST-508, A.F.D., Always Fine Distance BACK: (weight port) TOE: A.F.D. view image here |
| Ever Green Co Ltd | AFD Tournament Constructor 457 | N/A | SOLE: A.F.D., ALWAYS FINE DISTANCE, . CONSTUCTOR 457 . TOE: A F D, TOURNAMENT HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Ever Green Co Ltd | AFD Type-407 | N/A | SOLE: TOUR SYSTEM CTL., DUAL CONTROL SYSTEM, A.F.D., Always Fine Distance, Type-407 TOE: A.F.D., TOUR LINE view image here |
| Ever Green Co Ltd | AFD Type-522 | N/A | SOLE: TOUR SYSTEM CTL., DUAL CONTROL SYSTEM, A.F.D., Always Fine Distance, Type-522 TOE: A.F.D., PREMIUM view image here |
| Ever Green Co Ltd | AFD Type-522 (LH) | N/A | SOLE: TOUR SYSTEM CTL., A.F.D., DUAL CONTROL SYSTEM, Always Fine Distance, Type-522 TOE: A.F.D., PREMIUM view image here |
| Ever Green Co Ltd | Fit Perfect IS430 | N/A | SOLE: (IS430 in double circle logo), FORGED 4.5-3-2-2, (line), FIT PERFECT HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Ever Green Co Ltd | Fit Perfect IS450 | N/A | SOLE: (IS450 in double circle logo), FORGED 4.5-3-2-2, (line), FIT PERFECT HEEL: Conforms to, R&A/USGA, SLE rules view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|------------------|-------|--|
| Ever Green Co Ltd | Grandir | N/A | SOLE: Grandir, (line), Always Fine Distance, (3 circles), (3 circles) TOE: A.F.D. HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Ever Green Co Ltd | Magia Palo IS450 | N/A | SOLE: (IS, 450 in double circle logo), FORGED 4.5-3-2-2, (line), Magia Palo HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Ever Green Co Ltd | Ougaitou IS430 | N/A | SOLE: (IS430 in double circle logo), FORGED 4.5-3-2-2, (line), (circles), OUGAITOU TOE: (eagle logo), (Japanese symbols) HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Ever Green Co Ltd | Skitter 403 | N/A | SOLE: (logo) 2P FORGED 10-2-3 (underlined), 403 SKITTER., 1 view image here |
| Ever Green Co Ltd | Skitter Absolute | N/A | SOLE: Absolute (underlined), TEAM SKITTER, Special Edition view image here |
| Ever Green Co Ltd | Skitter IS350 | N/A | SOLE: 1, (IS350 in double circle logo), 2P FORGED 10-2-3, (line), SKITTER. TOE: (logo) view image here |
| Ever Green Co Ltd | Skitter IS430 | N/A | SOLE: (IS430 in double circle logo), FORGED 4.5-3-2-2, (line), SKITTER ® HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Ever Green Co Ltd | Skitter IS450 | N/A | SOLE: (IS450 in double circle logo), FORGED 4.5-3-2-2, (line), SKITTER® HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Ever Green Co Ltd | Skitter IS460 | N/A | SOLE: SKITTER, ®, IS460 HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Ever Green Co Ltd | Skitter Pro 350 | N/A | SOLE: SKITTER, PRO 350, 2P FORGED, 10-2-3, 1 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|-----------------------------------|---------|---|
| Ever Green Co Ltd | Super AFD | N/A | SOLE: SUPER A.F.D. (double underlined), ALWAYS FINE DISTANCE, 1 (in diamond), EXCELLENT PERFORMANCE, WITH, MARVELOUS COG TOE: (AFD logo) FACE:Ti-16 view image here |
| Evisu Japan Co. Ltd. | Tondeku Cibuff Kun (Version 1) | 9,10,11 | SOLE: D (in shield), (loft) DEGREES (star), (picture) CIBUFF, PEAR SHAPE METAL (underlined), REG 44 DXX·TITANIUM, EVISU & GOLF view image here |
| Evisu Japan Co. Ltd. | Tondeku Cibuff Kun (Version 2) | 9,10,11 | SOLE: D (in shield), (loft) DEGREES, (picture) CIBUFF, PEAR SHAPE METAL (underlined), REG 44 DXX·TITANIUM, EVISU & GOLF view image here |
| Excedo Golf/Sonartec | Titan SS-01 | 9,10,11 | SOLE: EXCEDO, Driving Cavity, [TITAN SS-01], 1, LOFT, (loft) view image here |
| Exe Corporation | Shuriken Black | N/A | SOLE: — SHURIKEN —, SHURIKEN, S.NEWS, (logo) BLACK (logo), — SHURIKEN — TOE: (logo) CROWN: (alignment mark) |
| Fairway Club | 5th Aniv by George Takei | N/A | SOLE: (weight port), ((Team in G logo) in hexagon shape), (weight port) HOSEL: GTD, (dot), (dot), (orientation indicators) HEEL: 5th Aniv By George Takei |
| Fairway Club | 6th Aniv by George Takei | N/A | SOLE: ((Team in G logo) in hexagon shape) TOE: ((Team in G logo) in hexagon shape) HOSEL: GTD, (dot), (orientation indicators) HEEL: 6th Aniv By George Takei view image here |
| Fairway Club | GT 455 Plus | N/A | SOLE: (weight port), (Team in hexagonal G logo), (weight port) TOE: (Team in hexagonal G logo) HOSEL: GTD, (dot), (orientation/loft indicators) HEEL: GT455 Plus view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|------------------|-------|---|
| Fairway Club | GT455 Angel C DW | N/A | SOLE: (weight port), GTD by Team George Angel-C, (Team in hexagonal G logo), (weight port) TOE: (Team in hexagonal G logo) HOSEL: GTD, (dot), (dot), (orientation indicators) HEEL: GT455 Angel C DW |
| Fairway Club | GT455 Plus-2 DW | N/A | SOLE: (weight port), GT455 Plus-2 Powerd by Team George, (Team in hexagonal G logo), (weight port) TOE: (Team in hexagonal G logo) HOSEL: GTD, (dot), (dot), (orientation indicators) HEEL: GT455 Plus-2 DW |
| Fairway Club | GT455a | N/A | SOLE: (Team in hexagonal G logo) HOSEL: GTD, (dot), (orientation/loft indicators) HEEL: GT455(alpha) view image here |
| Fairway Club | GTD (Version 2) | N/A | SOLE: (((Team in G logo) in hexagon shape), (6 dots), in hexagon shape) HOSEL: GTD, (dot), (dot), (orientation/loft indicators) view image here |
| Fairway Club | GTD Code-KD-1W | N/A | SOLE: (weight port), (Team in hexagonal G logo), (weight port) TOE: (Team in hexagonal G logo) HOSEL: GTD, (dot), (dot), (orientation/loft indicators) HEEL: Code K-D 1W view image here |
| Fanatik Golf | K-420 | 9.5 | SOLE: FORGED, TITANIUM, 1 (in circle), K-420, PROFESSIONAL, FANATIK (underlined), Golf, (loft) BACK: FANATIK view image here |
| Fanatik Golf | K-450 | 10.5 | SOLE: FORGED, TITANIUM, 1 (in circle), K-450 (arrow), FANATIK (underlined), Golf, (loft) view image here |
| Farrar Golf Industries | TBO 300cc | 10.5 | SOLE: 300cc, T B O, BETA TITANIUM, (loft), FARRAR, GOLF CROWN: (alignment arrow) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--------------------------------------|----------|---|
| Fazer Japan Inc | FJ α 455 Tour | 9.5,10.5 | SOLE: FJ, FULL POWER IMPACT (underlined), α 455 TOUR, (loft) HEEL: CONFORMING, TO R&A-USGA, SLE RULE <u>view image here</u> |
| Fazer Japan Inc | FJ α 455 Tour HL | 13 | SOLE: FJ, FULL POWER IMPACT (underlined), α 455 TOUR, HL HEEL: CONFORMING, TO R&A-USGA, SLE RULE view image here |
| Feel Golf Company | Dr. Feel 300cc | 8,9,10 | SOLE: Dr. Feel 1, (line), TITANIUM SERIES, (loft), 300 CC, 'FEEL', Golf, (laurel graphic) view image here |
| Feel Golf Company | Dr. Feel 320cc | 9,10 | SOLE: Dr. Feel 1, (line), TITANIUM SERIES, (loft), 320 CC, 'FEEL', Golf, (laurel leaf graphic) view image here |
| Feel Golf Company | Dr. Feel 360cc | 3,8,9,10 | SOLE: Dr. Feel, (line), TITANIUM SERIES, 1, (loft), 360 CC, 'FEEL', Golf, (laurel leaf graphic) view image here |
| Feel Golf Company | Dr. Feel 400cc | 8,9,10 | SOLE: Dr. Feel, (line), TITANIUM SERIES, 1, (loft), 400 CC, 'FEEL', Golf, (laurel leaf graphic) view image here |
| Feel Golf Company | Feel 360cc | 5,10 | SOLE: feel, (line), TITANIUM SERIES, 1, (loft), 360cc, feel, GOLF, (laurel leaf graphic) view image here |
| Feel Golf Company | Pro Tour 787 PR 460cc (Version 1) | 9 | SOLE: 460CC, feel, (line), Pro Tour 787 PR, (loft), FORGED CROWN: ((line), feel, (line) alignment mark) FACE:BETA TI view image here |
| Feel Golf Company | Pro Tour 787 PR 460cc (Version 2) | 10 | SOLE: 460CC, feel, (line), Pro Tour 787 PR, (loft), FORGED CROWN: ((line), feel, (line) alignment mark) FACE:BETA view image here |
| Feel Golf Company | Pro Tour 787 PR 460cc (Version 3) | 9,10 | SOLE: 460CC, feel, (line), Pro Tour 787 PR, (loft), FORGED FACE:BETA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|------------------------------------|----------------------|---|
| Feel Golf Company | Ti-Carbon Series 430cc | 9,10,12 | SOLE: feel, (line) 1, TI-CARBON SERIES (loft), 430cc, feel, GOLF, (laurel leaf graphic) view image here |
| Feel Golf Company | Ti-Carbon Series 460cc | 9,10,12 | SOLE: feel, (line) 1, TI-CARBON SERIES (loft), 460cc, feel, GOLF, (laurel leaf graphic) view image here |
| Fine Edge Golf Equipment | Fine Edge Golf 07 Ti (LH) | 10.5 | SOLE: Fine Edge Golf, (logo), 460C.C TITANIUM, (loft), www.fineedgegolf.com.au, 07 CROWN: (alignment mark) view image here |
| Fister Golf Company | Airmail 394 | 4 | SOLE: (curved line), AIRMAIL 394, .G8 TI-face TOE: (swinging golfer graphic), FISTER GOLF CROWN: (swinging golfer graphic) HEEL: (loft) view image here |
| Fister Golf Company | Model 1 | 5,9,10.5 | SOLE: (bent line), (circular weight), (accordian insert), (loft), MODEL 1 view image here |
| Fister Golf Company | P450 Pro LD | 4.5 | SOLE: P450, (line) Pro LD, (line), Sean 'The Beast' Fister BACK: (BEAST in oval w/ lines) TOE: FISTER (w/ i golfer logo) GOLF HEEL: (loft) view image here |
| Fister Golf Company | Punisher 450 Pro LD (Version 1) | 4.5,5.5,6.5,9.5,10.5 | SOLE: (pointed oval), PUNISHER, 450, Pro LD, (pointed oval), (swinging golfer graphic), BEAST TOE: www.longdriving.com CROWN: (swinging golfer graphic alignment mark) HEEL: (loft) |
| Fister Golf Company | Punisher 450 Pro LD (Version 2) | 9.5,10.5 | SOLE: (pointed oval), PUNISHER, 450, Pro LD, (pointed oval), (swinging golfer graphic), BEAST TOE: F(swinging golf graphic)STER GOLF CROWN: (swinging golfer graphic alignment mark) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|------------------------------|----------|---|
| Flynn Golf LLC | VT Max Advantage | 12,14,16 | SOLE: (curved line), VT MAX, (w/ dot in A), (line), ADVANTAGE, (loft) CROWN: (arrow alignment mark) view image here |
| Flynn Golf LLC | VT MAX Alto | 12,15 | SOLE: (loft), VTMAX, ALTO, (triangle) 440 (triangle), HI-COR CROWN: (VTMAX alignment mark) view image here |
| Flynn Golf LLC | VT MAX Alto+ (Version 2) | 12,15 | SOLE: FLYNN, (weight insert), ALTO+, VTMAX, 430, (loft) CROWN: (VT alignment mark) HOSEL: (orientation indicators) FACE:(circle), (VT in circle) view image here |
| Flynn Golf LLC | VT MAX Velocity | 14 | SOLE: (line), VELOCITY, VTMAX (w/ dot), (line), (loft), (line) CROWN: ((bracket) VELOCITY alignment mark) view image here |
| Fnc Kolon Corporation | Elord GX 375 | 8 | SOLE: ELORD, GX375, (loft), Made In Japan, GUT TOE: (GX SERIES, (star) ELORD PLATINUM (star), (eagle graphic, e in circle), Designed by Tanaka koji FACE:GUT view image here |
| Fnc Kolon Corporation | Elord GX 450 (Version 2) | 9.5,10.5 | SOLE: GX TECHNOLOGY, (GX arrow logo) 450, PLATINUM, DIMPLE ACTION, (weight insert), ELORD, CFM 1 (loft), (weight insert) view image here |
| Fnc Kolon Corporation | Elord GX 460N (Version 1) | 9 | SOLE: (loft), ((GX logo) 460 N, TITANIUM, (curved line), ELORD, (curved line) in oval) FACE:(GX logo) view image here |
| Fnc Kolon Corporation | Elord GX 460N (Version 2) | 10 | SOLE: (loft), ((GX logo) 460 N, TITANIUM, CFM, (curved line), ELORD, (curved line) in oval) view image here |
| Fnc Kolon Corporation | Elord GX 460α | 9,10 | SOLE: (GX logo), (triangle), 460α, TITANIUM, (bent line), (loft) BACK: (ELORD on lined insert) TOE: (raised e) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|---------------------------------|---------------|---|
| Fnc Kolon Corporation | Elord XQ 08 | 9.5,10.5,11.5 | SOLE: XQ, 08, (loft in circle), (weight port w/ELORD, ELORD), WEIGHT SYSTEM TOE: e CROWN: (oval w/in oval alignment mark) |
| Fnc Kolon Corporation | Elord XQ CFM | 9,10.5 | SOLE: XQ TITANIUM, WAVE CUT TECHNOLOGY ELORD BACK: (WEIGHT SYSTEM, (weight insert w/ star), CFM 1 (loft) TOE: (two wave lines), AERO WAVE PL CROWN: (oval within oval alignment mark) view image here |
| Focus Golf Systems, Inc. | Dunlop 65 Ti | 6 | SOLE: (Dunlop Golf logo), DUNLOP, (line) (65 in circle) (line), TECHNOLOGY, ßeta Ti (Ti in circle), 400cc, 6° CROWN: (Dunlop Golf logo alignment mark) view image here |
| Focus Golf Systems, Inc. | Dunlop John Daly (Version 1) | 8.5 | SOLE: 1, (lion graphic), (John Daly signature), (line), (loft), (line), 440cc, (three circular weights) TOE: Dunlop view image here |
| Focus Golf Systems, Inc. | Dunlop John Daly (Version 2) | 8.5 | SOLE: (lion graphic), (TITANIUM on tee and ball graphic), ((two circular weights) (John Daly signature), (line) on recessed oval), (loft), (line), 440cc TOE: Dunlop |
| Focus Golf Systems, Inc. | Dunlop LoCo 420cc | 8.5 | SOLE: (lion graphic), Dunlop, LoCo, TITANIUM, (loft), (line), 420cc TOE: (Dunlop logo) view image here |
| Focus Golf Systems, Inc. | Dunlop Pro Series 02 FHT | 6,7 | SOLE: (loft), PRO (Dunlop logo), (line), SERIES - 02, F·H·T, FUSED HYPER TITANIUM, 360cc BACK: DUNLOP CROWN: (Dunlop logo alignment mark) view image here |
| Focus Golf Systems, Inc. | Dunlop Pro Series 02 Staff | 9 | SOLE: 1 (loft), PRO (Dunlop logo), (line), SERIES - 02, ßeta (Ti in circle), 330cc TOE: STAFF CROWN: (Dunlop logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|-------------------------------|-------|---|
| Focus Golf Systems, Inc. | Dunlop Tad Moore Washboard | 6 | SOLE: 1 (loft), (Dunlop logo), Tad Moore, Forged Beta Ti Face view image here |
| Focus Golf Systems, Inc. | Dunlop TP 420 | 6 | SOLE: (Dunlop logo), TP 420, TOTAL PERFORMANCE, 420cc, (Ti in recessed circle), TITANIUM, (eight facsimile phillips heads), (loft) CROWN: (Dunlop logo alignment mark) view image here |
| Focus Golf Systems, Inc. | RG Designs 380 | 6 | SOLE: rg designs, (loft) (380 in semi-circle), FORGED SP-700, TITANIUM view image here |
| Focus Golf Systems, Inc. | RG Designs 400 | 8 | SOLE: rg designs, (loft) (400 in semi-circle), FORGED SP-700, TITANIUM view image here |
| Focus Golf Systems, Inc. | Tad Moore | 8.5 | SOLE: (Dunlop logo), Tad Moore, by DUNLOP, 1 (loft), 348cc FACE:15-3-3-3-Ti view image here |
| Fore'bes Co Ltd | F Power (HL) | HL | SOLE: (sandblast tribal design), F power, TM-101, HL HOSEL: FP HEEL: F(O logo)REBES ISM ® |
| Fore'bes Co Ltd | F Power (LL) | LL | SOLE: (sandblast tribal design), F power, TM-101, LL HOSEL: FP HEEL: F(O logo)REBES ISM ® |
| Fore'bes Co Ltd | F Power (ML) | ML | SOLE: (sandblast tribal design), F power, TM-101, ML HEEL: F(O logo)REBES ISM ® view image here |
| Fore'bes Co Ltd | Flying Cat | N/A | SOLE: F, one, Revolution in Flying Distance, Flying Cat, (Flying Cat media blast shield logo) TOE: (media blast logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|------------------------|----------|---|
| Fore'bes Co Ltd | Flying Cat (Version 3) | N/A | SOLE: F, one, Revolution in Flying Distance, Flying Cat, (Flying Cat media blast shield logo) TOE: (logo) HOSEL: F - 1 HEEL: (weight port), (weight port) |
| Fore'bes Co Ltd | Flying Cat (Version 4) | N/A | SOLE: (weight port), (weight port), THREE INNOVATIVE SYSTEMS, (weight port), FCF-003 HEEL: Flying Cat |
| Fore'bes Co Ltd | Flying Cat (Version 6) | N/A | SOLE: (weight port), THREE INNOVATIVE SYSTEMS, (weight port), FCF-103 BACK: (weight port) HOSEL: Orientation Indicators HEEL: Flying Cat view image here |
| Fore'bes Co Ltd | Flying Cat H | 7,10 | SOLE: (logos), Flying Cat, (star(s) loft indicator) H, (logos) TOE: (logo) HEEL: Distance technology, by FBI GOLF view image here |
| Fore'bes Co Ltd | Flying Cat H-1 | 7.5,10.5 | SOLE: (logos), Flying Cat, (star(s) loft indicator) H-1, (logos) TOE: (logo) HEEL: Distance technology, by FBI GOLF view image here |
| Fore'bes Co Ltd | Flying Cat L | 7,10 | SOLE: (logos), Flying Cat, (star(s) loft indicator) L, (logos) TOE: (logo) HEEL: Distance technology, by FBI GOLF view image here |
| Fore'bes Co Ltd | Flying Cat L-1 | 8.5,10.5 | SOLE: (logos), Flying Cat, (star(s) loft indicator) L-1, (logos) TOE: (logo) HEEL: Distance technology, by FBI GOLF view image here |
| Fore'bes Co Ltd | Nano Power FB-128 | 9.5,10.5 | SOLE: (angled line), (triangle) NANO-POWER (triangle), (angled line), FB-128, (loft), (logo on inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|---------------------------|----------|---|
| Fore'bes Co Ltd | Nano Power FB-128 HL | N/A | SOLE: (angled line), (triangle) NANO-POWER (triangle), (angled line), FB-128, HL, (logo on inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Fore'bes Co Ltd | Nano Power FB-128 Plus | 9.5,10.5 | SOLE: (angled line), (triangle) NANO-POWER (triangle), (angled line), FB-128, PLUS, (loft), (logo on inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Fore'bes Co Ltd | Nano Power FB-210 | 9.5,10.5 | SOLE: (angled line), (triangle) NANO-POWER (triangle), (angled line), FB-210, (loft), (logo on inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Fore'bes Co Ltd | Nano Power FB-210 Plus | 9.5,10.5 | SOLE: (angled line), (triangle) NANO-POWER (triangle), (angled line), FB-210, PLUS, (loft), (logo on inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Fore'bes Co Ltd | Nano-Power FB-125 | 9.5,10.5 | SOLE: (angled line), (triangle) NANO-POWER (triangle), (angled line), FB-125, (loft), (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Fore'bes Co Ltd | Nano-Power FB-125 Plus | 9.5,10.5 | SOLE: (angled line), (triangle) NANO-POWER (triangle), (angled line), FB-125, PLUS, (loft), (logo on inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Fore'bes Co Ltd | Nano-Power FB-126 460 | 9.5,10.5 | SOLE: (angled line), (triangle) NANO-POWER (triangle), (angled line), FB-126, (loft), (logo) BACK: Center of Gravity, Control System, 460 HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--------------------------------|-----------|---|
| Fore'bes Co Ltd | Nano-Power FB-127 | 9.5,10.5 | SOLE: (angled line), (triangle) NANO-POWER (triangle), (angled line), FB-127, (loft), (logo on inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Fore'bes Co Ltd | Nano-Power FB-127 Plus | 9.5,10.5 | SOLE: (angled line), (triangle) NANO-POWER (triangle), (angled line), FB-127, PLUS, (loft), (logo on inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Fore'bes Co Ltd | Nano-Power FB-211 | 9.5,10.5 | SOLE: ((angled line), (triangle) NANO-POWER (triangle), (angled line), over media blast logo), FB-211, (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Fore'bes Co Ltd | Nano-Power Proto FB-117 420 | 9.5,10.75 | SOLE: 1, NANO POWER, PROTO (loft), CUPFACE SP700 & TUNGSTEN, FB-117 BACK: 420 view image here |
| Fore'bes Co Ltd | Nano-Power Proto FB-118 400 | 9.5,10.75 | SOLE: NANO POWER, PROTO (loft), CUPFACE SP700 & TUNGSTEN, FB-118 BACK: 400 view image here |
| Fore'bes Co Ltd | Nano-Power Proto FB-119 450 | 9.5,10.75 | SOLE: NANO-POWER, PROTO (loft), CUPFACE SP700 & TUNGSTEN, FB-119 BACK: 450 view image here |
| Fore'bes Co Ltd | Nano-Power Proto FB-124 455 | 9.5,10.5 | SOLE: 1, NANO-POWER, PROTO (loft), CUPFACE SP700 & TUNGSTEN, FB-124 BACK: 455 view image here |
| Foresta Co Ltd | Black Shark BSD-700 | 10.5 | SOLE: 1 (loft), (diamond) DRIVER (diamond), BLACK (logo) SHARK, BSD-700, FORGED, TITANIUM view image here |
| Foresta Co Ltd | Brodick EX XD1 | N/A | SOLE: BRODICK, -EX-, •FORGED TITANIUM•, XD1 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|--|----------|---|
| Foresta Co Ltd | Brodick Max Forged Titanium | 10.5 | SOLE: 1 (loft), (diamond) DRIVER (diamond), BRODICK, -MAX-, FORGED, TITANIUM BACK: 1 view image here |
| - · · · · · · · · · · · · · · · · · · · | Objetes 0 King | 14 | |
| Foresta Co Ltd | Chicks & Kiss (Version 1) | 14 | SOLE: (Chicks &, Kiss, (lips logo) over multiple dots), (raised ladybird logo on circular inset), Chicks &, Kiss, (lips logo), 1, (loft), (multiple dots) FACE:(no groove in centre) |
| | | | <u>view image here</u> |
| Foresta Co Ltd | Chicks & Kiss (Version 2) | 12.5,14 | SOLE: (Chicks &, Kiss, (lips logo) over multiple dots), (raised ladybird logo on circular inset), Chicks &, Kiss, (lips logo), 1, (loft), (multiple dots) FACE:(grooves in centre) |
| | | | view image here |
| Foresta Co Ltd | Cyber Crown Type F | 7,9,10 | SOLE: (flame logo), LOFT, (loft), (star), (Cyber Crown, TYPE. F over flame media blast logo), (embossed cross on inset), (flame logo), (star) BACK: FORESTA (underlined), JAPAN, (3 stars) TOE: (spider logo) |
| Foresta Co Ltd | Cyber Dream 460RS (LH) | 10 | SOLE: (logo), CYBER DREAM, FORGED TITANIUM, (logo), 460-RS (underlined) HEEL: (loft) view image here |
| Foresta Co Ltd | Cyber Dream 460SL Forged Titanium (ladies) | 13 | SOLE: (logo), CYBER DREAM, FORGED TITANIUM, 460-SL (underlined), D/(loft), (logo) |
| | | | <u>view image here</u> |
| Foresta Co Ltd | Cyber Dream Max 460 (LH) | 10 | SOLE: ((logo), CYBER DREAM, FORGED TITANIUM over media blast logo), MAX 460, (line), D/(loft), ((logo), CYBER DREAM on inset) view image here |
| Foresta Co Ltd | Cyber Drive CDR-500 | 9.5,10.5 | SOLE: (logo), CYBER DRIVE (underlined), |
| 1 Grosta Go Etu | System of the open of | 3.5,15.5 | CDR-500, D/(loft), Forged Titanium view image here |
| Foresta Co Ltd | Cyber Drive CDR-700 | 9.5,10.5 | SOLE: (logo), CYBER DRIVE (underlined), |
| i oresta do Eta | (LH) | 513,1313 | CDR-700, D/(loft), Forged Titanium |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-------------------------------------|----------|---|
| Foresta Co Ltd | Gear Max GMX-500 Forged Titanium | 10.5 | SOLE: GEAR MAX (underlined), FORGED TITANIUM, (5 blocks), 1 (loft), GMX-500, (5 blocks) view image here |
| Foresta Co Ltd | Gear Max GMX-600 | 9.5,10.5 | SOLE: GEAR MAX (underlined), (5 rectangles), GMX-600, 1 (loft), (line) FORGED TITANIUM (line) view image here |
| Foresta Co Ltd | Gear Max GMX-700 | 9.5,10.5 | SOLE: GEAR MAX (underlined), (5 blocks), GMX-700, 1 (loft), FORGED, TITANIUM view image here |
| Foresta Co Ltd | Get Sensor 450S | 10.5 | SOLE: (logo), GET SENSOR, 450S, (line), 6-4 FORGED TITANIUM (underlined), 1 (loft) TOE: (logo), GET SENSOR view image here |
| Foresta Co Ltd | Get Sensor GT-33D | 10.5 | SOLE: (logo), 1, GET SENSOR, HIGH TRAJECTORY DESIGN, GT-33D (underlined), (loft) view image here |
| Foresta Co Ltd | Get Sensor GT-33D (Version 2) | 10.5 | SOLE: (logo), GET SENSOR, HIGH TRAJECTORY DESIGN, GT-33D (underlined), D/(loft) view image here |
| Foresta Co Ltd | Get Sensor HTC TC-420X | 11 | SOLE: (logo), H.T.C, HIGH TECHNOLOGY CROWN, TC-420X, 1 (loft) TOE: (logo), GET SENSOR FACE:FORGED, TITANIUM |
| Foresta Co Ltd | Golf Park Bebe (ladies) | 13 | SOLE: T•I•T•A•N•I•U•M, 1 (loft), (logo), GOLF PARK, BEAUTIFUL BEGINNER'S BEST, (line) bebe (line) view image here |
| Foresta Co Ltd | Golverge GV-500 | 10.5 | SOLE: GV-500, (loft), (GV on inset), GV, GOLVERGE view image here |
| Foresta Co Ltd | Golverge GV-500 (LH) | 10.5 | SOLE: GV-500, (loft), GOLVERGE, GV, (GV on inset) view image here |
| Foresta Co Ltd | Golverge GV-7000 | 9.5,10.5 | SOLE: GV, GOLVERGE, (diamond) DRIVER (diamond), FULL-BODY, FORGED TITANIUM, GV-7000 (underlined), (loft) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--|-------|--|
| Foresta Co Ltd | G's Golf GS700i (Version 2) | 10.5 | SOLE: (diamond) 1 (diamond), G'GOLF, S [d3i (two triangles) z], •GS 700i•, D/(loft) |
| | | | <u>view image here</u> |
| Foresta Co Ltd | Icicles Liona (ladies) | N/A | SOLE: icicles, (line), (media blast flowers), T·I·T·A·N·I·U·M, (diamond) 1 (diamond), (L. logo) Liona |
| | | N1/A | view image here |
| Foresta Co Ltd | lcicles Liona (Version 2) (Ladies) | N/A | SOLE: (icicles, (broken line), over flower media blast logo), (diamond) 1 (diamond), (3 decorative gems), (L. in oval), Liona |
| | | | <u>view image here</u> |
| Foresta Co Ltd | Icicles Liona (Version 3) (Ladies) | N/A | SOLE: (icicles, (broken line), over hearts media blast logo), (diamond) 1 (diamond), (3 decorative gems), (L. in oval), Liona |
| | | | view image here |
| Foresta Co Ltd | Icicles Seria (ladies) | N/A | SOLE: icicles, (line), (logo), T.I.T.A.N.I.U.M, (S logo), SERIA, —ver2—, (diamond) 1 (diamond) |
| | | | <u>view image here</u> |
| Foresta Co Ltd | Icicles Seria (ladies) (LH) | N/A | SOLE: icicles, (line), (logo), T.I.T.A.N.I.U.M, (S logo), SERIA, —ver2—, (diamond) 1 (diamond) |
| | | | <u>view image here</u> |
| Foresta Co Ltd | Lancaster Super XD1 | 10.5 | SOLE: (L logo), LANCASTER, SUPER, XD1 TOE: (L logo) (loft) |
| | | | view image here |
| Foresta Co Ltd | Lunafare RL-Nine (Version 2) (Ladies) | 13 | SOLE: Lunafare, RL-nine (underlined), TITANIUM, D/(loft), (3 decorative gems), (LF with decorative gems on circular inset), (3 decorative gems) |
| | | | view image here |
| Foresta Co Ltd | Lunafare RL-Nine Titanium (ladies) | 13 | SOLE: Lunafare, RL-nine (underlined), TITANIUM, D/(loft) |
| | | | view image here |
| Foresta Co Ltd | Opst FT-460 Titanium | 10,11 | SOLE: (logo), opst, Ft (underlined), 460, TITANIUM, (loft) |
| | | | view image here |
| Foresta Co Ltd | Opst Lex460 | 10 | SOLE: (logo), opst, LEX460, TITANIUM, (loft) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-------------------------------------|----------|--|
| Foresta Co Ltd | Opst Super Lex | 10 | SOLE: -FORGED TITANIUM-, (logo), OPST, SUPER LEX, -(loft)- view image here |
| Foresta Co Ltd | Ram Torch XD 460 | 10.5 | SOLE: (loft), (TORCH (with T in flame logo) over flame media blast logo), XD 460 (underlined), RAM (with R in circle) view image here |
| Foresta Co Ltd | Ram Tour Grind XD460 | 9.5 | SOLE: TOUR GRIND, (diamond) DRIVER (diamond), XD (underlined), XD-460•, R(in circle)AM, T.I.T.A.N.I.U.M, (7 circles) TOE: R(in circle)AM, (loft) view image here |
| Foresta Co Ltd | Ram Tour Grind XD460 (LH) | 9.5,10.5 | SOLE: TOUR GRIND, (diamond) DRIVER (diamond), XD (underlined), XD-460, R(in circle)AM, T.I.T.A.N.I.U.M TOE: (loft) view image here |
| Foresta Co Ltd | Ram Tour Grind XD460 (Version 2) | 9.5,10.5 | SOLE: TOUR GRIND, (diamond) DRIVER (diamond), XD (underlined), XD-460, R(in circle)AM, T.I.T.A.N.I.U.M, (7 circles) BACK: TOUR GRIND (underlined), (loft) view image here |
| Foresta Co Ltd | Rousay (Ladies) | N/A | SOLE: (R•O•U•S•A•Y over stars media blast logo), 1, (stars logo) view image here |
| Foresta Co Ltd | Snazzy (Ladies) | 12.5,14 | SOLE: ((crown logo), Snazzy •••, over crown media blast logo), (loft), T•I•T•A•N•I•U•M, (diamond) 1 (diamond), Fairness <u>view image here</u> |
| Foresta Co Ltd | TearDrop Snazzy | 9.5,10.5 | SOLE: (logo), TearDrop•, SNAZZY (double underlined), 1 (loft) TOE: (logo) view image here |
| Foresta Co Ltd | TearDrop Snazzy (ladies) | 13 | SOLE: SNAZZY (double underlined), (logo), D/13• TOE: (logo) view image here |
| Foresta Co Ltd | TearDrop Snazzy SL | N/A | SOLE: (logo), TearDrop, — SL —, SNAZZY (double underlined) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--------------------------------------|------------|---|
| Foresta Co Ltd | TearDrop TDX | 9.5,10.5 | SOLE: TearDrop, (logo), -FORGED TITANIUM-, TDX, D/(loft), (logo), TearDrop, TDX TOUR WEIGHT view image here |
| Foresta Co Ltd | TearDrop TDX (ladies) | 12.5,14 | SOLE: TearDrop, (logo), -FORGED TITANIUM-, TDX, D/(loft), (logo), TearDrop, TDX TOUR WEIGHT view image here |
| Foresta Co Ltd | TearDrop TDX (ladies) (Version 2) | 12.5,14 | SOLE: TearDrop, (logo), TDX, D/(loft), (3 gems), (logo surrounded by gems on circular inset), (3 gems) view image here |
| Foresta Co Ltd | TearDrop TDX (Version 2) | 7.5,9,10.5 | SOLE: - FORGED TITANIUM -, (logo), TearDrop, TDX, (loft), (X logo, Tour, Weight, (logo), TearDrop on inset) view image here |
| Foresta Co Ltd | TearDrop TDX (Version 3) | 7,9,10 | SOLE: TDX, (X media blast logo), FORGED TITANIUM, LOFT (loft), (X, Tour Weight, (tear drop logo), TearDrop on inset) TOE: FORESTA CO.,LTD. — Japan, — Designed by K. Hayashi— view image here |
| Foresta Co Ltd | TearDrop TDX (Version 4) | 7,9,10 | SOLE: TDX, (X media blast logo), FORGED TITANUIM, (tear drop logo), TearDrop, (FORESTA, CO., LTD., X, TDX on inset), DIGITAL MUSCLE, (line) SOLE (line) BACK: LOFT, (loft) TOE: FORESTA, CO., LTD., - Japan, -Designed by K. Hayashi- |
| Foresta Co Ltd | Teardrop TDX II (LH) | 9,10.5 | SOLE: -FORGED TITANUIM-, (tear drop logo), TearDrop, TDX, (loft), (X, Tour Weight, (tear drop logo), TearDrop on inset) <u>view image here</u> |
| Foresta Co Ltd | TearDrop TDX Limited Edition | 9 | SOLE: Limited, Edition, (number)/100, (TDX over X media blast logo), FORGED TITANUIM, LOFT (loft), (X, Tour, Weight, (tear drop logo), TearDrop on inset) TOE: FORESTA CO.,LTD. — Japan, — Designed by K. Hayashi— view image here |
| Foresta Co Ltd | Tommy Armour Lady Scot LSD-700 | 13 | SOLE: Tommy Armour, Lady (LS logo) Scot (underlined), LSD-700, - FORGED TITANIUM -, D/(loft), (TA logo, Tommy Armour in inset) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|------------------------------------|---------------|--|
| Foresta Co Ltd | Tommy Armour Royal Scot RSD-700 | 9.5,10.5,11.5 | SOLE: Tommy Armour, Royal (underlined) (RS logo) Scot (underlined), RSD-700, -FORGED TITANIUM-, (loft), (logo) |
| | | | view image here |
| Foresta Co Ltd | Tommy Armour Torch IP FFTB | 13 | SOLE: Tommy Armour, TORCH (with logo), SUPER HARD COATED (through) IP, FULL FORGED TITANIUM BODY, (loft) |
| | | | view image here |
| Foresta Co Ltd | Tommy Armour Torch IP FFTB HT | N/A | SOLE: Tommy Armour, TORCH (with logo), SUPER HARD COATED (through) IP, FULL FORGED TITANIUM BODY, HT |
| | | | <u>view image here</u> |
| Foresta Co Ltd | Tommy Armour Torch IP FFTB MT | N/A | SOLE: Tommy Armour, TORCH (with logo), SUPER HARD COATED (through) IP, FULL FORGED TITANIUM BODY, MT |
| | | | <u>view image here</u> |
| Foresta Co Ltd | Torch XD 460 (Black) | 9.5,10.5 | SOLE: (loft), (TORCH (with T in flame logo) over flame media blast logo), XD, 460 (underlined) |
| | | | view image here |
| Foresta Co Ltd | Torch XD 460 (Silver) | 9.5,10.5 | SOLE: (loft), (TORCH (with T in flame logo) over flame media blast logo), XD, 460 (underlined) |
| | | | view image here |
| Foresta Co Ltd | Tour Division | 10.5 | SOLE: 1, Tour division, HIGH TRAJECTORY DESIGN, (line) TOUR SPORTS (line), (loft) |
| | | | view image here |
| Foresta Co Ltd | Zeal ZSX (Black) | 7,9,10 | SOLE: (Z logo), ZEAL, ZSX, LOFT, (loft), (decorative graphics) TOE: ZEAL, (skull and cross bones logo), Golf Design HEEL: FORESTA CO.,LTD.JAPAN view image here |
| Formata Oct 144 | 7001 70V (0ilver) | 7.0.10 | - |
| Foresta Co Ltd | Zeal ZSX (Silver) | 7,9,10 | SOLE: (Z logo), ZEAL, ZSX, LOFT, (loft), (decorative graphics) TOE: ZEAL, (skull and cross bones logo), Golf Design HEEL: FORESTA CO.,LTD.JAPAN view image here |
| Foresta Co Ltd | Zebra CST-5 Z-450 | 9.5,10.5 | SOLE: (loft), CST-5, ZEBRA, Z-450, (5 dots) |
| | | | |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|------------------------------------|---------|--|
| Foresta Co Ltd | Zipang Studio DF Eleven Proto-1 | N/A | SOLE: (logo), ZiPANG STUDIO, - PROTO 1 -, (square) DF (square), ELEVEN view image here |
| Formerly JAMA Golf | Poker Face | N/A | SOLE: Poker Face, Power impact Driver, TITANIUM, (JAMA in shape) TOE: (horse logo, JAMA in shape) view image here |
| Formerly:Takarazuka Golf Shop | Nexus | 10.5 | SOLE: (loft), (TAKARAZUKA, NEXUS with flag logo in u, GOLF FACTORY in diamond), (1964 INTERNATIONAL 2014 in banner) view image here |
| Formerly:Takarazuka Golf Shop | Nexus 380 Ti | 9,10,11 | SOLE: NEXUS (with logo), 380 TI, TITANIUM CARBON, — (loft) — view image here |
| Foshan Yibang Golf Goods Co Limited | PGM - Chong-Series MRH | 9 | SOLE: (logo) PGM, (weight port), (weight port), (logo), (loft), (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators), (dot) view image here |
| Foshan Yibang Golf Goods Co Limited | PGM - Mega Pro II Mrh | 9 | SOLE: (weight channel), PGM, MEGA PRO II, (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators), (dot) HEEL: (loft), (degree) |
| Foshan Yibang Golf Goods Co Limited | PGM - Mega Pro Mrh | 9.5 | SOLE: MEGA PRO, (weight port), (logo) PGM (weight port), (loft) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) view image here |
| Foshan Yibang Golf Goods Co Limited | PGM - Seed III JR | 13 | SOLE: SEED III, 460cc, (logo)PGM, Pro Golf Master, (logo), (loft) CROWN: (alignment mark) view image here |
| Founders Club | Double Sole 450cc | 10 | SOLE: 450cc, Double Sole, Founders, Club (Founders Club logo) 1, TITANIUM, (loft) BACK: (recessed screw) (Founders Club logo) (recessed screw) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|----------------------|-------------|---|
| Founders Club | Original | 9,10.5 | SOLE: (curved line), (loft), Original, (curved line), NEUTRAL, (curved line), (Founders Club logo), Founders Club CROWN: (Founders Club logo alignment mark) |
| Founders Club | Original (LH) | 10.5 | SOLE: (curved line), NEUTRAL, (curved line), Original, (loft), (curved line), (Founders Club logo), Founders Club CROWN: (Founders Club logo alignment mark) view image here |
| Founders Club | The Judge | 9,10.5 | SOLE: (loft), FOUNDERS, CLUB (Founders Club logo), THE JUDGE, TITANIUM CROWN: (Founders Club logo alignment mark) view image here |
| Founders Club | The Judge 360cc | 10 | SOLE: 360cc, THE JUDGE, Founders, Club (Founders Club logo) 1, TITANIUM, (loft) CROWN: (Founders Club logo) view image here |
| Founders Club | The Judge 400cc | 10 | SOLE: 400cc, THE JUDGE, Founders, Club (Founders Club logo) 1, TITANIUM, (loft) CROWN: (Founders Club logo) view image here |
| Founders Club | The Judge 450cc | 9,10 | SOLE: 450cc, CarbonBody, THE JUDGE, Founders, Club (Founders Club logo), 1, (loft) CROWN: (Founders Club logo alignment mark) view image here |
| Founders Club | The Judge 450cc (LH) | 10 | SOLE: 450cc, CarbonBody, THE JUDGE, Founders, Club (Founders Club logo), 1, (loft) CROWN: (Founders Club logo alignment mark) view image here |
| Fourteen Co Ltd | CT112 | 8,9,10.5 | SOLE: CT 112, (feather logo) BACK: (feather logo) HEEL: (loft) view image here |
| Fourteen Co Ltd | CT518 | 9,10.5,11.5 | SOLE: (feather logo on inset), CT518, FOURTEEN, (feather logo), (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|-----------------|--------|---|
| Fourteen Co Ltd | Deep-One JC | 9 | SOLE: Deep-One Shape, for the Discerning Golfer, JC, Fourteen <u>view image here</u> |
| Fourteen Co Ltd | Deep-One Strong | 9 | SOLE: Deep-One, 1 Strong, Loft, Fourteen, Fourteen view image here |
| Fourteen Co Ltd | DT 111 | 9,10.5 | SOLE: (DT III over feather logo) BACK: (feather logo) HEEL: (loft) view image here |
| Fourteen Co Ltd | DT 112 | 9,10.5 | SOLE: DT 112, (loft) BACK: (feather logo) view image here |
| Fourteen Co Ltd | DX-001 (HT) | N/A | SOLE: GelongD, (weight port), (feather logo), DX-001 TOE: (feather logo) CROWN: (feather logo alignment mark), GelongD HOSEL: (dot), (orientation indicators) HEEL: HT |
| | | | view image here |
| Fourteen Co Ltd | DX-001 (LD) | N/A | SOLE: GelongD, (weight port), (feather logo), DX-001 TOE: (feather logo) CROWN: (feather logo alignment mark), GelongD HOSEL: (dot), (orientation indicators) HEEL: LD view image here |
| Fourteen Co Ltd | DX-001 (LT) | N/A | SOLE: GelongD, (weight port), (feather logo), DX-001 TOE: (feather logo) CROWN: (feather logo alignment mark), GelongD HOSEL: (dot), (orientation indicators) HEEL: LT view image here |
| Fourteen Co Ltd | DX-001 (MT) | N/A | SOLE: GelongD, (weight port), (feather logo), DX-001 TOE: (feather logo) CROWN: (feather logo alignment mark), GelongD HOSEL: (dot), (orientation indicators) HEEL: MT |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|------------------------------|---------------|--|
| Fourteen Co Ltd | GelongD CT214 | 6,8 | SOLE: Gelong D, CT, 214, (raised feather logo on inset) BACK: (feather logo) TOE: (feather logo) HEEL: LOFT, (loft) FACE:(no central score lines) |
| Fourteen Co Ltd | GelongD CT214 (Version 2) | 9,10.5 | SOLE: Gelong D, CT, 214, (raised feather logo on inset) BACK: (feather logo) TOE: (feather logo) HEEL: LOFT, (loft) FACE:(with central score lines) |
| Fourteen Co Ltd | GelongD CT214 (Version 3) | 11.5 | SOLE: Gelong D, CT, 214, (raised feather logo on inset) BACK: (feather logo) TOE: (feather logo) HEEL: LOFT, (loft) |
| Fourteen Co Ltd | GelongD CT214 (Version 4) | 6,8 | SOLE: GelongD, CT, 214, LD BACK: (feather logo) TOE: (feather logo) HEEL: LOFT, (loft) view image here |
| Fourteen Co Ltd | GelongD CT315 | 9,10.5,11.5 | SOLE: GelongD, CT, 315 BACK: (feather logo) TOE: (feather logo) HEEL: LOFT, (loft) view image here |
| Fourteen Co Ltd | GelongD CT416 | 6,8,9,10.5 | SOLE: GelongD, CT 416 BACK: (feather logo) TOE: (feather logo) HEEL: LOFT, (loft) view image here |
| Fourteen Co Ltd | JC 305 | 9,10,11,12,13 | SOLE: Fourteen, For, The Discerning, Golfer, JC-305, (feather logo), C.G. Length 35 Volume 396 BACK: Fourteen (feather logo) (loft) view image here |
| Fourteen Co Ltd | JC Prototype 371 | 9 | SOLE: Deep-One Shape, for the Discerning Golfer, JC, Prototype, -371-, X Special Tuned, Fourteen, (logo) TOE: Fourteen (logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|------------------|-----------|--|
| Fourteen Co Ltd | JC-406 | 9,10.5 | SOLE: JC, 406, C.G. Length 38 vol 410, (feather logo) HEEL: FOURTEEN, (feather logo), (loft) view image here |
| Fourteen Co Ltd | JC-606 | 10,11.5 | SOLE: JC, 606, C.G. Length 40 vol 430, (feather logo) BACK: Launch Flight Engineered HEEL: FOURTEEN, (feather logo), (loft) |
| Fourteen Co Ltd | JC-707 | 9,10.5 | SOLE: (jc logo), jc707, For the, Discerning, Golfer, (logo), (logo), CGL.38/VOL.460 (loft) HEEL: FOURTEEN, (logo) view image here |
| Fourteen Co Ltd | JC-808 440 | 12.5 | SOLE: JC, 808 BACK: (loft) (feather logo) VOL.440 view image here |
| Fourteen Co Ltd | JC-808 450 | 9,10.5 | SOLE: JC, 808 BACK: (loft) (feather logo) VOL.450 view image here |
| Fourteen Co Ltd | JC-909 | 9,10.5 | SOLE: JC, 909, For the, Discerning Golfer, (loft) BACK: (feather logo) view image here |
| Fourteen Co Ltd | ST 110 | 9,10.5 | SOLE: (media blast feather logo), S110, T BACK: (feather logo) HEEL: (loft) view image here |
| Fourteen Co Ltd | ST 212 | 9,10.5,12 | SOLE: FORGED, (feather logo), ST 212 BACK: (feather logo) HEEL: (loft) view image here |
| Fourteen Co Ltd | SYB Egnahc 4 | 11,12.5 | SOLE: (E logo), EGNAHC4, 430/(loft), SYB (with line through) view image here |
| Fourteen Co Ltd | SYB Prelity 7 | 9.5,11 | SOLE: PRELITY 7, (P7 logo), (SYB logo),3 TITAN/3 PIECE (loft) view image here |
| Freiheit Co Ltd | Alm/Neo Proud HL | N/A | SOLE: (decorative graphics), ALM/NEO (with diamond shape in O), Proud, Hump Back Design, High Loft, weight ajust system FACE:ALM/NEO (with diamond shape in O) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|------------------|-----------|--|
| Freiheit Co Ltd | Alm/Neo Proud LL | N/A | SOLE: (decorative graphics), ALM/NEO (with diamond shape in O), Proud, Hump Back Design, Low Loft, weight ajust system FACE:ALM/NEO (with diamond shape in O) view image here |
| Freiheit Co Ltd | Cinra Ti | 10.5,11.5 | SOLE: CINRA, (curved line), (logo), High Power Ti Cup Face (loft) view image here |
| Freiheit Co Ltd | GXD 5517 | 17 | SOLE: CARBON COMPOSITE, GXD, (weight port), (weight port) TOE: (logo), FREIHEIT, -TOKYO JAPAN-HEEL: 5517 view image here |
| Freiheit Co Ltd | GXD 6014 | 15 | SOLE: GXD, 6014 TOE: FREIHEIT view image here |
| Freiheit Co Ltd | GXD 6215 | 15 | SOLE: DEEP FACE &HIGH LOFT MODEL, GXD, (weight port), (weight port) TOE: (logo), FREIHEIT, -TOKYO JAPAN-HEEL: 6215 view image here |
| Freiheit Co Ltd | GXD EX460 | N/A | SOLE: CARBON COMPOSITION, (weight port), (weight port), GXD, EX460, HIGH & LOW MOI, COMBINATION TECHNOLOGY TOE: FREIHEIT, -TOKYO JAPAN-FACE:360 (Degree) CUP FACE |
| Freiheit Co Ltd | GXD EZ460 Ti | N/A | SOLE: GXD, Maximum Gravity Angle TOE: FREIHEIT, -TOKYO JAPAN- HEEL: EZ460 view image here |
| Freiheit Co Ltd | The-G | 9.5,10.5 | SOLE: SOFT FEEL AND STRONG TRAJECTORY, THE-G, (logo), • BACK: FREIHEIT HOSEL: (dot(s) to indicate loft) view image here |
| Freiheit Co Ltd | The-G 415Ti | 10.5 | SOLE: SHARP-BUILT MUSCLE BODY 415Ti, (weight port), THE-G, (logo), •, (weight port) BACK: FREIHEIT view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|-------------------|---------------|---|
| Freiheit Co Ltd | The-G 450Ti | N/A | SOLE: More cool to more boldly New 450Ti, (weight port), THE-G, (logo), •, (weight port) BACK: FREIHEIT view image here |
| Freiheit Co Ltd | The-G 460Ti | 9.5,10.5,11.5 | SOLE: THE-G, (logo), •, You already, possess everything, necessary to become great. BACK: FREIHEIT HOSEL: (stars(s) to indicate loft) view image here |
| Freiheit Co Ltd | The-G New 460Ti | 10.5 | SOLE: (weight port), THE-G, (logo), •, There is nothing, Permanent except change. (weight port) BACK: FREIHEIT view image here |
| Freiheit Co Ltd | The-G The-Driver | N/A | SOLE: (weight port), THE-G, (logo), (weight port), (logo) TOE: (logo), FREIHEIT HOSEL: (orientation indicators) HEEL: THE-DRIVER view image here |
| From J | Jabara J435 | N/A | SOLE: line), JABARA, (line), PAT.PEND 29/196032, JBR, (3 arrows), J435 CROWN: (alignment mark) view image here |
| Fujimi | Fujiyama | 10.5 | SOLE: X18, (logo), Fujiyama, 460cc, TITANIUM, (loft), 1 CROWN: (alignment mark) view image here |
| Fujimi | Fujiyama (ladies) | 13 | SOLE: X18, (logo), Fujiyama, 460cc, TITANIUM, (loft), 1 <u>view image here</u> |
| Fujix Co Ltd | Dynamite G 464 | 9 | SOLE: 1 (loft), DYNAMITE, G, 464 (bomb logo), MIRACLE, TITANIUM ß Fujix TOE: (logo) CROWN: DYNAMITE view image here |
| Fukuoka Kankokaihatsu Co Ltd | P2-Mandrive 430 | 10 | SOLE: P2-MANDRIVE, HANAO D430, (logo in circle) 27 Holes, HANAO COUNTRY CLUB, 1, TS-10HC, MADE IN JAPAN view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------------|----------------------------------|-----------|--|
| Fukusui Golf Kyoshitsu Co Ltd | RTT Harmonize 420 | 10.5,11.5 | SOLE: RTT, HARMONIZE (underlined), DOUBLE FACE IMPACT, 420, (loft), RHYTHM TEMPO TIMING view image here |
| Fuluniama Calf | E 1 Dramatic Distance | 11 | - |
| Fukuyama Golf | F-1 Dramatic Distance 330Ti | '' | SOLE: F-11, 330Ti, Dramatic Distance, Made in Japan, 1 view image here |
| | | 44 | - |
| Fukuyama Golf | F-1 Nowhere Voice | 11 | SOLE: 1, (line) Now Here, Voice (underlined), Forged Titan, F-1 |
| | | | view image here |
| Fukuyama Golf | F-1 Skyward F-460 (Version 3) | 9,10,11 | SOLE: (F-1 in oval), SKYWARD, a, [TECHNOLOGY, SIMPLE IS BEST], [Be conspicuous, Stand out], (line) AERODYNAMICS (line), (line) APPLICATION (line), (line) F-460 (line), 1, (loft) view image here |
| Fukuyama Golf | F-1 Titan Nowhere | 11 | SOLE: F-1, Titan, Nowhere, Forged, Now |
| ŕ | Forged | | Craft, Professional, Weapon, 1 (loft) |
| | | | <u>view image here</u> |
| Fukuyama Golf | F-1 Z-450 (prototype) | 9,10,11 | SOLE: F-1 (in circle), (triangle) Z-450 (triangle), BY FORGED TITAN, FOR BIG DRIVE, (loft) 1, (7 stars) TOE: (triangle) Z-450 (triangle) |
| Fukuyama Golf | Skyward 450 Ti | 9,10,11 | SOLE: (F-1 logo), —SKYWARD—, 450 Ti, |
| i ukuyama oon | Skywara 100 II | | (loft) 1 |
| | | | view image here |
| Fukuyama Golf | Skyward Drum-Ti 380 Tour | 9,10,11 | SOLE: 380-TOUR, SKYWARD, DRUM-TI, F1-COLLECTION, 1 |
| | | | view image here |
| Fukuyama Golf | Skyward F-1 | 11 | SOLE: F-1, 1, Skyward, - Harden Cobaltko 750 -, Wonder Distance, by New Technology, Pat No. 3069232, 3073997 FACE:Cobaltko |
| | | | view image here |
| Fukuyama Golf | Skyward Force | 10 | SOLE: (weight port), F-1, SKYWARD, FORCE, PROTO, (weight port) HOSEL: (dot), (orientation indicators) |
| | | | view image here |
| Fukuyama Golf | Skyward TR-1 450Ti | 9,10,11 | SOLE: F1-SKYWARD-, TR-1, 450Ti, INSPIRE LONGEST DRIVE |
| | | | view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------------|-------------------|---------|--|
| Fukuyama Golf | Skyward TR-1 F-1 | 9,10,11 | SOLE: 1, SKYWARD, (TR-1 media blast logo), SUPER-DRIVE, (F-1, FORGED on inset) TOE: (TR-1 logo) CROWN: (alignment mark) view image here |
| Fuso Electric Industrial Co., Ltd | D460H (Version 2) | N/A | SOLE: (logo), Fuso Dream, D460H TOE: (media blast logo) CROWN: (logo alignment mark) HEEL: (media blast sheep logo), Conforms to, R&A/USGA, SLE rules view image here |
| Fuso Electric Industrial Co., Ltd | D460H Ver 2 | 12 | SOLE: (logo), Fuso Dream, D460H, Ver2 BACK: (weight port) TOE: (logo) CROWN: (logo alignment mark) HEEL: (sheep logo) view image here |
| Fuso Electric Industrial Co., Ltd | D460L (Version 2) | N/A | SOLE: (logo), Fuso Dream, D460L TOE: (media blast logo) HEEL: (media blast sheep logo), Conforms to, R&A/USGA, SLE rules view image here |
| Fuso Electric Industrial Co., Ltd | D460L Ver 2 | N/A | SOLE: (logo), Fuso Dream, D460L, Ver2 BACK: (weight port) TOE: (media blast logo) HEEL: (media blast sheep logo), Conforming to, SLE rules view image here |
| Fuso Electric Industrial Co., Ltd | D460M (Version 2) | N/A | SOLE: (logo), Fuso Dream, D460M TOE: (media blast logo) HEEL: (media blast sheep logo), Conforms to, R&A/USGA, SLE rules view image here |
| Fuso Electric Industrial Co., Ltd | D460M Ver 2 | 10.5 | SOLE: (logo), Fuso Dream, D460M, Ver2 BACK: (weight port) TOE: (logo) HEEL: (sheep logo) view image here |
| Fuso Electric Industrial Co., Ltd | Fuso Dream KS2 | N/A | SOLE: (weight port), Fuso Dream, KS2, HOSEL: (orientation indicators) HEEL: (sheep logo) view image here |

| November 04, 2024 | | | |
|--------------------------------------|----------------------------------|----------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Fuso Electric Industrial Co., Ltd | K-Sky | 11.5 | SOLE: 1, (kanji characters), KENJIRO BACK: (weight port), K-SKY (weight port) view image here |
| Fuso Electric Industrial Co., Ltd | K-Sky (Version 2) | 11.5 | SOLE: 1 BACK: K-SKY HEEL: (sheep logo) view image here |
| Fuso Electric Industrial Co., Ltd | Shepherd Air | 9.5,10.5 | SOLE: SHEPHERD, Air HOSEL: CONFORMING TO, R&A/USGA, SLE RULE, ((no) dot indicating loft) HEEL: (ram logo), FUSO DREAM view image here |
| Fuso Electric Industrial Co., Ltd | Shepherd D430 (Version 1) | N/A | SOLE: SHEPHERD, D430, VD Technology TOE: (ram logo) HOSEL: CONFORMING TO, R&A/USGA, SLE RULE HEEL: FUSO DREAM view image here |
| Fuso Electric Industrial Co., Ltd | Shepherd D430 (Version 2) | N/A | SOLE: SHEPHERD, D430, VD Technology TOE: (ram logo) HOSEL: CONFORMING TO, R&A/USGA, SLE RULE HEEL: • FUSO DREAM view image here |
| Fuso Electric Industrial Co., Ltd | Shepherd D430 (Version 3) | N/A | SOLE: SHEPHERD, D430, VD Technology TOE: (ram logo) HOSEL: CONFORMING TO, R&A/USGA, SLE RULE HEEL: • FUSO DREAM • view image here |
| G.P.S. Co., Ltd. | Cyber Megaten 330 (Version 1) | 9,10,11 | SOLE: 1(loft), CYBER MEGATEN, (three lines) EDM FACE (three lines), 330, GET WIN TOE: (logo encircled by ELECTRICAL DISCHARGE MACHINING) FACE:MEGATEN view image here |
| G.P.S. Co., Ltd. | Cyber Megaten 330 (Version 2) | 9,10,11 | SOLE: (logo), CYBER, MEGATEN, 1 (loft), EDM FACE, Electrical Discharge Machining, 330, GET WIN TOE: Electrical Discharge Machining, (lightning bolt in oval) FACE:MEGATEN view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------------|--------------------|---|
| G.P.S. Co., Ltd. | Power Megatan Pro 280 | 8,9,10 | SOLE: 1 (loft), GET WIN, (curved line), POWER, MEGATEN, (curved line), Pro 280, by, G.P.S, SPECIAL MATERIAL, MEGATEN FACE:MEGATEN view image here |
| Geek Golf | Dot Com This | 6,7.5,9,10.5,12,14 | SOLE: (Geek Golf logo), GEEKGOLF, TM, (DOT COM in curve), (THIS in circle), TM, (loft) BACK: (propeller beanie graphic), GG HEEL: ALMO DeSIGNS view image here |
| Geek Golf | Dot Com This (LH) | 6,7.5,9,10.5,12 | SOLE: (Geek Golf logo), GEEKGOLF, ™, (DOT COM in curve), (THIS in circle), TM, (loft) BACK: (propeller beanie graphic), GG HEEL: ALMO DeSIGNS view image here |
| Geek Golf | Dot Com This 551 | 12 | SOLE: (Geek Golf logo), GEEKGOLF, ™, (DOT COM THIS in curve), (551 in circle), TM, (loft) BACK: (propeller beanie graphic), GG TOE: EUROPEAN LD• CHAMPION• SWEDISH LD• 551 YD RECORD, (WINNER, 2007, WORLD, LONG DRIVE, FINALS, OPEN, DIVISION in circle) HEEL: ALMO DeSIGNS view image here |
| Geek Golf | Fail Safe | 9 | SOLE: ((recessed rectangle w/ diagonal lines)™, FAIL SAFE, (recessed rectangle w/ diagonal lines), (Geek Golf logo), GEEKGOLF in curved triangle), (loft) view image here |
| Geek Golf | Fail Safe 3 (Version 1) | 9,10.5,12 | SOLE: ((™, FAIL3, SAFE, THE LIVE VERSION over propeller beanie graphic w/ GG media blast), (Geek Golf logo), GEEKGOLF in open curved triangle), (loft) BACK: ((AL in rectangle), MO, (line), DeSIGNS in rectangle) view image here |
| Geek Golf | Fail Safe 3 LD | 6,7.5 | SOLE: ((™, FAIL3, SAFE, THE LIVE VERSION over propeller beanie graphic w/ GG media blast), LD, (Geek Golf logo), GEEKGOLF in open curved triangle), (loft w/ degree symbol) BACK: ((AL in rectangle), MO, (line), DeSIGNS in rectangle) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|------------------|-----------------|---|
| Geek Golf | Fail Safe² | 6,7.5,9,10.5,12 | SOLE: ((recessed rectangle w/ diagonal lines)™, FAIL SAFE², (recessed rectangle w/ diagonal lines), (loft), (Geek Golf logo), GEEKGOLF BACK: ((AL in rectangle), MO, (line), DeSIGNS in rectangle) |
| Geek Golf | Floyd The Driver | 9,10.5 | SOLE: (FLOYD, THE DRIVER over traingle), MAXIMUM, OVERDRIVE, (loft) TOE: (three lines) (dot) FUGAZI, GOLF |
| Geek Golf | No Brainer | 6,7.5,9,10.5,12 | SOLE: BRAINER (w/ two dots over A)™, NO, (Geek Golf logo), GEEKGOLF™, (loft) TOE: ((AL in rectangle), MO, (line), DeSIGNS in rectangle) CROWN: (two stripes) view image here |
| George Spirits Corporation | GT448 | N/A | SOLE: Designed For Athlete Golfers By George Takei, George Spirits, (logo), MONO TONE GT448 ZA008 TOE: (logo) HOSEL: MONO GT 448, (•), (orientation indicators) |
| George Spirits Corporation | GT455 | N/A | SOLE: Designed For Athlete Golfers By George Takei, George Spirits, (logo), MONO TONE GT455 DAT 55G TOE: (logo) HOSEL: GT455 |
| George Spirits Corporation | RD-101 | 9,10 | SOLE: REDNESS, (logo), TWIN TURBO RD-101, (loft) TOE: (logo) HEEL: George Spirits view image here |
| George Spirits Golf | GS-1W | 9,10 | SOLE: (weight), GEORGE (crown and arrow graphic) Spirits, (loft), GS-1W, (weight) BACK: (weight), Designed For, Athlete Golfers, George Spirits, Yokohama JAPAN, (weight) TOE: (crown and arrow graphic) view image here |
| Geotech Golf Components Co Ltd | 430 RM | 9.5,10.5 | SOLE: Geotech, LOFT (loft) (underlined), 430 HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |

| November 04, 2024 | | | |
|-----------------------------------|-----------------------------|------------------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Geotech Golf Components Co Ltd | 430 RM (LH) (Version 2) | 9.5,10.5 | SOLE: Geotech (weight insert), LOFT (loft) (underlined), 430 (weight insert) HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | view image here |
| Geotech Golf Components Co Ltd | 430 RM (Version 1) (LH) | 9.5,10.5 | SOLE: Geotech, LOFT (loft) (underlined), 430 HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Geotech Golf Components Co Ltd | 430SP Type R | 8.5,9.5,10.5,11.5 | SOLE: Geotech, 430 SP, (loft), Custom Fitting System TOE: TYPE R view image here |
| Geotech Golf Components Co Ltd | 450 RM | 9.5,10.5,11.5 | SOLE: Geotech, LOFT (loft) (underlined), 450 HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Geotech Golf Components Co Ltd | 450SP Type R | 8.5,9.5,10.5,11.5,12.5 | SOLE: Geotech, 450 SP, (loft), Custom Fitting System TOE: TYPE R view image here |
| Geotech Golf Components Co Ltd | AZ | 9.5,10.5,12,14 | SOLE: (Geotech over AZ media blast), (loft) view image here |
| Geotech Golf Components Co Ltd | Cameo Collection | N/A | SOLE: cameo collection, (C logo), 1 CROWN: (alignment mark) view image here |
| Geotech Golf Components Co Ltd | Expression Blue | 12,14 | SOLE: 1, Expression, Ex, (loft), HIGH LAUNCH 400 VOLUME CROWN: (alignment mark) view image here |
| Geotech Golf Components Co Ltd | Expression Flower Pastel | 12.5,14 | SOLE: (E logo), Flower, Expression, 1 (loft), Pastel CROWN: (alignment mark) view image here |
| Geotech Golf Components Co Ltd | Expression Pink | 12,14 | SOLE: 1, Expression, Ex, (loft), HIGH LAUNCH 400 VOLUME TOE: (flower logo) CROWN: (alignment mark) view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|---------------------|---------------------|--|
| Geotech Golf Components Co Ltd | GDX 430/C RM | 9.5,10.5 | SOLE: GDX (underlined), TYPE 430/C RM, ADVANCED TECH.GEAR, (loft) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Geotech Golf Components Co Ltd | GDX 450 RM | 9.5,10.5,11.5 | SOLE: GDX (underlined), TYPE 450, FORGED TITANIUM, ADVANCED TECH.GEAR, (loft) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Geotech Golf Components Co Ltd | GDX 450/C RM | 9.5,10.5 | SOLE: GDX (underlined), TYPE 450/C RM, ADVANCED TECH.GEAR, (loft) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Geotech Golf Components Co Ltd | GDX 460 RM Square | 9.5,10.5,11.5,13 | SOLE: GDX (underlined), TYPE 460 SQUARE, (loft) HEEL: CONFORMING, TO R&A/USGA, SLE RULE + view image here |
| Geotech Golf Components Co Ltd | GDX ADT | 9.5,10.5,11.5,13,15 | SOLE: GDX, ADVANCED TECH., HIGH-DRAW MODEL, 1, LOFT (loft) TOE: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Geotech Golf Components Co Ltd | GDX Type 380 | 9,10 | SOLE: GDX, (line), TYPE 380, FORGED TITANIUM, ADVANCED TECH.GEAR (loft) view image here |
| Geotech Golf Components Co Ltd | GDX Type 400 | 9.5,10.5 | SOLE: GDX, (line), TYPE 400, FORGED TITANIUM, ADVANCED TECH.GEAR, (loft) view image here |
| Geotech Golf Components Co Ltd | Geotech GT615 Black | 8,9,10 | SOLE: 615 BLACK, (loft), SLE TOE: GT, Geotech <u>view image here</u> |
| Geotech Golf Components Co Ltd | Geotech MOI | 9.5,10.5,12,15 | SOLE: Ti, Geotech, MOI, (loft) HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| Geotech Golf Components Co Ltd | Geotech SP | 8.5,9.5,10.5,13,15 | SOLE: Geotech, SP, LOFT (loft) (underlined), TITANIUM TOE: Geotech, CONFORMING TO, R&A/USGA SLE RULE view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|-------------------------|--------------|---|
| Geotech Golf Components Co Ltd | Geotech SP Flighted | 11.5 | SOLE: Geotech, SP, FLIGHTED (underlined), TITANIUM TOE: Geotech, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Geotech Golf Components Co Ltd | Geotech SP3 | 9.5,10.5,14 | SOLE: Geotech, (over SP media blast), (loft), HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| Geotech Golf Components Co Ltd | Geotech SP3 (Version 2) | 12 | SOLE: Geotech, (over SP media blast), (loft) HEEL: CONFORMING TO, R&A/USGA RULES, Ver.2 view image here |
| Geotech Golf Components Co Ltd | GPM 415 Tour RM | 8.5,9.5,10.5 | SOLE: GPM 415 TOUR, (loft) view image here |
| Geotech Golf Components Co Ltd | GPM Tour 01 RM | 8,9,10 | SOLE: GPM TOUR, (loft) view image here |
| Geotech Golf Components Co Ltd | GPM Tour 420 | 8.5,9.5,10.5 | SOLE: GPM TOUR 420, (loft) view image here |
| Geotech Golf Components Co Ltd | GT 425 Tour | 9.5,10.5 | SOLE: 425 TOUR, LOFT (loft), (line), GT BACK: Geotech, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Geotech Golf Components Co Ltd | GT Black-SP | 8.5,9.5,10.5 | SOLE: BLACK SP, LOFT (loft), (line), GT TOE: Geotech, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Geotech Golf Components Co Ltd | GT Black-SP Flighted | N/A | SOLE: BLACK SP, FLIGHTED (undelined), GT TOE: Geotech, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Geotech Golf Components Co Ltd | GT D-0929 | 10 | SOLE: D-0929, Geotech, 1, STABILIZER WEIGHT, (loft), (GT on inset) HOSEL: GT, (orientation indicators) view image here |
| Geotech Golf Components Co Ltd | GT D-0939 | 9.5,10.5 | SOLE: D-0939, Geotech, 1, STABILIZER WEIGHT, (loft), (GT on inset) view image here |

| November 04, 2024 | | | |
|-----------------------------------|-------------------|-------------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Geotech Golf Components Co Ltd | GT D-0939 LTD | 9.5,10.5 | SOLE: D-0939, Geotech, LTD., 1, STABILIZER WEIGHT, (loft), (GT on inset) view image here |
| Geotech Golf Components Co Ltd | GT D-615 | 9,10 | SOLE: D-615, (loft), VARIABLE HOSEL ADPT, TOE: GT, Geotech HOSEL: (dot) HEEL: SLE view image here |
| Geotech Golf Components Co Ltd | GT D-617 | 8.5,9.5,10.5,11.5 | SOLE: GT, Geotech, (weight port), (D-617 media blast), (loft) HOSEL: GT, (dot) HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| Geotech Golf Components Co Ltd | GT Draw | 9.5,10.5 | SOLE: DRAW, LOFT (loft), (line), GT BACK: Geotech, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Geotech Golf Components Co Ltd | GT T-615 | 9,10 | SOLE: T-615, (loft) TOE: GT, TOUR HEEL: Geotech view image here |
| Geotech Golf Components Co Ltd | GT380RM | 10.5,14 | SOLE: GT 380 RM (underlined), Geotech, SHALLOW DESIGN HEEL: CONFORMING TO, R&A/USGA SLE RULE, (loft) view image here |
| Geotech Golf Components Co Ltd | GT420 Forged Tour | 8.5,9.5,10.5,11.5 | SOLE: 420 FORGED, LOFT (loft) (underlined), TOUR, GT BACK: Geotech HEEL: (chevron) view image here |
| Geotech Golf Components Co Ltd | GT435 Black | 8.5,9.5,10.5 | SOLE: 435 BLACK, LOFT (loft), (line), GT HEEL: Geotech, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Geotech Golf Components Co Ltd | GT435RM | 9.5,10.5 | SOLE: GT 435 RM (underlined), Geotech, (loft) BACK: GRAVITY ANGLE CONTROL HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|----------------|-------------------|---|
| Geotech Golf Components Co Ltd | GT455 | 9.5,10.5 | SOLE: 455, LOFT (loft) (underlined), GT BACK: Geotech, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Geotech Golf Components Co Ltd | GT455 Black | 8.5,9.5,10.5 | SOLE: 455 BLACK, LOFT (loft), (line), GT HEEL: Geotech, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Geotech Golf Components Co Ltd | GT455 Black-X | 8.5,9.5,10.5 | SOLE: 455 BLACK, X, LOFT(loft), (line), GT HEEL: Geotech, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Geotech Golf Components Co Ltd | GT455RM | 9.5,10.5,11.5,15 | SOLE: GT 455 RM (underlined), Geotech, (loft) BACK: GRAVITY ANGLE CONTROL HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Geotech Golf Components Co Ltd | GT45N S W S | 9.5,10.5,11.5 | SOLE: (GT on inset) BACK: Geotech TOE: GT45n SWS HEEL: (loft) view image here |
| Geotech Golf Components Co Ltd | GT45N SWS (LH) | 9.5,10.5 | SOLE: (GT on inset) BACK: Geotech TOE: GT45n SWS HEEL: (loft) view image here |
| Geotech Golf Components Co Ltd | GT45P SPL | 8.5,9.5,10.5,11.5 | SOLE: GT45P SPL BACK: Geotech HEEL: (chevron), (loft) view image here |
| Geotech Golf Components Co Ltd | GT9 | 9.5,10.5,11.5 | SOLE: GT9, (loft) TOE: Geotech JAPAN HOSEL: V HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| Geotech Golf Components Co Ltd | GT-Black | 9.5,10.5 | SOLE: GT, (loft), (weight port), (weight port), CARBON COMPOSITE HOSEL: (dot), (orientation indicators) view image here |
| Geotech Golf Components Co Ltd | Kailas | 10.5 | SOLE: KAILAS, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|---------------------------------|----------------|---|
| Geotech Golf Components Co Ltd | Kailas Stability | 9.5,10.5,11.5 | SOLE: (logo), KAILAS, STABILITY, TI., LOFT (loft) HEEL: CONFORMING TO, R&A/USGA, SLE RULE |
| | | | view image here |
| Geotech Golf Components Co Ltd | Kailas Stability (Version 2) | 10.5,11.5,12.5 | SOLE: DESIGNED IN JAPAN, (weight port), KAILAS, STABILITY, (loft) HEEL: SLE view image here |
| Cookeah Colf | Muse 167 (FT) | 11.5 | - |
| Geotech Golf Components Co Ltd | Muso 167 (FT) | 11.5 | SOLE: MUSO, FT HEEL: CONFORMING TO, R&A/USGA RULES |
| | | | <u>view image here</u> |
| Geotech Golf Components Co Ltd | Muso 167 (HT) | 12.5 | SOLE: MUSO, HT HEEL: CONFORMING TO, R&A/USGA RULES |
| | | | <u>view image here</u> |
| Geotech Golf Components Co Ltd | Proto Type 460 RM | 9.5,10.5 | SOLE: (loft) (underlined), Deg., PROTO TYPE 460 RM |
| | | | view image here |
| Geotech Golf Components Co Ltd | Prototype 450 RM (LH) | 9.5,10.5 | SOLE: PROTO TYPE 450, (loft), (line) HEEL: CONFORMING TO R&A/USGA SLE RULE |
| | | | view image here |
| Geotech Golf Components Co Ltd | Prototype B-Stream | 9.5,10.5 | SOLE: PROTOTYPE, (loft) view image here |
| Geotech Golf Components Co Ltd | Prototype RF10 | 8.5,9.5 | SOLE: RF10, (weight port), (weight port), LOFT (loft) TOE: PROTOTYPE HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| Geotech Golf | Prototype RF700 | 9.5,10.5 | SOLE: PROTOTYPE, RF 700, (loft) |
| Components Co Ltd | | | <u>view image here</u> |
| Geotech Golf Components Co Ltd | Prototype RF800 | 8.5,9.5,10.5 | SOLE: RF, 800, 1, LOFT (loft) TOE: PROTOTYPE |
| | | | view image here |
| Geotech Golf Components Co Ltd | Quelot Aerial 168 Black | 8.5 | SOLE: QUELOT, Aerial, 168, (logo), TT HEEL: CONFORMING TO, R&A/USGA SLE RULES |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|---------------------------|---------------|---|
| Geotech Golf Components Co Ltd | Quelot Aerial 168 FT | N/A | SOLE: QUELOT, Aerial, (168 media blast), (shield logo media blast), FT HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| Geotech Golf Components Co Ltd | Quelot Aerial 168 HT | N/A | SOLE: QUELOT, Aerial, 168, (shield logo), HT HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| Geotech Golf Components Co Ltd | Quelot Aerial 168 MT | N/A | SOLE: QUELOT, Aerial, 168, (shield logo), MT HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| Geotech Golf Components Co Ltd | Quelot Aerial LT | N/A | SOLE: QUELOT, Aerial, (logo on inset), (three lines) LT (three lines), (line) view image here |
| Geotech Golf Components Co Ltd | Quelot Aerial MT | N/A | SOLE: QUELOT, Aerial, (logo on inset), (three lines) MT (three lines), (line) view image here |
| Geotech Golf Components Co Ltd | Quelot Black RE22 (HT) | 11.5 | SOLE: (weight port), QUELOT, BLACK, HT TOE: REINFORCEMENT EFFECT HEEL: CONFORMING TO, R&A/USGA SLE RULES <u>view image here</u> |
| Geotech Golf Components Co Ltd | Quelot Black RE22 (LT) | 9.5 | SOLE: (weight port), QUELOT, BLACK, LT TOE: REINFORCEMENT EFFECT HEEL: CONFORMING TO, R&A/USGA SLE RULES view image here |
| Geotech Golf Components Co Ltd | Quelot Black RE22 (MT) | 10.5 | SOLE: (weight port), QUELOT, BLACK, MT TOE: REINFORCEMENT EFFECT HEEL: CONFORMING TO, R&A/USGA SLE RULES view image here |
| Geotech Golf Components Co Ltd | Quelot Black Version | 9.5,10.5,11.5 | SOLE: QUELOT, (loft) CROWN: (skull and crossbones logo) HEEL: CONFORMING TO, R&A/USGA RULES view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|---|----------|---|
| Geotech Golf Components Co Ltd | Quelot RE 168 CC | 11.5 | SOLE: QUELOT, 168, HT TOE: REINFORCEMENT EFFECT, HEEL: CONFORMING TO, R&A/USGA SLE RULES view image here |
| Geotech Golf Components Co Ltd | Quelot RE 168 CC (Version 2) | 10.5 | SOLE: MT, QUELOT, 168 TOE: REINFORCEMENT EFFECT, HEEL: (dot), CONFORMING TO, R&A/USGA SLE RULES view image here |
| Geotech Golf Components Co Ltd | Quelot RE HT | N/A | SOLE: QUELOT, Royal, Excellence, (RE, (logo) on plate), (three lines) HT (three lines), (line) view image here |
| Geotech Golf Components Co Ltd | Quelot RE Limited HT | N/A | SOLE: QUELOT, Royal, Excellence, (RE, (logo) on inset), (three lines) HT (three lines), (line) TOE: LIMITED view image here |
| Geotech Golf Components Co Ltd | Quelot RE Limited LT | N/A | SOLE: QUELOT, Royal, Excellence, (RE, (logo) on inset), (three lines) LT (three lines), (line) TOE: LIMITED view image here |
| Geotech Golf Components Co Ltd | Quelot RE Limited MT | N/A | SOLE: QUELOT, Royal, Excellence, (RE, (logo) on inset), (three lines) MT (three lines), (line) TOE: LIMITED view image here |
| Geotech Golf Components Co Ltd | Quelot RE LT | N/A | SOLE: QUELOT, Royal, Excellence, (RE, (logo) on inset), (three lines) LT (three lines), (line) view image here |
| Geotech Golf Components Co Ltd | Quelot RE MT | N/A | SOLE: QUELOT, Royal, Excellence, (RE, (logo) on plate), (three lines) MT (three lines), (line) view image here |
| Geotech Golf Components Co Ltd | Quelot Royal Excellence 460 Maximum | 9.5,10.5 | SOLE: FORGED CNC VARIABLE FACE, QUELOT, Royal Excellence, 460 MAXIMUM, (crystal loft indicator), D-JAPAN HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|---|-------|--|
| Geotech Golf Components Co Ltd | Quelot Royal Excellence FT | N/A | SOLE: QUELOT, Royal, Excellence, (logo on inset), FT view image here |
| Geotech Golf Components Co Ltd | Quelot Royal Excellence HT | 11.5 | SOLE: QUELOT, Royal, Excellence, (logo on inset), HT view image here |
| Geotech Golf Components Co Ltd | Quelot Royal Excellence HT (Version 2) | N/A | SOLE: QUELOT, Royal Excellence, (logo on inset), HT view image here |
| Geotech Golf Components Co Ltd | Quelot Royal Excellence LT | 9.5 | SOLE: QUELOT, Royal, Excellence, (logo on inset), LT <u>view image here</u> |
| Geotech Golf Components Co Ltd | Quelot Royal Excellence LT (Version 2) | N/A | SOLE: QUELOT, Royal Excellence, (logo on inset), LT view image here |
| Geotech Golf Components Co Ltd | Quelot Royal Excellence LT (Version 3) | N/A | SOLE: QUELOT, Royal Excellence, LT, (logo on inset) view image here |
| Geotech Golf Components Co Ltd | Quelot Royal Excellence LT (Version 3) (LH) | N/A | SOLE: QUELOT, Royal Excellence, LT, (logo on inset) view image here |
| Geotech Golf Components Co Ltd | Quelot Royal Excellence LT (Version 4) | N/A | SOLE: QUELOT, Royal Excellence, (logo), (inset), LT HOSEL: Geotech, JAPAN HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| Geotech Golf Components Co Ltd | Quelot Royal Excellence MT | 10.5 | SOLE: QUELOT, Royal, Excellence, (logo on inset), MT view image here |
| Geotech Golf Components Co Ltd | Quelot Royal Excellence MT (Version 2) | N/A | SOLE: QUELOT, Royal Excellence, (logo on inset), MT view image here |
| Geotech Golf Components Co Ltd | Quelot Royal Excellence MT (Version 3) | N/A | SOLE: QUELOT, Royal Excellence, MT, (logo on inset) view image here |
| Geotech Golf Components Co Ltd | Quelot Royal Excellence MT (Version 3) (LH) | N/A | SOLE: QUELOT, Royal Excellence, MT, (logo on inset) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|--|---------------------|--|
| Geotech Golf Components Co Ltd | Quelot Royal Excellence MT (Version 4) | N/A | SOLE: QUELOT, Royal Excellence, (logo), (inset), MT HOSEL: Geotech, JAPAN HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| Geotech Golf Components Co Ltd | Quelot Super Aerial (FT) | 13.5 | SOLE: QUELOT, (weight port), FT TOE: SUPER AERIAL HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| Geotech Golf Components Co Ltd | Quelot Super Aerial (HT) | 11.5 | SOLE: QUELOT, (weight port), HT TOE: SUPER AERIAL HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| Geotech Golf Components Co Ltd | Quelot Super Aerial (LT) | 9.5 | SOLE: QUELOT, (weight port), LT TOE: SUPER AERIAL HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| Geotech Golf Components Co Ltd | Quelot Super Aerial (MT) | 10.5 | SOLE: QUELOT, (weight port), MT TOE: SUPER AERIAL HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| Geotech Golf Components Co Ltd | Reace Studio | 10.5,11.5,12.5,13.5 | SOLE: (weight port), Geotech, JAPAN, REACE, STUDIO, (loft), (weight port), (weight port) HEEL: CONFORMING TO, R&A/USGA RULES |
| Geotech Golf Components Co Ltd | Revue Con | 9.5,10.5,12 | SOLE: Ti 1, (logo), REVUE, CON, (loft) view image here |
| Geotech Golf Components Co Ltd | Revue Tri. | 9.5,10.5 | SOLE: Ti 1, (curved line), REVUE, TRI., (loft) view image here |
| Geotech Golf Components Co Ltd | Strategy LD | 6.5,7.5,8.5 | SOLE: (loft) (in circle) STRATEGY LD view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|--------------------|----------------|--|
| Geotech Golf Components Co Ltd | Strategy LD 460 RM | 7,8.5,9.5,10.5 | SOLE: (loft) STRATEGY LD, WITH HSW CONCEPT, 460 RM BACK: (flame logos) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| GFoss Global Golf Company (GFoss Korea Golf Company) | Iwaki Signature | N/A | SOLE: (crown, wing and heart logo), iwaki, Signature, TITAN FORGED CUPFACE, (decorative marking), ((heart and crown logo), iwaki, (star(s)) on inset), (decorative markings), (two lines) Mach, (line) 3.0 TOE: iwaki CROWN: (alignment mark) view image here |
| Giant Golf Co. | FT 100 | 8.5,9.5 | SOLE: GIANT GOLF™, (Giant Golf logo), TM, FT100, (loft), Forged Titanium CROWN: (alignment mark) view image here |
| Giant Golf Co. | FT 100-L | 12 | SOLE: GIANT GOLF™, (Giant Golf logo), TM, FT100-L, (loft), Forged Titanium CROWN: (alignment mark) view image here |
| Giant Golf Co. | FT 500 | 9.5 | SOLE: GIANT GOLF™, (Giant Golf logo),TM, FT500, (loft), Forged Titanium view image here |
| Giant Golf Co. | GX2 | 9.5 | SOLE: GX2, 1 (loft), (3 horizontal boxes), (GIANT GOLF over golfer graphic), CCP view image here |
| Giga Corporation | The Sixty Niners | 9.5 | SOLE: DOUBLE REPULSION EFFECT, (69, ers, wreath), THE SIXTY NINERS, By, GIGA, (loft), DRIVER CROWN: (69, ers, wreath alignment mark) FACE:(69, ers, wreath media blast logo) view image here |
| Giga Corporation | X-10RS | 9,9.5 | SOLE: X-10 RS(underline), P•U•R•E, ENERGY X-FER, GIGA, (loft) CROWN: (X-10RS alignment mark) view image here |
| Giga Corporation | X-File Gold | 9,9.5 | SOLE: GIGA, (X, FILE in shape), GOLD, (loft) view image here |
| Giga Corporation | X-File LD | 9.5,10 | SOLE: X-FILE, LD, (loft), GIGA |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|-----------------------|---------------|---|
| Giga Corporation | X-File Power V | 9,9.5 | SOLE: X-FILE, (POWER in V logo), (loft),THE SPIRIT OF GOLF, DYNAMIC & HOP-UP DESIGN, GIGA |
| | | | view image here |
| Giga Corporation | X-File Tour Gold | 9,9.5 | SOLE: X-FILE, TOUR GOLD, (loft), GIGA, (line), THE SPIRIT OF GOLF CROWN: (alignment mark) |
| | | | view image here |
| GigaGolf, Inc. | C9 VFT Ti (Version 2) | 10.5 | SOLE: Cloud Nine 1, (line), (line), (line) BACK: Titanium Composite, (C9 on oval in oval insert) HEEL: (loft) FACE:GIGAGOLF, (no punchmarks on face) |
| GigaGolf, Inc. | GX2 (Version 2) | 10.5 | SOLE: (GX2 in trapezoid), (loft), Neutral, (bar graphic) BACK: POWERMAX CROWN: (dot alignment mark) FACE:GIGAGOLF view image here |
| GigaGolf, Inc. | PowerMax TRX Ti | 10.5 | SOLE: POWERMAX, KC2 (w/line over 2), (loft), (weight in circle), (three arrows), (curved line), TR X TOE: (weight in port) HEEL: (weight in port) FACE:GIGAGOLF view image here |
| Gilligan's Custom Golf | Genesis 400cc | 7,8,9,10,10.5 | SOLE: GENESIS, (flaming duck), GENESIS, PLASMA SP-700 TI, ACTIVE, 400cc, (1, (line), (loft) in oval) TOE: (DISTANCE +, CONTROL, SERIES on square with three arrows and circle) view image here |
| Globeride Inc | 19 Onoff Kuro | 9.5,10.5 | SOLE: ONOFF, POWER TRENCH HEEL: LOFT (loft) / VOL 460 view image here |
| Globeride Inc | 19 OnOff Lady | 10.5,11.5,13 | SOLE: ONOFF, POWER WAVE, (square logo), (GRAVITY CONTROL, (square logo) on inset) CROWN: ((diamond) (diamond) (diamond) alignment mark) HEEL: LOFT (loft)/445 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------------|--------------|--|
| Globeride Inc | 20 Onoff Aka Power Trench | 10.5,11.5 | SOLE: ONOFF, FULL CORE DESIGN, POWER TRENCH, GRAVITY, CONTROL, (weight port) CROWN: (alignment mark) HOSEL: (line), (orientation indicators) HEEL: LOFT (loft), /VOL 460 |
| Globeride Inc | 20 Onoff Aka Power Trench OTCS | 9.5 | SOLE: ONOFF, FULL CORE DESIGN, POWER TRENCH, GRAVITY, CONTROL, (weight port), OTCS CROWN: (alignment mark) HOSEL: (line), (orientation indicators) HEEL: LOFT (loft), /VOL 460 |
| Globeride Inc | 20 Onoff Kuro Prototype | 10.5 | SOLE: ONOFF, POWER TRENCH, 460/ (loft) view image here |
| Globeride Inc | 21 OnOff Lady | 10.5,11.5,13 | SOLE: (square logo), ONOFF, POWER TRENCH CROWN: ((square) alignment mark) HEEL: LOFT (loft)/445 view image here |
| Globeride Inc | 22 Onoff Aka Power Trench | 10.5,11.5 | SOLE: (square logo), ONOFF, POWER TRENCH, (weight port), XCBT, CROSS, BALANCE, TECHNOLOGY, (weight port) CROWN: (alignment mark), ONOFF HOSEL: (dot), (orientation indicators) HEEL: VOL 460, LOFT(loft) FACE:(square logo) view image here |
| Globeride Inc | 23 ONOFF Driver (Lady) | 10.5,11.5,13 | SOLE: (logo), ONOFF, (GRAVITY CONTROL around (weight port)) CROWN: (alignment mark), ONOFF HEEL: LOFT(loft)/VOL 450 view image here |
| Globeride Inc | G Three 450 (Ladies) | 12.5 | SOLE: G three., HYPER EFFECT STRUCTURE, VOLUME: 450, LOFT: (loft), (SWING ASSIST SYSTEM on circular inset), (SWING ASSIST SYSTEM on circular inset) view image here |
| Globeride Inc | G Three 460 (Ladies) | 11.5 | SOLE: G three., HYPER EFFECT STRUCTURE, VOLUME: 460, LOFT: (loft), (SWING ASSIST SYSTEM on circular inset), (SWING ASSIST SYSTEM on circular inset) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|----------------------------|----------------|--|
| Globeride Inc | G Three 460 (Version 2) | 10,11.5 | SOLE: G three., HYPER EFFECT STRUCTURE, VOLUME: 460, LOFT: (loft), (SWING ASSIST SYSTEM on circular inset), (SWING ASSIST SYSTEM on circular inset) view image here |
| Globeride Inc | G Three Signature 450 | 12.5 | SOLE: G three., SIGNATURE, VOLUME: 450, LOFT: (loft), (SWING ASSIST SYSTEM on circular inset), (SWING ASSIST SYSTEM on circular inset) view image here |
| Globeride Inc | G Three Signature 460 | 10,11.5 | SOLE: G three., SIGNATURE, VOLUME: 460, LOFT: (loft), (SWING ASSIST SYSTEM on circular inset), (SWING ASSIST SYSTEM on circular inset) view image here |
| Globeride Inc | GIII 7 | 10.5,11.5,12.5 | SOLE: (GIII on inset), 1, (loft), TRIPLE POWER TRENCH, DAIWA CROWN: (logo alignment mark) FACE:GIII view image here |
| Globeride Inc | GIII 8 | 11.5,12.5 | SOLE: (DAIWA on inset), GIII, 1, (loft), HYPER EFFECT TRENCH CROWN: (logo alignment mark) FACE:GIII view image here |
| Globeride Inc | GIII 8 (Version 2) | 10.5 | SOLE: (DAIWA on inset), GIII, 1, (loft), HYPER EFFECT TRENCH, 460 CROWN: (logo alignment mark) FACE:GIII view image here |
| Globeride Inc | GIII IS-811 3S | 9,10 | SOLE: GIII, HYPER EFFECT STRUCTURE, IS-811, VOLUME:460, LOFT:(loft), WEIGHTED, ((3 stars), GIII on inset), TUNGSTEN TOE: GIII, GRAND GOLF GEAR CROWN: (alignment mark) |
| Globeride Inc | GIII IS-811 4S | 9,10 | SOLE: GIII, HYPER EFFECT STRUCTURE, IS-811, VOLUME:460, LOFT:(loft), (WEIGHTED in shape), ((4 stars), GIII on inset), (TUNGSTEN in shape) TOE: GIII, GRAND GOLF GEAR CROWN: (alignment mark) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-------------------------|--------------|---|
| Globeride Inc | GIII IS-811 5S | 10 | SOLE: GIII, HYPER EFFECT STRUCTURE, IS-811, VOLUME:460, LOFT:(loft), (WEIGHTED in shape), ((5 stars), GIII on inset), (TUNGSTEN in shape) TOE: GIII CROWN: (alignment mark) |
| Globeride Inc | GIII LS-711 (Version 1) | 9,10 | SOLE: GIII, HYPER EFFECT STRUCTURE, LS-711, VOLUME:460, LOFT:(loft), (SWING ASSIST SYSTEM on inset), (SWING ASSIST SYSTEM on inset), ((5 stars), GIII on inset) TOE: GIII CROWN: (alignment mark) |
| Globeride Inc | GIII LS-711 (Version 2) | 9,10 | SOLE: GIII, HYPER EFFECT STRUCTURE, LS-711, VOLUME:460, LOFT:(loft), (SWING ASSIST SYSTEM on inset), (SWING ASSIST SYSTEM on inset), ((3 stars), GIII on inset) TOE: GIII, GRAND GOLF GEAR CROWN: (alignment mark) |
| Globeride Inc | GIII LS-711 (Version 3) | 9,10 | SOLE: GIII, HYPER EFFECT STRUCTURE, LS-711, VOLUME:460, LOFT:(loft), (SWING ASSIST SYSTEM on inset), (SWING ASSIST SYSTEM on inset), ((4 stars), GIII on inset) TOE: GIII, GRAND GOLF GEAR CROWN: (alignment mark) view image here |
| Globeride Inc | GIII5 | 10,11.5 | SOLE: GIII, HYPER EFFECT STRUCTURE, 460S, VOLUME: 460, LOFT: (loft), (SWING ASSIST SYSTEM on screw), (SWING ASSIST SYSTEM on screw), (SWING ASSIST SYSTEM on screw) view image here |
| Globeride Inc | GIII5 (Ladies) | 12.5 | SOLE: GIII, HYPER EFFECT STRUCTURE, 460S, VOLUME: 460, LOFT: (loft), (SWING ASSIST SYSTEM on screw), (SWING ASSIST SYSTEM on screw), (SWING ASSIST SYSTEM on screw) view image here |
| Globeride Inc | GIII6 | 10,11.5,12.5 | SOLE: (GIII on shaped inset), (SWING ASSIST SYSTEM on circular inset), 1: (loft), HYPER EFFECT, STRUCTURE, GIII |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|---------|--|
| Globeride Inc | Labospec 420 | 9.5 | SOLE: (square inset), LABOSPEC, HYPER EFFECT ZONE, ONOFF, 420 / LOFT (loft), (weight on heel) TOE: (square logo), (weight) HOSEL: (orientation indicators) view image here |
| Globeride Inc | OnOff (Steel) | 9,10,11 | SOLE: (square logo), ONOFF, WIDE |
| | | | HYPER EFFECT ZONE, GRAVITY CONTROL, LOFT (loft) |
| | | | view image here |
| Globeride Inc | OnOff (Titanium) | 9,10,11 | SOLE: (square logo), ONOFF, WIDE HYPER EFFECT ZONE, GRAVITY CONTROL, LOFT (loft) |
| | | | <u>view image here</u> |
| Globeride Inc | OnOff 445 (Version 2) (Ladies) | 11.5,13 | SOLE: ONOFF, WEIGHT DISTRIBUTION, (square logo) BACK: WIDE HYPER EFFECT ZONE CROWN: (alignment mark) HEEL: VOLUME: 445, LOFT (loft) |
| | | | view image here |
| Globeride Inc | OnOff 445 Power Trench (Ladies) | 11.5 | SOLE: (square logo), ONOFF, POWER TRENCH, (2 lines) CROWN: (3 diamonds alignment mark) HEEL: VOLUME: 445 LOFT (loft) |
| | | | view image here |
| Globeride Inc | OnOff 445 Power Trench (Ladies) (Version 2) | 13 | SOLE: (square logo), ONOFF, POWER TRENCH, (3 lines) CROWN: (3 diamonds alignment mark) HEEL: VOLUME: 445 LOFT (loft) view image here |
| Globeride Inc | OnOff 455 (Ladies) | 11.5,13 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE, (square logo) BACK: SWING ASSIST SYSTEM CROWN: (alignment mark) HEEL: VOLUME: 455, LOFT: (loft) |
| Globeride Inc | OnOff 460 Power | 9,10,11 | SOLE: (square logo), ONOFF, POWER |
| | Trench | | TRENCH, (3 lines) CROWN: (alignment mark) HEEL: LOFT (loft) / VOL 460 |
| Olah arida d | OpOff 400 Day | 9.5 | view image here |
| Globeride Inc | OnOff 460 Power Trench Type -1 | 3.3 | SOLE: (square logo), ONOFF, POWER TRENCH, (2 lines) HEEL: TYPE - 1, LOFT (loft) / VOL 460 |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------------------|-----------|--|
| Globeride Inc | OnOff 460 Power Trench Type -2 | 9.5 | SOLE: (square logo), ONOFF, POWER TRENCH, (2 lines) HEEL: TYPE - 2, LOFT (loft) / VOL 460 view image here |
| Globeride Inc | OnOff Aka | 9,10,11 | SOLE: ONOFF, POWER TRENCH, (square logo), (2 lines) CROWN: (alignment mark), (curved line) HEEL: LOFT(loft) / VOL460 view image here |
| Globeride Inc | OnOff Aka Gravity Controlled 460A | 9,10,11 | SOLE: ONOFF, (square logo), GRAVITY CONTROLLED HEEL: LOFT (loft), VOLUME 460A view image here |
| Globeride Inc | OnOff Aka RD5900 | 10.5 | SOLE: ONOFF, FULL CORE DESIGN, WEIGHTED SOLE, (weight port), RD5900, VOL:460/LOFT:(loft) CROWN: (alignment mark) view image here |
| Globeride Inc | OnOff D-Long (Version 1) | 9,10 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE., (raised squares in square shape) BACK: SWING ASSIST SYSTEM HEEL: D-LONG, LOFT (loft) FACE:(no grooves in centre) view image here |
| Globeride Inc | OnOff D-Long (Version 2) | 9 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE., (raised squares in square shape) BACK: SWING ASSIST SYSTEM HEEL: D-LONG, LOFT (loft) FACE:(grooves in centre) view image here |
| Globeride Inc | ONOFF DRIVER AKA | 10.5,11.5 | SOLE: ONOFF, POWER TRENCH, XCBT CROSS BALANCE, TECHNOLOGY, HI, (weight channel), DRAW, (weight port), 460, LOFT (loft) CROWN: ONOFF HOSEL: (dot), (orientation indicators) FACE:(square logo) view image here |
| Globeride Inc | ONOFF DRIVER KURO | 9.5,10.5 | SOLE: (weight port), ONOFF, POWER TRENCH, (weight port), XCBT, CROSS, BALANCE, TECHNOLOGY, (weight port), VOL460/ LOFT (loft) HOSEL: (dot), (orientation indicators) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--|----------|---|
| Globeride Inc | ONOFF DRIVER LABOSPEC | 9.5 | SOLE: XCBT, CROSS, BALANCE, TECHNOLOGY, (weight port), ONOFF, POWER TRENCH, (weight port), LABOSPEC LOFT (loft), (weight port), HOSEL: (dot), (orientation indicators) |
| | | | view image here |
| Globeride Inc | ONOFF DRIVER PROTOTYPE | 9.5,10.5 | SOLE: (weight port), ONOFF, POWER TRENCH, Prototype (weight port), XCBT, CROSS, BALANCE, TECHNOLOGY, (weight port), VOL460/ LOFT (loft) HOSEL: (dot), (orientation indicators) |
| | | | view image here |
| Globeride Inc | ONOFF DRIVER PROTOTYPE-02 | 9.5 | SOLE: XCBT, CROSS, BALANCE, TECHNOLOGY, (weight port), ONOFF, POWER TRENCH, (weight port), VOL460/ LOFT (loft) Prototype-02 (weight port), HOSEL: (dot), (orientation indicators) |
| | | | view image here |
| Globeride Inc | ONOFF DRIVER PROTOTYPE-02 (alpha) | 9.5 | SOLE: XCBT, CROSS, BALANCE, TECHNOLOGY, (weight port), ONOFF, POWER TRENCH, (weight port), VOL460/ LOFT (loft) Prototype-02 (alpha), (weight port), HOSEL: (dot), (orientation indicators) |
| | | | view image here |
| Globeride Inc | OnOff Gravity Controlled 440 | 9 | SOLE: (square logo), ONOFF, GRAVITY, CONTROLLED (dot) HEEL: LOFT (loft): VOLUME 440 FACE:(hyphenated grooves across face) view image here |
| Globeride Inc | OnOff Gravity Controlled 440 (Pro Spec) | 9,10 | SOLE: (square logo), ONOFF, GRAVITY, CONTROLLED HEEL: LOFT (loft): VOLUME 440 FACE:(grooves across face) view image here |
| Globeride Inc | OnOff Gravity Controlled 440 (Version 2) | 10 | SOLE: (square logo), ONOFF, GRAVITY, CONTROLLED HEEL: LOFT (loft): VOLUME 440 FACE:(hyphenated grooves across face) view image here |
| Globeride Inc | OnOff Kuro | 10 | SOLE: (square logo), ONOFF, POWER TRENCH, (2 lines) HEEL: LOFT, (loft) / VOL 460 |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------------|----------|---|
| Globeride Inc | OnOff Kuro Ex | 10.5 | SOLE: (square logo), ONOFF, POWER TRENCH, (2 lines) HOSEL: (dot) HEEL: LOFT, (loft) Ex/VOL 460 view image here |
| Globeride Inc | OnOff Kuro Type-Y | 9.5 | SOLE: (square logo), ONOFF, POWER TRENCH, (2 lines) HEEL: LOFT, (loft) / VOL 460 view image here |
| Globeride Inc | OnOff Labospec 358 | 9.5 | SOLE: ONOFF, LABOSPEC 358, HYPER EFFECT ZONE, (square logo), LOFT (loft) view image here |
| Globeride Inc | OnOff Labospec 358 (Version 2) | 9 | SOLE: LABOSPEC 358, (square logo), ONOFF, POWER TRENCH, (3 lines), LOFT (loft) CROWN: (alignment logo), (decorative graphic) view image here |
| Globeride Inc | OnOff Labospec Plus | 9.5,10.5 | SOLE: (square logo), (CROSS BALANCE TECHNOLOGY around (weight port)), ONOFF, FULL CORE DESIGN CROWN: LABOSPEC HOSEL: (dot), (orientation indicators) HEEL: XCBT, VOL 460/LOFT (loft) view image here |
| Globeride Inc | OnOff Labospec RB 450 | 10 | SOLE: (square logo), ONOFF, LABOSPEC, RB 450, (loft) HOSEL: (dot), (orientation indicators) view image here |
| Globeride Inc | OnOff Labospec RD-330S | N/A | SOLE: ONOFF, WEIGHTED SOLE, LABOSPEC, RD-330S view image here |
| Globeride Inc | OnOff Labospec RD-390D | N/A | SOLE: ONOFF, WEIGHTED SOLE, LABOSPEC, RD-390D view image here |
| Globeride Inc | OnOff Labospec RD5900-C | 10.5 | SOLE: ONOFF, FULL CORE DESIGN, WEIGHTED SOLE, (weight port), LABOSPEC, RD5900-C, VOL:460/LOFT: (loft) CROWN: (alignment mark) HOSEL: (line), (orientation indicators) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|------------------------------------|----------|--|
| Globeride Inc | OnOff Labospec Type-D | 10 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE, LABOSPEC, TYPE-D, LOFT (loft), (port for shaft screw) TOE: (square logo) HOSEL: (dot), (orientation indicators) view image here |
| Globeride Inc | OnOff Lady | 11.5,13 | SOLE: ONOFF, POWER TRENCH CROWN: ((diamond) (diamond) (diamond) alignment mark) HEEL: LOFT (loft) / VOL 445 |
| Globeride Inc | OnOff Plus XP Labospec | N/A | SOLE: ONOFF, HYPER EFFECT ZONE, XP LABOSPEC, (GRAVITY CONTROL, (plus logo) on circular inset) TOE: (square logo) view image here |
| Globeride Inc | OnOff Power Trench | 9.5,10.5 | SOLE: (weight port), ONOFF, POWER TRENCH, (weight port), XCBT, CROSS, BALANCE, TECHNOLOGY, (weight port) HOSEL: (dot), (orientation indicators) HEEL: VOL 460/LOFT (loft) view image here |
| Globeride Inc | OnOff Power Trench Prototype 01 | 9.5,10.5 | SOLE: (weight port), ONOFF, POWER TRENCH, (weight port), XCBT, CROSS, BALANCE, TECHNOLOGY, Prototype 01, (weight port) HOSEL: (dot), (orientation indicators) HEEL: VOL 460/LOFT (loft) view image here |
| Globeride Inc | OnOff Power Trench Prototype 02 | 9.5 | SOLE: (weight port), ONOFF, POWER TRENCH, (weight port), XCBT, CROSS, BALANCE, TECHNOLOGY, Prototype 02, (weight port) HOSEL: (dot), (orientation indicators) HEEL: VOL 460/LOFT (loft) view image here |
| Globeride Inc | OnOff Type-D (Version 1) | 9,10,11 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE, (raised squares in square shape) BACK: SWING ASSIST SYSTEM HEEL: TYPE-D, LOFT (loft) FACE:(no grooves in centre) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------|---------|---|
| Globeride Inc | OnOff Type-D (Version 2) | 9 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE, (raised squares in square shape) BACK: SWING ASSIST SYSTEM HEEL: TYPE-D, LOFT (loft) FACE:(grooves in centre) view image here |
| Globeride Inc | OnOff Type-D (Version 3) | 9,10,11 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE, WEIGHT DISTRIBUTION, INNER TUNGSTEN, TYPE-D, LOFT (loft) TOE: (square logo) view image here |
| Globeride Inc | OnOff Type-D 358 | 9,10 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE, WEIGHT DISTRIBUTION, INNER TUNGSTEN, TYPE-D, 358, LOFT (loft) TOE: (square logo) view image here |
| Globeride Inc | OnOff Type-D 358 (Version 2) | 9 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE, WEIGHT DISTRIBUTION, INNER TUNGSTEN, TYPE-D, 358 •, LOFT (loft) TOE: (square logo) view image here |
| Globeride Inc | OnOff Type-D Long | 9,10 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE, WEIGHT DISTRIBUTION, INNER TUNGSTEN, TYPE-D, LONG, LOFT (loft) TOE: (square logo) view image here |
| Globeride Inc | OnOff Type-S | 9,10 | SOLE: (square logo), ONOFF, WIDE HYPER EFFECT ZONE, GRAVITY, CONTROL, (raised squares on square inset) HEEL: TYPE-S, LOFT (loft) view image here |
| Globeride Inc | OnOff Type-S (Version 2) | 9,10 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE, WEIGHT, DISTRIBUTION, TYPE-S, LOFT (loft) TOE: (square logo) view image here |
| Globeride Inc | OnOff Type-S (Version 3) | 9,10 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE BACK: GRAVITY CONTROL HEEL: LOFT (loft), TYPE-S view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------|-------|---|
| Globeride Inc | OnOff Type-S ProSpec | 9 | SOLE: (square logo), ONOFF, WIDE HYPER EFFECT ZONE, PROSPEC, D358, GRAVITY, CONTROL, (raised squares on square inset) HEEL: TYPE-S, LOFT (loft) |
| | | | view image here |
| Globeride Inc | OnOff X1-D | 9,10 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE, (GRAVITY CONTROL on circular inset), X1-D, LOFT (loft) TOE: (square logo) FACE:(no scorelines in centre of face) |
| | | | <u>view image here</u> |
| Globeride Inc | OnOff X1-D (Pro Spec) | 9,10 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE, (GRAVITY CONTROL on circular inset), X1-D, LOFT (loft) TOE: (square logo) FACE:(scorelines in centre of face) |
| | | | <u>view image here</u> |
| Globeride Inc | OnOff X1-Long | 9,10 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE., (GRAVITY CONTROL on circular inset), XI-,LONG, LOFT: (loft) TOE: (square logo) |
| | | | <u>view image here</u> |
| Globeride Inc | OnOff X1-S | 9,10 | SOLE: (square logo), (GRAVITY CONTROL on circular inset), ONOFF, WIDE HYPER EFFECT ZONE HEEL: X1-S, LOFT (loft) view image here |
| Globeride Inc | ONOFF XI-D (Prototype) | 9 | SOLE: ONOFF, • WIDE HYPER EFFECT ZONE, (GRAVITY CONTROL on circular inset), XI-D, LOFT (loft) TOE: (square logo) view image here |
| Globeride Inc | OnOff XI-D Forged | 9 | SOLE: ONOFF, WIDE HYPER EFFECT ZONE, FORGED, (GRAVITY CONTROL on circular inset), X1-D, LOFT (loft) TOE: (square logo) view image here |
| Globeride Inc | Team Daiwa 101 Ti-01 | 9,10 | SOLE: TEAM DAIWA, 101Ti-01, (loft) 1, COMBINED, TITANIUM STRUCTURES, Daiwa TOE: HYPER, TITANIUM, 15Mo-5Zr-3Al & 15V-3Al |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|----------------------|-----------|--|
| Globeride Inc | Team Daiwa 102 Ti-01 | 9 | SOLE: TEAM DAIWA, 102Ti-01, (loft) 1, COMBINED, TITANIUM STRUCTURES, Daiwa TOE: HYPER, TITANIUM, 15Mo-5Zr-3Al & 15V-3Al |
| Globeride Inc | Team Daiwa Tourdrive | 8 | SOLE: TEAM (with traingle A), DAIWA, TOURDRIVE, TITANIUM, (punchmark),1, (loft in octagonal weight insert) BACK: EXPLOSIVE DISTANCE TOE: (ZI logo), ZONEIMPACT, PERFECT IMPACT SYSTEM CROWN: (alignment mark) view image here |
| Globeride Inc (Daiwa Seiko Inc) | Advisor Lady | 12 | SOLE: 1 (loft), ADVISOR Lady, (underlined), TITANIUM, Daiwa FACE:420CC view image here |
| Globeride Inc (Daiwa Seiko Inc) | Ballistic | 10.5 | SOLE: Daiwa, BALLISTIC, FORGED TITANIUM 460, 1 (loft), ULTIMATE, S.GRAVITY view image here |
| Globeride Inc (Daiwa Seiko Inc) | Blade | 10.5,12.5 | SOLE: Daiwa, BLADE (with line through), 1, (loft) view image here |
| Globeride Inc (Daiwa Seiko Inc) | G III 430 | 12.5 | SOLE: G III:I, POWER WAVE SOLE, TUNGSTEN, WEIGHTED HEEL: SWING ASSIST SYSTEM, LOFT: (loft) / VOLUME 430 view image here |
| Globeride Inc (Daiwa Seiko Inc) | G III 450 | 10,11.5 | SOLE: G III:I, POWER WAVE SOLE, TUNGSTEN, WEIGHTED HEEL: SWING ASSIST SYSTEM, LOFT: (loft) / VOLUME 450 view image here |
| Globeride Inc (Daiwa Seiko Inc) | G Three 440 | 12.5 | SOLE: G three, HYPER EFFECT STRUCTURE, VOLUME: 440, LOFT: (loft), (SWING ASSIST SYSTEM on inset), (SWING ASSIST SYSTEM on inset), (G, SWING ASSIST SYSTEM on inset) view image here |

| November 04, 2024 | | | | | |
|------------------------------------|----------------------------|---------|--|--|--|
| Manufacturer | Product Name | Lofts | Identification Markings | | |
| Globeride Inc (Daiwa Seiko Inc) | G Three 440 50th | 12.5 | SOLE: G three, HYPER EFFECT STRUCTURE, VOLUME: 440, LOFT: (loft), (SWING ASSIST SYSTEM in inset), (SWING ASSIST SYSTEM in inset), (G, SWING ASSIST SYSTEM in inset) view image here | | |
| Globeride Inc (Daiwa Seiko Inc) | G Three 460 | 10,11.5 | SOLE: G three, HYPER EFFECT STRUCTURE, VOLUME: 460, LOFT: (loft), (SWING ASSIST SYSTEM on inset), (SWING ASSIST SYSTEM on inset), (G, SWING ASSIST SYSTEM on inset) view image here | | |
| Globeride Inc (Daiwa Seiko Inc) | G Three 460 50th | 10,11.5 | SOLE: G three, HYPER EFFECT STRUCTURE, VOLUME: 460, LOFT: (loft), (SWING ASSIST SYSTEM in inset), (SWING ASSIST SYSTEM in inset), (G, SWING ASSIST SYSTEM in inset) view image here | | |
| Globeride Inc (Daiwa Seiko Inc) | G-3 250 | N/A | SOLE: G-3 Titan, Deka Deka 250, 1, Daiwa TOE: (logo), Daiwa <u>view image here</u> | | |
| Globeride Inc (Daiwa Seiko Inc) | G-3 701-01 | 12.5 | SOLE: Second, Driver (loft), G-3 701-01, Daiwa, Bimetal Rail System <u>view image here</u> | | |
| Globeride Inc (Daiwa Seiko Inc) | G-3 701-01 Strike Force | 14 | SOLE: SECOND, DRIVER (loft), G-3 701-01, Daiwa, BIMETAL RAIL SYSTEM BACK: STRIKE FORCE, TRIPLE-PHASE STEEL view image here | | |
| Globeride Inc (Daiwa Seiko Inc) | G-3 802-01 | 10 | SOLE: G-3, 802-01, (loft) 1, (WEIGHT, ADJUSTMENT on circular weight insert) TOE: SUPER ß-RICH, TITANIUM HOSEL: Daiwa view image here | | |
| Globeride Inc (Daiwa Seiko Inc) | G-3 802-01 (ladies) | 13 | SOLE: G-3, 802-01, (loft) 1, (WEIGHT, ADJUSTMENT on circular weight insert) TOE: SUPER ß-RICH, TITANIUM HOSEL: Daiwa view image here | | |
| Globeride Inc (Daiwa Seiko Inc) | Hi-Trac Super Drive | 10 | SOLE: 1 (loft), Hi-Trac, Super drive, Daiwa <u>view image here</u> | | |
| | | | | | |

| November 04, 2024 | | | | |
|------------------------------------|----------------------|---------|---|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| Globeride Inc (Daiwa Seiko Inc) | OnOff 390 | 9,10 | SOLE: ONOFF, LABO-SPEC, SWING ASSIST SYSTEM, VOLUME: 390/LOFT: (loft), (plus symbol) BACK: Tiptronic Design TOE: (square logo) | |
| | 0.000000 | 40 | view image here | |
| Globeride Inc (Daiwa Seiko Inc) | OnOff 395 (Ladies) | 13 | BACK: VOLUME: 395, LOFT: (loft) TOE: ONOFF, SWING ASSIST SYSTEM view image here | |
| 011 11 10 | 0:-0# 405 Pl | 0.40 | | |
| Globeride Inc (Daiwa Seiko Inc) | OnOff 405 Plus | 9,10 | BACK: VOLUME: 405, LOFT: (loft) TOE: ONOFF, +, SWING ASSIST SYSTEM | |
| | | | view image here | |
| Globeride Inc (Daiwa Seiko Inc) | OnOff 410 | 9,10,11 | SOLE: ONOFF, SWING ASSIST SYSTEM, VOLUME: 410/LOFT: (loft), 1, LABO-SPEC BACK: Tiptronic Design TOE: (square logo) | |
| | | | view image here | |
| Globeride Inc (Daiwa Seiko Inc) | OnOff 430 (Ladies) | 11.5,13 | SOLE: (square logo), ONOFF, HYPER EFFECT ZONE, 1 (in circle) BACK: SWING ASSIST SYSTEM HEEL: LOFT: (loft), VOLUME: 430 | |
| | | | view image here | |
| Globeride Inc (Daiwa Seiko Inc) | OnOff 435 | 9,10,11 | BACK: VOLUME: 435, LOFT: (loft) TOE: ONOFF, SWING ASSIST SYSTEM | |
| | 0.0% (0.7%) | 0.40 | view image here | |
| Globeride Inc (Daiwa Seiko Inc) | OnOff 435 (Pro Spec) | 9,10 | TOE: ONOFF, SWING ASSIST SYSTEM HEEL: VOLUME: 435, LOFT: (loft) FACE:P | |
| | | | view image here | |
| Globeride Inc (Daiwa Seiko Inc) | OnOff 445 (Ladies) | 11.5,13 | SOLE: ONOFF, HYPER EFFECT ZONE, VOLUME:445, LOFT: (loft) TOE: (square logo) CROWN: (alignment mark) | |
| | | | view image here | |
| Globeride Inc (Daiwa Seiko Inc) | OnOff 450 | 9,10,11 | SOLE: ONOFF, POWER BRIDGE BODY, SWING ASSIST SYSTEM TOE: (square logo) HEEL: VOLUME: 450, LOFT: (loft) | |
| | | | view image here | |
| Globeride Inc (Daiwa Seiko Inc) | OnOff 460 | 9,10,11 | SOLE: (square logo), ONOFF, HYPER EFFECT ZONE, 1 (in circle), LOFT: (loft), VOLUME: 460, WEIGHTED, TUNGSTEN | |
| | | | view image here | |
| | | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|---|---------|---|
| Globeride Inc (Daiwa Seiko Inc) | OnOff 460 (LH) | 10 | SOLE: (square logo), ONOFF, HYPER EFFECT ZONE, 1 (in circle), LOFT: (loft), VOLUME: 460, WEIGHTED, TUNGSTEN view image here |
| Globeride Inc (Daiwa Seiko Inc) | OnOff 460 Plus | 9,10 | SOLE: (square logo), ONOFF, HYPER EFFECT ZONE, LOFT: (loft), VOLUME: 460, PLUS, TUNGSTEN WEIGHTED view image here |
| Globeride Inc (Daiwa Seiko Inc) | OnOff 46D | 9,10,11 | SOLE: (square logo), WEIGHTED, ONOFF, HYPER EFFECT ZONE, 1, TUNGSTEN, LOFT: (loft), MODEL: 46D view image here |
| Globeride Inc (Daiwa Seiko Inc) | OnOff 46D Labospec | 9,10 | SOLE: (square logo), WEIGHTED, ONOFF, HYPER EFFECT ZONE, (1 on circular inset), TUNGSTEN, LOFT: (loft), MODEL: 46D, LABOSPEC view image here |
| Globeride Inc (Daiwa Seiko Inc) | OnOff Inner Kick Head Pro Spec (320) | 8,9 | SOLE: ONOFF, INNER KICK HEAD, PRO SPEC, 1 (loft), DRIVER TOE: (square logo) HEEL: Daiwa |
| Globeride Inc (Daiwa Seiko Inc) | OnOff Inner Kick Head Pro Spec (350) | 9,10,11 | SOLE: ONOFF, INNER KICK HEAD, PRO SPEC, 1 (loft), DRIVER TOE: (square logo) HEEL: Daiwa view image here |
| Globeride Inc (Daiwa Seiko Inc) | OnOff Inner Kick Head Pro Spec 380 | 9 | SOLE: ONOFF, INNER KICK HEAD, LOFT: (loft) VOLUME:380, PRO SPEC TOE: (square logo) HEEL: Daiwa view image here |
| Globeride Inc (Daiwa Seiko Inc) | OnOff Plus 46P | 9,10 | SOLE: (square logo), WEIGHTED, ONOFF, HYPER EFFECT ZONE, (plus logo), TUNGSTEN, LOFT: (loft), MODEL: 46P view image here |
| Globeride Inc (Daiwa Seiko Inc) | OnOff Plus 46P Labospec | N/A | SOLE: (square logo), (WEIGHTED in shape), ONOFF, HYPER EFFECT ZONE, (plus logo), (TUNGSTEN in shape), LABOSPEC, MODEL: 46P view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|--|---------|--|
| Globeride Inc (Daiwa Seiko Inc) | OnOff Plus Power Bridge Body 450 Labo Spec | N/A | SOLE: ONOFF, POWER BRIDGE BODY, (plus logo), LABO.SPEC BACK: SWING ASSIST SYSTEM TOE: (square logo) HEEL: VOLUME: 450 view image here |
| Globeride Inc (Daiwa Seiko Inc) | Onoff Plus XP | 9,10 | SOLE: ONOFF, HYPER EFFECT ZONE, XP, LOFT (loft), (GRAVITY CONTROL, (+ logo) in circular inset) TOE: (square logo) view image here |
| Globeride Inc (Daiwa Seiko Inc) | OnOff Power Bridge Body Plus 440 | 9,10 | SOLE: ONOFF, POWER BRIDGE BODY, + BACK: SWING ASSIST SYSTEM TOE: (square logo) HEEL: VOLUME: 440, LOFT: (loft) view image here |
| Globeride Inc (Daiwa Seiko Inc) | OnOff Proto Type F-02 (prototype) | N/A | SOLE: (square logo), ONOFF, PROTO TYPE F-02. TUNGSTEN, WEIGHTED view image here |
| Globeride Inc (Daiwa Seiko Inc) | OnOff Proto Type P-05 (prototype) | N/A | SOLE: (square logo), ONOFF, PROTO TYPE P-05. TUNGSTEN, WEIGHTED view image here |
| Globeride Inc (Daiwa Seiko Inc) | OnOff Super Power Crown Pro Spec 345 | 8,9,10 | SOLE: ONOFF, SUPER POWER CROWN, PROSPEC, FULL TITAN, (V S L logo), BALANCE, (loft) 345 TOE: (red square logo) view image here |
| Globeride Inc (Daiwa Seiko Inc) | OnOff Super Power Crown Pro Spec 375 | 9,10 | SOLE: ONOFF, SUPER POWER CROWN, PROSPEC, FULL TITAN, (V S L logo), BALANCE (loft) (in red circle), 375 TOE: (red square logo) view image here |
| Globeride Inc (Daiwa Seiko Inc) | Onoff XD | 9,10,11 | SOLE: ONOFF, HYPER EFFECT ZONE, XD, LOFT (loft), (GRAVITY CONTROL in circular inset), (GRAVITY CONTROL in circular inset) TOE: (square logo) view image here |
| Globeride Inc (Daiwa Seiko Inc) | OnOff XD Labospec | 9 | SOLE: (square logo), ONOFF, HYPER EFFECT ZONE, XD, LOFT (loft), LABOSPEC, (GRAVITY CONTROL on circular inset), (GRAVITY CONTROL on circular inset) TOE: (square logo) view image here |

| November 04, 2024 | 5 | | |
|------------------------------------|------------------------------|---------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Globeride Inc (Daiwa Seiko Inc) | Onoff XD Prospec | 9 | SOLE: ONOFF, HYPER EFFECT ZONE, XD, LOFT (loft), (GRAVITY CONTROL in circular inset), (GRAVITY CONTROL in circular inset) TOE: (square logo) FACE:(scorelines in centre of face) view image here |
| Globeride Inc (Daiwa Seiko Inc) | Royal | 10.5 | SOLE: Daiwa, DOUBLE TUNGSTEN WEIGHT, Royal (in oval), PRESTIGE PERFORMANCE, 1 (loft) BACK: FULL TITANIUM • SIZE 460CC view image here |
| Globeride Inc (Daiwa Seiko Inc) | Team Daiwa 201-01 | 10 | SOLE: Team Daiwa, 201-01, (loft) 1, Titanium, Daiwa TOE: Super B-Rich, Titanium view image here |
| Globeride Inc (Daiwa Seiko Inc) | Team Daiwa 202 Ti-01 | 11.5 | SOLE: TEAM DAIWA, 202 Ti-01, TITANIUM, 1 (loft) Daiwa CROWN: (alignment mark) view image here |
| Globeride Inc (Daiwa Seiko Inc) | Team Daiwa 202 Ti-01 (LH) | 10.5 | SOLE: TEAM DAIWA, 202 Ti-01, TITANIUM, Daiwa 1 (loft) CROWN: (alignment mark) view image here |
| Globeride Inc (Daiwa Seiko Inc) | Team Daiwa 318 (ladies) | 11.5 | SOLE: 1 (loft), TEAM DAIWA, FORGED ß TITANIUM, PRODUCED BY Daiwa, (logo) 3D (logo), WEIGHTED DESIGN TOE: TEAM DAIWA view image here |
| Globeride Inc (Daiwa Seiko Inc) | Team Daiwa 318 3D | 9,10,11 | SOLE: 1 (loft), TEAM DAIWA 318, FORGED ß TITANIUM, PRODUCED BY Daiwa, (2 lines) 3D (2 lines), WEIGHTED DESIGN TOE: TEAM DAIWA <u>view image here</u> |
| Globeride Inc (Daiwa Seiko Inc) | Team Daiwa 5 Star | 10.5 | SOLE: Engineered For High MOI, 5 Star (star logo) TOE: TEAM DAIWA HEEL: Driver Loft (loft) TITANIUM view image here |
| Globeride Inc (Daiwa Seiko Inc) | Team Daiwa Titan 237 | N/A | SOLE: Team, Daiwa, Titan 237, Daiwa 1 TOE: Team, Daiwa <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|---------------------------|------------|---|
| Globeride Inc (Daiwa Seiko Inc) | Theory 501-01 | 10 | SOLE: 1 (loft), THEORY, 501-01, TITANIUM, Daiwa, LOW & DEEP, CENTER OF GRAVITY TOE: SUPER ß-RICH, TITANIUM CROWN: THEORY view image here |
| Globeride Inc (Daiwa Seiko Inc) | Theory 501-01 (ladies) | 13 | SOLE: 1 (loft), THEORY, 501-01, TITANIUM, Daiwa, LOW & DEEP, CENTER OF GRAVITY TOE: SUPER ß-RICH, TITANIUM CROWN: THEORY view image here |
| Globeride, Inc. | Exceler 250 | 9,10.5 | SOLE: 1 (loft), IIIEXCELER, 250, (line), TITANIUM, (line), Daiwa view image here |
| Globeride, Inc. | Exceler Lady | 13 | SOLE: 1 (loft), IIIEXCELER, Lady, (line), TITANIUM, (line), Daiwa view image here |
| Globeride, Inc. | G-3 801 Ti-01 | 7.5,9,12.5 | SOLE: (loft), 1, G-3, 801Ti-01, TITANIUM, Daiwa <u>view image here</u> |
| Globeride, Inc. | G-3 802-01 | 11 | SOLE: G-3, 802-01, (loft) 1, (WEIGHT ADJUSTMENT on circular weight insert) TOE: SUPER ß-RICH, TITANIUM HOSEL: Daiwa |
| Globeride, Inc. | G-3 901 Ti-01 | 11 | SOLE: 1 (loft), G-3, 901Ti-01, COMBINED, TITANIUM STRUCTURES, DAIWA TOE: HYPER TITANIUM, EXTRA LONG view image here |
| Globeride, Inc. | G-3 Brougham D Model | 11 | SOLE: G-3, (TITANIUM in rectangular box), (loft) 1 , Daiwa, (WEIGHT ADJUSTMENT on circular weight insert), 11°,1, Daiwa TOE: State of Art Technology, G-3, Brougham, D model view image here |
| Globeride, Inc. | Team Daiwa 201-01 | 11 | SOLE: TEAM DAIWA, 201-01, (loft) 1,TITANIUM, Daiwa TOE: SUPER ß-RICH, TITANIUM view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------------|---------------------------|---------|---|
| Globeride, Inc. | Team Daiwa 202 Ti-01 | 9,12.5 | SOLE: TEAM DAIWA, 202Ti-01, TITANIUM, 1 (loft) Daiwa CROWN: (arrow with triangle alignment mark) view image here |
| GMU | Be-Next | N/A | SOLE: 1, BE-NEXT, FUTURE-1 (angled line) 0801, GMU DEV., ••• TOE: (GMU logo) view image here |
| GMU Kaihatsu Inc | GMU Dev. 380 | 10 | SOLE: GMU DEV. (underlined), 380, MADE IN JAPAN, TS-DD10 TOE: (GMU logo) view image here |
| GMU Kaihatsu Inc | GMU Dev. 430 | 10 | SOLE: GMU DEV. (underlined), 430, MADE IN JAPAN, TS-DD10 BACK: URBAN view image here |
| GND golf | ASRAY | 9 | SOLE: ASRAY BACK: (weight port), (weight port) CROWN: (alignment logo) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Golden Ratio | Golden Ratio G Drive | N/A | SOLE: (weight port), G, (GR logo), DRIVE TOE: golden ratio view image here |
| Golden Ratio | Golden Ratio GD-Driver | N/A | SOLE: (weight port), GD, (GR logo), DRIVER TOE: golden ratio FACE:(GR logo) |
| Golden Ratio | Golden Ratio GR460 | N/A | SOLE: (weight port in cavity), (GR logo) TOE: golden ratio HOSEL: (dot), (orientation indicators) view image here |
| Golden Ratio | Golden Ratio Swift | 11 | SOLE: (weight port), (GR logo), SWIFT TOE: golden ratio <u>view image here</u> |
| Golden Vision Consultants Limited | Proace M28 | 10.5,12 | SOLE: 1, PROACE (underlined), M28, (loft) CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------------|-------------------------------|-----------|--|
| Golden Vision Consultants Limited | Proace M40 | 10.5,12 | SOLE: PROACE, FORGED TI, 460cc, M40 CROWN: (alignment mark) HEEL: (loft) |
| Golden Vision Consultants Limited | Proace SR 1000 (Version 2) | 13 | SOLE: PROACE, (line), SR 1000, G1, (loft) CROWN: (alignment mark) view image here |
| Golden Vision Consultants Limited | Proace SR 800 | 10.5,13 | SOLE: 460cc, PROACE, SR-800, 1 (loft) CROWN: (alignment mark) view image here |
| Golf Buhin Co Ltd | Ultimo GB-430 | N/A | SOLE: Ultimo, GB-430 view image here |
| Golf Buhin Co Ltd | Ultimo GB-460 | N/A | SOLE: Ultimo, GB-460 view image here |
| Golf Club Koshin | KC-430 | N/A | SOLE: KC-430 TI, SUPER POWER, 1, KOSHIN view image here |
| Golf Design Co Ltd | GD-420 | 9,10,11 | SOLE: GD-420 N (underlined), FORGED B-TITAN FACE, 1, GOLF DESIGN view image here |
| Golf Design Co Ltd | GD-460 | N/A | SOLE: GD-460, (line), FORGED ß-TITAN FACE, 1, (angled line), GOLF DESIGN HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Golf Design INTL Co Ltd | Revolver VR-430 | 12.5 | SOLE: (loft), — REVOLVER—, VR-430 TOE: (GD logo), GOLF, DESIGN view image here |
| Golf Korea Co., Ltd. | Bang LD 425 | 9,10.5,11 | SOLE: BanG®, GOLF, LD 425, (loft), 100% Beta-Titanium, NAKAGAWA DESIGN CROWN: (arrow and dot alignment mark) view image here |
| Golf Lab G Select | Beamaster BM-01 Proto | N/A | SOLE: (weight port), (weight port), BEAMASTER, BM-01 PROTO, (weight port), (weight port) TOE: (logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------------------|----------|--|
| Golf Partner Co Ltd | Freegel Prototype | 7.5 | SOLE: (wings logo), FREEGEL, PROTOTYPE BACK: (wings logo on inset) CROWN: (wings logo alignment mark) HEEL: (angled line), (loft) view image here |
| Golf Partner Co Ltd | Nexgen | 9.5,10.5 | SOLE: Nexgen, (dot), (dot), (dot), (loft on inset), ((-GO-BABY-GO) on inset around weight port) view image here |
| Golf Partner Co Ltd | Nexgen ND 201 | 9.5,10.5 | SOLE: NEXGEN (with logo in X), ND201 TOE: NEXGEN (with logo in X) HEEL: (loft) view image here |
| Golf Partner Co Ltd | Nexgen ND 201 D-Spec | 7.5 | SOLE: NEXGEN (with logo in X), ND201 TOE: NEXGEN (with logo in X) HEEL: D-SPEC, (loft) view image here |
| Golf Partner Co Ltd | Nexgen ND 601 | 9.5,10.5 | SOLE: ND 601, NEXGEN (with logo in X), new restitution technology, 1, (loft).59.0.5.435 TOE: NEX, Restitution Dynamics view image here |
| Golf Partner Co Ltd | Nexgen ND 701 | 11.5 | SOLE: ND 701, NEXGEN (with logo in X), new restitution technology, 1, (loft)·58.5·1·460 view image here |
| Golf Partner Co Ltd | Nexgen ND 701 (first article) | 11.5 | SOLE: ND 701, NEXGEN (with logo in X), new restitution technology, 1, (loft)·58.5·1·460 HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Golf Partner Co Ltd | Nexgen ND 811 | 13 | SOLE: ND 811, NEXGEN (with logo in X), (loft), Innovative titanium Cup face TOE: ultimate CG by specific, gravity difference view image here |
| Golf Partner Co Ltd | Nexgen ND001 | 9.5,10.5 | SOLE: ND001, NEXGEN (with logo in X), 1, (loft)•59•0.5•450, weight distribution technology BACK: (W, T.V.P.F on inset) TOE: NEXGEN HEEL: CONFORMING, TO R&A/USGA, SLE RULE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|--|----------|---|
| Golf Partner Co Ltd | Nexgen ND001 D-Spec | 7.5 | SOLE: ND001, NEXGEN (with logo in X), D-Spec, 1, (loft)•58.5•0•450, weight distribution technology BACK: (W, T.V.P.F on inset) TOE: NEXGEN HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Golf Partner Co Ltd | Nexgen ND001 Sushi Limited (Version 1) | 8.5 | SOLE: ND001, NEXGEN (with logo in X), Sushi Limited, 1, weight distribution technology BACK: (weight port in cavity) (W, T.V.P.F on inset) (weight port in cavity) TOE: NEXGEN HEEL: (loft) FACE:(hyphenated grooves) |
| Golf Partner Co Ltd | Nexgen ND001 Sushi Limited (Version 2) (First Article) | 8.5 | SOLE: ND001, NEXGEN (with logo in X), Sushi Limited, 1, weight distribution technology BACK: (weight port) (W, T.V.P.F on inset) (weight port) TOE: NEXGEN HEEL: (loft) FACE:(solid grooves) |
| Golf Partner Co Ltd | Nexgen ND201 Proto | 7.5 | SOLE: NEXGEN (with logo in X), ND201 PROTO TOE: NEXGEN (with logo in X) HEEL: (loft) view image here |
| Golf Partner Co Ltd | Nexgen ND211 (Ladies) | 13 | SOLE: NEXGEN (with logo in X), ND211 TOE: NEXGEN (with logo in X) HEEL: (loft) view image here |
| Golf Partner Co Ltd | Nexgen ND801 | 9.5,10.5 | SOLE: ND 801, NEXGEN (with logo in X), new restitution technology, 1, (loft)·58.5·0.5·460, high moment of inertia 5000, ·NEXGEN· high moment of inertia view image here |
| Golf Partner Co Ltd | Nexgen ND801 D-Spec | 7.5 | SOLE: ND 801, NEXGEN (with logo in X), D-Spec, new restitution technology, 1, (loft)·58.5·0.5·450, high moment of inertia 4600, (·NEXGEN· high moment of inertia on weight port) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|------------------------------------|---------------|---|
| Golf Partner Co Ltd | Nexgen ND801 D-Spec (prototype) | 7.5 | SOLE: ND 801, NEXGEN (with logo in X), D-Spec, new restitution technology, 1, (loft)·58.5·0.5·450, high moment of inertia 4600, (·NEXGEN· high moment of inertia on weight port) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Golf Partner Co Ltd | Nexgen NS210 | 9.5,10.5 | SOLE: NEXGEN, WEIGHT DISTRIBUTION DESIGN, NS210, (weight port), DRAW WEIGHT HOSEL: (loft), (dot), (dot), (orientation indicators) FACE:NS210 view image here |
| Golf Partner Co Ltd | Nexgen Type-430 | 14 | SOLE: NEXGEN, WEIGHT, DISTRIBUTION TECHNOLOGY HEEL: TYPE, 430 (loft) view image here |
| Golf Partner Co Ltd | Nexgen Type-440 | 9.5 | SOLE: NEXGEN (with logo in X), NEXGEN (with logo in X), (LAUNCH CONTROL TUNING SYSTEM, 12 CUSTOM SETTINGS around screw in cavity), TYPE-440 HOSEL: (arrow), (orientation indicators) HEEL: (loft) |
| Golf Partner Co Ltd | Nexgen Type-460 | 9.5,10.5 | SOLE: (arrow), (arrow), NEXGEN (with logo in X), (arrow), NEXGEN (with logo in X), (arrow), TYPE-460, (arrow), (arrow), (loft) BACK: FORGED Ti CUP FACE view image here |
| Golf Partner Co Ltd | Nexgen Type-460 (Version 2) | 9.5,10.5,11.5 | SOLE: NEXGEN, WEIGHT DISTRIBUTION, TECHNOLOGY, TYPE-460, (loft) TOE: NEXGEN (with logo in X) view image here |
| Golf Partner Co Ltd | Nexgen Type-460 (Version 3) | 9.5,10.5,11.5 | SOLE: NEXGEN, (weight port), WEIGHT, DISTRIBUTION TECHNOLOGY, (weight port) HEEL: TYPE, 460 (loft) view image here |
| Golf Partner Co Ltd | Proto-Concept Forged | 9.5,10.5,11.5 | SOLE: PROTC-, C-O1D HOSEL: (dot), (dot), (orientation indicators) HEEL: ((GO - BABY – GO -) around weight port), (weight port), (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|--------------------------------|-------|--|
| Golf Planner Co Ltd | Tour Concept 360 RS US | N/A | SOLE: 1, TOUR CONCEPT, ROUND SOLE DESIGN BACK: SP-700 TITANIUM FACE., 6AL-4V TITANIUM BODY., (plastic rectangle insert with 360RS) TOE: (C logo) FACE:US |
| Golf Premium Co Ltd | Active Queen AQ-010 | 14 | SOLE: ((winged heart logo), Active Queen, SIMPLE ELEGANCE over winged heart media blast logo), FREE & IMAGE FOR LADY, AQ-010, (loft) TOE: BEAUTY DRIVER (winged heart logo) view image here |
| Golf Premium Co Ltd | GB Super Blasto | 10.5 | SOLE: 1 (dot), (bear logo), GOLDEN BEAR, (GB logo), Super Blasto, (loft) FACE:TITANIUM view image here |
| Golf Premium Co Ltd | Golden Bear Active Queen II | 14 | SOLE: Active Queen II, (6 dots), Dr (loft), (3 curved lines), FORGED TITANIUM, GOLDEN BEAR (bear logo) <u>view image here</u> |
| Golf Premium Co Ltd | Golden Bear GB080 (LH) | 10.5 | SOLE: POWER FOR LONG DISTANCE, (bear logo), GOLDEN BEAR, GB080, 1(loft) FACE:TITANIUM view image here |
| Golf Premium Co Ltd | Golden Bear GB090 | 10.5 | SOLE: POWER FOR LONG DISTANCE, (bear logo), GOLDEN BEAR, GB090, (loft)1 FACE:TITANIUM view image here |
| Golf Premium Co Ltd | Golden Bear GB811 | 10.5 | SOLE: 1 (loft), (bear logo) GOLDEN BEAR, (line), FORGED TITANIUM, GB811 view image here |
| Golf Premium Co Ltd | Golden Bear GBH-301 | 14 | SOLE: 1, GOLDEN, (bear logo), BEAR, GBH-301, Powered by Beauty, (loft), (logo) Ladies Model (logo), (decorative gem in heart shape) CROWN: (paw logo alignment mark) view image here |
| Golf Premium Co Ltd | Golden Bear GBL 113 | 14 | SOLE: GBL 113 FORGED, (decorative gem), ((bear logo), GOLDEN, BEAR over media blast bear logo), (heart logo) TITANIUM (heart logo) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|---------------------------|-----------|--|
| Golf Premium Co Ltd | Golden Bear GBN-109 | 10.5 | SOLE: DR, (bear logo), GOLDEN, BEAR, GBN-109, (loft), GB view image here |
| Golf Premium Co Ltd | Jack Nicklaus JN-113 | 10.5 | SOLE: Jack Nicklaus (underline), |
| Goil Fremium Co Ltu | Jack Michiaus 314-113 | | PRESENTED BY JACK NICKLAUS, JN-113, (loft), (JACK NICKLAUS, WEIGHT SYSTEM on inset) |
| | | | view image here |
| Golf Premium Co Ltd | Jack Nicklaus JN-123 | 10.5 | SOLE: (POWER STRIKE on inset), Jack Nicklaus, (line), JN-123, (loft) |
| | | | view image here |
| Golf Premium Co Ltd | Jack Nicklaus JN-903 | 10.5 | SOLE: 1, Jack Nicklaus (underlined), GOLF EQUIPMENT, JN-903, (loft) |
| | | | view image here |
| Golf Premium Co Ltd | Jack Nicklaus JNR-460D | 10.5,12.5 | SOLE: (loft), Jack Nicklaus (underlined), GOLF EQUIPMENT, JNR-460D, PREMIUM DISTANCE, DR |
| | | | <u>view image here</u> |
| Golf Premium Co Ltd | Jack Nicklaus NTM-J01 | 10.5,11.5 | SOLE: 1 (loft), Jack Nicklaus (underlined), NTM-J01, 440cc, FORGED TITANIUM |
| | | | view image here |
| Golf Premium Co Ltd | Jack Nicklaus NTM-J02 | 10.5 | SOLE: 1 (loft), Jack Nicklaus (underlined), NTM-J02, 450cc, FORGED TITATNIUM |
| | | | view image here |
| Golf Premium Co Ltd | JN-804 | 10.5 | SOLE: 1, Jack Nicklaus (underlined), GOLF EQUIPMENT, JN-804, (loft) |
| | | | view image here |
| Golf Premium Co Ltd | Pincrush PC-112 (LH) | 14 | SOLE: (arrow logo), Pincrush, FORGED TITANIUM, PC-112, (arrow logo), 1 (loft) |
| | | | <u>view image here</u> |
| Golf Premium Co Ltd | Zeroblem ZRM-455 | 9.5,10.5 | SOLE: (logo) ZEROBLEM (with logo for O), ZRM-455, (loft) |
| | | | view image here |
| Golf Reve | Mach D Type R | N/A | SOLE: MACH D, (line), Produced by GOLF REVE, TYPE R, FLAME TECHNOLOGY, (bent line) BACK: (REVE on insert) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|---------------------|---------------|---|
| Golf Reve | Toxic (Version 2) | 6,9,10 | SOLE: ReVe, R460, (weight port), TOXIC, (weight port), TWIN WEIGHT TECHNOLOGY, (loft)D view image here |
| Golf Reve | Toxic V002 | N/A | SOLE: REVE, (weight port), WEIGHT SWITCH SYSTEM, (weight port), TOXIC, V002 HOSEL: (dot), (orientation indicators) view image here |
| Golf Studio Co Ltd | Justice | 9.5,10.5 | SOLE: JUSTICE, (scales logo), (ribbon), 460 TI IMPACT, 1, (loft), (JUSTICE, (scales logo) on inset) TOE: GOLF (logo) STUDIO view image here |
| Golf Studio Co Ltd | Tour Hero TH01 | 9.5,10.5 | SOLE: (three stars), TH01, GOLF (logo) STUDIO TOE: (star) TOUR HERO (line), (line) HEEL: (loft) view image here |
| Golf System Co., LTD | Sead (Version 2) | 9 | SOLE: SEAD, 450cc FORGED TITANIUM, SAMSUNG GOLF, EQUIPMENT, ANALYZER &, DATA SYSTEM, 1 (loft), DAT600C Ti Face, CFM view image here |
| Golf System Works Co Ltd | Exq'ser RV 66 Proto | 9.5,10.5 | SOLE: RV66 PROTO, EXQ'SER, CUPFACE FORGED DAT-51-B, (arrow logo), PLUS, MICRO WAVE HARMONIZER, TUNING, (loft) BACK: SWING WEIGHT, CENTER OF GRAVITY, REGULATOR HEEL: (line of dots), SLOW, (vertical line of dots), (line of dots), FAST view image here |
| Golf System Works Co Ltd | Exq'ser RV76 Proto | 9.5,10.5,13.5 | SOLE: RV76, EXQ'SER, PROTO 460, (arrow logo), CUPFACE FORGED TITAN, (loft) BACK: MICROWAVE, HARMONIZED, ENERGY TOE: CONFORMING TO, R&A/USGA SLE RULE HEEL: (horizontal and vertical lines of dots), SLOW FAST view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|------------------------------|---------------|--|
| Golf System Works Co Ltd | Exq'ser RV86 PWT | 9.5,10.5,12.5 | SOLE: RV86, EXQ-SER, PWT, PRO WAVE TECHNOLOGY, (wavy lines), (loft) BACK: (5 lines) TOE: CONFORMING TO, R&A/USGA SLE RULE HEEL: (line of dots), SLOW, (vertical line of dots), (line of dots), FAST view image here |
| Golf System Works Co Ltd | PriZona Exq'ser 380 Titan | N/A | SOLE: PZ, PriZona (underlined), Exq'ser 380 Titan, SP700, File 2112-22Ti view image here |
| Golf System Works Co Ltd | PriZona High Draw 105 | N/A | SOLE: PZ, Titanium, PriZona (underlined), High Draw 105, 330, 10-2-3, File 2007-18Ti view image here |
| Golf System Works Co Ltd | PriZona Titanium 305 | N/A | SOLE: PZ, Pro Use Deep Face, PriZona (underlined), Titanium, 305, .10-2-3., File 2001-24Ti view image here |
| Golf Tailor | Autopilot A14 | 14.5 | SOLE: AUTOPILOT, (A14 in oval), (arrow) CROWN: AUTOPILOT HEEL: (loft) FACE:X view image here |
| Golf Tailor | GX-7 | N/A | SOLE: GX-7 CROWN: (X alignment marker) view image here |
| Golf Tailor | GX-7 Jato | N/A | SOLE: GX-7 JATO, ruckus, (club number/letter) CROWN: X, GX-7 JATO HEEL: (loft) view image here |
| GolfGear International | Tsunami DF Tour 300 | 7,8 | SOLE: PATENTED, FORGED TI INSERT, 1 (loft), DF, TOUR 300, (GolfGear in rectangle) ®, International TOE: (wave logo), Tsunami ® FACE:10-2-3 Ti view image here |
| GolfGear International | Tsunami GG 300 | 5,6,9,10,11 | SOLE: PATENTED, FORGED TI INSERT, 1, (loft), GG 300, (GolfGear in box) ®, International TOE: (logo), Tsunami® FACE:10-2-3 Ti |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|----------------------------------|-------------|--|
| GolfGear International | Tsunami GG 340 | 8,9,10,11 | SOLE: PATENTED, FORGED TI INSERT, 1, (loft), GG 340, (GolfGear in box) ®, International TOE: (logo), Tsunami® FACE:10-2-3 Ti |
| GolfGear International | Tsunami LD 360 | 6,8,9,10,12 | SOLE: LD 360, PATENTED, FORGED TI INSERT, 1 Tsunami, (loft), GolfGear (w/ line over o) TOE: (wave graphic), Tsunami® FACE:10-2-3 Ti view image here |
| GolfGear International | Tsunami LD 360 (LH) | 10,12 | SOLE: LD 360, PATENTED, FORGED TI INSERT, TSUNAMI, (loft), GolfGear (w/ line over o), (circular insert with three punchmarks), (nine punchmarks) TOE: (wave graphic), Tsunami® FACE:10-2-3 Ti view image here |
| GolfGear International | Tsunami LD 400 | 6,8,9,10,12 | SOLE: LD 400, PATENTED, FORGED TI INSERT, Tsunami, (loft) GolfGear (w/ line over o), (circular insert with three punchmarks), (nine punchmarks) TOE: (wave graphic), Tsunami® FACE:10-2-3 Ti view image here |
| GolfGear International | Tsunami LD 400 (LH) | 10,12 | SOLE: LD 400, PATENTED, FORGED TI INSERT, TSUNAMI, (loft), GolfGear (w/ line over o), (circular insert with three punchmarks), (nine punchmarks) TOE: (wave graphic), Tsunami® FACE:10-2-3 Ti view image here |
| GolfGear International | Tsunami LD 400 Hyper Cor .825 | 6,7 | SOLE: LD 400, PATENTED, FORGED TI INSERT, 1 Tsunami, HYPER COR .825, (loft), GolfGear (w/ line over o) TOE: (wave graphic), Tsunami® FACE:10-2-3 Ti view image here |
| GolfGear International | Tsunami LD 430 (Version 1) | 7 | SOLE: LD 430, PATENTED, FORGED TI INSERT, Tsunami, (loft), GolfGear (w/ line over o), (circle with three punchmarks), (nine punchmarks) TOE: (wave graphic), Tsunami® |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|-------------------------------|------------------------|--|
| GolfGear International | Tsunami LD 430 (Version 2) | 7 | SOLE: LD 450, PATENTED, FORGED TI INSERT, Tsunami, (loft), GolfGear (w/ line over o), (circle with three punchmarks), (nine punchmarks) TOE: (wave graphic), Tsunami® FACE:10-2-3-Ti view image here |
| GolfGear International | Tsunami LD 430 (Version 3) | 7 | SOLE: LD 430, PATENTED, FORGED TI INSERT, Tsunami, (loft), GolfGear (w/ line over o), (circle with three punchmarks), (eight punchmarks) TOE: (wave graphic), Tsunami® FACE:10-2-3-Ti view image here |
| GolfGear International | Tsunami LD 450 | 6,8,9,10 | SOLE: LD 450, PATENTED, FORGED TI INSERT, Tsunami, (loft), GolfGear (w/ line over o), (circle with three punchmarks), (nine punchmarks) TOE: (wave logo), Tsunami® FACE:10-2-3 Ti view image here |
| Golfhands | Delight 460 Pro Spec | 5,6,7,8,9,10,11,12 | SOLE: 1 (loft), Delight 460 Pro Spec, Ultimate Distance, ß2041 Titan Face, Four-Piece Body, 6AL4V Ti-Body view image here |
| Golfhands | Delight 460 Pro Spec (LH) | 5,6,7,8 | SOLE: 1 (loft), Delight 460 Pro Spec,, Ultimate Distance, ß2041 Titan Face, Four-Piece Body, 6AL4V Ti-Body view image here |
| Golfhands | DTI 460 | 6,7,8,9,10,11,12,13,15 | SOLE: 1 (loft), Lazer Weld Face, DTI, 2 Piece Body Construction, 460cc Head Volume, (circular weight) view image here |
| Golfhands | DTI 460 (LH) | 7,8,9,10,11,12,13,14 | SOLE: 1 (loft), Lazer Weld Face, DTI, 2 Piece Body Construction, 460cc Head Volume, (circular weight) <u>view image here</u> |
| GolfNCo Co Ltd (E2 Golf) | Emax Tour Spec TS | 9.5 | SOLE: Highest COR • Cup Face 360°, (loft), LOFT, FOR MAXIMUM POWER, EMAX, TOUR SPEC, TS TOE: EPD SYSTEM TO OPTIMIZE PERFORMANCE, • PURE DISTANCE & SUPERB ACCURACY • view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|------------------------|---------------|--|
| GolfNCo Co Ltd (E2Golf Co Ltd) | Emax TS | 9.5 | SOLE: FOR MAXIMUM POWER 460, (line), EMAX, (loft) LOFT, Highest COR • Cup Face 360°, New T-VC • Maximum Distance, E2 TOE: TOUR SPEC, TS (in triangle) view image here |
| Golfsmith International, Inc. | 350 CM | 10 | SOLE: 10-2-3, Beta, TITANIUM, Golfsmith, TITANIUM, 350 CM, FORGED, (loft) 1 TOE: CMF FACE:FORGED ßTi view image here |
| Golfsmith International, Inc. | 400 CM | 10 | SOLE: 10-2-3, Beta, TITANIUM, Golfsmith, TITANIUM, 400 CM, FORGED, (loft) 1 TOE: CMF FACE:FORGED ßTi view image here |
| Golfsmith International, Inc. | A.S.I. Einstein Series | 9.5,10.5,12 | SOLE: A•S•I, (line), EINSTEIN, (circular weight) (INGENUITY, ART, SCIENCE around three piece segmented circle graphic) (circular weight), (loft) BACK: (circular weight) (circular weight) CROWN: (three piece segmented circle graphic alignment mark) view image here |
| Golfsmith International, Inc. | Cermet MMC Bi-Metal | 9.5 | SOLE: (TUNGSTEN in triangle), CERMET, MMC, BI-METAL, Golfsmith, (TUNGSTEN in triangle), 1, (loft) TOE: METAL MATRIX, COMPOSITE CROWN: (Arrow alignment mark) view image here |
| Golfsmith International, Inc. | Extreme Steel | 8.5,10,12 | SOLE: 1, Golfsmith, EXTREME, STEEL, 17-7 Forged, (loft), 85-100 MPH FACE:17-7 view image here |
| Golfsmith International, Inc. | Fire Steel T2 | 14 | SOLE: 1, Fire (F with flames), Steel (S with flames, (line), (line) T 2 (line), Golfsmith BACK: COBALT ALLOY CROWN: (three lines alignment mark) view image here |
| Golfsmith International, Inc. | G40 | 9.5,10.5,11.5 | SOLE: Golfsmith (loft), G40, DUAL BETA TITANIUM, ((40, G on alternate lined shield insert) in shield graphic) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|----------------------------------|------------------|---|
| Golfsmith International, Inc. | Harvey Penick Fire Steel | 10 | SOLE: CMF, Harvey Penick, TAKE DEAD AIM, FIRE, STEEL, DRIVER, 1, FORGED, STEEL, HS 300, (loft) TOE: HS 300, (fire graphic), FIRESTEEL, FORGED CROWN: (PENICK alignment mark) FACE:FORGED view image here |
| Golfsmith International, Inc. | Harvey Penick Maraging | 9 | SOLE: (MARAGING/, TUNGSTEN in triangular inset), (1 in box outline), Harvey Penick, MARAGING, PLUS, (loft) TOE: TAKE DEAD AIM CROWN: PENICK FACE:MARAGING view image here |
| Golfsmith International, Inc. | Hi COR Plus 400cc | 7.5,9.5,11.5 | SOLE: Golfsmith, Hi (w/ three lines over i) COR, (three lines), PLUS, 15-3-3-3, TITANIUM, 400cc, (loft) DRIVER TOE: FORGED FACE, BETA, TITANIUM view image here |
| Golfsmith International, Inc. | Hi COR Plus 400cc (LH) | 11.5 | SOLE: Golfsmith, Hi (w/ three lines over i) COR, (three lines), PLUS, 15-3-3-3, TITANIUM, 400cc, (loft) DRIVER TOE: FORGED FACE, BETA, TITANIUM view image here |
| Golfsmith International, Inc. | Hi COR Plus High Launch 400cc | 15 | SOLE: Golfsmith, Hi (w/ three lines over i) COR, (three lines), PLUS, 15-3-3-3, TITANIUM, 400cc, HIGH LAUNCH DRIVER TOE: FORGED FACE, BETA, TITANIUM view image here |
| Golfsmith International, Inc. | Hi-COR 460cc | 11.5,13.5 | SOLE: (loft), HI-COR, Golfsmith, (two curved lines), BETA TITANIUM, 460cc TOE: (460cc, G on shield graphic) CROWN: (split triangle alignment mark) FACE:(oval media blast) view image here |
| Golfsmith International, Inc. | Hi-COR 460cc HL | N/A | SOLE: HL, HI-COR, Golfsmith, (two curved lines), BETA TITANIUM, 460cc TOE: (460cc, G on shield graphic) CROWN: (split triangle alignment mark) FACE:(oval media blast) view image here |
| Golfsmith International, Inc. | Hi-COR Hot Face Series | 9.5,11.5,13.5,15 | SOLE: (curved line), (HI-COR, line, line in oval), (loft), HOT FACE SERIES, TITANIUM, (Golfsmith in rectangle), (curved line) BACK: TITANIUM view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|---------------------------------------|-------------|--|
| Golfsmith International, Inc. | Hi-COR Hot Face Series (LH) | 11.5,13.5 | SOLE: (curved line), (HI-COR, line, line in oval), (loft), HOT FACE SERIES, TITANIUM, (Golfsmith in rectangle), (curved line) BACK: TITANIUM view image here |
| Golfsmith International, Inc. | Hi-COR Hot Face Series Offset | 11.5 | SOLE: (curved line), (HI-COR, line, line in oval), (loft), (line), OFFSET, HOT FACE SERIES, TITANIUM, (Golfsmith in rectangle), (curved line) BACK: TITANIUM view image here |
| Golfsmith International, Inc. | Hi-COR Hot Face Series Offset (LH) | 11.5 | SOLE: (curved line), (HI-COR, line, line in oval), (loft), (line), OFFSET, HOT FACE SERIES, TITANIUM, (Golfsmith in rectangle), (curved line) BACK: TITANIUM |
| Golfsmith International, Inc. | Hi-COR X-20 | 9.5,11.5 | SOLE: Golfsmith, Hi (w/ three lines over i) COR, (line), (line), X-20, (line), (line), 15-3-3-3, TITANIUM, 440cc, (1, (loft) in circle intersected with parallel lines surrounding markings), (three circular weight inserts) TOE: 440cc, Hi (w/ three lines over i) COR, (line), TECHNOLOGY, surrounded by curved line), OPTIMIZED HEEL BIAS CROWN: (three lines alignment mark) view image here |
| Golfsmith International, Inc. | Jet Stream | 9.5,10.5,12 | SOLE: (Golfsmith in rectangle), (JET STREAM (Jet Stream logo), Billet Forged 451 Beta Titanium in rounded rectangle), Forged Black Box, (loft) CROWN: (Jet Stream logo alignment mark) FACE:Forged |
| Golfsmith International, Inc. | Jetstream | 8.5,10,11.5 | SOLE: AEROSPACE GRADE ALLOY, (line), JET (two lines), (two short lines) STREAM, (line) (square within triangle), Golfsmith, BLACK BOX MATERIAL, 1, (line), (loft) CROWN: (square within triangle alignment mark) FACE:BLACK BOX view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|---|---------------|--|
| Golfsmith International, Inc. | Killer Bee B Sting | 9.5,10.5,11.5 | SOLE: KillerBee, 1 (loft), (B in hexagon)STING, US Patents 5,735,754-D498,508-D434,096-other PAT Pending CROWN: (circle within circle alignment mark) view image here |
| Golfsmith International, | Killer Bee B-Long | 10.5 | SOLE: Killer Bee, (B- in honeycomb cell) |
| Inc. | | | (honeycomb graphic) Long, (loft) CROWN: (dot alignment mark) |
| | | | <u>view image here</u> |
| Golfsmith International, Inc. | Killer Bee B-Sting Anti-Slice | 12 | SOLE: (Killer Bee w/ segmented curve), anti-Slice, B-STING, Driver CROWN: (circle w/ dot alignment mark) |
| | | | <u>view image here</u> |
| Golfsmith International, Inc. | Killer Bee Stinger 460 | 11 | SOLE: (curved line), (loft in hexagon), BETA, TITANIUM (Killer Bee logo), (honeycomb graphic with line and STINGER, 460), Killer Bee CROWN: (arrow alignment mark) |
| | | | <u>view image here</u> |
| Golfsmith International, Inc. | Killer Bee Stinger J | 15 | SOLE: (hexgaon outline), (loft in hexagon), (1 in hexagon), (Killer bee logo), ((line), STINGER over J on honeycomb graphic), Killer Bee CROWN: (arrow alignment mark) |
| | | | view image here |
| Golfsmith International, Inc. | Killer Bee Stinger J (LH) | 15 | SOLE: (hexgaon outline), (loft in hexagon), (1 in hexagon), (Killer Bee logo), ((line), STINGER over J on honeycomb graphic), Killer Bee CROWN: (arrow alignment mark) |
| 0 15 11 1 1 1 1 | Willow Doo Chinasay Dive | 9.5,10.5 | view image here |
| Golfsmith International, Inc. | Killer Bee Stinger Plus | 9.5,10.5 | SOLE: Killer Bee, 1 (loft), Stinger, PLUS, (Killer Bee logo) CROWN: (triangle alignment mark) |
| | | | <u>view image here</u> |
| Golfsmith International, Inc. | Killer Bee Stinger Plus Titanium 420cc | 10 | SOLE: KillerBee, (loft) Stinger PLUS, TITANIUM, 420cc, (Killer Bee logo) CROWN: (triangle alignment mark) view image here |
| Golfsmith International, | Killer Bee Stinger | 10.5 | SOLE: 1 (loft), Killer Bee, STAINLESS, 13-3, |
| Inc. | Steel | | STEEL, (Killer Bee logo), Stinger |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|--------------------------------------|---------|--|
| Golfsmith International, Inc. | Killer Bee Stinger Titanium | 10 | SOLE: 1 (loft), Killer Bee, TITANIUM, LONG, DRIVER, (Killer Bee logo), Stinger view image here |
| Golfsmith International, Inc. | Killer Bee Yellow Hornet | 10 | SOLE: 6-4 TITANIUM, (curved line), Killer Bee, 1, (loft), YELLOW HORNET, (nine lines), US Patents 5,735,754 - D498,508 - D434,096 - Other Patents Pending CROWN: (recessed oval alignment mark) view image here |
| Golfsmith International, Inc. | Killer Bee Yellow Hornet LD | 6.5,7.5 | SOLE: BETA TITANIUM, Killer Bee, LD, (loft), YELLOW HORNET, (nine lines) |
| Golfsmith International, | Killer Bee Yellow | 9,10.5 | view image here SOLE: TITANIUM, Killer Bee, XD, (loft), |
| Inc. | Hornet XD | 5,10.5 | YELLOW HORNET, (nine lines) |
| | | | view image here |
| Golfsmith International, Inc. | Lynx Black Cat MMC | 9.5 | SOLE: METAL MATRIX, COMPOSITE, BLACK, CAT, MMC, DRIVER, (Lynx logo), Lynx, (loft) |
| | | | view image here |
| Golfsmith International, Inc. | Lynx Black Cat MTW (LH) | 9 | SOLE: STAINLESS, TUNGSTEN, BLACK, CAT, MTW, DRIVER (Lynx logo), Lynx, (loft) CROWN: (Lynx alignment mark) FACE:MARAGING |
| | | | <u>view image here</u> |
| Golfsmith International, Inc. | Lynx Black Cat ST-1 | 9,10.5 | SOLE: BLACK, CAT, ST-1, (Lynx logo), Lynx, (loft), DRIVER TOE: (curved line)FIRE(curved line), (Lynx logo), FORGED CROWN: (Lynx alignment mark) FACE:FORGED |
| | | 105 | view image here |
| Golfsmith International, Inc. | Lynx Black Cat Ti | 9.5 | SOLE: 6AL-4V, TITANIUM, BLACK, CAT, Ti, DRIVER, Lynx, TUNGSTEN TECHNOLOGY, (Lynx logo), (loft) CROWN: (Lynx alignment mark) |
| | | | <u>view image here</u> |
| Golfsmith International, Inc. | Lynx Black Cat Ti 400 (Version 1) | 10.5 | SOLE: FORGED, BETA TITANIUM, BLACK, CAT, (Lynx logo), Lynx, Ti400, DRIVER, (loft) CROWN: (Lynx alignment mark) FACE:BETA TITANIUM |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|--------------------------------------|---------------|--|
| Golfsmith International, Inc. | Lynx Black Cat Ti 400 (Version 2) | 10.5 | SOLE: FORGED, 10-2-3, BETA TITANIUM, BLACK, CAT, (Lynx logo), Lynx, Ti 400, DRIVER, (loft) TOE: (curved line)FIRE(curved line), (Lynx logo), FORGED CROWN: (Lynx alignment mark) FACE:FORGED view image here |
| Golfsmith International, Inc. | Lynx Black Cat Ti 400 (Version 3) | 9,10.5 | SOLE: FORGED, 10-2-3, BETA TITANIUM, BLACK, CAT, (Lynx logo), Lynx, Ti 400, (loft) TOE: (curved line)FIRE(curved line), (Lynx logo), FORGED CROWN: (Lynx alignment mark) FACE:FORGED view image here |
| Golfsmith International, Inc. | Lynx Black Cat Tour 460 | 9.5,10.5,11.5 | SOLE: (loft), Lynx, (eight lines) (Lynx logo in circle) (eight lines), BLACK CAT, TOUR, CARBON CROWN INSERT (circular weight) BACK: (circular weight) CROWN: (triangle alignment mark) FACE:460cc |
| Golfsmith International, Inc. | Lynx Crystal Cat | N/A | SOLE: Lynx, (Lynx logo), CRYSTAL, Cat, STAINLESS +, TUNGSTEN, 1 CROWN: (Lynx alignment mark) view image here |
| Golfsmith International, Inc. | Lynx H3 Draw Bias | 9,10.5 | SOLE: (weight port), Lynx, (H3 within oval), (loft), (line), DRAW, BIAS, (weight port) TOE: TITANIUM CROWN: (arrow alignment mark) view image here |
| Golfsmith International, Inc. | Lynx LX2 | 9.5,10.5 | SOLE: Lynx, LX², (Lynx logo media blast), (loft) BACK: (fixed weight) (Lynx on insert) (fixed weight) TOE: MOMENT (line under M) OF (line under O) INERTIA (line under I) 5500 g/cm²/460cc view image here |
| Golfsmith International, Inc. | Lynx LX3 | 9.5,10.5,11.5 | SOLE: ((loft), Lynx, LX3 in three sets of parallel lines and three weights) CROWN: (three dots alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|---|---------|--|
| Golfsmith International, Inc. | Lynx LX5 | 9.5 | SOLE: (weight insert), (loft), LX5, (weight insert), Lynx BACK: Magnesium Crown TOE: (Mg in Lynx logo) view image here |
| Golfsmith International, Inc. | Lynx Parallax 460 (LH) (Version 2) | 10.5 | SOLE: (line), Lynx, (PARALLAX w/ line over three line graphic), (loft), (line) CROWN: (triangle alignment mark) HEEL: (three circular weights) FACE:460cc view image here |
| Golfsmith International, Inc. | Lynx Parallax 460 (Version 1) | 9,10,11 | SOLE: Lynx, (Lynx logo, 460cc in double circle), PARALLAX, NANO-TECH THIN CROWN DESIGN, (loft) BACK: (circular weight) (circular weight) CROWN: (triangle alignment mark) view image here |
| Golfsmith International, Inc. | Lynx Parallax 460 (Version 3) | 9.5 | SOLE: (line), Lynx, (PARALLAX w/ line over three line graphic), (loft w/ degree symbol), (line) CROWN: (triangle alignment mark) HEEL: (three circular weights) FACE:460cc view image here |
| Golfsmith International, Inc. | Lynx Parallax 460 Offset (Version 1) | 11 | SOLE: Lynx, (Lynx logo, 460cc in double circle), PARALLAX, NANO-TECH THIN CROWN DESIGN, (loft), OFFSET BACK: (circular weight) (circular weight) CROWN: (triangle alignment mark) view image here |
| Golfsmith International, Inc. | Lynx Parallax 460 Offset (Version 2) | 11.5 | SOLE: (line), Lynx, (PARALLAX w/ line over three line graphic), (loft), (line) CROWN: (triangle alignment mark) HEEL: (three circular weights) FACE:460cc view image here |
| Golfsmith International, Inc. | Lynx Parallax Tour Titanium | 10.5 | SOLE: (Lynx logo), Lynx, PARALLAX, TOUR, FORGED, BETA TITANIUM, DRIVER, (loft) CROWN: (Lynx alignment mark) FACE:ßTi view image here |
| Golfsmith International, Inc. | Lynx Parallax-W 460 Offset | 14 | SOLE: (line), Lynx, (PARALLAX-W w/ line over three line graphic), (loft) HEEL: (three circular weights) FACE:460cc view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------------|---|----------|---|
| Golfsmith International, Inc. | Lynx Predator (LH) | 10.5 | SOLE: (Lynx logo), Lynx, DRIVER, PREDATOR, (line), 15-5 STAINLESS, (loft) CROWN: (circular depression) FACE:PREDATOR view image here |
| Golfsmith International, Inc. | Lynx Predator (Stainless) | 10.5 | SOLE: (loft), Lynx, PREDATOR, STAINLESS, (Lynx logo) CROWN: (triangle alignment mark) view image here |
| Golfsmith International, Inc. | Lynx Predator 460 (Version 1) (LH) | 10.5 | SOLE: (loft), Lynx, PREDATOR, TITANIUM, (Lynx logo), 460 CROWN: (arrow alignment mark) view image here |
| Golfsmith International, Inc. | Lynx Predator 460 (LH) (Version 2) | 9.5 | SOLE: HIGH MOI / LOW CG TECHNOLOGY, (loft), (seven punch marks), (PREDATOR w/ line over Lynx graphic), Lynx CROWN: (triangle alignment mark) FACE:460cc |
| Golfsmith International, Inc. | Lynx Predator 460 (LH) (Version 3) | 10.5 | SOLE: HIGH MOI / LOW CG TECHNOLOGY, (loft w/ degree symbol), (seven dots), (PREDATOR w/ line over Lynx graphic), Lynx CROWN: (triangle alignment mark) FACE:460cc view image here |
| Golfsmith International, Inc. | Lynx Predator 460 (Version 1) | 10.5 | SOLE: (loft), Lynx, PREDATOR, TITANIUM, 460, (Lynx logo) CROWN: (arrow alignment mark) view image here |
| Golfsmith International, Inc. | Lynx Predator 460 (Version 2) | 9.5,10.5 | SOLE: HIGH MOI / LOW CG TECHNOLOGY, (seven punch marks), (loft), (PREDATOR w/ line over Lynx graphic), Lynx CROWN: (triangle alignment mark) FACE:460cc view image here |
| Golfsmith International, Inc. | Lynx Predator 460 Offset (Version 2) | 11.5 | SOLE: HIGH MOI / LOW CG TECHNOLOGY, (seven punch marks), (loft), (PREDATOR w/ line over Lynx graphic), Lynx CROWN: (triangle alignment mark) FACE:460cc view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------------|------------------------------------|---------------|---|
| Golfsmith International, Inc. | Lynx Predator II Steel | 9,10.5 | SOLE: (Lynx logo), Lynx, PREDATOR II, (line), (loft) BACK: 450-S CROWN: (Lynx alignment mark) view image here |
| Golfsmith International, Inc. | Lynx Predator II Ti-380 | 9,10.5 | SOLE: (Lynx logo), Lynx, PREDATOR II, (line), Ti-380, (loft) BACK: TITANIUM CROWN: (Lynx alignment mark) FACE:FORGED |
| Golfsmith International, Inc. | Lynx Tigress (LH) | 13 | view image here SOLE: (Lynx logo), Lynx, DRIVER, TIGRESS (line), 15-5 STAINLESS, (loft) CROWN: (circular depression) FACE:TIGRESS view image here |
| Golfsmith International, Inc. | Lynx Tigress 420 | N/A | SOLE: 1, Lynx, TIGRESS, TITANIUM, 420 (Lynx logo) CROWN: (arrow alignment mark) view image here |
| Golfsmith International, Inc. | Lynx Tigress II Steel | 12.5 | SOLE: (Lynx logo), Lynx, TIGRESS II, (line), 1, (loft) BACK: 15-5S CROWN: (Lynx alignment mark) view image here |
| Golfsmith International, Inc. | Lynx Tigress Offset (Version 2) | 14 | SOLE: HIGH MOI / LOW CG TECHNOLOGY, (seven dots), (loft w/ degree symbol), (TIGRESS w/ line over Lynx graphic), Lynx CROWN: (triangle alignment mark) FACE:460cc view image here |
| Golfsmith International, Inc. | Lynx XMD | 9.5,10.5,11.5 | SOLE: XMD, (loft), Lynx <u>view image here</u> |
| Golfsmith International, Inc. | Lynx XMD (LH) | 10.5 | SOLE: XMD, (loft), Lynx <u>view image here</u> |
| Golfsmith International, Inc. | Lynx XMD HT (Womens) | 14 | SOLE: XMD, (loft)HT, Lynx CROWN: (two curved lines alignment mark) view image here |
| Golfsmith International, Inc. | Lynx XMD HT (Womens) (LH) | 14 | SOLE: XMD, (loft)HT, Lynx CROWN: (two curved lines alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|---|---------------|--|
| Golfsmith International, Inc. | MacGregor Tourney (Version 1) | 9.5,10.5,11.5 | SOLE: MacGregor, (bent line), TOURNEY, (four segmented lines), (MT in diamond), (loft) view image here |
| Golfsmith International, Inc. | MacGregor Tourney (Version 2) | 9.5,10.5 | SOLE: (curved line). MacGregor, TOURNEY, (four lines), (MT in square), (four lines) CROWN: (two lines), (dot graphic) HEEL: (loft) view image here |
| Golfsmith International, Inc. | MacGregor Tourney (Version 2) (LH) | 9.5,10.5 | SOLE: (curved line). MacGregor, TOURNEY, (four lines), (MT in square), (four lines) CROWN: (two lines), (dot graphic) HEEL: (loft) view image here |
| Golfsmith International, Inc. | MacGregor Tourney M75T (Version 1) | 9.5,10.5,11.5 | SOLE: MacGregor, TOURNEY, M75T, (loft), ((four segmented lines), (MT in diamond) in triangle insert) view image here |
| Golfsmith International, Inc. | MacGregor Tourney M75T Ladies | 13.5 | SOLE: MacGregor, TOURNEY, M75T, (loft), ((four segmented lines), (MT in diamond) in triangle insert) <u>view image here</u> |
| Golfsmith International, Inc. | MacGregor Tourney M85T (w/ FaceFit) (Version 1) | 9.5 | SOLE: MacGregor, TOURNEY, M85T, (four segmented lines), (MT in diamond), (loft), (weight port), (weight port) <u>view image here</u> |
| Golfsmith International, Inc. | MacGregor Tourney M85T (w/ FaceFit) (Version 2) | 10.5,11.5 | SOLE: MacGregor, TOURNEY, M85T, (four segmented lines), (MT in diamond), (loft), (weight port), (weight port) view image here |
| Golfsmith International, Inc. | O/S Project | 10 | SOLE: 15-5 STEEL, O/S, PROJECT, 1, (loft), POWERSWEEP, (line), SOLE <u>view image here</u> |
| Golfsmith International, Inc. | Snake Eyes 600 T-C 420cc | 10.5,12 | SOLE: SNAKE EYES, (Snake eyes logo), 600T, C, (line), 420 cc, DAT600C Cold, Rolled Beta Titanium, Carbon Fiber Crown, 1, (line), (loft) FACE:(Snake Eyes logo) |
| | | | view image note |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|--|----------------|--|
| Golfsmith International, Inc. | Snake Eyes 600 T-C 420cc (LH) | 10.5 | SOLE: SNAKE EYES, (Snake Eyes logo), 600T, (line), C, 420cc, DAT600C Cold, Rolled Beta Titanium, Carbon Fiber Crown, 1, (line), (loft) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes 600 TJ 450cc | 10,12 | SOLE: SNAKE EYES, (Snake Eyes logo), 600T, J, (line), 450 cc, DAT600C, Cold Rolled, Beta Titanium, 1, (line), (loft) FACE:(Snake Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes 600 TJ 450cc High Launch | 14 | SOLE: SNAKE EYES, (Snake Eyes logo), 600T, J, (line), 450 cc, DAT600C, Cold Rolled, Beta Titanium, 1, (line), HIGH, LAUNCH FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes 600T | 8.5,10,11.5,13 | SOLE: SNAKE EYES, (Snake Eyes logo), 600T, DAT600C, Cold Rolled, Beta Titanium, 1, (line), (loft) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes 600T-C 400cc (LH) | 10.5 | SOLE: SNAKE EYES, (Snake Eyes logo), 600T, (line), C, 420cc, DAT600C Cold, Rolled Beta Titanium, Carbon Fiber Crown, 1, (line), (loft) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes 600T-C 420cc | 9 | SOLE: SNAKE EYES, (Snake Eyes logo), 600T, (line), C, 420cc, DAT600C Cold, Rolled Beta Titanium, Carbon Fiber Crown, 1, (line), (loft) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes 650T | 9.5,10.5,11.5 | SOLE: DAT16V Beta Ti, (loft in oval), (Snake Eyes logo), SNAKE EYES, (line), 650T TOE: (DAT 16V BETA TI, 430cc, Reactive Cup Face in oval) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes 650T (LH) | 10.5,11.5 | SOLE: (loft in oval), DAT16V Beta Ti, (Snake Eyes logo), SNAKE EYES, (line), 650T TOE: (DAT 16V BETA TI, 430cc, Reactive Cup Face in oval) FACE:(Snake Eyes logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|--------------------------------|---------------|---|
| Golfsmith International, Inc. | Snake Eyes 650T High Launch | 13 | SOLE: DAT16V Beta Ti, (HIGH, LAUNCH in oval), (Snake Eyes logo), SNAKE EYES, (line), 650T TOE: (DAT 16V BETA TI, 430cc, Reactive Cup Face in oval) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes 653D | 9.5,10.5,11.5 | SOLE: (loft in oval), (Snake Eyes logo), SNAKE EYES, (line), 653D, THREE POINT WEIGHTING SYSTEM BACK: (three circular weights) TOE: (DAT 16V BETA TI, 440cc, Reactive Cup Face in oval) FACE:(Snake Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes 653D (LH) | 10.5 | SOLE: (loft in oval), (Snake Eyes logo), SNAKE EYES, (line), 653D, THREE POINT WEIGHTING SYSTEM BACK: (three circular weights) TOE: (DAT 16V BETA TI, 440cc, Reactive Cup Face in oval) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes 653D HL | N/A | SOLE: (HL in oval), (Snake Eyes logo), SNAKE EYES, (line), 653D, THREE POINT WEIGHTING SYSTEM BACK: (three circular weights) TOE: (DAT 16V BETA TI, 440cc, Reactive Cup Face in oval) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes 653T | 9,10,11.5 | SOLE: (loft in oval), (Snake Eyes logo), SNAKE EYES, (line), 653T, THREE POINT WEIGHTING SYSTEM BACK: (three circular weights) TOE: (DAT 16V BETA TI, 410cc, Reactive Cup Face in oval) FACE:(Snake Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes 655TJ 460 | 9.5,10.5,11.5 | SOLE: SNAKE EYES, (Snake Eyes logo), (loft), (655TJ (line under 655), 460cc on insert) FACE:(Snake Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes 655TJ 460 HL | N/A | SOLE: SNAKE EYES, (Snake Eyes logo), HL, (655TJ (line under 655), 460cc on insert) FACE:(Snake Eyes logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|--|---------------|---|
| Golfsmith International, Inc. | Snake Eyes 675T | 9.5,10.5,11.5 | SOLE: (triangular weight), (line), (Snake Eyes logo), snake eyes, 675T, (loft), (line), (triangular weight), (triangular weight) CROWN: (three lines alignment mark) view image here |
| Golfsmith International, Inc. | Snake Eyes 685T | 9.5,10.5,11.5 | SOLE: (Snake Eyes logo), snake eyes, (segmented line), 685T, (loft), (weight port) TOE: DYNAMICALLY OPTIMIZED CT, DISTANCE TECHNOLOGY, (DOC logo) view image here |
| Golfsmith International, Inc. | Snake Eyes AerMet Hot Steel | 9,10,11 | SOLE: CMF, SNAKE, (Snake Eyes logo), EYES, 1, (loft), AerMet ™, (line), HOT STEEL, (swing speed indicator) TOE: AerMet, (line), FORGED FACE CROWN: (Snake Eyes logo) HEEL: Conforms with, USGA, App.II, 5a, (curved line) view image here |
| Golfsmith International, Inc. | Snake Eyes CMF | 9.5 | SOLE: SNAKE, EYES, TITANIUM, (line), CMF, (line), TUNGSTEN, 1, COMPUTER-MODELED, FACE, (loft), (Snake Eyes logo) TOE: 6-4, TITANIUM FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Elasteel | 9,10,11 | SOLE: SNAKE, (Snake Eyes logo), EYES, ELASTEEL, (loft), LOFT, 1, >105, MPH, HI-VELOCITY E255 ALLOY FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Fire Forged Compressor | 9,10.5,12 | SOLE: (curved line), (Snake Eyes logo), SNAKE EYES, 1, (line), (loft), PRE-LOADED @ 12.500PSI, (insert with five recessed circles and a hexagon), BETA TITANIUM, FiRE (w/ flame over i), FORGED, COMPRESSOR, (curved line) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Fire Forged Compressor (LH) | 10.5 | SOLE: (curved line), (Snake Eyes logo), SNAKE EYES, 1, (line), (loft), PRE-LOADED @ 12.500PSI, (insert with five recessed circles and a hexagon), BETATITANIUM, FiRE (w/ flame over i), FORGED, COMPRESSOR, (curved line) FACE:(Snake Eyes logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|---|-----------|---|
| Golfsmith International, Inc. | Snake Eyes Fire Forged Compressor 450 | 9,10.5,12 | SOLE: (curved line), (Snake Eyes logo), SNAKE EYES, 1, (line), (loft), PRE-LOADED @ 12,500PSI, (insert with five recessed circles and hexagon), BETA TITANIUM, FIRE (w/ flame over i), FORGED, COMPRESSOR, 450 (curved line) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Fire Forged Max Cor 360cc | 9,10,11 | SOLE: SNAKE, (Snake Eyes logo), EYES, FiRE (w/ flame over i), FORGED, MAX C.O.R., 360cc BETA TITANIUM, 1, (loft) TOE: Fire, (2 curved lines), ßeta, Ti, Forged CROWN: (Snake Eyes logo alignment mark) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Fire Forged Max Cor 400cc | 9,11 | SOLE: SNAKE, (Snake Eyes logo), EYES, FiRE (w/ flame over i), MAX C.O.R., 400cc, BETA TITANIUM, 1, (loft) TOE: Fire, (2 curved lines), ßeta, Ti, FORGED CROWN: (Snake Eyes logo alignment mark) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Fire Forged Max Cor 400cc (LH) | 10 | SOLE: SNAKE, (Snake Eyes logo), EYES, FiRE (w/ flame over i), FORGED, MAX C.O.R., 400cc, BETA TITANIUM, 1, (loft) TOE: Fire, (2 curved lines), ßeta, Ti, FORGED CROWN: (Snake Eyes logo alignment mark) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Fire Forged Pro COR | 9,10,11 | SOLE: SNAKE, (Snake Eyes logo), EYES, 1, FiRE (w/ flame over i), FORGED, (loft), Pro C.O.R., TITANIUM, 320cc CMF, (swing speed indicator) TOE: FIRE, BETA Ti, FORGED HOSEL: Conforms with, USGA, App. II, 5a FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Fire Forged Pro COR 360cc | 10 | SOLE: SNAKE, (Snake Eyes logo), EYES, 1, FiRE (w/ flame over i), FORGED, (loft), Pro C.O.R., 360cc, TITANIUM, CMF TOE: FIRE, BETA Ti, FORGED HOSEL: Conforms with, USGA, App.II, 5a FACE: (Snake Eyes logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|---------------------------------------|---------------|--|
| Golfsmith International, Inc. | Snake Eyes Mamba | 9.5,10.5,11.5 | SOLE: (Snakes Eyes logo media blast), (Snake Eyes logo), (curved line), snake eyes, MAMBA, (loft) <u>view image here</u> |
| Golfsmith International, Inc. | Snake Eyes Mamba 2 | 9.5,10.5,11.5 | SOLE: (Snakes Eyes logo media blast), (Snake Eyes logo), snake eyes, (MAMBA over 2), (loft) BACK: (circular weight) (Snake Eyes logo) (circular weight) FACE:m2 view image here |
| Golfsmith International, Inc. | Snake Eyes Maraging Steel | 10.5 | SOLE: SNAKE, (Snake Eyes logo), EYES, MARAGING STEEL, 1 (loft) TOE: CUSTOM 455, MARAGING STEEL FACE:(Snake Eyes logo) <u>view image here</u> |
| Golfsmith International, Inc. | Snake Eyes NZ2 | 9,10,11 | SOLE: (loft), SNAKE EYES, (NZ 2 over line in oval), (curved line), (NANO-ZONE, TECHNOLOGY over SNAKE EYES logo media blast) BACK: (circular weight), (circular weight) |
| Golfsmith International, Inc. | Snake Eyes Power Link | 12.5 | SOLE: SNAKE EYES, (Snake Eyes logo), 1, (line), (loft), (Power, Link over broken rectangle), BETA TiGr TOE: TiGr Construction, (line) (line) Power, Titanium, (line) (line), Graphite Link FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes PowerLink | 9,10.5 | SOLE: SNAKE EYES, (Snake Eyes logo), 1, (line), (loft), (Power, Link over broken rectangle), BETA TiGr TOE: TiGr Construction, (line) (line) Power, Titanium, (line) (line), Graphite Link FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Pro COR Fire Forged 360 | 9,11 | SOLE: SNAKE, (Snake Eyes logo), EYES, FiRE (w/ flame over i), 1, (loft), FORGED, Pro C.O.R., 360cc, TITANIUM, CMF TOE: (curved line)FIRE(curved line), Beta, Ti, FORGED HEEL: Conforms with, USGA, App.II, 5a, (curved line) FACE:(Snake Eyes logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|--|-----------|---|
| Golfsmith International, Inc. | Snake Eyes Python | 9,10.5,12 | SOLE: (loft in ring with six dots), (Snake Eyes logo), PYTHON, T·I·T·A·N·I·U·M, SNAKE EYES, (circle and brass weight with three holes), 1, (circle and brass weight with three holes) TOE: BETA TITANIUM, DAT 600C, COLD ROLLED CROWN: (Snakes Eyes logo alignment mark) view image here |
| Golfsmith International, Inc. | Snake Eyes Python (LH) | 10.5,12 | SOLE: (loft in ring with six dots), (Snake Eyes logo), PYTHON, T·I·T·A·N·I·U·M, SNAKE EYES, (circle and brass weight with three holes), 1, (circle and brass weight with three holes) TOE: BETA TITANIUM, DAT 600C, COLD ROLLED CROWN: (Snakes Eyes logo alignment mark) view image here |
| Golfsmith International, Inc. | Snake Eyes Python Indigo | 16 | SOLE: (Snakes Eyes logo), snake eyes, indigo, 1, DRIVER, (double curve) CROWN: (double curve alignment mark) FACE:(Snakes Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Python Offset | 11 | SOLE: (loft in ring with six dots), (Snake Eyes logo), PYTHON, OFFSET, T·I·T·A·N·I·U·M, SNAKE EYES, (circle and brass weight with three holes), 1, (circle and brass weight with three holes) TOE: BETA TITANIUM, DAT 600C, COLD ROLLED CROWN: (Snakes Eyes logo alignment mark) view image here |
| Golfsmith International, Inc. | Snake Eyes Python Plus (Version 2) | 10.5,11.5 | SOLE: (Snakes Eyes logo), SNAKE EYES, PYTHON, •P•L•U•S•, TITANIUM - TUNGSTEN, (loft in ring with six dots) CROWN: (Snakes Eyes logo alignment mark) FACE:(Snakes Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Python Plus (Version 2) (LH) | 10.5 | SOLE: (Snakes Eyes logo), SNAKE EYES, PYTHON, •P•L•U•S•, TITANIUM - TUNGSTEN, (loft in ring with six dots) CROWN: (Snakes Eyes logo alignment mark) FACE:(Snakes Eyes logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------------|--|---------------|---|
| Golfsmith International, Inc. | Snake Eyes Python Plus HL (Version 2) | N/A | SOLE: (Snakes Eyes logo), SNAKE EYES, PYTHON, •P•L•U•S•, TITANIUM - TUNGSTEN, (loft in ring with six dots) CROWN: (Snakes Eyes logo alignment mark) FACE:(Snakes Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Python PowerLink | 9,10,11 | SOLE: (loft in ring with six dots), (Snake Eyes logo), PYTHON, PowerLink, T·I·T·A·N·I·U·M, SNAKE EYES, (four verical lines) BACK: (oval) TOE: (460cc on segmented oval), (Nano-Tube Crown Technology, Titanium-Steel-Graphite on beaded rectangle), (Nano Force on segmented oval) view image here |
| Golfsmith International, Inc. | Snake Eyes Python XL 460 | 9.5,10.5,11.5 | SOLE: (Snakes Eyes logo), snake eyes, PYTHON XL, (loft), (six dots in half circle) FACE:(Snakes Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Python XL 460 HL | N/A | SOLE: (Snakes Eyes logo), snake eyes, PYTHON XL, HL, (six dots in half circle) FACE:(Snakes Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Python XLD | 9.5,10.5,11.5 | SOLE: PYTHON XLD, (loft) TOE: (Snakes Eyes logo), snake eyes HEEL: (DOC logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Python XLD (LH) | 10.5 | SOLE: PYTHON XLD, (loft) TOE: (Snakes Eyes logo), snake eyes HEEL: (DOC logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Python XLs | 16 | SOLE: (Snakes Eyes logo), snake eyes, PYTHON XLs, 1, DRIVER, (double curved line) CROWN: (Snakes Eyes logo alignment mark) FACE:(Snakes Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Python-W | N/A | SOLE: (Snake Eyes logo), PYTHON-W, T·I·T·A·N·I·U·M, SNAKE EYES, (circle and brass weight with three holes), 1, (circle and brass weight with three holes) CROWN: (Snakes Eyes logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|---------------------------------|---------------|--|
| Golfsmith International, Inc. | Snake Eyes Viper 430cc | 8.5,10 | SOLE: 430cc, SNAKE EYES, (Snake Eyes logo), VIPER, TITANIUM, (loft) TOE: (curved line), ßeta, FORGED, Ti, (curved line) CROWN: (Snake Eyes logo alignment mark) FACE:FORGED ßTi view image here |
| Golfsmith International, Inc. | Snake Eyes Viper LS | 12.5 | SOLE: 1 (loft), (Snake Eyes logo), VIPER, LS, SNAKE EYES TOE: 15-5, STEEL FACE:(Snake Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Viper MS | 9.5 | SOLE: 1 (loft), (Snake Eyes logo), VIPER, MS, SNAKE EYES TOE: 15-5, STEEL FACE:(Snake Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Viper MS 450 | 8.5,10.5 | SOLE: HS450, STEEL, (curved line), SNAKE EYES, (Snake Eyes logo), VIPER MS, 450, (curved line), 1 (loft) TOE: CMF CROWN: (Snake Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Viper Ti 460 | 9.5,10.5,11.5 | SOLE: SNAKE EYES, (Snake Eyes logo), (VIPER, Ti 460 in triangle), (loft w/ line), (line), Tri Chamber Weighting BACK: (circle around circular weight insert) TOE: (circle around circular weight insert) CROWN: (Snake Eyes logo alignment mark) HEEL: (circle around circular weight insert) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Viper Ti 460 (LH) | 10.5,11.5 | SOLE: SNAKE EYES, (Snake Eyes logo), (VIPER, Ti 460 in triangle), (loft w/ line), (line), Tri Chamber Weighting BACK: (circle around circular weight insert) TOE: (circle around circular weight insert) CROWN: (Snake Eyes logo alignment mark) HEEL: (circle around circular weight insert) FACE:(Snake Eyes logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|------------------------------------|---------------|---|
| Golfsmith International, Inc. | Snake Eyes Viper Ti 460 HL | 13 | SOLE: SNAKE EYES, (Snake Eyes logo), (VIPER, Ti 460 in triangle), HL, (line), Tri Chamber Weighting BACK: (circle around circular weight insert) TOE: (circle around circular weight insert) CROWN: (Snake Eyes logo alignment mark) HEEL: (circle around circular weight insert) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Viper Ti 460 HL (LH) | 13 | SOLE: SNAKE EYES, (Snake Eyes logo), (VIPER, Ti 460 in triangle), HL, (line), Tri Chamber Weighting BACK: (circle around circular weight insert) TOE: (circle around circular weight insert) CROWN: (Snake Eyes logo alignment mark) HEEL: (circle around circular weight insert) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Viper Ti4 | 9.5,10.5,11.5 | SOLE: (SNAKE EYES, (Snake Eyes logo) in triangle), 1, (loft w/ line), (line), Quad Weighting in triangle), (VIPER, Ti4 in triangle) BACK: (circle around circular weight insert), (circle around circular weight insert) TOE: (circle around circular weight insert) CROWN: (Snake Eyes logo alignment mark) HEEL: (circle around circular weight insert) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Viper Ti4 (LH) | 10.5 | SOLE: (SNAKE EYES, (Snake Eyes logo) in triangle), 1, (VIPER, Ti4 in triangle), ((loft w/ line), (line), Quad Weighting in triangle) BACK: (circle around circular weight insert), (circle around circular weight insert) TOE: (circle around circular weight insert) CROWN: (Snake Eyes logo alignment mark) HEEL: (circle around circular weight insert) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Viper Ti462-D | 10.5,11.5 | SOLE: SNAKE EYES, (Snake Eyes logo), VIPER, Ti 462-D, (loft) BACK: (weight port), (weight port) CROWN: (Snake Eyes logo alignment mark) FACE:(Snake Eyes logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|-----------------------------------|-------------------|---|
| Golfsmith International, Inc. | Snake Eyes Viper Ti464 | 8.5,9.5,10.5,11.5 | SOLE: SNAKE EYES, (Snake Eyes logo), VIPER, Ti 464, (loft) BACK: (weight port), (weight port) TOE: (weight port) CROWN: (Snake Eyes logo alignment mark) HEEL: (weight port) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Viper Ti464 (LH) | 10.5,11.5 | SOLE: SNAKE EYES, (Snake Eyes logo), VIPER, Ti 464, (loft) BACK: (weight port), (weight port) TOE: (weight port) CROWN: (Snake Eyes logo alignment mark) HEEL: (weight port) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Viper Ti464 HL | 13 | SOLE: SNAKE EYES, (Snake Eyes logo), VIPER, Ti 464, HL BACK: (weight port), (weight port) TOE: (weight port) CROWN: (Snake Eyes logo alignment mark) HEEL: (weight port) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Viper Ti464 HL (LH) | N/A | SOLE: SNAKE EYES, (Snake Eyes logo), VIPER, Ti 464, HL BACK: (weight port), (weight port) TOE: (weight port) CROWN: (Snake Eyes logo alignment mark) HEEL: (weight port) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Viper TiSteel | 10.5,12 | SOLE: (curved line), (Snake Eyes logo), VIPER, TiSteel, Tour Alloy, 275, 1, (loft), SNAKE EYES CROWN: (Snake Eyes logo alignment mark) FACE:(Snake Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Viper TiSteel (LH) | 10.5 | SOLE: (curved line), (Snake Eyes logo), VIPER, TiSteel, Tour Alloy, 275, 1, (loft), SNAKE EYES CROWN: (Snake Eyes logo alignment mark) FACE:(Snake Eyes logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------------|--------------------------------------|---------------|---|
| Golfsmith International, Inc. | Snake Eyes Viper Tour (Version 1) | 10 | SOLE: (Snake Eyes logo), snake eyes, VIPER, TOUR, (loft), (weight port) BACK: (weight port), (weight port) TOE: 3WT, (line), 3 WEIGHT TECHNOLOGY CROWN: (Snake Eyes logo alignment mark) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Viper Tour (Version 2) | 9,11,12.5 | SOLE: (Snake Eyes logo), snake eyes, VIPER, TOUR, (loft), (weight port) BACK: (weight port), (weight port) TOE: 3WT, (line), 3 WEIGHT TECHNOLOGY FACE:(Snake Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Viper W Ti462 | 15 | SOLE: SNAKE EYES, (Snake Eyes logo), VIPER, (Wover V in diamond graphic), Ti 462, (loft) BACK: (weight port), (weight port) CROWN: (Snake Eyes logo alignment mark) FACE:(Snake Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Viper X Ti | 9.5,10.5,11.5 | SOLE: (Snake Eyes logo), snake eyes, VIPER, (line), X Ti, (loft), (three lines), (circular weight in trapezoid insert), (three lines) TOE: (Snake Eyes logo) FACE:(Snake Eyes logo) view image here |
| Golfsmith International, Inc. | Snake Eyes Viper X Ti (LH) | 10.5 | SOLE: (Snake Eyes logo), snake eyes, VIPER, (line), X Ti, (loft), (three lines), (circular weight in trapezoid insert), (three lines) TOE: (Snake Eyes logo) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Viper X Ti HL | N/A | SOLE: (Snake Eyes logo), snake eyes, VIPER, (line), X Ti, HL, (three lines), (circular weight in trapezoid insert), (three lines) TOE: (Snake Eyes logo) FACE:(Snake Eyes logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|--|---------------|--|
| Golfsmith International, Inc. | Snake Eyes Viper X Ti HL (LH) | N/A | SOLE: (Snake Eyes logo), snake eyes, VIPER, (line), X Ti, HL, (three lines), (circular weight in trapezoid insert), (three lines) TOE: (Snake Eyes logo) FACE:(Snake Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes VNM | 9.5,10.5,11.5 | SOLE: (curved line), (Snakes Eyes logo), snake eyes, VNM, (loft) (curved line), (weight port), (weight port), (curved line) FACE:(Snakes Eyes logo) |
| Golfsmith International, Inc. | Snake Eyes Z9 | 9.5,10.5,11.5 | SOLE: (curved line), (curved line), BETATI, (9 over Z), FACE & CROWN, (curved line), (curved line), (loft) BACK: (raised line design), SNAKE EYES, (Snakes Eyes logo), (raised line design) view image here |
| Golfsmith International, Inc. | Spalding Aero Force Stainless | 10,11.5 | SOLE: 17-4 STAINLESS, (AERO, (arrow graphic), FORCE in oval) 1, (loft in box), M-SERIES, (Spalding logo) SPALDING, (line), CUSTOM CROWN: (Spalding logo alignment mark) view image here |
| Golfsmith International, Inc. | Spalding Aero Force Titanium | 11 | SOLE: TITANIUM, (AERO, (arrow graphic), FORCE in oval) 1, (loft in box), M-SERIES, (Spalding logo) SPALDING, (line), CUSTOM CROWN: (Spalding logo alignment mark) view image here |
| Golfsmith International, Inc. | Spalding Aero Force Women's Stainless | N/A | SOLE: 17-4 STAINLESS, (AERO, (arrow graphic), FORCE in oval) 1, W-SERIES, (Spalding logo) SPALDING, (line), CUSTOM CROWN: (Spalding logo alignment mark) view image here |
| Golfsmith International, Inc. | Spalding Black Hawk 420cc | 9,10.5 | SOLE: 1, (loft), (Spalding logo) SPALDING, (line), CUSTOM, BlackHawk, 420cc, (black hawk graphicon oval insert), BETA TITANIUM FACE:ßTi |
| Golfsmith International, Inc. | Spalding Elegance Steel 260cc | 12.5 | SOLE: (loft), (bird and circle graphic), ELEGANCE, STEEL, 260cc, (Spalding logo) SPALDING, (line), CUSTOM CROWN: (Spalding logo alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|-------------------------------------|--------|--|
| Golfsmith International, Inc. | Spalding Legacy 380cc | 9,10.5 | SOLE: (loft), (bird and circle graphic), LEGACY, TITANIUM, 380cc, (Spalding logo) SPALDING, (line), CUSTOM CROWN: (Spalding logo alignment mark) FACE:FORGED |
| | | | view image here |
| Golfsmith International, Inc. | Spalding Legacy Steel 280cc | 9 | SOLE: (loft), (bird and circle graphic), LEGACY, STEEL, 280cc, (Spalding logo) SPALDING, (line), CUSTOM CROWN: (Spalding logo alignment mark) |
| | | | view image here |
| Golfsmith International, Inc. | Special Force | N/A | SOLE: 1, DRIVER, SPECIAL, (arrow & target), FORCE, BETA TITANIUM CROWN: (target alignment mark) HEEL: HEEL, (target graphic), BIAS MASS |
| | | | view image here |
| Golfsmith International, Inc. | Special Force (LH) | N/A | SOLE: 1, DRIVER, SPECIAL, (arrow & target), FORCE, BETA TITANIUM CROWN: (target alignment mark) HEEL: HEEL, (target graphic), BIAS MASS |
| | | | view image here |
| Golfsmith International, Inc. | Special Force Offset (Version 1) | N/A | SOLE: Golfsmith, (SPECIAL FORCE, separated arrow and target graphic inside oval), 1, (line), TITANIUM, DRIVER, (HEEL BIAS WEIGHTING, SIDE SPIN CONTROL on raised triangle) CROWN: (arrow and target graphic alignment mark) view image here |
| Golfsmith International, Inc. | Special Force Offset (Version 2) | N/A | SOLE: (SPECIAL FORCE, separated arrow and target graphic inside oval), 1, (line), TITANIUM, DRIVER, (HEEL BIAS WEIGHTING, SIDE SPIN CONTROL on raised triangle) CROWN: (arrow and target graphic alignment mark) view image here |
| Golfsmith International, Inc. | Ti-Steel 465 | 9.5 | SOLE: (loft), Golfsmith, TI-STEEL, 465, DRIVER, FORGED BACK: CUSTOM, 465™, ALLOY view image here |
| Golfsmith International, Inc. | Titanium 260CM | 8 | SOLE: 6AL-4V, TITANIUM, Golfsmith, TITANIUM, 260 CM, (loft) 1 TOE: 260CC FACE:TITANIUM |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|----------------------|----------------|---|
| Golfsmith International, Inc. | Titanium 310CM | 10 | SOLE: 6AL-4V, TITANIUM, Golfsmith, TITANIUM, 310 CM, (loft) 1 TOE: 310CC FACE:TITANIUM view image here |
| Golfsmith International, Inc. | Titanium Bi-Metal CM | 9.5 | SOLE: TUNGSTEN, Golfsmith, TITANIUM, BiMETAL, CM, BALANCED, (loft) 1 TOE: 6AL-4V, FORGED FACE:TI/TUNGSTEN view image here |
| Golfsmith International, Inc. | Tour Cavity Forged | 9,10,11 | SOLE: (circle around circular weight), Golfsmith, (line) Tour, Cavity, Forged (line), (loft), (circle around circular weight), (THIN, TOPSHELL, (T3, CROWN on triangle), TECHNOLOGY on recessed triangle), TITANIUM CUP FACE view image here |
| Golfsmith International, Inc. | TriMatrix | 9,11.5,13,14.5 | SOLE: Golfsmith, TRIMATRIX, (line), TITANIUM 1 (loft), (diamond weight insert) view image here |
| Golfsmith International, Inc. | XPC 3000 | 9.5,10.5,11.5 | SOLE: 1, (loft), XPC, (3000 in recessed half circle), 15-5 STAINLESS CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | XPC 3000 (LH) | 10.5 | SOLE: XPC, (3000 in recessed half circle), 15-5 STAINLESS, (loft) 1 CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | XPC 4 Steel | 11 | SOLE: 15-5, (XPC 4 in lined oval), (loft), 1 DRIVER CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | XPC 4 Steel (LH) | 11 | SOLE: 15-5, (XPC 4 in lined oval), (loft), 1 DRIVER CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | XPC 4 Titanium | 11 | SOLE: 6-4 Titanium, 1 DRIVER (XPC 4 in lined oval), (loft) CROWN: 6-4 Titanium, 1 DRIVER (XPC 4 in lined oval), 11° view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|--|-------|--|
| Golfsmith International, Inc. | XPC 4 Titanium (LH) | 11 | SOLE: 6-4 Titanium, (XPC 4 in lined oval), 1 DRIVER, (loft) CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | XPC 4 Titanium Offset | 11 | SOLE: 6-4 Titanium, OFFSET, 1 DRIVER (XPC 4 in lined oval), (loft) CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | XPC Max 460 Offset | 10.5 | SOLE: (curved line), (curved line), (XPC in oval), (loft), MAX, .830COR OFFSET, TITANIUM TOE: 460CC CROWN: (XPC alignment mark) |
| Golfsmith International, Inc. | XPC Max+ 460cc | 10.5 | SOLE: (curved line), (curved line), (XPC in oval), (loft), MAX+, 460CC .830COR TITANIUM CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | XPC Sapphire 460 Offset (Version 1) | N/A | SOLE: (curved line), (curved line), (XPC in oval), TITANIUM, SAPPHIRE, .830COR OFFSET, 1 TOE: 460CC CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | XPC Sapphire 460 Offset (Version 2) | 14 | SOLE: (XPC in oval), (curved line), (SAPPHIRE, TITANIUM OFFST, 1 in shaped outline), (curved line) TOE: 460CC CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | XPC Sapphire Stainless Offset | N/A | SOLE: 15-5, 1 DRIVER XPC, SAPPHIRE, OFFSET CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | XPC Sapphire Stainless Offset (LH) | N/A | SOLE: 15-5, XPC 1 DRIVER, SAPPHIRE, OFFSET CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | XPC Sapphire Titanium Offset | N/A | SOLE: 1, DRIVER, (XPC, (line), SAPPHIRE, (line) in double oval), TITANIUM CROWN: (XPC alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------------|---|---------------|--|
| Golfsmith International, Inc. | XPC Seven 7075 Forged Aluminum | 11 | SOLE: 1 (loft), (XPC, (line), SEVEN, (line) in double oval), 7075 FORGED, AEROSPACE, ALLOY CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | XPC Seven Stainless (LH) (Version 1) | 9.5,10.5,11.5 | SOLE: 1, (loft), (XPC, (line), SEVEN, (line) in double oval), 15-5 STAINLESS CROWN: (XPC alignment mark) |
| Golfsmith International, | XPC Seven Stainless | 10.5 | SOLE: 1, (loft), (XPC, (line), SEVEN, (line) in |
| Inc. | (LH) (Version 2) | | double oval), (line), 15-5 STAINLESS, (line) CROWN: (XPC alignment mark) |
| Golfsmith International, | XPC Seven Stainless | 9.5,11.5 | view image here SOLE: 1, (loft), (XPC, (line), SEVEN, (line) in |
| Inc. | (Version 1) | 9.0,11.0 | double oval), 15-5 STAINLESS |
| | | | view image here |
| Golfsmith International, Inc. | XPC Seven Stainless (Version 2) | 10.5 | SOLE: 1, (loft), (XPC, (line), SEVEN, (line) in double oval), (line), 15-5 STAINLESS, (line) CROWN: (XPC alignment mark) |
| | | | <u>view image here</u> |
| Golfsmith International, Inc. | XPC Seven Titanium | 10.5 | SOLE: 1, (loft), (XPC, (line), SEVEN, (line) in double oval), TITANIUM CROWN: (XPC alignment mark) |
| | | | view image here |
| Golfsmith International, Inc. | XPC Spring-Face Offset | 10.5 | SOLE: CMF, 1 (loft), XPC, SPRING-FACE, OFFSET, 15-5 STAINLESS, STEEL CROWN: (XPC alignment mark) |
| | | | view image here |
| Golfsmith International, Inc. | XPC Titanium | 9.5,10.5 | SOLE: 1 (loft), XPC, TITANIUM, FORGED, 380cc CROWN: (XPC alignment mark) |
| | | | view image here |
| Golfsmith International, Inc. | XPC Titanium Offset | 10.5 | SOLE: 1 (loft), XPC, TITANIUM, OFFSET, FORGED, 380cc CROWN: (XPC alignment mark) |
| | | | <u>view image here</u> |
| Golfsmith International, Inc. | XPC Tour Steel | 9,10,11,12 | SOLE: CMF, 1, (loft), >100mph, XPC, TOUR STEEL, 450 ALLOY, STEEL CROWN: (XPC alignment mark) |
| | | | view image here |
| Golfsmith International, Inc. | XPC V9 | 10.5 | SOLE: XPC V9, (loft) CROWN: (V logo alignment mark) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|--------------------------------|-----------|---|
| Golfsmith International, Inc. | XPC-J Stainless Offset | N/A | SOLE: 1, (XPC J, (line), STEEL, (line) in double oval), 17-4 STAINLESS CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | XPC-J Stainless Offset (LH) | N/A | SOLE: 1, (XPC J, (line), STEEL, (line) in double oval), 17-4 STAINLESS CROWN: (XPC alignment mark) view image here |
| Golfsmith International, Inc. | Zevo Compressor | 9,10.5,12 | SOLE: (elongated triangle), (loft), COMPRESSOR, PRE-LOADED @ 12,500PSI, (round insert with five recessed ovals), Driven By Design, (winged graphic with zigzag through oval), zevo, (elongated triangle) TOE: zevo CROWN: (zigzag through oval alignment mark) view image here |
| Golfsmith International, Inc. | Zevo ZAS-1 460 Offset | 13 | SOLE: TITANIUM, 460, (Driven By Design, wings and oval graphic with ZAS-1 on shield), (loft), OFFSET TOE: (zig-zag in oval graphic), zevo CROWN: (zig-zag in oval graphic alignment mark) view image here |
| Golfsmith International, Inc. | Zevo ZW-0 Offset 420 | N/A | SOLE: TITANIUM, 420, (line), (Driven By Design, wings and oval graphic with ZW-0 on shield), 1 TOE: (zig-zag in oval graphic), zevo CROWN: (zevo alignment mark) view image here |
| Golfstore Group AB | TC CTX Performax | 10.5,12.5 | SOLE: (loft), CTX, HIGH MOI, 460CC, •, PERFORMAX BACK: TITANIUM TOE: (TS logo) CROWN: (alignment mark) view image here |
| Golfstore Group AB | TS CTS Square Technology | 10.5 | SOLE: CTX (in rectangle), SQUARE TECHNOLOGY, (loft in rectangle), (square), 460CC BACK: EXTREME MOI TOE: (TS logo) CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|--------------------------------------|-----------|--|
| Golfstore Group AB | TS CTX Performax (offset) | 15 | SOLE: (loft), LOFT, CTX, HIGH MOI, 460CC, OFFSET, •, PERFORMAX BACK: TITANIUM TOE: (TS logo) CROWN: (alignment mark) view image here |
| Golfstore Group AB | TS CTX Performax (offset) (LH) | 15 | SOLE: (loft), CTX, HIGH MOI, 460CC, OFFSET, •, PERFORMAX BACK: TITANIUM TOE: (TS logo) CROWN: (alignment mark) view image here |
| Golfstore Group AB | TS CTX Square Technology | 9.5,12,14 | SOLE: CTX (in rectangle), SQUARE TECHNOLOGY, (loft) (in rectangle), (square), 460CC BACK: EXTREME MOI TOE: (ts logo) CROWN: (alignment mark) |
| Golfstore Group AB | TS CTX Square Technology (LH) | 12 | SOLE: CTX (in rectangle), SQUARE TECHNOLOGY, (loft in rectangle), (square), 460CC BACK: EXTREME MOI TOE: (TS logo) CROWN: (alignment mark) view image here |
| Golfstore Group AB | TS CTX Square Technology (offset) | 14 | SOLE: CTX (in rectangle), SQUARE TECHNOLOGY, (loft in rectangle), (square), 460CC BACK: EXTREME MOI TOE: (TS logo) CROWN: (alignment mark) view image here |
| Golphin Ltd | GFK+ | 15 | SOLE: Golphin (with logo above I), (GFK+ on oval inset), (910 on inset) CROWN: (GFK+ alignment mark), 910 HEEL: (loft) view image here |
| Golphin Ltd | Golphin Advanced Titanium | 15 | SOLE: Golphin (with logo above I), (saltire on oval inset), (BRONZE MEDAL in shape on inset) TOE: ADVANCED CROWN: (chequered pattern with line), (tee alignment mark) HEEL: TITANIUM |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------|--------------------------|-------|---|
| Golphin Ltd | Golphinforkids | 16 | SOLE: (1 in shape), (3 arrows), golphin (with saltire logo in o) ®, for kids, (line), Designed in Scotland, (loft in shape) CROWN: GOLPHIN FOR KIDS view image here |
| Golphin Ltd | Golphinforkids (LH) | 16 | SOLE: (1 in shape), (3 arrows), golphin (with saltire logo in o) ®, for kids, (line), Designed in Scotland, (loft in shape) CROWN: GOLPHIN FOR KIDS view image here |
| Gosen Co Ltd | Dream Roots System | 10 | SOLE: 1, (line), Dream, (line), Roots, (line), System, (line), (loft), Designed by, Gosen America FACE:AerMet view image here |
| Gosen Co Ltd | Roots Innovative Sole | 9 | SOLE: Roots, 1, (loft), Innovative Sole, All Aermet Face, Designed by, Gosen America <u>view image here</u> |
| Gosen Co Ltd | VS Dream Roots System | 13 | SOLE: (line), VS, (line), Dream, (line), Roots, (line), System, (line), Designed by, Gosen America FACE:AerMet view image here |
| Gracieux Art Design Inc | VR501DR High | N/A | SOLE: VR501DR, VELVET RODENBERG, INDUSTRY5.1, (weight port), (VR in inset), STATE-OF-THE-ART, INDUSTRIAL TECHNOLOGY, (weight port), HAND MADE IN JAPAN, GRACIEUX ART DESIGN, HIGH view image here |
| Gracieux Art Design Inc | VR501DR Low | N/A | SOLE: VR501DR, VELVET RODENBERG, INDUSTRY5.1, (weight port), (VR in inset), STATE-OF-THE-ART, INDUSTRIAL TECHNOLOGY, (weight port), HAND MADE IN JAPAN, GRACIEUX ART DESIGN, LOW view image here |
| Gracieux Art Design Inc | VR501DR Mid | N/A | SOLE: VR501DR, VELVET RODENBERG, INDUSTRY5.1, (weight port), (VR in inset), STATE-OF-THE-ART, INDUSTRIAL TECHNOLOGY, (weight port), HAND MADE IN JAPAN, GRACIEUX ART DESIGN, MID view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------------------|-------|---|
| Grand Golf Company, LLC | Beat | 9.75 | SOLE: POWER THROB PLATES, (three segmented circles), beat (w/two dots and be over at), (loft) TOE: beat (w/ be over at) HEEL: beat, by GRAND TAG, Ver. Gold FULL TITAN Exceeds COR/CT, BOUNCEBACK (segmented oval w/ curved line) SEAMLESS TECHNOLOGY, U.S. Patent No. 6,162,133 FACE:beat |
| Grand Golf Company, LLC | Beat BP 460 | N/A | SOLE: (three curved lines), 460, BEAT, bp (three curved lines), (curved line), BIG PERCUSSION BACK: ((curved line), B, (curved line) on weight insert) TOE: bp CROWN: BEAT HEEL: GRAND®Golf, SEAMLESS (oval w/ curved line)™ TECHNOLOGY, U.S. Patent No. 6,162, 133 & 6,339,869 FACE:(oval w/ curved line) view image here |
| Grand Golf Company, LLC | Chairman's Choice Players 460 | N/A | SOLE: (lined metal insert), (star insert w/ G logo), (five stars), PLAYERS, 460, Chairman's, Choice, (lined metal insert) CROWN: (G alignment mark) FACE:(split oval media blast) view image here |
| Grand Golf Company, LLC | Grand Beat DP 460 | N/A | SOLE: ((circular insert), GRAND, BEAT ®, DYNAMIC PEAK, DP460 over G logo media blast) CROWN: (G alignment mark) FACE:(split oval media blast) view image here |
| Grand Golf Company, LLC | Grand Gold MS 460 | N/A | SOLE: (MASSIVE SURROUND, (curved line), MS, 460, (G logo), GRAND®, Gold over G logo media blast) BACK: (curved line), (raised circular feature w/ G logo) CROWN: (G alignment mark) FACE:(split oval media blast) view image here |
| Grand Golf Company, LLC | Grand Gold PMF | N/A | SOLE: PRECISION (oval w/intersecting line graphic) MILLED-FACE, (curved line), PMF, (G logo) GOLD, GRAND®, Golf BACK: (fixed weight w/ G logo surrounded by circle) CROWN: (G logo alignment mark) FACE:(oval w/ line graphic) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|------------------|-------|--|
| Grand Golf Company, LLC | Grand Gold ST | N/A | SOLE: SEAMLESS (oval w/line graphic) TECHNOLOGY, (curved line), ST, (G logo) GOLD, GRAND®, Golf BACK: (fixed weight w/ G logo surrounded by circle) CROWN: (G logo alignment mark) FACE:(oval w/ line graphic) view image here |
| Grand Golf Company, LLC | Grand Gold T | N/A | SOLE: (G logo), GRAND (T superscript), Golf BACK: (fixed weight w/ G logo) CROWN: (G logo alignment mark) view image here |
| Grand Golf Company, LLC | Grand Tag ET 460 | N/A | SOLE: (G media blast), EXTREME, TACTIC, ET460, TAG®, (screw) BACK: (triangle), (GRAND TAG on insert), (triangle) CROWN: (G alignment mark) FACE:(split oval media blast) view image here |
| Grand Golf Company, LLC | TAG L68 460 | N/A | SOLE: 460, L68, TAG®, FULL-FACE, (oval w/line graphic) SWEETSPOT, (line) BACK: (GRAND®, Golf on quadrilateral insert) CROWN: (TAG alignment mark) FACE:(oval w/line graphic) |
| Grand Prix Co Ltd | 30.2th GOT-5 | N/A | SOLE: GP PLATINUM, (Aeroplane logo), (raised Aeroplane logo in cavity), 30.2th, GOT-5, (raised Aeroplane logo in cavity) HOSEL: MADE IN JAPAN view image here |
| Grand Prix Co Ltd | CV10S | N/A | SOLE: (weight port), (weight port), (Lion Logo), EMILLID BAHAMA, CV10S, (weight port), (weight port), (weight port) FACE:EMILLID BAHAMA <u>view image here</u> |
| Grand Prix Co Ltd | CV11 Pro | N/A | SOLE: (weight port), (weight port), (weight port), (weight port), (EMILLID BAHAMA text on chevron shape), Carlvinson, (lion logo), CV11, PRO, (EMILLID BAHAMA text on chevron shape) HOSEL: (orientation indicators) FACE:FORGED, (lion logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--------------|-------|--|
| Grand Prix Co Ltd | CV15 | N/A | SOLE: (weight port), (weight port), Carlvinson, (lion logo), CV15, (weight port), (weight port), (weight port), (weight port), (weight port), (weight port) view image here |
| Grand Prix Co Ltd | CV8 | N/A | SOLE: EMILLID BAHAMA, Carlvinson, (lion logo), CV8 FACE:FORGED, (lion logo) view image here |
| Grand Prix Co Ltd | CV8L (LH) | N/A | SOLE: (six weight ports), EMILLID BAHAMA, Carlvinson, (lion logo), CV8L FACE:FORGED, (lion logo) view image here |
| Grand Prix Co Ltd | CV9 | N/A | SOLE: Carlvinson, CV9, (EMILLID BAHAMA text on chevron shape),(weight port), Limited Edition, (lion logo), (weight port), (weight port), (weight port), (EMILLID BAHAMA text on chevron shape), (weight port) HOSEL: (orientation indicators) FACE:FORGED, (lion logo) |
| | | | view image here |
| Grand Prix Co Ltd | CV9L (LH) | N/A | SOLE: (weight port), (weight port), (weight port), (lion logo),(weight port), (weight port), (EMILLID BAHAMA text on chevron shape), Limited Edition, (EMILLID BAHAMA text on chevron shape) CV9, Carlvinson HOSEL: (orientation indicators) FACE:FORGED, (lion logo) |
| Grand Prix Co Ltd | EB-01 | N/A | SOLE: EMILLID BAHAMA, EB-01, (lion head logo) BACK: (EMILLID BAHAMA, (lion head logo) on hexagonal inset) FACE:FORGED, (lion head media blast logo) view image here |
| Grand Prix Co Ltd | EB-02 | N/A | SOLE: (lion head logo in decorative marking), EB-02 FACE:FORGED view image here |
| Grand Prix Co Ltd | EB-03 | N/A | SOLE: EMILLID BAHAMA, (lion head logo), EB-03 HEEL: MADE IN JAPAN FACE:FORGED, (lion head media blast logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--------------------------|-------|--|
| Grand Prix Co Ltd | EB-04 (LH) | N/A | SOLE: EMILLID BAHAMA, (lion head logo), EB-04 BACK: (weight port), (weight port), (weight port), (weight port) FACE:((FORGED), (lion head logo) in media blast) view image here |
| Grand Prix Co Ltd | EB-04 (Version 2) | N/A | SOLE: EMILLID BAHAMA, (lion head logo), EB-04 BACK: (weight port), (weight port), (weight port), (weight port) FACE:(FORGED in media blast) view image here |
| Grand Prix Co Ltd | EB-05 | N/A | SOLE: (lion head logo in decorative dot marking), EB-05, (weight port), (weight port) FACE:FORGED view image here |
| Grand Prix Co Ltd | EB-33 | N/A | SOLE: (weight port), (weight port), EB-33, (lion logo), EMILLID, BAHAMA, (5 x weight ports), (weight port) FACE:FORGED, (lion logo) view image here |
| Grand Prix Co Ltd | EB-901 | N/A | SOLE: (media blast logo), (lion head logo), EMILLID, BAHAMA, EB-901 FACE:FORGED, (lion head media blast logo) view image here |
| Grand Prix Co Ltd | Emillid Bahama Forged | N/A | SOLE: EMILLID BAHAMA, (lion head logo) FACE:FORGED, (lion head media blast logo) view image here |
| Grand Prix Co Ltd | Eternity Line | N/A | SOLE: ETERNITYLINE, EMILLID BAHAMA, (lion head logo) FACE:FORGED, (lion head media blast logo) view image here |
| Grand Prix Co Ltd | FX-16 | N/A | SOLE: GRAND PRIX, (plane logo), UTILITY DRIVER, TITANIUM, GPMAX, TARGET, DIMPLE ACTION, FX-16 view image here |
| Grand Prix Co Ltd | GOT-3 | N/A | SOLE: GP PLATINUM, (plane logo), 30.1th, GOT-3, (raised plane logo), (raised plane logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------------|-------|--|
| Grand Prix Co Ltd | GP Max 450 Pro | N/A | SOLE: (plane logo), TARGET, THEROOPTHEROOPTHEROOP (in outer circle), ic (in inner circle), GP MAX 450 PRO TOE: GRAND PRIX view image here |
| Grand Prix Co Ltd | GP Platinum | N/A | SOLE: GP PLATINUM, (plane logo), GP PLATINUM, JAPAN, (curved line), GPMAXGRANDPRIX FACE:FORGED view image here |
| Grand Prix Co Ltd | GP Platinum (Ladies) | N/A | SOLE: (butterfly logo), GP, PLATINUM, GRAND, PRIX, (decorative pattern with roses) CROWN: (decorative pattern with butterflies) FACE:FORGED view image here |
| Grand Prix Co Ltd | GP Platinum (Version 2) | N/A | SOLE: (raised plane logo), GP PLATINUM, (plane logo), (raised plane logo) BACK: 30.1th CROWN: (plane media blast logo) |
| Grand Prix Co Ltd | GP Platinum GI | N/A | SOLE: (multiple raised plane logos), (plane logo), GP PLATINUM, (star logo on plane shaped inset) on plane shape), GP MAX GRAND PRIX, GI, (multiple raised plane logos) <u>view image here</u> |
| Grand Prix Co Ltd | GP Platinum GII | N/A | SOLE: (five raised plane logos), GP MAX GRAND PRIX, GII, (plane logo), GP PLATINUM, (five raised plane logos), (((star logo) on plane shaped inset) in plane shaped cavity) view image here |
| Grand Prix Co Ltd | GP-007 | N/A | SOLE: GP PLATINUM, (Aeroplane logo), (decorative gem in triangular inset), GP-007 HOSEL: MADE IN JAPAN view image here |
| Grand Prix Co Ltd | GP415 Pro | 8.5 | SOLE: (plane logo), TARGET, THEROOPTHEROOPTHEROOP (in outer circle), ic (in inner circle), GP415, PRO (loft) BACK: GRAND PRIX TECHNOLOGY TOE: GRAND PRIX |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------|-------|---|
| Grand Prix Co Ltd | GP430 US. Spec | 9 | SOLE: (plane logo), TARGET, THEROOPTHEROOPTHEROOP (in outer circle), ic (in inner circle), GP430, US. SPEC (loft) BACK: GRAND PRIX TECHNOLOGY TOE: GRAND PRIX CROWN: (alignment mark) |
| Grand Prix Co Ltd | GP455 US. Spec | 9 | SOLE: (plane logo), TARGET, THEROOPTHEROOPTHEROOP (in outer circle), ic (in inner circle), GP455, US. SPEC (loft) BACK: GRAND PRIX TECHNOLOGY TOE: GRAND PRIX CROWN: (alignment mark) |
| Grand Prix Co Ltd | GP460 Pro | N/A | SOLE: (plane logo), TARGET, ic (in inner circle), THEROOPTHEROOPTHEROOP (in outer circle), GP460, PRO (loft), GRAND PRIX TECHNOLOGY TOE: GRAND PRIX |
| Grand Prix Co Ltd | GP460-II | N/A | SOLE: (plane logo), TARGET, GP460-II, -PRO DX- <u>view image here</u> |
| Grand Prix Co Ltd | GP465 US. Spec | 9 | SOLE: (plane logo), TARGET, THEROOPTHEROOPTHEROOP (in outer circle), ic (in inner circle), GP465, US. SPEC (loft) BACK: GRAND PRIX TECHNOLOGY TOE: GRAND PRIX CROWN: (alignment mark) |
| Grand Prix Co Ltd | GPJ-01 | N/A | SOLE: GP PLATINUM, (plane logo on plane logo), GPJ-01 BACK: (weight port), (6 x weight ports), (weight port) FACE:FORGED view image here |
| Grand Prix Co Ltd | GPMax F7-450 | N/A | SOLE: (plane logo), GRAND PRIX, GPMAX, F7-450, DIMPLE ACTION TOE: (GP logo) CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------|-------|--|
| Grand Prix Co Ltd | GPMax F7-460 | N/A | SOLE: DIMPLE ACTION, (plane logo), GRAND PRIX, GPMAX, F7-460 CROWN: (alignment mark) view image here |
| Grand Prix Co Ltd | GP-X1 | N/A | SOLE: GP PLATINUM, (plane logo), GP-X1 FACE:FORGED view image here |
| Grand Prix Co Ltd | GP-X2 | N/A | SOLE: GP PLATINUM, (plane logo), GP-X2 FACE:FORGED view image here |
| Grand Prix Co Ltd | GP-X3 | N/A | SOLE: GP PLATINUM, (plane logo), GP-X3 BACK: GPMAX GRAND PRIX CROWN: (plane logo) view image here |
| Grand Prix Co Ltd | GP-X3PRO (LH) | N/A | SOLE: GP PLATINUM, (plane logo), GP-X3PRO BACK: (line), GPMAX GRAND PRIX view image here |
| Grand Prix Co Ltd | GP-XX | N/A | SOLE: GP PLATINUM, (plane logo), GP-XX, (decorative gems in shield logo on inset) FACE:FORGED view image here |
| Grand Prix Co Ltd | GX405 US. Spec | 9 | SOLE: GX405, US. SPEC (loft), (bird logo), ELORD, PLATINUM, 1, Designed by Tanaka Koji, DIMPLE ACTION TECHNOLOGY view image here |
| Grand Prix Co Ltd | GX430 US. Spec | N/A | SOLE: DIMPLE ACTION, GX430, US. SPEC, (bird logo), ELORD, PLATINUM, 1, Designed by Tanaka Koji view image here |
| Grand Prix Co Ltd | GX460 Pro.Spec | N/A | SOLE: GX460, PRO.SPEC, (logo), ELORD, PLATINUM, 1, DIMPLE ACTION, GX TECHNOLOGY TOE: GX SERIES, (LOGO), ELORD PLATINUM (in circles) view image here |
| Grand Prix Co Ltd | Max Grand Prix | N/A | SOLE: (plane logo), MAX GRAND PRIX, PREMIUM, SPECIAL, ((GP PREMIUM, MAX GRAND PRIX in logo) on inset) FACE:FORGED view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------|-------|---|
| Grand Prix Co Ltd | Max Premium | N/A | SOLE: (plane logo), MAX GRAND PRIX, PREMIUM BACK: (GRAND PRIX, (plane logo), on triangular inset) TOE: GRAND PRIX |
| Grand Prix Co Ltd | Maxing F-01 | N/A | SOLE: MAXING, F-01, (GP logo), GPMAX, F SPECIAL BACK: DIMPLE ACTION TOE: GRAND PRIX, (logo) view image here |
| Grand Prix Co Ltd | Maxing F-02 | N/A | SOLE: MAXING, F-02, (GP logo), GPMAX, F SPECIAL, (GP logo), DIMPLE ACTION TOE: GRAND PRIX, (plane logo) view image here |
| Grand Prix Co Ltd | Maxing F-03 | N/A | SOLE: MAXING, F-03, (GP logo), GPMAX, F SPECIAL, DIMPLE ACTION TOE: GRAND PRIX, (plane logo) view image here |
| Grand Prix Co Ltd | MD- Special | N/A | SOLE: F, (racing car logo), MAX DIRECT, MD-SPECIAL HOSEL: MADE IN JAPAN view image here |
| Grand Prix Co Ltd | MGP-0010 Tour | N/A | SOLE: (GRAND PRIX, MAX GRAND PRIX in logo), MGP-0010, TOUR, DIMPLEACTION TECHNOLOGY BACK: (plane logo) FACE:(FORGED media blast) |
| Grand Prix Co Ltd | MGP-0020 Tour | N/A | SOLE: (GRAND PRIX, MAX GRAND PRIX in logo), MGP-0020, DIMPLEACTION TECHNOLOGY, TOUR BACK: GRAND PRIX TOE: GRAND PRIX, (plane logo) FACE:(media blast FORGED) |
| Grand Prix Co Ltd | MGP-0030 Tour | N/A | SOLE: MGP-0030, TOUR, GRAND PRIX, (GP MAX, MAX GRAND PRIX in logo) BACK: DIMPLEACTION TECHNOLOGY TOE: GRAND PRIX, (plane logo) FACE:(FORGED media blast) view image here |
| Grand Prix Co Ltd | MGP-Pro | N/A | SOLE: MAX GRAND PRIX, (arrow logo) MGP-PRO MAX, SPECIAL view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------|-------|---|
| Grand Prix Co Ltd | One Minute | N/A | SOLE: GPMAXGRANDPRIX, ONE MINUTE TOE: GP PLATINUM, (Aeroplane logo) HOSEL: MADE IN JAPAN FACE:FORGED view image here |
| Grand Prix Co Ltd | One Minute 435 | N/A | SOLE: GP MAX GRAND PRIX, ONE MINUTE 435 BACK: (weight port) (weight port) HOSEL: MADE IN JAPAN FACE:TOUR, FORGED view image here |
| Grand Prix Co Ltd | One Minute 435V | N/A | SOLE: GP MAX GRAND PRIX, ONE MINUTE 435V BACK: (weight port) (weight port) HOSEL: MADE IN JAPAN FACE:TOUR, FORGED view image here |
| Grand Prix Co Ltd | One Minute D63 Tour | N/A | SOLE: GPMAXGRANDPRIX, (D63 over D63 media blast), ONE MINUTE HOSEL: MADE IN JAPAN FACE:TOUR, FORGED view image here |
| Grand Prix Co Ltd | One Minute DS | N/A | SOLE: (plane logo), GRAND PRIX, ONE MINUTE, DS, DS BACK: (weight port), (weight port) HEEL: (4 x weight ports) FACE:TOUR, FORGED view image here |
| Grand Prix Co Ltd | One Minute G57 | N/A | SOLE: GP MAX GRANDPRIX, ONE MINUTE, (G57 over G57 media blast), FACE:FORGED view image here |
| Grand Prix Co Ltd | One Minute G8 | N/A | SOLE: (seven weight ports), GPMAXGRANDPRIX, ONE MINUTE, G8 TOE: (plane logo) view image here |
| Grand Prix Co Ltd | One Minute M52 | N/A | SOLE: GP MAX GRANDPRIX, ONE MINUTE, (M52 over M52 media blast), FACE:FORGED view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------|-------|--|
| Grand Prix Co Ltd | One Minute Max | N/A | SOLE: GP MAX GRAND PRIX, ONE MINUTE MAX BACK: (weight port), (5 x small screws), (weight port) TOE: GP PLATINUM (plane logo) FACE:TOUR, FORGED view image here |
| Grand Prix Co Ltd | One Minute S7 | N/A | SOLE: GP MAX GRANDPRIX, ONE MINUTE, (S7 over S7 media blast) TOE: (plane logo) HEEL: MADE IN JAPAN FACE:FORGED view image here |
| Grand Prix Co Ltd | Premium Class | N/A | SOLE: (GRAND PRIX, MAX GRAND PRIX in logo), PREMIUM, CLASS FACE:(FORGED media blast) view image here |
| Grand Prix Co Ltd | Premium Pro | N/A | SOLE: (plane logo), MAX GRAND PRIX, PREMIUM, PRO BACK: (GRAND PRIX, (plane logo) in triangle) view image here |
| Grand Prix Co Ltd | Pro Max | N/A | SOLE: (5 dots), -MAXING-, (logo), - pro max, (logo), GRAND PRIX, (5 dots) view image here |
| Grand Prix Co Ltd | Pro Spec 445 | N/A | SOLE: GRAND PRIX, (airplane logo), PRO, SPEC, 445 TOE: GRAND PRIX view image here |
| Grand Prix Co Ltd | RF01 | N/A | SOLE: COUNTER BALANCE, JOHSHO, (weight port), H1, H2, H3, H4, R1, R2, R3, RF,01 FACE:FORGED view image here |
| Grand Prix Co Ltd | Royal Vacance | N/A | SOLE: (W(alpha)oww), (W in inset), ((w), (alpha), (o), (w), (w) in dispersed line pattern), Royal Vacance BACK: (weight port), (weight port) CROWN: ((W(alpha)oww) over star media blast) FACE:((W(alpha)oww) over star target media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|------------------------------|----------|---|
| Grand Prix Co Ltd | ST-01 Tour | N/A | SOLE: Samantha Thavasa, (ST in Teddy Bear logo), ST-01 TOUR, (partial text of Samantha Thavasa with bows and hearts on triangle inset outlined with pink gems) CROWN: (ST in Teddy Bear alignment logo) HOSEL: MADE IN JAPAN FACE:(ST in Teddy Bear media blast logo) |
| Grand Prix Co Ltd | Target | 9 | SOLE: TARGET BACK: Forged Titanium GP-400 (loft), 1 TOE: (plane logo) CROWN: (alignment mark) view image here |
| Grand Prix Co Ltd | Target GPMAX | N/A | SOLE: GPMAX, (plane logo), TARGET view image here |
| Grand Prix Co Ltd | TK Max Draw | N/A | SOLE: (plane logo), PREMIUM, TK MAX, DRAW BACK: (plane logo) view image here |
| Grand Prix Co Ltd | Waoww | N/A | SOLE: (weight port), (weight port), (W in diamond shape), ((W(alpha)oww) over star media blast), (weight port), (weight port) FACE:FORGED |
| Gravity Co Ltd | WAC LS-02 | 10 | view image here SOLE: WACCINE, COMPO, (W logo), WAC LS-02 BACK: (weight port) HOSEL: (orientation indicators) FACE:WAC TITAN view image here |
| Gravity Co Ltd | Waccine | 9.5,10.5 | SOLE: Dual Aero Wing Technology, (logo on inset), WACCINE, compo., (weight port), (loft) TOE: W view image here |
| Gravity Co Ltd | Waccine Compo | N/A | SOLE: G(RAVITY (with logo in Y) underlined), WACCINE, compo., (logo on inset) view image here |
| Gravity Co Ltd | Waccine Compo (Version 2) | 9.5,10.5 | SOLE: G(RAVITY (with logo in Y) underlined), WACCINE, compo., (logo on inset), (loft) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|------------------------------|------------------|--|
| Gravity Co Ltd | Waccine Compo (Version 3) | N/A | SOLE: Dual Aero Wing, Technology, WACCINE, compo. TOE: W |
| | | | view image here |
| Gravity Co Ltd | Waccine Compo WAC LS-01 | 10 | SOLE: WACCINE, COMPO, (W logo), WAC LS-01 BACK: (weight port) HOSEL: (orientation indicators) FACE:WAC TITAN |
| | + - | 40.5 | view image here |
| Gravity Co Ltd | WacWac-7 | 10.5 | SOLE: WACCINE COMPO, WACWAC-7 BACK: (weight port) TOE: W HOSEL: (orientation indicators) view image here |
| Gravity Co Ltd | WacWac-8 | 9.5,10.5,HT,HT | SOLE: (logo), WACCINE, COMPO, (weight |
| Gravity Co Ltd | vvacvvac-o | 3.3,10.3,111,111 | port), WACWAC8 CROWN: (logo) HOSEL: (orientation indicators) HEEL: (loft) FACE:WACTITAN |
| | | | view image here |
| Greaton Co Ltd | DMX II | N/A | SOLE: ZIPP, ADVANCED TECH, DMX II HEEL: Conforms to, R&A/USGA, SLE rules |
| | | | view image here |
| Greaton Co Ltd | Zipp 801D | N/A | SOLE: POWER TRANS DESIGN, (ZIPP, ADVANCED TECH over Z media blast logo) 801D HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Greaton Co Ltd | Zipp DMX | N/A | SOLE: DMX, SUPREME PERFORMANCE, ZIPP!, POWER OF DRIVE BACK: DMX HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Greaton Co Ltd | Zipp ZW-430 | N/A | SOLE: ZW-430, TOURNAMENT SPECS, |
| | | | SUPER TITANIUM, 1, ZIPP! view image here |
| Greaton Co Ltd | Zipp ZW460 | N/A | SOLE: ZW460, ZIPP!, POWER OF DRIVE HEEL: Conforms to, R&A/USGA, SLE rules |
| | | N/A | view image here |
| Greaton Co Ltd | Zipp ZW462 | N/A | SOLE: ZW462, ZIPP!, POWER OF DRIVE HEEL: Conforms to, R&A/USGA, SLE rules |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|-----------------------------------|------------|---|
| Greaton Co Ltd | Zipp ZW464 | N/A | SOLE: ZW464, ZIPP!, POWER, OF, DRIVE HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Green Grass Golf Corp. | Dual Wall Sneaky Long | 10 | SOLE: Dual Wall® Sneaky Long®, PAT. Re. 35,955, (eagle with golf clubs in talons graphic)®, Green Grass ®, 1, (loft) CROWN: (Dualwall alignment mark) FACE:ß Ti |
| Green Salon I | GSI | 10 | SOLE: GSI, Best Matching, Green Salon I, 1 |
| | | | view image here |
| Green Salon I | GSI 450 | 10 | SOLE: GSI 450, Green Salon I, 1, M.I 001, Best Matching |
| | | | view image here |
| Green Salon I | GSI 460 | 11 | SOLE: GSI 460, Best Matching, Green Salon I, 1 |
| | | | view image here |
| Green Salon I | GSI 460 LS | 10.8 | SOLE: GSI 460, Best Matching, Green Salon I, 1 M.I 001 view image here |
| Greenclub | Strategy HX Carbon (Version 1) | 12 | SOLE: STRATEGY 1, Carbon, (loft), HX, GREENCLUB. CROWN: (alignment mark) view image here |
| Greenclub | Strategy HX Carbon (Version 2) | 13.5,15,17 | SOLE: STRATEGY 1, Carbon, (loft), HX, GREENCLUB. CROWN: (alignment mark) view image here |
| Grindworks Company Limited | A . Japa | N/A | SOLE: (A (dot) japa, matrix over media blast logo) HOSEL: (orientation indicators) FACE:(media blast logo) view image here |
| Grindworks Company Limited | A . Japa (version 2) | 12 | SOLE: (A (dot) japa, matrix over media blast logo) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:(media blast logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|---------------------------------------|---------------|--|
| Grindworks Company Limited | Equinox | 10 | SOLE: (logo), grindworks, (weight port), PURE FACE TECHNOLOGY, EQUINOX, grindworks, ((loft) degree) (weight port) BACK: (weight channel) HOSEL: (dot), (orientation indicators) HEEL: X450 view image here |
| Grindworks Company Limited | grindworks Equinox | 9.5,10.5 | SOLE: (logo), grindworks, (weight port), (weight port), PURE FACE TECHNOLOGY, (weight port), EQUINOX, (loft), (weight port) (weight port) HEEL: X420 FACE:grindworks equinox view image here |
| Grindworks Company Limited | Grindworks GW-400 | 8.5,9.5,10.5 | SOLE: Pro Preference, (weight port), (logo), (weight port), grindworks, GW-400, (weight port), (loft) view image here |
| Grindworks Company Limited | Grindworks Majin | 9.5,10.5,11.5 | SOLE: WIDE MODE, (line), ((weight channel), with moveable weight), GRAVITY FLOW INTEGRATION, grindworks, majin, ((weight channel), with moveable weight), (line), BALLISTIC MODE, (loft) FACE:(dragon face logo) |
| Grindworks Company Limited | grindworks Pro-GW-400 | 10 | SOLE: (weight port), (weight port), (grindworks (over logo)), PRO-GW-400, (weight port), (loft) view image here |
| Grindworks Company Limited | grindworks Variant One (Version 2) | 9.5,10.5,11.5 | SOLE: (weight port), (logo on inset), (grindworks (over media blast logo)), (weight port) HEEL: VARIANT ONE, (loft) view image here |
| Grindworks Company Limited | grindworks Variant One ADP | N/A | SOLE: (weight port), (weight port), (grindworks (over logo)) HOSEL: (orientation indicators) HEEL: VARIANT ONE ADP, (loft) view image here |
| GTD Golf | 460 Alpha | 10.5 | SOLE: ((Team in Hexagon G logo) in hexagon shape), (weight port), (weight port), GTD Black Ice 460 by George Takei(alpha) TOE: (Team in Hexagon G logo) HOSEL: GTD, (dot), (orientation indicators) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|----------------------------------|-------|--|
| GTD Golf | Black Ice The Max | N/A | SOLE: (weight port), GTD, Black Ice The Max, By George Takei, ((Team in Hexagon G logo) in hexagon shape), (weight port) TOE: (Team in Hexagon G logo) HOSEL: GTD, (dot), (orientation indicators) |
| | | N/A | view image here |
| GTD Golf | GTD Black Ice 460 | N/A | SOLE: (weight port), GTD Black Ice 460 by George Takei, ((Team in Hexagon G logo) in hexagon shape), (weight port) TOE: (Team in Hexagon G logo) HOSEL: GTD, (dot), (orientation indicators) |
| | | | <u>view image here</u> |
| GTD Golf | GTD Black Ice 460 (Version 2) | 10.5 | SOLE: ((Team in Hexagon G logo) in hexagon shape), (weight port)(weight port), GTD Black Ice 460 by George Takei, TOE: (Team in Hexagon G logo) HOSEL: GTD, (dot), (orientation indicators) |
| | | | <u>view image here</u> |
| GTD Golf | MD 280 | N/A | SOLE: (weight port), M.D. 280 by George Takei, (weight port) TOE: (Team in Hexagon G logo) HOSEL: GTD, (dot), (orientation indicators) |
| | | | view image here |
| GTS Golf USA Corp. | EasyGear Utility Driver | 17 | SOLE: 1, easyGEAR, UTILITY DRIVER, (loft) LOFT, GTS GOLF view image here |
| GV Golf Korea Co Ltd | A-Three | 10 | SOLE: 1 (loft), (GV Tour logo), a2 360cc, A |
| GV Goll Rolea Co Llu | A-Tillee | | Three, TITANIUM FACE:ß-Ti |
| | | | view image here |
| GV Golf Korea Co Ltd | DAT | 10 | SOLE: SEAL-1020, DAT, ROYAL BRIDGE, 400CC/(loft)/57/H1.0, TITANIUM B MIX, (GV Tour logo), 1 (loft), TITANIUM, (11 circles) BACK: gv tour |
| | | | view image here |
| GV Golf Korea Co Ltd | Great Victory | 10 | SOLE: Great Victory, (GV in hexagon), AMAZING DISTANCE, (GV Tour logo), 1 (loft) (in oval), HI-TITANIUM |
| | | | view image here |
| GV Golf Korea Co Ltd | Lion | 10 | SOLE: POWER OF INNOVATION (loft), LION (underlined), TITANIUM no.1, (GV Tour logo), GREAT VICTORY |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|------------------------------|----------|--|
| GV Golf Korea Co Ltd | R-300 | 10 | SOLE: (logo)R-300, (3 dots in circle), 1 (loft), (GV Tour logo), THE WORLD OF SPORTS, 380CC / (loft) / 58 / H1.0, FORGED TITANIUM, (logo)R-300, (3 dots in circle), (3 dots in circle) |
| | D | 10.5 | view image here |
| Gyro Sports Inc | Peerage | 10.5 | SOLE: Sole: 1, -(loft)-, Peerage, CTV-L |
| | | | view image here |
| Gyro Sports Inc | Peerage Drive Joy II | 10.5 | SOLE: DRIVE JOY II, Peerage, — (loft) — |
| | | | view image here |
| Gyro Sports Inc | Peerage Elite | 10.5 | SOLE: Elite Model, - (loft) -, Peerage |
| | | | view image here |
| Gyro Sports Inc | Peerage Golfian Bilbo | 10,11.5 | SOLE: Golfian Bilbo, - (loft) -, Peerage |
| | | | view image here |
| Gyro Sports Inc | Peerage LCT | N/A | SOLE: 1 Peerage, Proto Type, LCT |
| | Prototype | | view image here |
| Gyro Sports Inc | Peerage Savior | 10.5 | SOLE: Savior, -(loft)-, Peerage |
| | | | view image here |
| Haimeru Japan Co Ltd | Himel Manta | N/A | SOLE: (logo) HIMEL manta |
| | | | view image here |
| Haimeru Japan Co Ltd | Himel Roxy | N/A | SOLE: (logo) HIMEL roxy |
| | | | view image here |
| Hal Sports Production Co. Ltd. | Hal Method Factor X | 8.5,10.5 | SOLE: HALMETHOD, FACTORX, (logo), (loft) BACK: (weight port) view image here |
| Hal Sports Production Co. Ltd. | Pharaoh | 10,11.5 | SOLE: S-Ohashi, Pharaoh, (curved line), (loft), I, (logo on shield) HEEL: Design Tuning (underlined) FACE:(H, S in shield logo), HALMETHOD view image here |
| Hal Sports Production Co. Ltd. | Pharaoh Alpha (Version 2) | N/A | SOLE: 1, (logo on inset), Pharaoh, (alpha logo), alpha, pharaoh TOE: (H, S in shield logo), HALSPORTS FACE:(media blast logo) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|----------------|---------------|--|
| Hal Sports Production Co. Ltd. | Pharaoh JP | 10,11.5 | SOLE: Pharaoh, (logo on inset), Plan by K. Tsukagawa, Art by H.Kubota TOE: (HS in shield), HAL SPORTS HEEL: (loft) FACE:(hexagon pattern) |
| Hal Sports Production Co. Ltd. | SF-X | 10,12.5 | SOLE: (loft), (H,S in shield logo), SF-X, HALMETHOD, 1, F.A.S.T FACE:(H,S in shield media blast logo) view image here |
| Hal Sports Production Co. Ltd. | Smash Factor | 10.5 | SOLE: (loft), HALMETHOD, (smash factor over H media blast logo), 1 HEEL: CONFORMING, TO R&A/USGA, SLE RULE, Shinichiro view image here |
| Hamaguchi Golf | Shivill 455 | N/A | SOLE: 1, SHIVIL, TRADITIONAL, MODEL, 455 CROWN: (alignment mark) view image here |
| Hamaguchi Golf | Shivill 460 | N/A | SOLE: 1, SHIVIL, TRADITIONAL, MODEL, 460 CROWN: (alignment mark) view image here |
| Hana Co Ltd | SEDE | 10.5 | SOLE: SEDE, Brama, (loft), 460 CROWN: (arrow alignment mark) view image here |
| Hana Co Ltd | Solium | 9.5,10.5 | SOLE: •, 1 (loft), Solium, FORGED TITANIUM, Brama, 440, (logo), Solium, BY Brama, DESIGN BY BRAMAGOLF SOLUMDRIVER (in circle) CROWN: (alignment mark) view image here |
| Hana Co Ltd | Solium 460 | 9.5,10.5,11.5 | SOLE: Solium, 460, (loft), (circle) Brama (circle), GOLF (in shape) view image here |
| Hana Co Ltd | Vellup Pro 460 | 8.5,9.5,10.5 | SOLE: (curved line), (Brama, Vellup over hibiscus graphic media blast), Pro 460, (loft) CROWN: (arrow alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---------------------------|--------------------|---|
| Hana Co Ltd | Vellup V13 Pro | 8,9,10 | SOLE: (graph graphic), (hybiscus graphic media blast), Vellup, Pro V13, 460, (loft), (graph graphic) BACK: Brama CROWN: (arrow alignment mark, (curved line), (five polygons) (line), (curved line), over checkered media blast) view image here |
| Hangtime Golf | 460 HT | 8,9,10 | SOLE: HANGTIME, 460HT, HOTSLOT™ TECHNOLOGY, (3 dots) (curved line), (loft), HT-TIFACE/Beta TIHEAD, HANGTIME GOLF, INC CROWN: (dot alignment mark) view image here |
| Hangtime Golf | 460 HT High Launch | N/A | SOLE: HANGTIME, 460HT, HOTSLOT™ TECHNOLOGY, (3 dots) (curved line), HIGH LAUNCH, HT-TIFACE/Beta TIHEAD, HANGTIME GOLF, INC CROWN: (dot alignment mark) view image here |
| Haraken Co Ltd | Docus | 10.5 | SOLE: (loft), DOCUS, DCD701, (H on weight port), Haraken TOE: Haraken view image here |
| Haraken Co Ltd | Docus DCD701 | 9.5 | SOLE: Haraken, (loft), DOCUS, DCD701, (H on circular inset) TOE: Haraken view image here |
| Haraken Co Ltd | Docus DCD701G (Silver) | 9.5,10.5 | SOLE: DOCUS, (H, K, one in logo), (Haraken in banner), (H on circular inset), (loft) TOE: DCD701G, (H in circle) view image here |
| Haraken Co Ltd | Docus DCD702 | 10.5 | SOLE: Haraken, DCD702, DOCUS, (loft), (H on circular inset) TOE: Haraken view image here |
| Haraken Co Ltd | Docus DCD702F | 9.5,10.5 | SOLE: Haraken, (loft), DOCUS, DCD702F, (H on weight port) TOE: Haraken view image here |
| Haraken Co Ltd | Docus DCD703 | 9.5,10.5,11.5,12.5 | SOLE: Haraken, DCD703, DOCUS, (loft), (H on weight port) TOE: Haraken |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--------------------------------|---------------|--|
| Haraken Co Ltd | Docus DCD703J | 13 | SOLE: Haraken, DCD703J, DOCUS, (H on inset) TOE: Haraken CROWN: (DOCUS alignment mark) HEEL: CONFORMING TO, R&A RULES view image here |
| Haraken Co Ltd | Docus DCD711 | 9.5,10.5,11.5 | SOLE: Haraken, (loft) DOCUS, (H on weight port), DCD711 TOE: Haraken view image here |
| Haraken Co Ltd | Docus DCD711 (LH) | 9.5,10.5,11.5 | SOLE: Haraken, (loft) DOCUS, (H on weight port), DCD711 TOE: Haraken view image here |
| Haraken Co Ltd | Docus DCD711 Winged-D | 9,10,11 | SOLE: Haraken, (loft) DOCUS, (H on weight port), DCD711 TOE: Haraken CROWN: (DOCUS (alignment mark)), WINGED-D (curved line) HEEL: CONFORMING TO, R&A RULES view image here |
| Haraken Co Ltd | Docus Reloaded | N/A | SOLE: (weight port), DOCUS, DESIGN, RELOADED, (H on inset), (weight port) CROWN: (DOCUS (alignment mark)) view image here |
| Haraken Co Ltd | Docus Reloaded+ | 10 | SOLE: (H on inset), POWER WEIGHT, DOCUS, DESIGN, RELOADED+, POWER WEIGHT, DRAW WEIGHT HOSEL: (dot), (orientation indicators) view image here |
| Haraken Co Ltd | RELOADED 701 Limited | N/A | SOLE: DRAW WEIGHT, (weight port), DOCUS, DESiGN, RELOADED, (H on inset), Limited, (weight port), SLICE WEIGHT CROWN: Seven Zero One HOSEL: (line), DOCUS view image here |
| Haraken Co Ltd | RELOADED 701 Limited (Lady) | N/A | SOLE: SLICE WEIGHT, (weight port), DOCUS, DESiGN, RELOADED, (H on inset), Limited, (weight port), DRAW WEIGHT CROWN: Seven Zero One HOSEL: (line), DOCUS |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|------------------------------|----------|---|
| Haraken Co Ltd | RELOADED INFINITY DRIVER | 10 | SOLE: DOCUS, (weight port), RELOADED, (infinity logo) CROWN: RELOADED (infinity logo) HOSEL: (orientation indicators) FACE:(H logo), 3 D METHOD view image here |
| Haraken Co Ltd | Reloaded+ Neo | 10.5 | SOLE: (H on inset), POWER WEIGHT, (weight port), DOCUS, DESIGN, RELOADED+ NEO, POWER WEIGHT, (weight port), DRAW WEIGHT, (weight port), S/C POCKET HOSEL: (dot), (orientation indicators) HEEL: CONFORMING TO, R&A RULES FACE:W-Face view image here |
| Haraken Co Ltd | Revolution | 9.5,10.5 | SOLE: (weight port), S/C POCKET, REVOLUTION, DOCUS, DESIGN, TUNGSTEN RUBBER, (weight port), (weight port) BACK: POWER WEIGHT TOE: Haraken, FADE WEIGHT HOSEL: (line), DOCUS HEEL: DRAW WEIGHT, (loft), R&A Rule, Conforming |
| Harima Golf Co Ltd | Founders Club Deltoid Red | 10.5 | SOLE: Founders, Club (logo), DELTOID RED, TITANIUM 460, 1 (loft), (dots) view image here |
| Harima Golf Co Ltd | Founders Club FC-001 | 10 | SOLE: Founders, Club (logo), FC-001, (logo), 460, Stabilizer for Jet Stream, 1 (loft) TOE: (FC logo) view image here |
| Harima Golf Co Ltd | Founders Club G-1 | 10.5 | SOLE: (loft) 1, G-1, Founders, Club (logo) CROWN: (arrow alignment mark) view image here |
| Harima Golf Co Ltd | Founders Club ME101 | 10.5 | SOLE: Founders, Club (logo), ME, 101, (circle) (loft), (lines), Ti-460 TOE: (FC logo) view image here |
| Harima Golf Co Ltd | Founders Club Triangle II | 11 | SOLE: Founders, Club (logo), (loft) 1, Triangle II, (triangle) BACK: (FC logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|------------------------------------|----------|--|
| Harima Golf Co Ltd | Founders Club Triangle Sole 450 | 10 | SOLE: Founders Club (logo), TRIANGLE SOLE, (loft), -450- FACE:TICN view image here |
| Harima Golf Co Ltd | Golden Lynx 430 | 11,12,13 | SOLE: VIRGIN TITANIUM FACE, (lynx logo), Golden Lynx, 430, 1 (loft), product, by Lynx view image here |
| Harima Golf Co Ltd | Lynx Black Cat | 11 | SOLE: POWER TECHNOLOGY (underlined), SCREW WEIGHT SYSTEM, since 1971, (loft) 1, LYNX, (logo), Black Cat CROWN: (alignment mark) view image here |
| Harima Golf Co Ltd | Lynx Black Cat (Version 2) | 11 | SOLE: LYNX, FORGED TITANIUM, 460, BLACK 1 (underlined), CAT (with T in circle) (loft), (logo) view image here |
| Harima Golf Co Ltd | Lynx Crystal Cat Complice | 13 | SOLE: Crystal, Cat, (logo), complice (2 flowers), designed by, Lynx, (flower), (loft) 1 (logo), (3 crystals) CROWN: (flower alignment mark) view image here |
| Harima Golf Co Ltd | Lynx Heat Arrow | 10 | SOLE: (logo), Lynx (in circle), HEAT ARROW, (loft) 1, EX LOW GRAVITY BACK: 3D AERODYNAMIC SOLE view image here |
| Harima Golf Co Ltd | Lynx Parallax | 10.5 | SOLE: (logo), Lynx, PARALLAX, (shape), 1, (loft), 460, (4 triangles) view image here |
| Harima Golf Co Ltd | Lynx Powertune | 10,11 | SOLE: (logo), Lynx, Powertune, Tungsten, Adjust, System, (loft) (underlined) view image here |
| Harima Golf Co Ltd | Lynx Predator | 10.5 | SOLE: Lynx, (logo) PREDATOR (underlined), 1 (loft) TOE: FORGED TITANIUM 460 view image here |
| Harima Golf Co Ltd | Lynx S2 | 9.5,10.5 | SOLE: (loft), Lynx, 460, (line), S2 (superscript) BACK: the super moment of inertia view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|---------------------------|----------|--|
| Harima Golf Co Ltd | Lynx Silver Cat | 10.5 | SOLE: 460, LYNX, SILVER (underlined), CAT (T in circle) 1, TI 6-4, (loft) BACK: (logo) CROWN: LYNX view image here |
| Harima Golf Co Ltd | Lynx Silver Cat (LH) | 10.5 | SOLE: (logo) LYNX, SILVER, CAT 1 (loft), (line) TOE: FORGED TITANIUM CROWN: (alignment mark) view image here |
| Harima Golf Co Ltd | Lynx Silver Cat Square | 10.5 | SOLE: 460, LYNX, SILVER, (line), CAT, 1, Ti 6-4, (loft), (logo) CROWN: LYNX view image here |
| Harima Golf Co Ltd | Lynx USA Tour | 10,11 | SOLE: Lynx, USA TOUR, (lynx logo), 1 (loft), Titanium, Muscle Body BACK: i5 (in oval) view image here |
| Harima Golf Co Ltd | Max Carry 395 | 10.5 | SOLE: MAX CARRY, DRIVER OF DREAM, (M logo), Ti 1 (loft), -395-, TWIN SCREW OF AERODYNAMICS view image here |
| Harima Golf Co Ltd | Quincy ES | 14 | SOLE: (loft) 1 Ti, TSURUYA, Quincy, ES view image here |
| Harima Golf Co Ltd | Sky Net (ladies) | 15 | SOLE: 1 (loft), (line), SKY NET, (line) view image here |
| Harima Golf Co Ltd | Tom Morris SP380 | 10,11,12 | SOLE: TOM MORRIS® SP, HEEL WEIGHT DESIGN, LIGHT WEIGHT DRIVER, 1, 380, (loft), Ti (in rectangle) <u>view image here</u> |
| Harima Golf Co Ltd | Tom Morris SP380 (LH) | 11 | SOLE: TOM MORRIS® SP, HEEL WEIGHT DESIGN, LIGHT WEIGHT DRIVER, 1, 380, (loft), TI (in rectangle) view image here |
| Harima Golf Co Ltd | Top Lanking Sabre | 10.5 | SOLE: TL, TOP LANKING, (logo), SABRE, (loft) 1, 440 TOE: GREATER STABILITY HEEL: HIGHEST MOMENT OF INERTIA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|---------------------------------------|-------------|--|
| Harima Golf Co Ltd | Top Lanking T.L.D 03 | 9,10,11 | SOLE: (loft) 1 (underlined), TI, T.L.D, FORGED TITANIUM BACK: TOP LANKING, LIGHT WEIGHT DRIVER view image here |
| Harima Golf Co Ltd | Top Lanking Triple Force (Ladies) | 15 | SOLE: TOP LANKING, •Triple Force•, (3 lines), V-Navigation, 1 (loft) (underlined), (TL logo) view image here |
| Harima Golf Co Ltd | Top Lanking V-Navigation Triple Force | 10 | SOLE: Top Lanking, Triple Force, (TL logo), V-Navigation, 1 (loft) (underlined) view image here |
| Harima Golf Co Ltd | Top Lanking Wizard Brassie | 13 | SOLE: TOP LANKING®, 350 ROCKET Ti, WIZARD BRASSIE, FORGED & ROLL (underlined), TITANIUM, 2 (loft), (TL logo) CROWN: (alignment mark) view image here |
| Harima Golf Co Ltd | Tsuruya Quincy | 14 | SOLE: Quincy, enjoy setting, (loft) 1, Titanium, TSURUYA view image here |
| Hathaway Golf | V4 (Version 1) | 12 | SOLE: 460cc, (curved line), BETATI, PLASMA, DUAL FACE, V4, MAX M.O.I., (loft) BACK: HATHAWAY CROWN: (H alignment mark) HOSEL: (orientation indicators) |
| Hathaway Golf | V4 (Version 2) | 10.5 | SOLE: 460cc, (curved line), BETA TI, PLASMA, DUAL FACE, V4, MAX M.O.I., (loft) BACK: HATHAWAY TOE: (FOUR, (graphic), FOUR in rectangle) CROWN: (H alignment mark) HOSEL: (orientation indicators) view image here |
| Hathaway Golf | V4i | 9.5,10.5,12 | SOLE: V4i, MAX M.O.I. 460, (loft), BETA TI, PLASMA DUAL FACE BACK: HATHAWAY CROWN: (H alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-----------------------------------|-------------|---|
| Hathaway Golf | V6 | 9.5,10.5,12 | SOLE: 460cc, (curved line), BETA TI, PLASMA, DUAL FACE, V6, MAX M.O.I., (loft) BACK: HATHAWAY TOE: (FOUR, (graphic), FOUR in rectangle) CROWN: (H alignment mark) HOSEL: (orientation indicators) |
| He Weng Golf | Fit On Max Launch Titanium 460 | 9.5 | SOLE: (logo), FIT ON, MAX LAUNCH (underlined), TITANIUM 460, (loft) <u>view image here</u> |
| He Weng Golf | Pro Ace M30 | 10.5,12 | SOLE: 460cc, (PRO (with logo for O) ACE, (line), M30, (loft), 1 CROWN: (alignment mark) view image here |
| He Weng Golf | Pro Ace SR-900 | 10.5,13 | SOLE: PRO (with logo for O) ACE, SR-900, 1 (loft) CROWN: (alignment logo) view image here |
| He Weng Golf | ProAce SR500 | 11,13 | SOLE: Driver, PROACE, SR500, 1 (loft), 460CC view image here |
| HEAD USA, Inc. | HEW 380 | 9.5,10.5 | SOLE: (line), (HEAD in oval insert with four punchmarks), (line), (loft), HEW-380 TOE: ACTIVE UNIT FACE 10-2-3 FORGED view image here |
| HEAD USA, Inc. | HEW 400 | 10.5,11.5 | SOLE: (line), (HEAD in oval insert with four punchmarks), (line), (loft), HEW-400 TOE: ACTIVE UNIT FACE 10-2-3 FORGED view image here |
| Heavy Putter, LLC | Heavy Driver | 9,10 | SOLE: BOCCIERI GOLF, (line), (triangle), (loft), Heavy Driver, CONTROL SERIES, (two curved lines graphic) TOE: DIMPLE FACE TECHNOLOGY, (seven dots) CROWN: (triangle alignment mark) FACE:(two curved lines graphic) view image here |
| Heavy Putter, LLC | Heavy Driver HL | N/A | SOLE: BOCCIERI GOLF, (line), (triangle), HL, Heavy Driver, CONTROL SERIES, (two curved lines graphic) TOE: DIMPLE FACE TECHNOLOGY, (seven dots) CROWN: (triangle alignment mark) FACE:(two curved lines graphic) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|----------------------------------|----------|--|
| Henry-Griffitts, Inc. | 340 GE 2041 | 10 | SOLE: TITANIUM GE, (HG logo)®, (line), HENRY-GRIFFITTS, (line), 1, 340-(loft) FACE:2041 view image here |
| Henry-Griffitts, Inc. | 340 GE SP-700 | 10 | SOLE: TITANIUM GE, (HG logo)®, (line), HENRY-GRIFFITTS, (line), 1, 340-(loft) FACE:SP-700 view image here |
| Henry-Griffitts, Inc. | Carpenter Aeroloy | 10 | SOLE: (HG logo), (line) , HENRY GRIFFITTS, (line), (swirl graphic), CARPENTER, Aeroloy™, 10° <u>view image here</u> |
| Henry-Griffitts, Inc. | GE Titanium | 12 | SOLE: TITANIUM GE, (HG logo)®, (line), HENRY GRIFFITTS, (line), 1, (loft) view image here |
| Henry-Griffitts, Inc. | Green Line (High Launch) | HL | SOLE: (HG logo), HENRY-GRIFFITTS, (angle), High Launch, Custom Fit - Hand Made CROWN: (HG logo) HEEL: MGI, (line) view image here |
| Henry-Griffitts, Inc. | Green Line (High Launch) (LH) | HL | SOLE: (HG logo), HENRY-GRIFFITTS, High Launch, (angle), Custom Fit - Hand Made CROWN: (HG logo) HEEL: MGI (line) |
| Henry-Griffitts, Inc. | Green Line (Mid-High Launch) | MHL | SOLE: (HG logo), HENRY-GRIFFITTS, (angle), Mid-High Launch, Custom Fit - Hand Made CROWN: (HG logo) HEEL: MGI, (line) |
| Henry-Griffitts, Inc. | HG 400 Model 82 | 12 | SOLE: 1, HG 400, (line), MODEL 82, (HG logo), HENRY-GRIFFITTS view image here |
| Henry-Griffitts, Inc. | HG 400 Model 82 Offset | 10,13,16 | SOLE: HG 400, (line), TITANIUM MODEL 82 - (loft), (HG logo)®, (line), HENRY-GRIFFITTS, (line) view image here |
| Henry-Griffitts, Inc. | HG 400 Model 82 Offset (LH) | 10,13 | SOLE: HG 400, (line), TITANIUM MODEL 82-(loft), (HG logo)®, (line), HENRY-GRIFFITTS, (line) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|------------------------------------|---------|---|
| Henry-Griffitts, Inc. | HG 400 Model 82 Tour | 8,10,13 | SOLE: HG 400, (line), TITANIUM MODEL 82 - (loft), (HG logo)®, (line), HENRY-GRIFFITTS, (line) <u>view image here</u> |
| Henry-Griffitts, Inc. | HG 400 Model 85 | 10° | SOLE: HG 400, (line), (line), TITANIUM MODEL 85-(loft), (HG logo)®, (line), HENRY-GRIFFITTS, (line) view image here |
| Henry-Griffitts, Inc. | Oversized Titanium (Double Dot) | N/A | SOLE: (HG logo), (line), HENRY-GRIFFITTS, (line), TITANIUM, OVERSIZE, (line), 1, (two dots) view image here |
| Henry-Griffitts, Inc. | Oversized Titanium (Single Dot) | N/A | SOLE: (HG logo), (line), HENRY-GRIFFITTS, (line), TITANIUM, OVERSIZE, (line), 1, (one dot) view image here |
| Henry-Griffitts, Inc. | Praxis PI High Launch | N/A | SOLE: PRAXIS (PI superscript), (HG logo), HENRY-GRIFFITTS, HIGH-LAUNCH, (weight port) TOE: (HG logo) view image here |
| Henry-Griffitts, Inc. | Praxis PI Low Launch | N/A | SOLE: PRAXIS (PI superscript), (HG logo), HENRY-GRIFFITTS, LOW-LAUNCH, (weight port) TOE: (HG logo) view image here |
| Henry-Griffitts, Inc. | Praxis PI Low Launch (LH) | N/A | SOLE: PRAXIS (PI superscript), (HG logo), HENRY-GRIFFITTS, LOW-LAUNCH, (weight port) TOE: (HG logo) view image here |
| Henry-Griffitts, Inc. | Praxis PI Mid High Launch | N/A | SOLE: PRAXIS (PI superscript), (HG logo), HENRY-GRIFFITTS, MID-HIGH-LAUNCH, (weight port) TOE: (HG logo) view image here |
| Henry-Griffitts, Inc. | Praxis PI Mid High Launch (LH) | N/A | SOLE: PRAXIS (PI superscript), (HG logo), HENRY-GRIFFITTS, MID-HIGH-LAUNCH, (weight port) TOE: (HG logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|---------------------------------------|-------|---|
| Henry-Griffitts, Inc. | Praxis PI Mid Low Launch | N/A | SOLE: PRAXIS (PI superscript), (HG logo), HENRY-GRIFFITTS, MID-LOW-LAUNCH, (weight port) TOE: (HG logo) |
| | | | view image here |
| Henry-Griffitts, Inc. | Praxis PI Mid Low Launch (LH) | N/A | SOLE: PRAXIS (PI superscript), (HG logo), HENRY-GRIFFITTS, MID-LOW-LAUNCH, (weight port) TOE: (HG logo) |
| | | | <u>view image here</u> |
| Henry-Griffitts, Inc. | PURIST Gold Series High Launch | N/A | SOLE: (PURIST w/ P logo in oval), (weight port), (Gold Series in elongated irregular shape), (weight port), (HG logo), (bent line, dot, double arrow graphic) High Launch, Custom fit-Hand Made, (screw port) TOE: (bent line), (bent line) CROWN: (HG logo alignment mark), (P logo), HENRY-GRIFFITTS® HOSEL: PURE (dot), (orientation indicators) FACE:(P logo), HENRY-GRIFFITTS® |
| | | | view image here |
| Henry-Griffitts, Inc. | PURIST Gold Series Low Launch | N/A | SOLE: (PURIST w/ P logo in oval), (weight port), (Gold Series in elongated irregular shape), (weight port), (HG logo), (bent line, dot, double arrow graphic) Low Launch, Custom fit-Hand Made, (screw port) TOE: (bent line), (bent line) CROWN: (HG logo alignment mark), (P logo), HENRY-GRIFFITTS® HOSEL: PURE (dot), (orientation indicators) FACE:(P logo), HENRY-GRIFFITTS® |
| Henry-Griffitts, Inc. | PURIST Gold Series Mid-High Launch | N/A | SOLE: (PURIST w/ P logo in oval), (weight port), (Gold Series in elongated irregular shape), (weight port), (HG logo), (bent line, dot, double arrow graphic) Mid-High Launch, Custom fit-Hand Made, (screw port) TOE: (bent line), (bent line) CROWN: (HG logo alignment mark), (P logo), HENRY-GRIFFITTS® HOSEL: PURE (dot), (orientation indicators) FACE:(P logo), HENRY-GRIFFITTS® |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|--------------------------------------|-----------------|--|
| Henry-Griffitts, Inc. | PURIST Gold Series Mid-Low Launch | N/A | SOLE: (PURIST w/ P logo in oval), (weight port), (Gold Series in elongated irregular shape), (weight port), (HG logo), (bent line, dot, double arrow graphic) Mid-Low Launch, Custom fit-Hand Made, (screw port) TOE: (bent line), (bent line) CROWN: (HG logo alignment mark), (P logo), HENRY-GRIFFITTS® HOSEL: PURE (dot), (orientation indicators) FACE:(P logo), HENRY-GRIFFITTS® |
| Henry-Griffitts, Inc. | RDH 460 | 13.5 | SOLE: (HG logo)®, (line), HENRY-GRIFFITTS, (line), RDH, - 460 -, (loft) view image here |
| Henry-Griffitts, Inc. | RDH 460 (Version 1) | 11.5 | SOLE: (HG logo)®, (line), HENRY-GRIFFITTS, (line), RDH, - 460 -, (loft) view image here |
| Henry-Griffitts, Inc. | RDH 460 (Version 2) | 11.5,13.5 | SOLE: (HG logo)®, (line), HENRY-GRIFFITTS, (line), RDH (loft indicator), - 460 - view image here |
| Henry-Griffitts, Inc. | RDH 460 Offset (Version 1) | 11.5,13.5,16,19 | SOLE: (HG logo)®, (line), HENRY-GRIFFITTS, (line), RDH, - 460 -, (loft) view image here |
| Henry-Griffitts, Inc. | RDH 460 Offset (Version 2) | 11.5,13.5,16,19 | SOLE: (HG logo)®, (line), HENRY-GRIFFITTS, (line), RDH (loft indicator), - 460 - view image here |
| Herald Golf | Spearhead Omega 460 | 9.5,10.5 | SOLE: (loft) Herald, Golf, (line), Spearhead (Omega symbol), 460cc TOE: Spearhead (Omega symbol), Geometric Driver CROWN: (arrow), Spearhead (Omega symbol) view image here |
| Hero Co Ltd | Maxing FX-01 | N/A | SOLE: MAXING, FX-01, (3 plane logos), GPMAX, GRAND PRIX, DIMPLE ACTION TOE: GRAND PRIX, (plane logo) view image here |
| Hero Co Ltd | Maxing FX-02 | N/A | SOLE: MAXING, FX-02, (3 plane logos), GPMAX, GRAND PRIX, DIMPLE ACTION view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|------------------|---------------|--|
| Hero Co Ltd | N.Explosion Tour | 9,10 | SOLE: N.Explosion Tour, (H logo), (logo) HEROAKI, GOLF CLUB, 1, (loft), ((logo), explosion P on inset) BACK: (HEROAKI, (H logo) on inset) FACE:(H media blast logo) view image here |
| Hero Co Ltd | YO1 430DF | N/A | SOLE: (logo), YO1 BACK: MICRO FORGED TECHNOLOGY TOE: (logo) FACE:430DF view image here |
| Hero Co Ltd | YO1 430SF | N/A | SOLE: (logo), YO1 BACK: MICRO FORGED TECHNOLOGY TOE: (logo) CROWN: (alignment mark) FACE:430SF view image here |
| Hexus Japan Co Ltd | Alm/Neo | 9.5,10.5,11.5 | SOLE: (dot(s) indicating loft), ALM/NEO, HBM.III, HEXUS, (HEXUS on weight port) FACE:ALM/NEO view image here |
| Hexus Japan Co Ltd | Alm/Neo Power | 10.5,11.5 | SOLE: ALM/NEO, POWER HUMPBACK, (dots indicating loft), (HEXUS on weight port) TOE: HEXUS FACE:ALM/NEO view image here |
| Hexus Japan Co Ltd | Alm/Neo Proud | 10.5,11.5 | SOLE: (dots indicating loft), ALM/NEO, Proud, HEXUS, (HEXUS on weight port), (HEXUS on weight port), (HEXUS on weight port) FACE:ALM/NEO view image here |
| Hexus Japan Co Ltd | LD | 9.5,10.5,11.5 | SOLE: LD, (loft), Limit Driving, HEXUS, (HEXUS on weight port) FACE:HEXUS view image here |
| Hexus Japan Co Ltd | LD Tour | 9.5,10.5 | SOLE: TOUR, LD, (loft), Limit Driving, HEXUS, (HEXUS on weight port) FACE:HEXUS view image here |
| Hexus Japan Co Ltd | New TVC 460 | 9,10,11,12 | SOLE: HEXUS, NEW, TVC460 (underlined), HUMP BACK DESIGN (underlined), (loft), HEXUS FACE:NEW TVC |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|--------------------|-----------|---|
| Hexus Japan Co Ltd | New TVC 460 Tour | 9,10 | SOLE: HEXUS, NEW, TVC460 (underlined), HUMP BACK DESIGN (underlined), (loft), HEXUS, TOUR, HEXUS HEEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:NEW TVC |
| Hilco-TAG | Tommy Armour 845VT | 9.5,10.5 | SOLE: ((Tommy Armour signature), (line), 845 VT over T logo media blast), (loft), (weight port) view image here |
| HiPPO Golf | Giant 380-S | 10,11 | SOLE: HiPPO, (GIANT, 380-S over H graphic), FORGED TITANIUM, (loft) CROWN: (arrow alignment mark) FACE:6-4 TITANIUM view image here |
| HiPPO Golf | Hex HL | N/A | SOLE: HL 460, (3 hexagons), HiPPO, HEX2 (superscript), TITANIUM CARBON CROWN: (hexagon alignment mark) FACE:SP-700, (hexagon) |
| HiPPO Golf | ITX 420 | 8,9,10,11 | SOLE: HiPPO, ITX 420, (loft) BACK: -INTEGRATED TECHNOLOGY- CROWN: (alignment mark) <u>view image here</u> |
| HiPPO Golf | ITX 420 (LH) | 10 | SOLE: HiPPO, ITX 420, (loft) BACK: -INTEGRATED TECHNOLOGY- CROWN: (alignment mark) view image here |
| HiPPO Golf | ITX2 460 | 9,11 | SOLE: HiPPO, ITX2, PAT NO.5,328,176, 460cc (line), (loft) BACK: (oblong weight) CROWN: (arrow alignment mark) FACE:Beta Ti view image here |
| HiPPO Golf | ITX2 460 (LH) | 10 | SOLE: HiPPO, ITX2, PAT NO.5,328,176, 460cc (line), (loft) BACK: (oblong weight) CROWN: (arrow alignment mark) FACE:Beta Ti view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-------------------------|-------|--|
| HiPPO Golf | XXL | 10 | SOLE: X(diamond)XL, HiPPO 460, 1 (loft) BACK: X(diamond)XL CROWN: (alignment mark) FACE:Beta Ti view image here |
| HiPPO Golf | XXL HL | N/A | SOLE: X(diamond)XL, HiPPO 460, HL BACK: X(diamond)XL TOE: (hippo logo) CROWN: (alignment mark) FACE:Beta Ti view image here |
| Hippo Golf Co. | Giant 380-S | 9 | SOLE: Hippo, (GIANT™, 380-S over H graphic), FORGED TITANIUM, (loft) CROWN: (arrow alignment mark) FACE:6-4 TITANIUM view image here |
| Hippo Golf Co. | Giant 400cc (Version 1) | 9 | SOLE: (Hippo graphic), HiPPO, 1 (loft), GIANT™, 400cc, (line) FORGED TITANIUM (line) view image here |
| Hippo Golf Co. | Giant 400cc (Version 2) | 7,8 | SOLE: HIPPO, 1 (loft), GIANT™, 400cc, (line) FORGED TITANIUM (line) <u>view image here</u> |
| Hippo Golf Co. | Giant 420-S | 9,10 | SOLE: HiPPO, (GIANT™, 420-S over H graphic), FORGED TITANIUM, (loft) CROWN: (arrow alignment mark) FACE:6-4 TITANIUM view image here |
| Hippo Golf Co. | Giant ITX 420cc | 10 | SOLE: HiPPO, GIANT™ -ITX, 420cc, (line), (loft) BACK: -INTEGRATED TECHNOLOGY- CROWN: (split arrow alignment mark) view image here |
| Hippo Golf Co. | Hippo Giant JD | 7.5 | SOLE: HiPPO, GIANT™, 1 (loft), (lion logo), J.D, (line)FORGED TITANIUM(line) CROWN: (triangle & line alignment mark) view image here |
| Hippo Golf Co. | ITX2 460 | 10 | SOLE: HiPPO, ITX2, PAT NO.5,328,176, 460cc, (line), (loft) BACK: (oblong weight) CROWN: (arrow alignment mark) FACE:Beta Ti view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------|--------------------------|---------|--|
| Hippo Golf Co. | XXL 444 | 10 | SOLE: (trapezoid), HiPPO, XXL, 444, (trapezoid) TITANIUM, (loft) BACK: EXTREME LAUNCH SYSTEM, (two polymer cell chambers) TOE: PAT.NO.03140244.5 CROWN: (arrow alignment mark) FACE:BETA-TI view image here |
| Hirama Golf Service Inc | HGS Projectile-XP 380 | 9,10 | SOLE: Forged (underlined), ß (loft), Titanium, 380 (triangle) Projectile-XP (underlined), High Repulsion, HGS view image here |
| Hirama Golf Service Inc | HGS Projectile-XP 420 | 9,10 | SOLE: Forged (underlined), ß (loft), Titanium, 420 (triangle) Projectile-XP (underlined), High Repulsion, HGS view image here |
| Hireko Golf | 948E Aermet 305cc | 10 | SOLE: 948E, AERMET™, THIN FACE TECHNOLOG, 305cc, 1 (loft) CROWN: (dot alignment mark) view image here |
| Hireko Golf | Acer Mantara | 10.5,12 | SOLE: (loft), MANTARA, (460 in rounded square), (acer w/ double slash) view image here |
| Hireko Golf | Acer Mantara (LH) | 10.5 | SOLE: (loft), MANTARA, (460 in rounded square), (acer w/ double slash) view image here |
| Hireko Golf | Acer Mantara XL 460 | 10.5,12 | SOLE: (loft), MANTARA, (XL in rounded trapezoid), (acer w/ double slash) TOE: 460 cc view image here |
| Hireko Golf | Acer XDS 2+ | 10 | SOLE: (loft), XDS(2+ superscript), • FORGED TITANIUM •, THIN FACE TECHNOLOGY, (acer logo in oval) CROWN: (dot alignment mark) view image here |
| Hireko Golf | Acer XDS CF+ 425cc | 10.5 | SOLE: (loft), XDS CF+, • FORGED TITANIUM • CUP FACE TECHNOLOGY, (acer logo in oval) BACK: 425cc CROWN: (dot alignment mark) view image here |
| Hireko Golf | Acer XDS Insider | 10.5,12 | SOLE: acer, XDS, INSIDER, (loft) CROWN: (dot alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------|----------------|---|
| Hireko Golf | Acer XDS Insider (LH) | 10.5 | SOLE: acer, XDS, INSIDER, (loft) CROWN: (dot alignment mark) <u>view image here</u> |
| Hireko Golf | Acer XDS React | 10.5,12 | SOLE: XDS, REACT, (loft), (acer over double line on insert) view image here |
| Hireko Golf | Acer XDS React (LH) | 10.5 | SOLE: XDS, REACT, (loft), (acer over double line on insert) view image here |
| Hireko Golf | Acer XDS² | 10 | SOLE: ACER, XDS², THIN FACE TECHNOLOGY, FORGED, TITANIUM, (loft) CROWN: (alignment mark) view image here |
| Hireko Golf | Acer XF | 9.5,10.5,12,14 | SOLE: (loft), XF, (acer over segmented curved line on insert) CROWN: (dot alignment mark) view image here |
| Hireko Golf | Acer XF (LH) | 10.5,12,14 | SOLE: (loft), XF, (acer over segmented curved line on insert) CROWN: (dot alignment mark) view image here |
| Hireko Golf | Acer XF Draw | 10.5,12 | SOLE: (loft), XF, DRAW, (acer over segmented curved line on insert) CROWN: (dot alignment mark) view image here |
| Hireko Golf | Acer XF Draw (LH) | 10.5,12 | SOLE: (loft), XF, DRAW, (acer over segmented curved line on insert) CROWN: (dot alignment mark) view image here |
| Hireko Golf | Acer XF Leggera | 9.5,10.5,12 | SOLE: (loft), XF, LEGGERA, (acer over segmented curved line on insert) CROWN: (dot alignment mark) view image here |
| Hireko Golf | Acer XF Leggera (LH) | 10.5 | SOLE: (loft), XF, LEGGERA, (acer over segmented curved line on insert) CROWN: (dot alignment mark) view image here |
| Hireko Golf | Acer XK Titanium | 9.5,10.5,12,14 | SOLE: (curved line), (loft), XK, TITANIUM, (acer w/ double slash) CROWN: (dot alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---|------------|--|
| Hireko Golf | Acer XK Titanium Draw | 10.5,12 | SOLE: (curved line), (loft), XK, TITANIUM, DRAW, (acer w/ double slash) CROWN: (dot alignment mark) view image here |
| 11: 1 0 16 | A VD 205 | 9,10.5,12 | |
| Hireko Golf | Acer XP 395cc | 3,10.3,12 | SOLE: (loft), XP, TITANIUM, 395cc BACK: (acer logo on insert) CROWN: (dot alignment mark) |
| III I 0 II | A VD OOF Titi | 10 5 12 | view image here |
| Hireko Golf | Acer XP 905 Titanium 460 | 10.5,12 | SOLE: 460, XP, (line)905, TITANIUM, (loft), (acer on crescent insert) BACK: DUAL SOLE TECHNOLOGY CROWN: (dot alignment mark) |
| | | | view image here |
| Hireko Golf | Acer XP 905 Titanium 460 (Ladies) | 12 | SOLE: 460, XP, (line)905, TITANIUM, (loft), (acer on crescent insert) BACK: DUAL SOLE TECHNOLOGY CROWN: (dot alignment mark) |
| | | | view image here |
| Hireko Golf | Acer XP 905 Titanium 460 (LH) | 10.5 | SOLE: 460, XP, (line)905, TITANIUM, (loft), (acer on crescent insert) BACK: DUAL SOLE TECHNOLOGY CROWN: (dot alignment mark) |
| | | | <u>view image here</u> |
| Hireko Golf | Dynacraft Avatar Evolution (Version 1) | 12 | SOLE: (loft), AVATAR, EVOLUTION, (arrow) XMOI (arrow), (arrow) TECHNOLOGY (arrow) TOE: (D logo) DYNACRAFT CROWN: (D logo alignment mark) |
| | | 10.5 | view image here |
| Hireko Golf | Dynacraft Avatar Evolution (Version 2) | 10.5 | SOLE: (loft w/ no degree symbol), AVATAR, EVOLUTION, (arrow) XMOI (arrow), (arrow) TECHNOLOGY (arrow) TOE: (D logo) DYNACRAFT CROWN: (D logo alignment mark) view image here |
| Hireko Golf | Dynacraft Avatar Launch Series Offset | 10,12,14.5 | SOLE: 460cc, OFFSET, avatar, CUP FACE TITANIUM, (loft in triangle), (LAUNCH, SERIES in rectangle insert) BACK: TRIPLE INTERNAL WEIGHTING TOE: DYNACRAFT CROWN: (A alignment mark) view image here |
| Hireko Golf | Dynacraft Avatar XMOI | 10.5,12 | SOLE: (loft), AVATAR, XMOI, 460cc, (D logo) DYNACRAFT CROWN: (D logo alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------------|-------------|---|
| Hireko Golf | Dynacraft Prophet ICT (LH) | 10.5 | SOLE: (loft), PROPHET, iCT, DYNACRAFT, (D logo on quadrilateral insert) CROWN: (D logo alignment mark) view image here |
| Hireko Golf | Dynacraft Prophet ICT (Version 1) | 9.5,10.5,12 | SOLE: (loft), PROPHET, iCT, DYNACRAFT, (D logo on quadrilateral insert) CROWN: (D logo alignment mark) view image here |
| Hireko Golf | Dynacraft Prophet ICT (Version 2) | 9.5,10.5,12 | SOLE: PROPHET, iCT (C w/ octagon), (loft), (irregular line) TOE: (D logo) DYNACRAFT CROWN: (D logo alignment mark) view image here |
| Hireko Golf | iBella Bellissima | 15 | SOLE: 460cc Bellissima (loft), (cavity w/ floral graphic), (five vertical recessed diamonds), ((i in square graphic), bella (butterfly graphic) in triangle), (five crystals), (cavity w/ floral graphic) CROWN: (butterfly graphic alignment mark) |
| Hireko Golf | iBella Obsession 460 | 12 | SOLE: (loft), Obsession (w/ curved line), Titanium, 460, (four dots), (four dots) BACK: (five rhinestones) (ibella (w/ i in square) on plastic rectangle insert) (five rhinestones) TOE: (butterfly graphic) CROWN: (i in square alignment mark) view image here |
| Hireko Golf | Impex Oversize 2 360cc | 8.5 | SOLE: OFFSET TITANIUM, 1, (loft), Impex, OVERSIZE 2, 360cc view image here |
| Hireko Golf | Impex Plus 330cc | 10 | SOLE: Impex, PLUS, FORGED TITANIUM, 330cc, 1, (loft) <u>view image here</u> |
| Hireko Golf | Impex Plus 450cc | 10 | SOLE: Impex, PLUS, FORGED TITANIUM, 450cc, 1 (loft) <u>view image here</u> |
| Hireko Golf | Orlimar V18 | 9.5,10.5 | SOLE: V18, D.I.A.L. TECHNOLOGY TOE: ORLIMAR (w/ O logo) CROWN: (O logo alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------|-------------|--|
| Hireko Golf | Oxygen Type X | 9.5,10.5,12 | SOLE: TITANIUM, Oxygen, TYPE X, (loft) BACK: 460 CROWN: (dot alignment mark) view image here |
| Hireko Golf | Oxygen Type X (LH) | 10.5,12 | SOLE: TITANIUM, Oxygen, TYPE X, (loft) BACK: 460 CROWN: (dot alignment mark) view image here |
| Hireko Golf | Oxygen Type X Offset | 10.5,12 | SOLE: TITANIUM, OFFSET, Oxygen, TYPE X, (loft) BACK: 460 CROWN: (dot alignment mark) view image here |
| Hireko Golf | Oxygen Type X Offset (LH) | 10.5,12 | SOLE: TITANIUM, OFFSET, Oxygen, TYPE X, (loft) BACK: 460 CROWN: (dot alignment mark) view image here |
| Hireko Golf | Power Play Caiman | 9.5,10.5,12 | SOLE: (two graphics), Power Play, CAIMAN, (loft) CROWN: (two graphics alignment mark), (curve graphic) view image here |
| Hireko Golf | Power Play Caiman (LH) | 10.5 | SOLE: (two graphics), Power Play, CAIMAN, (loft) CROWN: (two graphics alignment mark), (curve graphic) view image here |
| Hireko Golf | Power Play Caiman X2 | 9.5,10.5,12 | SOLE: (two graphics), Power Play, CAIMAN X2, (loft) CROWN: (two graphics alignment mark) view image here |
| Hireko Golf | Power Play Caiman X2 (LH) | 10.5 | SOLE: (two graphics), Power Play, CAIMAN X2, (loft) CROWN: (two graphics alignment mark) view image here |
| Hireko Golf | Power Play Select 5000 350cc | 8.5,12 | SOLE: Tungsten, (loft), Power Play, SELECT, 5000, (line), HI-C.O.R. TITANIUM, 350cc CROWN: (dot alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---|----------------|---|
| Hireko Golf | Power Play Select 5000 400cc | 8.5,10.5,12,14 | SOLE: Tungsten, (loft), Power Play, SELECT, 5000, (line), HI-C.O.R. TITANIUM, 4000cc CROWN: (dot alignment mark) view image here |
| Hireko Golf | Power Play Select 5000 GTI Edition | 10.5,12 | SOLE: (loft), SELECT, 5000, (line), GTI EDITION, TI 400, (plastic insert with four ball bearings) TOE: Power Play CROWN: (dot alignment mark) view image here |
| Hireko Golf | Power Play System 3000 320cc | 10.5 | SOLE: Power Play, SYSTEM, 3000, 320cc, (loft), titanium CROWN: (alignment mark) view image here |
| Hireko Golf | Power Play System 3000 360cc | 10.5 | SOLE: Power Play, SYSTEM, 3000, 360 cc, (loft), titanium CROWN: (alignment mark) view image here |
| Hireko Golf | Power Play System 3000 400cc | 8.5,10.5 | SOLE: Power Play, SYSTEM, 3000, 400cc, (loft), titanium CROWN: (dot alignment mark) view image here |
| Hireko Golf | Power Play System Q | 9,10.5,12 | SOLE: (circular weight insert), (loft), SYSTEM, Q, (circular weight insert) BACK: AFTERBURNERS, (two circular weight inserts) TOE: Power Play CROWN: (dot alignment mark) FACE:Ti400 view image here |
| Hireko Golf | Power Play System Q 455 | 10.5 | SOLE: (loft), SYSTEM, Q 455 BACK: AFTERBURNERS, (two circular screws) TOE: Power Play CROWN: (dot alignment mark) FACE:Titanium view image here |
| Hireko Golf | Power Play System Q ² 460cc | 10.5,12 | SOLE: Power Play, SYSTEM, 460cc, Q², (loft), (two graphics) BACK: (adjustable weight), (adjustable weight) CROWN: (two graphics alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|--|----------|---|
| Hireko Golf | Power Play System Q ² 460cc (Version 2) (LH) | 10.5 | SOLE: Power Play, SYSTEM, (loft), Q², 460cc, (two graphics) BACK: (adjustable weight), (adjustable weight) CROWN: (two graphics alignment mark) view image here |
| Hireko Golf | Powerbilt Citation Tour | 10.5 | SOLE: POWERBILT (w/ lightning bolt logo), RECOIL ZONE, Citation, TOUR, (loft) CROWN: (two triangles alignment mark) view image here |
| Hireko Golf | Synchron Hot Forged 400 | 8.5,10.5 | SOLE: (three punch marks), SYNCHRON, HOT FORGED, (three punch marks), (loft), titanium CROWN: (dot alignment mark) view image here |
| Hireko Golf | Synchron Revolver 455cc | 9 | SOLE: (bell-shaped outline), (loft), Revolver, TITANIUM, 455cc BACK: (SYNCHRON on rectangle insert) CROWN: (dot alignment mark) view image here |
| Hireko Golf | Synchron Super 400 | 10 | SOLE: (loft), SYNCHRON, SUPER, 400, FORGED, TITANIUM view image here |
| Hireko Golf | Tour Model Series 6 | 9,10 | SOLE: 1, OVERSIZE, (TOUR MODEL, SERIES 6, PLUS on insert), CUSTOMIZED, (loft in half circle) BACK: TITANIUM 390 CROWN: (arrow alignment mark) view image here |
| Hireko Golf | Tour Model Series 6 320cc | 9 | SOLE: 320 cc, 1, FORGED, 1, (Tour Model, (target graphic), Series 6 in oval insert), TITANIUM, (loft) CROWN: (arrow alignment mark) view image here |
| Hirota Golf Co Ltd | Against Killer 420 | 10.5 | SOLE: Against, Killer, X, TITANIUM, (loft), 420 <u>view image here</u> |
| Hirota Golf Co Ltd | El Nino 400 RX | 10.5 | SOLE: (curved line) EL Nino 400 RX, (curved line), SUPER COMPOSITE, 10-2-3 ß-TITANIUM, (loft), RX, TUNGSTEN TWIN, Cu (in circle), TUNGSTEN TWIN, Cu (in circle) TOE: (logo) HEEL: PROFESSIONAL ATHLETE, SUPER COMPOSITE, RX |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|----------------|-------|--|
| Hirota Golf Co Ltd | EL Nino V-460 | 10.5 | SOLE: (symbol) EL Nino (symbol), POWER BODY (in shape), FORGED B-TITANIUM, (loft), V-460 BACK: TUNGSTEN RUBBER view image here |
| Hirota Golf Co Ltd | El Nino V-460 | 9.5 | SOLE: (symbol) EL Nino (symbol), POWER BODY (in shape), FORGED B-TITANIUM, (loft), V-460 BACK: TUNGSTEN RUBBER view image here |
| Hirota Golf Co Ltd | Mega Angel | 14 | SOLE: 1, MEGA, (symbol) ANGEL (symbol), (flower logo), FORGED 6-4 TITANIUM, (loft), Titanium TOE: (logo) ANGEL (5 dots) view image here |
| Hirota Golf Co Ltd | Mega Angel EZ | 14 | SOLE: MEGA, (logo) ANGEL, EZ, 1 (loft) <u>view image here</u> |
| Hirota Golf Co Ltd | Mega Angel HK | 14 | SOLE: 1 (loft), Mega Angel, HK, 440cc, FORGED TITANIUM <u>view image here</u> |
| Hirota Golf Co Ltd | Mega Angel i | 14 | SOLE: MEGA, angel, (i media blast logo), 1 (loft) view image here |
| Hirota Golf Co Ltd | Mega Angel III | 14 | SOLE: MEGA, ANGEL III, (flower logo) (logo), 1 (loft) BACK: FORGED 6-4 TITANIUM view image here |
| Hirota Golf Co Ltd | Mega Black-X | 10.5 | SOLE: MEGA, BLACK-X, 460 TITANIUM, 1, (loft) view image here |
| Hirota Golf Co Ltd | Mega EQ | 10.5 | SOLE: (symbol) 1 (loft), EQ, TITANIUM, MEGA (symbol), (symbol) FORGED view image here |
| Hirota Golf Co Ltd | Mega King EZ | 10.5 | SOLE: EZ, KING, (loft) BACK: MEGA HOSEL: SLE view image here |
| Hirota Golf Co Ltd | Mega King HK | 10.5 | SOLE: 460, Mega King, HK, 1, (loft) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|-------------------------|------------------|--|
| Hirota Golf Co Ltd | Mega King III | 10.5 | SOLE: 1 (loft), MEGA (in shape), KING III, FORGED 6-4 TITANIUM, 450 BACK: III view image here |
| Hirota Golf Co Ltd | Mega Max | 10.5 | SOLE: MEGA, MAX, 460 TITANIUM, (loft) |
| | | | view image here |
| Hirota Golf Co Ltd | Mega Power Comp | 10.5 | SOLE: MEGA, POWER COMPO, (symbol), (loft), 401 TITANIUM, TWIN TUNGSTEN, CU (in 4 circles) |
| | | 40.5 | view image here |
| Hirota Golf Co Ltd | Roger King RK-2200 | 10.5 | SOLE: 460, R, Roger King, RK 2200, 1, (loft) |
| | | | view image here |
| Hirota Golf Co Ltd | Yokozuna | 10.5 | SOLE: 1, (loft), Yoko, Zuna, FORGED ß-TITANIUM, POWER |
| | | | view image here |
| Hog Golf/Dogleg Right Corporation | Hog ATL | 10 | SOLE: FORGED BETA Ti, (loft), ATL, HOG, DRIVER, Dogleg Right/IMPACT GT CROWN: (dot alignment mark) |
| | Han Don Madal ATI | 8.5 | view image here |
| Hog Golf/Dogleg Right Corporation | Hog Pro Model ATL | 0.5 | SOLE: Pro Model, FORGED BETA Ti, (loft), ATL, HOG, DRIVER, by Dogleg Right/HOG Golf CROWN: (dot alignment mark) view image here |
| Hog Golf/Dogleg Right Corporation | Hog Pro Model XTL | 8.5 | SOLE: Pro Model, FORGED BETA Ti, (loft), XTL, HOG, DRIVER, by Dogleg Right/HOG Golf CROWN: (dot alignment mark) view image here |
| Hokus hin Trading Co. | Bang White Bom | 6,7.5,9 | SOLE: BanG, GOLF, FOR HTC, LONG DRIVE, Japan (w/ Ja in circle), (loft), (FA, SYSTEM in rectangle) TOE: Japan (w/ Ja in circle) HEEL: (production number) |
| Hollywood Golf Studio (See US Tour) | Rodeo Drive | 7.5,8.5,9.5,10.5 | SOLE: RODEO DRIVE, (loft) titanium, (HOLLYWOOD, Golf Studio over triangle) FACE:ß-titanium view image here |
| Hollywood Golf Studio (See US Tour) | Rodeo Drive (Version 2) | 9.5 | SOLE: RODEO DRIVE, (loft) titanium, (HOLLYWOOD, Golf Studio over triangle) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------------------------|-------|--|
| Honma Golf Co Ltd | 50th Anniversary Limited Edition | 9,10 | SOLE: 1, 50th, Anniversary, HONMA (with logo in O), (loft), 50th, (stars), Limited Edition TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (alignment mark) HOSEL: REG.(number) |
| Honma Golf Co Ltd | 55th Anniversary | 10 | SOLE: HONMA (with logo in O), 55th, Anniversary, (loft), (55th, three stars on oval inset), REG. (edition number) TOE: MADE IN JAPAN SAKATA, HONMA (with logo in O) CROWN: (55 alignment mark) HEEL: Limited Edition view image here |
| Honma Golf Co Ltd | 60th Anniversary | 10.5 | SOLE: HONMA (with logo in O) (3 or 5 stars in diamond shape on inset) 60th, Anniversary, (loft) TOE: (60th with logo) CROWN: (diamond alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | 60th Anniversary (Version 2) | 10.5 | SOLE: HONMA (with logo in O) (3 or 5 stars in diamond shape on inset) 60th, Anniversary, (loft) TOE: (60th with logo) CROWN: (diamond alignment mark) HOSEL: MADE IN JAPAN, SAKATA HEEL: REG(number) view image here |
| Honma Golf Co Ltd | 60th Hong Kong Open | 10.5 | SOLE: HONMA (with logo in O) (stars in diamond shape on inset) 60th, Anniversary, (loft) TOE: HONMA (with logo in O), KONG KONG OPEN, (60th with logo in 0) CROWN: ((60th with logo in 0) alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | Amazing Spec | 13 | SOLE: AMAZING SPEC, ((h logo), (star(s)), in round inset), HONMA (with logo in o) TOE: MADE IN JAPAN SAKATA HONMA (with logo in o) CROWN: (alignment mark) HEEL: FAIRWAY DRIVER (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|------------------------------------|-------|--|
| Honma Golf Co Ltd | Amazing Spec (Version 1) | 9 | SOLE: AMAZING, SPEC, ZIRCONIUM, (loft), (h logo with stars on inset) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA FACE:AMAZING SPEC, (Zr logo) |
| Honma Golf Co Ltd | Amazing Spec (Version 2) | 10,11 | SOLE: AMAZING, SPEC, ZIRCONIUM, (loft) BACK: (h logo with stars on inset) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA FACE:AMAZING SPEC, (Zr logo) view image here |
| Honma Golf Co Ltd | Amazing Spec 50th (Version 1) | 9 | SOLE: AMAZING, SPEC, ZIRCONIUM, (loft), (50th logo with stars on inset) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (alignment mark) FACE:AMAZING SPEC, (Zr logo) view image here |
| Honma Golf Co Ltd | Amazing Spec 50th (Version 2) | 10,11 | SOLE: AMAZING, SPEC, ZIRCONIUM, (loft) BACK: (50th logo with stars on inset) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (alignment mark) FACE:AMAZING SPEC, (Zr logo) view image here |
| Honma Golf Co Ltd | Amazing Spec Perfect Switch 440 | 9 | SOLE: (loft), (AC-SAME FLEX (arrow logo blank or with star(s)) on inset), HONMA (with logo in O), AMAZING SPEC, Perfect Switch 440, (orientation indicators around port for shaft screw) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) FACE:FORGED-F |
| Honma Golf Co Ltd | Amazing Spec Perfect Switch 460 | 10 | SOLE: (loft), (AC-SAME FLEX (arrow logo with(out) star(s)) on inset), HONMA (with logo in O), AMAZING SPEC, Perfect Switch 460, (orientation indicators around port for shaft screw) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) CROWN: (alignment mark) FACE:FORGED-F |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------|-------|--|
| Honma Golf Co Ltd | Amazing Spec Z1 | 10,11 | SOLE: HONMA (with logo in o) AMAZING, SPEC Z1, ((star(s)), (logo) in round inset), (loft) TOE: MADE IN JAPAN SAKATA HONMA (with logo in o) CROWN: AMAZING (underlined), SPEC, (alignment mark) FACE:FORGED-F |
| Honma Golf Co Ltd | Athport | 9,10 | SOLE: ATHPORT, (line), HONMA, (line), THE QUEST FOR PERFECTION, (loft) view image here |
| Honma Golf Co Ltd | Athport (Version 2) | 9,10 | SOLE: ATHPORT, HONMA, THE QUEST FOR, PERFECTION, (loft) TOE: (A logo) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Athport E+ | 9,10 | SOLE: THE QUEST FOR PLEASURE, ATHPORT, e (in circle) + (in circle), HONMA, (loft) BACK: MADE IN JAPAN SAKATA CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Athport E+ (ladies) | 13 | SOLE: THE QUEST FOR PLEASURE, ATHPORT, e (in circle) + (in circle), HONMA, (loft) BACK: MADE IN JAPAN SAKATA CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Athport e+ (ladies) | 11.5 | SOLE: THE QUEST FOR PLEASURE, ATHPORT, e (in circle) + (in circle), HONMA, (loft) BACK: MADE IN JAPAN SAKATA CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Athport E+ (LH) | 9,10 | SOLE: THE QUEST FOR PLEASURE, ATHPORT, e (in circle) + (in circle), HONMA, (loft) BACK: MADE IN JAPAN SAKATA CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------------------------|--------------|--|
| Honma Golf Co Ltd | Athport e+ (Version 2) | 9,10,11.5,13 | SOLE: ATHPORT, e (in circle) + (in circle), HONMA, THE QUEST FOR, PLEASURE, (loft) TOE: (A logo in oval) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Athport e+ (Version 3) | 9,10 | SOLE: (loft), ATHPORT, e (in circle) + (in circle), HONMA (with logo in O) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA, THE QUEST FOR PLEASURE CROWN: (alignment mark) |
| Honma Golf Co Ltd | Athport e+ (Version 3) (Ladies) | 11.5,13 | SOLE: HONMA (with logo in O), MADE IN JAPAN, SAKATA, THE QUEST FOR PLEASURE, (loft), ATHPORT, e (in circle) + (in circle), HONMA (with logo in O) CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Be Zeal 525 | 9.5,10.5 | SOLE: (weight port), HONMA (with logo in O), Be ZEAL, (weight port), (loft), (525 on inset) TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | Be Zeal 525 (Ladies) | 10.5,11.5,13 | SOLE: HONMA (with logo in O), Be ZEAL, (weight port), (loft), (525 on inset) TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | Be Zeal 525 (Ladies) (Version 2) | 10.5,11.5,13 | SOLE: HONMA (with logo in O), Be ZEAL, (weight port), (loft), (525 on inset) TOE: HONMA (with logo in O) CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Be Zeal 525 (LH) | 10.5 | SOLE: (weight port), HONMA (with logo in O), Be ZEAL, (525 on inset), (weight port), (loft) TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------------|--------------------|--|
| Honma Golf Co Ltd | Be Zeal 525 (LH) (Version 2) | 10.5 | SOLE: (weight port), HONMA (with logo in O), Be ZEAL, (525 on inset), (weight port), (loft) TOE: HONMA (with logo in O) CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Be Zeal 525 (Version 2) | 9.5,10.5 | SOLE: HONMA (with logo in O), Be ZEAL, (loft), (525 on inset) TOE: HONMA (with logo in O) CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Be Zeal 525 Limited Edition | 9.5,10.5 | SOLE: HONMA (with logo in O), Be ZEAL, 525, (loft), (two stars on inset) TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA HEEL: LIMITED EDITION |
| Honma Golf Co Ltd | Be Zeal 535 | 9.5,10.5,11.5,13 | SOLE: GROOVE POWER AREA, HONMA (with logo in O), (535 on inset), Be ZEAL, (weight port), (loft) TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | Be Zeal 535 (Version 2) | 9.5,10.5,11.5,13 | SOLE: GROOVE POWER AREA, HONMA (with logo in O), (535 on inset), Be ZEAL, (weight port), (loft) TOE: HONMA (with logo in O) CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Be Zeal 535 (Version 3) | 10.5 | SOLE: GROOVE POWER AREA, HONMA (with logo in O), (535 on inset), Be ZEAL, (weight port), (loft) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres | 9.5,10.5,11.5,12.5 | SOLE: BERES, HONMA (with logo in O), (star (s) on inset), (loft) CROWN: (BERES alignment mark) HOSEL: MADE IN JAPAN, SAKATA FACE:(O logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------|--------------------|--|
| Honma Golf Co Ltd | Beres (prototype) | 9,10 | SOLE: BERES, 1 (loft), HONMA (with logo in O), (B logo), (star(s)) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (B alignment mark) view image here |
| Honma Golf Co Ltd | Beres (Version 2) | 9.5,10.5,11.5,12.5 | SOLE: BERES, HONMA (with logo in O), (star (s) on inset), (loft) CROWN: (BERES alignment mark) FACE:(O logo) view image here |
| Honma Golf Co Ltd | Beres 08 | 9.5,10.5,11.5,12.5 | SOLE: BERES, HONMA (with logo in O), ((O logo) on inset), (loft) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA FACE:(O logo) view image here |
| Honma Golf Co Ltd | Beres 08 Aizu | 9.5,10.5,11.5,12.5 | SOLE: BERES, HONMA (with logo in O), (star(s) on inset), (loft) CROWN: (diamond alignment mark), (diamond and floral decorative marking) HOSEL: MADE IN JAPAN, SAKATA 08 FACE:(O logo) view image here |
| Honma Golf Co Ltd | Beres 09 | 9.5,10.5,11.5 | SOLE: (stars) on insert, BERES BACK: (weight port) TOE: Honma with logo in O CROWN: (alignment mark), BERES HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) view image here |
| Honma Golf Co Ltd | Beres Aizu | 10.5 | SOLE: (stars on inset), (wieght screw), HONMA (with logo in O), BERES, (kanji characters), WING CLAW TECHNOLOGY TOE: HONMA (with logo in O) CROWN: (square alignment mark), (decorative marking), (kanji characters) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) |
| Honma Golf Co Ltd | Beres Aizu (La) | 11.5 | view image here SOLE: (loft), (stars on inset), HONMA (with logo in O), BERES, (kanji characters), (weight port) TOE: HONMA (with logo in O) CROWN: (square alignment mark), (decorative marking), (kanji characters) HOSEL: MADE IN JAPAN, SAKATA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------------------|-----------|--|
| Honma Golf Co Ltd | Beres Aizu II | 10.5,11.5 | SOLE: BERES, HONMA (with logo in O), (star(s) on inset), (loft) CROWN: (diamond alignment mark), (diamond decorative marking), (kanji characters) HOSEL: MADE IN JAPAN, SAKATA FACE:(O logo) |
| Honma Golf Co Ltd | Beres C-01 | 9,10 | SOLE: HONMA (with logo in O), ((B logo), (star(s)) on circular inset), BERES, C-01, (loft) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) CROWN: BERES FACE:FORGED-F |
| Honma Golf Co Ltd | Beres C-01 (Version 2) (Prototype) | 9,10 | SOLE: MADE IN JAPAN SAKATA HONMA (with logo in O), HONMA (with logo in O), ((B logo), PROTO on circular inset), BERES, C-01, PROTO-1, (loft) FACE:FORGED-F view image here |
| Honma Golf Co Ltd | Beres C-01 Proto II (Prototype) | 9,10 | SOLE: HONMA (with logo in O), ((B logo), PROTO on circular inset), BERES, C-01, PROTO-II, (loft) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) FACE:FORGED-F |
| Honma Golf Co Ltd | Beres C-01 Proto-CD (Prototype) | 9 | SOLE: ((B logo), PROTO on circular inset), HONMA (with logo in O), BERES, C-01, PROTO-CD, (loft) TOE: HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | Beres C-01 Proto-CI (Prototype) | 9 | SOLE: HONMA (with logo in O), ((B logo), PROTO on circular inset), BERES, C-01, PROTO-CI, (loft) TOE: HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | Beres C-01 Proto-PS (Prototype) | 9 | SOLE: HONMA (with logo in O), ((B logo), PROTO on circular inset), PROTO-PS, BERES, C-01, (orientation indicators around port for shaft screw), (loft) TOE: MADE IN JAPAN SAKATA, HONMA (with logo in O) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|------------------------------------|--------------|--|
| Honma Golf Co Ltd | Beres C-01 Proto-T (Prototype) | 9 | SOLE: HONMA (with logo in O), ((B logo), PROTO on circular inset), BERES, C-01, PROTO-T, (loft) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) |
| Honma Golf Co Ltd | Beres C-01 Proto-TC (Prototype) | 9 | SOLE: HONMA (with logo in O), ((B logo), PROTO on circular inset), BERES, C-01, PROTO-TC, (loft) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | Beres C-01 Proto-TF (prototype) | 9 | SOLE: HONMA (with logo in O), ((B logo), PROTO on circular inset), BERES, C-01, PROTO-TF, (loft) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) |
| Honma Golf Co Ltd | Beres C-01 Proto-TL (Prototype) | 9 | SOLE: HONMA (with logo in O), ((B logo), PROTO on circular inset), BERES, C-01, PROTO-TL, (loft) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | Beres C-01 Proto-TY (Prototype) | 9 | SOLE: HONMA (with logo in O), ((B logo), PROTO on circular inset), BERES, C-01, PROTO-TY, (loft) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | Beres Daruma | 10.5 | SOLE: BERES, HONMA (with logo in O), (star(s) on inset), (loft) CROWN: (fish decorative marking with kanji characters) HOSEL: MADE IN JAPAN, SAKATA FACE:(O logo) view image here |
| Honma Golf Co Ltd | Beres E-01 | 10.5,11.5,13 | SOLE: (loft), ((logo) (B logo) (logo) (star(s)) in oval inset), HONMA (with logo in O), BERES, E-01 TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) CROWN: BERES FACE:FORGED-F |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------|----------------|---|
| Honma Golf Co Ltd | Beres E-03 | 10.5,11.5,12.5 | SOLE: (loft), ((B logo), (star(s) on circular inset)), E-03, HONMA (with logo in O), BERES TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | Beres E-03 (Version 2) | 10.5,11.5,12.5 | SOLE: (loft), ((B logo), (star(s) on circular inset)), E-03, HONMA (with logo in O), |
| | | | BERES TOE: HONMA (with logo in O) CROWN: (alignment mark) |
| | | | view image here |
| Honma Golf Co Ltd | Beres E-05 | 10.5,11.5,12.5 | SOLE: (loft), (star(s) on inset), (media blast logo in shape), HONMA (with logo in O), BERES, E-05 TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| | | | view image here |
| Honma Golf Co Ltd | Beres E-05 (Version 2) | 10.5,11.5,12.5 | SOLE: HONMA (with logo in O), BERES, E-05, (loft), (star(s) on inset), (media blast logo in shape) TOE: HONMA (with logo in O) CROWN: (alignment mark) |
| | | 40.5.44.5.40.5 | view image here |
| Honma Golf Co Ltd | Beres E-06 | 10.5,11.5,12.5 | SOLE: SPLIT GROOVE AREA, HONMA (with logo in O), (stars on inset), BERES, E-06, (loft) TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| | 5 5000/ | 40.5.44.5.40.5 | view image here |
| Honma Golf Co Ltd | Beres E-06 (Version 2) | 10.5,11.5,12.5 | SOLE: SPLIT GROOVE AREA, HONMA (with logo in O), (stars on inset), BERES, E-06, (loft) TOE: HONMA (with logo in O) CROWN: (alignment mark) |
| | | | view image here |
| Honma Golf Co Ltd | Beres Jr (Aluminium) | N/A | BACK: FUTURE STAR, 1W, BERES, Jr., HONMA (with logo in O) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) CROWN: (alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--------------------------------|-----------|--|
| Honma Golf Co Ltd | Beres Jr (Titanium) | N/A | BACK: FUTURE STAR, 1W, BERES, Jr., HONMA (with logo in O) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Beres Kiwami | 9,10,11 | SOLE: HONMA (with logo in O), (loft), BERES, KIWAMI, FORGED, ((B logo), (star(s) on inset)) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) CROWN: (alignment mark) |
| Honma Golf Co Ltd | Beres Kiwami (Version 2) | 11 | SOLE: (loft), (star(s) on inset), HONMA (with logo in O), BERES, KIWAMI TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | Beres Limited Edition | 10.5 | SOLE: BERES, HONMA (with logo in O), (star(s) on inset), Limited Edition, (loft) CROWN: (BERES alignment mark) HOSEL: MADE IN JAPAN, SAKATA FACE:(O logo) |
| Honma Golf Co Ltd | Beres MG611 440 (Version 1) | N/A | SOLE: 0 HT, BERES, MG611 440, (B logo) TOE: SAKATA STUDIO, HONMA, MADE IN JAPAN CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Beres MG611 440 (Version 2) | N/A | SOLE: 0 HT, BERES, MG611 440, (B logo) BACK: HONMA TOE: SAKATA STUDIO, HONMA, MADE IN JAPAN CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Beres MG612 | 10.5,11.5 | SOLE: (B logo), (star(s)), BERES, — 1 (loft) —, MG612, HONMA (with logo in O) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (B logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--------------------------------|-----------|---|
| Honma Golf Co Ltd | Beres MG613 | 10.5,11.5 | SOLE: ((B logo), (star(s)) on oval inset), (BERES, MG613, HONMA (with logo in O), (loft) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) CROWN: BERES view image here |
| Honma Golf Co Ltd | Beres MG710 | 9,10 | SOLE: (loft), BERES, MG710, HONMA (with logo in O), ((B logo), (star(s)) on inset) TOE: HONMA (logo in O), MADE IN JAPAN, SAKATA CROWN: BERES FACE:FORGED-F |
| Honma Golf Co Ltd | Beres MG711 460 (Version 2) | 9,10 | SOLE: -460-, (loft), MG711 0 (underlined), BERES, (B logo), -(star(s))- TOE: SAKATA STUDIO, HONMA, MADE IN JAPAN CROWN: (alignment mark) FACE:PV view image here |
| Honma Golf Co Ltd | Beres MG711 460 (Version 3) | 9,10 | SOLE: -460-, (loft), MG711 0 (underlined), BERES, (B logo), -(star(s))- BACK: HONMA (with logo in O) TOE: SAKATA STUDIO, HONMA, MADE IN JAPAN CROWN: (alignment mark) FACE:PV view image here |
| Honma Golf Co Ltd | Beres MG712 460 (Version 1) | 9,10 | SOLE: BERES, MG712, 0, -460-, FORGED TITANIUM BACK: (B logo), (star(s)), (loft) TOE: SAKATA STUDIO, HONMA (with mole logo in O), MADE IN JAPAN (all in diamond shapes) CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Beres MG712 460 (Version 3) | 9,10 | SOLE: BERES, MG712, 0, -460-, FORGED TITANIUM BACK: (B logo), (star(s)), (loft) TOE: HONMA (with mole logo in O), MADE IN JAPAN, SAKATA view image here |

| November 04, 2024 | | | |
|-------------------|----------------------------------|-------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Honma Golf Co Ltd | Beres MG712 460 (Version 4) | 9,10 | SOLE: BERES, MG712, 0, -460-, (5 dots), FORGED TITANIUM BACK: (B logo), (star(s)), (loft) TOE: HONMA (with mole logo in O), MADE IN JAPAN, SAKATA CROWN: (alignment mark) FACE:MG712 view image here |
| Honma Golf Co Ltd | Beres MG713 | 9,10 | SOLE: BERES, MG713, 1 (loft), HONMA (with logo in O), (B logo), (star(s)) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (B logo) view image here |
| Honma Golf Co Ltd | Beres MG-713 (LH) | 10 | SOLE: BERES, MG713, 1 (loft), HONMA (with logo in O), (B logo), (star(s)) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (B alignment mark) |
| Honma Golf Co Ltd | Beres MG713 440 | 9,10 | SOLE: BERES, MG713, 440 (in rectangle), 1 (loft), HONMA (with logo in O), (B logo, star(s) on oval inset) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (B logo alignment mark) view image here |
| Honma Golf Co Ltd | Beres MG713 Proto (prototype) | 9 | SOLE: BERES, MG713, PROTO, 1 (loft), HONMA (with logo in O), (B logo), (star(s)) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (B logo alignment mark) view image here |
| Honma Golf Co Ltd | Beres MG811 430 (Version 1) | 9,10 | SOLE: BERES, MG811 430 (loft), 0, (B logo), -(star(s))- TOE: SAKATA STUDIO, HONMA, MADE IN JAPAN CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Beres MG811 430 (Version 2) | 9,10 | SOLE: BERES, MG811 430 (loft), 0, (B logo), (star(s)) BACK: HONMA TOE: SAKATA STUDIO, HONMA, MADE IN JAPAN CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------------------------|---------|---|
| Honma Golf Co Ltd | Beres MG811 430 (Version 3) (LH) | 9,10 | SOLE: 0, BERES, MG811 430 (loft), (B logo), -(stars)- TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Beres MG812 420 | 9,10 | SOLE: BERES, MG812 420 (loft), 1, HONMA (with logo in O), (B logo), (star(s)) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (alignment mark) |
| Honma Golf Co Ltd | Beres MG813 | 9,10 | SOLE: BERES, MG813, (loft), (B logo with star(s)), HONMA (with logo in O) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (B logo alignment mark) view image here |
| Honma Golf Co Ltd | Beres ML 513 | 11.5,13 | SOLE: BERES, ML 513, HONMA (with logo in O), (loft), ((B logo), (star(s)) on oval inset) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (B logo alignment mark) view image here |
| Honma Golf Co Ltd | Beres ML511 400 (Version 1) | 11.5,13 | SOLE: 0 (loft), BERES, ML511 400, (B logo) TOE: SAKATA STUDIO, HONMA, MADE IN JAPAN CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Beres ML511 400 (Version 2) | 11.5,13 | SOLE: 0 (loft), BERES, ML511 400, (B logo) BACK: HONMA TOE: SAKATA STUDIO, HONMA, MADE IN JAPAN CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Beres ML512 | 11.5,13 | SOLE: BERES, — 1 (loft) —, ML512, HONMA (with logo in O), (B logo), (star(s)) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (B logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------|------------------|---|
| Honma Golf Co Ltd | Beres NX | 9,10.5,11.5,12.5 | SOLE: BERES, NX DRIVE TECHNOLOGY, NX, BOOSTER SLOT, LOW, DRAW, STD, HIGH BACK: (weight port) TOE: HONMA (with logo in O) CROWN: (alignment mark), NX, SOLID CARBON CROWN HOSEL: MADE IN JAPAN, SAKATA, (line), (line) and/or (orientation indicators) HEEL: (loft) FACE:RADIALFACE view image here |
| Honma Golf Co Ltd | Beres NX (LH) | 10.5 | SOLE: BERES, NX DRIVE TECHNOLOGY, NX, BOOSTER SLOT, HIGH, DRAW, LOW, STD. BACK: (weight port) TOE: HONMA (with logo in O) CROWN: (alignment mark B), SOLID CARBON CROWN, NX HOSEL: MADE IN JAPAN, SAKATA, (line), (line) and/or (orientation indicators) HEEL: (loft) FACE:RADIALFACE view image here |
| Honma Golf Co Ltd | Beres NX 3S | 9,10.5 | SOLE: BERES, NX DRIVE TECHNOLOGY, NX, BOOSTER SLOT, LOW, DRAW, STD, HIGH BACK: (weight port) TOE: HONMA (with logo in O) CROWN: (alignment mark), NX, SOLID CARBON CROWN HOSEL: MADE IN JAPAN, SAKATA, (line), (line) and/or (orientation indicators) HEEL: (star)(star)(star), (loft) FACE:RADIALFACE view image here |
| Honma Golf Co Ltd | Beres NX Proto Ver 2 | N/A | SOLE: PROTO, NX, LOW, DRAW, STD, HIGH TOE: HONMA (with logo in O) CROWN: NX, SOLID CARBON CROWN HOSEL: MADE IN JAPAN, SAKATA V2, (line), (line) and/or (orientation indicators) FACE:RADIALFACE view image here |
| Honma Golf Co Ltd | Beres Proto T-01 | N/A | SOLE: BERES, PROTO T-01, ((B logo), (star(s) on circular inset) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------------------|-------|---|
| Honma Golf Co Ltd | Beres Proto-02 (Prototype) | N/A | SOLE: ((B logo), PROTO on circular inset), HONMA (with logo in O), BERES, PROTO-02, (orientation indicators around port for shaft screw) TOE: HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | Beres Proto-A | 9,10 | SOLE: BERES, PROTO-A, (loft) BACK: (B logo with star(s)) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres Proto-A1 | N/A | SOLE: BERES, PROTO-A1 BACK: (star(s), (B logo) on oval inset) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres Proto-A2 | N/A | SOLE: BERES, PROTO-A2 BACK: (star(s), (B logo) on oval inset) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres Proto-A3 | N/A | SOLE: BERES, PROTO-A3 BACK: (star(s), (B logo) on oval inset) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres Proto-A6 | N/A | SOLE: BERES, PROTO-A6 BACK: (star(s)), (B logo) on oval inset) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres Proto-B (prototype) | N/A | SOLE: BERES, PROTO-B BACK: (B logo with star(s) in inset) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres Proto-B1 | N/A | SOLE: BERES, PROTO-B1 BACK: (star(s)), (B logo) on oval inset) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres Proto-C | 9,10 | SOLE: BERES, PROTO-C, (loft) BACK: (B logo with star(s)) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|------------------------------|-------|---|
| Honma Golf Co Ltd | Beres Proto-C1 | 10.5 | SOLE: BERES, PROTO-C1, HONMA (with logo in O), (B logo, star(s) on oval inset), (loft) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres Proto-D (version 2) | N/A | SOLE: (weight port), BERES, PROTO-D, CARBON SLOT, (weight port), OP, UP, CL, STD TOE: HONMA (with logo in O) CROWN: NX, SOLID CARBON CROWN HOSEL: MADE IN JAPAN, SAKATA V2, (line), (line) and/or (orientation indicators) |
| Honma Golf Co Ltd | Beres Proto-S (Version 2) | N/A | SOLE: (weight port) BERES, PROTO-S, (weight port), CARBON SLOT, OP, UP, CL, STD TOE: HONMA (with logo in O) CROWN: NX, (SOLID CARBON CROWN) HOSEL: MADE IN JAPAN, SAKATA V2, (line), (line) and/or (orientation indicators) |
| Honma Golf Co Ltd | Beres S-01 | 9,10 | SOLE: (loft), ((B logo), (star(s)) on circular inset), HONMA (with logo in O), BERES, S-01 TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) CROWN: BERES FACE:FORGED-F |
| Honma Golf Co Ltd | Beres S-01 (LH) | 10 | SOLE: (loft), BERES, S-01, HONMA (with logo in O), ((B logo), (star(s)) on circular inset) TOE: HONMA (with logo in O) MADE IN JAPAN SAKATA CROWN: BERES FACE:FORGED-F |
| Honma Golf Co Ltd | Beres S-01 (Version 2) | 10 | SOLE: (loft), ((B logo), (star(s)) on circular inset), HONMA (with logo in O), (Japanese symbol), BERES, S-01 TOE: MADE IN JAPAN SAKATA HONMA (with logo in O), REG. CROWN: (japanese symbol alignment mark) FACE:FORGED-F |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|------------------------------------|----------|--|
| Honma Golf Co Ltd | Beres S-01 Proto I (Prototype) | 9,10 | SOLE: MADE IN JAPAN SAKATA HONMA (with logo in O), (loft), ((B logo), PROTO on circular inset), HONMA (with logo in O), BERES, S-01, PROTO-I FACE:FORGED-F view image here |
| Honma Golf Co Ltd | Beres S-02 | 9,10 | SOLE: (loft), ((B logo), (star(s)) on circular inset), WING BLADE TECHNOLOGY, S-02, HONMA (with logo in O), BERES TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) CROWN: (alignment mark) |
| Honma Golf Co Ltd | Beres S-02 Proto (Prototype) | 9 | SOLE: (loft), ((B logo), PROTO on circular inset), WING BLADE TECHNOLOGY, S-02, HONMA (with logo in O), BERES TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | Beres S-02 Proto-L (Prototype) | 9 | SOLE: (logo), ((B logo), PROTO on circular inset), WING BLADE TECHNOLOGY, S-02,PROTO-L, HONMA (with logo in O), BERES TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) |
| Honma Golf Co Ltd | Beres S-02 Proto-PS (Prototype) | N/A | SOLE: ((B logo), PROTO on circular inset), S-02, PROTO-PS, HONMA (with logo in O), BERES, (orientation indicators around port for shaft screw) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | Beres S-03 | 9.5,10.5 | SOLE: (curved line), WING BLADE TECHNOLOGY, (star(s) on inset), HONMA (with logo in O), BERES, S-03 TOE: HONMA (with logo in O) CROWN: (alignment logo) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) view image here |
| Honma Golf Co Ltd | Beres S-03 (LH) | 9.5,10.5 | SOLE: (WING BLADE TECHNOLOGY, angled line in shape), (star(s) on inset), HONMA (with logo in O), BERES, S-03 TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--------------------------------|----------|--|
| Honma Golf Co Ltd | Beres S-03 (LH) (Version 2) | 9.5,10.5 | SOLE: WING BLADE TECHNOLOGY, (angled line), (star(s) on shield inset), HONMA (with logo in O), BERES, S-03 TOE: HONMA (with logo in O) CROWN: (alignment logo) HEEL: (loft) view image here |
| Honma Golf Co Ltd | Beres S-03 (Version 2) | 9.5,10.5 | SOLE: WING BLADE TECHNOLOGY, (angled line), (star(s) on shield inset), HONMA (with logo in O), BERES, S-03 TOE: HONMA (with logo in O) CROWN: (alignment logo) HEEL: (loft) |
| | | | view image here |
| Honma Golf Co Ltd | Beres S-05 | 9.5,10.5 | SOLE: (star(s) on inset), HONMA (with logo in O), BERES, S-05, WING CLAW TECHNOLOGY TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) |
| | | | view image here |
| Honma Golf Co Ltd | Beres S-05 (Version 2) | 9.5,10.5 | SOLE: (star(s) on inset), HONMA (with logo in O), BERES, S-05, WING CLAW TECHNOLOGY TOE: HONMA (with logo in O) CROWN: (alignment mark) HEEL: (loft) |
| Honma Golf Co Ltd | Beres S-06 | 9.5,10.5 | SOLE: KEY GROOVE AREA, HONMA (with logo in O), BERES, S-06, (2 x stars on inset), (loft) TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | Beres S-06 (LH) | 9.5,10.5 | SOLE: KEY GROOVE AREA, HONMA (with logo in O), BERES, S-06, (star (s) on inset), (loft) TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres S-06 (Version 2) | 9.5,10.5 | SOLE: KEY GROOVE AREA, HONMA (with logo in O), BERES, S-06, (stars on inset), (loft) TOE: HONMA (with logo in O) CROWN: (alignment mark) view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---|----------|---|
| Honma Golf Co Ltd | Beres S-06 (Version 2) (LH) | 9.5,10.5 | SOLE: KEY GROOVE AREA, HONMA (with logo in O), BERES, S-06, (star (s) on inset), (loft) TOE: HONMA (with logo in O) CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Beres Sakura | 11.5 | SOLE: BERES, HONMA (with logo in O), (star(s) on inset), (loft) CROWN: (flower(s) alignment mark), (flower(s) decorative marking) HOSEL: MADE IN JAPAN, SAKATA FACE:(O logo) view image here |
| Honma Golf Co Ltd | Beres TW911 415 (Version 1) | 9,10 | SOLE: 1, BERES, TW911, -415-, (loft), (B logo), (star(s)) TOE: SAKATA STUDIO, HONMA, MADE IN JAPAN view image here |
| Honma Golf Co Ltd | Beres TW911 415 (Version 2) | 9,10 | SOLE: 1, BERES, TW911, -415-, (loft), (B logo), -(star(s))- BACK: HONMA (with logo in O) TOE: SAKATA STUDIO, HONMA, MADE IN JAPAN view image here |
| Honma Golf Co Ltd | Beres TW912 410 (Version 1) | 9,10 | SOLE: (B logo, (stars)), 1, BERES, TW912, -410-, FORGED Ti, (loft) TOE: SAKATA STUDIO, HONMA, MADE IN JAPAN view image here |
| Honma Golf Co Ltd | Beres TW912 410 (Version 2) | 9,10 | SOLE: (B logo, (stars)), 1, BERES, TW912, -410-, FORGED Ti, (loft) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres TW912 410 Proto 1 (prototype) | N/A | SOLE: (B logo, (star(s)), 1, BERES, TW912, -410- BACK: PROTO I TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres TW912 410 Proto II (prototype) | N/A | SOLE: (B logo, (star(s)), 1, BERES, TW912, -410- BACK: PROTO II TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |

| | | Lofts | Identification Markings |
|-------------------|------------------------------------|---------------|---|
| Honma Golf Co Ltd | Beres TW912 -460- | 9 | SOLE: (B logo), (stars), 1, BERES, TW912, -460-, FORGED Ti, (loft) TOE: SAKATA STUDIO, HONMA, MADE IN JAPAN view image here |
| Honma Golf Co Ltd | Beres TW913 | 9,10 | SOLE: (B logo), (star(s)), BERES, TW913, 1, HONMA (with logo in O), (loft) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres TW913 (prototype) | 9,10 | SOLE: (B logo), (star(s)), BERES, TW913, 1, PROTO, HONMA (with logo in O), (loft) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres TW913 Proto-A (prototype) | N/A | SOLE: (B logo), (star(s)), BERES, TW913, 1, PROTO-A, HONMA (with logo in O) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres TW913 Proto-B (prototype) | N/A | SOLE: (B logo), (star(s)), BERES, TW913, 1, PROTO-B, HONMA (with logo in O) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres TW913 Proto-C (prototype) | N/A | SOLE: (B logo), (star(s)), BERES, TW913, 1, PROTO-C, HONMA (with logo in O) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres TW914 | 9,10 | SOLE: TW914 BERES, (loft) BACK: (B logo with star(s)) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Beres TW914 Proto-X | 9 | SOLE: TW914 BERES, PROTO-X, (loft) BACK: ((star(s)), (B logo) on oval inset) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | BeZEAL | 9.5,10.5,11.5 | SOLE: (weight port), HONMA (with logo in O) CROWN: (Alignment mark) HOSEL: MADE IN JAPAN, SAKATA HEEL: BeZEAL, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------|--------------------------------|---|
| Honma Golf Co Ltd | Big-LB 300cc | 7.5,8.5,9.5,10.5 | SOLE: 300cc (double line), BIG-LB, TITANIUM, LOFT (loft), HONMA (w/ mole in O logo), 1 (curved line) TOE: HONMA, THE WORLD RENOWNED "HONMA" CROWN: Hiro Honma, BIG-LB HOSEL: MADE IN JAPAN view image here |
| Honma Golf Co Ltd | Big-LB 300cc New | 6.5,7.5,8.5,9.5,10.5,11.5,12.5 | SOLE: 300cc (line), NEW ⁻ , BIG-LB, TITANIUM, LOFT (loft), HONMA (w/ mole in O logo), 1 (curved line) TOE: HONMA, , U.S.A. MODEL CROWN: Hiro Honma, BIG-LB HOSEL: MADE IN JAPAN FACE:BURNING GOLD view image here |
| Honma Golf Co Ltd | Big-LB L 300cc | 11.5,12.5 | SOLE: 300cc, (double line), BIG-LB, TITANIUM, (L in oval), HONMA (w/ mole in O logo), 1 (loft) (curved line) TOE: HONMA, THE WORLD RENOWNED 'HONMA' CROWN: Hiro Honma, BIG-LB L HOSEL: MADE IN JAPAN view image here |
| Honma Golf Co Ltd | Big-LB Titan Chrome | 9.5,10.5,11.5 | SOLE: DIRECTED, by, HONMA (w/ mole in O logo), BIG-LB, TITAN, 1 (loft), LB WEIGHT, (weight insert), (curved line) TOE: HONMA (w/ mole in O logo), THE WORLD RENOWNED 'HONMA' CROWN: (Hiro Honma), BIG-LB HOSEL: MADE IN JAPAN |
| Honma Golf Co Ltd | D1 | 10.5 | SOLE: (weight port), D1, HONMA (with logo in O), UP, CL, FL, OP TOE: HONMA (with logo in O), DESIGNED BY HONMA IN JAPAN CROWN: (arrow alignment mark) HOSEL: (line), (line) HEEL: (loft) |
| Honma Golf Co Ltd | G1X Red | 9.5,10.5 | SOLE: (line), HONMA (with logo in O), G1X, (line), (orientation indicators around port for shaft screw), (decorative lines), RED TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: (line) HEEL: (loft) FACE:(media blast logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------|----------|---|
| Honma Golf Co Ltd | G1X Red (Version 2) | 9.5,10.5 | SOLE: (line), HONMA (with logo in O), G1X, (line), (orientation indicators around port for shaft screw), (decorative lines), RED TOE: HONMA (with logo in O), DESIGNED BY HONMA IN JAPAN CROWN: (alignment mark) HOSEL: (line) HEEL: (loft) FACE:(media blast logo) |
| Honma Golf Co Ltd | HLM-888 | 10 | SOLE: (loft), (star(s) on inset), HONMA (with logo in O), HLM-888 TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | HT-01 | 10,11 | SOLE: HONMA (with logo in O), 1, HT-01, 460cc, (loft), ((star(s)), logo in circular inset) TOE: HONMA (with logo in O), MADE IN JAPAN, SAKATA CROWN: (alignment mark) |
| Honma Golf Co Ltd | HT-02 | 10 | SOLE: (loft), (star(s) on inset), HONMA (with logo in O), HT-02 TOE: HONMA (with logo in O) CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | HZ-T1 | 9.5,10.5 | SOLE: (star(s) on inset), HONMA (with logo in O), HZ-T1, (loft) TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | HZ-T1 (Version 2) | 9.5,10.5 | SOLE: (star(s) on inset), HONMA (with logo in O), HZ-T1, (loft) TOE: HONMA (with logo in O) CROWN: (alignment mark) view image here |
| Honma Golf Co Ltd | Jr Special | 11.5 | SOLE: (Jr. on inset), HONMA (with logo in O), Jr. TOE: HONMA (with logo in O) CROWN: (logo alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------|------------|--|
| Honma Golf Co Ltd | Lady Go | 12.5 | SOLE: 65th ANNIVERSARY, (weight port), BERES, LADY GO, (loft) TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | LB-515 | 9.5,10.5 | SOLE: HONMA (with logo in O), (loft), (LB-515 on inset) TOE: HONMA (with logo in O) CROWN: (logo alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | LB-515 (Version 2) | 12,13.5 | SOLE: (loft), (LB-515 on inset), HONMA (with logo in O) TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | LB-515 Edition-1 | 9.5,10.5 | SOLE: HONMA (with logo in O), (loft), (LB-515 on inset) TOE: HONMA (with logo in O) CROWN: (logo alignment mark) HOSEL: MADE IN JAPAN, SAKATA HEEL: EDITION-I |
| Honma Golf Co Ltd | LB-808 | 9.75,10.75 | SOLE: GROOVE POWER AREA, HONMA (with logo in O), (inset), LB-808, (weight port) TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) view image here |
| Honma Golf Co Ltd | LB-808 Limited Edition | 9.75,10.75 | SOLE: GROOVE POWER AREA, HONMA (with logo in O), (2 stars on inset), LB-808, (weight port) TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA HEEL: (line), Limited Edition, (loft) view image here |
| Honma Golf Co Ltd | LB-808ep | 9.75,10.75 | SOLE: GROOVE POWER AREA, DEEP GRAVITY WEIGHT, (weight port), HONMA (with logo in O), LB-808ep TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--|-----------------------|--|
| Honma Golf Co Ltd | LB818 440 | 9.5 | SOLE: Groove Technology, (weight port), 440, HONMA (with logo in O), (weight port), LB818, (weight port) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) FACE:RADIALTiFace |
| Honma Golf Co Ltd | LB818 460 | 10.5 | SOLE: Groove technology, (weight port), 460, HONMA (with logo in O), (weight port), LB818, (weight port) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) FACE:RADIALTiFace view image here |
| Honma Golf Co Ltd | LG430 Proto (Prototype) | N/A | SOLE: LG-430, PROTO, (orientation indicators around port for shaft screw) TOE: MADE IN JAPAN SAKATA, HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | New Big-LB 300cc Titanium | 7.5,8.5,9.5,10.5,11.5 | SOLE: 300cc (underlined), NEW, BIG-LB, TITANIUM, LOFT (loft), HONMA (with logo in O), 1 TOE: HONMA (with logo in O), (triangle) FORGED (triangle) CROWN: Hiro Honma, BIG-LB HOSEL: MADE IN JAPAN FACE:BURNING GOLD view image here |
| Honma Golf Co Ltd | New Big-LB 300cc Titanium (Version 2) | 7.5,8.5,9.5,10.5,11.5 | SOLE: 300cc (underlined), NEW, BIG-LB, TITANIUM, LOFT (loft), HONMA (with logo in O), 1 TOE: AS ROLLED, HONMA (with logo in O), FORGED CROWN: Hiro Honma, BIG-LB HOSEL: MADE IN JAPAN FACE:BURNING GOLD view image here |
| Honma Golf Co Ltd | Perfect Switch 390 | 9 | SOLE: (loft)+, (arrow logo on inset with or without star(s)), HONMA (with logo in O), AMAZING SPEC, Perfect Switch, 390, (orientation indicators around port for shaft screw) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) FACE:FORGED-F |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---|-------|---|
| Honma Golf Co Ltd | Perfect Switch 390 Proto (Prototype) | 9 | SOLE: (loft)+, (arrow logo on inset with or without star(s)), HONMA (with logo in O), AMAZING SPEC, Perfect Switch, 390, PROTO, (orientation indicators around port for shaft screw) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) FACE:FORGED-F |
| Honma Golf Co Ltd | Premium Jr. | 15 | SOLE: (loft), (logo on inset), MR, HONMA KIDS, MINI RAINBOW TOE: HONMA (with logo in O) CROWN: (logo alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Proto-1 Perfect Switch | N/A | SOLE: (PROTO-01, W-PERFECT SWITCH on inset), HONMA (with logo in O), (lie/face angle indicators on oval inset) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | Proto-2 Perfect Switch | N/A | SOLE: (PROTO-02, W-PERFECT SWITCH on inset), HONMA (with logo in O), (lie indicators on oval inset) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) |
| Honma Golf Co Ltd | Royalstar | 10.5 | SOLE: (weight port), HONMA (with logo in O), ROYALSTAR, LOW, DRAW, STD, HIGH TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA, (line), (line) and/or (orientation indicators) HEEL: (loft) view image here |
| Honma Golf Co Ltd | SATAKA Lab 3 DR | N/A | SOLE: (weight port), SAKATA Lab, (weight port) CROWN: (Alignment marker) HOSEL: MADE IN JAPAN, SAKATA V3, (line), (line) FACE:Honma (with logo in O) view image here |
| Honma Golf Co Ltd | SATAKA Lab DR | N/A | SOLE: (weight port), SAKATA Lab, (weight port), (weight port) HOSEL: MADE IN JAPAN, SAKATA, (line), (line) FACE:Honma (with logo in O) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------|--------------|---|
| Honma Golf Co Ltd | TL51D | 10.5 | SOLE: Tonino Lamborghini, TL51D, 460, (TW logo on circular inset), HONMA (with logo in O), TOUR WORLD BACK: (logo), Tonino Lamborghini TOE: MADE IN JAPAN SAKATA by HONMA (with logo in O) CROWN: (logo), Tonino Lamborghini HEEL: (loft) |
| Honma Golf Co Ltd | Tour World 330 PV | 9.5 | SOLE: (loft), (H within a C logo), TOUR WORLD, 1, (triangle)330(triangle) TOE: HONMA (w/ mole in O logo), (triangle)TITANIUM(triangle) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Tour World 335 Ti | 9 | SOLE: (triangle) TOUR, WORLD (triangle), 335Ti FORGED, 1 (loft), HONMA (w/ mole in O logo) TOE: HONMA (w/ mole in O logo), (triangle)FORGED(triangle) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Tour World 340 Ti | 9,10 | SOLE: (triangle) TOUR, WORLD (triangle), 340Ti FORGED, 1 (loft), HOMNA (w/ mole in O logo) TOE: HOMNA (w/ mole in O logo), (triangle)FORGED(triangle) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Tour World 345 | 8,9,10 | SOLE: (H within a C logo), TOUR WORLD, 1, (triangle)345(triangle), (loft) TOE: HONMA (w/ mole in O logo), (triangle)TITANIUM(triangle) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Tour World 350 Ti | 8,9,10 | SOLE: (triangle) TOUR, WORLD (triangle), 350Ti, 1 (loft), HOMNA (w/ mole in O logo) TOE: HOMNA (w/ mole in O logo), (triangle)FORGED(triangle) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Tour World 365 PV | 8.5,9.5,10.5 | SOLE: (loft), (H within a C logo), TOUR WORLD, 1, (triangle)365(triangle) TOE: HONMA (w/ mole in O logo), (triangle)TITANIUM(triangle) HOSEL: MADE IN JAPAN, SAKATA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------|--------------|--|
| Honma Golf Co Ltd | Tour World 400 | 8,9 | SOLE: (H within a C logo), TOUR WORLD, 1, (triangle)400(triangle), (loft) TOE: HONMA (w/ mole in O logo), (triangle)TITANIUM(triangle) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Tour World 460 | 8,9 | SOLE: (H within a C logo), TOUR WORLD, 1, (triangle)460(triangle), (loft) TOE: HONMA (w/ mole in O logo), (triangle)TITANIUM(triangle) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TR20 440 (Version 1) | 8.5,9.5,10.5 | SOLE: HONMA (with logo in O), (weight port), TR20, (weight port), 440, (weight port), UP, CL, FL, OP HOSEL: MADE IN JAPAN, SAKATA, (line) and/or (orientation indicators) HEEL: (loft) FACE:HONMA (with logo in O) |
| Honma Golf Co Ltd | TR20 440 (Version 2) | 8.5,9.5,10.5 | SOLE: HONMA (with logo in O), (weight port), TR20, (weight port), 440, (weight port), UP, CL, FL, OP HOSEL: (line) and/or (orientation indicators) HEEL: (loft) FACE:HONMA (with logo in O) |
| Honma Golf Co Ltd | TR20 460 (Version 1) | 8.5,9.5,10.5 | SOLE: HONMA (with logo in O), (weight port), TR20, (weight port), 460, (weight port), UP, CL, FL, OP HOSEL: MADE IN JAPAN, SAKATA, (line) and/or (orientation indicators) HEEL: (loft) FACE:HONMA (with logo in O) |
| Honma Golf Co Ltd | TR20 460 (Version 2) | 8.5,9.5,10.5 | SOLE: HONMA (with logo in O), (weight port), TR20, (weight port), 460, (weight port), UP, CL, FL, OP HOSEL: (line) and/or (orientation indicators) HEEL: (loft) FACE:HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW717 430 | 8.5,9.5,10.5 | SOLE: HONMA (with logo in O), TOUR WORLD, TW717, 430 TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---|--------------|---|
| Honma Golf Co Ltd | TW717 430 (Version 2) | 8.5,9.5,10.5 | SOLE: HONMA (with logo in O), TOUR WORLD, TW717, 430 TOE: HONMA (with logo in O) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW717 455 | 9.5,10.5 | SOLE: HONMA (with logo in O), TOUR WORLD, TW717, 455 TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW717 455 (Version 2) | 9.5,10.5 | SOLE: HONMA (with logo in O), TOUR WORLD, TW717, 455 TOE: HONMA (with logo in O) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW717 455 PROTO-CD (Prototype) | N/A | SOLE: HONMA (with logo in O), TOUR WORLD, PROTO-CD, TW717, 455 TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW717 455 PROTO-CD II (Prototype) | N/A | SOLE: HONMA (with logo in O), TOUR WORLD, PROTO-CDII, TW717, 455 TOE: HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW717 455 PROTO-DI (Prototype) | N/A | SOLE: TW717, HONMA (with logo in O), TOUR WORLD, PROTO-DI, 455 TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW717 455 PROTO-LN (Prototype) | 9.5 | SOLE: HONMA (with logo in O), TOUR WORLD, PROTO-LN, TW717, 455 TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW717 455 PS-CD (Prototype) | N/A | SOLE: HONMA (with logo in O), TOUR WORLD, PS-CD, TW717, 455, (orientation indicators around port for shaft screw) TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------------|---------------|---|
| Honma Golf Co Ltd | TW717 455 PS-DI (Prototype) | N/A | SOLE: HONMA (with logo in O), TOUR WORLD, PS-DI, TW717, 455, (orientation indicators around port for shaft screw) TOE: HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW717 460 | 9.5,10.5,11.5 | SOLE: (TW logo, (no) star(s) on circular inset), HONMA (with logo in O), TOUR WORLD, TW717, 460 TOE: MADE IN JAPAN SAKATA HONMA (with logo in O) HEEL: (loft) |
| Honma Golf Co Ltd | TW717 460 (Version 2) | 9.5,10.5,11.5 | SOLE: HONMA (with logo in O), TOUR WORLD, TW717, 460 TOE: HONMA (with logo in O) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW717 PROTO-455D (Prototype) | N/A | SOLE: TW717, HONMA (with logo in O), TOUR WORLD, PROTO - 455D, 455 TOE: HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW717 PROTO-455S (Prototype) | N/A | SOLE: TW717, HONMA (with logo in O), TOUR WORLD, PROTO - 455S, 455 TOE: HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW717 PROTO-460 (Prototype) | N/A | SOLE: TW717, HONMA (with logo in O), TOUR WORLD, PROTO - 460, 460 TOE: HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW717 PROTO-T (Prototype) | N/A | SOLE: HONMA (with logo in O), TOUR WORLD, PROTO-T, TW717, 430 TOE: HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW717 PS445 | 9.5 | SOLE: HONMA (with logo in O), TOUR WORLD, TW717, PS 445, (orientation indicators around port for shaft screw) TOE: MADE IN JAPAN SAKATA, HONMA (with logo in O) HEEL: (loft) + view image here |
| Honma Golf Co Ltd | TW727 430 | 8.5,9.5,10.5 | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, 430 TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------------------|--------------|--|
| Honma Golf Co Ltd | TW727 430 (Black) | 8.5,9.5,10.5 | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, 430 TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) |
| | | | <u>view image here</u> |
| Honma Golf Co Ltd | TW727 430 (Black) (Version 2) | 8.5,9.5,10.5 | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, 430 TOE: HONMA (with logo in O) HEEL: (loft) |
| | | | view image here |
| Honma Golf Co Ltd | TW727 455 | 9.5,10.5 | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, 455 TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) |
| | | | view image here |
| Honma Golf Co Ltd | TW727 455 (Version 2) | 9.5,10.5 | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, 455 TOE: HONMA (with logo in O) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW727 455s | 9.5,10.5 | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, 455s TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW727 455s (Version 2) | 9.5,10.5 | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, 455s TOE: HONMA (with logo in O) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW727 460 | 9.5,10.5 | SOLE: TW727, (TW logo with or without star(s) on circular inset), HONMA (with logo in O), TOUR WORLD, 460 TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW727 460 (Version 2) | 9.5,10.5 | SOLE: TW727, (TW logo on circular inset), HONMA (with logo in O), TOUR WORLD, 460 TOE: HONMA (with logo in O) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--------------------------------|-------|--|
| Honma Golf Co Ltd | TW727 Proto-460 (Prototype) | N/A | SOLE: TW727, (TW logo on circular inset), HONMA (with logo in O), TOUR WORLD, PROTO - 460, 460 TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW727 Proto-CD (Prototype) | N/A | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, PROTO - CD, 455s TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW727 Proto-KJS (Prototype) | N/A | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, PROTO - KJS, 455 TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW727 Proto-OMN (Prototype) | N/A | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, PROTO - OMN, 455 TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW727 Proto-RSY (Prototype) | N/A | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, PROTO - RSY, 455 TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW727 Proto-SMK (Prototype) | N/A | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, PROTO - SMK, 430 TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW727 Proto-T (Prototype) | N/A | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, PROTO - T, 455 TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW727 PS-CD (Prototype) | N/A | SOLE: TW727, HONMA (with logo in O), TOUR WORLD, PS-CD, 455s, (a series of lines and dots around port for shaft screw) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA, (line) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-----------------------|----------|---|
| Honma Golf Co Ltd | TW737 445 | 9.5,10.5 | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, 445, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft), |
| Honma Golf Co Ltd | TW737 445 (Version 2) | 9.5,10.5 | view image here SOLE: TW737, HONMA (with logo in O), TOUR WORLD, 445, (underline) TOE: HONMA (with logo in O) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW737 450 | 9.5,10.5 | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, 450, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft), view image here |
| Honma Golf Co Ltd | TW737 450 (Version 2) | 9.5,10.5 | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, 450, (underline) TOE: HONMA (with logo in O) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW737 455 | 9.5,10.5 | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft), view image here |
| Honma Golf Co Ltd | TW737 455 (Version 2) | 9.5,10.5 | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, 455, (underline) TOE: HONMA (with logo in O) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW737 460 | 9.5,10.5 | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, 460, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft), view image here |
| Honma Golf Co Ltd | TW737 460 (Version 2) | 9.5,10.5 | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, 460, (underline) TOE: HONMA (with logo in O) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-----------------------|-------|---|
| Honma Golf Co Ltd | TW737 PROTO-AMK | N/A | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, (PROTO-AMK in media blast), 450, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW737 PROTO-CD | N/A | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, (PROTO-CD in media blast), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW737 PROTO-CDA | N/A | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, (PROTO-CDA in media blast), 460, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW737 PROTO-CDC-2W | N/A | SOLE: TW737, (weight port), HONMA (with logo in O), TOUR WORLD, (PROTO-CDC-2W in media blast), (weight port), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW737 PROTO-CMK-2W | N/A | SOLE: TW737, (weight port), HONMA (with logo in O), TOUR WORLD, (PROTO-CMK-2W in media blast), (weight port), 460, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW737 PROTO-KJS | N/A | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, (PROTO-KJS in media blast), 445, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW737 PROTO-KZM | N/A | SOLE: TW737, (weight port), HONMA (with logo in O), TOUR WORLD, (PROTO-KZM in media blast), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------|-------|--|
| Honma Golf Co Ltd | TW737 PROTO-KZM-T | N/A | SOLE: TW737, (weight port), HONMA (with logo in O), TOUR WORLD, (PROTO-KZM-T in media blast), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW737 PROTO-NRC | N/A | SOLE: (weight port), TW737, (weight port), HONMA (with logo in O), TOUR WORLD, (PROTO-NRC in media blast), 455, (underline), (weight port) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW737 PROTO-PTR | N/A | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, (PROTO-PTR in media blast), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW737 PROTO-PTR | N/A | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, (PROTO-PTR III in media blast), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW737 PROTO-T | N/A | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, (PROTO-T in media blast), 450, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW737 PROTO-TIM | N/A | SOLE: TW737, HONMA (with logo in O), (weight port), TOUR WORLD, (PROTO-TIM in media blast), 445, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW737 PROTO-TIM-H | N/A | SOLE: TW737, (weight port), HONMA (with logo in O), TOUR WORLD, (PROTO-TIM-H in media blast), 445, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------|-------|---|
| Honma Golf Co Ltd | TW737 PROTO-TMK | N/A | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, (PROTO-TMK in media blast), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW737 PROTO-WRC | N/A | SOLE: (weight port), TW737, (weight port), HONMA (with logo in O), TOUR WORLD, (PROTO-WRC in media blast), 455, (underline), (weight port) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW737 PROTO-YTM | N/A | SOLE: TW737, (weight port), HONMA (with logo in O), TOUR WORLD, (PROTO-YTM in media blast), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW737 PROTO-YTM-B | N/A | SOLE: TW737, (weight port), HONMA (with logo in O), TOUR WORLD, (PROTO-YTM-B in media blast), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW737 PROTO-YTM-C | N/A | SOLE: TW737, (weight port), HONMA (with logo in O), TOUR WORLD, (PROTO-YTM-C in media blast), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW737 PS-CD | N/A | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, (PS-CD in media blast), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA, (orientation mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-----------------|-------|--|
| Honma Golf Co Ltd | TW737 PS-CDC-2W | N/A | SOLE: TW737, (weight port), HONMA (with logo in O), TOUR WORLD, (PS-CDC-2W in media blast), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW737 PS-CDC-2W | N/A | SOLE: TW737, (weight port), HONMA (with logo in O), TOUR WORLD, (PS-CDC-2W II in media blast), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW737 PS-CMK | N/A | SOLE: TW737, HONMA (with logo in O), TOUR WORLD, (PS-CMK in media blast), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port), 455, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW737 PS-CMK-2W | N/A | SOLE: TW737, (weight port), HONMA (with logo in O), (weight port), TOUR WORLD, (PS-CMK-2W in media blast), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port), 460, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|------------------------|----------|--|
| Honma Golf Co Ltd | TW737 PS-CMK-2W III | N/A | SOLE: TW737, (weight port), HONMA (with logo in O), (weight port), TOUR WORLD, (PS-CMK-2W III in media blast), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port), 460, (underline) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW747 455 | 9.5,10.5 | SOLE: (weight port), TW747, 455, NON-ROTATING SYSTEM, T//WORLD, HONMA (with logo in O), (loft), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW747 455 (Version 2) | 9.5,10.5 | SOLE: (weight port), TW747, 455, NON-ROTATING SYSTEM, T//WORLD, HONMA (with logo in O), (loft), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port) TOE: HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW747 455 (Version 3) | 9.5 | SOLE: (weight port), TW747, 455, NON-ROTATING SYSTEM, T//WORLD, HONMA (with logo in O), (loft) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA 3 view image here |
| Honma Golf Co Ltd | TW747 460 | 9.5,10.5 | SOLE: TW747, 460, NON-ROTATING SYSTEM, T//WORLD, (weight port), HONMA (with logo in O), (weight port), (loft), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------------|----------|--|
| Honma Golf Co Ltd | TW747 460 (LH) | 9.5,10.5 | SOLE: TW747, 460, NON-ROTATING SYSTEM, T//WORLD, (weight port), HONMA (with logo in O), (weight port), (loft), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | TW747 460 (Version 2) | 9.5,10.5 | SOLE: TW747, 460, NON-ROTATING SYSTEM, T//WORLD, (weight port), HONMA (with logo in O), (weight port), (loft), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port) TOE: HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW747 460 (Version 2) (LH) | 9.5,10.5 | SOLE: TW747, 460, NON-ROTATING SYSTEM, T//WORLD, (weight port), HONMA (with logo in O), (weight port), (loft), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port) TOE: HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW747 460 (Version 3) | 9.5 | SOLE: TW747, 460, NON-ROTATING SYSTEM, T//WORLD, (weight port), HONMA (with logo in O), (weight port), (loft) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA 3 view image here |
| Honma Golf Co Ltd | TW747 460 (Version 4) | 9.5 | SOLE: TW747, 460, NON-ROTATING SYSTEM, T//WORLD, (weight port), HONMA (with logo in O), (weight port), (loft) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA 4 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-----------------------|----------|--|
| Honma Golf Co Ltd | TW747 460 (Version 5) | 9.5,10.5 | SOLE: TW747, 460, NON-ROTATING SYSTEM, T//WORLD, (weight port), HONMA (with logo in O), (weight port), (loft), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA 5 |
| Honma Golf Co Ltd | TW747 460 (Version 6) | 9.5,10.5 | SOLE: TW747, 460, NON-ROTATING SYSTEM, T//WORLD, (weight port), HONMA (with logo in O), (weight port), (loft), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA 6 |
| Honma Golf Co Ltd | TW747 460 (Version 7) | 9.5,10.5 | SOLE: TW747, 460, NON-ROTATING SYSTEM, T//WORLD, (weight port), HONMA (with logo in O), (weight port), (loft), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA 7 |
| Honma Golf Co Ltd | TW747 460 (Version 8) | 9.5,10.5 | SOLE: TW747, 460, NON-ROTATING SYSTEM, T//WORLD, HONMA (with logo in O), (loft), UP, (adjustability markings around adjustability port), CL, (adjustability markings around adjustability port), FL, (adjustability markings around adjustability port), OP, (adjustability markings around adjustability port) TOE: HONMA (with logo in O) CROWN: ((logo in O) alignment mark) HOSEL: MADE IN JAPAN, SAKATA 7 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------|--------|--|
| Honma Golf Co Ltd | TW757 D-PLUS | 9,10.5 | SOLE: D PLUS,TW757, (weight port), CARBON SLOT, OP, UP, CL, STD TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA, (line), (line) and/or (orientation indicators) HEEL: T//WORLD, (loft) |
| Honma Golf Co Ltd | TW757 D-PLUS 2 | 9,10.5 | SOLE: D PLUS 2,TW757, (weight port), CARBON SLOT, OP, UP, CL, STD TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA, (line), (line) and/or (orientation indicators) HEEL: T//WORLD, (loft) view image here |
| Honma Golf Co Ltd | TW757 Type-D | 9,10.5 | SOLE: (weight port), TW757, (triangle)D(triangle), CARBON SLOT on inset, (weight port), OP, UP, CL, STD TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA, (line), (line) and/or (orientation indicators) HEEL: T//WORLD, (loft) |
| Honma Golf Co Ltd | TW757 Type-S | 9,10.5 | SOLE: (weight port), TW757, (triangle)S(triangle), (weight port), CARBON SLOT on inset, OP, UP, CL, STD TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA, (line), (line) and/or (orientation indicators) HEEL: T//WORLD, (loft) |
| Honma Golf Co Ltd | TW767 | 9,10.5 | SOLE: T//WORLD, CARBON ROLL TECHNOLOGY, TW767, LOW, STD, HIGH, FL BACK: (weight port) TOE: HONMA with logo in O CROWN: (alignment mark), T//WORLD HOSEL: MADE IN JAPAN, SAKATA, (line) and/or (orientation indicators) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW767 (version 2) | 9,10.5 | SOLE: T//WORLD, CARBON ROLL TECHNOLOGY, TW767, LOW, STD, HIGH, FL BACK: (weight port) TOE: HONMA with logo in O CROWN: T//WORLD HOSEL: MADE IN JAPAN, SAKATA V2, (line) and/or (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------|--------------|---|
| Honma Golf Co Ltd | TW767 Black Edition | 9,10.5 | SOLE: T//WORLD, CARBON ROLL TECHNOLOGY, TW767, BLACK EDITION, LOW, STD, HIGH, FL BACK: (weight port) TOE: HONMA with logo in O CROWN: (alignment mark), T//WORLD HOSEL: MADE IN JAPAN, SAKATA, (line) and/or (orientation indicators) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW767 LS | 9,10.5 | SOLE: T//WORLD, (weight port), CARBON ROLL TECHNOLOGY, TW767 LS, LOW, STD, HIGH, FL BACK: (weight port) TOE: HONMA with logo in O CROWN: T//WORLD HOSEL: MADE IN JAPAN, SAKATA, (line) and/or (orientation indicators) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW767 LS (version 2) | 9,10.5 | SOLE: T//WORLD, (weight port), CARBON ROLL TECHNOLOGY, TW767 LS, LOW, STD, HIGH, FL BACK: (weight port) TOE: HONMA with logo in O CROWN: T//WORLD HOSEL: MADE IN JAPAN, SAKATA V2, (line) and/or (orientation indicators) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW767 LS V2 | 8.5,9.5,10.5 | SOLE: TW767, PROTOTYPE-LS, LOW, DRAW, STD, HIGH BACK: (weight port) TOE: HONMA with logo in O HOSEL: MADE IN JAPAN, SAKATA V2 HEEL: T// WORLD, (loft) |
| Honma Golf Co Ltd | TW767 LS V3 | N/A | SOLE: (weight port), TW767, PROTOTYPE-LS, OP, UP, FL, CL TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA V3, (orientation indicator) HEEL: T//WORLD FACE:HONMA (with logo in O) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-----------------------|--------------|---|
| Honma Golf Co Ltd | TW767 Max | 9,10.5,12 | SOLE: T//WORLD, CARBON ROLL TECHNOLOGY, TW767, MAX, LOW, STD, HIGH, FL BACK: (weight port) TOE: HONMA with logo in O CROWN: (alignment mark), T//WORLD HOSEL: MADE IN JAPAN, SAKATA, (line) and/or (orientation indicators) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW767 Max (verison 2) | 9,10.5 | SOLE: T//WORLD, CARBON ROLL TECHNOLOGY, TW767, MAX, LOW, STD, HIGH, FL BACK: (weight port) TOE: HONMA with logo in O CROWN: T//WORLD HOSEL: MADE IN JAPAN, SAKATA V2, (line) and/or (orientation indicators) HEEL: (loft) view image here |
| Honma Golf Co Ltd | TW767 PROTO LS | 8.5,9.5,10.5 | SOLE: (weight port), TW767, PROTOTYPE-LS, LOW, DRAW, STD, HIGH BACK: (weight port) TOE: HONMA with logo in O HOSEL: MADE IN JAPAN, SAKATA HEEL: T// WORLD, (loft) |
| Honma Golf Co Ltd | TW767 PROTO LS V4 | N/A | SOLE: (weight port), TW767, PROTOTYPE-LS, LOW, DRAW, STD, HIGH BACK: (weight port) TOE: HONMA with logo in O HOSEL: MADE IN JAPAN, SAKATA V4 HEEL: T// WORLD |
| Honma Golf Co Ltd | TW767 PROTO ST | 8.5,9.5,10.5 | SOLE: (weight port), TW767, PROTOTYPE-ST, LOW, DRAW, STD, HIGH BACK: (weight port) TOE: HONMA with logo in O HOSEL: MADE IN JAPAN, SAKATA HEEL: T// WORLD, (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------|--------------------|---|
| Honma Golf Co Ltd | TW767 PROTO ST V3 | N/A | SOLE: (weight port), (weight port), TW767, PROTOTYPE-ST, (weight port), OP, UP, FL, CL BACK: (weight port) TOE: HONMA with logo in O HOSEL: MADE IN JAPAN, SAKATA V3 HEEL: T// WORLD view image here |
| Honma Golf Co Ltd | TW767 PROTO ST V4 | N/A | SOLE: (weight port), TW767, PROTOTYPE-ST, LOW, DRAW, STD, HIGH BACK: (weight port) TOE: HONMA with logo in O HOSEL: MADE IN JAPAN, SAKATA V4 HEEL: T// WORLD view image here |
| Honma Golf Co Ltd | TW767 ST V2 | 8.5,9.5,10.5 | SOLE: TW767, PROTOTYPE-ST, LOW, DRAW, STD, HIGH BACK: (weight port) TOE: HONMA with logo in O HOSEL: MADE IN JAPAN, SAKATA V2 HEEL: T// WORLD, (loft) |
| Honma Golf Co Ltd | TW-GS | 9.5,10.5,11.5,12.5 | SOLE: GAIN SPEED TECHNOLOGY, T//WORLD, GS, (weight port), OP, UP, CL, FL TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA, (line) and/or (orientation indicators) HEEL: (loft) FACE:HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW-GS (Version 2) | 9.5,10.5,11.5,12.5 | SOLE: GAIN SPEED TECHNOLOGY, T//WORLD, GS, (weight port), OP, UP, CL, FL TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: (line) and/or (orientation indicators) HEEL: (loft) FACE:HONMA (with logo in O) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------------|----------------------------|---|
| Honma Golf Co Ltd | TW-GS (Version 3) | 9.5 | SOLE: GAIN SPEED TECHNOLOGY, T//WORLD, GS, (weight port), OP, UP, CL, FL TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA V3, (line) and/or (orientation indicators) HEEL: (loft) FACE:HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW-GS (Version 4) | 9.5 | SOLE: GAIN SPEED TECHNOLOGY, T//WORLD, GS, (weight port), OP, UP, CL, FL TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA V4, (line) and/or (orientation indicators) HEEL: (loft) FACE:HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW-GS Prototype I | 9.5 | SOLE: GAIN SPEED TECHNOLOGY, T//WORLD, GS, PROTOTYPE I, (weight port), OP, UP, CL, FL TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA, (line) and/or (orientation indicators) HEEL: (loft) FACE:HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | TW-GS Prototype II | 9.5 | SOLE: GAIN SPEED TECHNOLOGY, T//WORLD, GS, PROTOTYPE II, (weight port), OP, UP, CL, FL TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA, (line) and/or (orientation indicators) HEEL: (loft) FACE:HONMA (with logo in O) view image here |
| Honma Golf Co Ltd | Twin Marks 300cc (Version 1) | 7.5,8.5,9.5,10.5,11.5,12.5 | SOLE: TITANIUM, 300cc, (large H logo) (small H logo), Twin Marks, LOFT (loft), HONMA (w/ mole in O logo), 1 (two curved lines) TOE: HONMA, THE WORLD RENOWNED "HONMA" CROWN: Hiro Honma, (H in circle) Twin Marks (H in circle) HOSEL: MADE IN JAPAN view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------------|--------------------------------|--|
| Honma Golf Co Ltd | Twin Marks 300cc (Version 2) | 6.5,7.5,8.5,9.5,10.5,11.5,12.5 | SOLE: TITANIUM, 300cc, (large H logo) (small H logo), Twin Marks, LOFT (loft), HONMA (w/ mole in O logo), 1 (two curved lines) TOE: HONMA, (triangle)FORGED(triangle), U.S.A. MODEL CROWN: Hiro Honma, (H logo) Twin Marks (H logo) HOSEL: MADE IN JAPAN FACE:BURNING GOLD |
| Honma Golf Co Ltd | Twin Marks 300cc (Version 3) | 7.5,8.5,9.5,10.5,11.5,12.5 | SOLE: TITANIUM, 300cc, (large H logo) (small H logo), Twin Marks, LOFT (loft), HONMA (w/ mole in O logo), 1 TOE: HONMA (w/ mole in O logo), (triangle)FORGED FACE(triangle) CROWN: Feather & Feather 300, (H logo)Twin Marks(H logo) HOSEL: MADE IN JAPAN view image here |
| Honma Golf Co Ltd | Twin Marks 300cc Titanium | 7.5,8.5,9.5,10.5,11.5 | SOLE: TITANIUM, 300cc, (H in circle) (H in circle), Twin Marks, LOFT (loft), HONMA (with logo in O), 1 TOE: HONMA (with logo in O), (triangle) FORGED (triangle) CROWN: Hiro Honma, (H in circle) Twin Marks (H in circle) HOSEL: MADE IN JAPAN FACE:BURNING GOLD |
| Honma Golf Co Ltd | Twin Marks 320 | 9.5,10.5 | SOLE: TITANIUM, 320, (large H logo) (small H logo), Twin Marks, LOFT (loft), HONMA (w/ mole in O logo), 1 TOE: HONMA (w/ mole in O logo), (triangle)FORGED FACE(triangle) CROWN: (large H logo) (small H logo) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | Twin Marks 330 | 8.5,9.5,10.5,11.5 | SOLE: TITANIUM, 330, (large H logo) (small H logo), Twin Marks, HONMA (w/ mole in O logo), 1 (loft) BACK: (triangle)FORGED FACE(triangle) TOE: HONMA (w/ mole in O logo), Feather & Feather CROWN: Hiro Honma, TWIN MARKS 330 HOSEL: MADE IN JAPAN view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------------------|---------------|--|
| Honma Golf Co Ltd | Twin Marks 355 U.S. Spec | 9.5,10.5 | SOLE: HONMA (w/ mole in O logo), (triangle) 355Ti (triangle), (large H logo insert)(small H logo insert), Twin Marks, 1, (loft) TOE: HONMA (w/ mole in O logo), (triangle)FORGED FACE(triangle), U.S. SPEC CROWN: (Hiro Honma signature), TWIN MARKS 355 HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Twin Marks 355Ti PV | 7.5,8.5 | SOLE: HONMA (w/ mole in O logo), (triangle) 355 Ti (triangle), (large H logo insert) (small H logo insert), Twin Marks, 1, (loft) TOE: HONMA (w/ mole in O logo), (triangle)FORGED FACE(triangle), PV CROWN: (Hiro Honma), TWIN MARKS 355 HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Twin Marks 360Ti PV | 9.5,10.5,11.5 | SOLE: 1, Twin Marks, 360 Ti, (triangle)(loft) (triangle), HONMA (w/ mole in O logo), (two recessed circles) (circular insert with three punchmarks) (two recessed circles) TOE: HONMA (w/ mole in O logo), (triangle)FORGED FACE(triangle), PV HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Twin Marks 380 PV | 9.5,10.5,11.5 | SOLE: (H logo) Twin Marks (H logo), 380, TITANIUM, 1 (loft), HONMA (w/ mole in O logo), (circular insert with three punchmarks) TOE: HONMA (w/ mole in O logo), (triangle)FORGED FACE(triangle), PV CROWN: (H within a C alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | Twin Marks 400RF U.S. Spec | 8,9,10 | SOLE: 400RF, TITANIUM, 1 (loft), HONMA (w/ mole in O logo), (large H logo insert) (small H logo insert), Twin Marks, (ten punchmarks outlining sole) TOE: HONMA (w/ mole in hole logo), (triangle)FORGEDFACE (triangle), U.S. SPEC CROWN: (H within a C alignment mark) HOSEL: MADE IN JAPAN, SAKATA |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--------------------------|-----------|---|
| Honma Golf Co Ltd | Twin Marks 420RF PV | 8,9,10,11 | SOLE: 420RF, TITANIUM, 1 (loft) HONMA (w/ mole in O logo), (curved line), ((large H logo) (small H logo), Twin Marks on oval insert) TOE: HONMA (w/ mole in O logo), (triangle)FORGED(triangle), PV CROWN: (H within a C alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | Twin Marks 420RF PV (LH) | 9,10 | SOLE: 420RF, TITANIUM, HONMA (w/ mole in O logo), 1 (loft), (curved line), ((large H logo) (small H logo), Twin Marks on oval insert) TOE: HONMA (w/ mole in O logo), (triangle)FORGED(triangle), PV CROWN: (H within a C alignment mark) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | Twin Marks 425RF PV | 9,10 | SOLE: 425RF, TITANIUM, 1 (loft), HONMA (w/ mole in O logo), (recessed circular weight), (wave line), ((H within small circle) (H within circle), Twin Marks on rounded triangular insert) TOE: HONMA (w/ mole in O logo), (triangle)FORGED FACE(triangle) CROWN: (H within a C logo alignment mark) HOSEL: MADE IN JAPAN, SAKATA FACE:PV |
| Honma Golf Co Ltd | Twin Marks 460RF | 8 | SOLE: 460RF, TITANIUM, AMAZING SPEC, HONMA (w/ mole in O logo), (curved line), (H logo insert) Twin Marks (H logo insert), (r in box) (loft) TOE: HONMA (w/ mole in O logo), (triangle)FORGED(triangle) CROWN: (H within a C alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Twin Marks 460RF PV | 8,9,10 | SOLE: 460RF, TITANIUM, AMAZING SPEC, HONMA (w/ mole in O logo), (curved line), (H logo insert) Twin Marks (H logo insert), (r in box) (loft) TOE: HONMA (w/ mole in O logo), (triangle)FORGED(triangle), PV CROWN: (H within a C alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------------------|---------------|---|
| Honma Golf Co Ltd | Twin Marks Accelerate 385 PV | 9,10 | SOLE: ACCELERATE, (H logo) Twin Marks (H logo), 1 (loft), 385Ti, HONMA (w/ mole in O logo), (circular insert) TOE: HONMA (w/ mole in O logo), (triangle)FORGED FACE(triangle), PV CROWN: (three elipse alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Twin Marks Accelerate 385S PV | 9,10 | SOLE: ACCELERATE, (H logo) Twin Marks (H logo), 1 (loft), - S -, 385Ti, HONMA (w/ mole in O logo), (circular insert) TOE: HONMA (w/ mole in O logo), (triangle)FORGED FACE(triangle), PV CROWN: (three elipse alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Twin Marks MG410 Carbonium PV | 9.5,10.5,11.5 | SOLE: Twin Marks, MG410, (curved line) Carbonium (curved line), (r in recessed parallelogram) (loft), AMAZING SPEC, HONMA (w/ mole in O logo) BACK: (triangle)FORGED FACE(triangle), MADE IN JAPAN, SAKATA TOE: ((H within a C logo), (HONMA GOLF in oval), carbonium on oval insert) CROWN: (H within a C logo alignment mark) FACE:PV |
| Honma Golf Co Ltd | Twin Marks New 300 | 9.5,10.5 | SOLE: NEW, 300, (large H logo) (small H logo), Twin Marks, TITANIUM, HONMA (w/ mole in O logo), 1 (line)(loft)(line) TOE: HONMA (w/ mole in O logo), (triangle)FORGED FACE(triangle) CROWN: (Hiro Honma), (H logo)Twin Marks(H logo) HOSEL: MADE IN JAPAN, SAKATA |
| Honma Golf Co Ltd | Twin Marks Protune 300 | 8.5,9.5,10.5 | SOLE: 1 (loft), (large H logo) (small H logo), Twin Marks, (line), PROTUNE, 300, TITANIUM, HONMA (w/ mole in O logo) TOE: HONMA, (triangle)FORGED(triangle), U.S.A. MODEL CROWN: Hiro Honma, PROTUNE HOSEL: MADE IN JAPAN view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--|--------------|---|
| Honma Golf Co Ltd | Twin Marks Protune 300 Titanium | 8.5,9.5,10.5 | SOLE: 1 (loft), (H in circle) (H in circle), Twin Marks, (line), PROTUNE, 300, HONMA (with logo in O), TITANIUM TOE: HONMA (with logo in O), (triangle) FORGED (triangle) CROWN: Hiro Honma, PROTUNE HOSEL: MADE IN JAPAN view image here |
| Honma Golf Co Ltd | Twin Marks Tour World 325 PV | 8.5,9.5,10.5 | SOLE: (large H in circle) (small H in circle), Twin Marks, (line), TOUR WORLD, 325, HONMA (w/ mole in O logo), TITANIUM, 1 (loft) TOE: HONMA (w/ mole in O logo), SAT - 2041, (triangle)FORGED FACE(triangle), PV HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | Twin Marks Tour World 325 U.S. Spec | 8.5,9.5,10.5 | SOLE: (large H logo) (small H logo), Twin Marks, (line with diamond), TOUR WORLD, 325, HONMA (w/ mole in O logo), TITANIUM, 1 (loft) TOE: HONMA (w/ mole in O logo), SAT - 2041, (triangle)FORGED FACE(triangle), U.S. SPEC HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW-Zero | 9.5,10.5 | SOLE: HONMA (with logo in O), T//WORLD, ZERO, (weight port), (loft) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | TW-Zero sp | 9.5,10.5 | SOLE: ZERO SP, (weight port), HONMA (with logo in O), T//WORLD, (loft) TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | U100 | 10 | SOLE: (loft), HONMA (with logo in O), U100 TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |
| Honma Golf Co Ltd | U100 (Ladies) | 12 | SOLE: (loft), HONMA (with logo in O), U100 TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN, SAKATA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--|----------|--|
| Honma Golf Co Ltd | XP-1 | 9.5,10.5 | SOLE: T//WORLD, HONMA (with logo in O), XP-1, UP, CL, FL, OP TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA, (indicator) HEEL: (loft) |
| | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | NI/A | view image here |
| Honma Golf Co Ltd | XP-1 (HL) | N/A | SOLE: T//WORLD, HONMA (with logo in O), XP-1, UP, CL, FL, OP TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA, (indicator) HEEL: HL |
| | | | view image here |
| Honma Golf Co Ltd | XP-1 (HL) (Version 2) | N/A | SOLE: T//WORLD, HONMA (with logo in O), XP-1, UP, CL, FL, OP TOE: HONMA (with logo in O) HOSEL: (indicator) HEEL: HL |
| | | | view image here |
| Honma Golf Co Ltd | XP-1 (LH) | 9.5,10.5 | SOLE: T//WORLD, HONMA (with logo in O), XP-1, UP, CL, FL, OP TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA, (indicator) HEEL: (loft) |
| | | | view image here |
| Honma Golf Co Ltd | XP-1 (LH) (Version 2) | 9.5,10.5 | SOLE: T//WORLD, HONMA (with logo in O), XP-1, UP, CL, FL, OP TOE: HONMA (with logo in O) HOSEL: (indicator) HEEL: (loft) |
| | | | view image here |
| Honma Golf Co Ltd | XP-1 (Version 2) | 9.5,10.5 | SOLE: T//WORLD, HONMA (with logo in O), XP-1, UP, CL, FL, OP TOE: HONMA (with logo in O) HOSEL: (indicator) HEEL: (loft) view image here |
| Honma Golf Co Ltd | XP-1 (Version 3) | 12.5 | SOLE: T//WORLD, HONMA (with logo in O), |
| 35 35 Eta | (y) | | XP-1 TOE: HONMA (with logo in O) HOSEL: MADE IN JAPAN, SAKATA HEEL: (loft) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|----------------------|-----------|--|
| Honma Golf Co Ltd | XP-1 (Version 4) | 12.5 | SOLE: T//WORLD, HONMA (with logo in O), XP-1 TOE: HONMA (with logo in O) HEEL: (loft) view image here |
| Honma Golf Co Ltd | XP-2 | 10.5,12.5 | SOLE: T//WORLD, (weigh port), XP2 TOE: HONMA (with logo in O) CROWN: (alignment mark) HOSEL: MADE IN JAPAN SAKATA HEEL: (loft) FACE:(logo) view image here |
| Hono Golf Enterprise Co., Ltd. | Chuan 460 | 10 | SOLE: 1, (two curved lines graphic), HONO, Chulan (w/ segmented C), CASTING TITANIUM, sp-700 face, (loft), 460 c.c., (weight port) CROWN: (HONO alignment mark) HEEL: WR102 FACE:(HONO media blast) view image here |
| Hono Golf Enterprise Co., Ltd. | Coast | 9 | SOLE: 1, (weight port), (Hono logo), HONO, Sp700 30, COAST, Casting Titanium, (loft), 460 cc TOE: (Hono logo), HONO CROWN: (Hono alignment mark) FACE:(HONO media blast) view image here |
| Honshin Marketing Services | Ace 55G | N/A | SOLE: A.C.E., (golf club logo), 55G, 1, Titanium CROWN: (alignment mark) view image here |
| Honshin Marketing Services | Ace 765 | N/A | SOLE: A.C.E, 765, (golf club logo), 1 CROWN: (alignment mark) view image here |
| Honshin Marketing Services | Ace II 965 Pro Model | N/A | SOLE: 965, Pro Model (in black shape), (golf club logo) A.C.E., II, 1, DT55G, TITANIUM CROWN: (alignment mark) view image here |
| Honshin Sports Pte Ltd | Dakoda 890 | N/A | SOLE: (logo), DAKODA, SUPER, STRONG FORGED, TITANIUM, 1 890 CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|--------------------------------|--------------|---|
| Hopeful Co Ltd | Arch AGP-01 | N/A | SOLE: Celestial Arch, (Arch (dot) over media blast logo), JAPAN, AGP-01, Produced by GRANDPRIXCO.,LTD. FACE:FORGED, Arch, JAPAN view image here |
| HorsepowerGolf.com | HP 420 SMT | 5,6,7,8,9,10 | SOLE: (loft), (horse graphic), HP420 SMT view image here |
| House of Forged | House of Forged LDT | 6,9,10.5 | SOLE: (rounded line), (triangle), HOUSE OF FORGED, (line), LDT, (triangle), (loft) view image here |
| Hybrid Sports Group LLC | Power Driver | 10.5 | SOLE: (loft), CONFORMS, WITH USGA, RULES, hybrid(triangle)™, (line), POWER(triangle)DRIVER, (line), POWER(triangle), DISTANCE(triangle), CONTROL(triangle) CROWN: (dot alignment mark) FACE:BETA 300Ti, hybridpower(triangle) |
| HYK Design Co Ltd | MD-F1 | N/A | SOLE: (raised triangular shapes), F, (racing car logo), MAX DIRECT, MD-F1, (raised triangular shapes) FACE:FORGED view image here |
| I N C Yamamoto Pro Golf Shop | Blue Power 365 Beta-Titan | 9 | SOLE: (loft), 365 (beta)-TITAN, YAMAMOTO PRO, BLUE (bear logo in circle) POWER, SINCE. 1977., 1 BACK: BLUE (star) POWER TOE: (bear logo), YAMAMOTO PRO-GOLF-SHOP view image here |
| I N C Yamamoto Pro Golf Shop | Blue Power 365 B-Titan | 8,11 | SOLE: (loft), 365 (beta)-TITAN, YAMAMOTO PRO, BLUE (bear logo in circle) POWER, SINCE. 1977., 1 BACK: BLUE (star) POWER TOE: (bear logo), YAMAMOTO PRO-GOLF-SHOP view image here |
| I N C Yamamoto Pro Golf Shop | Blue Power 365 B-Titan (LH) | 9,10,11 | SOLE: (loft), 365 (beta)-TITAN, YAMAMOTO PRO, BLUE (bear logo in circle) POWER, SINCE. 1977., 1 BACK: BLUE (star) POWER TOE: (bear logo), YAMAMOTO PRO-GOLF-SHOP view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|--|-------------------|---|
| I N C Yamamoto Pro Golf Shop | Blue Power 365 B-Titan (Version 2) | 10 | SOLE: (loft), 365 (beta)-TITAN 60°, YAMAMOTO PRO, BLUE (bear logo in circle) POWER, SINCE. 1977., 1 BACK: BLUE (star) POWER TOE: (bear logo), YAMAMOTO PRO-GOLF-SHOP view image here |
| I N C Yamamoto Pro Golf Shop | Blue Power 365 B-Titan Hanshin Tigers | 8,9,10,11,12 | SOLE: (loft), 365 (beta)-TITAN, (logo), HANSHIN Tigers, 1 BACK: HANSHIN Tigers TOE: HANSHIN, (tiger logo), Tigers view image here |
| I N C Yamamoto Pro Golf Shop | Blue Power 365 B-Titan Hanshin Tigers (LH) | 8,9,10,11,12 | SOLE: (loft), 365 (beta)-TITAN, (logo), HANSHIN Tigers, 1 BACK: HANSHIN Tigers TOE: HANSHIN, (tiger logo), Tigers view image here |
| I N C Yamamoto Pro Golf Shop | Blue Power 425 (LH) | 8,9,10,11,12 | SOLE: NEW GENERATION, (425 in 1), (loft), BLUE (star logo) POWER, SP-700, TITANIUM, (7 stars) TOE: (star logo) view image here |
| I N C Yamamoto Pro Golf Shop | Blue Power 425 (Version 1) | 8,9,10,11 | SOLE: (425 in 1) (loft), BLUE (bear logo in circle) POWER, SP-700, TITANIUM, (7 stars) TOE: (logo) YAMAMOTO PRO-GOLF-SHOP view image here |
| I N C Yamamoto Pro Golf Shop | Blue Power 425 (Version 2) | 9 | SOLE: (425 in 1), (loft), BLUE (star logo) POWER, SP-700, TITANIUM, (7 stars) TOE: (star logo) view image here |
| I N C Yamamoto Pro Golf Shop | Blue Power 425 (Version 3) | 8,9,10,11,12 | SOLE: NEW GENERATION, (425 in 1), (loft), BLUE (star logo) POWER, SP-700, TITANIUM, (7 stars) TOE: (star logo) view image here |
| I N C Yamamoto Pro Golf Shop | Blue Power 460 | 8.5,9.5,10.5,11.5 | SOLE: TOUR.460, (line), BLUE (bear logo) POWER, (line), 1 (loft) TOE: BLUE (logo) POWER, (Japanese symbols) <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|-------------------------------|------------------------|---|
| I N C Yamamoto Pro Golf Shop | Blue Power 460 (Version 2) | 8.5,9,9.5,10,10.5,11.5 | SOLE: TOUR.460, (logo), BLUE (bear logo) POWER, (logo), 1 (loft) TOE: BLUE (logo) POWER, (Japanese text) HEEL: SLE, (Japanese text), CONFORMING, TO R&A/USGA, SLE RULE (in oval) FACE:SP 700 view image here |
| Iguana Pro Golf | Axe | 10 | SOLE: 1 (loft), AXE, 2 PCS, FORGED, TITANIUM TOE: (iguana logo), IGUANA (w/ tee and golf ball graphic I), (curved line) FACE:15-333Ti view image here |
| Iguana Pro Golf | Axe a802 | 9 | SOLE: 10-2-3 Ti, Titanium, (iguana logo), IGUANA (w/ tee and golf ball graphic I), (curved line), a802, pro model, 1, (loft) BACK: AXE FACE:10-2-3 Ti |
| | | | view image here |
| Iguana Pro Golf | IPG-502 | 10.5 | SOLE: 1 (loft), TITANIUM, (iguana logo), IGUANA (w/ tee and golf ball graphic I), (curved line), FORGED, 15-3-3-3, ((3D, SOLE in semi-circle), WEIGHTED DESIGN in curved box) FACE: ß-Ti view image here |
| IIRUX Co Ltd | Massgoo Secret Weapon | 9 | SOLE: ((logo) massgoo on plate in inset), (logo), SECRET WEAPON, (logo) CROWN: (alignment mark) HEEL: (loft) view image here |
| Ikasu Golf | Tour | 9 | SOLE: KOBE STEEL, (Ikasu logo), IKASU, TOUR BACK: (weight port) (loft) (weight port) TOE: (Ikasu logo) view image here |
| Ikeda Co Ltd | MT-Pro 460 | 10,11 | SOLE: 1, (loft), (vine logo), MT-PRO, ACDIS, 460cm, 3 TOE: (M logo) FACE:SP700 |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------------------|---------|---|
| Ikeda Co Ltd | MT-Pro Blast 460D | 10 | SOLE: BLAST, 460D, MT-PRO, special made by M (in circle), (loft), 4 PIECE, FORGED TITANIUM TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Ikeda Co Ltd | MT-Pro Blast 460D (Version 2) | 11 | SOLE: BLAST, 460D, MT-PRO, special made by M (in circle), 4 PIECE, FORGED TITANIUM, (loft underlined) TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Ikeda Co Ltd | MT-Pro Blast 460D HT | 13 | SOLE: BLAST, 460D, MT-PRO, special made by M (in circle), HT, 4 PIECE, FORGED TITANIUM TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Ikeda Co Ltd | MT-Pro RE 400 | 13 | SOLE: RE 400 (in black squares), ß-Ti, 1 (in circle), (loft) BACK: TUNGSTEN WEIGHT TOE: MT, PRO HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:RE 400 view image here |
| Ikeda Co Ltd | MT-Pro RE420 | 10.5,13 | SOLE: RE, (420 in individual rectangles), (curved line), FORGED, (loft), (curved line), MT-PRO, (3 gemstones) TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Ikeda Co Ltd | MT-Pro RE420 (ladies) | 13 | SOLE: RE, (420 in individual rectangles), (curved line), FORGED, (loft), (curved line), MT-PRO, (3 gemstones) TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Ikeda Co Ltd | MT-Pro ZG 420 | 11 | SOLE: MT-PRO, (ZG logo), D, 1 (loft) TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:ZG420 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|------------------------------------|--------|---|
| Ikeda Co Ltd | MT-Pro ZG 440 | 10.5 | SOLE: (ZG logo), MT-PRO, D, 1 (loft) FACE:ZG 440 view image here |
| Ikeda Co Ltd | MT-Pro ZG Unlimited (Version 2) | 10.5 | SOLE: Ti, (loft) (underlined), ((ZG logo), over flame media blast logo), Unlimited MT-PRO, 450 view image here |
| Imagine Golf Tech | Imagine Golf II | 7.95 | SOLE: IMAGINE, GOLF II, (lightning bolt), WIND DANCER, (lightning bolt), TECHNOLOGY (lightning bolt), FORGED, BETA Ti, *(loft)* CROWN: (lightning bolt alignment mark) view image here |
| Impact Golf Technologies | Impact | 9 | SOLE: IMPACT, (loft) view image here |
| Impact Golf Technologies | Tour Series TSTi | 7.5,9 | SOLE: (loft), (triangle inset), titaniuim, (line), TOUR SERIES, (line), TSTi, chipshot.com (arc over 'shot') view image here |
| Infiniti Golf, Inc. | 452 | 9,10.5 | SOLE: (Infiniti logo), 452, TITANIUM, (loft), (weight port) TOE: (INFINITI®, GOLF over (Infiniti logo and double circle)) view image here |
| Infiniti Golf, Inc. | CS-455 | 9,10.5 | SOLE: (loft), (INFINITI over golfer logo), PROFESSIONAL, CS455, ROLL FORGED, PAT PEND CROWN: (alignment mark) view image here |
| Infiniti Golf, Inc. | CS-455e | 10.5 | SOLE: (loft), INFINITI, (golfer logo), CS455e, ROLL, FORGED view image here |
| Infiniti Golf, Inc. | Infiniti 385 | 9,10.5 | SOLE: INFINITY, 385, (loft), (Infinity logo), TITANIUM BACK: (dot) CROWN: (arrow alignment mark) view image here |
| Infiniti Golf, Inc. | Infiniti 388 | 9,10.5 | SOLE: (loft), INFINITI, (Infiniti logo), 388, TITANIUM CROWN: (arrow alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|----------------------------|--------|--|
| Infiniti Golf, Inc. | KO Titanium 460 HL | N/A | SOLE: (three dots) INFINITI GOLF, TITANIUM 460, (KO w/ slash), HL TOE: POWER, TRAJECTORY |
| | | | view image here |
| Infiniti Golf, Inc. | KO Titanium 460 PL | N/A | SOLE: (three dots) INFINITI GOLF, TITANIUM 460, (KO w/ slash), PL TOE: POWER, TRAJECTORY view image here |
| 1.5.10.015.1 | Macha 400 | 10.5 | |
| Infiniti Golf, Inc. | Macho 460 | 10.5 | SOLE: MACHO, 460 ®, TITANIUM, (recessed circle w/ three curved lines and three dots, circle), (loft), OFFSET BACK: RHS DESIGN TOE: MACHO, (line) 460 |
| | | | view image here |
| Infiniti Golf, Inc. | Macho Express | 8,10 | SOLE: MACHO®, EXPRESS, TITANIUM, (two curved lines), TRAMPOLINE EFFECT, (loft)LOFT X 4, 300CC., 1 |
| | | | view image here |
| Infiniti Golf, Inc. | Macho Express 400 10x4 | 10 | SOLE: MACHO®, EXPRESS, TITANIUM, (two curved lines), (loft)Loft X 4, 400CC |
| | | | view image here |
| Infiniti Golf, Inc. | Macho Express 400 10x8 | 10 | SOLE: MACHO®, EXPRESS, TITANIUM, (two curved lines), TRAMPOLINE EFFECT, (loft)Loft X 8, 400CC |
| | | | view image here |
| Infiniti Golf, Inc. | Macho Express 400cc 8X4 | 8 | SOLE: MACHO®, EXPRESS, TITANIUM, (two curved lines), TRAMPOLINE EFFECT, (loft)Loft X 4, 400CC, (line) |
| | | | view image here |
| Infiniti Golf, Inc. | PFD 360 | 9,10.5 | SOLE: INFINITI, PFD360 (Infiniti logo), (loft), TITANIUM HEEL: 03-031 |
| 1.5.11.0.16.1 | DED II | 0.10.5 | view image here |
| Infiniti Golf, Inc. | PFD II | 9,10.5 | SOLE: INFINITI, PFD-II, (loft), (Infiniti logo), TITANIUM HEEL: 03-030 |
| | | | view image here |
| Infiniti Golf, Inc. | Propulsion 440 | 9,10.5 | SOLE: (PROPULSION, (line under Pulsion) over logo media blast), 440, TITANIUM, (recessed circle w/ circle segmented by three dots, circle), (loft) BACK: (three dots) INFINITI GOLF TOE: POWER, TRAJECTORY |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------------|-----------------------------|---------------|---|
| Infiniti Golf, Inc. | Propulsion 460 | 9,10.5 | SOLE: (PROPULSION, (line under Pulsion) over logo media blast), 460, TITANIUM, (recessed circle w/ circle segmented by three dots, circle), (loft) BACK: (three dots) INFINITI GOLF TOE: POWER, TRAJECTORY view image here |
| Infiniti Golf, Inc. | XMOI Propulsion | 9,10.5 | SOLE: INFINITI GOLF, (loft), XMOI, PROPULSION, (five ovals) FACE:(Infiniti logo media blast) view image here |
| Infiniti Golf, Inc. | XMOI Propulsion LD | 7 | SOLE: INFINITI GOLF, (loft), XMOI, PROPULSION, LD, (five ovals) FACE:(Infiniti logo media blast) view image here |
| Infiniti Golf, Inc. | XMOI Propulsion PL | N/A | SOLE: INFINITI GOLF, PL, XMOI, PROPULSION, (five ovals) FACE:(Infiniti logo media blast) view image here |
| Inflite Golf, LLC | MGT Tour | 10 | SOLE: INFLITE, GOLF, MGT, PATENTED, (loft), Tour CROWN: (alignment mark) view image here |
| Innovex Golf, Inc. | Innovex CfD 460cc | 10,12 | SOLE: 460cc, Innovex, (line), CfD, CUP face DESIGN, (loft) view image here |
| Innovex Golf, Inc. | Type S GDT 460 | 9.5,10.5,12.5 | SOLE: (G in square logo) Innovex, (four triangles), TYPE S GDT, 460 CUBES, (loft), C. O. R. Cup Face, Active Inertia view image here |
| International Musashi Golf Co Ltd | Musashi 634 Nicodemus II | 9,10 | SOLE: NICODEMUS II, SOLI DEO GLORIA, JEHOVAH NISSI, The Lord Is My Banner, MUSASHI 634, MUSASHI 634, MUSASHI 634, International Musashi 634 Japan TOE: (triangle)634, MUSASHI CROWN: (eagle logo alignment mark) HEEL: LOFT (loft) FACE:(triangle)634, MUSASHI view image here |
| Intersport International Corp | DX 780 | 10.5,12 | SOLE: DYNATOUR, DX 780, (loft) CROWN: (alignment mark) HEEL: 460cc view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------------|----------------------|---------|---|
| Intersport International Corp | DX 780 (ladies) | 13.5 | SOLE: DYNATOUR, DX 780, (loft) CROWN: (alignment mark) HEEL: 460cc |
| | | | <u>view image here</u> |
| Intersport International Corp | DX Tour 7 | 10.5,12 | SOLE: DYNATOUR, DX TOUR 7, (loft), MAX M.O.I., (logo) CROWN: (alignment mark) HEEL: 460 |
| | | | view image here |
| Intersport International Corp | DX770 | 10.5,12 | SOLE: DYNATOUR, DX770, (loft), TITANIUM, (logo) CROWN: (alignment mark) HEEL: 460 |
| | | | view image here |
| Intersport International Corp | DX770 (ladies) | 13.5 | SOLE: DYNATOUR, DX770, (loft), TITANIUM, (logo) CROWN: (alignment mark) HEEL: 460cc |
| | | | view image here |
| IQ Venture Ag | Option Intense DR HT | N/A | SOLE: OPTION (with cross in O), INTENSE DR CROWN: (O logo alignment mark) HEEL: HT |
| | | N/A | view image here |
| IQ Venture Ag | Option Intense DR RT | N/A | SOLE: OPTION (with cross in O), INTENSE DR CROWN: (alignment mark) HEEL: RT |
| | | | view image here |
| ISP Corporation | URA | 9,10 | SOLE: URA, (logo), (loft), (logo), (logo) TOE: (logo) URA (logo) CROWN: (logo alignment mark) |
| | | | view image here |
| ISP Corporation | URA 420 Tour | 9.5,10 | SOLE: URA, (logo), (loft), (logo), (logo) TOE: (logo) URA (logo), 420 |
| | | | view image here |
| ISP Corporation | URA Eleven | 11 | SOLE: URA, (logo), (logo), (logo), Eleven TOE: (logo), URA, (logo) |
| | | | view image here |
| ISP Corporation | URA UCN 460 | 10 | SOLE: URA, (logo), (logo), (logo), UCN460, (loft) TOE: (logo), URA, (logo) CROWN: (logo alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-----------------------------|----------|--|
| Ivy Products, LLC | AUnl Golden Series | 9 | SOLE: IVY GOLF, (loft), AUnI, GOLDEN SERIES CROWN: (I V alignment arrow) FACE:MARAGING |
| | | | view image here |
| Iwataya Corporation | EZ-841 EZY Power | 11 | SOLE: (loft), (E in shield logo), EZY POWER, STORY HEEL: EZ-841, CONFORMING, TO R&A/USGA SLE RULE view image here |
| 15.11.0.111 | FIX 400 NO | 10.5 | |
| J E Net Co Ltd | Flit 460 NS | 10.5 | SOLE: FACTORY DIRECT MODEL, 460 (underlined) NS, FLIT, 1 (loft), FORGED TITANIUM |
| | | | view image here |
| J E Net Co Ltd | Flit-460 MS | 10.5 | SOLE: MJS, FLIT-MS, Black-Ver, FIRGED, TITANIUM, 1 (loft), BACK WEIGHT |
| | | | view image here |
| J E Net Co Ltd | Flit-Box | 9.5,10.5 | SOLE: FLIT-BOX, (line oval line), FORGED TITANIUM 801V, 1 (loft) |
| | | | view image here |
| J E Net Co Ltd | Flit-Box GS460 | 10.5 | SOLE: (weight port), FORGED TITANIUM, FLITBOX, GS460, (loft) CROWN: (alignment mark) |
| | | | view image here |
| J E Net Co Ltd | Flit-Box II | 9.5,10.5 | SOLE: FLIT-BOX II, (line oval line), FORGED TITANIUM 802V, 1 (loft) |
| | | | view image here |
| J E Net Co Ltd | Lady Flit-DR | 14 | SOLE: FLIT-DR, (line oval line), FORGED TITANIUM 801V, 1 (loft) |
| | | | view image here |
| J E Net Co Ltd | Larouge Forged 450 | 10.5 | SOLE: 1 (loft), (logo), Larouge (underlined), FORGED Driver, 450 |
| | | | <u>view image here</u> |
| J E Net Co Ltd | Larouge-BM | 9.5,10.5 | SOLE: Larouge-BM, (line), FAVOURITE (M in diamond) PLEASURES, (logo media blast), FORGED, TITANIUM 460, 1 (loft) |
| | | | view image here |
| J. Osawa Group Co., Ltd | Marie Claire Sport 380cc | 14 | SOLE: 1, marieclaire, sport, -14-, a+ß Forged Titanium 380cc CROWN: (flower graphic alignment mark) FACE:Titanium |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------|---------------------------------------|-------|---|
| J. Osawa Group Co., Ltd | Marie Claire Sport mc5 400 | 14 | SOLE: marie claire, sport, 1 (loft), -mc5-, 400, Forged a+ß Titanium CROWN: (flower graphic alignment mark) view image here |
| J.E Net Service Co Ltd | Flit Box GS460 | 10.5 | SOLE: Forged Titanium, (weight port), FLIT BOX, GS460, (loft) CROWN: (alignment mark) view image here |
| Japan Golf Equipment Co Ltd | Crazy BM-435 | N/A | SOLE: CRAZY, FX, BM-435, by jBEAM 1 TOE: (C in wing logo) view image here |
| Japan Golf Equipment Co Ltd | Crazy CRZ-435 II | N/A | SOLE: (CRAZY over decorative marking), CRZ-435II, BY CRAZY & JGE, FROM TOKYO, 1 TOE: (C in wing logo) view image here |
| Japan Golf Equipment Co Ltd | Crazy FX BM-435 (LH) | N/A | SOLE: CRAZY, FX, BM-435 LH, 1, TRIPLE WEIGHT, TITANIUM TOE: (C in wing logo) view image here |
| Japan Golf Equipment Co Ltd | Crime of Angel AG-601D | N/A | SOLE: AG-601D, Crime Of Angel, (media blast logo), (logo) TOE: VERGIN, (Angel, (angel logo), NO.1, (logo) in shield), BEAT HEEL: DESIGNED BY J.G.E.CO.,LTD FACE:(media blast logo) view image here |
| Japan Golf Equipment Co Ltd | Crime of Angel AG-601D (Version 2) | N/A | SOLE: AG-601D, Crime Of Angel, (media blast logo), (logo) TOE: VERGIN, (Angel, (angel logo), NO.1, (logo) in shield), BEAT CROWN: (logo) HEEL: DESIGNED BY J.G.E.CO.,LTD FACE:(media blast logo) view image here |
| Japan Golf Equipment Co Ltd | Crime of Angel VB-601D | N/A | SOLE: VB-601D, Crime Of Angel, (media blast logo), Ace (spade) Golf TOE: VERGIN, (Angel, (angel logo), NO.1, (logo) in shield), BEAT HEEL: DESIGNED BY J.G.E.CO.,LTD FACE:(media blast logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------|---------------------------------------|-------|--|
| Japan Golf Equipment Co Ltd | Crime of Angel VB-601D (Version 2) | N/A | SOLE: VB-601D, Crime Of Angel, (media blast logo), Ace (spade) Golf TOE: VERGIN, (Angel, (angel logo), NO.1, (logo) in shield), BEAT CROWN: (logo) HEEL: DESIGNED BY J.G.E.CO.,LTD FACE:(media blast logo) |
| Japan Golf Equipment Co Ltd | CRZ-435 II LH (LH) | N/A | SOLE: (jBEAM ®, TOKYO-JAPAN over star media blast logo), CRZ-435 II LH, BY CRAZY & JGE, FROM TOKYO, 1 TOE: (JB logo), GOLF view image here |
| Japan Golf Equipment Co Ltd | JBeam BM LT Black (LH) | N/A | SOLE: Long distance technology, (weight port), jBEAM®, BM LT BLACK, (weight port) BACK: (weight port) TOE: (JB logo), GOLF view image here |
| Japan Golf Equipment Co Ltd | JBeam BM Premium 450 | N/A | SOLE: (jBEAM ®, TOKYO • JAPAN over star shaped media blast logo), 450, (Premium over BM media blast) TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD view image here |
| Japan Golf Equipment Co Ltd | JBeam BM RT Black | N/A | SOLE: Long distance technology, (weight port), jBEAM®, BM RT BLACK, (weight port) BACK: (weight port) TOE: (JB logo), GOLF view image here |
| Japan Golf Equipment Co Ltd | JBeam BM-435 (LH) | N/A | SOLE: jBEAM®, TOKYO-JAPAN, FX, BM-435 LH, 1, TRIPLE WEIGHT, TITANIUM TOE: (JB logo), GOLF HEEL: (J logo), DESIGNED view image here |
| Japan Golf Equipment Co Ltd | JBeam BM-435 Black | N/A | SOLE: jBEAM ®, TOKYO • JAPAN, BM-435, BLACK, TRIPLE WEIGHT, TITANIUM, 1 TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD |
| Japan Golf Equipment Co Ltd | JBeam BM-435R | N/A | SOLE: (jBEAM ®, TOKYO • JAPAN over star shaped media blast logo), BM-435R TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------|----------------------------|---------|---|
| Japan Golf Equipment Co Ltd | JBeam BM-445 HG | N/A | SOLE: jBEAM ®, TOKYO.JAPAN, ((FX logo), BM-455 HG over media blast logo), 1, JGE CO LTD JAPAN TOE: (JB logo), GOLF view image here |
| Japan Golf Equipment Co Ltd | JBeam BM-535 | N/A | SOLE: TRIPLE WEIGHT SYSTEM, jBEAM ®, BM-535 TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD view image here |
| Japan Golf Equipment Co Ltd | jBEAM Bullet | N/A | SOLE: Spin Control System, jBEAM ®, Bullet TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD, Long Distance Technology view image here |
| Japan Golf Equipment Co Ltd | JBeam Demolition | N/A | SOLE: DEMOLITION, (LDJ logo), Long Drivers of Japan, (weight port), JBEAM TOE: (logo) HOSEL: (dot) HEEL: DESIGNED BY Y. YAMAZAKI FACE:(LDJ logo) view image here |
| Japan Golf Equipment Co Ltd | JBeam DR445 | N/A | SOLE: Titanium, 1, jBEAM®, TOKYO•JAPAN, DR445 TOE: (J logo), J.G.E.CO.,LTD view image here |
| Japan Golf Equipment Co Ltd | Jbeam FX BM-420SE | N/A | SOLE: jBEAM®, TOKYO-JAPAN, FX, BM-420SE, 1 TOE: (JB logo), GOLF HOSEL: Open•Close view image here |
| Japan Golf Equipment Co Ltd | Jbeam FX BM-435 | N/A | SOLE: jBEAM®, TOKYO-JAPAN, FX, BM-435, TRIPLE WEIGHT, TITANIUM, 1 TOE: (JB logo), GOLF HEEL: (J logo), DESIGNED view image here |
| Japan Golf Equipment Co Ltd | Jbeam FX Platina (Gold) | 9,10,11 | SOLE: JBEAM, TOKYO JAPAN, FX, Platina, 1, REPEL TITAN, (loft) TOE: JAPAN GOLF EQUIPMENT CO.,LTD, (J logo), (logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------|----------------------------|-------|--|
| Japan Golf Equipment Co Ltd | Jbeam FX Platina Driver | N/A | SOLE: jBEAM, TOKYO JAPAN, FX, Platina, 1 REPEL TITAN TOE: JAPAN GOLF EQUIPMENT CO.,LTD, (J logo), (logo) view image here |
| Japan Golf Equipment Co Ltd | Jbeam FX Tour-425 | N/A | SOLE: jBEAM®, TOKYO-JAPAN, FX, TOUR-425, 1 TOE: (JB logo), GOLF HEEL: J.G.E.CO.,LTD. JAPAN view image here |
| Japan Golf Equipment Co Ltd | JBeam G-801 | N/A | SOLE: TRIPLE WEIGHT SYSTEM, jBEAM®, (weight port), (weight port), G-801, (weight port) TOE: jBEAM, (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD view image here |
| Japan Golf Equipment Co Ltd | JBeam Galpha | N/A | SOLE: TRIPLE WEIGHT SYSTEM, jBEAM®, GALPHA TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD view image here |
| Japan Golf Equipment Co Ltd | JBeam Galpha (LH) | N/A | SOLE: (weight port), jBEAM®, (weight port), GALPHA, (weight port), LH TOE: (JB logo), GOLF, TRIPLE WEIGHT SYSTEM HEEL: DESIGNED BY J.G.E.CO.,LTD view image here |
| Japan Golf Equipment Co Ltd | JBeam Galpha Pratina | N/A | SOLE: TRIPLE WEIGHT SYSTEM, (weight port), jBEAM®, (weight port), GALPHA, PRATINA, (weight port) TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD view image here |
| Japan Golf Equipment Co Ltd | JBeam Glorious | N/A | SOLE: jBEAM ®, TOKYO•JAPAN, Glorious TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD view image here |
| Japan Golf Equipment Co Ltd | JBeam Glorious Second | N/A | SOLE: jBEAM ®, Glorious, SECOND TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD FACE:(target media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------|-----------------------------|-------|---|
| Japan Golf Equipment Co Ltd | JBeam J3 Tour | N/A | SOLE: TRIPLE WEIGHT SYSTEM, (weight port), jBEAM, (weight port), JBEAM, J3, TOUR, (weight port) BACK: JBEAM TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD view image here |
| Japan Golf Equipment Co Ltd | JBeam JB-7 | N/A | SOLE: TRIPLE WEIGHT SYSTEM, jBEAM®, JB-7 TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD view image here |
| Japan Golf Equipment Co Ltd | JBeam JBlast X | N/A | SOLE: (JBLAST over X), jBEAM BACK: (weight port) HOSEL: (dot) view image here |
| Japan Golf Equipment Co Ltd | JBeam Jliden (YS-01) | N/A | SOLE: JLIDEN, YS_01, (weight port), JBEAM TOE: (JB logo), GOLF HOSEL: (dot) view image here |
| Japan Golf Equipment Co Ltd | JBeam JSigma | N/A | SOLE: J(sigma)S, (logo), JBEAM, (weight port) BACK: (weight port) view image here |
| Japan Golf Equipment Co Ltd | Jbeam JX460 | N/A | SOLE: jBEAM®, JX 460, Titanium, DRIVER <u>view image here</u> |
| Japan Golf Equipment Co Ltd | JBeam KZ-5 | N/A | SOLE: jBEAM®, TOKYO•JAPAN, KZ-5, KZ-5 TOE: (JB logo), GOLF HOSEL: (dot) |
| Japan Golf Equipment Co Ltd | JBeam KZ-5 Black Edition | N/A | SOLE: jBEAM®, TOKYO•JAPAN, (weight port), KZ-5, BLACK EDITION, KZ-5 BACK: JB, GOLF view image here |
| Japan Golf Equipment Co Ltd | JBeam KZ-5 Platina | N/A | SOLE: jBEAM®, TOKYO•JAPAN, (weight port), KZ-5, PLATINA, KZ-5 TOE: (JB logo), GOLF HOSEL: (dot) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------|------------------------|-------|---|
| Japan Golf Equipment Co Ltd | JBEAM LEIZAM | N/A | SOLE: LEIZAM, (weight port), (weight port) TOE: JBEAM HOSEL: (dot) view image here |
| Japan Golf Equipment Co Ltd | JBeam Premium Black | N/A | SOLE: TRIPLE WEIGHT SYSTEM, jBEAM®, 535, Premium black TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD view image here |
| Japan Golf Equipment Co Ltd | Jbeam Premium Tour | 10 | SOLE: jBEAM, Premium, TOUR, 1, HIGH SORT TITANIUM BACK: Tangsten (weight) Weight TOE: (logo), DESIGNED view image here |
| Japan Golf Equipment Co Ltd | jBeam RH-455 | 10 | SOLE: 1 (loft), Jbeam, TOKYO.JAPAN, RH455, TITANIUM, TWO PIECE TOE: (j logo), DESIGNED view image here |
| Japan Golf Equipment Co Ltd | JBeam TD-450 | N/A | SOLE: Long distance technology, jBEAM®, TD-450 TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD view image here |
| Japan Golf Equipment Co Ltd | JBeam TD-460 | N/A | SOLE: jBEAM®, TOKYO-JAPAN (over star media blast), TD-460 TOE: (JB logo), GOLF HEEL: DESIGNED BY J.G.E.CO.,LTD FACE:(target media blast) view image here |
| Japan Golf Equipment Co Ltd | JBeam Z II | N/A | SOLE: (JB logo), GOLF, TRIPLE WEIGHT SYSTEM, (weight port), jBEAM®, TOKYO-JAPAN, (weight port) ZII, (weight port) HEEL: Long distance technology view image here |
| Japan Golf Equipment Co Ltd | JBeam ZY-11 | N/A | SOLE: TRIPLE WEIGHT SYSTEM, jBEAM®, TOKYO·JAPAN, ZY-11 TOE: (JB logo), GOLF HEEL: Long distance technology view image here |
| Japan Golf Equipment Co Ltd | JBeam ZY-7 | N/A | SOLE: (JB logo), GOLF, Long distance technology, jBEAM®, ZY-7 HEEL: Spin control system view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------|----------------------------|-------|---|
| Japan Golf Equipment Co Ltd | JBeam ZY-8 | N/A | SOLE: (JB logo), GOLF, jBEAM®, (weight port), ZY8, (weight port) view image here |
| Japan Golf Equipment Co Ltd | JBeam ZY-9 | N/A | SOLE: jBEAM, (weight port), ZY-9, (weight port), (weight port) TOE: ZY-9 view image here |
| Japan Golf Equipment Co Ltd | JBeam ZY-Max | N/A | SOLE: ZY-MAX, (weight port), JBEAM TOE: JB logo, GOLF HOSEL: (dot) view image here |
| Japan Golf Equipment Co Ltd | JBEAM® CRZ-435II | N/A | SOLE: 1, (jBEAM®, TOKYO-JAPAN over star shaped media blast), CRZ-435II, BY CRAZY & JGE, FROM TOKYO TOE: (JB logo), GOLF view image here |
| Japan Golf Equipment Co Ltd | JBeam® FX BM α-440 | N/A | SOLE: jBEAM®, TOKYO-JAPAN, FX, BM α-440, 1, CONTROL WEIGHT TOE: (JB logo), GOLF HEEL: J.G.E.CO.,LTD. JAPAN view image here |
| Japan Golf Equipment Co Ltd | Jbeam® FX Techno 455-E1 | N/A | SOLE: jBEAM®, TOKYO-JAPAN, FX, TECHNO 455-E1, 1 TITANIUM, POWER (J logo) SPEED TOE: (JB logo), GOLF HEEL: J.G.E.CO.,LTD. JAPAN view image here |
| Japan Golf Equipment Co Ltd | TRPX D-013 | N/A | SOLE: (t r p x in shape), (cross logo), D-013, Supervised by JGE TOE: XXX HEEL: MAXIMIZE THE POTENTIAL OF ALL GOLFERS. view image here |
| Japan Golf Equipment Co Ltd | TRPX S-013 | N/A | SOLE: (t r p x in shape), (cross logo), S-013, Supervised by JGE TOE: XXX HEEL: MAXIMIZE THE POTENTIAL OF ALL GOLFERS. view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|---------------------------|-------|---|
| Japan Pro Dracom Association | Estivant ES 460D | 9.5 | SOLE: [ES 460D] Designed by MATSU, (diamond logo) BACK: (ESTIVANT NO DISTANCE NO GOLF on weight port), (ESTIVANT NO DISTANCE NO GOLF on weight port) TOE: ESTIVANT, (line), (line), (line), (line) FAR AND SURE (line), (line), (line), (line) HOSEL: (diamond logo) |
| Japan Pro Dracom Association | Estivant ES 460J | N/A | SOLE: [ES 460J] Designed by MATSU, (diamond logo) BACK: (ESTIVANT NO DISTANCE NO GOLF on weight port), (ESTIVANT NO DISTANCE NO GOLF on weight port) TOE: ESTIVANT, (line), (line), (line), (line) FAR AND SURE (line), (line), (line), (line) CROWN: (decorative marking) HOSEL: (diamond logo) |
| Japana Co Ltd | D-11 | 10.5 | SOLE: D-11, 1 (loft) |
| | | | view image here |
| Japana Co Ltd | Fitway 440 | 14 | SOLE: 1 (loft), Fitway, 440, FOR ENJOY GOLF, FORGED TITANIUM CROWN: (alignment mark) view image here |
| Japana Co Ltd | Fitway 460V | 10,11 | SOLE: Fitway 460V, (line), FORGED TITANIUM, 1 (loft) CROWN: (alignment mark) view image here |
| Japana Co Ltd | Fitway 460V (LH) | 10.5 | SOLE: Fitway 460V, (line), FORGED TITANIUM, 1 (loft) CROWN: (alignment mark) view image here |
| Japana Co Ltd | Fitway 460V (Version 2) | 11 | SOLE: Fitway 460V, (line), FORGED TITANIUM (dot), 1 (loft) CROWN: (alignment mark) view image here |
| Japana Co Ltd | Fitway Forged Titanium | 10,11 | SOLE: Fitway, Fitway, 1 (loft), FORGED TITANIUM CROWN: (alignment mark) view image here |
| Japana Co Ltd | Ignio (Version 2) (LH) | 10.5 | SOLE: FORGED TITANIUM, (IGNIO media blast), IGNIO, 1 (loft) CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------|-----------|--|
| Japana Co Ltd | Ignio (Version 3) | 10,11 | SOLE: FORGED TITANIUM, (IGNIO media blast), IGNIO, 1 (loft) CROWN: (alignment mark) view image here |
| Japana Co Ltd | Ignio EL (Version 2) | 14 | SOLE: (four heart logo) IGNIO, EL, (four heart logo), 1 (loft) CROWN: (alignment mark) view image here |
| Japana Co Ltd | Ignio EL 440 | 14 | SOLE: IGNIO, FIRES YOU UP. EL, 1 (loft), (curved line), FORGED TITANIUM 440 CROWN: (alignment mark) view image here |
| Japana Co Ltd | Tobunda GT440 Pro Spec | N/A | SOLE: GT440, (logo), TOBUNDA, -PRO SPEC- view image here |
| Japana Co Ltd | Tobunda GT460 (Version 2) | 9.5,10.5 | SOLE: GT460, (logo) TOBUNDA, (loft), (line), POWER HEAD, (line), (line), TECHNOLOGY, (line) view image here |
| Japana Co Ltd | Tobunda HT460 | 10.5,11.5 | SOLE: HT, (logo) TOBUNDA, (loft), (HT on inset) CROWN: (alignment mark) view image here |
| Japana Co Ltd | Tobunda Li460 (Version 2) | 13.5 | SOLE: Li 460, (loft), HIGH DRAW PERFORMANCE, (decorative gems on inset) TOE: (logo) TOBUNDA, EL CROWN: (alignment mark) view image here |
| Japana Co Ltd | Tobunda Try Fit (400cc) | 9,10 | SOLE: TRY FIT, (logo) TOBUNDA, (loft) TOE: TRY FIT view image here |
| Japana Co Ltd | Tobunda Try Fit (420cc) | 9,10 | SOLE: TRY FIT, (logo) TOBUNDA, (loft) TOE: TRY FIT view image here |
| Japana Co Ltd | Tobunda Try Fit (450cc) | 9.5,10.5 | SOLE: TRY FIT, (logo) TOBUNDA, (loft) TOE: TRY FIT view image here |
| Japana Co Ltd | Tobunda Try Fit (450cc) (LH) | 10.5 | SOLE: TRY FIT, (loft), (logo) TOBUNDA CROWN: (alignment mark) <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|-----------|--|
| Japana Co Ltd | Tobunda Try Fit (450cc) (Version 2) | 9.5,10.5 | SOLE: TRY FIT, (logo) TOBUNDA, (loft) TOE: TRY FIT CROWN: (alignment mark) view image here |
| Japana Co Ltd | Tobunda Try Fit (Version 13) | N/A | SOLE: (logo) TOBUNDA, (weight port), TRY FIT, (weight port), (weight port) TOE: TRY FIT HOSEL: •, (orientation indicators), STD, HIGHER, LIE+, LOWER FACE:T-3 |
| Japana Co Ltd | Tobunda Try Fit (Version 14) | N/A | SOLE: (logo) TOBUNDA, (weight port), TRY FIT, (weight port), (weight port) TOE: TRY FIT HOSEL: •, (orientation indicators), STD, HIGHER, LIE+, LOWER view image here |
| Japana Co Ltd | Tobunda Try Fit (Version 15) | 10.5,11.5 | SOLE: HIGH REPULSION GROOVE, TRY FIT, (loft) TOE: (logo), TOBUNDA, TRY FIT, (graphics) CROWN: (alignment mark) view image here |
| Japana Co Ltd | Tobunda Try Fit (Version 16) | 9.5,10.5 | SOLE: (logo), TOBUNDA, (graphics), HIGH REPULSION GROOVE, (weight port), TRY FIT, (loft), (graphics) TOE: TRY FIT, (graphics) CROWN: (alignment mark) view image here |
| Japana Co Ltd | Tobunda Try Fit Fitting Revolution | 8.5,9.5 | SOLE: (weight port), TRY FIT, (weight port), (logo), TOBUNDA, (loft) TOE: (lines) FITTING REVOLUTION, TRY FIT (line) <u>view image here</u> |
| Japana Co Ltd | Tobunda Try Fit Fitting Revolution (LH) | 10.5 | SOLE: FITTING REVOLUTION, (line), (logo) TOBUNDA, TRY FIT, (loft) TOE: TRY FIT CROWN: (alignment mark) view image here |
| Japana Co Ltd | Tobunda Try Fit Fitting Revolution (Version 10) | 9.5 | SOLE: (weight port), (angled line), FITTING REVOLUTION, (angled line), TRY FIT, (weight port), (weight port), (logo) TOBUNDA, (loft) TOE: TRY FIT HOSEL: •, (orientation indicators) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|----------|---|
| Japana Co Ltd | Tobunda Try Fit Fitting Revolution (Version 12) | 9.5 | SOLE: (weight port), (angled line), FITTING REVOLUTION, (angled line), TRY FIT, (weight port), (weight port), (logo) TOBUNDA, (loft) TOE: TRY FIT CROWN: (alignment mark) HOSEL: • FACE:T-2 |
| Japana Co Ltd | Tobunda Try Fit Fitting Revolution (Version 2) | 9.5,10.5 | SOLE: (weight port), TRY FIT, (weight port), (logo), TOBUNDA, (loft) TOE: (lines) FITTING REVOLUTION, TRY FIT (line) CROWN: (alignment mark) view image here |
| Japana Co Ltd | Tobunda Try Fit Fitting Revolution (Version 3) | 11.5 | SOLE: TRY FIT, (weight port), (logo), TOBUNDA, (loft) TOE: (lines) FITTING REVOLUTION, TRY FIT (line) CROWN: (alignment mark) view image here |
| Japana Co Ltd | Tobunda Try Fit Fitting Revolution (Version 4) | 9.5 | SOLE: TRY FIT, (logo), TOBUNDA, (loft), (square cavity for shaft fixing screw) TOE: (lines) FITTING REVOLUTION, TRY FIT (line) HOSEL: •, (orientation indicators) |
| Japana Co Ltd | Tobunda Try Fit Fitting Revolution (Version 5) | 9.5 | SOLE: TRY FIT, (logo), TOBUNDA, (loft), (round cavity for shaft fixing screw) TOE: (lines) FITTING REVOLUTION, TRY FIT (line) HOSEL: •, (orientation indicators) |
| Japana Co Ltd | Tobunda Try Fit Fitting Revolution (Version 6) | 9.5 | SOLE: (angled line), FITTING REVOLUTION, (angled line), (weight port), TRY FIT, (logo) TOBUNDA, (weight port), (loft) TOE: TRY FIT HOSEL: •, (orientation indicators) view image here |
| Japana Co Ltd | Tobunda Try Fit Fitting Revolution (Version 7) | 9.5 | SOLE: (angled line), FITTING REVOLUTION, (angled line), (weight port), TRY FIT, (logo) TOBUNDA, (weight port), (loft) TOE: TRY FIT CROWN: (alignment mark) HOSEL: •, (orientation indicators) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|---------------|---|
| Japana Co Ltd | Tobunda Try Fit Fitting Revolution (Version 8) | 9.5,10.5,11.5 | SOLE: (angled line), FITTING REVOLUTION, (angled line), TRY FIT, (weight port), (logo) TOBUNDA, (loft) TOE: TRY FIT CROWN: (alignment mark) |
| | | | view image here |
| Japana Co Ltd | Tobunda Try Fit Fitting Revolution (Version 9) | 9.5 | SOLE: (angled line), FITTING REVOLUTION, (angled line), (weight port), TRY FIT, (weight port), (logo) TOBUNDA, (loft) TOE: TRY FIT HOSEL: •, (orientation indicators) |
| | | | view image here |
| Japana Co Ltd | Tobunda Try Fit Fitting Revolution Lala (Version 1) | 9.5 | SOLE: (angled line), FITTING REVOLUTION, (angled line), TRY FIT, (logo) TOBUNDA, (loft) TOE: TRY FIT HOSEL: •, (orientation indicators) FACE:LALA view image here |
| Japana Co Ltd | Tobunda Try Fit Fitting | 9.5 | SOLE: (angled line), FITTING |
| | Revolution Lala (Version 2) | | REVOLUTION, (angled line), TRY FIT, (logo) TOBUNDA, (loft) TOE: TRY FIT CROWN: (alignment mark) HOSEL: •, (orientation indicators) FACE:LALA <u>view image here</u> |
| Japana Co Ltd | Tobunda Try Fit Li | 13.5 | SOLE: Li, (loft), (decorative gems), (decorative star pattern), (logo) TOBUNDA, TRY FIT CROWN: (star logo alignment mark) view image here |
| Japana Co Ltd | Tobunda Try Fit Li (Version 2) | 13.5,15.5 | SOLE: (decorative flower pattern), (Li flower logo on inset), TRY FIT, (logo), TOBUNDA, (loft), (3 decorative gems), (decorative flower pattern) CROWN: (star logo alignment mark) view image here |
| Japana Co Ltd | Tobunda Try Fit Model 440 | N/A | SOLE: (logo), TOBUNDA, (weight port), TRY FIT, (weight port), Model 440, (weight port) TOE: TRY FIT HOSEL: •, (orientation indicators), STD, HIGHER, LIE+, LOWER view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------------|----------|--|
| Japana Co Ltd | Tobunda Try Fit Model 440V | N/A | SOLE: (logo), TOBUNDA, (weight port), TRY FIT, (weight port), Model 440V, (weight port) TOE: TRY FIT HOSEL: •, (orientation indicators), STD, HIGHER, LIE+, LOWER view image here |
| Japana Co Ltd | Tobunda Try Fit Model 440X | N/A | SOLE: (logo), TOBUNDA, (weight port), TRY FIT, (weight port), Model 440X, (weight port) TOE: TRY FIT HOSEL: •, (orientation indicators), STD, HIGHER, LIE+, LOWER view image here |
| Japana Co Ltd | Tobunda Try Fit XL | 9.5,10.5 | SOLE: (XL over XL media blast logo), (logo), TOBUNDA, (loft) TOE: TRY FIT CROWN: (alignment markers) view image here |
| Japana Co Ltd | Tobunda Try Fit XL (Version 3) | 9.5,10.5 | SOLE: (XL on hexagonal inset), TRY FIT, (loft), logo, TOBUNDA, TOE: TRY FIT XL CROWN: (alignment markers) FACE:XL II |
| Japana Co Ltd | Tobunda Try Fit XL (Version 4) | 9.5,10.5 | view image here SOLE: (XL on hexagonal inset), TRY FIT, (loft), logo, TOBUNDA TOE: TRY FIT XL CROWN: (alignment markers) FACE:(scorelines in centre of face) view image here |
| Japana Co Ltd | Tobunda VT | 9,10 | SOLE: VT, (logo) TOBUNDA, (loft) view image here |
| Japana Co Ltd | Tobunda VT460 | 10,11 | SOLE: (logo) TOBUNDA VT, (loft), (weight port) TOE: DESIGN OF STRAIGHT TRAJECTORY 460 (with logo) CROWN: (alignment mark) view image here |
| Japana Co Ltd | Tobunda VT460 (LH) | 10.5 | SOLE: VT, (logo) TOBUNDA, (loft) TOE: 460 (logo) DESIGN OF STRAIGHT TRAJECTORY CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|------------------------------|---------|--|
| Japana Co Ltd | Tobunda VT460 (Version 2) | 10,11 | SOLE: (logo) TOBUNDA VT, (loft), (weight port) TOE: DESIGN OF STRAIGHT TRAJECTORY 460 (with logo) view image here |
| Japana Co Ltd | Tobunda VT460 (Version 3) | 9 | SOLE: (logo) TOBUNDA VT, (loft) TOE: DESIGN OF STRAIGHT TRAJECTORY 460 (with logo) view image here |
| Japana Co Ltd (Golf Planner) | D-02 | 10.5 | SOLE: D-02, 450, SQUARE HEAD, TITANIUM, 1 (loft) view image here |
| Japana Co Ltd (Golf Planner) | Fitway | 10.5 | SOLE: Fitway (underlined), FORGED TITANIUM, 1 (loft) CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Fitway 350 LD (LH) | 14 | SOLE: FORGED TITANIUM, 1, (loft), 350, Fitway CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Fitway 350 LD (Version 1) | 14 | SOLE: FORGED TITANIUM, 1 (in circle), (loft), 350, Fitway CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Fitway 350 LD (Version 2) | 14 | SOLE: Fitway 350 (underlined), FORGED TITANIUM, 1 (loft) CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Fitway 380 | 10.5,11 | SOLE: Fitway 380 (underlined), FORGED TITANIUM, 1 (loft) CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Fitway 380 LD | 14 | SOLE: FORGED TITANIUM, 1 (loft), FOR ENJOY GOLF, 380, Fitway CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Fitway 400 LD | 14 | SOLE: FORGED TITANIUM, 1 (loft), FOR ENJOY GOLF, 400, Fitway CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|-----------------------------|-----------|---|
| Japana Co Ltd (Golf Planner) | Fitway 420 | 10.5 | SOLE: Fitway 420 (underlined), FORGED TITANIUM, 1 (loft) CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Fitway 420 LD | 14 | SOLE: 1 (loft), FOR ENJOY GOLF, 420, Fitway, FORGED TITANIUM CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Fitway 420V | 10,11 | SOLE: Fitway 420V (underlined), FORGED TITANIUM, 1 (loft) CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Fitway 420V (LH) | 10,11 | SOLE: Fitway 420V (underlined), FORGED TITANIUM, 1 (loft) CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Fitway 430 (Ladies) | 14 | SOLE: 1 (loft), FOR ENJOY GOLF, 430, Fitway, FORGED TITANIUM (underlined) CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Fitway 430 (ladies) (LH) | 14 | SOLE: 1 (loft), FOR ENJOY GOLF, 430, Fitway, FORGED TITANIUM, (line) CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Fitway 450 | 10.5,11.5 | SOLE: FORGED, TITANIUM, (line), Fitway 450, (line), 1 (loft) CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Fitway 460 | 10,11 | SOLE: Fitway 460, (line), FORGED TITANIUM, 1 (loft) CROWN: (alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Ignio | 11 | SOLE: IGNIO, FIRES YOU UP, 1 (loft), SHALLOW DESIGN CROWN: (O logo alignment mark) view image here |
| Japana Co Ltd (Golf Planner) | Ignio 420EL | 13 | SOLE: IGNIO, FIRES YOU UP., 420EL, 1 (loft), (line) TITANIUM (line), (logo), FIRES YOU UP. CROWN: (alignment mark) view image here |

| November 04, 2024 | | | | |
|---------------------------------|--------------------------|-----------|--|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| Japana Co Ltd (Golf Planner) | Ignio 440ST | 9.5,10.5 | SOLE: IGNIO, 440ST (underlined), FORGED TITANIUM, 1 (loft) view image here | |
| Japana Co Ltd (Golf Planner) | Ignio 450SR | 10.5,11.5 | SOLE: IGNIO, 450SR, FIRES YOU UP., (loft) CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Ignio 460 AR | 9.5,10.5 | SOLE: IGNIO, 460(logo)AR, (loft), AIR DAM SOLE AERODYNAMIC DESIGN view image here | |
| Japana Co Ltd (Golf Planner) | Ignio 460 AR (LH) | 10.5 | SOLE: IGNIO, 460 (shape)AR, (loft), AIR DAM SOLE AERODYNAMIC DESIGN view image here | |
| Japana Co Ltd (Golf Planner) | Ignio 460 ES | 10,11 | SOLE: IGNIO, 460ES, FORGED, TITANIUM, 1, -(loft)- CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Ignio 460 ES (Version 2) | 10,11 | SOLE: IGNIO, 460 ES, 1, -(loft)-CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Ignio EL | 14 | SOLE: IGNIO, FIRES YOU UP., EL, 1 (loft), FORGED TITANIUM 400 CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Ignio Jr 330 | 18 | SOLE: IGNIO, -Jr, 1 (loft), FIRES YOU UP. 330 CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Ignio Jr 330 (LH) | 18 | SOLE: IGNIO, -Jr, 1 (loft), FIRES YOU UP. 330 CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Ignio Jr 350 | 15 | SOLE: IGNIO, -Jr, 1 (loft), FORGED, TITANIUM, (vertical line) 350 CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Ignio Jr 350 (LH) | 15 | SOLE: IGNIO, -Jr, 1 (loft), FORGED, TITANIUM, (vertical line) 350 CROWN: (alignment mark) view image here | |

| November 04, 2024 | | | | |
|---------------------------------|------------------|-----------|--|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| Japana Co Ltd (Golf Planner) | Lake Mary 370 | 13.5 | SOLE: (LM logo), Lake Mary (underlined), FORGED 370, 6AL-4V TITANIUM, 1, (loft) CROWN: (LM logo) view image here | |
| Japana Co Ltd (Golf Planner) | Legsus 420HT | 17 | SOLE: LEGSUS, (line) 420HT (line), FORGED TITANIUM, 1 (loft) CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Legsus SL | 10.5 | SOLE: LEGSUS, (line) SL (line), 6AL-4V TITANIUM, TUNGSTEN, 1 (loft) view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda 360RS | N/A | SOLE: 1, (logo), TOBUNDA, ROUND SOLE DESIGN BACK: 360RS view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda 410GT | 9,10 | SOLE: (logo) TOBUNDA (underlined), 410GT, TUNGSTEN WEIGHT, 1 (loft) FACE:CFM view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda 410GT US | N/A | SOLE: (logo) TOBUNDA (underlined), 410GT, 1, SAT-2041 TITAN, TUNGSTEN WEIGHT FACE:US view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda 420HT | 17 | SOLE: (logo) TOBUNDA (underlined), 420HT, LOFT (loft) 1, SAT-2041 TITANIUM.CARBON COMPOSITE view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda 430 EL | 12,13.5 | SOLE: (logo), TOBUNDA, 430EL, TITANIUM, TUNGSTEN WEIGHT, 1, LOFT (loft) CROWN: (alignment mark) <u>view image here</u> | |
| Japana Co Ltd (Golf Planner) | Tobunda 460 EL | 12,13 | SOLE: (logo), TOBUNDA, 460EL, TI-CBN COMPOSITE, TUNGSTEN WEIGHT, 1, LOFT (loft) CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda 460 EX | 10.5,11.5 | SOLE: (logo), TOBUNDA (underlined), 460EX, 1 (loft) view image here | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|------------------------------|----------|--|
| Japana Co Ltd (Golf Planner) | Tobunda 460 MS | 10,11 | SOLE: (logo), TOBUNDA (underlined), 460MS, MAXIMUM HEAD SPEED, PERFORMANCE, 1 (loft) view image here |
| Japana Co Ltd (Golf Planner) | Tobunda 460 MS (LH) | 11 | SOLE: (logo), TOBUNDA, (line), 460MS, MAXIMUM HEAD SPEED, PERFORMANCE, 1 (loft) view image here |
| Japana Co Ltd (Golf Planner) | Tobunda 460 MV (LH) | 10 | SOLE: (logo), TOBUNDA, (line), 460MV, 1 (loft) view image here |
| Japana Co Ltd (Golf Planner) | Tobunda 460AR (prototype) | 11 | SOLE: 460AR, AERODYNAMIC DESIGN, AIR DAM SOLE, (curved line), (logo), TOBUNDA, 1, LOFT (loft) view image here |
| Japana Co Ltd (Golf Planner) | Tobunda 460HB CFM | N/A | SOLE: 1, 460HB (underlined), SAT-2041 TI-CBN, TUNGSTEN COMPOSITE, (logo), TOBUNDA FACE:CFM view image here |
| Japana Co Ltd (Golf Planner) | Tobunda 460HB US | N/A | SOLE: 1, 460HB (underlined), SAT-2041 TI-CBN, Tungsten Composite, (logo), Tobunda FACE:US view image here |
| Japana Co Ltd (Golf Planner) | Tobunda 460MV | 10,11 | SOLE: (logo), TOBUNDA (underlined), 460MV, 1 (loft) view image here |
| Japana Co Ltd (Golf Planner) | Tobunda 460MV (LH) | 11 | SOLE: (loft), TOBUNDA (underlined), 460MV, 1 (loft) view image here |
| Japana Co Ltd (Golf Planner) | Tobunda Driving FW D | 13.5 | SOLE: DRIVING (underlined), FW, (logo), TOBUNDA, 3D, (loft) view image here |
| Japana Co Ltd (Golf Planner) | Tobunda GT440 | 9.5,10.5 | SOLE: GT440, (logo) TOBUNDA, (loft) BACK: (logo) view image here |
| Japana Co Ltd (Golf Planner) | Tobunda GT460 | 9.5,10.5 | SOLE: GT460, (logo) TOBUNDA, (loft) BACK: (logo) view image here |

| November 04, 2024 | | | | |
|---------------------------------|---|-----------|--|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| Japana Co Ltd (Golf Planner) | Tobunda GT460 Proto 1 | 9.5,10.5 | SOLE: GT460, (logo) TOBUNDA, (loft), PROTO 1 BACK: (logo) view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda GT460 Proto-3 | 9.5 | SOLE: GT460, (logo) TOBUNDA, (loft), Weight Control Plug, PROTO-3 (in rectangle), (logo), Weight Control Plug view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda HT460 | 10.5,11.5 | SOLE: HT460, (logo) TOBUNDA, (logo), HT (in oval) CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda Li460 | 12,13.5 | SOLE: Li 460, (logo) TOBUNDA, EL, (loft), HIGH DRAW PERFORMANCE CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda Si 460 | 12,13.5 | SOLE: Si 460, (logo) TOBUNDA, EL, (loft) BACK: PERFORMANCE FROM IDEAL MOI CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda VT460 Delta Design | 10,11 | SOLE: VT460, Delta Design, (logo) TOBUNDA, (loft), M.O.I TECHNOLOGY, M.O.I TECHNOLOGY CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda VT460 Delta Design (LH) | 10.5 | SOLE: VT460, Delta Design, (logo) TOBUNDA, (loft), M.O.I TECHNOLOGY, M.O.I TECHNOLOGY CROWN: (alignment mark) view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda VT460 Delta Design (Version 2) | 10 | SOLE: VT460, Delta Design, (logo) TOBUNDA, (loft), M.O.I TECHNOLOGY, M.O.I TECHNOLOGY view image here | |
| Japana Co Ltd (Golf Planner) | Tobunda VT460 H-Speed | 10,11 | SOLE: VT460, H-SPEED (triangle), (logo) TOBUNDA, (loft), Weight Control Plug, Weight Control Plug BACK: Weight Control Plug CROWN: (alignment mark) view image here | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|--------------------------------------|--------------|--|
| Japana Co Ltd (Golf Planner) | Tobunda VT460 H-Speed (Version 2) | 10 | SOLE: VT460, H-SPEED (triangle), (logo) TOBUNDA, (loft), Weight Control Plug, Weight Control Plug BACK: Weight Control Plug view image here |
| Japana Co Ltd (Golf Planner) | Tour Concept 380 SS | N/A | SOLE: Tour Concept, Step Sole Design, For Gravity, Control, 1, 380 SS SP-700 Titanium Face. 6AL-4V Titanium Body. TOE: (logo) |
| Jarog Master Blaster | Kingsize Won | N/A | SOLE: MASTER, KINGSIZE WON, BLASTER CROWN: JAROG, (three lines), FADE, DRAW, (three lines forming point) view image here |
| Jaslar Golf LLC | Easyair | 10 | SOLE: Neo Grooveless Face, 405 CC, Easyair SBF (superscript), (logo) Jaslar, (loft) TOE: super high strength, Forged Beta Titanium CROWN: Jaslar |
| Jason Golf Corp | MXT Legend | 9,10,11 | SOLE: (1, (loft) in wreath logo), Jason Kang, Legend, Signiture Collection, Maximum Technology, (MXT, DESIGN on inset) view image here |
| Jazz Golf Equipment, Inc. | Bear Cat | 8.75,9,12,14 | SOLE: HOT FORGED, TITANIUM, Bear (four vertical lines)Cat, JAZZ (line through AZZ), 1, (loft), (line), LOFT, (two circles with three dots) CROWN: (Jazz logo alignment mark) FACE:(Jazz logo) view image here |
| Jazz Golf Equipment, Inc. | Bear Cat (LH) | 9,10,12,14 | SOLE: HOT FORGED, TITANIUM, Bear (four lines) Cat, JAZZ, 1, (loft), (line), LOFT, (three dots in circle), (three dots in circle) CROWN: (Jazz logo alignment mark) FACE:(Jazz logo) |
| Jazz Golf Equipment, Inc. | Trouble Shooter Ti 400cc | 8,9,10,12,14 | SOLE: TITANIUM, JAZZ(line through AZZ), TROUBLESHOOTER Ti, 400cc (loft), www.jazz golf.com CROWN: (Jazz logo alignment mark) FACE:(Jazz logo) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|-----------------------------|-------|--|
| Jeffmont Ltd. | Avian 455 | TL | SOLE: D55•TI, AVIAN, 455•TL CROWN: (logo alignment mark) <u>view image here</u> |
| Jigen Ltd | eBishop | 9.5 | SOLE: eBishop, (triangle), JIGEN, (triangle), (weight port) HOSEL: (triangle), (orientation indicators) view image here |
| Jigen Ltd | eRook II (Version 2) | 10 | SOLE: JIGEN, (weight port), eRook II, (weight port), ((triangle)H, L(slideable weight channel), (triangle) in weight channel) (weight port), SWR HOSEL: (triangle), (orientation indicators) FACE:Ti180 view image here |
| Jigen Ltd | eRook III | 10.5 | SOLE: eRook III, Jigen BACK: (weight port), (weight port), (weight port), (weight port), (weight port) port) HOSEL: (arrow), (orientation indicators) |
| Jigen Ltd | eRook RK55z | 10.5 | SOLE: RK55z, eRook FACE:(logo) view image here |
| John Elmer Golf | Power Cone Mafuta HT | N/A | SOLE: CONE FACE TECHNOLOGY, MAFUTA, POWER CONE, elmer FACE:HT view image here |
| John Elmer Golf | Power Cone Mafuta RT | N/A | SOLE: CONE FACE TECHNOLOGY, MAFUTA, POWER CONE, elmer FACE:RT <u>view image here</u> |
| John Elmer Golf (Former Izulu Golf and Halcyblox (Pty) Ltd) | Powertube HT (Version 2) | N/A | SOLE: POWERTUBE, IZULU, Patent Pending TOE: POWER TUBE (circular logo around port for weight port between B & E) CROWN: (alignment logo) HOSEL: (dot) FACE:HT |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|-----------------------------|---------|---|
| John Elmer Golf (Former Izulu Golf and Halcyblox (Pty) Ltd) | Powertube RT (Version 2) | N/A | SOLE: POWERTUBE, IZULU, Patent Pending TOE: POWER TUBE (circular logo around port for weight port between B & E) CROWN: (alignment logo) HOSEL: (dot) FACE:RT |
| John Letters (Formerly John Letters Golf Limited) | JL MM Tour Black | 9,10,11 | SOLE: PW-BETA-TITANIUM, (JL logo), MM - TOUR BLACK, (loft) DEGREES TOE: LETTERS, TM view image here |
| John Letters (Formerly John Letters Golf Limited) | John Letters 460 | 10.5 | SOLE: JOHN, LETTERS, of Scotland, TITANIUM, 460cc, (loft), (MM, PROFESSIONAL, 1 logo) CROWN: (alignment mark) view image here |
| John Letters (Formerly John Letters Golf Limited) | T2 | 10.5 | SOLE: (loft), JOHN, LETTERS, of Scotland, T2 TOE: GREATER STABILITY CROWN: (alignment mark) HEEL: HIGHEST MOMENT OF INERTIA |
| John Letters (Formerly John Letters Golf Limited) | T9+ | 10.5 | SOLE: LETTERS,T9+, 460 (underlined), TITANIUM, (loft) TOE: HIGH M.O.I. CROWN: (alignment mark) view image here |
| John Letters (Formerly John Letters Golf Limited) | T-Series (Version 2) | 10.5 | SOLE: (loft), JOHN, LETTERS, of Scotland - since 1918, Ti 460cc, T-SERIES TOE: TITANIUM CROWN: (alignment mark) view image here |
| John Letters of Scotland Ltd. | DR4E | N/A | SOLE: (diamond logo) Diamond Insert 1 Titanium 360cc (diamond logo) D.R.4.E John Letters of Scotland USA Patent No. 5,620,382 TOE: D.R.4.E CROWN: (alignment mark) view image here |
| John Letters of Scotland Ltd. | DR4E 360cc | N/A | SOLE: (raised diamond graphic), DIAMOND TITANIUM, INSERT 360cc, 1, (diamond graphic), D·R·4·E, JOHN LETTERS, OF SCOTLAND, USA Patent No. 5,620,382 TOE: D·R·4·E CROWN: (diamond graphic alignment mark) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------------|-----------------------------------|--------------------|--|
| Johsho Golf Japan Co Ltd | Tour Black | N/A | SOLE: (Johsho, JSG in shield on weight port), TOUR, BLACK, MIKADO, FORGED TITAN CUP FACE, (Johsho, JSG in shield on weight port), (Johsho, JSG in shield on inset), TOE: (logo) CROWN: (Johsho alignment mark) FACE:(media blast logo) |
| Jordan Golf Cologne GmbH & Co Kg | Center Wing | 10.5 | SOLE: ASD, Series, Center, WING, (logo) BACK: FTD08-01Y TOE: (logo) TRUST HEEL: (loft) view image here |
| Jordan Golf Cologne GmbH & Co Kg | Kimura Shintai ML | N/A | SOLE: ML, KIMURA, SHINTAI, (port for shaft screw) TOE: (JG logo in wings logo) CROWN: (Chinese character alignment mark) HOSEL: (dot), (orientation markers) |
| Jordan Golf Cologne GmbH & Co Kg | Square Wing | 12 | SOLE: ASD, Series, Square, WING, (logo) TOE: (logo) TRUST HEEL: (loft) view image here |
| Joy Many Co Ltd | Jack White 412D | 9.5,10.5,11.5,12.5 | SOLE: Joy many, Jack White, 412D, The Clubs Creates, the Swing, FORGED Ti, 1* view image here |
| Joy Many Co Ltd | Jack White 706DHi | N/A | SOLE: Joy many, Jack White, 706DHi, The Club Creaties, The Swing, FORGED FACE <u>view image here</u> |
| Joy Many Co Ltd | Jack White 706DS | N/A | SOLE: Joy many, Jack White, 706DS, The Club Creaties, The Swing, FORGED FACE <u>view image here</u> |
| Joy Sports Co Ltd | Pennon (Version 2) (Prototype) | 9.5 | SOLE: PEnnon, Patriots -001, AERO CAVITY, (loft) HOSEL: MADE IN CHINA view image here |
| JQC Golf, Inc. | Big Dog 400cc | 8,9,10 | SOLE: (four lines), (circle with BIG DOGS®, dog graphic), 1 (loft), XL, 400cc, Beta Titanium, (four lines) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--------------------------------|--------------------|---|
| JQC Golf, Inc. | Big Dog 450cc | 8,9,10 | SOLE: (four lines), (circle with BIG DOGS®, dog graphic), 1 (loft), XL, 450cc, Beta Titanium, (four lines) view image here |
| Justick Co Ltd | Proceed 450R Tour Conquest | 9.5,10.5,11.5 | SOLE: tour conquest · 450, (line), R, PROCEED, (DEEP GRAVITY STRUCTURE on inset) BACK: Conforming R&A/USGA Rule · Loft (loft) TOE: JUSTICK, (logo) |
| Justick Co Ltd | Proceed 460D Tour Conquest | 9,10 | SOLE: PROCEED (with line through), 460D, tour conquest, (line), •Gravity, •Control, •Structure TOE: JUSTICK, (logo) HEEL: Conforming, R&A/USGA Rule, Loft (loft) view image here |
| Justick Co Ltd | Proceed 460EZ Tour Conquest | 9.5,10.5,11.5 | SOLE: (PROCEED in box), 460EZ, tour conquest, (line), Design For, Your Next Stage, (DEEP GRAVITY STRUCTURE in shape) TOE: JUSTICK, (logo) HEEL: Conforming, R&A/USGA Rule, Loft (loft) |
| Justick Co Ltd | Proceed 460M Tour Conquest | 9,9.5,10,10.5,11.5 | view image here SOLE: PROCEED, 460M, tour conquest, (line), Design For, Your Next Stage, DEEP GRAVITY STRUCTURE TOE: JUSTICK, (logo) HEEL: Conforming, R&A/USGA Rule, Loft (loft) view image here |
| Justick Co Ltd | Proceed 460R Tour Conquest | 8.5,9.5,10.5 | SOLE: tour conquest · 460, (line), R, PROCEED, (DEEP GRAVITY STRUCTURE on inset) BACK: Conforming R&A/USGA Rule · Loft (loft) TOE: JUSTICK, (logo) view image here |
| Justick Co Ltd | Proceed 460S Tour Conquest | 9.5,10.5,11.5 | SOLE: PROCEED (with line through), 460S, tour conquest, (line), •Gravity, •Control, •Structure TOE: JUSTICK, (logo) HEEL: Conforming, R&A/USGA Rule, Loft (loft) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-------------------------------------|---------------------|---|
| Justick Co Ltd | Proceed AdvantageX | 8,9,10,10.5,11.5,13 | SOLE: ADVANTAGEX, -435-, JUSTICK, (logo), -GRAVITY C.S BACK: CONFORMING R&A/USGA RULE TOE: PROCEED HOSEL: 06435(loft indication) |
| Justick Co Ltd | Proceed Double-R 450 | 9.5,10.5 | SOLE: DOUBLE-R 450, (weight port), R, PROCEED, POWER WAVE, (weight port) BACK: Conforming R&A/USGA Rule•Loft (loft) TOE: JUSTICK, (logo) HOSEL: (dot) |
| Justick Co Ltd | Proceed Double-R 450 Deep | 9.5,10.5 | SOLE: DOUBLE-R, (weight port), R, PROCEED, 450 Deep, (weight port), POWER WAVE, (weight port) BACK: Conforming R&A/USGA Rule-Loft (loft) TOE: JUSTICK, (logo) HOSEL: (dot), (line) |
| Justick Co Ltd | Proceed Double-R 450 MAX | N/A | SOLE: DOUBLE-R 450, MAX, POWER WAVE, R, PROCEED,(weight port), Driver, (weight port), (weight port) BACK: Conforming R&A/USGA Rule TOE: JUSTICK, (logo) HOSEL: (dot), (line) view image here |
| Justick Co Ltd | Proceed Double-R 460 (Version 2) | 9.5,10.5 | SOLE: DOUBLE-R, (weight port), R, PROCEED, POWER WAVE, 460 Deep, (weight port) BACK: Conforming R&A Rule•Loft (loft)•T TOE: JUSTICK, (logo) HOSEL: (dot), (line) |
| Justick Co Ltd | Proceed Double-R IV Revive | 9.5,10.5 | SOLE: DOUBLE-R, (weight port), R, PROCEED, POWER WAVE, RIV Revive, (weight port) BACK: Conforming R&A/USGA Rule•Loft (loft) TOE: JUSTICK, (logo) view image here |
| Justick Co Ltd | Proceed for Your Next Stage Deep | 10 | SOLE: Proceed (with line through), For Your Next Stage, Deep, Justick, (logo) -(loft)- view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---------------------------------|---------------|--|
| Justick Co Ltd | Proceed Neo Deep | 9.5 | SOLE: Proceed (with line through), N (diamond) E (diamond) O, Gravity Control Structure (underlined), Deep, Justick TOE: Justick, (logo) view image here |
| Justick Co Ltd | Proceed Neo Ti | N/A | SOLE: Proceed (with line through), N E O (in box), G.Control by Composite Structure, Justick <u>view image here</u> |
| Justick Co Ltd | Proceed R T.C435R III | 8.5,9.5,10.5 | SOLE: (DEEP GRAVITY STRUCTURE on curved inset), PROCEED (underlined), T•C435R III, R BACK: Conforming R&A/USGA Rule • Loft (loft) TOE: JUSTICK, (logo) |
| Justick Co Ltd | Proceed T.C.R II Deep 460 | 8.5,9.5,10.5 | SOLE: (DEEP GRAVITY STRUCTURE on plate), R, PROCEED, T•C•R II DEEP 460 BACK: Conforming R&A/USGA Rule • Loft (loft) TOE: JUSTICK, (logo) view image here |
| Justick Co Ltd | Proceed T.C.R II Shallow 460 | 9.5,10.5,11.5 | SOLE: (DEEP GRAVITY STRUCTURE on plate), R, PROCEED, T•C•R II SHALLOW 460 BACK: Conforming R&A/USGA Rule • Loft (loft) TOE: JUSTICK, (logo) view image here |
| Justick Co Ltd | Proceed T.C.R IV | 8.5,10.5 | SOLE: (DEEP GRAVITY STRUCTURE on curved inset), R, PROCEED, (line), T • C • R IV, 460, TOUR DEEP BACK: Conforming R&A/USGA Rule•Loft (loft) TOE: JUSTICK, (logo) |
| Justick Co Ltd | Proceed T.C.R IV (Version 2) | 9.5 | SOLE: (DEEP GRAVITY STRUCTURE on curved inset), R, PROCEED, (line), T • C • R IV, 460, TOUR DEEP BACK: Conforming R&A/USGA Rule•Loft (loft) Ver.2 TOE: JUSTICK, (logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|----------------------|---------------|--|
| Justick Co Ltd | Proceed T.C.R IX | 8.5,9.5,10.5 | SOLE: (X on inset), (DEEP GRAVITY STRUCTURE on curved inset), T•C•R IX, R, PROCEED, (line), Tour 440, (weight port) BACK: Conforming R&A/USGA Rule•Loft (loft), (weight port) TOE: JUSTICK, (logo) |
| Justick Co Ltd | Proceed T.C.R V | 9.5,10.5,11.5 | SOLE: (DEEP GRAVITY STRUCTURE on curved inset), R, PROCEED, (line), Premium, 455, T.C.R V BACK: Conforming R&A/USGA Rule•Loft (loft) TOE: JUSTICK, (logo) |
| Justick Co Ltd | Proceed T.C.R VI | 8.5,9.5,10.5 | SOLE: (DEEP GRAVITY STRUCTURE on curved inset), R, PROCEED, (line), Tour 435, T.C.R VI BACK: Conforming R&A/USGA Rule•Loft (loft) TOE: JUSTICK, (logo) |
| Justick Co Ltd | Proceed T.C.R VII | 8.5,9.5,10.5 | SOLE: (DEEP GRAVITY STRUCTURE on curved inset), R, PROCEED, (line), Tour 460, T.C.R VII BACK: Conforming R&A/USGA Rule•Loft (loft) TOE: JUSTICK, (logo) |
| Justick Co Ltd | Proceed T.C.R VIII | 9.5,10.5,11.5 | SOLE: (DEEP GRAVITY STRUCTURE on curved inset), 455 T•C•R VIII, R, PROCEED, (line), Premium BACK: Conforming R&A/USGA Rule•Loft (loft) TOE: JUSTICK, (logo) view image here |
| Justick Co Ltd | Proceed T.C.R X | 8.5,9.5,10.5 | SOLE: (X on inset), (DEEP GRAVITY STRUCTURE on curved inset), T•C•R X, R, PROCEED, (line), DEEP 460, (weight port) BACK: Conforming R&A/USGA Rule•Loft (loft), (weight port) TOE: JUSTICK, (logo) view image here |
| Justick Co Ltd | Proceed T.C460 R III | 9.5,10.5,11.5 | SOLE: (DEEP GRAVITY STRUCTURE on curved inset), PROCEED (underlined), T•C460R III, R BACK: Conforming R&A/USGA Rule • Loft (loft) TOE: JUSTICK, (logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|---------------------------------|--------------|---|
| Justick Co Ltd | Proceed Ti Ad Tour | N/A | SOLE: PROCEED (with line through), FOR YOUR NEXT STAGE, AD TOUR, FORGED MESH, TITANIUM, JUSTICK TOE: JUSTICK, (logo) |
| | | | view image here |
| Justick Co Ltd | Proceed Ti Deep | 9 | SOLE: Proceed (with line through), For Your Next Stage, Deep, Justick, (logo), (loft) TOE: Justick, (logo) |
| | | | view image here |
| Kamui Works Japan Co Ltd | 420 Emblem (Version 3) | 10 | SOLE: PROTO DRIVER, (logo) KAMUI, Kamui Works Japan, (loft), FORGED TITANIUM DIMPLE FACE 420 BACK: ((Asiri logo), ROYAL GOLD in shape) |
| | | | view image here |
| Kamui Works Japan Co Ltd | 420 Emblem (Version 4) | 9,11 | SOLE: PROTO DRIVER, (logo) KAMUI, Kamui Works Japan, (loft), FORGED TITANIUM DIMPLE FACE 420 BACK: ((Asiri logo), ROYAL GOLD in shape) TOE: KAMUI TOUR |
| | | | <u>view image here</u> |
| Kamui Works Japan Co Ltd | Asiri 330 | 12,13,14 | SOLE: (logo), 330, Kamuitour, PROTO, 1 (loft), SUPER HARD FACE, FORGED TITANIUM, KAMUI WORKS JAPAN TOE: ASIRI |
| | | | <u>view image here</u> |
| Kamui Works Japan Co Ltd | Asiri 420 | 8,9,10,11,12 | SOLE: (logo) 420, ASIRI, PROTO, SECRET, WEAPON, 1, (loft), CAN STRUCTURE, FORGED TITANIUM, DIMPLE FACE, KAMUI WORKS, JAPAN view image here |
| Kamui Works Japan Co | Asiri 420 (LH) | 9,10,11 | SOLE: (logo) 420, ASIRI, PROTO, (loft), 1, |
| Ltd | | | SECRET, WEAPON, CAN STRUCTURE, FORGED TITANIUM, DIMPLE FACE, KAMUI WORKS, JAPAN view image here |
| Kamui Works Japan Co Ltd | Asiri 420 Emblem | 9,10,11 | SOLE: ASIRI, (loft) (Asiri logo), ROYAL CROWN, DRIVER, (line), FORGED TITANIUM DIMPLE FACE, Kamui Works Japan, (logo), 420 PROTO, (line) TOE: KAMUI TOUR view image here |
| Kamui Works Japan Co Ltd | Asiri 420 Emblem (Version 2) | 12 | SOLE: ASIRI, (loft) (Asiri logo), ROYAL CROWN, DRIVER, (line), FORGED TITANIUM DIMPLE FACE, Kamui Works Japan, (logo), 420 PROTO, (line) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|--|------------|--|
| Kamui Works Japan Co Ltd | Asiri 450 | 9,10,11,12 | SOLE: (logo) 450, ASIRI, PROTO, SECRET, WEAPON, 1, (loft), CAN STRUCTURE, FORGED TITANIUM, DIMPLE FACE, KAMUI WORKS, JAPAN view image here |
| Kamui Works Japan Co Ltd | Asiri 460 Emblem | 9,10,11,12 | SOLE: ASIRI, (loft) (Asiri logo), ROYAL GOLD, DRIVER, (line), FORGED TITANIUM DIMPLE FACE, Kamui Works Japan, (logo), PROTO, (line) TOE: KAMUI TOUR |
| Kamui Works Japan Co Ltd | Asiri Emblem (LH) | 9,10,11 | SOLE: ASIRI, (Asiri logo), ROYAL GOLD, (loft), DRIVER, FORGED TITANIUM DIMPLE FACE, Kamui Works Japan (in inset), (logo in inset), PROTO, (line), (line) TOE: KAMUI TOUR |
| Kamui Works Japan Co Ltd | Asiri EXC | 9,10,11 | SOLE: ASIRI, EXC, 1 (loft), TITANIUM, Kamui Works Japan, (logo on circular inset) TOE: (logo) CROWN: ASIRI <u>view image here</u> |
| Kamui Works Japan Co Ltd | JB301Dr | N/A | SOLE: (JB logo), JB301Dr, ((9 dots), (cross), Nouvelle Vague, (weight port) (weight port) in cavity), (lion logo), Jean-Baptiste, Premium Forged (beta)Titanium FACE, Both Side Slit Technology, ((4 dots), (weight port) in cavity), Produced by, Gracieux Art Design, Crafted by, kamui Works Japan |
| Kamui Works Japan Co Ltd | JB501 Dr de l'evolution (Version 2) - High | N/A | SOLE: (cross), JB501 Dr, de l'evolution, Forged Premium (beta character) Titanium, Both side Slit Technology, (lion logo), Jean - Baptiste, Produced by, Gracieux Art Design, Crafted by, KamuiWorks Japan, Made in Japan, (HIGH in media blast) BACK: (weight port) (weight port) TOE: (JB logo) view image here |
| Kamui Works Japan Co Ltd | JB501 Dr de l'evolution (Version 2) - Low | N/A | SOLE: (cross), JB501 Dr, de l'evolution, Forged Premium (beta character) Titanium, Both side Slit Technology, (lion logo), Jean - Baptiste, Produced by, Gracieux Art Design, Crafted by, KamuiWorks Japan, Made in Japan, (LOW in media blast) BACK: (weight port) (weight port) TOE: (JB logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|---|-------|--|
| Kamui Works Japan Co Ltd | JB501 Dr de l'evolution (Version 2) - Mid | N/A | SOLE: (cross), JB501 Dr, de l'evolution, Forged Premium (beta character) Titanium, Both side Slit Technology, (lion logo), Jean - Baptiste, Produced by, Gracieux Art Design, Crafted by, KamuiWorks Japan, Made in Japan, (MID in media blast) BACK: (weight port) (weight port) TOE: (JB logo) view image here |
| Kamui Works Japan Co Ltd | JB701 Dr Tour Edition | N/A | SOLE: JB701Dr Tour Edition, ((8 dots), (cross), Jean-Baptiste (weight port), (weight port) in cavity), Jean-Baptiste, Premium Forged (beta)Titanium, Both Side Slit Technology, Produced by, Gracieux Art Design, Crafted by, KamuiWorks Japan, Made In Japan BACK: (2 lines) (lion logo) (2 lines) TOE: (JB logo) |
| Kamui Works Japan Co Ltd | JB701 Dr Tour Edition (LH) | N/A | SOLE: JB701Dr Tour Edition, ((8 dots), (cross), Jean-Baptiste, (weight port), (weight port) in cavity), Jean-Baptiste, Premium Forged (beta)Titanium, Both Side Slit Technology, Produced by, Gracieux Art Design, Crafted by, KamuiWorks Japan, Made In Japan BACK: (2 lines) (lion logo) (2 lines) TOE: (JB logo) |
| Kamui Works Japan Co Ltd | JB701 Dr Tour Edition US-Limited | N/A | SOLE: JB701Dr Tour Edition, ((8 dots), (cross), Jean-Baptiste, US-Limited (weight port), (weight port) in cavity), Jean-Baptiste, Premium Forged (beta)Titanium, Both Side Slit Technology, Produced by, Gracieux Art Design, Crafted by, KamuiWorks Japan, Made In Japan BACK: (2 lines) (lion logo) (2 lines) TOE: (JB logo) |
| Kamui Works Japan Co Ltd | JC501 Dr - High | N/A | SOLE: Standard in Modern Times, (cross), Jean-Carlo, (weight port), (weight port), Forged (beta character) Titanium, JC501 Dr, Gracieux Art Design, High view image here |
| Kamui Works Japan Co Ltd | JC501 Dr - Low | N/A | SOLE: Standard in Modern Times, (cross), Jean-Carlo, (weight port), (weight port), Forged (beta character) Titanium, JC501 Dr, Gracieux Art Design, Low view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|--|---------|---|
| Kamui Works Japan Co Ltd | JC501 Dr - Mid | N/A | SOLE: Standard in Modern Times, (cross), Jean-Carlo, (weight port), (weight port), Forged (beta character) Titanium, JC501 Dr, Gracieux Art Design, Mid view image here |
| Kamui Works Japan Co Ltd | Jean - Baptiste | 9,10,11 | SOLE: (lion logo), Premium (beta logo)titanium, JB501, LIMITED EDITION, Jean - Baptiste, Produced by, Gracieux Art Design, Crafted by, KamuiWorks Japan, Made in Japan, (loft) view image here |
| Kamui Works Japan Co Ltd | Jean-Baptiste Aurora (Version 2) | 9,10,11 | SOLE: (lion logo), Premium (beta character)titanium, JB501-II, LIMITED EDITION, Jean - Baptiste, Produced by, Gracieux Art Design, Crafted by, KamuiWorks Japan, Made in Japan, (loft) |
| Kamui Works Japan Co Ltd | Jean-Baptiste STD Limited (Version 2) | 9 | SOLE: ((triangle), (triangle), (lion logo), Premium (beta logo)titanium, JB501, LIMITED EDITION, Jean - Baptiste, Produced by, Gracieux Art Design, Crafted by, KamuiWorks Japan, Made in Japan, (loft) within shield) view image here |
| Kamui Works Japan Co Ltd | Kamui + a | N/A | SOLE: KAMUI+a, KAMUI ART TECHNOLOGY, (k logo on inset), (weight port) CROWN: ((k logo), (kamuiworks.com underlined)) view image here |
| Kamui Works Japan Co Ltd | Kamui 456 | 9,10,11 | SOLE: (logo) KAMUI, PROTO DRIVER, (loft), Kamui Works Japan, FORGED TITANIUM DIMPLE FACE 456 BACK: (Asiri logo), ROYAL GOLD view image here |
| Kamui Works Japan Co Ltd | Kamui Lei | 9,10,11 | SOLE: PARTICULAR TITANIUM, (Japanese symbols), KAMUI, (decorative marking), (loft), KAMUI WORKS JAPAN, (logo on inset) view image here |
| Kamui Works Japan Co Ltd | Kamui Lei (Gold) | 9,10,11 | SOLE: PARTICULAR TITANIUM, (Japanese symbols), KAMUI, (decorative marking), (loft), KAMUI WORKS JAPAN, (logo on inset) <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|--------------------|---------|---|
| Kamui Works Japan Co Ltd | Kamui Pro | 10.5 | SOLE: KAMUI PRO, (angled line), (loft), (line), (logo), FORGED TITANIUM, KAMUI WORKS JAPAN.CO, LTD view image here |
| Kamui Works Japan Co Ltd | KM-200 | 9,11 | SOLE: PARTICULAR TITANIUM, Pneumatic, (KM in shape)-200, (loft), KAMUIWORKS JAPAN CO.,LTD TOE: KAMUITOUR view image here |
| Kamui Works Japan Co Ltd | KM-200 (IP) | 9,10,11 | SOLE: PARTICULAR TITANIUM, A.,Pneumatic, (KM in shape)-200, (loft), KAMUIWORKS JAPAN CO.,LTD TOE: KAMUITOUR view image here |
| Kamui Works Japan Co Ltd | KM-200 (Version 2) | 9,10,11 | SOLE: PARTICULAR TITANIUM, A., Pneumatic, (KM in shape)-200, (loft), KAMUIWORKS JAPAN CO.,LTD TOE: KAMUITOUR view image here |
| Kamui Works Japan Co Ltd | KM-200 II | 9,10,11 | SOLE: PARTICULAR TITANIUM, Air Pneumatic, ((KM in shape)-200 II, KAMUI on inset), (loft), KAMUIWORKS JAPAN CO.,LTD BACK: (weight port) TOE: (weight port) HEEL: (weight port) |
| Kamui Works Japan Co Ltd | KM-300 (LH) | 9,10,11 | SOLE: PARTICULAR, TITANIUM, KM-300, (3 curved lines), (logo, KAMUI on inset), (loft), KAMUIWORKS, JAPAN CO.,LTD view image here |
| Kamui Works Japan Co Ltd | KM-300 (Version 2) | 9,10,11 | SOLE: PARTICULAR, TITANIUM, KM-300,(logo, KAMUI on inset), (3 curved lines), (loft), KAMUIWORKS, JAPAN CO.,LTD view image here |
| Kamui Works Japan Co Ltd | KM-300 IP (Black) | 9,10,11 | SOLE: PARTICULAR, TITANIUM, KM-300,(logo, KAMUI on inset), (3 curved lines), (loft), KAMUIWORKS, JAPAN CO.,LTD view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|------------------------------------|---------------|---|
| Kamui Works Japan Co Ltd | KM-400 | 9,10,11 | SOLE: (weight port), PARTICULAR TITANIUM, Pneumatic, KM-400 (K logo on indent), KAMUI, (loft), (weight port), KAMUI WORKS JAPAN BACK: (weight port) |
| Kamui Works Japan Co Ltd | KT 01 | 9,10,11 | view image here SOLE: (logo), KT 01, KAMUI®, (loft), PARTICULAR TITANIUM BACK: KAMUIWORKSJAPANCO.,LTD view image here |
| Kamui Works Japan Co Ltd | Rex & Regina AT | N/A | SOLE: Rex & Regina, (logo on inset), KAMUI ART TECHNOLOGY, (weight port) HEEL: KAMUIWORKS JAPAN view image here |
| Kamui Works Japan Co Ltd | Rex & Regina SL | N/A | SOLE: Rex & Regina, (5 weight ports), Rex & Regina HEEL: KAMUIWORKS JAPAN view image here |
| Kamui Works U.S.A., Inc. | Kamuipro | 9,10 | SOLE: (logo), Kamuipro, (loft) 1, Titanium, Kamuiworks <u>view image here</u> |
| Kanamori Co Ltd (Gorilla Golf) | Arma Plus | 9.5,10.5,11.5 | SOLE: ARMA, (2 lines), (plus logo) PLUS, 1 (loft), IMPACT, (gorilla logo), POWER HEEL: THE GORILLA FACE:(gorilla logo) |
| Kanamori Co Ltd (Gorilla Golf) | To-Be Arma Athlete Version 337H | 8,10 | SOLE: To-Be, Arma (underlined), Athlete Version, Forged Titan 1, Gorilla, Made in Japan, 337-H BACK: All Body SP-700 TOE: (gorilla logo) view image here |
| Kanamori Co Ltd (Gorilla Golf) | To-Be Arma Infinity 460 | 9,10.5 | SOLE: To-Be, ARMA (underlined), INFINITY 460, GORILLA, (loft) TOE: (gorilla logo) FACE:(gorilla logo) view image here |
| Kanamori Co Ltd (Gorilla Golf) | To-Be Arma New Concept | 9.5,10.5,11.5 | SOLE: Gorilla's idea and power, (gorilla logo), To-Be, ARMA, (underline), NEW CONCEPT, (loft), GORILLA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|--------------------------|---------------|---|
| Kanamori Co Ltd (Gorilla Golf) | To-Be Game | 9,10,11,13 | SOLE: To-Be, GAME, 1, GORILLA, Volume.407, TITANIUM TOE: (Gorilla logo) |
| Kanamori Co Ltd (Gorilla Golf) | To-Be Game (LH) | 9,10,11,13 | view image here SOLE: To-Be, GAME, Volume.407, TITANIUM, 1, GORILLA TOE: (Gorilla logo) |
| Kanamori Co Ltd (Gorilla Golf) | To-Be Game LD-01 | 9.5,10.5 | view image here SOLE: Gorilla's idea and power, To-Be, GAME, GORILLA (gorilla logo on circular inset) LD-01, (triangle), (loft) TOE: (gorilla logo) view image here |
| Kanamori Co Ltd (Gorilla Golf) | To-Be Game LD-01 (LH) | 10.5 | SOLE: To-Be, GAME, Gorilla's idea and power, LD-01, (gorilla logo on circular inset), GORILLA, (loft) TOE: (gorilla logo) view image here |
| Kanamori Co Ltd (Gorilla Golf) | To-Be Game LD-02 | 9.5,10.5,11.5 | SOLE: Gorilla's idea and power, (triangular graphic), To-Be, GAME LD-02 TOE: (graphics) HEEL: (graphics), (loft) FACE:(gorilla media blast) view image here |
| Kanamori Co Ltd (Gorilla Golf) | To-Be Game LD-02 (LH) | 9.5,10.5,11.5 | SOLE: (weight port), Gorilla's idea and power, (triangular graphic), To-Be, GAME LD-02, (weight port) HEEL: (loft) FACE:(gorilla media blast) view image here |
| Kanamori Co Ltd (Gorilla Golf) | XX1 | 8.5,9.5,10.5 | SOLE: XX1, -FORGED- HEEL: GORILLA, (loft) FACE:(gorilla media blast logo) view image here |
| Kanamori Co Ltd (Gorilla Golf) | XX1 (LH) | 9.5,10.5 | SOLE: XX1, -FORGED- HEEL: GORILLA, (loft) FACE:(gorilla media blast logo) view image here |
| Kanamori Co Ltd (Gorilla Golf) | XX1 Zero | 8.5,9.5,10.5 | SOLE: (inset), XX1, ZERO HEEL: GORILLA, (loft) FACE:(gorilla logo) view image here |

| November 04, 2024 | | | | |
|-----------------------------------|-----------------------------|-------------------|---|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| Kanamori Co Ltd (Gorilla Golf) | XX1 Zero (LH) | 9.5,10.5 | SOLE: (inset), XX1, ZERO HEEL: GORILLA, (loft) FACE:(gorilla logo) view image here | |
| Kane Golf Products | Missile Launcher II | 9,10.5 | SOLE: Missile Launcher II, Kanegolf.com, (loft) BACK: ß-TITANIUM view image here | |
| Kane Golf Products | Missile Launcher II (LH) | 10.5 | SOLE: Missile Launcher II, Kanegolf.com, (loft) BACK: ß-TITANIUM view image here | |
| Kane Golf Products | The Big Easy | 8.5,9.5,10.5,12.5 | SOLE: (loft), The Big Easy, Turbo Power, Titanium, kanegolf.com view image here | |
| Kane Golf Products | The Big Easy (LH) | 9.5,10.5,12.5 | SOLE: (loft), The Big Easy, Turbo Power, Titanium, kanegolf.com view image here | |
| Karstadt Warenhaus GmbH | Pro Ace M17 | 11,13 | SOLE: PRO (with logo for O) ACE (underlined), M 17, Titanium, (loft), 460cc CROWN: (alignment mark) view image here | |
| Karstadt Warenhaus GmbH | Pro Ace M19 | 11,13 | SOLE: PRO (with logo for O) ACE (line), FORGED BETA TI M19, 1 (loft), 450cc CROWN: (alignment mark) view image here | |
| Karstadt Warenhaus GmbH | Pro Ace M23 | 11,12 | SOLE: HYPER TITANIUM, PRO (logo for O) ACE (underlined), M23, 460, (loft) CROWN: (alignment mark) view image here | |
| Karstadt Warenhaus GmbH | Pro Ace SR 200 | 11,13 | SOLE: PRO (with logo for O) ACE, SR 200 (underlined), 1 (loft) view image here | |
| Kasco Corporation | AREV | 9,10.5 | SOLE: (K logo), COMMUNE WITH NATURE, AREV, (loft) 1 TOE: (K logo) kasco CROWN: (four intersecting lines), (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-----------------------------------|-------------|---|
| Kasco Corporation | AREV (Ladies) | 11.5,12.5 | SOLE: (K logo), COMMUNE WITH NATURE, AREV, (loft) 1 TOE: (K logo) kasco CROWN: (four intersecting lines), (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Kasco Corporation | Big Super Hyten VS 2000 | N/A | SOLE: 1, (logo) (triangle), Big Super Hyten, VS, 2000, (K logo), Kasco view image here |
| Kasco Corporation | Big Super Hyten VS Force | 9.5,11 | SOLE: 1, BIG SUPER HYTEN, VS FORCE, (K logo), kasco view image here |
| Kasco Corporation | Big Super Hyten VS Tour RS | 9,10.5,11.5 | SOLE: 1, BIG SUPER HYTEN, VS (arrow) TOUR, RS, (three dots), KASCO TOE: (K logo) KASCO view image here |
| Kasco Corporation | DD-Four Power Tornado US Spec. | 8,10 | SOLE: 1 (loft), DD-FOUR, POWER TORNADO, S-AGING TITANIUM, (circular insert with K logo and kasco) TOE: (K logo), US SPEC. view image here |
| Kasco Corporation | Dimpals | 10.5,13 | SOLE: DiMPALS, (EASY DRIVE, LONGER FLIGHT! in media blast), G7, (weight port), (loft),1 TOE: (logo), kasco CROWN: (chevron alignment mark) view image here |
| Kasco Corporation | Dimpals (Version 1) | 10.5 | SOLE: DIMPALS, EASY DRIVE, LONGER FLIGHT!, kasco, 1, (loft) view image here |
| Kasco Corporation | Dimpals (Version 1) (ladies) | 12 | SOLE: DIMPALS, EASY DRIVE, LONGER FLIGHT!, kasco, 1, (loft) view image here |
| Kasco Corporation | Dimpals (Version 2) | 10.5 | SOLE: DIMPALS, EASY DRIVE, LONGER FLIGHT!, kasco, 1, (loft) view image here |
| Kasco Corporation | Dimpals (Version 2) (ladies) | 12 | SOLE: DIMPALS, EASY DRIVE, LONGER FLIGHT!, kasco, 1, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------------------|-----------|--|
| Kasco Corporation | Dimpals EL | 10.5,12 | SOLE: kasco, DIMPALS, EL, 1 (loft) BACK: EASY DRIVE, LONGER FLIGHT! view image here |
| Kasco Corporation | Dimpals G-Four | 10.5 | SOLE: 1, (loft), DIMPALS, G-four, TITANIUM. kasco, EASY DRIVE. LONGER FLIGHT! CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SEL RULE view image here |
| Kasco Corporation | Dimpals G-Four (Version 2) | 12 | SOLE: 1, (loft), DIMPALS, G-four, TITANIUM. kasco, EASY DRIVE. LONGER FLIGHT! CROWN: (alignment mark) view image here |
| Kasco Corporation | Dimpals VF | 10.5 | SOLE: FORGED, TITANIUM, kasco, (loft) 1, (DiMPALS, VF, ••••• on inset) CROWN: EASY DRIVE, LONGER FLIGHT!, (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Kasco Corporation | Dimpals VI | 10.5 | SOLE: (K logo), kasco, DIMPALS, ((raised star), (raised dot(s) on inset)), VI, FORGED, TITANIUM, (loft), 1 BACK: EASY DRIVE, LONGER FLIGHT! CROWN: (alignment mark) |
| Kasco Corporation | Dimpals VI (Ladies) | 13 | SOLE: (K logo), kasco, DIMPALS, ((raised star), (raised dot(s) in cavity)), VI, FORGED, TITANIUM, (loft), 1 BACK: EASY DRIVE, LONGER FLIGHT! CROWN: (alignment mark) view image here |
| Kasco Corporation | D-Max 450 | 8,9,10,11 | SOLE: D-MAX 450 (line), (K logo) kasco, 1 (loft) BACK: T.C.C. Weight System (underlined) view image here |
| Kasco Corporation | D-Max AR | 9,10.5 | SOLE: AIR DRIVE CONCEPT DESIGN, D-MAX, AR, 1, (loft) BACK: (K logo on oval inset) TOE: (K logo) kasco CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------|-----------|--|
| Kasco Corporation | D-Max AR (Ladies) | 11.5 | SOLE: AIR DRIVE CONCEPT DESIGN, D-MAX, AR, (loft), 1 BACK: (K logo on oval inset) TOE: (K logo) Kasco CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Kasco Corporation | D-Max MOI | 9,10.5 | SOLE: (K logo), (loft), D-MAX M.O.I (line) TOE: (K logo) kasco HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Kasco Corporation | D-Max MOI (ladies) | 11.5,12.5 | SOLE: (K logo in circle), Style by Kasco, (loft), D-MAX M.O.I.— TOE: Kasco HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Kasco Corporation | D-Max MOI 46 | 9,10.5 | SOLE: (K logo), 46, (line), (loft), D-MAX M.o.I. (line) TOE: (K logo) kasco HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Kasco Corporation | D-Max Pyra | 9,10.5 | SOLE: PYRA, D-MAX (loft in rectangular shape), (K logo) TOE: (K logo) kasco CROWN: (alignment logo) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Kasco Corporation | D-Max Pyra (Ladies) | 12.5 | SOLE: PYRA, D-MAX (loft in rectangular shape), (K logo) TOE: (K logo) kasco CROWN: (alignment mark) view image here |
| Kasco Corporation | DNA (Version 1) | 9,10.5 | SOLE: DNA, (K logo), kasco, (S- AGING TITANIUM round insert), DESIGN for, NEW ATHLETES, AS MODEL, 1 (loft), (S-AGING, TITANIUM on circular insert) TOE: (K logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-----------------------------|-------------|---|
| Kasco Corporation | DNA 340 Tour | 8,9,10,11 | SOLE: DNA 1, (K logo), kasco, (arrow)FORGED(arrow), (diamond insert with K logo) TOE: (K logo) kasco, Tour, (loft) view image here |
| Kasco Corporation | DNA E340 | 9,10,11 | SOLE: DNA 1 , (K logo), kasco, (arrow) FORGED (arrow), (diamond insert with K logo) TOE: (K logo), - E 340 - FACE:(loft) view image here |
| Kasco Corporation | DNA Pro 285 | 9,10.5 | SOLE: DESIGN for NEW ATHLETES, DNA, (arrow) (loft) (arrow), 1 BACK: (diamond insert with K) TOE: (K logo), -PRO 285- view image here |
| Kasco Corporation | DNA Super Hyten FS Model | 9,10.5 | SOLE: DNA (w/ A logo), (K logo), KASCO, SUPER HYTEN, FS MODEL, 1, (loft) BACK: DESIGN FOR NEW ATHLETES view image here |
| Kasco Corporation | DNA US Spec. | 8,9,10,10.5 | SOLE: DNA, (K logo), kasco, (S. AGING TITANIUM round insert), DESIGN for, NEW ATHLETES, AS MODEL, 1 (loft), (S-AGING, TITANIUM on circular insert) TOE: (K logo), US SPEC. view image here |
| Kasco Corporation | Edwin Golf | 10.5 | SOLE: EDWIN, GOLF, (E in circle), 1, (loft) CROWN: ((golf clubs) alignment mark) view image here |
| Kasco Corporation | FD Udex | 12.8 | SOLE: FAIRWAY (underlined), DRIVER, (loft), (Japanese symbol) (FD, UDEX in shape), SUPER HYTEN, (K logo) kasco view image here |
| Kasco Corporation | Fereina | 11.5,13 | SOLE: fereina, inner beauty design, (floral graphic), L (loft), 1, kasco CROWN: (alignment mark) FACE:(f logo) view image here |
| Kasco Corporation | Fereina (Version 2) | 11.5,13 | SOLE: 1, L, (loft), (6 dots), (fereina, inner beauty design in shape) TOE: (K logo) kasco CROWN: (F logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------|---------|--|
| Kasco Corporation | Fereina Sakura | 11.5,14 | SOLE: (Jewel insets), (loft), (club number/letter), (floral graphic), (floral graphic), (fereina, inner beauty design, (fereida blast logo)), (Jewel inset), (floral graphic) TOE: (K logo), Kasco CROWN: (f logo) |
| Kasco Corporation | Fereina Second Edition | 11.5,13 | SOLE: 1, L (loft), (inner beauty design, fereina, Second edition over floral graphic) TOE: (K logo) kasco CROWN: (alignment mark) FACE:(f media blast logo) view image here |
| Kasco Corporation | Gaeart 818 | 10.5 | SOLE: (K logo), kasco, DISTANCE & FORGIVENESS, GAEART, 818, 1, (three lines on inset), ((K logo), kasco over GAERT letters in mosaic pattern), FORGED TITANIUM, (loft) CROWN: (logo and curved lines), DISTANCE FORGIVENESS, (logo and curved lines) view image here |
| Kasco Corporation | Gaeart 818 (LH) | 10.5 | SOLE: (K logo), kasco, DISTANCE & FORGIVENESS, GAEART, 818, 1, (three lines on inset), ((K logo), kasco over GAERT letters in mosaic pattern), FORGED TITANIUM, (loft) CROWN: (logo and curved lines), DISTANCE FORGIVENESS, (logo and curved lines) HEEL: CONFORMING, TO R&A/USGA, SLE RULE |
| Kasco Corporation | Indeed EX | 10.5 | SOLE: INDEED EX, (bird media blast logo), 1 (loft), (kasco, (angled line), TITANIUM, 460 on inset) BACK: EXTREME PERFORMANCE GOLF TOE: kasco CROWN: (logo alignment mark) FACE:(media blast logo) view image here |
| Kasco Corporation | Indeed MG | 10.5 | SOLE: INDEED, (bird media blast logo), MG, EXTREME PERFORMANCE GOLF, (loft), (1, (lines), (INDEED, kasco, INDEED on circular plate) on inset) TOE: kasco CROWN: (wings alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------------|-----------|--|
| Kasco Corporation | Indeed TR | 10.5 | SOLE: (INDEED over INDEED media blast), (TR over TR media blast), 1 (loft), (kasco, (angled line), TITANIUM, 460 on inset) BACK: EXTREME PERFORMANCE GOLF TOE: kasco CROWN: (logo alignment mark) view image here |
| Kasco Corporation | Indeed XT | 10.5 | SOLE: Kasco, XT, INDEED, (EXTREME PERFORMANCE, 1 (loft) on inset) TOE: Kasco CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Kasco Corporation | K2K Driver | 10.5 | SOLE: 1 (loft), K2K, by Power Tornado BACK: Dual Wing CROWN: (alignment mark) view image here |
| Kasco Corporation | KF-103 | 8,9,10,11 | SOLE: 1, (K logo), kasco, KF-103, SUPER HYTEN, (diamond insert with K logo) FACE:(loft) view image here |
| Kasco Corporation | KF-103 Tour (Version 1) | 10 | SOLE: (K logo), kasco, KF-103 TOUR, 1, (loft), SUPER HYTEN BACK: (diamond insert with K logo) view image here |
| Kasco Corporation | KF-103 Tour (Version 2) | 8,9,10 | SOLE: 1, (K logo), kasco, KF-103, SUPER HYTEN, (diamond insert with K logo) TOE: (K logo)kasco, Tour, (loft) view image here |
| Kasco Corporation | Leios | 9,10.5 | SOLE: (loft), LEIOS, SUPER HYTEN BACK: LEIOS CROWN: (alignment mark) view image here |
| Kasco Corporation | Leios-Ex | 10.5,12 | SOLE: (K logo), kasco, (loft), EX, LEIOS, 1 CROWN: (alignment mark) view image here |
| Kasco Corporation | Power Tornado | 9.5,11 | SOLE: (K logo), kasco, POWER, TORNADO 1, (loft), S-AGING TITANIUM view image here |
| Kasco Corporation | Power Tornado Alloy Model 01 | N/A | SOLE: POWER, TORNADO, 01, SUPER HYTEN, (K logo), kasco view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------------|----------|---|
| Kasco Corporation | Power Tornado DD-Four | 8 | SOLE: 1 (loft), DD-FOUR, POWER, TORNADO, S-AGING TITANIUM view image here |
| Kasco Corporation | Power Tornado DF IV | 9.5,10.5 | SOLE: (POWER, TORNADO, DF IV over media blast logo), S-AGING TITANIUM, (K logo on inset), - INFINITE DRIVE -, (loft) TOE: (k logo) kasco CROWN: (alignment mark) FACE:(logo) IFT |
| Kasco Corporation | Power Tornado DF-II | 9,10.5 | SOLE: POWER TORNADO, (K logo media blast), DF-II, S-AGING TITANIUM, (loft) BACK: (K logo on inset) TOE: (K logo) kasco CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Kasco Corporation | Power Tornado DF-II (ladies) | 12 | SOLE: POWER TORNADO, (K logo media blast), DF-II, S-AGING TITANIUM, (loft) BACK: (K logo on inset) TOE: (K logo) kasco CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Kasco Corporation | Power Tornado DF-II (LH) | 9,10.5 | SOLE: (POWER TORNADO, DF-II over K media blast logo), S-AGING TITANIUM, (loft) BACK: (K logo on inset) TOE: (K logo) kasco CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Kasco Corporation | Power Tornado DF-III | 9,10.5 | SOLE: -OPTIMUM DRIVE-, POWER, TORNADO, DF-III, (loft), (K logo), Kasco, S-AGING TITANIUM TOE: (k logo) kasco CROWN: (alignment mark) view image here |
| Kasco Corporation | Power Tornado D-Max 400 | 9 | SOLE: POWER TORNADO (underlined), D-MAX 400, FIBER TITANIUM 1, (loft) BACK: (K logo) kasco, DRIVING BOOSTER view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--|-----------|--|
| Kasco Corporation | Power Tornado D-Max 460 | 9 | SOLE: 1, (loft), POWER TORNADO (underlined), D-MAX 460, FIBER TITANIUM BACK: (K logo) kasco, DRIVING BOOSTER view image here |
| Kasco Corporation | Power Tornado Inspire | 9 | SOLE: POWER TORNADO, INSPIRE, (loft) BACK: DRIVING BOOSTER, (K logo), kasco view image here |
| Kasco Corporation | Power Tornado Plus | N/A | SOLE: (K logo), kasco, POWER, TORNADO 1, PLUS, S-AGING TITANIUM view image here |
| Kasco Corporation | Power Tornado TM01 Pro Model | 9 | SOLE: POWER TORNADO, TM01, DRIVER, (K logo)kasco, PROFESSIONAL MODEL. (loft) view image here |
| Kasco Corporation | Power Tornado TM01 Tour (Version 1) | 9 | SOLE: POWER, TORNADO, DRIVER, (K logo) kasco, (loft) TM01 TOE: (K logo)kasco, Tour view image here |
| Kasco Corporation | Power Tornado TM01 Tour (Version 2) | 9 | SOLE: POWER, TORNADO, DRIVER, -TOUR-, (K logo)kasco, (loft), TM01 view image here |
| Kasco Corporation | Rockets | 10.5,13 | SOLE: kasco, ROCKETS (underlined), 1, (loft) view image here |
| Kasco Corporation | Royal (Test Service) | 10.5 | SOLE: (decorative graphic), KASCO, ROYAL, (decorative graphic), (KASCO (diamond) ROYAL (diamond) around KR on circular inset), 1 (loft) CROWN: (KASCO (diamond) ROYAL (diamond) around KR in circular alignment mark), (decorative graphic) FACE:(KR in circle) view image here |
| Kasco Corporation | Royal (Version 1) | 9,10,11.5 | SOLE: 1 (loft), KASCO, ROYAL, ((diamond) KASCO (diamond) ROYAL around KR on circular inset) CROWN: (circular alignment mark with KASCO ROYAL, KR) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|------------------------|--------|---|
| Kasco Corporation | Royal (Version 2) | 9,10.5 | SOLE: 1 (loft), KASCO, ROYAL, (KASCO (diamond) ROYAL (diamond), KR on circular inset), (decorative graphic) BACK: KASCO (KR in circle) ROYAL CROWN: (KASCO (diamond) ROYAL (diamond), KR alignment mark), (decorative graphic) |
| Kasco Corporation | Royal (Version 3) | 9,10.5 | SOLE: 1 (loft), KASCO, ROYAL, (KASCO (diamond) ROYAL (diamond), KR on circular inset), (decorative graphic) BACK: KASCO (KR in circle) ROYAL CROWN: (KASCO (diamond) ROYAL (diamond), KR alignment mark) view image here |
| Kasco Corporation | Royal (Version 4) | 9,10.5 | SOLE: KASCO, ROYAL, (KASCO (diamond) ROYAL (diamond) around KR on circular inset), 1 (loft) CROWN: (KASCO (diamond) ROYAL (diamond) around KR in circular alignment mark) FACE:(KR in circle) |
| Kasco Corporation | Royal (Version 5) | 9,10.5 | SOLE: (decorative graphic), KASCO, ROYAL, (decorative graphic), (KASCO (diamond) ROYAL (diamond) around KR on circular inset), 1 (loft), (decorative graphic), (decorative graphic) CROWN: (KASCO (diamond) ROYAL (diamond) around KR in circular alignment mark), (decorative graphic) FACE:(KR in circle) |
| Kasco Corporation | Royal Tour (Version 1) | 10 | SOLE: kasco, (circular insert with KASCO(diamond) ROYAL(diamond),(KR in circle)), 1, (loft), (diamond insert with (arrow)KASCO (KR in a circle) ROYAL(arrow)) TOE: (Kasco logo) kasco, Tour |
| Kasco Corporation | Royal Tour (Version 2) | 10 | SOLE: (Kasco, -Tour-, |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------|-------------|--|
| Kasco Corporation | Royal Zipangu | 9,10,11.5 | SOLE: 1 (loft), KASCO, ROYAL, ((diamond) KASCO (diamond) ROYAL around KR on circular inset) CROWN: Zipangu view image here |
| Kasco Corporation | RR Tour SS-01 | 10.5 | SOLE: Kasco, (line), REAL RESPONSE, (line), RR tour, 1 (loft) BACK: SS-01 view image here |
| Kasco Corporation | Silver Scot 845s 009SV | 9.5,10.5 | SOLE: 845s, (line), SILVER SCOT, (crown logo), 009SV, (loft) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Kasco Corporation | Super Hyten | 9 | SOLE: (K logo), 1 , kasco, SUPER HYTEN, KP99 TOE: (K logo)kasco <u>view image here</u> |
| Kasco Corporation | Super Hyten K2K | 9.5,11,12.5 | SOLE: (K logo)kasco 01, SUPER HYTEN K2K, (loft) view image here |
| Kasco Corporation | Taro | 9,10.5 | SOLE: (SH, SUPER, HYTEN on octagonal inset), BIG SUPER HYTEN, Taro, (K logo) kasco BACK: Heart Beat Golf HOSEL: (loft) HEEL: CONFORMING TO R&A/USGA SLE RULE FACE:(media blast circular logo) |
| Kasco Corporation | Taro TD-114 | 9,10.5 | SOLE: (SH, SUPER, HYTEN on octagonal inset), BIG SUPER HYTEN, Taro, (K logo) kasco BACK: Heart Beat Golf HOSEL: (loft) HEEL: CONFORMING TO R&A/USGA SLE RULE TD-114 FACE:(media blast circular logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------------|--------|---|
| Kasco Corporation | Taro TD-114 (Version 2) | 9,10.5 | SOLE: (SH, SUPER, HYTEN on octagonal inset), BIG SUPER HYTEN, Taro, (K logo) kasco BACK: Heart Beat Golf CROWN: ((lines), SUPER HYTEN, (lines) alignment mark) HOSEL: (loft) HEEL: (CONFORMING TO R&A/USGA SLE RULE TD-114 in tramlines) FACE:(media blast circular logo) |
| Kasco Corporation | TD410 (first article) | 9,10.5 | SOLE: (K logo), TD410, (line), 1 (vertical line) (loft) view image here |
| Kasco Corporation | Tricogolf | 10.5 | SOLE: (elephant head with club media blast logo), TRICOGOLF, 1, (loft) CROWN: (3 lines alignment mark) HEEL: Produced by KASCO view image here |
| Kasco Corporation | UFO | 10.5 | SOLE: DD, DD, UFO, by POWER TORNADO, LOFT(loft) CROWN: (arrow alignment mark), Universal Wing HOSEL: (K logo), kasco |
| Kasco Corporation | UFO-Air D | 10.5 | SOLE: (AIR in square marking), Blue, UFO, by POWER TORNADO CROWN: (arrow alignment mark), Air Turbulator HOSEL: (K logo), kasco HEEL: LOFT, (loft) view image here |
| Kasco Corporation | UFO-Air DD | 10.5 | SOLE: (AIR in square marking), Blue, DD, UFO, by POWER TORNADO CROWN: (arrow alignment mark), Air Turbulator HOSEL: (K logo), kasco HEEL: LOFT, (loft) |
| Kasco Corporation | UFO-Air DD (ladies) | 12.5 | SOLE: (AIR in square marking), Blue, DD, UFO, by POWER TORNADO CROWN: (arrow alignment mark), Air Turbulator HOSEL: (K logo), kasco HEEL: LOFT, (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|----------------|-----------|---|
| Kasco Corporation | Vatic Type-A | 9.5 | SOLE: VATIC, VICTORY/AUTOMATIC, VTC-D-A001 BACK: (three weight ports) TOE: V(logo) view image here |
| Kasco Corporation | Vatic Type-C | 9.5 | SOLE: VATIC, VICTORY/AUTOMATIC, VTC-D-C002 BACK: (three weight ports) TOE: V(logo) view image here |
| Kasco Corporation | Vatic Type-D | 9.5 | SOLE: VATIC, VICTORY/AUTOMATIC, (weight port) BACK: (weight channel) TOE: V(logo) HOSEL: (dot), (orientation indicators) HEEL: VTC-D-014 view image here |
| Kasco Corporation | VS 2000 | 9.5,11 | SOLE: 1 (triangle), BIG SUPER HYTEN, VS, 2000, (K logo), kasco <u>view image here</u> |
| Kasco Corporation | VS 2000 1 Plus | N/A | SOLE: 1, (PLUS in oval inset), BIG SUPER HYTEN, VS, 2000, (K logo), kasco view image here |
| Kasco Corporation | VS SW-01 | 10.5 | SOLE: VS, Kasco, (loft) 1, TITANIUM, SW-01 TOE: (VS, Kasco on shield) CROWN: (alignment mark) view image here |
| Kasco Corporation | Windy DJ-161L | 14 | SOLE: WINDY, DJ-161L, 1, (loft) TOE: kasco CROWN: (alignment mark) view image here |
| Kasco Corporation | Windy DJ-161M | 10.5 | SOLE: WINDY, (loft), 1, DJ-161M TOE: kasco CROWN: (alignment mark) view image here |
| Katana Golf Co Ltd | 300 Ti | 8,9,10,11 | SOLE: 1 (loft), KATANA 300 Ti, Distance & Accuracy, AS ROLL FACE, FORGED ß TITANIUM, MADE IN JAPAN TOE: KATANA GOLF, (Katana Golf logo) FACE:AS ROLL view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|------------------|----------|---|
| Katana Golf Co Ltd | 325 Ti | 9,10,11 | SOLE: 1 (loft), KATANA 325 Ti, Distance & Accuracy, AS ROLL FACE, FORGED ß TITANIUM, MADE IN JAPAN TOE: KATANA GOLF, (Katana Golf logo) FACE:AS ROLL view image here |
| Katana Golf Co Ltd | ATC-750 | 9.5,10.5 | SOLE: KATANA, ATC-750, (loft), (2 angled lines) BACK: (3 lines) TOE: (square logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Katana MX-700 | 10.5 | SOLE: KATANA, MX-700, (loft) TOE: (square logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | MX-700 | 9.5 | SOLE: KATANA, MX-700, (loft) TOE: (square logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Ninja Conforming | 9.5,10.5 | SOLE: NINJA, (VT in shuriken logo), (weight port) TOE: KATANA, Conforming HEEL: KATANA GOLF CO.,LTD.NIPPON, (loft) view image here |
| Katana Golf Co Ltd | Snipe Wood GS | 9.5,10.5 | SOLE: SNIPE WOOD, GS (triangle) 1, (loft) TOE: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Snipe Wood LX9 | 9.5,10.5 | SOLE: SNIPE WOOD, LX9, (loft) TOE: KATANA CO., LTD. JAPAN view image here |
| Katana Golf Co Ltd | Snipe Wood SX7 | 9.5,10.5 | SOLE: SNIPE WOOD, SX7, (loft) TOE: KATANA CO., LTD. JAPAN view image here |
| Katana Golf Co Ltd | Sniper 4WD | 9,10,11 | SOLE: SNIPER, 4WD, (SW, SINCE 1999 in logo), by SWORD, (loft) BACK: (square logo) TOE: KATANA CO.,LTD.JAPAN view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|------------------------------|----------|---|
| Katana Golf Co Ltd | Sniper 4WD-G | 9,10,11 | SOLE: SNIPER, 4WD-G, (SW, SINCE 1999 in logo), by SWORD, (loft) BACK: (square logo) TOE: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword | N/A | SOLE: 1, EX350 II, Sword, Super Asroll Face, Bound Concept, (logo) Katana Co.,Ltd,Japan TOE: (logo) FACE:Super As Roll view image here |
| Katana Golf Co Ltd | Sword ATC 5800 | 9.5,10.5 | SOLE: SWORD, ATC 5800, (loft), Accurate Targeting Club TOE: (logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword Izu 880 | 9,10,11 | SOLE: SWORD, izu 880, (loft), (logo) TOE: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword izu 880 (prototype) | 7,8 | SOLE: SWORD, izu 880, (loft), (logo) BACK: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword Izu Max CFM | 9,10,11 | SOLE: SWORD, IZU MAX CFM, (loft), (SW logo), SINCE 1999, KATANA CO.,LTD.JAPAN TOE: (logo) view image here |
| Katana Golf Co Ltd | Sword Izu Max Enban | 9,10,11 | SOLE: SWORD, IZU MAX ENBAN, (SW logo), SINCE 1999, (loft) TOE: (square logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword Izu Max Sniper SLE | 9,10,11 | SOLE: SWORD, IZU MAX SNIPER, (SW logo), SINCE 1999, SLE, (loft) TOE: (logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword Izu Type-3 | 10 | SOLE: Sword, Izu, Type-3, (loft) BACK: Katana Co.,Ltd.Japan TOE: (logo) view image here |

| November 04, 2024 | Des des est | 1.46 | Literature and the second |
|--------------------|----------------------|----------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Katana Golf Co Ltd | Sword LX 1000 | 9.5,10.5 | SOLE: LX 1000, by SWORD, (loft) TOE: (logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword Pro Izu Type.3 | 8,9 | SOLE: Sword, Pro, Izu, Type.3, (loft) TOE: (square logo) HEEL: Katana Co.,Ltd.Japan view image here |
| Katana Golf Co Ltd | Sword PTC 5800 | 9.5,10.5 | SOLE: SWORD, PTC 5800, (loft), Precise Targeting Club TOE: (logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword PTC-55D | 9.5,10.5 | SOLE: SWORD, PTC-55D, (loft) TOE: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword SL600 | 10.5 | SOLE: SWORD, SL600, (loft) TOE: (square logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword SL-750 | 9.5,10.5 | SOLE: SWORD, SL-750, (loft) TOE: (square logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword Snipe GX | 9.5,10.5 | SOLE: SWORD, Snipe Wood, GX, (loft) TOE: (square logo) HEEL: KATANA CO., LTD. JAPAN view image here |
| Katana Golf Co Ltd | Sword Snipe S460 | 9.5,10.5 | SOLE: SWORD, Snipe Wood, S460, FORGED, (loft) TOE: KATANA CO., LTD. JAPAN view image here |
| Katana Golf Co Ltd | Sword Snipe VX | 9.5,10.5 | SOLE: SWORD, SNIPE WOOD, VX, (loft), (square logo) TOE: KATANA Co., LTD. JAPAN view image here |
| Katana Golf Co Ltd | Sword Snipe Wood | 9.5,10.5 | SOLE: SWORD, SNIPE WOOD, (square logo), (loft), FORGED TITANIUM TOE: (SW logo), SINCE 1999 HEEL: KATANA CO.,LTD.JAPAN view image here |
| | | | |

| Manufacturer | Draduat Name | Loffe | Identification Maybin as |
|--------------------|---------------------------|----------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Katana Golf Co Ltd | Sword Snipe Wood L | 13.5 | SOLE: SWORD, SNIPE WOOD L, 1, (loft) TOE: (square logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| K + 0 K0 L+1 | Owend Oning Mand | 0.5.10.5 | - |
| Katana Golf Co Ltd | Sword Snipe Wood LX 10 | 9.5,10.5 | SOLE: SWORD, SNIPE WOOD, LX 10, (loft),(square logo) TOE: KATANA CO.,LTD.JAPAN |
| | | | view image here |
| Katana Golf Co Ltd | Sword Snipe Wood LX 8 | 9.5,10.5 | SOLE: SWORD, SNIPE WOOD, LX 8, (loft) TOE: (square logo) HEEL: KATANA CO.,LTD.JAPAN |
| | | | view image here |
| Katana Golf Co Ltd | Sword Snipe Wood XF | 9.5,10.5 | SOLE: SWORD, Snipe Wood, XF, (loft) TOE: (square logo) HEEL: KATANA CO., LTD.JAPAN |
| | 0 10: 20 | 05405 | view image here |
| Katana Golf Co Ltd | Sword Snipe XP | 9.5,10.5 | SOLE: SWORD, Snipe Wood, XP, (loft) TOE: (square logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword Sniper 4WD | 9,10,11 | SOLE: SWORD, SNIPER 4WD, (SW logo, SINCE 1999), (loft) TOE: (square logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword Sniper 4WD-G | 9,10,11 | SOLE: SWORD, SNIPER 4WD-G, (SW logo), SINCE 1999, (loft) TOE: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword Sniper 4WD-G EG | N/A | SOLE: SWORD, SNIPER 4WD-G, (SW logo), SINCE 1999, EG TOE: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword Sniper G | 9,10,11 | SOLE: SWORD, SNIPER G, (SW logo), SINCE 1999, (loft) TOE: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword Sniper V | 9,10,11 | SOLE: SWORD, SNIPER V, (SW logo), SINCE 1999, (loft) TOE: KATANA CO.,LTD.JAPAN view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|-------------------------------|----------|--|
| Katana Golf Co Ltd | Sword Sniper X | 8,9,10 | SOLE: SWORD, SNIPER X, (SW logo), SINCE 1999, (loft) TOE: (square logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword Sniper X (Version 2) | 11 | SOLE: SWORD, SNIPER X, (SW logo), SINCE 1999, (loft), C• TOE: (square logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword Sniper X Forged | 9,10,11 | SOLE: SWORD, SNIPER X FORGED, (SW logo), SINCE 1999, (loft) TOE: (square logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword TM-460 | 9.5,10.5 | SOLE: (loft), SWORD, TM-460, Keen feeling TOE: (logo) HEEL: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Sword X-450 | 9.5,10.5 | SOLE: X-450, SWORD, (loft), (3 lines) BACK: KATANA CO.,LTD.JAPAN TOE: (logo) view image here |
| Katana Golf Co Ltd | TM-740 | 10.5 | SOLE: KATANA, TM-740, 1, (loft), (5 dots) BACK: KATANA CO.,LTD.JAPAN view image here |
| Katana Golf Co Ltd | Voltio | 9,10,11 | SOLE: VOLTIO, (VT, VOLTIO JAPAN on shield with crown and wreath logo), (loft), (square logo on inset) view image here |
| Katana Golf Co Ltd | Voltio G | 10,11 | SOLE: VOLTIO, G, (VT, VOLTIO JAPAN on shield with crown and wreath logo), (loft), (square logo on inset) view image here |
| Katana Golf Co Ltd | Voltio II | 9,10,11 | SOLE: VOLTIO, II, (VT, VOLTIO JAPAN on shield with crown and wreath logo), (loft), (square logo on inset) <u>view image here</u> |
| Katana Golf Co Ltd | Voltio II G | 10,11 | SOLE: VOLTIO, II, G (VT, VOLTIO JAPAN on shield with crown and wreath logo), (loft), (square logo on inset) <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|------------------------|---------|--|
| Katana Golf Co Ltd | Voltio III | 9,10,11 | SOLE: VOLTIO, III, (VT, VOLTIO JAPAN in shield, crown and wreath logo), (loft) view image here |
| Katana Golf Co Ltd | Voltio III G | 10,11 | SOLE: VOLTIO, III, G (VT, VOLTIO JAPAN in shield, crown and wreath logo), (loft) view image here |
| Katana Golf Co Ltd | Voltio IV | 9,10,11 | SOLE: VOLTIO, IV, (loft), (VT, VOLTIO NIPPON in shield, crown and wreath logo) view image here |
| Katana Golf Co Ltd | Voltio IV G | 10,11 | SOLE: VOLTIO, IV, G, (loft), (VT, VOLTIO NIPPON in shield, crown and wreath logo) view image here |
| Katana Golf Co Ltd | Voltio Ninja FG | 9,10 | SOLE: VOLTIO, NINJA FG, (VT in shuriken logo), (loft) TOE: KATANA GOLF CO.,LTD.NIPPON HEEL: FORGED FACE:829 Ti view image here |
| Kawabe Kogyo Co Ltd | Abroad 415 | N/A | SOLE: (lines) 415 (lines), ABROAD (with O logo), THE BEST STRIKING (underlined), FORGED FACE SP700 TOE: (A logo) |
| Kawabe Kogyo Co Ltd | Abroad 435 | N/A | view image here SOLE: (3 lines), (3 lines) 435 (3 lines), ABROAD, THE BEST STRIKING, KG-435V, (3 lines), FORGED & CNC FACE, (weight port) TOE: (A logo), THE BEST STRIKING view image here |
| Kawabe Kogyo Co Ltd | Abroad 435 (version 2) | N/A | SOLE: (3 lines) 435 (3 lines), ABROAD, THE BEST STRIKING, (triangle) KG-435V (triangle), FORGED & CNC FACE TOE: (A logo), THE BEST STRIKING HEEL: (weight port) view image here |
| Kawabe Kogyo Co Ltd | Abroad 435 (Version 3) | N/A | SOLE: (ABROAD (over A Logo)) (arrow) AR-12th (arrow), SINCE 1997 TOE: 435, DF-560 view image here |
| Kawabe Kogyo Co Ltd | Abroad 440 | N/A | SOLE: (lines), 440, (lines), (ABROAD (with O logo) over media blast A logo), THE BEST STRIKING, DF-550 |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|------------------------------|----------|---|
| Kawabe Kogyo Co Ltd | Abroad 450 | N/A | SOLE: DF-570, (line, line, line) 450 (line, line, line), (ABROAD (with O logo) over media blast A logo), THE BEST STRIKING <u>view image here</u> |
| Kawabe Kogyo Co Ltd | Abroad 455 | N/A | SOLE: (3 lines) 455 (3 lines), ABROAD, THE BEST STRIKING (underlined), FORGED & CNC FACE TOE: (A logo), THE BEST STRIKING view image here |
| Kawabe Kogyo Co Ltd | Abroad KG-425 (Version 2) | N/A | SOLE: KG-425, THE BEST STRIKING, (ABROAD (with O logo) over media blast A logo), FORGED CUP FACE SP700 view image here |
| Kawabe Kogyo Co Ltd | Abroad MB-452 (version 2) | N/A | SOLE: DF-590, (weight port), MB-452, ABROAD over A logo, AR-14th, SINCE 1997 TOE: (ABROAD (over A Logo)) HEEL: (dot), (orientation indicators) view image here |
| Kawabe Kogyo Co Ltd | Abroad MB-455 | N/A | SOLE: MB-455, ABROAD, (arrow), AR-13th, (arrow), SINCE 1997 BACK: (weight port) TOE: (ABROAD (over A Logo)) HEEL: (weight port) view image here |
| Kawana Birdie Golf Co Ltd | Dyka | 10 | SOLE: 420, Dual Weight Power, DYKA, (loft), (line), 1, DRIVER (logo) 420 view image here |
| Kayson Golf Ltd | Kayson Driver | 9.5,10.5 | SOLE: (KG logo), (loft) <u>view image here</u> |
| KCC Co Ltd | Val&Com Zion II | N/A | SOLE: ZION II, VAL&COM (underline), (K logo)cc •, GOLF BACK: Tout droit comme une fleche view image here |
| KCC Co Ltd | Zion | N/A | SOLE: VAL&COM (underlined), ZION (underlined), KCC, GOLF view image here |
| KCC Co Ltd | Zion460 | N/A | SOLE: VAL.COM (underlined), Z460, ZION, Fusion of tradition and innovation, KCC, GOLF |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--|-----------------------|--|
| KDX Golf | Hyper Q QM1.5 | 9.5,10.5 | SOLE: QM1.5, (weight port), HYPERQ TOE: HYPERQ CROWN: (alignment mark) HEEL: (loft) view image here |
| Keigekiku Co Ltd | Keigekiku Yururi | 10.5 | SOLE: (Japanese lettering), YURURI, (Japanese lettering in shape), K.DR, W#1-1.0=(loft) TOE: (Japanese lettering in shape) CROWN: (Japanese lettering) HEEL: K.,GEKKU |
| Keigekiku Co Ltd | Yururi | 9.5 | SOLE: (Japanese lettering), YURURI, (Japanese lettering in shape), K.DR, W#1-1.0=(loft) TOE: (Japanese lettering in shape) CROWN: (Japanese lettering) HEEL: K.,GEKKU |
| Kent Graphtec (USA) Corp. | HRC | 10 | SOLE: (crescent), 1, H•R•C, FORGED, HARDNESS 50, (loft) view image here |
| Kent Graphtec (USA) Corp. | Integra 400 | 7.5,9,10 | SOLE: (Integra logo), INTEGRA®, FORGED TITANIUM, (loft), 400CC, 90Ti-6AL-4V CROWN: (Integra logo) view image here |
| Kent Graphtec (USA) Corp. | Integra L1 | 7.5 | SOLE: INTEGRA, L1 TITANIUM, (line), IONPLATING, TICN HV3000, 1, (loft) view image here |
| Kent Sports, Inc. | Alpha 320 | 9.5 | SOLE: 1, (loft), a. 320, Titan Steel, K.S.I CROWN: (Kent Sports logo) view image here |
| Kent Sports, Inc. | Alpha C830 2 Plasma 460cc (Version 1) | 6,7.5,8.5,9.5,10.5,12 | SOLE: (loft), C830 2 (0 over 2), (target graphic) SP700 PLASMA, 460, cc TOE: (curved line), ALPHA CROWN: (-a- alignment mark) |
| Kent Sports, Inc. | Alpha C830 2 Plasma 460cc (Version 2) | 6,7.5 | SOLE: (loft), C830 2 (0 over 2), (target graphic) SP700 PLASMA, 460, cc TOE: (curved line), ALPHA CROWN: (-a- alignment mark) FACE:(w/ laser engraved scorelines) view image here |

| Alpha C830 2 Ti | Manufacturer | Product Name | Lofts | Identification Markings |
|--|-------------------|--|---------------------------|---|
| Kent Sports, Inc. | Kent Sports, Inc. | The state of the s | 4,5,6,7.5,8.5,9.5,10.5,12 | graphic) SP700 TITANIUM, 460, cc TOE: (curved line), ALPHA |
| #60cc (LH) | | | | <u>view image here</u> |
| Alpha C830 4 LX Plasma Tour-Fit Plasma Plasma Tour-Fit Plasma Plasma Plasma Plasma Plasma Plasma Plasma Plasma Plasma Plasma Plasma Plasma Plasma P | Kent Sports, Inc. | | 4,6,7.5,8.5,9.5,10.5,12 | graphic) SP700 TITANIUM, 460, cc TOE: (curved line), ALPHA CROWN: (-a- alignment mark) |
| Plasma Tour-Fit graphic, SP700 PLASMA, TOUR-FIT BACK: (weight port) TOE: (curved line), ALPHA view image here | | | 0.40.5.40 | |
| Alpha C830 4 LX Plasma Tour-Fit (LH) | Kent Sports, Inc. | | 9,10.5,12 | graphic), SP700 PLASMA, TOUR-FIT BACK: (weight port), (weight port) TOE: (curved line), ALPHA |
| Plasma Tour-Fit (LH) | | | | view image here |
| Alpha C830 4 LXi | Kent Sports, Inc. | | 10.5 | graphic), SP700 PLASMA, TOUR-FIT BACK: (weight port), (weight port) TOE: (curved line), ALPHA |
| Plasma Plasma Plasma graphic), SP700 PLASMA BACK: (weight port), (weight port) TOE: (curved line), ALPHA view image here SOLE: (loft), C830 4 (0 over 4) Lxi, (target graphic), SP700 PLASMA, TOUR-FIT BACK: (weight port), weight port) TOE: (curved line), ALPHA view image here Kent Sports, Inc. Alpha C830 4 Plasma 9.5,10.5,12 SOLE: (loft), C830 4 (0 over 4), (target graphic) SP700 PLASMA, M-Fit Technology TOE: (curved line), ALPHA view image here Kent Sports, Inc. Alpha C830 Ti 5,6,7.5,8.5,9.5,10.5,12 SOLE: (loft), Alpha, C830, (target graphic), TITANIUM, SP700, Patent No:, 36950 TOE: (curved line), ALPHA CROWN: (-a- alignment mark) view image here Kent Sports, Inc. Alpha HMO Response Carbon 460cc Offset 7,5,9,10.5 SOLE: (loft), (two curved lines) HMO, RESPONSE, CARBON 460cc, OFFSET, 15-3-3-3 TOE: (curved line) ALPHA | | | | view image here |
| Kent Sports, Inc. Alpha C830 4 LXi Plasma (LH) 10.5 SOLE: (loft), C830 4 (0 over 4) Lxi, (target graphic), SP700 PLASMA, TOUR-FIT BACK: (weight port), (weight port) TOE: (curved line), ALPHA view image here Kent Sports, Inc. Alpha C830 4 Plasma 9.5,10.5,12 SOLE: (loft), C830 4 (0 over 4), (target graphic) SP700 PLASMA, M-Fit Technology TOE: (curved line), ALPHA view image here Kent Sports, Inc. Alpha C830 Ti 5,6,7.5,8.5,9.5,10.5,12 SOLE: (loft), Alpha, C830, (target graphic), TITANIUM, SP700, Patent No., 36950 TOE: (curved line), ALPHA CROWN: (-a- alignment mark) view image here Kent Sports, Inc. Alpha HMO Response Carbon 460cc Offset 7.5,9,10.5 SOLE: (loft), (two curved lines) HMO, RESPONSE, CARBON 460cc, OFFSET, 15-3-3-3 TOE: (curved line) ALPHA | Kent Sports, Inc. | | 10.5 | graphic), SP700 PLASMA BACK: (weight port), (weight port) TOE: (curved line), ALPHA |
| Plasma (LH) Plasm | | | | |
| graphic) SP700 PLASMA, M-Fit Technology TOE: (curved line), ALPHA view image here Kent Sports, Inc. Alpha C830 Ti 5,6,7.5,8.5,9.5,10.5,12 SOLE: (loft), Alpha, C830, (target graphic), TITANIUM, SP700, Patent No:, 36950 TOE: (curved line), ALPHA CROWN: (-a- alignment mark) view image here Kent Sports, Inc. Alpha HMO Response Carbon 460cc Offset 7.5,9,10.5 SOLE: (loft), (two curved lines) HMO, RESPONSE, CARBON 460cc, OFFSET, 15-3-3-3 TOE: (curved line) ALPHA | Kent Sports, Inc. | | 10.5 | graphic), SP700 PLASMA, TOUR-FIT BACK: (weight port), (weight port) TOE: (curved line), ALPHA |
| Kent Sports, Inc. Alpha C830 Ti 5,6,7.5,8.5,9.5,10.5,12 SOLE: (loft), Alpha, C830, (target graphic), TITANIUM, SP700, Patent No., 36950 TOE: (curved line), ALPHA CROWN: (-a- alignment mark) view image here Kent Sports, Inc. Alpha HMO Response Carbon 460cc Offset 7.5,9,10.5 SOLE: (loft), (two curved lines) HMO, RESPONSE, CARBON 460cc, OFFSET, 15-3-3-3 TOE: (curved line) ALPHA | Kent Sports, Inc. | Alpha C830 4 Plasma | 9.5,10.5,12 | graphic) SP700 PLASMA, M-Fit Technology |
| TITANIUM, SP700, Patent No.; 36950 TOE: (curved line), ALPHA CROWN: (-a- alignment mark) view image here Kent Sports, Inc. Alpha HMO Response Carbon 460cc Offset 7.5,9,10.5 SOLE: (loft), (two curved lines) HMO, RESPONSE, CARBON 460cc, OFFSET, 15-3-3-3 TOE: (curved line) ALPHA | | | | view image here |
| Carbon 460cc Offset RESPONSE, CARBON 460cc, OFFSET, 15-3-3-3 TOE: (curved line) ALPHA | Kent Sports, Inc. | Alpha C830 Ti | 5,6,7.5,8.5,9.5,10.5,12 | TITANIUM, SP700, Patent No:, 36950 TOE: (curved line), ALPHA CROWN: (-a- alignment mark) |
| view image here | Kent Sports, Inc. | | 7.5,9,10.5 | RESPONSE, CARBON 460cc, OFFSET, 15-3-3-3 |
| | | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------------------------|-------------------------|--|
| Kent Sports, Inc. | Alpha Pro Master | 10.5 | SOLE: (loft), (curved line), Alpha Pro Master, ACTIVE, BETA FACE, LOW SPIN DESIGN, 330cc CROWN: (-a- alignment mark) view image here |
| Kent Sports, Inc. | Alpha Pro Master | 7.5,9 | SOLE: (loft), (curved line), Alpha, Pro Master, ACTIVE, BETA FACE, LOW SPIN DESIGN, 330cc CROWN: (-a- alignment mark) view image here |
| Kent Sports, Inc. | Alpha Reaction 300cc | 7.5,9,10.5 | SOLE: (loft), FORGED Ti, (curved line), Alpha, Reaction, ACTIVE, BETA FACE CROWN: (-a- alignment mark) view image here |
| Kent Sports, Inc. | Alpha Reaction 320cc | 6 | SOLE: (loft), FORGEDTI, (curved line) Alpha, Reaction, ACTIVE, BETA FACE CROWN: (-a- alignment mark) view image here |
| Kent Sports, Inc. | Alpha Reaction 400cc | 6,7.5,9,10,12 | SOLE: (loft), FORGED TI, (curved line), Alpha Reaction, ACTIVE BETA FACE, 400CC CROWN: (-a- alignment mark) view image here |
| Kent Sports, Inc. | Alpha Reaction 400cc (Version 2) | 3,4,5 | SOLE: (loft), FORGED TI, (curved line), Alpha, Reaction, ACTIVE BETA FACE, 400CC. CROWN: (-a- alignment mark) view image here |
| Kent Sports, Inc. | Alpha Reaction OHT 400 | 6,7.5,9,10.5,12 | SOLE: (curved line) Alpha, Reaction, OHT 400, (loft), FORGED TI, PatentNo.:36950 CROWN: (-a- alignment mark) view image here |
| Kent Sports, Inc. | Alpha Reaction V.2 400cc | 5,6,7.5,8.5,9.5,10.5,12 | SOLE: (loft), (curved line), ALPHA, REACTION, ACTIVE BETA FACE, V.2, FORGED TI, 400cc CROWN: (-a- alignment mark) HOSEL: -K view image here |
| Kent Sports, Inc. | Alpha RSP Launch | 10.5 | SOLE: (weight port), RSP (logo), LAUNCH, (weight port), (loft) TOE: (curved line), ALPHA view image here |

| Kent Sports, Inc. Kent Sports, Inc. Kent Sports, Inc. | Alpha Rx 400 Alpha RX 400 Alpha RX Launch | 7.5,10.5,12 9 | SOLE: (curved line) RX400, TITANIUM, ACTIVE BETA FACE, (loft) TOE: (curved line)Alpha CROWN: (-a- alignment mark) view image here SOLE: (curved line)RX400, TITANIUM, ACTIVE BETA FACE, (loft) TOE: (curved line)ALPHA |
|---|---|-------------------------|--|
| Kent Sports, Inc. Kent Sports, Inc. | | 9 | SOLE: (curved line)RX400, TITANIUM, ACTIVE BETA FACE, (loft) TOE: (curved line)ALPHA |
| Kent Sports, Inc. Kent Sports, Inc. | | 9 | ACTIVE BETA FACE, (loft) TOE: (curved line)ALPHA |
| Kent Sports, Inc. | Alpha RX Launch | | CROWN: (-a- alignment mark) view image here |
| Kent Sports, Inc. | | 9,10.5 | SOLE: (weight port), RX (logo), LAUNCH, (weight port), (loft) TOE: (curved line), ALPHA view image here |
| | Alpha Version 2 400cc | 5,6,7.5,8.5,9.5,10.5,12 | SOLE: (loft), (curved line), ALPHA, VERSION, ACTIVE BETA FACE, 2, FORGED TI, 400cc CROWN: (-a- alignment mark) view image here |
| | Alpha Version 2 425cc (LH) (Version 1) | 4,5,6,7.5 | SOLE: (loft), (curved line), ALPHA, VERSION, ACTIVE BETA FACE, 2, FORGED TI, 425cc CROWN: (-a- alignment mark) view image here |
| | Alpha Version 2 425cc (LH) (Version 2) | 8.5,9.5,10.5,12 | SOLE: (loft), (curved line), ALPHA, VERSION, ACTIVE BETA FACE, 2, FORGED TI, 425cc, 15-3-3-3 CROWN: (-a- alignment mark) view image here |
| | Alpha Version 2 425cc (Version 1) | 4,5,6,7.5 | SOLE: (loft), (curved line)ALPHA, VERSION, ACTIVE BETA FACE, 2, FORGED TI, 425cc CROWN: (-a- alignment mark) view image here |
| | Alpha Version 2 425cc (Version 2) | 8.5,9.5,10.5,12 | SOLE: (loft), (curved line)ALPHA, VERSION, ACTIVE BETA FACE 2, FORGED TI, 15-3-3-3 CROWN: (-a- alignment mark) View image here |
| Kent Sports, Inc. | Alpha Version 5 460cc | 9.5,10.5,12 | SOLE: (weight port w/ weight), (loft), (curved line), ALPHA, VERSION, ACTIVE BETA FACE, 5, 460cc, 15-3-3-3, (weight port w/ |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------------|---------------|---|
| Kent Sports, Inc. | Alpha Version 5 LX 460cc | 8,9,10.5,12 | SOLE: (weight port w/ weight), (loft), (curved line), ALPHA, VERSION, ACTIVE BETA FACE, LX 5, 460cc, 15-3-3-3, (weight port w/ weight) view image here |
| Kent Sports, Inc. | Alpha Vx Tour | N/A | SOLE: TOUR, DRAW, n, FADE, ALPHA VX, (Alpha shield logo) CROWN: (alignment mark) HOSEL: (dot), (orientation and loft indicators) view image here |
| Kent Sports, Inc. | Alpha-Z 310cc | 5,6,7.5,9 | SOLE: (loft), alpha. (Z in broken circle), (line), 310 CC, FORGED, TITANIUM <u>view image here</u> |
| Kent Sports, Inc. | Golfeyes LX 5 460cc | 9.5,10.5,12 | SOLE: (weight port w/ weight), (loft), LX 5, Japan Titanium Face, 460cc, 15-3-3-3, (weight port w/ weight) TOE: GOLFEYES CROWN: (-Q- alignment mark) view image here |
| Kent Sports, Inc. | QX-88 460 | 9.5,10.5 | SOLE: (loft), QX-88, SP700 TITANIUM, 460, cc TOE: GOLFEYES (w/ G logo) CROWN: (-Q- alignment mark) view image here |
| Kent Sports, Inc. | RX460 Titanium | 7.5,9,10.5,12 | SOLE: (curved line) RX460, TITANIUM, ACTIVE BETA FACE, (loft) TOE: (curved line)ALPHA CROWN: (-a- alignment mark) view image here |
| Kent Sports, Inc. | Silver Diamond 380 R Series | 9,10.5 | SOLE: (loft), (S in diamond)ILVER DIAMOND, 380, R (diamond graphic), series view image here |
| Kent Sports, Inc. | Silver Diamond 425 T Series | 9,10.5 | SOLE: 9, (S in diamond)ILVER DIAMOND, 425, T•SERIES view image here |
| Kent Sports, Inc. | Silver Diamond R425 Titanium | 9,10.5 | SOLE: (circular weight), (loft), SILVER DIAMOND (w/ S in diamond), TITANIUM, R425, (circular weight) BACK: (circular weight) view image here |
| Kent Sports, Inc. | Silver Diamond R460 Titanium | 9,10.5,12 | SOLE: (loft), SILVER DIAMOND (w/ S in diamond), TITANIUM, R460 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|---------------------------------------|----------|--|
| Kent Sports, Inc. | Silver Diamond S Series 305 Offset | 9,10.5 | SOLE: (loft), (S in diamond)ILVER, DIAMOND, S•SERIES, 305, OFFSET view image here |
| Kent Sports, Inc. | Sweet Spot V11 | 10.5 | SOLE: (recessed weight), (loft), (V 11 graphic), (diamond in circle) SWEETSPOT™, GOLF, (recessed weight) CROWN: (line alignment mark) view image here |
| Kent Sports, Inc. | True Custom 400cc | 7.5,10.5 | SOLE: (loft), True Custom, (arrow and oval graphic), FORGED BETA, TITANIUM, 400 view image here |
| Kent Sports, Inc. | YS 425 (Version 1) | N/A | SOLE: (circular weight), (three curved lines) YS 425, (line), Designed by Alpha, Custom Made, (circular weight) BACK: (circular weight) view image here |
| Kent Sports, Inc. | YS 425 (Version 2) | 9,10 | SOLE: (circular weight), (loft), (three curved lines) YS 425, (line), Designed by Alpha, Custom Made, (circular weight) BACK: (circular weight) view image here |
| Kentack Golf Co Ltd | Kentack FA7 | 10.5 | SOLE: (logos on gold plate), 1 (loft), KENTACK, (egyptian logo on gold plate), DESIGNED BY, (Chinese characters), DESIGN STUDIO, (logos on gold plate), (logos on gold plate) CROWN: (alignment markings) HEEL: MADE IN JAPAN view image here |
| Kentack Golf Co Ltd | KG460SL | 10 | SOLE: KENTACK, 1, (logo), KG460SL, (loft), ((Egyptian logo), KENTACK on inset) TOE: DESIGNED BY, (Japanese symbols), DESIGN STUDIO CROWN: (logo alignment mark) view image here |
| Keystone Inc | Ken's Champ Metalica V350 | 10.5 | SOLE: Ken's (in rectangle) Champ (in arrow shape), Ken's, Metalica, (loft), V350, (3 circles) LFT FA LIE, 2049E TOE: Ken's CROWN: (alignment mark) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--------------------------------|---------------|--|
| KGST Golf Institute, Inc. | Exter Qx | 9.5 | SOLE: (dot), (winged graphic), EXTER, QX, Designed by KGST ™, KGST GOLF INSTITUTE, (port w/ Trajectory Control System, screw), (loft), (port w/ Trajectory Control System, screw) CROWN: ((dot), (winged graphic) alignment mark) FACE:HEAD SPEC: STD LIE, -1 F/A & (loft) LOFT view image here |
| Khan Golf Co Ltd | Tour Hunt V2 | 8,9,10 | SOLE: 1 (loft), TOUR HUNT V2 (KHAN media blast) FACE:TITANIUM view image here |
| King Par Corporation | Orlimar 420 | 9.5,10.5 | SOLE: (loft), (line), ORLIMAR (w/ Orlimar logo), (line), 420cc FACE:COR (w/ link graphic) view image here |
| King Par Corporation | Orlimar Fury 420 Tour | 8.5,9.5,10.5 | SOLE: ORLIMAR (with O logo), (line), FURY 420, TOUR, (DRIVER, 1 on shield insert), TITANIUM, (loft) view image here |
| King Par Corporation | Orlimar Fury 460 | 9.5,10.5 | SOLE: ORLIMAR (with O logo), (line), FURY 460, (DRIVER, 1 on shield insert), TITANIUM, (loft) view image here |
| King Par Corporation | Orlimar Fury 460 (LH) | 10.5 | SOLE: ORLIMAR (with O logo), (line), FURY 460, (DRIVER, 1 on shield insert), (loft), TITANIUM view image here |
| King Par Corporation | Orlimar Fury QB 460cc | 9.5,10.5,12.5 | SOLE: ORLIMAR (with O logo), (line), FURY//QB, 460cc, TITANIUM, (loft) view image here |
| King Par Corporation | Orlimar HTi 400L | 12.5 | SOLE: ORLIMAR (with O logo), (line), (line), HTi 400L, (loft), ((loft) LOFT, 1, (three arrows) on arrow insert) view image here |
| King Par Corporation | Orlimar HTi 440 (Version 1) | 8.5,9.5,10.5 | SOLE: ORLIMAR (with O logo), (line), (line), HTi 440, ((loft) LOFT, 1, (three arrows) on arrow insert) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------|---------------------------------------|-------------------|--|
| King Par Corporation | Orlimar HTi 440 (Version 2) | 8.5,9.5,10.5 | SOLE: ORLIMAR (w/ O logo), (line), (line), HTi 440, (loft), ((arrow), 1, (three arrows) on arrow insert) view image here |
| King Par Corporation | Orlimar HTi440 (LH) | 9.5 | SOLE: ORLIMAR (underlined), HTi440, (loft), 1 view image here |
| King Par Corporation | Orlimar Trimetal hip Ti 420cc | 8.5,9.5,10.5,11.5 | SOLE: (loft), (recessed line), ORLIMAR, TRIMETAL hip Ti, (recessed line), 420cc CROWN: (O alignment mark) view image here |
| King Par Corporation | Orlimar Trimetal hip Ti 420cc (LH) | 9.5 | SOLE: (loft), (recessed line), ORLIMAR, TRIMETAL hip Ti (recessed line), 420cc CROWN: (O alignment mark) view image here |
| Kitagawa Bussan Co Ltd | EG001 | 9,10,11 | SOLE: EG001 (loft), 4-PIECE, FORGED, TITANIUM, (logo) FACE:(logo) view image here |
| Kitagawa Bussan Co Ltd | EGoo II | 9,10 | SOLE: EG00 II, Forged Titanium, (crest with S logo), (loft), (S logo on inset) view image here |
| Kitagawa Bussan Co Ltd | EGoo VI | 9,10 | SOLE: EGoo VI, (loft), SUPERMAN™, (S logo on inset), PROTEC Japan HEEL: Precision Forged Titanium view image here |
| Kitagawa Bussan Co Ltd | EGoollI | 9,10 | SOLE: EGooIII, Forged Titanium, PROTEC Japan, (loft) BACK: (S logo on diamond shaped inset) view image here |
| Kittyhawk, LLC | Aggressive AG-400 | 8 | SOLE: (Pyranna graphic in oval), AGGRESSIVE™, AG-400, u-cup, f² 2 underlined), ß ti, ((three lofts) and circle in circle) CROWN: (line alignment mark) FACE:ßti view image here |
| Kittyhawk, LLC | Black Shark MX 460 | 8.5,9.5,10.5 | SOLE: FORGED, Ti, (Black Shark, (line), 460 over MX media blast), (loft) BACK: (two intersecting curves), (Black Shark logo) CROWN: (Black Shark logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--------------------------------------|------------------|---|
| Kittyhawk, LLC | Pro Tour Tour XL 450 | 8.5,9.5,10.5 | SOLE: 450cc, (three diamonds), Tour XL, (line), HOT BETA FORGED TI, (loft) TOE: Pro, (right triangle), Tour CROWN: (dot alignment mark) FACE:15-3-3-3 |
| Kittyhawk, LLC | Tech Power Black Shark S.E.T. 455 | 8,9.5,10.5 | SOLE: HOT BETA, FORGED Ti, S.E.T. 455, (quadrilateral), (loft) BACK: TECH POWER, (curved line), USA TOE: (Black Shark, (Black Shark logo) in rounded triangle) CROWN: (TP in triangle logo) FACE:15-3-3-3 |
| Kittyhawk, LLC | Tech Power DVF 400 | 6 | SOLE: HOT VACUUM FORGED, (TP in triangle logo), DVF 400, (loft) TOE: TECH POWER, (curved line), USA CROWN: (TP in triangle logo) view image here |
| Kittyhawk, LLC | Tech Power DVF 450 | 10.5 | SOLE: (circular weight), DVF, TECHPOWER, (curved line), 450, VACUUM FORGED, (loft), (circular weight) BACK: (circular weight) CROWN: (TP in triangle logo) FACE:HOT ß Ti view image here |
| Kittyhawk, LLC | Tech Power DVF T-400 | 4,5,6,7,8,9,10.5 | SOLE: (loft), (TP in triangle logo), DVF, T-400, HOT VACUUM FORGED, ß TITANIUM TOE: TECH POWER, (curved line), USA CROWN: (TP in triangle logo) view image here |
| Kittyhawk, LLC | Tech Power DVF-Ti 400 | 7.5,8,9,10.5 | SOLE: HOT VACUUM FORGED, (TP in triangle logo), DVF 400, (loft) TOE: TECH POWER, (curved line), USA CROWN: (dot alignment mark) FACE:DVF-Ti view image here |
| Kittyhawk, LLC | Tech Power LD 460 | 4,5,6,7,8,9 | SOLE: (loft), (TP in triangle logo) L, D 460, DVF, CUP FACE TOE: TECH POWER, (curved line), USA CROWN: (TP in triangle logo) FACE:HOT ß Ti view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------------------|-------------|---|
| Kittyhawk, LLC | Tech Power Speed Series 460 | 9.5,10.5 | SOLE: (loft), (curved line), Tech (T w/ line) Power, (line), SPEED SERIES, (line), 460, FORGED, TITANIUM CROWN: (TP in triangle logo) FACE:ß-Ti view image here |
| K10 K0 111 | 14 10000 | N/A | • |
| KJ Golf Co Ltd | KJ3000 | N/A | SOLE: (yes! logo), KJ3000 CROWN: (yes! logo) HEEL: KJ TECHNOLOGY |
| | | | view image here |
| KJ Golf Co Ltd | KJ5000 | N/A | SOLE: (yes! logo), KJ5000, ((yes! Logo), (yes! Logo) on weight port) TOE: (yes! logo) CROWN: (yes! logo alignment mark) HEEL: KJ TECHNOLOGY view image here |
| KJ Golf Co Ltd | Yes 59 Tour | N/A | SOLE: (59 (line), (Yes! logo), The Lowest Score of Official, Pga 59 Records in shield), TOUR, (Yes!, Yes! on weight port) CROWN: Yes! FACE:(media blast FORGED), (media blast Yes!) |
| | | | view image here |
| KMJ | Capella | 9,10,11 | SOLE: Capella, fashionable, you also, want to use, (beta) titanium, custom made, KMJ, (loft) view image here |
| Knuth Golf, Inc. | High Heat | 9.5,10.5,12 | SOLE: (KNUTHGOLF, (loft) over lines), HIGH (flame graphic) HEAT, (FORGED TITANIUM over lines) TOE: (flame graphic), HIGH, HEAT™ CROWN: (curved rectangle alignment mark), (curved line), (curved line) |
| Knuth Golf, Inc. | High Heat (LH) | 10.5 | SOLE: (KNUTHGOLF, (loft) over lines), HIGH (flame graphic) HEAT, (FORGED TITANIUM over lines) TOE: (flame graphic), HIGH, HEAT™ CROWN: (curved rectangle alignment mark), (curved line), (curved line) view image here |
| Knuth Golf, Inc. | High Heat 257+ | 9.5,12 | SOLE: KNUTH GOLF, 257+, HIGH (flame graphic) HEAT, (loft), GAME CHANGER TECHNOLOGY TOE: (flame graphic), HIGH, HEAT CROWN: (curved rectangle alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|--------------------------------|-------|---|
| Knuth Golf, Inc. | High Heat 257+ (LH) | 10.5 | SOLE: KNUTH GOLF, 257+, HIGH (flame graphic) HEAT, (loft), GAME CHANGER TECHNOLOGY TOE: (flame graphic), HIGH, HEAT CROWN: (curved rectangle alignment mark) view image here |
| Kobayashi Golf Co Ltd | Fairway Blues K-365 | N/A | SOLE: (curved line) FB (curved line), fairway blues, ICG K-365, 1W view image here |
| Kobayashi Golf Co Ltd | Win Spanker 370L | N/A | SOLE: STREAM SOLE TECHNOLOGY, (curved lines), WIN SPANKER, ICG 370 L, 1, FORGED, TITANIUM view image here |
| Kobayashi Golf Co Ltd | Win Spanker 400 | N/A | SOLE: STREAM SOLE TECHNOLOGY, (curved lines), WIN SPANKER, ICG 400, 1, FORGED, TITANIUM view image here |
| Kobayashi Golf Co Ltd | Win Spanker 420 | N/A | SOLE: STREAM SOLE TECHNOLOGY, WIN SPANKER (underlined) 420 (underlined), FORGED TITANIUM, ICG 1 view image here |
| Kobayashi Golf Co Ltd | Win Spanker 460 Tour Ti-102 | N/A | SOLE: WIN SPANKER, 460 TOUR, FORGED, TITANIUM, 1, Ti-102 <u>view image here</u> |
| Kobayashi Golf Co Ltd | Win Spanker ICG-X 505 | N/A | SOLE: WIN SPANKER, ICG-X 505, MODEL XE view image here |
| Kobayashi Golf Co Ltd | Win Spanker K-385 | N/A | SOLE: 1, F-1 TITAN, (curved line), WIN SPANKER, (curved line), SAT-2041, ICG K-385 view image here |
| Kobayashi Golf Co Ltd | Win Spanker K-455 | N/A | SOLE: 1, (curved line), WIN SPANKER, (curved line), K-455, POWER IMPACT BODY TITANIUM view image here |
| Kobayashi Golf Co Ltd | Win Spanker KG 450L Navy | N/A | SOLE: (2 lines), WIN SPANKER ICG, FORGED TITANIUM 450 L, MULTI FUNCTION HEAD, (2 lines), 1, (2 arrows), (2 arrows) TOE: (flower logo), Winspanker view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---------------------------------|----------|---|
| Kobayashi Golf Co Ltd | Win Spanker KG 450L Rose | N/A | SOLE: (2 lines), WIN SPANKER ICG, FORGED TITANIUM 450 L, MULTI FUNCTION HEAD, (2 lines), 1, (2 arrows), (2 arrows) TOE: (flower logo), Winspanker CROWN: (flower alignment mark) view image here |
| Kobayashi Golf Co Ltd | Win Spanker R350 | N/A | SOLE: WIN SPANKER R350, ICG, 350 Cubic, 15-3-3-3 Material BACK: DRIVER view image here |
| Kobayashi Golf Co Ltd | Win Spanker R410 | N/A | SOLE: WIN SPANKER R410, ICG, 410 Cubic, 15-3-3-3 Material BACK: DRIVER view image here |
| Kobayashi Golf Co Ltd | Win Spanker R450 Tour Ti-101 | N/A | SOLE: WIN SPANKER (underlined), R450, TOUR, (logo), FORGED, TITANIUM, ICG, Ti-101 view image here |
| Koei Golf Limited Co. | Bullet 403 Pro Spec | 9.5,10.5 | SOLE: Bullet, 403, PRO SPEC (loft) BACK: (circular weight) TOE: (circular weight) HEEL: (circular weight) |
| Koei Golf Limited Co. | Bullet 430 | 9.5,10.5 | SOLE: Bullet, 430, DAT55G/3.2, LOFT (loft) view image here |
| Kojima Co Ltd | Dream Distance | N/A | SOLE: (logo), Dream Distance, Ti 460 <u>view image here</u> |
| Kokusai Kogyo Co., Ltd. | Citation Pro Spec 300 | N/A | SOLE: 1, Citation, H (flag logo) B, PRO SPEC 300, POWER(lightning bolt)BILT BACK: (HB in horseshoe logo) FACE:550 Hard Ti |
| Kokusai Kogyo Co., Ltd. | Citation Twister 300 | 10,11 | SOLE: 1, Citation, TWISTER 300, POWER(lightning bolt)BILT, H(flag logo)B. BACK: (HB horseshoe logo) FACE:550 HARD Ti view image here |
| Kokusai Kogyo Co., Ltd. | PowerBilt Citation 380S | N/A | SOLE: POWER(lighting bolt)BILT, Citation, -380 S-, 1 FACE:DAT600C view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------------------|---------------|--|
| Kokusai Kogyo Co., Ltd. | PowerBilt Grand Slam | 10.5 | SOLE: (weight port), (loft), POWER(lightning bolt)BILT, GRANDSLAM, (line), FORGED BETA TITANIUM, MAX CORMAX C.T. BACK: ((460CC over lightning bolt) on insert) CROWN: (lightning bolt alignment mark) view image here |
| Kokusai Kogyo Co., Ltd. | PowerBilt Momentum Sign | 9 | SOLE: MOMENTUM, (line), Triple Titan composite, Sign, (loft), POWER(lightning bolt)BILT BACK: (recessed circular weight) (M on triangular insert) (recessed circular weight) CROWN: POWER(lightning bolt)BILT view image here |
| Kokusai Kogyo Co., Ltd. | PowerBilt Momentum Sign XP | 9.5,10.5,11.5 | SOLE: MOMENTUM Sign, TRI-Impact Titan, XP, POWER(lightning bolt)BILT, (loft) BACK: (recessed circular weight) (M on triangular insert) (recessed circular weight) view image here |
| Kokusai Kogyo Co., Ltd. | PowerBilt Spazian GS-46 | 10.5 | SOLE: 1, -(loft)-, SPAZIAN (w/ Z in recessed circle), GS-46, DEEP IMPACT FEEL, FORGED TITANIUM, (POWER(lightning bolt)BILT in curved triangle) view image here |
| Kokusai Kogyo Co., Ltd. | PowerBilt Super Citation DAT600C | 8 | SOLE: POWER BILT, DAT600C (lightning bolt) super citation, (loft) view image here |
| Kokusai Kogyo Co., Ltd. | PowerBilt Super Citation TP1 | 9.5 | SOLE: (curved line), POWER(lightning bolt)BILT, super citation, TP1, (curved line), (loft) FACE:DAT600C view image here |
| Kolon Industries, Inc. | Elord GX 460ß | 9,10 | SOLE: (GX logo), 460ß, TITANIUM, (bent line), (loft) BACK: (ELORD on diamond insert) view image here |
| Kolon Industries, Inc. | Elord GX 460V | 9,10 | SOLE: ELORD, (GX logo), ADVANCED TECHNOLOGY DR, 460V, TITANIUM, (loft in circle) CROWN: (arrow alignment mark) view image here |
| Kolon Industries, Inc. | Elord GXR 460 | 9,10 | SOLE: (GX logo), (loft), TITANIUM BACK: (ELORD on lined insert) TOE: GXR 460, e FACE:(e media blast) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|---------------------|-------|--|
| Kolon Industries, Inc. | Elord M5 Machine | 9,10 | SOLE: TITANIUM, (ELORD on triangle insert), MMACHINE, 5, (weight port), WEIGHT SYSTEM, (loft) BACK: ADVANCED TECHNOLOGY DR CROWN: (wing alignment mark), (arrow) FACE:M5 |
| Komperdell Austria Ges Mbh | EQT 435 | 9,11 | SOLE: 435, KOMPERDELL, titanium, EQT (loft) view image here |
| Komperdell Austria Ges Mbh | EQT 435 (Version 2) | 13 | SOLE: 435, KOMPERDELL, titanium, EQT (loft) view image here |
| Komperdell Sportartikel GmbH | Deep Bore | 9,11 | SOLE: eleven, DEEP BORE (underlined), 460, KOMPERDELL, VACUUM FORGED ß TI, - CARBON TOP - CROWN: (alignment mark) view image here |
| Komperdell Sportartikel GmbH | EQT 435 | 8 | SOLE: 435, KOMPERDELL, titanium, EQT, (loft) view image here |
| Komperdell Sportartikel GmbH | Fi 460 | 11,13 | SOLE: (K logo), Fi460, (loft) BACK: KOMPERDELL CROWN: (alignment mark) FACE:BETA view image here |
| Komperdell Sportartikel GmbH | Fi 460 (Version 2) | 9 | SOLE: (K logo), Fi460, BETA TI (loft) BACK: KOMPERDELL CROWN: (alignment mark) FACE:BETA view image here |
| Komperdell Sportartikel GmbH | High Velocity 400 | 11 | SOLE: (loft), HIGH VELOCITY (underlined), 400, KOMPERDELL, VACUUM FORGED ßti, -CARBON TOP- CROWN: (alignment mark) view image here |
| Komperdell Sportartikel GmbH | Titanium 400 | 11 | SOLE: (loft), TITANIUM, (line), 400, KOMPERDELL, VACUUM FORGED ßTI CROWN: (alignment mark) view image here |
| Korea Kasco Co Ltd | King Diamond Jeu-X | 9,10 | SOLE: King Diamond, JEU-X, (loft), TO (two triangles) EI, GOLF TOE: (diamond logo), King Diamond view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|-----------------------------------|-------------------|--|
| Korea Kasco Co Ltd | King Diamond Jeu-X (Version 2) | 9.5 | SOLE: King Diamond, JEU-X, TO (two triangles) EI, GOLF TOE: (diamond logo), King Diamond view image here |
| Krank Golf | El Diablo 460cc | 6,7.5,9,10.5 | SOLE: (Krank Golf logo in square), (El Diablo, KRANK GOLF over Krank Golf logo in square), 460cc (loft), HYPER TI BETA CROWN: (Krank Golf logo in square alignment mark) |
| Krank Golf | El Diablo 460cc HT | N/A | SOLE: (Krank Golf logo in square), (El Diablo, KRANK GOLF over Krank Golf logo in square), 460cc HT, HYPER TI BETA CROWN: (Krank Golf logo in square alignment mark) |
| Krank Golf | El Diablo 460cc HT (LH) | N/A | SOLE: (Krank Golf logo in square), (El Diablo, KRANK GOLF over Krank Golf logo in square), HT 460cc, HYPER TI BETA CROWN: (Krank Golf logo in square alignment mark) view image here |
| Krank Golf | Element | 5,6,7.5,9,10.5,12 | SOLE: (chemical formula) (weight port), MAXIMUM.ENERY.TRANSFER., (curved line), KRANK, GOLF, (loft), (element over laser-etched Ti period table entry), (weight port), (chemical formula) CROWN: (chemical formula), (line), (radioactive graphic alignment mark), (line), (chemical formula) FACE:(radioactive graphic) |
| Krank Golf | Formula 11 LD | 4,5,6 | view image here SOLE: LD, FORMULA, F11, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF HEEL: (loft) FACE:(X media blast) view image here |
| Krank Golf | Formula 11 Pro | 7.5,9,10.5 | SOLE: PRO, FORMULA, F11, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF HOSEL: (orientation indicators) HEEL: (loft) FACE:(X media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------|-------------------|---|
| Krank Golf | Formula 11 Pro+ | 10.5 | SOLE: PRO, FORMULA, F11, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF HOSEL: (orientation indicators) HEEL: (loft)+ FACE:(X media blast) view image here |
| Krank Golf | Formula 5 | 5,6,7.5,9,10.5,12 | SOLE: (chemical formula) (weight port), (curved line), KRANK, GOLF, (FORMULA over 5), (loft), (weight port), (chemical formula) BACK: MAXIMUM.ENERY.TRANSFER. CROWN: (chemical formula), (line), (radioactive graphic alignment mark), (line), (chemical formula) FACE:(radioactive graphic) view image here |
| Krank Golf | Formula 5 (LH) | 5,6,7.5,9,10.5,12 | SOLE: (chemical formula) (weight port), (curved line), KRANK, GOLF, (FORMULA over 5), (loft), (weight port), (chemical formula) BACK: MAXIMUM.ENERY.TRANSFER. CROWN: (chemical formula), (line), (radioactive graphic alignment mark), (line), (chemical formula) FACE:(radioactive graphic) |
| Krank Golf | Formula 5 J (Version 1) | 6,7.5 | SOLE: (chemical formula), (curved line), KRANK, GOLF, (FORMULA over 5), (loft) J, (chemical formula) BACK: MAXIMUM.ENERY.TRANSFER. CROWN: (chemical formula), (line), (radioactive graphic alignment mark), (line), (chemical formula) FACE:(radioactive graphic) view image here |
| Krank Golf | Formula 5 J (Version 2) | 9,10.5 | SOLE: (chemical formula), (weight), (curved line), KRANK, GOLF, (FORMULA over 5), (loft) J, (weight), (chemical formula) BACK: MAXIMUM.ENERY.TRANSFER. CROWN: (chemical formula), (line), (radioactive graphic alignment mark), (line), (chemical formula) FACE:(radioactive graphic) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------|------------------|--|
| Krank Golf | Formula 5 J+ | 10.5 | SOLE: (chemical formula), (weight), (curved line), KRANK, GOLF, (FORMULA over 5), (loft)+ J, (weight), (chemical formula) BACK: MAXIMUM.ENERY.TRANSFER. CROWN: (chemical formula), (line), (radioactive graphic alignment mark), (line), (chemical formula) FACE:(radioactive graphic) |
| Krank Golf | Formula 5 LD | 5,6,7.5 | SOLE: (chemical formula), (curved line), KRANK, GOLF, (FORMULA over 5), LD, (loft), (chemical formula) BACK: MAXIMUM.ENERY.TRANSFER. CROWN: (chemical formula), (line), (radioactive graphic alignment mark), (line), (chemical formula) FACE:(radioactive graphic) |
| Krank Golf | Formula 5 TB | N/A | SOLE: (chemical formula), (curved line), KRANK, GOLF, (FORMULA over 5), #(club number/letter), (chemical formula) BACK: MAXIMUM.ENERY.TRANSFER. CROWN: (chemical formula), (line), (tb logo alignment mark), (line), (chemical formula) FACE:(tb logo) view image here |
| Krank Golf | Formula 6 | 4,5,6,7.5,9,10.5 | SOLE: KRANK, FORMULA, M.E.T. FORGED, 6 BACK: KRANK TOE: ((line), (checkered line), (line) media blast) CROWN: (triangle and 6 alignment mark), (curved line), ((line), (six), (line), (checkered line), (line) media blast), (curved line) HEEL: ((line), (checkered line), (line) media blast), (loft) FACE:(triangle and 6 media blast) view image here |
| Krank Golf | Formula 6 +J (Version 2) | 10.5 | SOLE: KRANK, FORMULA, M.E.T. FORGED, 6 BACK: KRANK HEEL: (loft w/degree symbol)+J FACE:(triangle and 6 media blast) view image here |
| Krank Golf | Formula 6 J (Version 2) | 5,6,7.5,9,10.5 | SOLE: KRANK, FORMULA, M.E.T. FORGED, 6 BACK: KRANK HEEL: (loft w/degree symbol)J FACE:(triangle and 6 media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------|--------------------------|---|
| Krank Golf | Formula 6 Plus | 10.5 | SOLE: KRANK, FORMULA, M.E.T. FORGED, 6 BACK: KRANK TOE: ((line), (checkered line), (line) media blast) CROWN: (triangle and 6 alignment mark), (curved line), ((line), (six), (line), (checkered line), (line) media blast), (curved line) HEEL: ((line), (checkered line), (line) media blast), (loft)+ FACE:(triangle and 6 media blast) view image here |
| Krank Golf | Formula 6 TB | N/A | SOLE: KRANK, FORMULA, M.E.T. FORGED, 6 BACK: KRANK TOE: (three lines) CROWN: (tb logo alignment mark), (curved line), (curved line) HEEL: (three lines), #(club number/letter) FACE:(tb logo media blast) view image here |
| Krank Golf | Formula 6.5 | 4.5,5.5,6.5,7.5,9.5,10.5 | SOLE: FORMULA, M.E.T. FORGED, 6.5 BACK: KRANK TOE: KRANK, GOLF CROWN: (triangle and 6 alignment mark) HOSEL: KRANK, (orientation indicators) HEEL: (loft) FACE:(triangle and 6 media blast) view image here |
| Krank Golf | Formula 7 | 4,5,6,7.5,9,10.5 | SOLE: FORMULA, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF HEEL: (loft) FACE:(KG stamp logo) view image here |
| Krank Golf | Formula 7 (LH) | 4,5,6,7.5,9,10.5 | SOLE: FORMULA, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF HEEL: (loft) FACE:(KG stamp logo) view image here |
| Krank Golf | Formula 7 TB | 4 | SOLE: FORMULA, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF CROWN: (tb media blast) HEEL: (loft) FACE:(tb media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------|------------|---|
| Krank Golf | Formula 7+ | 10.5 | SOLE: FORMULA, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF HEEL: (loft)+ FACE:(KG stamp logo) view image here |
| Krank Golf | Formula 7+ (LH) | 10.5 | SOLE: FORMULA, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF HEEL: (loft)+ FACE:(KG stamp logo) |
| Krank Golf | Formula Fire LD | 4,5,6 | SOLE: (two weight ports), (FORMULA, FIRE over (fire logo media blast)) BACK: KRANK, GOLF TOE: DEEP CUPPED FACE, KRANK, GOLF HOSEL: (line), (orientation indicators) HEEL: (loft), M.E.T. FORGED FACE:LD, (fire logo media blast) view image here |
| Krank Golf | Formula Fire LD Tour | 4,5,6 | SOLE: (two weight ports), FORMULA, FIRE, (fire logo media blast)) BACK: KRANK, GOLF TOE: DEEP CUPPED FACE, KRANK, GOLF HOSEL: (line), (orientation indicators) HEEL: (loft), M.E.T. FORGED FACE:LD TOUR, (fire logo media blast) view image here |
| Krank Golf | Formula Fire Pro | 7.5,9,10.5 | SOLE: (two weight ports), FORMULA, FIRE, (fire logo media blast) BACK: KRANK, GOLF TOE: DEEP CUPPED FACE, KRANK, GOLF HOSEL: (line), (orientation indicators) HEEL: (loft), M.E.T. FORGED FACE:PRO, (fire logo media blast) view image here |
| Krank Golf | Formula Fire Pro Tour | 7.5,9,10.5 | SOLE: (two weight ports), FORMULA, FIRE, (fire logo media blast) BACK: KRANK, GOLF TOE: DEEP CUPPED FACE, KRANK, GOLF HOSEL: (line), (orientation indicators) HEEL: (loft), M.E.T. FORGED FACE:PRO TOUR, (fire logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------------|------------------|--|
| Krank Golf | Formula X (LH) | 4,5,6,7.5,9,10.5 | SOLE: FORMULA, X, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF HOSEL: (orientation indicators) HEEL: (loft) view image here |
| Krank Golf | Formula X (Version 1) | 4,5,6,7.5,9,10.5 | SOLE: FORMULA, X, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF HOSEL: (orientation indicators) HEEL: (loft) view image here |
| Krank Golf | Formula X (Version 2) | 4,5 | SOLE: FORMULA, X, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF HEEL: (loft) view image here |
| Krank Golf | Formula X + | 10.5 | SOLE: FORMULA, X, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF HOSEL: (orientation indicators) HEEL: (loft)+ view image here |
| Krank Golf | Formula X Extreme (Version 1) | 4,5,6,9,10.5 | SOLE: FORMULA, X, EXTREME, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF CROWN: (X alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:(X media blast) view image here |
| Krank Golf | Formula X Extreme (Version 1) (LH) | 4,5,6,7.5,9,10.5 | SOLE: FORMULA, X, EXTREME, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF CROWN: (X alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:(X media blast) view image here |
| Krank Golf | Formula X Extreme (Version 2) | 4,5,6 | SOLE: FORMULA, X, EXTREME, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF CROWN: (X alignment mark) HEEL: (loft) FACE:(X media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------------|-------------------|--|
| Krank Golf | Formula X Extreme (Version 2) (LH) | 4,5 | SOLE: FORMULA, X, EXTREME, M.E.T. FORGED BACK: KRANK, GOLF TOE: KRANK, GOLF CROWN: (X alignment mark) HEEL: (loft) FACE:(X media blast) view image here |
| Krank Golf | Rage (Version 2) | 6,7.5,9,10.5,12 | SOLE: (curved line), (KRANK, GOLF, RAGE, IMPACT TECH, (loft) over three slashes), (curved line), FLOW INJECTED HYPER TI BETA BACK: KRANK™ TOE: KRANK™, GOLF CROWN: (curved line), (segmented graphic alignment mark), (curved line) |
| Krank Golf | Rage (Version 2) (LH) | 6,7.5,9,10.5,12 | SOLE: (curved line), (KRANK, GOLF, RAGE, IMPACT TECH, (loft) over three slashes), (curved line), FLOW INJECTED HYPER TI BETA BACK: KRANK™ TOE: KRANK™, GOLF CROWN: (curved line), (segmented graphic alignment mark), (curved line) |
| Krank Golf | Rage Black | 5,6,7.5,9,10.5,12 | SOLE: FLEX FACE TECHNOLOGY, (KRANK, GOLF, RAGE, BLACK over three raised jagged lines), (loft), TRI FORGED HYPER TI BETA BACK: KRANK TOE: KRANK (w/ tm subscript), GOLF CROWN: (three jagged lines alignment mark) view image here |
| Krank Golf | Rage Black (LH) | 5,6,7.5,9,10.5 | SOLE: FLEX FACE TECHNOLOGY, (KRANK, GOLF, RAGE, BLACK, (loft) over three raised jagged lines), TRI FORGED HYPER TI BETA BACK: KRANK (w/ tm subscript) TOE: KRANK (w/ tm subscript), GOLF CROWN: (three jagged lines alignment mark) view image here |
| Krank Golf | Rage Extreme LD | N/A | SOLE: (curved line), R, extreme Id BACK: KRANK TOE: KRANK™, GOLF CROWN: (curved line), (radioactive graphic) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|---|-----------------|--|
| Krank Golf | Red Hot Chili Pepper 460R | 6,7.5,9,10.5,12 | SOLE: (KG logo), "KRANK", Red Hot, 1, (chili pepper graphic), (loft) Chili Pepper, 460R, ß-TITANIUM TOE: KRANK GOLF, POWERED BY INTEGRA CROWN: KRANK |
| Krank Golf | RHCP ² 460cc (Version 2) | 6,7.5,9,10.5 | SOLE: KRANK, GOLF, RHCP², (line), 460cci, (loft), SRC CROWN / HYPER TI BETA, (Krank Golf logo) CROWN: (chili pepper graphic alignment mark) view image here |
| Krank Golf | RHCP ² 460cc HT (Version 2) | N/A | SOLE: KRANK, GOLF, RHCP², (line), 460cci, HT, (loft), SRC CROWN / HYPER TI BETA, (Krank Golf logo) CROWN: (chili pepper graphic alignment mark) view image here |
| Kurio Co Ltd | Ezy Power Titan Magic Moment | 14 | SOLE: EZY, POWER, magic moment, IW-005G, (oval), TITANIUM, In Case of Emergency view image here |
| Kutsuma Co Ltd | 270 | N/A | SOLE: 270, KUTSUMA 1 <u>view image here</u> |
| Kutsuma Co Ltd | 320 | N/A | SOLE: 320, KUTSUMA 1 view image here |
| Kyoei Golf Industry Co Ltd | Algrand AD-01 | N/A | SOLE: Algrand, AD-01, (A logo), (4 circles), (4 circles) view image here |
| Kyoei Golf Industry Co Ltd | HTnf-460 | N/A | SOLE: (logo), ZESTAIM (underlined), HTnf-460 TOE: (logo) HEEL: Conforms to, R&A/USGA, SLE ru es |
| Kyoei Golf Industry Co Ltd | V-Drive VD-01 | N/A | SOLE: V-drive, (CV logo), VD-01 TOE: VEGA (with star in G), Produced by, KYOEI GOLF view image here |
| Kyowa Golf Co Ltd | Big Hit | 9.5,10.5 | SOLE: TITANIUM, BIG HIT (IT underlined), SUPER MOMENT, (loft), • 460 • (in oval) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------------------|-----------|--|
| Kyowa Golf Co Ltd | Flat Fire 435 | 10.5,11.5 | SOLE: FLAT FIRE, 435, (loft), F, FLAT FIRE (in circle) |
| | | | view image here |
| Kyowa Golf Co Ltd | Freimage | 14 | SOLE: (logo), 1 (loft) FREIMAGE, SIMPLE ELEGANCE |
| | | | <u>view image here</u> |
| Kyowa Golf Co Ltd | Freimage TI400 | 14 | SOLE: Freimage, (logo), SIMPLE ELEGANCE, TI-400, (logo), (loft) 1 |
| | | | <u>view image here</u> |
| Kyowa Golf Co Ltd | G.Studio | 9,10 | SOLE: G.STUDIO, (triangle) PROTO - FORGED (triangle), (loft) |
| | | | view image here |
| Kyowa Golf Co Ltd | G.Studio Power Back 460 | 9.5,10.5 | SOLE: (logo), G.STUDIO, POWER BACK 460 TITANIUM, 1 (loft) CROWN: (logo alignment mark) |
| | | | <u>view image here</u> |
| Kyowa Golf Co Ltd | Gear Studio X2 | 10 | SOLE: X2, SPEED, GEAR STUDIO, (loft), X2 |
| | | | <u>view image here</u> |
| Kyowa Golf Co Ltd | Johnny Fry HS201 | 10.5 | SOLE: JOHNNY FRY, HS201, 1 (loft) |
| | | | view image here |
| Kyowa Golf Co Ltd | Johnny Fry NS-05 | 10.5 | SOLE: TITANIUM, (3 lines) JOHNNY FRY, (loft) TOE: (JF logo), NS-05 |
| | | | view image here |
| Kyowa Golf Co Ltd | Johnny Fry NS-07 | 10.5 | SOLE: JOHNNY (line), (line), FRY, 1 (loft), FORGED FACE, NS-07 |
| | | | view image here |
| Kyowa Golf Co Ltd | Johnny Fry NS-100 (version 2) | 10.5 | SOLE: 1 (loft), JOHNNY FRY, FORGED FACE, NS-100 |
| | | | <u>view image here</u> |
| Kyowa Golf Co Ltd | Sercia | 15 | SOLE: Sercia, 1 (loft), (circles and hearts) |
| | | | <u>view image here</u> |
| Kyowa Golf Co Ltd | Tri-X | 9.5,10.5 | SOLE: TRI-X, MORE SPEED, (loft),•, (TRI-X, (logo), MORE SPEED on circular inset) |
| | | | <u>view image here</u> |

| Kyowa Golf Co Ltd Ubiz Kyowa Golf Co Ltd Ubiz KZG CH-1 KZG Gem | duct Name | Lofts 14 | SOLE: (two hearts), Ubiz, (two hearts), 1 (loft) |
|---|---------------|---------------|--|
| Kyowa Golf Co Ltd Ubiz KZG CH-1 KZG Gem | : | 14 | |
| KZG CH-1 KZG Gem | | | view image here |
| KZG CH-1 KZG Gem | T1400 | 44 | |
| KZG Coba | : 11400 | 14 | SOLE: Ubiz, It's fun to play, -TI.400-, (loft) 1, Ubiz |
| KZG Coba | | | view image here |
| KZG Gem | 1 | 7.5 | SOLE: (curved line with dot), KZG, 1, (loft), CH-1 |
| KZG Gem | | | view image here |
| | alt | 9,10.5 | SOLE: (curved line with dot), KZG, COBALT, (loft) |
| | | | view image here |
| KZG Gem | nini 355 | 9,10.5,12 | SOLE: (loft), (curved line with dot), KZG, (line with curves), (line with curves), Gemini, 355 |
| KZG Gem | | | view image here |
| | nini 355 (LH) | 10.5 | SOLE: (curved line with dot), KZG, (loft), (line with curves), (line with curves), Gemini, 355 |
| | | | view image here |
| KZG Gem | nini 355 SL | 14 | SOLE: SL, (curved line with dot), KZG, (line with curves), (line with curves), Gemini, 355 |
| | | | view image here |
| KZG Gem | nini 395 | 7.5,9,10.5,12 | SOLE: (loft), (curved line with dot), KZG, (line with curves), (line with curves), Gemini, 395 |
| | | | view image here |
| KZG Gem | nini 395 (LH) | 10.5 | SOLE: (curved line with dot), KZG, (loft), (line with curves), (line with curves), Gemini, 395 |
| | | | view image here |
| KZG Gem | nini 395 SL | 14 | SOLE: SL, (curved line with dot), KZG, (line with curves), (line with curves), Gemini, 395 |
| | | | view image here |
| KZG Gem | nini 460 | 9,10.5,12 | SOLE: 10.5°, (curved line and dot), KZG, |
| Geni | III II TOO | 5, . 5, 5, 12 | (line with curves), (line with curves), Gemini, |
| | | | 100 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------------|-------|--|
| KZG | Gemini 460 (LH) | 10.5 | SOLE: (curved line with dot), KZG, (loft), (line with curves), (line with curves), Gemini, 460 view image here |
| KZG | Gemini 460 SL | 14 | SOLE: SL, (curved line with dot), KZG, (line with curves), (line with curves), Gemini, 460 view image here |
| KZG | Gemini II 460 Tour HL | 12 | SOLE: (curved line with dot), KZG, (line with curves), (line with curves), Gemini II, 460, TOUR, HL view image here |
| KZG | Gemini II 460 Tour HL (LH) | 12 | SOLE: (curved line with dot), KZG, (line with curves), (line with curves), Gemini II, 460, TOUR, HL view image here |
| KZG | Gemini II 460 Tour LL | 9 | SOLE: (curved line with dot), KZG, (line with curves), (line with curves), Gemini II, 460, TOUR, LL view image here |
| KZG | Gemini II 460 Tour ML | 10.5 | SOLE: (curved line with dot), KZG, (line with curves), (line with curves), Gemini II, 460, TOUR, ML view image here |
| KZG | Gemini II 460 Tour ML (LH) | 10.5 | SOLE: (curved line with dot), KZG, (line with curves), (line with curves), Gemini II, 460, TOUR, ML view image here |
| KZG | Gemini II 460 Tour SL | 14 | SOLE: (curved line with dot), KZG, (line with curves), (line with curves), Gemini II, 460, TOUR, SL view image here |
| KZG | GF 460 Tour HL | 12 | SOLE: TOUR, HL, GF460 (w/ F4 in G), (curved line with dot), KZG view image here |
| KZG | GF 460 Tour LL | 9 | SOLE: TOUR, LL, GF460 (w/ F4 in G), (curved line with dot), KZG view image here |
| KZG | GF 460 Tour ML | 10.5 | SOLE: TOUR, ML, GF460 (w/ F4 in G), (curved line with dot), KZG view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|------------------------|-----------|---|
| KZG | GF 460 Tour ML (LH) | 10.5 | SOLE: TOUR, ML, GF460 (w/ F4 in G), (curved line with dot), KZG BACK: (weight port), (weight port) view image here |
| KZG | GF 460 Tour SL | 14° | SOLE: TOUR, SL, GF460 (w/ F4 in G), (curved line with dot), KZG view image here |
| KZG | GF Deep LL | 9 | SOLE: (weight port), GF (w/ F in G), deep, LL, (weight port) TOE: (curved line with dot), KZG view image here |
| KZG | GF Deep ML (LH) | 10.5 | SOLE: (weight port), GF (w/ F in G), deep, ML, (weight port) TOE: (curved line with dot), KZG view image here |
| KZG | GF Tour LL (Version 2) | LL | SOLE: HOT SLOT CHANNEL, GF TOUR, (KZG logo), KZG HOSEL: (dot), (orientation indicators) HEEL: LL FACE:TOUR view image here |
| KZG | GF Tour ML (Version 2) | ML | SOLE: HOT SLOT CHANNEL, GF TOUR, DRAW, n, FADE, (KZG logo), KZG HOSEL: (dot), (orientation indicators) HEEL: ML view image here |
| KZG | GF X LL | 9 | SOLE: (weight port), LL, GFX (w/ FX in G), (curved line with dot), KZG, (weight port) TOE: (curved line with dot), KZG view image here |
| KZG | GF X ML (Version 1) | 10.5 | SOLE: (weight port), ML, GFX (w/ FX in G), (curved line with dot), KZG, (weight port) TOE: (curved line with dot), KZG view image here |
| KZG | GF X ML (Version 2) | ML | SOLE: ML, GFX, (KZG logo), KZG TOE: (KZG logo), KZG HEEL: Ltd Ed (number) view image here |
| KZG | GF-4 | 9,10.5,12 | SOLE: (loft), GF4 (w/ F4 in G), (curved line with dot), KZG BACK: (recessed circular weight), (recessed circular weight), (recessed circular weight), (recessed circular weight) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------|------------|--|
| KZG | GF-4 (LH) | 10.5,12 | SOLE: (loft), GF4 (w/ F4 in G), (curved line with dot), KZG BACK: (recessed circular weight), (recessed circular weight), (recessed circular weight) (recessed circular weight) view image here |
| KZG | Maraging Power | 5,6 | SOLE: (curved line with dot), KZG, 1, (loft), (line), MARAGING, POWER, (line) FACE:MARAGING view image here |
| KZG | OS 11 HL | N/A | SOLE: OS II, (curved line with dot), KZG, HL view image here |
| KZG | OS 11 HL (LH) | N/A | SOLE: OS II, (curved line with dot), KZG, HL view image here |
| KZG | OS 11 ML | N/A | SOLE: OS II, (curved line with dot), KZG, ML view image here |
| KZG | OS 11 ML (LH) | N/A | SOLE: OS II, (curved line with dot), KZG, ML view image here |
| KZG | OS 11 SL | N/A | SOLE: OS II, (curved line with dot), KZG, SL view image here |
| KZG | OS 11 SXL | N/A | SOLE: OS II, (curved line with dot), KZG, SXL view image here |
| KZG | OS-III HL | HL | SOLE: OS-III, (KZG logo), KZG, (weight port) HEEL: HL view image here |
| KZG | OS-III ML | ML | SOLE: OS-III, (KZG logo), KZG, (weight port) HEEL: ML view image here |
| KZG | OS-III SL | SL | SOLE: OS-III, (KZG logo), KZG, (weight port) HEEL: SL view image here |
| KZG | PFT/300 | 7.5,9,10.5 | SOLE: 1, (loft), (curved line with dot), KZG, PFT/300 view image here |

| November 04, 2024 | | | |
|-------------------|---------------|-------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| KZG | PTI HL | 12 | SOLE: (curved line with dot), KZG, (weight port), PTI, (weight port) HEEL: HL view image here |
| KZG | PTI HL (LH) | 12 | SOLE: (curved line with dot), KZG, (weight port), PTI, (weight port) HEEL: HL view image here |
| KZG | PTI LL | 9 | SOLE: (curved line with dot), KZG, (weight port), PTI, (weight port) HEEL: LL view image here |
| KZG | PTI ML | 10.5 | SOLE: (curved line with dot), KZG, (weight port), PTI, (weight port) HEEL: ML view image here |
| KZG | PTI ML (LH) | 10.5 | SOLE: (curved line with dot), KZG, (weight port), PTI, (weight port) HEEL: ML view image here |
| KZG | PTI SL | 14 | SOLE: (curved line with dot), KZG, (weight port), PTI, (weight port) HEEL: SL view image here |
| KZG | Q HL 460 | 12° | SOLE: (curved line with dot), KZG, HL, Q view image here |
| KZG | Q LL 460 | 9° | SOLE: (curved line with dot), KZG, LL, Q view image here |
| KZG | Q LL 460 (LH) | 9° | SOLE: (curved line with dot), KZG, LL, Q view image here |
| KZG | Q ML 460 | 10.5° | SOLE: (curved line with dot), KZG, ML, Q view image here |
| KZG | Q ML 460 (LH) | 10.5° | SOLE: (curved line with dot), KZG, ML, Q view image here |
| KZG | Q SL 460 | 14° | SOLE: (curved line with dot), KZG, SL, Q view image here |
| KZG | Q TL 460 | 7.5° | SOLE: (curved line with dot), KZG, TL, Q view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------|--------------|---|
| KZG | RBT 360 | 9 | SOLE: 1 (loft), (curved line with dot), KZG, (line), RBT/360, (line) view image here |
| KZG | RBT 400 | 9 | SOLE: 1 (loft), (curved line with dot), KZG, (line), RBT/400, (line) view image here |
| KZG | RBT/325 | 7.5,9,10.5 | SOLE: (curved line with dot), KZG, (line), RBT/325, (line), 1 (loft) view image here |
| KZG | SP OSX HL | 12 | SOLE: (curved line with dot), KZG, SP OSX, (line), TITANIUM, HL view image here |
| KZG | SP OSX HL (LH) | 12 | SOLE: (curved line with dot), KZG, SP OSX, (line), TITANIUM, HL view image here |
| KZG | SP OSX ML (LH) | 10.5 | SOLE: (curved line with dot), KZG, SP OSX, (line), TITANIUM, ML view image here |
| KZG | SP OSX SL | 14 | SOLE: (curved line with dot), KZG, SP OSX, (line), TITANIUM, SL view image here |
| KZG | SP OSX XSL | 16 | SOLE: (curved line with dot), KZG, SP OSX, (line), TITANIUM, XSL view image here |
| KZG | SP-700 | 9,10.5,12,14 | SOLE: (curved line with dot), KZG, SP700, (line), TITANIUM, 1 (loft) view image here |
| KZG | SP-700 (LH) | 10.5,12 | SOLE: (curved line with dot), KZG, SP700, (line), TITANIUM, 1 (loft) view image here |
| KZG | SP-700J | 9,10.5,12,14 | SOLE: (curved line with dot), KZG, SP700J, (line), TITANIUM, 1 (loft) view image here |
| KZG | SP-700J (LH) | 10.5 | SOLE: (curved line with dot), KZG, SP700J, (line), TITANIUM, 1 (loft) view image here |
| KZG | SPX 460 HL | 12 | SOLE: (curved line with dot), KZG, SPX 460, (line), TITANIUM, HL <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------|-----------|--|
| | | | |
| KZG | SPX 460 HL (LH) | 12 | SOLE: (curved line with dot), KZG, SPX 460, (line), TITANIUM, HL view image here |
| KZG | SPX 460 LL | 9 | SOLE: (curved line with dot), KZG, SPX 460, |
| NZO | 01 X 100 EE | | (line), TITANIUM, LL |
| | | | view image here |
| KZG | SPX 460 ML | 10.5 | SOLE: (curved line with dot), KZG, SPX 460, (line), TITANIUM, ML |
| | | | <u>view image here</u> |
| KZG | SPX 460 ML (LH) | 10.5 | SOLE: (curved line with dot), KZG, SPX 460, (line), TITANIUM, ML |
| | | | view image here |
| KZG | SPX 460 SL | 14 | SOLE: (curved line with dot), KZG, SPX 460, (line), TITANIUM, SL |
| | | | <u>view image here</u> |
| KZG | TiC6 HL | 12 | SOLE: (KZG logo), KZG, (weight port), TiC6, TOUR, (weight port) HOSEL: HL, (dot), (orientation indicators) |
| | | | <u>view image here</u> |
| KZG | TiC6 LL | LL | SOLE: (KZG logo), KZG, (weight port), TiC6, TOUR, (weight port) HOSEL: LL, (dot), (orientation indicators) |
| | | | view image here |
| KZG | TiC6 ML | ML | SOLE: (KZG logo), KZG, (weight port), TiC6, TOUR, (weight port) HOSEL: (dot), (orientation indicators) HEEL: ML |
| | | | <u>view image here</u> |
| KZG | TiC6 ML (LH) | ML | SOLE: (KZG logo), KZG, (weight port), TiC6, TOUR, (weight port) HOSEL: ML, (dot), (orientation indicators) |
| | | | view image here |
| KZG | VC-420 LL | 9 | SOLE: LL, (curved line with dot), KZG, VC-420 |
| | | | <u>view image here</u> |
| KZG | VC-420 ML | 10.5 | SOLE: ML, (curved line with dot), KZG, VC-420 |
| | | | <u>view image here</u> |
| KZG | VC-460 | 9,10.5,12 | SOLE: LL, (KZG logo), KZG, VC-460 |
| | | | <u>view image here</u> |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|------------------|--------------------|---|
| KZG | VC-460 (LH) | 10.5 | SOLE: (KZG logo), KZG, VC-460, ML |
| NZO | VO 400 (EII) | | |
| 1/70 | VID | LL,ML,ML,HL,HL | view image here |
| KZG | XLD | LL,IVIL,IVIL,ПL,ПL | SOLE: (KZG logo), KZG, XLD, LL BACK: (KZG logo), KZG |
| | | | view image here |
| KZG | XLD (LH) | ML,HL,HL | SOLE: (KZG logo), KZG, XLD, ML |
| | | | BACK: (KZG logo), KZG |
| | | | view image here |
| L\$D Golf Clubs | L\$D (Version 3) | 12 | SOLE: (curved line), #, L\$D, 460 BACK: (circular weight) |
| | | | TOE: (circular weight) |
| | | | CROWN: (arrow alignment mark) HEEL: (circular weight) |
| | | | FACE:(grooveless) |
| | | | view image here |
| La Jolla Club Golf | 300 Titanium | 8 | SOLE: LA JOLLA, 300 (line through 300), |
| Company | | | TITANIUM, (loft), (circular insert with Trident graphic) |
| | | | CROWN: La Jolla |
| | | | view image here |
| La Jolla Club Golf | 350 Titanium | 9 | SOLE: LA JOLLA, 350 (line through 350), |
| Company | | | TITANIUM, (loft), (circular insert with Trident graphic) |
| | | | CROWN: La Jolla |
| | | | <u>view image here</u> |
| La Jolla Club Golf Company | 400 Titanium | 9,10 | SOLE: LA JOLLA, 400 (line through 400), TITANIUM, (loft), (circular insert with Trident |
| Company | | | graphic) |
| | | | CROWN: La Jolla |
| | | | view image here |
| La Jolla Club Golf Company | 450 Titanium | 10 | SOLE: L•J•CGOLF, 450 (line through 450), TITANIUM, (loft), (circular insert with Trident |
| - 1 7 | | | graphic) |
| | | | CROWN: (Trident graphic alignment mark) FACE:.83 COR |
| | | | view image here |
| La Jolla Club Golf | Forged Titanium | 10 | SOLE: driver, LA JOLLA, (line), FORGED |
| Company | | | TITANIUM, (loft), VORTEX RELEASE TAIL, (TUNGSTEN•STEEL• in circle) |
| | | | CROWN: LA JOLLA |
| | | | FACE:HYPER-LJC |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-----------------------|-------|--|
| Lake Golf | Lake Golf Titanium SS | 9.5 | SOLE: 1 (loft), LAKE GOLF, TITANIUM, ss, 260cc CROWN: (diamond alignment mark) view image here |
| Lake Golf | Super Driver (LH) | 9.6 | SOLE: 17-4, STAINLESS, (Super Driver in inset), 1, (loft)LOFT, Chicago////, 250 CC CROWN: (966 SD alignment mark) view image here |
| Lark Sports Corporation | GTR Excellence | 9,10 | SOLE: (G T R in circle w/ 3 triangles), EXCELLENCE, PLASMA TREATMENT, HRC>80, 1 (loft) CROWN: (arrow and dot alignment mark) view image here |
| Lauden Golf, Inc. | Bahama Blue 450cc | 10 | SOLE: LAUDENGOLF.COM, (two bird graphics), BAHAMA BLUE (loft), ULTRA ELASTIC 1.9MM GROOVELESS BETA TI, WINDTALKER II, 4 5 0CC CROWN: (four line alignment mark) view image here |
| Lauden Golf, Inc. | Banana Blaster | 14 | SOLE: BANANA, LAUDENGOLF, (palm tree graphic), Ponte, Vedra, Beach, (loft), Blaster CROWN: (four line alignment mark) FACE:HS 450 view image here |
| Lauden Golf, Inc. | Blue Horizon 375cc | 9 | SOLE: LAUDENGOLF.COM, (curved line), BLUE HORIZON (loft)+, ULTRA ELASTIC 1.9MMGROOVELESS BETA TI, PONTE VEDRA BEACH, WINDTALKER 375CC CROWN: (four line alignment mark) view image here |
| Lauden Golf, Inc. | Icedown | 9.75 | SOLE: LAUDEN GOLF, ZIR, IceDown, Cryogenic Zr 9122, HRC>80, (loft), 240cc CROWN: (four line alignment mark) view image here |
| Lauden Golf, Inc. | MACH V | 10.5 | SOLE: 1, (loft), (LAUDEN'S, MACH V (line above and below V), ULTIMATE in oval insert), TITANIUM, 300cc CROWN: (dot alignment mark) FACE:THIN FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------|----------|--|
| Lauden Golf, Inc. | Mach VI Blue Lightning | 9.75 | SOLE: 1, (crescent), MACH VI BLUE LIGHTNING (lightning bolt graphic), 1.9mm Micro Elastic Grooveless Center, (line), Beta Ti (arrow graphic), (loft), LaudenGOLF CROWN: (four line alignment mark) FACE:(four dots in center of face) view image here |
| Lauden Golf, Inc. | SW B2K 450cc | 9 | SOLE: (loft), (crescent), SW B2K, TOURWOOD, ß-TITANIUM, (450 in oval) view image here |
| Lauden Golf, Inc. | SWB99 Tourwood 310 | 9 | SOLE: (loft), (310 in oval), SWB99, TOURWOOD, ß-TITANIUM view image here |
| Lazrus Golf LLC | Lazrus Driver (Version 1) | N/A | SOLE: (Lazrus logo), LAZRUS, GOLF CROWN: (Lazrus logo alignment marker) view image here |
| Lazrus Golf LLC | Lazrus Driver (Version 3) | 10.5 | SOLE: TITANIUM, LAZRUS, (Lazrus logos around weight port), (loft) CROWN: (Lazrus logo alignment marker) HOSEL: (orientation indicators) view image here |
| Lenzini Golf | NTD 108 | 11.5 | SOLE: (loft underlined), Lenzini Golf NTD-108 (underlined) CROWN: (alignment mark) <u>view image here</u> |
| Lenzini Golf | NTD-109 | 8.5,10.5 | SOLE: (loft) (underlined), Lenzini Golf, NTD-109 (underlined) CROWN: (alignment arrow) view image here |
| Lezax Inc | AGCS 7118 (LH) | 10.5 | SOLE: AGC, AMERICAN GOLFER'S COLLECTION, SPEC-460, 1 (loft) CROWN: (alignment mark) view image here |
| Lezax Inc | AGCS-7118 | 10.5 | SOLE: AGC, AMERICAN GOLFER'S COLLECTION, SPEC-460, 1 (loft) view image here |
| Lezax Inc | Air Strait | 10.5 | SOLE: Air, STRAIT, AS-460, 1, (loft) view image here |
| Lezax Inc | BCDR-7119 | 10.5 | SOLE: BC-D1, 460, (BC logo), British Classic, GOLF, (loft) BACK: ß-TITANIUM TOE: (BC logo), British Classic, GOLF |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------------|----------|--|
| Lezax Inc | Facto FTDR-6115 | 10 | SOLE: Facto (with star symbol), DISTANCE AND FORGIVENESS, 460, 1 (loft), TUNGSTEN WEIGHT TOE: Facto (with star symbol) CROWN: (alignment mark) HEEL: TUNGSTEN WEIGHT view image here |
| Lezax Inc | Facto USDR-8106 | 10.5 | SOLE: U.S. Athletes, Facto (with star symbol), DISTANCE AND FORGIVENESS, 1 (loft), 460 view image here |
| Lezax Inc | Nicotera | 13 | SOLE: Nicotera, Since 1990, Ni, FORGED TITANIUM, 6AL-4V, (loft) 1 BACK: TUNGSTEN WEIGHT TOE: Nicotera CROWN: (alignment mark) view image here |
| Lezax Inc | Nicotera (Version 2) | 13 | SOLE: (heart logo) Since 1990, (heart media blast logos) Nicotera, easy&high performance, (loft) TOE: (heart logos) view image here |
| Lezax Inc | Nicotera 430 | 13 | SOLE: Nicotera, Since 1990, EASY & HGH PERFORMANCE, (Ni logo), 430, 1 (loft), TUNGSTEN WEIGHT TOE: Nicotera CROWN: (alignment mark) view image here |
| Lezax Inc | NTCS-7126 | 13 | SOLE: Nicotera, Since 1990, EASY & HIGH PERFORMANCE, (Ni logo), 430, 1 (loft), TUNGSTEN WEIGHT TOE: Nicotera CROWN: (alignment mark) view image here |
| Lezax Inc | NTDR-7122 | 13 | SOLE: Nicotera, Since 1990, EASY & HIGH PERFORMANCE, (Ni logo), 430 TITANIUM, 1 (loft) TOE: Nicotera view image here |
| Lezax Inc | Snake Eyes PowerLink SEDR-6133 | 9.5,10.5 | SOLE: 1 (loft), (Snake Eyes logo), SNAKES EYES, T•I•T•A•N•I•U•M, (circular weight in oval), PowerLink HEEL: (circular weight in circle) FACE:(Snake Eyes logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------------------|-------|---|
| Lezax Inc | Snake Eyes Python XL Ti-Snake | 10 | SOLE: PYTHON XL, ((snake eyes logo), SNAKE EYES, Ti-Snake, 1 (loft), (line), 460cc over snake eyes media blast logo), ((snake eyes logo), SNAKE EYES, PYTHON on inset) CROWN: (alignment mark) view image here |
| Lezax Inc | Snake Eyes Rattler | 10.5 | SOLE: SNAKE EYES, (Snake Eyes logo), RATTLER, (loft), (snake logo on inset) CROWN: (alignment mark) view image here |
| Lezax Inc | Snake Eyes Sidewinder | 10.5 | SOLE: (SNAKE EYES, (snake eyes logo) over snake eyes media blast logo), SIDEWINDER (with snake logo for S), (snake logo on inset) TOE: (snake eyes logo) HEEL: (loft) view image here |
| Lezax Inc | Snake Eyes Sidewinder 460 | 10.5 | SOLE: SNAKE EYES, (snake eyes logo), SIDEWINDER (with snake logo for S), 460, (snake logo on inset) TOE: (snake eyes logo) HEEL: (loft) view image here |
| Lezax Inc | Snake Eyes Viper (Version 2) | 10.5 | SOLE: (snake eyes logo), (SNAKE EYES over VIPER media blast logo) TOE: (snake eyes logo) HEEL: (loft) FACE:VIPER view image here |
| Lezax Inc | Tour Rouge TRDR-6123 | 10.5 | SOLE: 420 1, (loft) (underlined) BACK: TUNGSTEN WEIGHT TOE: Tour Rouge CROWN: (alignment mark) view image here |
| Lezax Inc | U.S Athletes | 10 | SOLE: (three media blast stars), U.S. Athletes, (two media blast lines), (SPEC-460, HYPER-TI over star media blast logo), 1 (loft) CROWN: (alignment mark) view image here |
| Lezax Inc | USAT Tentus | 10.5 | SOLE: (loft) 1, 10+, TENTUS, USAT, T, FORGED TITANIUM, 6AL-4V BACK: TUNGSTEN WEIGHT TOE: 10+, TENTUS CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|-------------------|--------------|---|
| Lezax Inc | USCS-7121 | 10 | SOLE: (3 stars), U.S. Athletes, (3 stripes), 460, TITANIUM, 1 (loft) CROWN: (alignment mark) view image here |
| Limited Co. Koei Golf | Bullet 445 | N/A | SOLE: Bullet, 445, PLASMA BACK: (weight port), (weight port) view image here |
| Limited Co. Koei Golf | Bullet 460 Plasma | 9.5,10.5 | SOLE: Bullet, 460, PLASMA (loft), NK-03 view image here |
| Lind Golf | Apache MK2 | 10.5 | SOLE: LIND, APACHE, (L logo), (line), (loft), 460CC TITANIUM CROWN: (alignment mark) view image here |
| Lind Golf | Lind Blackhawk | 10.5 | SOLE: LIND, (logo) BLACKHAWK, 460, (loft) CROWN: (alignment mark) view image here |
| Lind Golf | Longbow | 10.5 | SOLE: LIND, LONGBOW (logo), (loft) CROWN: (alignment mark) view image here |
| Lind Golf | Mi One | 10.5 | SOLE: (LIND, GOLF logos), MiOne, lindgolf.com, (LIND, GOLF logos) BACK: (LIND, GOLF logos) TOE: (LIND, GOLF logos), LIND, GOLF CROWN: (alignment mark) HEEL: (LIND, GOLF logos), (loft) FACE:lindgolf.com |
| LinksWalker/ AirSlot | AirSlot Play-Club | 10.5 | SOLE: AIR(line under R)SLOT(quarter moon shape), (line) Play-Club, (LinksWalker in star graphic), 1, (loft) BACK: U.S. PATENT 6,458,042 AUTHORIZED BY, MIDAS GOLF CO. TOE: FORGED TITANIUM, 360 CC CROWN: (arrow alignment mark) view image here |
| Liquidmetal Golf | Driver | 8.5,9.5,10.5 | SOLE: 1, (Liquidmetal logo), (loft), LIQUIDMETAL (w/ liquid Q logo), (double line), PURE ENERGY TRANSFER CROWN: (Liquidmetal logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--|-------|---|
| Liquidmetal Golf | Liquidmetal LS 370 | 11.5 | SOLE: LS 370, (recessed oval), LIQUIDMETAL (w/ liquid Q logo), (double line), PURE ENERGY TRANSFER, (loft) view image here |
| Liquidmetal Golf | Lite | N/A | SOLE: 1, (Liquidmetal logo), Lite, Tour, LIQUIDMETAL (w/ liquid Q logo), (double line), PURE ENERGY TRANSFER CROWN: (Liquidmetal logo) view image here |
| Liquidmetal Golf | LS 370 | 8.5 | SOLE: LS 370, (recessed oval), LIQUIDMETAL (w/ liquid Q logo), (double line), PURE ENERGY TRANSFER, (loft) view image here |
| Liquidmetal Golf | Professor Johnson (Version 1) | 9 | SOLE: PROFESSOR, JOHNSON, (curved balloon-like line), (Liquidmetal logo), 1, (loft), LIQUIDMETAL (w/ liquid Q logo), (double line), Pure Energy Transfer CROWN: (Liquidmetal logo alignment mark) view image here |
| Liquidmetal Golf | Professor Johnson (Version 2) | 10 | SOLE: (PROFESSOR, JOHNSON in curved triangle), (Liquidmetal logo), (1, (loft) in curved triangle), LIQUIDMETAL (w/ liquid Q logo), (double line), Pure Energy Transfer CROWN: (Liquidmetal logo alignment mark) view image here |
| Liquidmetal Golf | Professor Johnson 300cc | 10 | SOLE: PROFESSOR, JOHNSON, (double line), 300cc, (curved balloon-like line), (Liquidmetal logo), 1, (loft), LIQUIDMETAL (w/ liquid Q logo), (double line), PURE ENERGY TRANSFER TOE: (Liquidmetal logo) CROWN: (Liquidmetal logo alignment mark) |
| Liquidmetal Golf | Professor Johnson 330cc (Version 1) | 10 | SOLE: PROFESSOR, JOHNSON, (double line), 330cc, (curved balloon-like line), (Liquidmetal logo), 1, (loft), LIQUIDMETAL (w/ liquid Q logo), (double line), PURE ENERGY TRANSFER CROWN: (Liquidmetal logo alignment mark) view image here |
| Liquidmetal Golf | Tour | 8,9 | SOLE: 1, (Liquidmetal logo), (loft), Tour, LIQUIDMETAL (w/ liquid Q logo), (double line), PURE ENERGY TRANSFER CROWN: (Liquidmetal logo) view image here |
| | | | <u></u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------|----------------------------|--------------|--|
| Logical One Golf | Logical One Neuro Tour | 9.5 | SOLE: (weight port), LogicalOne, neuro, TOUR, (weight port), (loft) view image here |
| Longhorn Golf Company | Black Titanium | 7.5,9.5,10.5 | SOLE: Black Titanium, GOLF, Black, Titanium, (loft) view image here |
| Longhorn Golf Company | Black Titanium Tour | 14 | SOLE: Black Titanium, GOLF, Black, Titanium, TOUR, (loft) view image here |
| Low Pro Golf | Aggressive AG-400 | 5,6,7 | SOLE: (Pyranna graphic in oval), AGGRESSIVE™, AG-400, u-cup, f²(2 underlined), ßti, ((three lofts) and circle in circle) CROWN: (line alignment mark) FACE:ßti view image here |
| LSD Golf Clubs | L\$D (Version 2) | 18 | SOLE: (curved line), #, L\$D, (loft), 460 CROWN: (alignment mark) FACE:(grooves in face) view image here |
| LSD Golf Clubs | L\$D (Version 4) | N/A | SOLE: (curved line), #, L\$D, 460 CROWN: (arrow alignment mark) |
| Lynx Co Ltd | Automatic Control AC801 | N/A | SOLE: (Automatic Control over AC media blast logo), TOKYO, AC801 view image here |
| Lynx Co Ltd | Black Cat RG | 11 | SOLE: LYNX, RG, Royal Grade, 1 (loft) TOE: (cat logo), BLACK, (line), CAT (with T in oval), PVD 460 Ti view image here |
| Lynx Co Ltd | Black Cat RG II | 10.5 | SOLE: (BLACK, (line), CAT (with T in oval) on oval inset), LYNX, RG, Royal Grade II, 1 (loft) view image here |
| Lynx Co Ltd | Bomba | 9.5,10.5 | SOLE: 1, Lynx, (loft), BOMBA view image here |
| Lynx Co Ltd | Bomba (Version 3) | 10.5 | SOLE: (lynx logo), Lynx, BOMBA, (arrow shape), (loft) view image here |
| Lynx Co Ltd | Bomba Max | 7.5,8.5 | SOLE: MAX, Version, Lynx, (loft), BOMBA <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------|-------|--|
| Lynx Co Ltd | Crystal Cat | 14 | SOLE: Lynx, 1 (loft), Crystal Cat (star), (patterned inset) CROWN: (alignment mark) view image here |
| Lynx Co Ltd | Crystal Cat ef | 14 | SOLE: Lynx, Crystal Cat, ef, 1 (loft), (floral patterned oval inset) view image here |
| Lynx Co Ltd | efacile Jewel | 13.5 | SOLE: éfacilé (logo), jewel, 430, -(loft)-, (jewel) <u>view image here</u> |
| Lynx Co Ltd | Efacile Jewel 460 | 13.5 | SOLE: éfacile (logo), jewel, 460, -(loft)- <u>view image here</u> |
| Lynx Co Ltd | Founders Club CG-01 | 10.5 | SOLE: Founders, Club (logo), CG-01, 1 (loft) view image here |
| Lynx Co Ltd | Founders Club CG-02 | 10.5 | SOLE: Founders, Club (logo), CG-02, (loft) view image here |
| Lynx Co Ltd | Founders Club Deltoid Black | 10.5 | SOLE: Founders, Club (logo), DELTOID BLACK, TITANIUM 460, 1 (loft), (dots) view image here |
| Lynx Co Ltd | Founders Club FC-X II | 10.5 | SOLE: 1 (loft), Founders, Club (logo), FC-X II, FORGED 460 view image here |
| Lynx Co Ltd | Founders Club G-II | 10.5 | SOLE: 1, (loft) (underlined), G-II, Founders, Club (logo) view image here |
| Lynx Co Ltd | Founders Club Lady EZ | 14 | SOLE: (FC logo), Founders club (FC logo), Lady EZ, - (loft) - 1 CROWN: (flower alignment mark) view image here |
| Lynx Co Ltd | Founders Club Lady EZ II | 14 | SOLE: lady EZ II, Founders, club (FC logo in oval), 1 (loft), (flowers on oval inset) CROWN: (FC logo alignment mark) view image here |
| Lynx Co Ltd | Founders Club ME201 | 10.5 | SOLE: 1, (loft), Founders, Club (logo), ME 201 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------|-----------|---|
| Lynx Co Ltd | Founders Club R3 | 14 | SOLE: (loft), (curved lines) fc-R3, FOUNDERS CLUB, 1 CROWN: (alignment mark) view image here |
| Lynx Co Ltd | Founders Club Triangle III | 11 | SOLE: Founders, Club (logo), (logo), 1 - (loft)- TOE: TRIANGLE III view image here |
| Lynx Co Ltd | Founders Club TX-1 (LH) | 10.5 | SOLE: (loft) 1, Founders, Club (logo) (in shape), TX-1 view image here |
| Lynx Co Ltd | Golden Lynx 460 | 10.5,11.5 | SOLE: 1 (loft), (logo) GL (logo), Golden Lynx, 460, ((lynx logo) Lynx, since 1971 on inset) BACK: VIRGIN TITANIUM FACE Type2 view image here |
| Lynx Co Ltd | LP-515 | 10.5 | SOLE: LYNX, LP-515, (loft) 1 CROWN: (circular alignment mark) view image here |
| Lynx Co Ltd | Lynx Superstage (Version 2) | 10.5 | SOLE: 1 (loft), (line), SUPERSTAGE, (line), LYNX BACK: HIGH MOI TECHNOLOGY TOE: (L logo) view image here |
| Lynx Co Ltd | Lynx Superstage FH | 10.5 | SOLE: SUPERSTAGE, (line), (loft) 1, LYNX view image here |
| Lynx Co Ltd | Master Model MB | N/A | SOLE: MASTER, MODEL, Lynx BACK: MB view image here |
| Lynx Co Ltd | Master Model MB (Version 3) | 9.5,10.5 | SOLE: MASTER, MODEL, Lynx BACK: (MB on inset) view image here |
| Lynx Co Ltd | Onesider | 10.5 | SOLE: (logo), ONESIDER, (loft) CROWN: (logo alignment mark) view image here |
| Lynx Co Ltd | Onesider EM | 10.5 | SOLE: (logo), ONESIDER, (line), -EM-, 1 (loft), TSURUYA BACK: EM, -Second Edition- view image here |

| Lynx Co Ltd | | | |
|----------------|----------------------|------|--|
| -J C. 2 | nesider EM3 | 11 | SOLE: (ONESIDER over EM media blast), 1, -(loft)-, TSURUYA TOE: (logo), -Third Edition- CROWN: (logo alignment mark) |
| | II | 40.5 | view image here |
| Lynx Co Ltd Pa | arallax XX | 10.5 | SOLE: PARALLAX, XX, 1 (loft), Lynx, (logo on inset), XX INNER WEIGHT |
| | | 10.5 | view image here |
| Lynx Co Ltd Pr | redator HD | 10.5 | SOLE: Lynx, (logo) PREDATOR HD (underlined), 1 (loft) BACK: FORGED TITANIUM 460 |
| | | | view image here |
| Lynx Co Ltd Pr | redator SF II | 10.5 | SOLE: (PREDATOR (over SF media blast), (Lynx over webbing pattern inset), SFII, (loft)1 |
| | | | view image here |
| Lynx Co Ltd Pr | redator V2 | 10.5 | SOLE: Lynx, PREDATOR, V2, FORGED, (loft) 1, (cat logo on inset) |
| | | | view image here |
| Lynx Co Ltd Q | uincy ES (Version 2) | 14 | SOLE: Quincy, ES, (2 hearts), ENJOY SETTING, Ti, (loft) 1, TSURUYA |
| | | | view image here |
| Lynx Co Ltd Q | uincy ES (Version 4) | 14 | SOLE: Quincy, ES, (loft), 1, TSURUYA view image here |
| Lynx Co Ltd Q | uincy ES (Version 5) | 14 | SOLE: (bow and dots on inset), Quincy, ES, (loft), 1, TSURUYA |
| | | | <u>view image here</u> |
| Lynx Co Ltd Si | ilver Cat E2 | 10.5 | SOLE: LYNX, SILVER CAT, E2, 1, (loft) |
| | | | view image here |
| Lynx Co Ltd Si | ilver Cat FR | 10.5 | SOLE: SILVER CAT, • FR •, 1, (loft), LYNX |
| | | | <u>view image here</u> |
| Lynx Co Ltd Si | ilver Cat LV2 (LH) | 10.5 | SOLE: LYNX, SILVER CAT, LV2, (loft), FORGED-Ti CROWN: (alignment mark) HEEL: (line), (dot), (dot), (dot), (line) view image here |
| Lynx Co Ltd Si | ilver Cat LV3 | 10.5 | SOLE: (curved line), (logo on inset), LYNX, |
| Lynn 35 Eta | | | SILVER CAT, LV3, FORGED-Ti, (loft), (curved line) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------------------|-------|--|
| Lynx Co Ltd | Silver Cat LV-F (LH) | 10.5 | SOLE: LYNX, SILVER CAT, LV-F, (loft), FORGED-Ti |
| Lynx Co Ltd | Silver Cat RV2 | 10.5 | view image here SOLE: LYNX, SILVER CAT, RV2, FORGED-Ti, (loft) |
| | | | HEEL: (line), (line), (dot), (dot), dot) <u>view image here</u> |
| Lynx Co Ltd | Silver Cat RV3 | 10.5 | SOLE: (curved line), (logo on inset), LYNX, SILVER CAT, RV3, FORGED-Ti, (loft), (curved line) |
| Lumu Ca Ltd | Sky Net FA-089 | 10.5 | view image here |
| Lynx Co Ltd | Sky Net FA-069 | 10.5 | SOLE: 460, (logo) SKY NET, FA-089, (loft) 1 |
| | 0 | 10.5 | view image here |
| Lynx Co Ltd | Slotline Sportsmanship | 10.5 | SOLE: SLOTLINE, SPORTSMANSHIP, 1, (loft) |
| | | | view image here |
| Lynx Co Ltd | Top Lanking | 10.5 | SOLE: Top Lanking, 1 (loft), (logo) (TL logo) (logo) CROWN: (alignment mark) |
| | | | view image here |
| Lynx Co Ltd | Top Lanking GS 505 | 10.5 | SOLE: (TL logo), TOP LANKING, GS 505, (triangle) 1 (triangle), (loft) CROWN: (alignment mark) |
| | | | view image here |
| Lynx Co Ltd | Top Lanking T.L.D II Evolution | 10 | SOLE: 1, FORGED TITANIUM, TOP LANKING, Evolution, (TL logo), (loft), (line), 460, T.L.D II |
| | | | view image here |
| Lynx Co Ltd | USA Tour (Version 2) | 10.5 | SOLE: 460, LYNX, USA TOUR, (loft) 1, FORGED-Ti CROWN: (alignment mark) |
| | | | view image here |
| Lynx Golf Europe | Black Cat HL | N/A | SOLE: Lynx, DOUBLE SOLE DOUBLE POWER, BLACK, CAT, HL TOE: (cat logo) CROWN: (alignment mark) HEEL: PAT.PENDING FACE:SP-700 |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------------|---------------|---|
| Lynx Golf Europe | Black Cat TCP-400 | 12 | SOLE: TCP-400, (loft), BLACK, CAT, AIR, FLOW BACK: Lynx TOE: (cat logo) CROWN: (alignment mark) FACE:SP-700 view image here |
| Lynx Golf Europe | Black Cat TCP-460 | 9.5,10.5,11.5 | SOLE: TCP-460, (loft), BLACK, CAT, AIR, FLOW BACK: Lynx TOE: (cat logo) CROWN: (alignment mark) FACE:SP-700 view image here |
| Lynx Golf Europe | Parallax (Version 2) | 9,10 | SOLE: Lynx, PARALLAX, 460, 1 (loft), TITANIUM CARBON TOE: (cat logo) CROWN: (alignment mark) HEEL: DRAW BIAS view image here |
| Lynx Golf Europe | Parallax 460 | 10.5 | BACK: Lynx, (cat logo), PARALLAX, 460, (loft) CROWN: (alignment mark) view image here |
| Lynx Golf Europe | Tigress | 12.5 | SOLE: Lynx, (cat logo) TIGRESS (V logo), (logo), (loft) BACK: 380cc-TI CROWN: (alignment mark) view image here |
| Lynx Golf Limited | Prowler VT S.F.T | N/A | SOLE: (lynx logo), PROWLER, VT, S.F.T TOE: Lynx FACE:(lynx logo), 10-SQ view image here |
| M.G. Korea | Confideence (prototype) | 8,9.5 | SOLE: (logo), CONFIDEENCE (underlined), FOR PROFESSIONAL ONLY, -(loft)D-, PRO-MODEL, Studio, ICHIKAWA view image here |
| M.G. Korea | Confidence | 8,9.5 | SOLE: (logo), CONFIDENCE (underlined), FOR PROFESSIONAL ONLY, -(loft)D-, PRO-MODEL, Studio, ICHIKAWA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|-----------------------------------|-----------------------|--|
| MacGregor Golf Co. | Mac Tec NVG 435 | 7.5,8.5,9.5,10.5,11.5 | SOLE: NVG 435, Quadra Tungsten & Titanium, (vertical MACTEC), (loft), DR 1, MacGregor, (NVG, Dual ß Titanium on insert), (two weight ports) TOE: (weight port) HEEL: (weight port) view image here |
| MacGregor Golf Co. | Mac Tec NVG2 (Version 1) | 8.5,9.5,10.5,11.5 | SOLE: (vertical MACTEC, Cup Face Technology), (loft), MacGregor, (NVG2, LIGHT CROWN, STRUCTURE on insert), (two weight ports) TOE: (weight port) HEEL: (weight port) view image here |
| MacGregor Golf Co. | Mac Tec NVG2 (Version 2) | 9,10,11 | SOLE: (curved line), (loft), NVG2, Cup Face Technology, CONFORMING SLE, MACTECH, MacGregor, (NVG2, DUAL ß Ti on insert), (two weight ports) TOE: (weight port) HEEL: (weight port) |
| MacGregor Golf Co. | Mac Tec NVG2 Draw 460 | 8.5,9.5,10.5,11.5 | SOLE: (curved line), (curved line), (vertical MACTEC, Cup Face Technology), (loft), DRAW460, MacGregor, (NVG2, 460 on insert), (two weight ports) view image here |
| MacGregor Golf Co. | Mac Tec NVG2 Draw 460 (Ladies) | 13.5 | SOLE: (curved line), (curved line), (vertical MACTEC, Cup Face Technology), (loft), DRAW460, MacGregor, (NVG2, 460 on insert) HEEL: (two weight ports) |
| MacGregor Golf Co. | Mac Tec NVG2 Tour (Version 1) | 8,8.5,9,9.5,10 | SOLE: (vertical MACTEC, TOUR, Cup Face Technology), (loft), MacGregor, (poly-urethane insert), (NVG2, Dual ß Ti on insert), (two weight ports) TOE: (weight port) HEEL: (weight port) view image here |
| MacGregor Golf Co. | Mac Tec NVG2 Tour (Version 2) | 8,9,10 | SOLE: (curved line), (loft), NVG2, TOUR, CONFORMING SLE, MACTECH, MacGregor, (poly-urethane insert), (NVG2, DUAL ß Ti on insert), (two weight ports) TOE: (weight port) HEEL: (weight port) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|-------------------------------------|-------------------|--|
| MacGregor Golf Co. | Mac Tec NVG2 Tour (Version 3) | 9,9.5 | SOLE: (vertical MACTEC, Cup Face Technology), (loft), MacGregor, (NVG2, Dual ß Ti on insert), (two weight ports) view image here |
| MacGregor Golf Co. | Mac Tec NVG2 Tour HL (Version 1) | 10 | SOLE: (vertical MACTEC, TOUR, Cup Face Technology), HL(loft), MacGregor, (poly-urethane insert), (NVG2, Dual ß Ti on insert), (two weight ports) BACK: (weight port) HEEL: (weight port) |
| MacGregor Golf Co. | Mac Tec NVG2 Tour | 9 | view image here SOLE: (vertical MACTEC, TOUR, Cup Face |
| macorogen con co. | HSW | | Technology), (loft), MacGregor, HSW, (poly-urethane insert), (NVG2, Dual ß Ti on insert), (two weight ports) TOE: (weight port) HEEL: (weight port) view image here |
| MacGregor Golf Co. | MT 460 | 8.5,9.5,10.5,11.5 | SOLE: CUPFACE TECHNOLOGY, MT, (line), 460, (line), (loft), MacGregor, ((four lines) (MT in diamond) (four lines) in triangle) FACE:(MT in diamond) view image here |
| MacGregor Golf Co. | MT 460 Offset (Ladies) | 13.5 | SOLE: CUPFACE TECHNOLOGY, MT (line), 460, (line), (loft), MacGregor, ((four lines) (MT in diamond) (four lines) in triangle) FACE:(MT in diamond media blast) view image here |
| MacGregor Golf Co. | MT 460 Offset (Senior) | 11.5 | SOLE: CUPFACE TECHNOLOGY, MT (line), 460, (line), (loft), MacGregor, ((four lines) (MT in diamond) (four lines) in triangle) FACE:(MT in diamond media blast) view image here |
| MacGregor Golf Co. | V-Foil Eye·O·Matic M38 | 9.5,10.5 | SOLE: (loft), ·M38·, ((V-FOIL in banner) over V), EYE·O·MATIC, (MacGregor on rounded triangle insert) BACK: V-FOIL view image here |
| MacGregor Golf Co. | V-Foil Eye·O·Matic M42 | 10 | SOLE: (loft), ·M42·, ((V-FOIL in banner) over V), EYE·O·MATIC, (MacGregor on rounded triangle insert) BACK: V-FOIL |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|-------------------------|--------------|---|
| MacGregor Golf Co. | VIP Tourney 340cc | 8,9,10 | SOLE: HOT FORGED, (ß Ti in recessed circle), V-CAVITY WEIGHTED, (loft), BETA TITANIUM, (MacGregor logo) MacGregor, (line), TOURNEY, 340 cc CROWN: (VIP (w/ crown over I) alignment mark) FACE:LFF |
| MacGregor Golf Co. | VIP V-Foil 350cc | 8.5,9.5,10.5 | SOLE: V-FOIL•OPTIMAL LAUNCH, (loft), MacGregor, (line), TOURNEY, 350cc, FORGED BETA TITANIUM BACK: V-FOIL CROWN: (VIP (w/ crown over I) alignment mark) FACE:LFF view image here |
| MacGregor Golf Co. | VIP V-Foil 410cc | 9,10,11 | SOLE: V-FOIL•HIGH LAUNCH, (loft), MacGregor, (line), TOURNEY, 410cc, FORGED BETA TITANIUM BACK: V-FOIL CROWN: (VIP (w/ crown over I) alignment mark) FACE:LFF |
| Macgregor Golf Japan Ltd | Contender III | 10.5 | SOLE: 1 (loft), CONTENDER III, MacGregor, 400 FACE:15-3-3-3 |
| Macgregor Golf Japan Ltd | Contender III (LH) | 10.5 | SOLE: 1 (loft), CONTENDER III, MacGregor, 400 FACE:15-3-3-3 view image here |
| Macgregor Golf Japan Ltd | Grand MC III | 10.5 | SOLE: GRAND MC III, TUNGSTEN WEIGHT, 400, MacGregor, 1 (loft), TUNGSTEN INSET & TITANIUM FACE:15-3-3-3 |
| Macgregor Golf Japan Ltd | Grand MC Plus | 10.5 | SOLE: GRAND MC, PLUS (in box), TUNGSTEN WEIGHT, (loft), MacGregor, (line) 420 (double line) <u>view image here</u> |
| Macgregor Golf Japan Ltd | Grand MC Plus Ladies | 14 | SOLE: GRAND, Ladies, MC, PLUS (in box), 1 (loft), MacGregor, TUNGSTEN WEIGHT view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|----------------------------|---------|--|
| Macgregor Golf Japan Ltd | Mactec DH101 | 9,10 | SOLE: MacGregor, MACETC, (loft) BACK: DERIVE THE FORCE, (logo), W.F.T, WEIGHT FORCE TECHNOLOGY TOE: DH 101 view image here |
| Macgregor Golf Japan Ltd | Mactec DH201 | 9 | SOLE: MacGregor, MACTEC, (DR1 media blast), (loft), TOE: DH 201, HITTER'S WEAPON HEEL: (logo), W.F.T, WEIGHT FORCE TECHNOLOGY view image here |
| Macgregor Golf Japan Ltd | Mactec DP 101 | 9,10 | SOLE: MacGregor, MACTEC, (loft) BACK: DERIVE THE FORCE, (logo), W.F.T, WEIGHT FORCE TECHNOLOGY TOE: DP 101 view image here |
| Macgregor Golf Japan Ltd | Mactec DS101 | 9,10,11 | SOLE: MacGregor, MACTEC, (loft) BACK: DERIVE THE FORCE, (logo), W.F.T, WEIGHT FORCE TECHNOLOGY TOE: DS 101 view image here |
| Macgregor Golf Japan Ltd | Mactec Mc7 DW | N/A | SOLE: Mc7, macseven, DW (loft), MACTEC TOE: MacGregor view image here |
| Macgregor Golf Japan Ltd | Mactec MX-L (Ladies) | 13 | SOLE: mx-L, fit a feel, (loft) BACK: (MACTEC on oval inset) view image here |
| Macgregor Golf Japan Ltd | MacTec N.V 300 (ladies) | 11.5,13 | SOLE: N.V 300, Titanium with Tungsten, (loft), DR 1, MacGregor, MACTEC TOE: (curved line), Navigation, equipment, (curved line) |
| Macgregor Golf Japan Ltd | MacTec N.V 320 | 9,10,11 | SOLE: N.V320, Titanium with Tungsten, MacTec, (loft), DR 1, MacGregor TOE: Navigation Equipment view image here |
| Macgregor Golf Japan Ltd | MacTec Neo 270 (ladies) | 13 | SOLE: • neo 270 •, Titanium with Tungsten, (circle), 1 (loft), MACTEC, (circle), MacGregor CROWN: MACTEC |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|----------------------|---------|--|
| Macgregor Golf Japan Ltd | MacTec Neo 300 | 10,11 | SOLE: • neo 300 •, Titanium with Tungsten, (circle), ••, 1 (loft), MACTEC, (circle), MacGregor |
| | | | view image here |
| Macgregor Golf Japan Ltd | Mactec NV | 9,10,11 | SOLE: MacGregor, MACTEC, (loft) TOE: MACTEC NV HEEL: (logo), W.F.T, WEIGHT FORCE TECHNOLOGY |
| | | | view image here |
| Macgregor Golf Japan Ltd | Mactec NV 301 | 9,10,11 | SOLE: ULTIMATE CUP FACE, MACTEC, NV 301, (loft), (logo, MACTEC on triangular inset) TOE: MacGregor CROWN: (alignment mark) HEEL: (logo), W.F.T, WEIGHT FORCE TECHNOLOGY, CONFORMING TO R&A SLE RULE view image here |
| Macgregor Golf Japan | Mactec NV2 380 | 9,10,11 | SOLE: Mactec, .380., NV2, Tri+ Power |
| Ltd | | | Face, (loft), DR 1, ßTi-9, MacGregor TOE: (logo) Navigation Equipment |
| | | | view image here |
| Macgregor Golf Japan Ltd | Mactec NV-F (Type 1) | 9,10,11 | SOLE: NV-F, DERIVE THE FORCE, (loft) BACK: (MACTEC on six sided inset) |
| | | | view image here |
| Macgregor Golf Japan Ltd | Mactec NV-F (Type 2) | 9,10,11 | SOLE: NV-F, DERIVE THE FORCE, (loft) BACK: (MACTEC on five sided inset) view image here |
| Macgregor Golf Japan Ltd | Mactec NV-FL | 11.5,13 | SOLE: NV-FL, DERIVE THE FORCE, DR, (loft) BACK: ((decorative gem) MACTEC |
| | | | (decorative gem) on triangular inset) view image here |
| Maggragar Colf Janan | MacTec NVG2 | 11.5,13 | SOLE: (line), (loft), NVG2, Cup Face |
| Macgregor Golf Japan Ltd | (Ladies) | 11.5,10 | Technology, CONFORMING SLE, MACTEC, MacGregor, NVG2, Dual ß Ti |
| | | | view image here |
| Macgregor Golf Japan Ltd | MacTec NVG2 (LH) | 10 | SOLE: (loft), NVG2, Cup Face Technology, CONFORMING SLE, MACTEC, MacGregor, NVG2, Dual ß Ti |
| | | | view image here |
| Macgregor Golf Japan Ltd | MacTec NV-NX | 9,10,11 | SOLE: NV-NX, NEVER EXPERIENCED, (loft), MacGregor, MACTEC |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|------------------------------|-----------|--|
| | | | - |
| Macgregor Golf Japan Ltd | MacTec NV-NX (ladies) | 11.5,13 | SOLE: NV-NX, NEVER EXPERIENCED, (loft), MacGregor, MACTEC view image here |
| | Maratra Ally Ally (LLI) | 10 | |
| Macgregor Golf Japan Ltd | MacTec NV-NX (LH) | 10 | SOLE: NV-NX, NEVER EXPERIENCED, (loft), MacGregor, MACTEC view image here |
| | NA T NIV/ NIV/ | 11.5 | - |
| Macgregor Golf Japan Ltd | MacTec NV-NXL (ladies) | 11.5 | SOLE: NV-NXL, ULTIMATE CUP FACE, (loft), MACTEC TOE: MacGregor, IT'S ALL ABOUT PASSION |
| | | | view image here |
| Macgregor Golf Japan Ltd | MacTec NV-NXL DR (ladies) | 12.5,13.5 | SOLE: NV-NXL, ULTIMATE CUPFACE, (loft), MACTEC TOE: MacGregor, IT'S ALL ABOUT PASSION |
| | | | view image here |
| Macgregor Golf Japan Ltd | MacTec NV-NXR | 9,10,11 | SOLE: ULTIMATE CUP FACE, (loft), NV-NXR, MACTEC TOE: MacGregor, It's all about passion |
| | | | view image here |
| Macgregor Golf Japan Ltd | MacTec NV-NXR (LH) | 10 | SOLE: ULTIMATE CUP FACE, (loft), NV-NXR, MACTEC TOE: MacGregor, IT'S ALL ABOUT PASSION view image here |
| Macgregor Golf Japan Ltd | MacTec NV-NXS | 9,10,11 | SOLE: NV-NXS, MACTEC, ULTIMATE CUP FACE, (loft) TOE: MacGregor, IT'S ALL ABOUT PASSION view image here |
| Macgregor Golf Japan Ltd | MacTec NV-R Type-1 | 9,10,11 | SOLE: NV-R, UNEXPECTED REVOLUTION, TYPE-1, (loft) BACK: MACTEC view image here |
| Macgregor Golf Japan Ltd | MacTec NV-R Type-2 | 9,10,11 | SOLE: NV-R, UNEXPECTED REVOLUTION, TYPE-2, (loft) BACK: MACTEC view image here |
| Macgregor Golf Japan Ltd | MacTec NV-S (Version 2) | 9,10,11 | SOLE: NV-S, UNEXPECTED REVOLUTION, (loft), (MACTEC on inset) TOE: MacGregor, IT'S ALL ABOUT PASSION view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|-------------------------|----------|--|
| Macgregor Golf Japan Ltd | Mactec NVSL | 11.5,13 | SOLE: MACTEC, (decorative gem on weight port), (decorative gem on weight port), (loft) TOE: NVSL, (decorative marking), MacGregor HEEL: (logo) W.F.T, WEIGHT FORCE TECHNOLOGY view image here |
| Macgregor Golf Japan | Mactec Sofitt (Ladies) | 11.5,13 | SOLE: Sofitt, Fit a Feel, (loft) |
| Ltd | | | BACK: (MACTEC on oval inset) view image here |
| Macgregor Golf Japan Ltd | Macwave Mo101 | N/A | SOLE: ··, 1, macwave, (wavy line), Mo (triangle) 101, TITANIUM 315cc, MacGregor |
| | | | view image here |
| Macgregor Golf Japan Ltd | NV-F (prototype) | 10 | SOLE: NV-F, DERIVE THE FORCE, (loft) |
| | | | view image here |
| Macgregor Golf Japan Ltd | Red Tourney | 9.5,10.5 | SOLE: MacGregor, Red TOURNEY, DR 1, (loft) HEEL: (logo), W.F.T, WEIGHT FORCE TECHNOLOGY |
| | | | view image here |
| Macgregor Golf Japan Ltd | Super Tourney M305W | 9,10.5 | SOLE: SUPER TOURNEY, —M305W—, 15-5-3ß titanium, MacGregor, 1 (loft) |
| Manuaran Calif Janan | Super Tourney | 9,10.5 | view image here |
| Macgregor Golf Japan Ltd | Super Tourney M405TW | 9,10.5 | SOLE: Tungsten, Super Tourney M405TW, 1 (loft), 10-2-3 with Tungsten, MacGregor FACE:10-2-3 TITAN |
| | | | <u>view image here</u> |
| Macgregor Golf Japan Ltd | Titled Mac Ti-380 (LH) | 10.5 | SOLE: 1 (loft), TitledMac, Ti-380LH, MacGregor |
| | | | view image here |
| Macgregor Golf Japan Ltd | Titled Mac Ti-580X | 10.5 | SOLE: 1 (loft), Ti-580X, TitledMac, TITANIUM, MacGregor |
| | | | view image here |
| Macgregor Golf Japan Ltd | Titled Mac Ti-590 | 10.5 | SOLE: (loft), MacGregor, Titled Mac, 6-4 TITANIUM, Ti-590, DR |
| | | | view image here |
| Macgregor Golf Japan Ltd | TitledMac Ti-203 | 10.5 | SOLE: 1, TITLEDMAC, TITANIUM DRIVER, LOFT (loft), MacGregor, Ti-203, TITLEDMAC |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|---|-----------|--|
| Macgregor Golf Japan Ltd | TitledMac Ti-560 | 10.5 | SOLE: (loft), (line), TitledMac, Ti-560, (line), TITANIUM, MacGregor CROWN: (alignment mark) view image here |
| Macgregor Golf Japan Ltd | Tourney Classic 822 | 9.5,10.5 | SOLE: 1, Tourney Classic, 822, MacGregor, (loft) view image here |
| Macgregor Golf Japan Ltd | Tourney M85 Eye-O-Matic 120th (Version 4) | 9.5,10.5 | SOLE: Classic, (MacGregor, EYE-O-MATIC, (line), Tourney, 1, M85 on three leaf clover inset), (loft) TOE: 120 years, CELEBRATING, TOURNEY CROWN: (logo alignment mark) view image here |
| Mackeil, Robert F | Mac's Ax | 9 | SOLE: MACKEIL GOLF, (phone number), Forged Titanium, Beta 15-3-3-3, U.S. pat., 5,354,055 1 (loft) CROWN: Mac's, Ax, (arrow) |
| MacLeonard Golf | Mach One | 9,10.5,12 | SOLE: MacLeonard, (M media blast), Mach One, (loft), (two rings with circle) view image here |
| MacLeonard Golf | Stealth (Version 1) | 9,10.5,12 | SOLE: MacLeonard, (M media blast), Stealth, (loft), (two rings with circle) view image here |
| MacLeonard Golf | Stealth (Version 2) | 6,7.5 | SOLE: MacLeonard, (M media blast), Stealth, (loft), (two rings with circle) FACE:M view image here |
| Magnus Golf | Attack Angle | 10.5 | SOLE: Magnus, 1, ANGLE, (double lined square with cg logo), ATTACK, PAT. PEND., (loft) CROWN: (arrowhead alignment mark) view image here |
| Majeski Golf | Middleground Majeski | N/A | SOLE: OIL, HARDENED, USA, Middleground, Majeski, 1 view image here |
| Majesty Golf Co Ltd | 23HER Majesty | 11.5,12.5 | SOLE: (MJ in crown and shield logo on inset), HER MAJESTY, MAJESTY, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-----------------------|--------------------|---|
| Majesty Golf Co Ltd | Conductor | 10.5 | SOLE: Conductor TOE: Ladder Sole CROWN: (alignment mark) HEEL: Maruman, (loft) view image here |
| Majesty Golf Co Ltd | DANGAN7 MAX | 10.5 | SOLE: DANGAN7, LOW SPIN DESIGN, MAX, maruman CROWN: MAX, (alignment mark) HOSEL: (loft) FACE:RADIAL, SPIDER WEB view image here |
| Majesty Golf Co Ltd | Dangan7 MF | 10.5 | SOLE: (MF on inset), DANGAN7, TITANIUM, MF BACK: Maruman CROWN: (alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: MULTI-FITTING SYSTEM, (loft) view image here |
| Majesty Golf Co Ltd | Dangan7 MF (LH) | 10.5 | SOLE: (MF on inset), DANGAN7, TITANIUM, MF, (weight port) BACK: Maruman CROWN: (alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft), MULTI-FITTING SYSTEM |
| Majesty Golf Co Ltd | Her Majesty | 11.5 | SOLE: (MK logo in circle), mika ninagawa, X, MAJESTY, HER MAJESTY COLLECTION, (wing), 1, (wing), (loft), (inset) CROWN: Butterfly FACE:(MJ in crown and shield logo) view image here |
| Majesty Golf Co Ltd | Majesty Conquest | 9.5,10.5 | SOLE: CONQUEST, POWER SLIT, MAJESTY, (loft) HEEL: -340- view image here |
| Majesty Golf Co Ltd | Majesty Conquest BK | 9.5,10.5 | SOLE: MAJESTY, CONQUEST BK, TRAJECTORY CONTROL, (weight port), (loft) HOSEL: 330, (line), (line) |
| Majesty Golf Co Ltd | Majesty Prestigio 740 | 9.5,10.5,11.5,12.5 | SOLE: (MJ in crown and shield logo), MAJESTY, PRESTIGIO, 1, (loft), (inset) HOSEL: -740- FACE:(MJ in crown and shield logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------------------------|--------------------|---|
| Majesty Golf Co Ltd | Majesty Prestigio 750 | 9.5,10.5,11.5,12.5 | SOLE: (MJ in crown and shield logo on inset), MAJESTY, (loft), PRESTIGIO CROWN: PRESTIGIO FACE:(MJ in crown and shield logo) view image here |
| Majesty Golf Co Ltd | Majesty Prestigio 760 | 9.5,10.5,11.5,12.5 | SOLE: (MJ in crown and shield logo on inset), MAJESTY, PRESTIGIO, (loft) HOSEL: -760- FACE:(MJ in crown and shield logo) view image here |
| Majesty Golf Co Ltd | Majesty Prestigio Obsidian 755 | 9.5,10.5 | SOLE: (MJ in crown and shield logo on inset), MAJESTY, (loft), PRESTIGIO CROWN: PRESTIGIO HOSEL: 755 FACE:(MJ in crown and shield logo) |
| Majesty Golf Co Ltd | Majesty Royale 530 | 9.5,10.5,11.5 | SOLE: (MJ in crown and shield logo), (Royale on inset), MAJESTY, HIGH ENERGY IMPACT, (loft), 1 HOSEL: -530- FACE:(MJ in crown and shield logo) view image here |
| Majesty Golf Co Ltd | Majesty Royale 540 | 9.5,10.5,11.5,12.5 | SOLE: MAJESTY, Royale, (loft), ((MJ in crown and shield logo) on inset) HOSEL: -540- FACE:(MJ in crown and shield logo) view image here |
| Majesty Golf Co Ltd | Majesty Royale 550 | 9.5,10.5,11.5,12.5 | SOLE: MAJESTY, ((MJ in crown and shield logo) on inset), Royale, (loft), 1 BACK: (CLUTCH WEIGHT in inset) HOSEL: -550- FACE:(MJ in crown and shield logo) view image here |
| Majesty Golf Co Ltd | Majesty Sublime 50th (Version 2) | 10.5 | SOLE: (50, th ANNIVERSARY in lion, crown and shield logo), MAJESTY, SUBLIME, (loft) HOSEL: -920- HEEL: CONFORMING, TO SLE RULE FACE: (50, th ANNIVERSARY in lion, crown and shield logo) view image here |
| Majesty Golf Co Ltd | Maruman Shuttle Gold | 9.5,10.5 | SOLE: SHUTTLE, GOLD, CARBON COMPO, (loft) CROWN: (alignment mark) HEEL: MARUMAN FACE:FORGED, FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|----------------------------------|---------------|---|
| Majesty Golf Co Ltd | Maruman Shuttle Gold (Ladies) | 11.5 | SOLE: SHUTTLE, GOLD, CARBON COMPO, (loft) CROWN: (alignment mark) HEEL: MARUMAN FACE:FORGED, FACE view image here |
| Majesty Golf Co Ltd | Shuttle | 9.5,10.5,12.5 | SOLE: SHUTTLE, (loft) TOE: SPEED GROOVE CROWN: (alignment mark), SPEED BOW DESIGN view image here |
| Majesty Golf Co Ltd | Shuttle Type X | 10.5,11.5 | SOLE: SHUTTLE, TITANIUM, (loft) TOE: TYPE X CROWN: (alignment mark), CENTRE SPOT DESIGN HEEL: MARUMAN FACE:SPIDER WEB, (spider web logo) view image here |
| Majesty Golf Co Ltd | Verity Ladies Forged Titanium | 13.5 | SOLE: FORGED TITANIUM, (m in circle logo), Verity, 1 CROWN: alignment mark view image here |
| Majesty Golf Co Ltd | Verity VIP | 13.5 | SOLE: FORGED TITANIUM, (m in circle logo), Verity, 1 CROWN: alignment mark <u>view image here</u> |
| Makser S.A. | AS 330 | 8,9,10 | SOLE: FORGED, (diagonal line), (loft), MAKSER, (line), AS. 330 BACK: AIRFLOW, STABILIZER TOE: (M logo) CROWN: (four rectangles decreasing in size) FACE:ß-titanium view image here |
| Makser S.A. | AS 440 CF | 9,10,11 | SOLE: AS 440 CF, (line), MAKSER (w/ M logo), (line), FORGED, (loft) BACK: AIRFLOW, STABILIZER TOE: (M logo) FACE:SP-700 view image here |
| Makser S.A. | AS 440 CFT | 9,10,11 | SOLE: AS 440 CFT, (line), MAKSER (w/ M logo), (line), FORGED, (loft) BACK: AIRFLOW, STABILIZER TOE: (M logo) FACE:SP-700 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--------------|----------|--|
| Makser S.A. | AS 440-T | 9,10,11 | SOLE: AS440-T, (line), MAKSER (w/ M logo), (line), FORGED, (loft) BACK: AIRFLOW, STABILIZER TOE: (M logo) view image here |
| Makser S.A. | AS-460 | 9,10,11 | SOLE: MAKSER (underlined), AS 460, FORGED, (loft) BACK: AIRFLOW (line), (line) STABILIZER TOE: (M logo) FACE:SP-700 view image here |
| Makser S.A. | Makser AS440 | 9,10,11 | SOLE: AS440 (underlined), Makser, Forged, (loft) BACK: Airflow, Stabilizer TOE: (M logo) view image here |
| Makser S.A. | TW 400 | 9,10,11 | SOLE: D-L (loft), MAKSER (w/ M logo), (line), TW. 400, FORGED BACK: AIRFLOW, STABILIZER TOE: (M logo) FACE:ß-Titanium view image here |
| Makser S.A. | TW 400 (LH) | 9.5 | SOLE: (loft) D-L, MAKSER (w/ M logo), (line), TW. 400, FORGED BACK: AIRFLOW, STABILIZER TOE: (M logo) FACE:ß-titanium view image here |
| Makser S.A. | TW 400 (LH) | 10.5 | SOLE: (loft) D-L, MAKSER (w/ M logo), (line), TW. 400, FORGED BACK: AIRFLOW, STABILIZER TOE: (M logo) FACE:ß-titanium view image here |
| Manzanita Golf | Manzanita | 10 | SOLE: A DRIVE FOR (tree logo), (MANZANITA in oval), EXCELLENCE, 1, (loft) LOFT FORGED TITANIUM., 180 GRAM CROWN: (alignment mark) FACE:6-4 Ti view image here |
| Maretec Co Ltd | Fit On 460 | 9.5,10.5 | SOLE: FIT ON® (underlined), FOR EACH INDIVIDUAL PLAYER (dot/no dot loft indicator), 460 view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--------------------|----------|---|
| Maretec Co Ltd | Fit On Type-I | N/A | SOLE: FIT ON ® (line), FOR EACH INDIVIDUAL PLAYER, TYPE-I |
| Maretec Co Ltd | Fit On Type-II | N/A | SOLE: FIT ON ® (line), FOR EACH INDIVIDUAL PLAYER, TYPE-II view image here |
| Maretec Co Ltd | Gear Max 430-BV Ti | 9.5,10.5 | SOLE: (GM logo), B-version 430, (logo with 3 dots), GEAR MAX, 1 (loft), (5 dots) view image here |
| Maretec Co Ltd | Gear Max 460-BV | 10.5 | SOLE: (line) GEAR MAX (line), B-version, FORGED, TITANIUM 460, 1 (loft) view image here |
| Maretec Co Ltd | Gear Max 460Ti | 9.5,10.5 | SOLE: DRIVER (with 1 through) 460, SP, GEAR MAX (underlined), FORGED TITANIUM, LOFT (loft), (GM logo) view image here |
| Maretec Co Ltd | Gear Max BV | 9.5,10.5 | SOLE: (GM logo), GEARMAX, B-version, FORGED, TITANIUM, 1 (loft), BACK WEIGHT view image here |
| Maretec Co Ltd | Gear Max MTS | 10.5 | SOLE: FORGED, TITANIUM, GEARMAX, (squares logo), 1 (loft), HIGH STRENGTH MATERIAL CROWN: (alignment mark) |
| Maretec Co Ltd | Gear Max WH-Set Ti | 10.5 | SOLE: (line), (arrow) GEAR MAX (arrow), 1, FORGED TITANIUM, (loft), (line), DUAL PW SOLE view image here |
| Maretec Co Ltd | Lamola | 14 | SOLE: Lamola (6 squares), -(loft)- 1, FOGED-Ti view image here |
| Maretec Co Ltd | Paris 400 | 14 | SOLE: (circles), LOFT (loft), PARIS 400, FORGED TITANIUM, 1 (in cirlcle) view image here |
| Maretec Co Ltd | Paris C-LD | 14 | SOLE: •• Paris ••, C-LD (LD underlined), (media blast logo), (1, LOFT, -(loft)- in oval), (gemstone) TITANIUM (gemstone) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|------------------------------------|-------|--|
| Maretec Co Ltd | Paris Golf | 14 | SOLE: PARIS (with flag logo), Golf, FORGED TITANIUM, 1 (loft), (logo) view image here |
| Maretec Co Ltd | Paris Golf 430 | 14 | SOLE: (2 gems in heart insets), PARIS (with flag logo), Golf, product official, FORGED TITANIUM, -430-, 1 (loft) view image here |
| Maretec Co Ltd | Paris PM (Version 1) | 14 | SOLE: (PM logo), PARIS, FORGED, HUGE, (PM logo), TITANIUM, VOLUME, 1 (loft) view image here |
| Maretec Co Ltd | Paris PM (Version 2) | 14 | SOLE: (P logo), (line), FORGED TITANIUM, PARIS, 1 (loft), (logo) view image here |
| Maretec Co Ltd | Paris PM (Version 3) | 14 | SOLE: (logo), PARIS, FORGED TITANIUM, (crest), 1 (loft) view image here |
| Maretec Co Ltd | Paris PM 445 | 14.5 | SOLE: (PM logo), PARIS, (logo), -LOFT (loft)-, 445 TYPE, 1, TITAMIUM BACK: (logo), PARIS, SINCE 1961 view image here |
| Maretec Co Ltd | Paris PM Sports | 14 | SOLE: (PM logo), PARIS SPORTS (underlined), FORGED TITANIUM, (PM logo), 1 (loft) view image here |
| Maretec Co Ltd | Paris PM Sports 400 | 14 | SOLE: PARIS (underlined) (PM logo) SPORTS (underlined), FORGED TITANIUM, 400, 1 (loft), Plesure Golf of sports, (2 lines) view image here |
| Maretec Co Ltd | Paris PM Sports 400 (Version 2) | 14 | SOLE: FORGED TITANIUM, (circles and lines), -400-, (P logo), PARIS, SPORTS, 1, (loft) view image here |
| Maretec Co Ltd | Paris PM Sports 420 | 14 | SOLE: (line), PARIS, 420, SPORTS, FORGED TITANIUM, (PM logo), 1 (loft), DISTANCE TECHNOLOGY view image here |
| Maretec Co Ltd | Paris PM Titan | 14 | SOLE: (PM logo), PARIS, TITAN TECHNOLOGY, 1 (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|------------------------|----------|--|
| Maretec Co Ltd | Paris PM-301 | 14 | SOLE: Sole: (logo) PARIS (underlined), FORGED TITAN PM-301, (loft) 1 view image here |
| Maretec Co Ltd | Paris PM-501 | 14 | SOLE: 1, (loft) (underlined), LOFT, PARIS (underlined), TITAN TECHNOLOGY (underlined), PM-501 view image here |
| Maretec Co Ltd | Paris Sports 430 | 14 | SOLE: (PM logo), PARIS, SPORTS, 1 (loft), (circles and lines logo), FORGED TITANIUM, -430-CROWN: (alignment mark) |
| Maretec Co Ltd | Paris Sports 445 | 14.5 | SOLE: (logo), PARIS, SPORTS 445, 1, -LOFT (loft)-, (line), FORGED TITANIUM BACK: (logo), PARIS, SINCE 1961 view image here |
| Maretec Co Ltd | Paris Trad Style E-460 | 9.5,10.5 | SOLE: E-460, 1 W (loft), PARIS, trad style, designed by, snail, (logo) view image here |
| Maretec Co Ltd | Power Bilt GV-701 | 10.5 | SOLE: 460, (loft), (line), POWER(logo)BILT (logo), FORGED TITANIUM (underlined), (line), 1, GV, 701 Limited view image here |
| Maretec Co Ltd | Power Bilt GV801 | 10.5 | SOLE: POWER(lightning bolt media blast)BILT®, GV-801, -(loft)- 1 view image here |
| Maretec Co Ltd | Shock Troop 420 | N/A | SOLE: CARBON, COMPOSITE, Shock Troop (underlined), 420, 18 DRIVER FACE:EIGHTEEN view image here |
| Maretec Co Ltd | Shock Troop 425 Ti | 10.5 | SOLE: Shock Troop, 425, FORGED TITANIUM, CONFORMING, (loft), (ST logo) view image here |
| Maretec Co Ltd | Shock Troop 430 | 9.5,10.5 | SOLE: (3 lines) Shock Troop (3 lines), FORGED TITANIUM 430, 1 (loft) view image here |
| Maretec Co Ltd | Shock Troop 460 Ti | 10.5 | SOLE: TITANIUM, (loft), Shock Troop (underlined), CONFORMING, 460, (ST logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------------------|-------|--|
| Maretec Co Ltd | Vixer Ti | 10.5 | SOLE: (logo), VIXER, TYPE XE, FORGED TITANIUM, 1 (loft), (3 circles) view image here |
| Maretec Co Ltd | Vixer-II | 10.5 | SOLE: (logo), VIXER, TYPE XE-II, FORGED TITANIUM, 1 (loft), (3 circles) view image here |
| Mario's Golf Shop | Fame Signature Model | 9.5 | SOLE: Design by, Mario, Cesario, (loft), Fame Signature, Model view image here |
| Marken-Golf | Bagger Vance Star | 12 | SOLE: ((B logo), (8 stars around weight port) on star shaped inset), Bagger Vance CROWN: Bagger Vance |
| Marken-Golf | Prowinn 420cc | 9 | SOLE: 420cc, Double-Face-Technology, by www.x-mike.de, (loft) CROWN: (alignment mark) Prowinn view image here |
| Maruman & Co Ltd | Conductor LX Titanium (Version 1) | 10 | SOLE: Conductor, LX, (line) 1, TITANIUM (loft), (Maruman logo) maruman TOE: PEAR LX SHAPE, CENTER GRAVITY view image here |
| Maruman & Co Ltd | Conductor LX Titanium (Version 2) | 11 | SOLE: Conductor, LX, (line) 1, TITANIUM, (Maruman logo) maruman TOE: PEAR LX SHAPE, CENTER GRAVITY view image here |
| Maruman & Co Ltd | Conductor Titanium Deep | 11 | SOLE: Conductor, TITANIUM, DEEP, 1, (Maruman logo) maruman BACK: (Maruman logo), maruman view image here |
| Maruman & Co Ltd | Dynamist | 10.5 | SOLE: an INTELLIGENT GEAR, Dynamist, 1, (MODEL underlined) -S#, (Maruman logo) maruman HEEL: (triangle) PROGRESSIVE NECK (triangle) view image here |
| Maruman & Co Ltd | Majesty Power Head Limited Edition | 12 | SOLE: MAJESTY, TITANIUM, (Majesty shield logo), 1, POWER HEAD, (Maruman logo) MARUMAN TOE: Limited Edition, 25th, ANNIVERSARY FACE:MAJESTY, (crown in center of face) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|------------------------------|-----------|--|
| Maruman & Co Ltd | Majesty Prestigio | 10.5 | SOLE: Ó/Etº 0.545, MAJESTY, (Majesty shield logo) 1, (loft), (Maruman logo) maruman TOE: (The toughest, Titanium 10-2-3 in lined and dotted circle) FACE:MAJESTY, (crown in center of face) |
| Maruman & Co Ltd | Majesty Royal II U.S. | 10.5 | SOLE: TITANIUM, MAJESTY, ROYAL II, |
| | Spec | | U.S. SPEC, 1, (loft), (Maruman logo) maruman TOE: THE TOUGHEST, 10-2-3, TITANIUM, (curved line) view image here |
| Maruman & Co Ltd | Titus Titanium Power Head | 10.5,11.5 | SOLE: TITUS, TITANIUM, POWER HEAD, (triangle), OPTIMUM COMPLIANCE, (Maruman logo) maruman, 1, 10.5° TOE: POWER HEAD, FACE/FORGED SP700 TITANIUM, BODY/CASTING 6-4 TITANIUM CROWN: (TITUS, POWER HEAD, SP700, FACE on insert) FACE:SP 700 |
| Maruman & Co Ltd | V-Sonic 350 | 9 | view image here SOLE: V-Sonic, (line) 350 (line), 1 9, ß |
| Maraman a do Eta | V GSIIIG GGG | | RICH840 TITANIUM ADVANCED TECHNOLOGY 1 (loft) TOE: V, Gravity, Adjustment, Technology HEEL: (Maruman logo) maruman |
| | | 0.40.44 | view image here |
| Maruman & Co Ltd | Conductor | 9,10,11 | SOLE: (loft), (logo), AERO SPEED SHAPE, (logo) MARUMAN BACK: CONDUCTOR HEEL: CONFORMING, TO R&A/USGA, SLE RULE |
| | | | view image here |
| Maruman & Co Ltd | Conductor (ladies) | 11.5,13 | SOLE: (loft), (logo), AERO SPEED SHAPE, (logo) MARUMAN BACK: CONDUCTOR CROWN: (alignment mark) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Maruman & Co Ltd | Conductor (LH) | 9,10,11 | SOLE: (loft), (logo), AERO SPEED SHAPE, (logo) MARUMAN BACK: CONDUCTOR HEEL: CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |

| Maruman & Co Ltd Maruman & Co Ltd | Conductor AD460 | 9.5,10.5,11.5 | SOLE: (NEW AERO SPEED SHAPE, (logo), NEW AERO SPEED SHAPE on circular inset), (loft), CONFORMING TO, R&A/USGA SLE RULE BACK: CONDUCTOR, AD460 |
|------------------------------------|--|---------------|--|
| Maruman & Co Ltd | | | HOSEL: Maruman FACE:(media blast logo) view image here |
| | Conductor Fino | 11.5,13 | SOLE: (flower logo), (logo, (4 decorative stones) on circular inset), (loft) BACK: CONDUCTOR, CONFORMING TO, R&A/USGA SLE RULE CROWN: (flower logo alignment mark) HOSEL: Maruman FACE:(media blast flower logo) |
| Maruman & Co Ltd | Conductor LX Deep Dynamic High Draw | 10.5 | SOLE: CONDUCTOR, (line), LXDEEP, (loft) D DYNAMIC HIGH DRAW, (C logo on inset) HOSEL: Maruman view image here |
| Maruman & Co Ltd | Conductor LX Deep Fine Straight | 10.5 | SOLE: CONDUCTOR, (line), LXDEEP, (loft) FINE STRAIGHT, (C logo on inset) HOSEL: Maruman view image here |
| Maruman & Co Ltd | Conductor LX Deep Powerful Straight | 9.5 | SOLE: CONDUCTOR, (line), LXDEEP, (loft) POWERFUL STRAIGHT, (C logo on inset) HOSEL: Maruman view image here |
| Maruman & Co Ltd | Conductor LX460 | 9.5,10.5 | SOLE: CONDUCTOR, (line), LX460, (loft), ((C logo),—PROFESSIONAL SHAPE— on inset), F.A.S, STRAIGHT HOSEL: Maruman view image here |
| Maruman & Co Ltd | Conductor LX460D | 10.5 | SOLE: CONDUCTOR, (line), LX460, (loft) D, ((C logo),—PROFESSIONAL SHAPE— on inset), F.A.S., HIGH-DRAW HOSEL: Maruman view image here |
| Maruman & Co Ltd | Conductor Pro | 8.5,9.5,10.5 | SOLE: (logo) maruman, PRO (loft), (logo) AERO SPEED SHAPE TOE: CONDUCTOR HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|-------------------------------|--------------|---|
| Maruman & Co Ltd | Conductor Pro (FL Version) | 8.5,9.5,10.5 | SOLE: (logo) maruman, PRO (loft), (logo), AERO SPEED SHAPE TOE: CONDUCTOR, (triangle) PRO (triangle) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Maruman & Co Ltd | Conductor Pro (Version 2) | 8.5,9.5,10.5 | SOLE: (NEW AERO SPEED SHAPE, (logo), NEW AERO SPEED SHAPE in circular inset), (logo) maruman, PRO, (loft) TOE: CONDUCTOR HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Maruman & Co Ltd | Conductor Pro-X | 8.5,9.5,10.5 | SOLE: Conductor, PRO-X HOSEL: Maruman HEEL: S.N.B.C. TECHNOLOGY, (loft) view image here |
| Maruman & Co Ltd | Conductor Pro-X2 | 8.5,9.5,10.5 | SOLE: PRO-X2 BACK: (Conductor over Conductor media blast) HOSEL: Maruman HEEL: S.N.B.C. TECHNOLOGY, (loft) view image here |
| Maruman & Co Ltd | Dangan X | 10.5 | SOLE: DANGAN, X, 460 TITANIUM, (loft) CROWN: (alignment mark) HEEL: (logo) Maruman view image here |
| Maruman & Co Ltd | Dangan7 (LH) | 10.5 | SOLE: CENTER SPOT DESIGN, DANGAN 7, TITANIUM, 445D CROWN: (alignment mark), (graphics), SHALLOW BACK DESIGN HEEL: DESIGNED BY MARUMAN, (loft), CONFORMING, TO R&A/USGA, SLE RULE FACE:SPIDER, WEB, (spider web media blast logo) view image here |
| Maruman & Co Ltd | Dangan7 (Version 2) | 10.5 | SOLE: CENTER SPOT DESIGN, DANGAN 7, TITANIUM, 445D CROWN: (alignment mark), (graphics), SHALLOW BACK DESIGN HEEL: DESIGNED BY MARUMAN, (loft), CONFORMING, TO R&A/USGA, SLE RULE FACE:SPIDER, WEB, (spider web media blast logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|------------------------------------|---------|--|
| Maruman & Co Ltd | Exim Nano Deep Impact | 8.5,9.5 | SOLE: EXIM, NANO, DEEP IMPACT, D 1 (loft), CONFORMING, TO R&A/USGA, SLE RULE TOE: FULLERENE TITANIUM, nano (in logo) HEEL: (logo) maruman view image here |
| Maruman & Co Ltd | Exim Nano Extra Impact | 9,10,11 | SOLE: EXIM, NANO, EXTRA IMPACT, D 1 (loft), CONFORMING, TO R&A/USGA, SLE RULE TOE: FULLERENE TITANIUM, (nano logo) HEEL: (logo) maruman view image here |
| Maruman & Co Ltd | Exim Nano Extra Impact (ladies) | 13 | SOLE: EXIM, NANO, EXTRA IMPACT, D 1 (loft), CONFORMING, TO R&A/USGA, SLE RULE TOE: FULLERENE TITANIUM, (nano logo) HEEL: (logo) maruman view image here |
| Maruman & Co Ltd | Exim Nano Extra Impact (LH) | 10 | SOLE: EXIM, NANO, EXTRA IMPACT, D 1 (loft), CONFORMING, TO R&A/USGA, SLE RULE TOE: FULLERENE TITANIUM, (nano logo) HEEL: (logo) maruman view image here |
| Maruman & Co Ltd | Exim Nano Extra Impact Ladies | 13 | SOLE: EXIM, NANO, EXTRA IMPACT, D 1, CONFORMING, TO R&A/USGA, SLE RULE TOE: FULLERENE TITANIUM, (nano logo) HEEL: (logo) maruman view image here |
| Maruman & Co Ltd | Exim Nano II Tour | 9 | SOLE: Fullerene Titanium, Exim, Tour, (logo) Maruman, Nano II TOE: (logo) view image here |
| Maruman & Co Ltd | Exim Nano Zodia Version | N/A | SOLE: EXIM, NANO, (Z logo) Zodia Version, D1 view image here |
| Maruman & Co Ltd | Figaro | 14.5 | SOLE: (F logo), FIGARO, 1 (loft), FORGED TITANIUM CROWN: (F logo) HEEL: (logo) maruman view image here |
| Maruman & Co Ltd | Figaro (Ladies) | 15 | SOLE: FORGED TITANIUM, FIGARO (underlined), (logo) maruman, 1 (loft) CROWN: (crown alignment) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|-----------------------------|---------------|--|
| Maruman & Co Ltd | Figaro Paris | 13 | SOLE: (F logo), FIGARO, PARIS, (dots), (loft) 1 BACK: FORGED TITANIUM CROWN: (dots alignment mark) HOSEL: Maruman view image here |
| Maruman & Co Ltd | Figaro Paris (Version | 14 | - |
| Maruman & Co Lid | 2) | 14 | SOLE: FIGARO, PARIS, (F logo) Une passion pour la mode, (loft) 1, TITANIUM CROWN: (F logo alignment mark) HOSEL: Maruman |
| | | | <u>view image here</u> |
| Maruman & Co Ltd | Figaro Paris (Version 3) | 13 | SOLE: (decorative markings), (flower logo on circular inset), FIGARO, PARIS, (loft) 1, (decorative markings) TOE: (F logo) CROWN: (flower logo alignment mark) HOSEL: Maruman HEEL: Une passion pour la mode FACE:(decorative marking) |
| | | | view image here |
| Maruman & Co Ltd | Figaro Paris (Version 4) | 13 | SOLE: FIGARO, PARIS, SINCE1826, (logo), (F logo on circular inset), (loft), 1, BACK: Une passion pour la mode CROWN: (F logo alignment mark) HOSEL: Maruman |
| | | | view image here |
| Maruman & Co Ltd | FL | 11.5 | SOLE: (three flower logo), (flower logo with decorative gem), (1 over flower media blast logo), (three dots)(flower media blast logo), (loft), (two flower logos), Fresh & Elegant, (Maruman FL on inset), CROWN: (flower logo alignment mark) HOSEL: Maruman FACE:(flower media blast logo) |
| Maruman & Co Ltd | Gold | 9.5,10.5,11.5 | SOLE: H.F.S. TECHNOLOGY, (angled line), |
| araman a oo Eu | | | Maruman, (three lines) GOLD (three lines), GOLD DESIGN, (loft), (line) CROWN: (angled line), (logo alignment mark), (angled line) HOSEL: Maruman |
| Maruman & Co Ltd | Gold (Version 2) | 10.5 | SOLE: H.F.S. TECHNOLOGY, (angled line), Maruman, (three lines) GOLD (three lines), GOLD DESIGN, (loft), (line) CROWN: (logo alignment mark) HOSEL: Maruman |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|-------------------------------------|----------|--|
| Maruman & Co Ltd | Gold II | 9.5 | SOLE: maruman, GOLD II, (curved line), (loft) TOE: L.D.G. TECHNOLOGY, (angled line), (3 lines), (logo), maruman CROWN: (curved line), (alignment mark), (curved line) |
| Maruman & Co Ltd | Hyper Precio (ladies) | 15 | SOLE: Hyper Precio (thru HP logo), 360, FORGED TITANIUM, (logo) maruman, 1, (loft) view image here |
| Maruman & Co Ltd | Hyper Precio 460 | 10,11 | SOLE: HYPER PRECIO, HP, 460, FORGED TITANIUM, (loft), (line) HEEL: (logo) maruman view image here |
| Maruman & Co Ltd | Hyper Precio 460 (Version 2) | 10,11 | SOLE: HYPER PRECIO, (HP logo), 460, (line), FORGED TITANIUM, (loft) HEEL: (logo) maruman view image here |
| Maruman & Co Ltd | JP-25 | 10.5 | SOLE: JP-25, (line), FORGED TITANIUM 460, (loft), (logo) maruman CROWN: (alignment mark) view image here |
| Maruman & Co Ltd | Lucero | 9.5,10.5 | SOLE: 460, LUCERO, (line), FORGED TITANIUM, (loft) CROWN: (alignment mark) HEEL: (logo) maruman, CONFORMING, TO R&A/USGA, SLE RULE <u>view image here</u> |
| Maruman & Co Ltd | Majesty 40th Anniversary Limited | 10.5 | SOLE: (loft) 1, -M(serial number)-, 40th ANNIVERSARY LIMITED MODEL, (decorative logo), (MJ logo on inset), MAJESTY, (Maruman on inset) FACE:(MJ media blast logo) view image here |
| Maruman & Co Ltd | Majesty 45th Anniversary Limited | 10.5 | SOLE: (45, th over media blast logo), ANNIVERSARY, (loft), (media blast logo), LIMITED MODEL, (media blast logo), (MAJESTY on inset), Maruman FACE:((MJ logo), 45th, ANNIVERSARY over media blast logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|----------------------------------|---------------|---|
| Maruman & Co Ltd | Majesty BMW | 10.5 | SOLE: 1, (loft), (Japanese characters on inset), MAJESTY, (JOY IS BMW. on inset) HOSEL: Maruman HEEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(crown, MJ media blast logo) |
| Maruman & Co Ltd | Majesty Lefty Edition | N/A | SOLE: MAJESTY, LEFTY EDITION, 1, ((MJ in shield and crown) on inset) HEEL: Maruman FACE:(MJ in shield media blast logo) view image here |
| Maruman & Co Ltd | Majesty Lefty Edition (LH) | 10.5 | SOLE: 1, (loft), (MJ logo on inset), MAJESTY, (LEFTY EDITION on inset) HOSEL: maruman HEEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(MJ media blast logo) |
| Maruman & Co Ltd | Majesty Prestigio | 10.5,11.5,13 | SOLE: MAJESTY, (MJ logo), SCIENCE AND ART, 1, (loft), (logo) maruman, CONFORMING TO, R&A/USGA SLE RULE, SCIENCE (MJ logo) AND ART, PRESTIGIO (in shape) TOE: MAJESTY, (MJ logo), FULLERENE TITANIUM FACE:(logo) |
| Maruman & Co Ltd | Majesty Prestigio (Ladies) | 11.5,13 | SOLE: ((MJ and crown logo on raised shield), MAJESTY, (PRESTIGIO on raised shape), Maruman on inset), (decorative bow marking), 1, (decorative bow marking), (loft) view image here |
| Maruman & Co Ltd | Majesty Prestigio (Version 2) | 10.5,11.5,13 | SOLE: MAJESTY, (MJ logo), SCIENCE AND ART, 1, (loft), (logo) maruman, CONFORMING TO, R&A/USGA SLE RULE, SCIENCE (MJ logo) AND ART, PRESTIGIO (in shape) FACE:(crown logo) |
| Maruman & Co Ltd | Majesty Prestigio (Version 3) | 9.5,10.5,11.5 | SOLE: ((MJ and crown logo on raised shield), MAJESTY, (PRESTIGIO on raised shape), Maruman on inset), (decorative marking), 1, (decorative marking), (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--|--------------------|---|
| Maruman & Co Ltd | Majesty Prestigio (Version 4) | 9.5,10.5,11.5,12.5 | SOLE: (MJ in crown and shield logo), (decorative markings), 1, (loft), (decorative markings), MAJESTY, (PRESTIGIO on inset) HOSEL: Maruman FACE:(MJ in crown and shield media blast logo), (decorative markings) view image here |
| Maruman & Co Ltd | Majesty Prestigio 730 | 9.5,10.5,11.5,12.5 | SOLE: (MJ in crown and shield logo), MAJESTY, (loft), (PRESTIGIO on inset) HOSEL: -730- FACE:(MJ in crown and shield logo) view image here |
| Maruman & Co Ltd | Majesty Prestigio FV-R | 10.5 | SOLE: MAJESTY, (SCIENCE AND ART logo) 1, (loft), (logo) maruman, CONFORMING TO R&A/USGA SLE RULE BACK: (crown logo), PRESTIGIO, FULLERENE TITANIUM TOE: 410, FULLERENE TITANIUM, BODY FACE:(crown logo) |
| Maruman & Co Ltd | Majesty Prestigio FV-R (LH) | 10.5 | SOLE: MAJESTY, 1, (loft), (MJ logo), SCIENCE AND ART, (logo) maruman, (triangle), CONFORMING TO, R&A/USGA SLE RULE, (triangle) BACK: (crown logo), PRESTIGIO, FULLERENE TITANIUM TOE: 410, FULLERENE TITANIUM, BODY FACE:(crown logo) |
| Maruman & Co Ltd | Majesty Prestigio Gold Premium | 10.5,11.5 | SOLE: 1, (loft), MAJESTY, PRESTIGIO, (logo), (Maruman in rounded rectangle), (MJ logo on triangular inset) HEEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(MJ logo in media blast) view image here |
| Maruman & Co Ltd | Majesty Prestigio Gold Premium (ladies) | 11.5,13 | SOLE: 1, (loft), MAJESTY, PRESTIGIO, (logo), Maruman, (MJ logo on triangular inset) HEEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(MJ media blast logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|-----------------------------|--------------------|---|
| Maruman & Co Ltd | Majesty Prestigio Nine | 9.5,10.5,11.5,12.5 | SOLE: MAJESTY, PRESTIGIO, (over decorative markings), (loft), (MJ in shield and crown inset) HEEL: MARUMAN FACE:(MJ in shield and crown design), (decorative markings) view image here |
| Maruman & Co Ltd | Majesty Prestigio Type-A | 9.5,10.5 | SOLE: MAJESTY, (MJ logo), SCIENCE AND ART, 1, (loft), (logo) maruman, TYPE-A, CONFORMING TO, R&A/USGA SLE RULE BACK: (crown logo), PRESTIGIO, FULLERENE TITANIUM TOE: 410, FULLERENE TITANIUM, BODY FACE:(crown logo) |
| Maruman & Co Ltd | Majesty Proto-131 | 9.5 | SOLE: MAJESTY, PROTO-131, (loft), (MJ in crown and shield logo on inset) HOSEL: Maruman view image here |
| Maruman & Co Ltd | Majesty Royal Black | 8.5,9.5,10.5,11.5 | SOLE: (MJ in crown and shield logo), 1, (loft), MAJESTY, (Royal on inset) HEEL: (logo), Maruman FACE:(MJ in crown and shield media blast logo) view image here |
| Maruman & Co Ltd | Majesty Royal Black II | 8.5,9.5,10.5,11.5 | SOLE: MAJESTY, 1, (loft), Royal, ((MJ in shield and crown) on inset) TOE: Maruman FACE:(MJ in shield and crown media blast logo) view image here |
| Maruman & Co Ltd | Majesty Royal IV | 10.5 | SOLE: MAJESTY, (logo) SCIENCE AND ART, 1, (loft), (logo) maruman, CONFORMING TO, R&A/USGA SLE RULE BACK: ROYAL IV, FULLERENE TITANIUM TOE: 410, FULLERENE TITANIUM, BODY FACE:(crown logo) view image here |
| Maruman & Co Ltd | Majesty Royal IV Type-A | 9.5,10.5 | SOLE: MAJESTY, (MJ logo), SCIENCE AND ART, 1, (loft), (logo) maruman, TYPE-A, CONFORMING TO, R&A/USGA SLE RULE BACK: (crown logo), ROYAL IV, FULLERENE TITANIUM TOE: 410, FULLERENE TITANIUM, BODY FACE:(crown logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--|------------------|--|
| Maruman & Co Ltd | Majesty Royal LV | 9.5,10.5,11.5 | SOLE: ((MJ in crown and shield logo on raised shape), MAJESTY, (Royal on raised shape), Maruman on inset), 1, (loft) view image here |
| Maruman & Co Ltd | Majesty Royal LV (Ladies) (Version 2) | 13 | SOLE: ((MJ in crown and shield logo on raised shape), MAJESTY, (Royal on raised shape), Maruman on inset), 1, -(loft)-HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Maruman & Co Ltd | Majesty Royal-VQ | 9.5,10.5,11.5,13 | SOLE: MAJESTY, (MJ logo), SCIENCE AND ART, 1, (loft), (logo) maruman, CONFORMING TO, R&A/USGA SLE RULE, SCIENCE AND ART, Royal-VQ (in shape) TOE: MAJESTY, (MJ logo), FULLERENE TITANIUM FACE:(logo) |
| Maruman & Co Ltd | Majesty Sublime | 10.5 | SOLE: (MJ in shield and crown logo), SUBLIME, SUPER SPIDER WEB FACE, (loft), (MAJESTY on inset), Maruman FACE:(MJ in shield and crown logo) view image here |
| Maruman & Co Ltd | Majesty Vanquish | 9.5,10.5 | SOLE: MAJESTY, (MJ logo), SCIENCE AND ART, 1, (loft), (logo) maruman, CONFORMING TO, R&A/USGA SLE RULE, VANQUISH, (MJ logo) (in shape) TOE: MAJESTY, (MJ logo), FULLERENE TITANIUM FACE:(logo) |
| Maruman & Co Ltd | Majesty Vanquish (Version 2) | 8.5,9.5,10.5 | SOLE: VANQUISH, (loft) BACK: NEW LEGEND OF MAJESTY TOE: (MJ logo) HEEL: maruman FACE:(MJ media blast logo) view image here |
| Maruman & Co Ltd | Majesty Vanquish-VR | 10.5,11.5 | SOLE: 1, (loft), (MJ logo on inset), MAJESTY, (VANQUISH-VR on inset) HOSEL: maruman HEEL: CONFORMING, TO R&A/USGA, SLE RULE FACE:(MJ media blast logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------------------|----------|---|
| Maruman & Co Ltd | Majesty Vanquish-VR Prospec | 10.5 | SOLE: 1, (loft), (MJ logo on inset), MAJESTY, (VANQUISH-VR on inset) HOSEL: maruman HEEL: PROSPEC, CONFORMING, TO R&A/USGA, SLE RULE |
| | | | view image here |
| Maruman & Co Ltd | Majesty Vanquish-XR | 9.5,10.5 | SOLE: MAJESTY, VANQUISH-XR, (loft), (MJ logo on inset) HOSEL: Maruman FACE:(MJ media blast logo) view image here |
| Maruman & Co Ltd | Mandarina Duck | 13 | SOLE: MANDARINA DUCK, METABIO, FULL TITANIUM BODY, LOFT (loft), (duck logo) TOE: MANDARINA DUCK CROWN: (duck logo) HEEL: (logo) maruman view image here |
| Maruman & Co Ltd | Metabio | 9,10,11 | SOLE: METABIO, FULL TITANIUM BODY, LOFT (loft), CONFORMING, TO R&A/USGA, SLE RULE HEEL: (logo) maruman |
| | | | view image here |
| Maruman & Co Ltd | Metabio (ladies) | 11.5,13 | SOLE: METABIO, FULL TITANIUM BODY, LOFT (loft), CONFORMING, TO R&A/USGA, SLE RULE HEEL: (logo) maruman view image here |
| Maruman & Co Ltd | Metabio AG-30 (Version 1) | 10,11,13 | SOLE: Metabio, AG-30, (loft), 1, FULL TITANIUM BODY, SLE, CONFORMING, TO R&A/USGA, SLE RULE BACK: (logo) maruman TOE: V G.A.T (logo) CROWN: (alignment mark) view image here |
| Maruman & Co Ltd | Metabio AG-30 (Version 2) | 10,11,13 | SOLE: Metabio, AG-30, (loft), 1, FULL TITANIUM BODY, SLE, CONFORMING, TO R&A/USGA, SLE RULE BACK: (logo) maruman CROWN: (alignment mark) view image here |
| Maruman & Co Ltd | RZ | 10.5 | SOLE: (RZ, (line), FORGED TITANIUM over RZ media blast), (loft), 1 HEEL: (logo), maruman |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|----------------------------------|-----------|---|
| Maruman & Co Ltd | RZ (Ladies) | N/A | SOLE: (RZ, (line), FORGED TITANIUM over RZ media blast), 1 HEEL: (logo), maruman <u>view image here</u> |
| Maruman & Co Ltd | Shuttle i4000AR 430 | 10.5,11.5 | SOLE: HIGH TRAJECTORY, 430, (loft), WEIGHT CONTROL, SHUTTLE, (TITANIUM i4000AR on inset) HOSEL: Maruman view image here |
| Maruman & Co Ltd | Shuttle i4000AR 460 | 10,11 | SOLE: HIGH TRAJECTORY, 460, -(loft)-, WEIGHT CONTROL, SHUTTLE, (TITANIUM i4000AR on inset) HOSEL: Maruman <u>view image here</u> |
| Maruman & Co Ltd | Shuttle i4000AR 460 (Ladies) | 11,12.5 | SOLE: HIGH TRAJECTORY, (460, -(loft)-, RAZOR FURROW, (star logo on circular inset), SHUTTLE, (TITANIUM, i4000AR on inset) CROWN: (star logo alignment mark) HOSEL: Maruman |
| Maruman & Co Ltd | Shuttle i4000x HT (Ladies) | 13.5 | SOLE: SHUTTLE, TITANIUM, 1, HT(loft), (heart/butterfly pattern), i4000X CROWN: (heart alignment mark) HOSEL: Maruman HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Maruman & Co Ltd | Shuttle i4000x HT (LH) | 10.5 | SOLE: SHUTTLE, TITANIUM, 460, 1, HT (loft), OF GRAVITY (i4000x on inset) DEEP CENTER CROWN: (S logo alignment mark) HOSEL: Maruman view image here |
| Maruman & Co Ltd | Shuttle i4000x HT (Version 1) | 10.5,12.5 | SOLE: SHUTTLE, TITANIUM, 1, HT(loft), i4000X, HIGH TRAJECTORY CROWN: (S alignment mark) HOSEL: Maruman HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Maruman & Co Ltd | Shuttle i4000x HT (Version 2) | 10.5,12.5 | SOLE: SHUTTLE, TITANIUM, 460, 1, HT (loft), DEEP CENTER (i4000x on inset) OF GRAVITY CROWN: (S logo alignment mark) HOSEL: Maruman view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------------|----------|---|
| Maruman & Co Ltd | Shuttle NX-1 | 10,11 | SOLE: LOW CENTER OF GRAVITY DESIGN, SHUTTLE, (loft), CARBON COMPO, (EFFECTIVE WEIGHT POSITION on inset) TOE: (line) Maruman CROWN: (alignment mark) (bent line) (bent line) CENTER SPOT DESIGN HEEL: (NX-1 (underlined)) FACE:(target design) view image here |
| Maruman & Co Ltd | Shuttle NX-1 (Ladies) | 12 | SOLE: LOW CENTER OF GRAVITY DESIGN, SHUTTLE, (loft), CARBON COMPO, (EFFECTIVE WEIGHT POSITION on inset) TOE: (line) Maruman CROWN: (alignment mark) (line) CENTER SPOT DESIGN (line) (line) (diverging lines) HEEL: (NX-1 (underlined)) FACE:(decorative design) view image here |
| Maruman & Co Ltd | Titus 460 | 9.5,10.5 | SOLE: TITUS, 460, FORGED TITANIUM, (logo) maruman, (loft), 1, (3 dots) TOE: FORGED TITANIUM, 460 CROWN: (alignment mark) view image here |
| Maruman & Co Ltd | Titus V425 7Series | 9.5,10.5 | SOLE: TITUS, –425–, 7SERIES, (logo) maruman 1, (loft), (3 dots) CROWN: (alignment mark) view image here |
| Maruman & Co Ltd | Verity Red V (Version 2) | 9.5,10.5 | SOLE: VERITY, 460 TITANIUM, (RED, V// on inset), (loft), CONFORMING TO R&A/USGA SLE RULE. CROWN: (alignment mark) HOSEL: Maruman view image here |
| Maruman & Co Ltd | Verity Red-V | 9.5,10.5 | SOLE: VERITY, 460 TITANIUM, RED-V, CONFORMING TO, R&A/USGA SLE RULE, (loft) CROWN: (alignment mark) HEEL: (logo) maruman view image here |
| Maruman & Co Ltd | Verity Red-V Shallow | 9.5,10.5 | SOLE: VERITY, (triangle) (square) RED-V (square) (triangle), 460 TITANIUM, (loft), (SHALLOW on plate) CROWN: (alignment mark) HEEL: (logo) maruman view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|---------------------|----------|--|
| Maruman & Co Ltd | Verity RV2 | 10.5 | SOLE: Verity, RV2, 380, Forged Titanium, (logo) Maruman (loft) 1 <u>view image here</u> |
| Maruman & Co Ltd | Verity V425 | 9.5,10.5 | SOLE: VERITY, FORGED TITANIUM, 425, (loft) 1, -V- (in oval) HEEL: (logo) maruman view image here |
| Maruman & Co Ltd | Verity VGR | 9.5,10.5 | SOLE: VERITY, VGR, 460 TITANIUM DRIVER, (loft) CROWN: (alignment mark) HOSEL: Maruman view image here |
| Maruman & Co Ltd | VGR II | 10.5 | SOLE: Maruman, (curved line), VGR II, 460 TITANIUM DRIVER, (loft) CROWN: (alignment mark) HOSEL: Maruman view image here |
| Maruman & Co Ltd | Z Type-713 | 9.5,10.5 | SOLE: (Z logo on inset), (Z logo over Z media blast logo), TYPE-713, (logo and angled line), MULTI-FITTING SYSTEM, (loft) CROWN: (Z logo alignment mark) HOSEL: Maruman, (triangle), (orientation indicators) FACE:(Z media blast logo) |
| Maruman & Co Ltd | Z Type-713 (Ladies) | 11,12.5 | SOLE: (Z logo on inset), (Z logo over Z media blast logo), TYPE-713, (logo and angled line), DESIGNED FOR LADIES, (loft) CROWN: (Z logo alignment mark) HOSEL: Maruman, (triangle), (orientation indicators) FACE:(Z media blast logo) |
| Maruman & Co Ltd | Z Type-713 (LH) | 10.5 | SOLE: (Z logo on inset), (Z logo over Z media blast logo), TYPE-713 CROWN: (Z logo alignment mark) HOSEL: Maruman, (triangle), (orientation indicators) HEEL: (loft), (logo and angled line), MULTI-FITTING SYSTEM FACE:(Z media blast logo) |
| Masda Golf Corporation | FBL/DR-F | 9.5,10.5 | SOLE: Masdagolf, FBL/DR, FBL/DR, FBL/DR, FBL/DR, FBL/DR, (loft) HOSEL: F view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|---------------------|---------------|--|
| Masda Golf Corporation | Masda Golf Series 8 | 9.5,10.5 | SOLE: (weight port), (weight port), Masdagolf, FBL, TITANIUM, Series 8, FOR TOUR, (weight port), (weight port) HOSEL: (dot), (orientation indicators) HEEL: (loft) |
| | | | view image here |
| Masdagolf Inc | Complete C-03 | 8.5,9.5,10.5 | SOLE: COMPLETE, C-03, MASDA, MASDA (on weight port), (loft) TOE: MASDA CROWN: (alignment mark) view image here |
| Masdagolf Inc | FBL/DR | 9.5,10.5 | SOLE: Masdagolf, FBL/DR, (line), (line), FBL/DR, (line), (line),FBL/DR, (line), (line), FBL/DR, (line), (line), FBL/DR, (line), (line), (weight port), (loft) view image here |
| Masdagolf Inc | V-430 | 8.5,9.5,10.5 | SOLE: Masda golf, V-430-(loft) |
| | | | view image here |
| Masdagolf Inc | V-430 (Version 2) | 8.5,9.5,10.5 | SOLE: Masda golf, V-430- (loft) FACE:LS |
| | 1,400 | 0.5.0.5.40.5 | view image here |
| Masdagolf Inc | V-460 | 8.5,9.5,10.5 | SOLE: V-460-(loft), Masda golf <u>view image here</u> |
| Masdagolf Inc | VP-6 | 8.5,9.5,10.5 | SOLE: VP-6, Masdagolf, (loft) view image here |
| Masdagolf Inc | V-Rod (Version 1) | 8.5,9.5,10.5 | SOLE: V-ROD (line), CENTER BALANCE, TECHNOLOGY, (6 dots around weight port), (loft) TOE: MASDA view image here |
| Masdagolf Inc | V-rod (Version 1) | 6.5 | SOLE: V-ROD (line), CENTER BALANCE, TECHNOLOGY, (6 dots around weight port), (loft) TOE: MASDA view image here |
| Masdagolf Inc | V-Rod (Version 2) | 13.5 | SOLE: V-ROD (line), CENTER BALANCE, TECHNOLOGY, (6 dots around weight port) TOE: MASDA view image here |
| Masdagolf Inc | V-Rod (Version 3) | 9.5,10.5,11.5 | SOLE: (triangle) V-ROD (triangle), CENTER BALANCE (in circle with vertical line), (loft) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|---|-------------|--|
| Masdagolf Inc | V-Rod (Version 4) | 8.5 | SOLE: (triangle) V-ROD (triangle), CENTER BALANCE (in circle with vertical line), (loft) view image here |
| Master Grip | 460 S | 9 | SOLE: (loft), (mg in circle), golf, MasterGrip, 460S, Forged Beta Titanium, PS, Designed by, Pat Simmons BACK: (recessed weight port), (recessed weight port) CROWN: (elongated recessed channel), (recessed weight port) view image here |
| Master Grip | T·Rex | N/A | SOLE: (T·Rex™ over dinosaur graphic), TITANIUM DRIVER, STD Ti 6AI-4V, MASTER, GRIP®, 1 CROWN: (Two arrows alignment mark) view image here |
| Master Grip | T-Rex II 360cc | 10 | SOLE: T· Rex, (line) II (line), 360cc, Forged Beta Titanium, MASTER, GRIP®, Designed by, Pat Simmons, (loft) CROWN: (recessed line) view image here |
| Master Grip | T-Rex II 442cc (Version 1) | 7.5,9,10,11 | SOLE: T• REX, (line)II(line), 442cc, Forged Beta Titanium, MASTER, GRIP®, Designed by, Pat Simmons, (loft) CROWN: (elongated recessed channel) view image here |
| Masterfit Golf LTD | Low Spin Series 460cc | 9,10.5 | SOLE: MASTERFIT, (four lines) MF (four lines), (line), TITANIUM, 460cc, LOW SPIN SERIES, (loft) TOE: Weighted Crown, Technology CROWN: (four lines) MF (four lines) FACE:BETA-TI view image here |
| Masterfit Golf LTD | Low Spin Series 460cc Version 6.8 (Version 1) | N/A | SOLE: MASTERFIT, (four lines) MF (four lines), (line), TITANIUM, 460cc, LOW SPIN SERIES BACK: VERSION-6.8 CROWN: (four lines) MF (four lines) FACE:TI-GOLD NITRIDE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|---|---------|--|
| Masterfit Golf LTD | Low Spin Series 460cc Version 6.8 (Version 2) | N/A | SOLE: MASTERFIT, (four lines) MF (four lines), (line), TITANIUM, 460cc, LOW SPIN SERIES BACK: VERSION-6.8 TOE: Weighted Crown, Technology CROWN: (four lines) MF (four lines) FACE:BETA-TI |
| Masterfit Golf LTD | Low Spin Series Carbon 465 V2 | 9,10.5 | SOLE: MASTERFIT, (four lines) MF (four lines), (line), CARBON 465, (loft) BACK: V2 TOE: LOW SPIN SERIES CROWN: (four lines) MF (four lines) |
| Masterfit Golf LTD | Low Spin Series Deep Face 400cc | 4,6,8 | SOLE: MASTERFIT, (four lines) MF (four lines), TITANIUM, 400CC, DEEP FACE, SEMI-GROOVELESS, 90TI 6AL 4V, (loft), LOW SPIN SERIES CROWN: (four lines) MF (four lines) |
| Masterfit Golf LTD | Low Spin Series Deep Face 455cc | 5.5,7.5 | SOLE: MASTERFIT, (four lines) MF (four lines), TITANIUM, 455CC, DEEP FACE, SEMI-GROOVELESS, 90TI 6AL 4V, (loft), LOW SPIN SERIES CROWN: (four lines) MF (four lines) HOSEL: C7 |
| Masterfit Golf LTD | Masterfit TourSpec | N/A | SOLE: MASTERFIT, (MF logo), (line), TourSpec TOE: LOW SPIN SERIES CROWN: (MF logo) HOSEL: (dot), (orientation indicators) HEEL: BETA view image here |
| Masterfit Golf LTD | M-Series 460 | 9,10.5 | SOLE: (loft), MASTERFIT, (four lines) MF (four lines), (line), M-SERIES, 460 TOE: LOW SPIN CROWN: (four lines) MF (four lines) view image here |
| Masterfit Golf LTD | M-Series 460 v.6.8 | 6.5° | SOLE: v.6.8, MASTERFIT, (four lines) MF (four lines), (line), M-SERIES, 460 TOE: LOW SPIN CROWN: (four lines) MF (four lines) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|-------------------------------------|--------------|---|
| Masterfit Golf LTD | M-Series 5 Beta | 9,10.5 | SOLE: (weight port), MASTERFIT, (four lines) MF (four lines), (line), M-SERIES, 5, BETA, (loft), (weight port) CROWN: (four lines) MF (four lines) |
| | | | view image here |
| Masterfit Golf LTD | M-Series 5 Beta HL | N/A | SOLE: (weight port), MASTERFIT, (four lines) MF (four lines), (line), M-SERIES, 5, BETA, HL, (weight port) CROWN: (four lines) MF (four lines) |
| | | | view image here |
| Masters Co Ltd | Astro Premium (Version 2) | 9,10,11,12.5 | SOLE: ((A logo), ASTRO on hexagonal inset), (A logo), ASTRO PREMIUM, (loft) TOE: (A logo) HEEL: CONFORMING TO R&A/USGA SLE RULE |
| | | | view image here |
| Masters Co Ltd | Astro Premium (version 3 with foam) | N/A | SOLE: (weight port), ASTRO PREMIUM, ((A logo) in octagon), UNDER SIDESOLE, (weight port) |
| | | | view image here |
| Masters Co Ltd | Astro Premium (version 3) | 9.5,10.5 | SOLE: (weight port), ASTRO PREMIUM, ((A logo) in octagon), UNDER SIDESOLE, (weight port), (loft) |
| | | | view image here |
| Masters Co Ltd | Astro Premium 460 | 9,10,11 | SOLE: (A logo), ASTRO PREMIUM, (line), 460, 1 (loft) |
| | | | view image here |
| Masters Co Ltd | Astro Premium D-460 | 8,9,10,11 | SOLE: (A logo), ASTRO PREMIUM, (line), D-460, (loft), ((A logo), ASTRO PREMIUM on inset) TOE: (A logo) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Masters Co Ltd | Astro Premium WI-460 | 9,10,11 | SOLE: ((A logo), ASTRO on hexagonal inset), (A logo), ASTRO PREMIUM, WI-460, (loft) TOE: (A logo) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Masters Co Ltd | Astro Target Line SL460 | 9,10,11,13 | SOLE: TARGET LINE (underlined), SL460, 1 (loft), CUPFACE•FORGED TITAN, (A logo), ASTRO TOUR |
| | | | view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---------------------------|-------------------|---|
| Masters Co Ltd | Astro Tour S1 | 8,9,10,11 | SOLE: (A logo), ASTRO TOUR, UNDER SIDESOLE, S1, (ASTRO TOUR, ASTRO TOUR around screw), (loft) TOE: (A logo) view image here |
| Masters Co Ltd | Astro Tour S375 | 8.5,9.5,10.5 | SOLE: (A logo), ASTRO TOUR, UNDER SIDESOLE, S375, -(loft)-, CUPFACE, FORGED TITAN TOE: (A logo) view image here |
| Masters Co Ltd | Astro Tour S460 | 9,10,11,12.5,13.5 | SOLE: (A logo), ASTRO TOUR, UNDER SIDESOLE, S460, 1 (loft), CUPFACE (square) FORGED TITAN TOE: (A logo) |
| Masters Co Ltd | Astro Tour V4 Type 460 | 8,9,10,11 | SOLE: UNDER SIDESOLE, (A logo), ASTRO TOUR, V IV, TYPE 460 TOE: (A logo) HEEL: (loft) view image here |
| Masters Co Ltd | Astro Tour V460 | 7,8,9,10,11 | SOLE: 1 (loft), (A logo), ASTRO TOUR, UNDER SIDESOLE, V460, CUPFACE • FORGED TITAN TOE: (A logo) view image here |
| Masters Co Ltd | Astro Tour V5 | 8,9,10,11 | SOLE: (weight port), V5, (weight port), (A logo), ASTRO TOUR, (weight port) TOE: (A logo) HEEL: (loft) view image here |
| Masters Co Ltd | Astro Tour VII | 7,8,9,10,11 | SOLE: (loft), (VII on square inset), (A logo), ASTRO TOUR, UNDER SIDESOLE TOE: (A logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Masters Co Ltd | Astro Tour VIII | 8,9,10,11 | SOLE: (VIII on hexagon inset), (A logo), ASTRO TOUR, UNDER SIDESOLE TOE: (A logo) HEEL: (loft), CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|--------------------|-------------|---|
| Masters Co Ltd | Astro Tour VS-1 | 8,9,10,11 | SOLE: VS-1, (A logo), ASTRO TOUR, UNDER SIDESOLE BACK: (weight port), (weight port) TOE: (A logo) HEEL: (loft) view image here |
| Masters Co Ltd | Astro Tour VS460 | 7,8,9,10,11 | SOLE: (loft), (A logo), ASTRO TOUR, UNDER SIDESOLE, VS460, ((A logo), ASTRO TOUR, VS460 on inset) view image here |
| Matsumoto Golf Inc | HMW-01 | 9,10 | SOLE: (loft), Pro, HMW-01, HIRO MATSUMOTO, (fm logo) view image here |
| Matsumoto Golf Inc | HMW-02 | 9,10 | SOLE: (loft), Pro, HMW-02, HIRO MATSUMOTO, (fm logo) view image here |
| Matsumoto Golf Inc | MRX-708B | 9.5,10.5 | SOLE: (MRX in wings and crown logo), (loft) BACK: HIRO MATSUMOTO, MRX-708B, ® CROWN: (alignment mark) view image here |
| Mattiace Golf | Inertia 460 | 9.5 | SOLE: 460, Mattiace, (line), TITANIUM, Inertia (MX superscript), (loft) BACK: (weight port) view image here |
| Max Soul Golf Inc | Max Soul 410 Ti | N/A | SOLE: Max Soul, Great Design, Superior Driver, 410 Ti, (MAX SOUL, (line), (MS logo), (line), MAX SOUL on circular inset) view image here |
| Max Soul Golf Inc | Max Soul 445 Ti | 10 | SOLE: MaxSoul, Superior, Driver, (weight port) BACK: The science of aerodynamics 445 Ti |
| Max Soul Golf Inc | Max Soul 450 Ti | N/A | SOLE: Max Soul, Great Design, Superior Driver, 450 Ti, (MAX SOUL, (line), (MS logo), (line), MAX SOUL on circular inset) view image here |
| Max Soul Golf Inc | Max Soul M558 | 10 | SOLE: (weight port), MaxSoul, M 558, Power of Impact, (weight port) view image here |
| Max Soul Golf Inc | Max Soul Rise G717 | 9.5,10.5 | SOLE: (Rise over media blast logo), G 717, (5 circular insets with (8 dots) around (star)) CROWN: (line), (line) MaxSoul (line), (line) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|-------------------|---------------------|--|
| Max Soul Golf Inc | Max Soul S03D | 9.5,10.5 | SOLE: MaxSoul, Superior Driver, 450Ti, Great Design, S03D CROWN: (line), (line) MaxSoul (line), (line) view image here |
| McHenry Metals Golf, Inc. | Tour Pure Ti | 7.5,8.5,9.5,10.5,12 | SOLE: McHenry, (McHenry logo) Metals, Tour Pure, TITANIUM, (loft) CROWN: (McHenry logo) FACE:CM-100 view image here |
| McHenry Metals Golf, Inc. | Tour Pure Ti (LH) | 9.5 | SOLE: McHenry, (McHenry Logo) Metals, Tour Pure, TITANIUM, (loft) CROWN: (McHenry logo) FACE:CM-90 view image here |
| McHenry Metals Golf, Inc. | TourPure II | 8,9.5,10.5 | SOLE: McHenry, (McHenry logo) Metals, TOUR PURE II, FORGED TITANIUM, (loft) BACK: POWER RING TECHNOLOGY CROWN: (McHenry logo) view image here |
| McHenry Metals Golf, Inc. | TourPure II 365 | 8,9.5,10.5,11.5 | SOLE: McHenry, (McHenry logo) METALS, FORGED, TOURPURE II 365, BETA TITANIUM, (loft) BACK: POWERRING TECHNOLOGY CROWN: (McHenry logo) |
| McHenry Metals Golf, Inc. | TourPure II 400 | 10.5 | SOLE: McHenry, (McHenry logo) METALS, FORGED, TOURPURE II 400, BETA TITANIUM, (loft) BACK: POWERRING TECHNOLOGY CROWN: (McHenry logo) |
| McKenly Golf | Zrion | 10.5 | SOLE: Mckenly™, TITANIUM, FORGED, (diamond), ZRION, 1, (loft) CROWN: (logo alignment mark) view image here |
| McKenly International Corp | Xius 360 | 12 | SOLE: 1 (loft), Xius (underlined) 360, Stronger, Forged ß-Titanium, M McKenly TOE: M McKenly CROWN: (alignment mark) FACE:15-3-3-3 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|----------------------------------|--------------|--|
| MCM Golf, Inc. | Dynacraft Launch Series 400cc | 8.5,9.5,10.5 | SOLE: LAUNCH SERIES, (loft), (Dynacraft, FORGED TITANIUM over logo graphic), 400cc, WRAP AROUND FACE TECHNOLOGY TOE: (Dynacraft logo on plastic insert) CROWN: (recessed Dynacraft logo alignment mark) HOSEL: mcm |
| MD Golf | Blackhawk | 10.5,12 | SOLE: ///MD, 1 (in square) blackhawk, (logo), (loft), (logo), TURF RESISTANT SOLE TOE: ///MD GOLF CROWN: ////MD |
| MD Golf | Blackhawk (Version 2) | 12 | SOLE: (logo), BLACKHAWK, (loft)HIGHMOIFLIGHT, ((MD logo), MDGOLF on inset) CROWN: (MD logo alignment mark) view image here |
| MD Golf | Blackhawk Platinum | 10.5 | SOLE: 7075 FORGED, (logo), blackhawk, PLATINUM, (loft), ((md logo) MDGOLF on inset) CROWN: (alignment mark) FACE:460cc view image here |
| MD Golf | Blackhawk Tour Force | 10.5 | SOLE: (logo), blackhaw, TOUR FORCE, (loft), MOI 5650, ////MD, 460cc TOE: ////MD GOLF CROWN: (alignment mark) view image here |
| MD Golf | Icon High MOI | 9.5,10.5,12 | SOLE: (MD logo), MD GOLF, icon, HIGH MOI, Ballesteros, (loft) CROWN: (MD logo alignment mark) view image here |
| MD Golf | Seve Augusta | 10.5 | SOLE: SEVE, Ballesteros, AUGUSTA, (loft), (seve image on inset) CROWN: (MD logo alignment mark) view image here |
| MD Golf | Seve Ballesteros | 11.5 | SOLE: SEVE, Ballesteros, (loft) CROWN: (MD alignment mark) view image here |
| MD Golf | Seve Icon | 9.5,10.5,12 | SOLE: SEVE, ICON, (loft), HIGH MOI, (MD logo) CROWN: (MD alignment logo) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|------------------------------|-----------------|--|
| MD Golf | Seve Icon (Version 2) | 8.5,9.5,10.5,12 | SOLE: (MD logo), (loft), SEVE, ICON TOE: Ti // ICON HIGH MOI (MD logo) CROWN: (MD logo alignment mark) view image here |
| MD Golf | Seve Senora | 14 | SOLE: 1 (loft), SEVE, SENORA, (logo) ((MD logo), MDGOLF on inset) CROWN: (MD logo alignment mark) view image here |
| MD Golf | Superstong ST Offset | 10.5 | SOLE: MAXIMUM C.O.R., superstrong, ST, OFFSET, ((MD logo), MD GOLF on trianguler inset) CROWN: (MD logo alignment mark) HEEL: ti460, (loft) view image here |
| MD Golf | Superstong ST Ti 460 | 9.5,10.5,12 | SOLE: MAXIMUM C.O.R., superstrong, ST, ((MD logo), MD GOLF on trianguler inset) CROWN: (MD logo alignment mark) HEEL: ti460, (loft) view image here |
| MD Golf | Superstrong EQL | 15 | SOLE: (S logo), SUPERSTRONG, EQL, (loft), TUNGSTEN Ti DRAW, ///MD, 460cc TOE: ///MD GOLF CROWN: ////MD view image here |
| MD Golf | Superstrong EQL (offset) | 12 | SOLE: (S logo), SUPERSTRONG, EQL, (loft), Ti OFFSET, ////MD, 460cc TOE: ////MD GOLF CROWN: ////MD |
| MD Golf | Superstrong EQL2 | 10.5,12 | SOLE: (S logo), SUPERSTRONG, EQL2 (superscript), (loft), Ti DRAW, ////MD, 460cc TOE: ////MD GOLF CROWN: ////MD |
| MD Golf | Superstrong EQL2 (ladies) | 12 | SOLE: (S logo), SUPERSTRONG, EQL2 (superscript), (loft), Ti DRAW, ////MD, 460cc TOE: ////MD GOLF CROWN: ////MD |
| MD Golf | Superstrong Lady (offset) | 12 | SOLE: (S logo), SUPERSTRONG, LADY, (loft), Ti OFFSET, ////MD, 460cc TOE: ////MD GOLF CROWN: ////MD view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|-------------------------------------|----------------|--|
| MD Golf | Superstrong ST2 | 9.5,10.5,12 | SOLE: ST 2, ti460 (loft), ((MD logo), MDGOLF on inset), superstrong, ST 2, MAXIMUM C.O.R. TOE: superstrong, ST, 2 CROWN: (MD logo alignment mark) view image here |
| MD Golf | Superstrong Ti 460 (Offset) | 12 | SOLE: OFFSET, Ti, SUPERSTRONG, 460, (MD logo), MDGOLF, (MD logo) CROWN: (MD logo alignment mark) HEEL: (loft) view image here |
| MD Golf | Superstrong Ti 460 (Version 1) | 12 | SOLE: Ti, SUPERSTRONG, 460, (MD logo), MDGOLF, (MD logo) CROWN: (MD logo alignment mark) HEEL: (loft) view image here |
| MD Golf | Superstrong Ti 460 (Version 2) | 9.5,10.5,12,15 | SOLE: (MD logo, MD GOLF in shape), Ti 460, (md logo), superstrong, (md logo on inset) CROWN: (MD alignment logo) HEEL: (loft) view image here |
| MD Golf | Superstrong Ti 460 Lady (Offset) | 12 | SOLE: OFFSET, LADY, Ti, SUPERSTRONG, 460, (MD logo), MDGOLF, (MD logo) CROWN: (MD logo alignment mark) HEEL: (loft) view image here |
| MD Golf | Superstrong Ti 460 Square | 10.5 | SOLE: Ti, SUPERSTRONG, 460, (MD logo), MDGOLF, (MD logo) CROWN: (MD logo alignment mark) HEEL: (loft), SQUARE <u>view image here</u> |
| MD Golf | Superstrong Ti460 EQL | 10.5,12 | SOLE: S (in shape), SUPERSTRONG, EQL, (loft), TUNGSTEN TI DRAW, ////MD, 460cc TOE: ////MD GOLF CROWN: ////MD |
| MD Golf | Sure Fire Plus | 12 | SOLE: SURE (triangle), FIRE (triangle), (angled line), PLUS, (loft) TOE: DRIVER CROWN: (alignment mark) view image here |
| MDF Supplies Pte Ltd | Fireball BT460 | 10 | SOLE: Fireball, BT460, (loft) CROWN: (alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|-----------------------|-------------|--|
| MDF Supplies Pte Ltd | Fireball BT-460 II | 10.5 | SOLE: (loft), Fireball, BT-460 II, DRIVER CROWN: (alignment mark) view image here |
| Mercury Composite | Savage | 5,6,7.5,10 | SOLE: (loft), (SAVAGE over MERCURY), SP-700 BETA TITANIUM |
| | | | view image here |
| Meridian (Luton) Ltd. | Radar PFT | 8,9,10 | SOLE: (RADAR, (curved line), P.F.T., (line), FORGED TITANIUM Ti6-4 in rectangle), PAT PENDING NO.9814210.2, (1 (loft) in triangle with four lines) |
| | | | view image here |
| Meridian Golf | Radar TFT | N/A | SOLE: 1, M, SQUARE, RADAR (underlined), T.F.T. (in rectangle), TITANIUM FACE:TFT view image here |
| Merit Golf Company | Merit Tour Trajectory | 8.5 | SOLE: (loft), MERIT, TITANIUM, (curved line), TOUR, TRAJECTORY HOSEL: Patent, 5,954,595 FACE:V, G, T view image here |
| Merit Golf Company | Prophecy Plus | 8.5 | SOLE: (loft), PROPHECY, (PLUS in rectangle), TITANIUM FACE, MERIT FACE:TITANIUM |
| Merit Golf Company | Tour Trajectory | 10.5 | SOLE: (loft), MERIT, TITANIUM, (curved line),TOUR, TRAJECTORY HOSEL: Patent, 5,954,595 FACE:VGT view image here |
| Mevaeru Co Ltd | Zone Sprout | N/A | SOLE: (weight port), (weight port), (Z logo), (weight port), (weight port), ZONE, SPROUT, HOSEL: (orientation indicators) |
| MFS Korea Co Ltd | F420 | 9,9.5,10,12 | SOLE: CUSTOM CLUB SERIES, F420, FORGED, (loft) TOE: (golfer logo), MFS, GOLF CROWN: Custom FACE:10-2-3-Ti view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|----------------|-----------|--|
| MFS Korea Co Ltd | Matrix | 9.5 | SOLE: MATRIX, MASTER FITTING SYSTEM, FD-1, (L loft indicator), CUSTOM FORGED TITANIUM, MFS, MAXIMUM MOMENT OF INERTIA view image here |
| MFS Korea Co Ltd | Matrix X5 | 10 | SOLE: MATRIX, MASTER FITTING SYSTEM, X5 TOE: Aero Dynamic Style CROWN: (alignment mark) view image here |
| MFS Korea Co Ltd | P-Series | 9.5 | SOLE: P(dot)SERIES, MFS TOE: MFS CROWN: (alignment mark) HOSEL: MADE IN CHINA HEEL: FITTING SYNERGY, (loft) FACE:SP700TI, (MFS logo) view image here |
| MFS Korea Co Ltd | Spirra Ozik TP | 8.5 | SOLE: SPIRRA, (tiger head logo in circle), (loft), (OZIK, TP on inset) TOE: GOLF, MATRIX CROWN: (tiger logo alignment mark) HEEL: MASTER FITTING SYSTEM |
| MFS Korea Co Ltd | SPirra Ozik TP | 9,9.5 | SOLE: SPIRRA, (tiger head logo in circle), (loft), (OZIK, TP on inset) TOE: GOLF, MATRIX CROWN: (tiger logo alignment mark) HEEL: MASTER FITTING SYSTEM view image here |
| MFS Korea Co Ltd | SQRT | 8.5,9,9.5 | SOLE: OZIK, SQRT, (logo on weight port), (loft) BACK: Engineered Center of Gravity CROWN: (raised logo alignment mark) FACE:SP7OOTi, MFS GOLF view image here |
| MFS Korea Co Ltd | S-Series | 9.5 | SOLE: (weight port), S(dot)SERIES, (loft) TOE: FITTING SYNERGY, (dot)MFS(dot) CROWN: (star alignment mark), EXPOSION ADJUST BAND & AIR DISTRIBUTION DIFFUSER FACE:(SP700Ti in media blast), (MFS GOLF in media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|---|-------|--|
| MFS Korea Co Ltd | S-Series (Version 2) | 9.5 | SOLE: (weight port), S(dot)SERIES, (loft) TOE: (dot)MFS(dot) CROWN: EXPOSION ADJUST BAND & AIR DISTRIBUTION DIFFUSER FACE:SP700TI, (MFS logo) |
| | VTEN (V · · · · · · · · · · · · · · · · · · | 005 | view image here |
| MFS Korea Co Ltd | XTEN (Version 2) | 9,9.5 | SOLE: XTEN, CUSTOM SPEC., (MFS logo) TOE: X CROWN: (X alignment mark) HEEL: (loft), MAXIMUM COR & MOI TECH. FACE:MFS GOLF at toe |
| | | | view image here |
| MG Golf | S5 | 11 | SOLE: (recessed weight port), (loft), (mg in circle), golf, S5, FORGED BETA TITANIUM, ENHANCED RIGIDITY, SQUARE GEOMETRY, (recessed weight port), PS, Designed by, Pat Simmons |
| | | | view image here |
| MGolf International AS | Airsole (Version 1) | 9 | SOLE: MILLENNIUM, (line), GOLF, (loft), (M in rectangular box), AIRSOLE, 201 BACK: (M on oval insert) CROWN: (M logo alignment mark) FACE:Hyper Beta Ti view image here |
| MGolf International AS | Airsole (Version 2) | 7 | SOLE: MILLENNIUM, (line), GOLF, (loft), (Millennium logo in rectangular box), AIRSOLE, 201 CROWN: (M logo alignment mark) FACE:Hyper Beta Ti view image here |
| MGolf International AS | FPC 310 | 10 | SOLE: (M logo) goLf, (loft), FPC, 310 CROWN: (alignment arrow) view image here |
| MGolf International AS | FPC 350 | 9,10 | SOLE: (M logo) goLf, FPC, 350, (loft) CROWN: (triangle alignment mark) view image here |
| MGolf International AS | FPC Tour 13 C455 | 13 | SOLE: (M logo) goLf, FPC, TOUR (loft), C 455 view image here |
| MGolf International AS | M Golf No 1 | N/A | SOLE: M Golf, SK (in circle), 1, Driver CROWN: (alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|--|---------------|---|
| MGolf International AS | M Golf Robert | N/A | SOLE: M Golf, Robert CROWN: (alignment mark) |
| | | | <u>view image here</u> |
| MGolf International AS | M Golf Tour Professional | N/A | SOLE: M Golf, SK (in circle), Tour 9, Professional CROWN: (alignment mark) |
| | 1 | 9 | view image here |
| MGolf International AS | Millennium SK | 9 | SOLE: Millennium (with M logo), 1, DRIVER, (SK in oval) CROWN: (arrow alignment mark) |
| | | | view image here |
| MGolf International AS | Pro Series | 11,12 | SOLE: Mgolf, Pro Series (loft) view image here |
| MGolf International AS | SK | N/A | SOLE: M golf (with M logo), 1, DRIVER, (SK in oval) CROWN: (Arrow alignment mark) view image here |
| MGolf International AS | SK Tour | 9 | SOLE: M golf (with M logo), TOUR (loft), PROFESSIONAL, (SK in oval) CROWN: (Arrow alignment mark) |
| | | | view image here |
| Micro Farm Corporation | Temjin Tour Edition X-415 Prototype | 9.5,10.5,11.5 | SOLE: TEMJIN, TOUR EDITION (underlined), X-415, PROTOTYPE, LOFT (loft) |
| | | | view image here |
| Midas Golf Enterprises Co. LTD. | Slope Bill | 11 | SOLE: SLOPE BILL, (double line), ANTIFLOATING, ANTISHAKING, (double line), -(loft)-, Ti, CLUB SINKING, - DESIGN -, PAT. PEND. |
| | | | view image here |
| Midori Planning Co Ltd | MW A-380 | 10.5,14 | SOLE: M, W, Magic Weight Control, A-380, CONFORMING TO, R&A/USGA, SLE RULE, (loft) |
| | | | view image here |
| Midori Planning Co Ltd | MW A-455 | 10.5 | SOLE: A-455 (logo), (logo) M, W, CONFORMING TO, R&A/USGA, SLE RULE, (loft), MAGIC WEIGHT, CONTROL |
| | | | <u>view image here</u> |
| Mikesan Golf | TD 270 | 8.5 | SOLE: McGLOTHLIN, GOLF, TD 270, TITANIUM, (loft) CROWN: (line alignment mark) FACE:Ti-10-2-3 |
| | | | <u>view image here</u> |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------|-----------|--|
| Mirai Sports | Auto Power SC 305 | 9,10 | SOLE: (two partial flower graphics), MIRAI SPORTS, (AUTO POWER, SC 305 (w/ 305 in circle) over flower graphic), (loft) |
| | | | view image here |
| Mirai Sports | DU 702 | 9,10 | SOLE: (half flower graphic), (three crescent shapes), DU, 702, Dumina, (loft), (half flower graphic) CROWN: (flower alignment mark) view image here |
| Mirai Sports | Dumina CD 505 | 9,10 | SOLE: Dumina CD 505, MIRAI SPORTS, (loft) CROWN: (arrow alignment mark) |
| | | | view image here |
| Mirai Sports | Dumina CP 305 | 9,10 | SOLE: ((flower in circle), (TRUE TO TRADITION, DESIGN BY MIRAI SPORTS in circle), (vine graphic), (crown), (vine graphic) emblem), (Dumina CP 305 in banner), (loft) |
| | | | view image here |
| Mirai Sports | Dumina FD 405 | 9,10 | SOLE: Dumina FD 405, (loft) view image here |
| Mirai Sports | Pro 911 | 9,10 | SOLE: MIRAISPORTS, V (w/ flame graphic), PRO, 911, (loft) CROWN: (arrow alignment mark), (six petaled flower graphic) view image here |
| Miura Giken Co Ltd | MD 390 Tour Spec | 9,10.5 | SOLE: MD390, Tour Spec, (MG logo), (line), |
| Wildra Giken Co Ltd | Precious Edition | 0,10.0 | Precious Edition (underlined), W.D.D. CONCEPT, (loft) 1 |
| | | | view image here |
| Miura Giken Co Ltd | MG Hayate | 10.5,11.5 | SOLE: Hayate, MG (on hexagonal inset), MIURA, m |
| | | | view image here |
| Miura Giken Co Ltd | MG Hummer | 9 | SOLE: MG hummer (underlined), MI-325Ti, (MG logo), 1 (in diamond) |
| | | | view image here |
| Miura Giken Co Ltd | Sit 460 | 9,10.5 | SOLE: (MIURA on inset), SIT 460/(loft), STRONG & IDEAL TRAJECTORY |
| | | | view image here |
| | | _ | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-----------------------|----------|---|
| Miura Golf Inc | MG Hayate (Version 2) | 9.5,10.5 | SOLE: Hayate, MG (on hexagonal pattern inset), (M logo), MIURA, m, (dot(s) indicating loft) view image here |
| Miura Golf Inc | SIT 460 | 9,10.5 | SOLE: ((logo) MIURA on inset), SIT 460/ (loft) HEEL: STRONG & IDEAL TRAJECTORY view image here |
| Mizuno Corp. | 24 ST-G Driver | 9.5,10.5 | SOLE: STG, (HIGH FADE in weight channel), 1000001, (logo), 1000001, (HIGH DRAW in weight channel), (CORTECH CHAMBER on insert) CROWN: ST-G, (alignment mark) HOSEL: (loft), (triangle), (orientation indicators) HEEL: 440cc FACE:FORGED Ti-LFS |
| Mizuno Corp. | 24 ST-G Driver (LH) | 9.5 | SOLE: (CORTECH CHAMBER on insert), STG, (FADE HIGH in weight channel), 1000001, (logo), 1000001, (DRAW HIGH in weight channel) CROWN: ST-G, (alignment mark) HOSEL: (loft), (triangle), (orientation indicators) HEEL: 440cc FACE:FORGED Ti-LFS |
| Mizuno Corp. | 300S | 9,10 | SOLE: (M logo), Mizuno Pro, 300S, STRONG FORGED, TITANIUM, 1 (loft) (Superscript) TOE: (M logo) view image here |
| Mizuno Corp. | 300S (Version 1) | 8 | SOLE: (M logo), Mizuno Pro, 300S, STRONG FORGED, TITANIUM, 1 (loft) TOE: (M logo) view image here |
| Mizuno Corp. | 300S (Version 2) | 8,9,10 | SOLE: (M logo), Mizuno Pro, 300S, STRONG FORGED, TITANIUM, 1, (loft) view image here |
| Mizuno Corp. | 300SII | 8,9,10 | SOLE: (M logo), 300SII, (line), STRONG FORGED, TITANIUM, 1 (loft)/315, CORTECH DESIGN TOE: (M logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------|-------------|---|
| Mizuno Corp. | 300SII 330 | 8,9,10 | SOLE: (M Logo), 300S II, (line), STRONG FORGED, TITANIUM, 1 (loft)/330, CORTECH DESIGN BACK: MIZUNO TOE: (M logo) |
| Mizuno Corp. | 300SII Tour Spirit | 9,10 | view image here SOLE: (Mizuno logo), 300SII, TOUR SPIRIT |
| meano corp. | Model 380 | | MODEL, 1 (loft)/380, CORTECHNO DESIGN TOE: (Mizuno logo) view image here |
| Mizuno Corp. | BF-01 | 10.5,13.5 | SOLE: (raised logo on inset) TOE: (logo) CROWN: (logo alignment mark) HEEL: Mizuno BF-01 (Vertical line of 6 dots) (loft) view image here |
| Mizuno Corp. | BR-X | 9.5,10.5,13 | SOLE: (logo), BR(triangle)X, BR(triangle)X, POWER TRAJECTORY, (loft) CROWN: (logo alignment mark), BR(triangle)X view image here |
| Mizuno Corp. | Charge-III | 10.5 | SOLE: 1 (loft), CHARGE-III, OVER SIZE, MIZUNO CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | Ch-Lady | 13.5 | SOLE: For Stylish Golf, 1, (flower)Ch-Lady, (flower), (flower), (Ch in media blast) BACK: (six flowers) TOE: (logo) CROWN: (Ch alignment mark) view image here |
| Mizuno Corp. | efil (Version 1) | 13.5 | SOLE: efil, FOR STYLISH GOLF, (TITANIUM in rectangle), 1 (loft), MIZUNO CROWN: efil view image here |
| Mizuno Corp. | efil (Version 2) | 14 | SOLE: (loft), 1, Titanium, (efil, FOR STYLISH GOLF in shape), MIZUNO CROWN: efil HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|------------------|----------|---|
| Mizuno Corp. | efil (Version 3) | 15 | SOLE: (loft) 1, TITANIUM HEAD, (2 lines), efil, FOR STYLISH GOLF, MIZUNO CROWN: (2 lines), efil HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | efil (Version 4) | 13.5 | SOLE: LOFT (loft), 1, MIZUNO, TITANIUM HEAD, (2 lines), efil, •• FOR STYLISH GOLF •• TOE: (logo) CROWN: (alignment mark) view image here |
| Mizuno Corp. | efil (Version 5) | 13.5 | SOLE: (e in heart and bow logo) For Stylish Golf, 1, (loft), (2 lines), efil, Mizuno BACK: TITANIUM HEAD TOE: (logo) CROWN: (alignment mark) view image here |
| Mizuno Corp. | Efil 7 | 11.5,13 | SOLE: efil 7 TOE: (logo) CROWN: (alignment mark) HEEL: (loft) view image here |
| Mizuno Corp. | Efil 8 | 11.5,13 | SOLE: Efil 8, (logo), (loft) CROWN: (alignment mark) view image here |
| Mizuno Corp. | Efil 9 | 11.5,13 | SOLE: Efil 9, for stylish golf TOE: (logo) CROWN: ((logo) alignment mark) HEEL: (loft) view image here |
| Mizuno Corp. | efil V | N/A | SOLE: 1, (curved lines), efil, (V logo) BACK: Mizuno, (decorative floral graphic) TOE: (logo), (decorative floral graphics) view image here |
| Mizuno Corp. | Efil VI | 13.5 | SOLE: efil, VI, EACH GRAVITY DESIGN BACK: MIZUNO TOE: (logo) CROWN: (chevron alignment mark) view image here |
| Mizuno Corp. | Eurus | 9.5,10.5 | SOLE: (loft), EACH GRAVITY DESIGN, LG460, EURUS, FORGED TITANIUM, (E logo on circular inset) CROWN: (alignment mark) HEEL: MIZUNO |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------------|----------|--|
| Mizuno Corp. | Eurus (Ladies) | 13,13.5 | SOLE: (loft), EURUS, BALANCE GROOVE TOE: (logo) CROWN: (chevron alignment mark) HEEL: MIZUNO view image here |
| Mizuno Corp. | Eurus (Ladies) (Version 1) | 13.5 | SOLE: (loft), EACH GRAVITY DESIGN, EURUS, FORGED TITANIUM, (E logo on inset) CROWN: (alignment mark) HEEL: MIZUNO view image here |
| Mizuno Corp. | Eurus (Ladies) (Version 2) | 13.5 | SOLE: (loft), FORGED Ti, EURUS, Mizuno, EACH GRAVITY DESIGN TOE: (logo) CROWN: (alignment mark) view image here |
| Mizuno Corp. | Eurus (Ladies) (Version 3) | 13.5 | SOLE: EURUS, Mizuno, (loft), EACH GRAVITY, DESIGN TOE: (logo) CROWN: (alignment mark) view image here |
| Mizuno Corp. | Eurus (Ladies) (Version 4) | 13.5 | SOLE: (EURUS, Mizuno, (loft) over media blast), EACH GRAVITY DESIGN, decorative graphic TOE: (logo) CROWN: (alignment mark) |
| Mizuno Corp. | Eurus (LH) | 10 | SOLE: (loft), EACH GRAVITY DESIGN, LG460, EURUS, FORGED TITANIUM, (E logo on circular inset) CROWN: (alignment mark) HEEL: MIZUNO view image here |
| Mizuno Corp. | Eurus 4AD | 9.5,10.5 | SOLE: EURUS, 4AD, (loft) TOE: (logo) CROWN: (alignment marker) HEEL: BALANCE GROOVE MIZUNO view image here |
| Mizuno Corp. | Eurus 5GO | 9.5,10.5 | SOLE: (logo), BALANCE GROOVE, EURUS, 5GO()), (inset), (loft) CROWN: (chevron alignment mark) HEEL: MIZUNO view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|------------------------|----------|---|
| | | | |
| Mizuno Corp. | Eurus G6 | 9.5,10.5 | SOLE: EURUS, G6, (logo), BALANCE GROOVE CROWN: (G6 alignment mark), EURUS HEEL: (loft) |
| | | | <u>view image here</u> |
| Mizuno Corp. | Eurus LS (LH) | 9.5,10.5 | SOLE: EURUS, LS, BALANCE GROOVE, (loft) TOE: (logo) CROWN: (chevron alignment mark) view image here |
| Mizuno Corp. | Eurus NX | 9.5,10.5 | SOLE: EACH GRAVITY, DESIGN, EURUS, (NX on circular inset), Mizuno, (loft) TOE: (logo) CROWN: (alignment mark) view image here |
| Mizuno Corp. | Eurus RX460 | 9.5,10.5 | SOLE: (loft), EACH GRAVITY DESIGN, (E logo on circular inset), RX 460, EURUS, Mizuno, FORGED TITANIUM TOE: (logo) CROWN: (alignment mark) view image here |
| Mizuno Corp. | Finalist EG | 10.5 | SOLE: FINALIST, EG, WIDE SWEET AREA, 1 (loft), MIZUNO TOE: (F logo) CROWN: FINALIST view image here |
| Mizuno Corp. | Finalist EX | 10.5 | SOLE: 1 (loft), FINALIST EX, 420, LARGER HEAD VOLUME, TITANIUM, MIZUNO TOE: (F logo), SUPER WIDE SWEET AREA CROWN: FINALIST HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | Finalist RV | 10.5 | SOLE: FINALIST RV, EACH GRAVITY DESIGN, (F logo) 460, TITANIUM 1 (loft), MIZUNO TOE: SUPER WIDE SWEET AREA (F logo) CROWN: FINALIST HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | Finalist V-01 Titanium | 11 | SOLE: 1 (loft), TITANIUM, FINALIST (underlined), V-01, MIZUNO CROWN: FINALIST view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|-------|---|
| Mizuno Corp. | Grand Monarch | 11 | SOLE: THE MARK OF, ROYAL PRESTIGE, (crest of arms graphic), GRAND, MONARCH, FORGED, ß TITANIUM, 1, - (loft)- BACK: INNER, TUNGSTEN, WEIGHT TOE: THE MARK OF, ROYAL PRESTIGE, (crest of arms graphic), GRAND MONARCH, ROYAL MODEL CROWN: GRAND MONARCH, ROYAL MODEL HOSEL: MIZUNO FACE:(crest of arms graphic) |
| Mizuno Corp. | Grand Monarch Royal Cresta HT (Version 1) | 11 | SOLE: GRAND MONARCH, Royal Cresta, THE MARK OF ROYAL PRESTIGE, 1 HT, THE MARK OF ROYAL PRESTIGE, (logo), LOFT (loft) BACK: MIZUNO TOE: (logo) CROWN: Royal Cresta, (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | Grand Monarch Royal Cresta HT (Version 2) | 12.5 | SOLE: GRAND MONARCH, Royal Cresta, THE MARK OF ROYAL PRESTIGE, 1 HT, THE MARK OF ROYAL PRESTIGE, (logo) BACK: MIZUNO TOE: (logo) CROWN: Royal Cresta, (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | GT180 (Version 2) | N/A | SOLE: FADE, (arrow line), (arrow line), (slot for weight port), (F2, F1 over lines), GT, 180, MIZUNO, 4, (lines), 3, (lines), 2 (lines), 1 (lines), (channel w/ moveable weights), HIGH, MID, LOW, FAST TRACK TECHNOLOGY, (channel w/ moveable weight), OPEN, (angled line), NEUTRAL (angled line), CLOSED, (angled line), (arrow line), (arrow line), (slot for weight port), DRAW (D2, D1 over lines) TOE: (logo) CROWN: (alignment mark), (line), MIZUNO GRAVITY TECH, (line) HOSEL: (lines), (orientation/loft indicators), (2 rings) HEEL: QUICK SWITCH, (arrow) FACE:SP-700, CORTECH-FACE, (dots) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------|----------------|---|
| Mizuno Corp. | GX | 9.5,10.5 | SOLE: (logo), (logo on inset), GX, (weight port on inset), WAVE TECHNOLOGY HEEL: (loft) view image here |
| Mizuno Corp. | GX (Version 2) | 10.5 | SOLE: (logo), (logo on inset), GX, (weight port on inset), WAVE TECHNOLOGY HEEL: (loft) view image here |
| Mizuno Corp. | GX F | 11.5 | SOLE: (logo), GX F CROWN: (alignment mark) HEEL: (loft) view image here |
| Mizuno Corp. | JM01 120 | 16 | SOLE: JM01, (logo), (120 on inset), DRIVER, (loft) CROWN: (logo alignment mark), JM01 view image here |
| Mizuno Corp. | JM01 140 | 16 | SOLE: JM01, (logo), (140 on inset), DRIVER, (loft) CROWN: (logo alignment mark), JM01 view image here |
| Mizuno Corp. | JPX (Ladies) | 12.5,13.5 | SOLE: Jpx, LADIES, MIZUNO, loft (loft) TOE: (logo), SLIDE SOLE CROWN: (alignment mark) view image here |
| Mizuno Corp. | JPX (LH) | N/A | SOLE: (line), (line), FADE, (line), (logo), (slot for weight port), JPX, FAST TRACK TECHNOLOGY, (channel w/ moveable weights, (screws)), (3 in shape), (right arrow), (left arrow), (2 in shape), (right arrow), (left arrow), (1 in shape), MIZUNO, (slot for weight port), (line) DRAW, (line), (line) CROWN: (logo alignment mark), (graphics) HOSEL: (lines), (orientation/loft indicators) HEEL: QUICK SWITCH, (arrow) |
| Mizuno Corp. | JPX 800 | 9,10.5,12,13.5 | SOLE: JPX, 800, (JPX on inset), Mizuno, (loft) BACK: HOT METAL U.D.S. TOE: (logo) CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------|--------------------|---|
| Mizuno Corp. | JPX 800 (Japan Model) | 9,9.5,11.5 | SOLE: JPX, 800, (JPX on inset), mizuno, (loft), (line) BACK: HOT METAL U.D.S. TOE: (logo) CROWN: (alignment mark) view image here |
| Mizuno Corp. | JPX 800 (Pro Spec) | 9.5,10.5 | SOLE: JPX, 800, (JPX on inset), Mizuno, (loft), (line) BACK: HOT METAL U.D.S. TOE: (logo) view image here |
| Mizuno Corp. | JPX 800 AD | 9.5,10.5,11.5 | SOLE: (logo), HOT METAL U.D.S., JPX, 800 AD, (loft), (line), Mizuno CROWN: (alignment mark) view image here |
| Mizuno Corp. | JPX 800 S | 9.5,10.5 | SOLE: JPX, 800S, (JPX on inset), mizuno, (loft), (line) BACK: HOT METAL U.D.S. TOE: (logo) CROWN: (alignment mark) view image here |
| Mizuno Corp. | JPX 800 S (Pro Spec) | 9.5,10.5 | SOLE: JPX, 800S, (JPX on inset), Mizuno, (loft), (line) BACK: HOT METAL U.D.S. TOE: (logo) view image here |
| Mizuno Corp. | JPX 825 | 9.5,10.5,12,13.5 | SOLE: JPX825, (U.D.S on inset), Mizuno, (three arrows) BACK: HOT METAL TOE: (logo) CROWN: (three arrows alignment mark) HEEL: (loft) view image here |
| Mizuno Corp. | JPX 825 (Version 2) | 9.5,10.5,11.5,12.5 | SOLE: JPX825, (U.D.S on inset), Mizuno, (three arrows) BACK: HOT METAL TOE: (logo) CROWN: (three arrows alignment mark) HEEL: (loft), (line) view image here |
| Mizuno Corp. | JPX 825 (Version 3) | 12,13.5 | SOLE: JPX825, (U.D.S on inset), Mizuno, (three arrows) BACK: HOT METAL TOE: (logo) CROWN: (three arrows alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------------|--------------------------------|--|
| Mizuno Corp. | JPX 825 (Version 4) | 10.5 | SOLE: JPX825, (U.D.S on inset), Mizuno BACK: HOT METAL TOE: (logo) HEEL: (loft), (line) view image here |
| Mizuno Corp. | JPX 850 | 7.5,8.5,8.5,9.5,9.5,10.5,10.5, | SOLE: (Mizuno logo), (line), (line) FADE (line), (dot) (slot for weight) (dot), (bent line), JPX 850, FAST TRACT TECHNOLOGY, (three dots), (slot for weight), (1 in hexagon), (bent line), (bent line) (2 in hexagon) (bent line), (bent line) (3 in hexagon), Mizuno, (bent line), (dot) (slot for weight) (dot), (line) DRAW (line), (line) (port screw) CROWN: (Mizuno logo alignment mark), (two lines), (triangle), (two lines), (triangle) HOSEL: (dashes), (lofts), (two lines) HEEL: QUICK SWITCH (triangle) |
| Mizuno Corp. | JPX 850 (Black) | N/A | SOLE: (logo), (line), (line), FADE, (line), (dot), (slot for weight port), (dot), JPX 850, FAST TRACK TECHNOLOGY, (3 dots), (channel w/ moveable weights, (screws)), (1 in shape), (right arrow), (left arrow), (2 in shape), (right arrow), (left arrow), (3 in shape), MIZUNO, (dot), (slot for weight port), (dot), (line), (line), DRAW, (line) CROWN: (logo alignment mark), (graphics) HOSEL: (lines), (orientation/loft indicators) HEEL: QUICK SWITCH, (arrow) |
| Mizuno Corp. | JPX 850 (Black) (Ladies) | N/A | SOLE: (logo), (line), (line), FADE, (line), (slot for weight port), JPX 850, FAST TRACK TECHNOLOGY, (channel w/ moveable weights, (screws)), (1 in shape), (right arrow), (left arrow), (2 in shape), (right arrow), (left arrow), (3 in shape), MIZUNO, (slot for weight port), (line), DRAW, (line), (line) CROWN: (logo alignment mark), (graphics) HOSEL: (lines), (orientation/loft indicators) HEEL: QUICK SWITCH, (arrow) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------------|-------|--|
| Mizuno Corp. | JPX 850 (Black) (LH) | N/A | SOLE: (line), (line), FADE, (line), (logo), (slot for weight port), JPX 850, FAST TRACK TECHNOLOGY, (channel w/ moveable weights, (screws)), (3 in shape), (right arrow), (left arrow), (2 in shape), (right arrow), (left arrow), (1 in shape), MIZUNO, (slot for weight port), (line) DRAW, (line), (line) CROWN: (logo alignment mark), (graphics) HOSEL: (lines), (orientation/loft indicators) HEEL: QUICK SWITCH, (arrow) |
| Mizuno Corp. | JPX 850 (Black) (Tour) (Prototype) | N/A | SOLE: (logo), (line), (line), FADE, (line),(slot for weight port), JPX 850, FAST TRACK TECHNOLOGY, (channel w/ moveable weights, (screws)), (1 in shape), (right arrow), (left arrow), (2 in shape), (right arrow), (left arrow), (3 in shape), MIZUNO, (slot for weight port), (line), (line), DRAW, (line) CROWN: (logo alignment mark), (graphics) HOSEL: (lines), (orientation/loft indicators) HEEL: QUICK SWITCH, (arrow) |
| Mizuno Corp. | JPX 850 (Black) (Version 2) | N/A | SOLE: (logo), (line), (line), FADE, (line),(slot for weight port), JPX 850, FAST TRACK TECHNOLOGY, (channel w/ moveable weights, (screws)), (1 in shape), (right arrow), (left arrow), (2 in shape), (right arrow), (left arrow), (3 in shape), MIZUNO, (slot for weight port), (line), (line), DRAW, (line) CROWN: (logo alignment mark), (graphics) HOSEL: (lines), (orientation/loft indicators) HEEL: QUICK SWITCH, (arrow) |
| Mizuno Corp. | JPX 850 (Black) (Version 3) | N/A | SOLE: (logo), (line), (line), FADE, (line),(slot for weight port), JPX 850, FAST TRACK TECHNOLOGY, (channel w/ moveable weights, (screws)), (1 in shape), (right arrow), (left arrow), (2 in shape), (right arrow), (left arrow), (3 in shape), MIZUNO, (slot for weight port), (line), (line), DRAW, (line) CROWN: (logo alignment mark), (graphics) HOSEL: (lines), (orientation/loft indicators) HEEL: QUICK SWITCH, (arrow) FACE:(grooves in centre of face) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------|-------|--|
| Mizuno Corp. | JPX 850 (Black) (Version 4) | N/A | SOLE: (logo), (line), (line), FADE, (line),(slot for weight port), JPX 850, FAST TRACK TECHNOLOGY, (channel w/ moveable weights, (screws)), (1 in shape), (right arrow), (left arrow), (2 in shape), (right arrow), (left arrow), (3 in shape), MIZUNO, (slot for weight port), (line), DRAW, (line), (line) CROWN: (logo alignment mark), (graphics) HOSEL: (lines), (orientation/loft indicators), (2 rings) HEEL: QUICK SWITCH, (arrow) FACE:(grooves in centre of face) |
| Mizuno Corp. | JPX 900 | N/A | SOLE: (logo), (arrow graphic), (slot for weight port), FADE, JPX 900, HIGH, (lines), LOW, (arrow graphic), (channel w/ moveable weights), (angled line), 4, (lines), 3, (lines), 2, (lines), 1, (angled line), (channel w/ moveable weight, OPEN, (angled line), NEUTRAL, (angled line), CLOSED, (angled line with lines), (arrow graphic), (slot for weight port), DRAW CROWN: (logo alignment mark), (graphics), (JPX in graphics) HOSEL: (lines), (orientation/loft indicators), (2 rings) HEEL: MIZUNO, QUICK SWITCH, (arrow) |
| Mizuno Corp. | JPX 900 (LH) | N/A | SOLE: (logo), (graphic), FAST TRACK TECHNOLOGY, (graphic), (arrow graphic), (slot for weight port), FADE, JPX 900, HIGH, (lines), LOW, (arrow graphic), (channel w/ moveable weights), (angled line), 4, (lines), 3, (lines), 2, (lines), 1, (angled line), (channel w/ moveable weight, OPEN, (angled line), NEUTRAL, (angled line), CLOSED, (angled line with lines), (arrow graphic), (slot for weight port), DRAW CROWN: (logo alignment mark), (graphics), (JPX in graphics) HOSEL: (lines), (orientation/loft indicators), (2 rings) HEEL: MIZUNO, QUICK SWITCH, (arrow) FACE:(dots) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------------------|---------|---|
| Mizuno Corp. | JPX 900 (Version 2) (Ladies) | N/A | SOLE: (logo), (graphic), FAST TRACK TECHNOLOGY, (graphic), (arrow graphic), (slot for weight port), FADE, JPX 900, HIGH, (lines), LOW, (arrow graphic), (channel w/ moveable weights), (angled line), 4, (lines), 3, (lines), 2, (lines), 1, (angled line), (channel w/ moveable weight, OPEN, (angled line), NEUTRAL, (angled line), CLOSED, (angled line with lines), (arrow graphic), (slot for weight port), DRAW CROWN: (logo alignment mark), (graphics), (JPX in graphics) HOSEL: (lines), (orientation/loft indicators), (2 rings) HEEL: MIZUNO, QUICK SWITCH, (arrow) FACE:(dots) view image here |
| Mizuno Corp. | JPX A25 | 9,10,11 | SOLE: (logo), JPX, (line), A25, MIZUNO, (loft), UDS CONCEPT BACK: 460 TOE: CONSTANT ALTITUDE OF TRAJECTORY CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | JPX A25 (ladies) | N/A | SOLE: (logo), JPX, A25(logo), JPX, (line), A25, MIZUNO, 1, UDS CONCEPT TOE: CONSTANT ALTITUDE OF TRAJECTORY CROWN: (alignment indentation) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | JPX AD | 9,10,11 | SOLE: (logo), (loft), JPX, AD, MIZUNO HEEL: U.D.S CONCEPT view image here |
| Mizuno Corp. | JPX E310 (ladies) (Version 1) | 12.5 | SOLE: JPX, (line) SUPER STRONG FORGED TITANIUM (line), (vertical lines), MIZUNO BACK: E310, LOFT, (loft) TOE: (M logo) CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------------------|---------|--|
| Mizuno Corp. | JPX E310 (ladies) (Version 2) | 12.5 | SOLE: JPX, (line) SUPER STRONG FORGED TITANIUM (line), (vertical lines), MIZUNO BACK: E310, LOFT, (loft) TOE: (M logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | JPX E310 (Version 1) | 9,10,11 | SOLE: JPX, (line) SUPER STRONG FORGED TITANIUM (line), (vertical lines), MIZUNO BACK: E310, LOFT, (loft) TOE: (M logo) CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | JPX E310 (Version 2) | 9,10,11 | SOLE: JPX, (line) SUPER STRONG FORGED TITANIUM (line), (vertical lines), MIZUNO BACK: E310, LOFT, (loft) TOE: (M logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | JPX E500 | 9,10,11 | SOLE: (logo), UNPARALLELED TOP-BOTTOM MOI, (3 lines) JPX, E500, MIZUNO, CONFORMING TO, R&A/USGA SLE RULE BACK: LOFT (loft) view image here |
| Mizuno Corp. | JPX E500 (ladies) | 12,13.5 | SOLE: (logo), UNPARALLELED TOP-BOTTOM MOI, (3 lines) JPX, E500, MIZUNO, CONFORMING TO, R&A/USGA SLE RULE BACK: LOFT (loft) view image here |
| Mizuno Corp. | JPX E500 (LH) | 9,10,11 | SOLE: (logo), UNPARALLELED TOP-BOTTOM MOI, JPX (3 lines), E500, MIZUNO, CONFORMING TO, R&A/USGA SLE RULE BACK: LOFT (loft) view image here |
| Mizuno Corp. | JPX E600 | 9,10,11 | SOLE: (logo), ULTIMATE DYNAMIC STABILITY, JPX, E600, MIZUNO BACK: LOFT (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------|-----------|--|
| Mizuno Corp. | JPX E600 (LH) | 9,10,11 | SOLE: (logo), ULTIMATE DYNAMIC STABILITY, JPX, E600, MIZUNO BACK: LOFT (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | JPX EIII | 9.5,10,11 | SOLE: (HOT METAL, U.D.S. on inset), (arrow) Parabola Face (arrow), JPX, EIII TOE: (logo) CROWN: (logo alignment mark) HEEL: Mizuno, (loft) FACE:(media blast logo) |
| Mizuno Corp. | JPX EIII SV | N/A | SOLE: (logo on decorative graphic), (line), (line), FAST TRACK TECHNOLOGY, (channel w/ moveable weight), (position lines), (dotted line), JPX, EIII, (line), (lines), Mizuno CROWN: (flame logo alignment mark) HOSEL: (arrow), (lines), (orientation/loft indicators), (2 rings) HEEL: QUICK SWITCH FACE:(flame media blast logo) |
| Mizuno Corp. | JPX EL | 12,13.5 | SOLE: (logo), ULTIMATE DYNAMIC STABILITY, JPX, EL, MIZUNO BACK: LOFT (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | JPX EZ (Ladies) | 10.5,12 | SOLE: JPX, EZ, Mizuno TOE: (logo) CROWN: (logo alignment mark) HOSEL: (arrow), (lines), (orientation/loft indicators) HEEL: QUICK SWITCH, (loft) |
| Mizuno Corp. | JPX EZ (Ladies) (Version 2) | N/A | SOLE: (logo), FADE, (slot for weight port), NEUTRAL, (slot for weight port), (JPX, EZ, in shape), Mizuno (slot for weight port), DRAW, QUICK SWITCH CROWN: (logo alignment mark), (graphics) HOSEL: (arrow), (lines), (orientation/loft indicators), (2 rings) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------------------|-----------------|--|
| Mizuno Corp. | JPX EZ (Version 1) | 8.5,9.5,10.5,12 | SOLE: JPX, EZ, Mizuno TOE: (logo) CROWN: (logo alignment mark) HOSEL: (arrow), (orientation indicators) HEEL: QUICK SWITCH, (loft) view image here |
| Mizuno Corp. | JPX EZ (Version 2) | N/A | SOLE: (logo), FADE, (slot for weight port), NEUTRAL, (slot for weight port), (JPX, EZ, in shape), Mizuno (slot for weight port), DRAW, QUICK SWITCH CROWN: (logo alignment mark), (graphics) HOSEL: (arrow), (lines), (orientation/loft indicators), (2 rings) view image here |
| Mizuno Corp. | JPX La Rouge | 11.5 | SOLE: (logo), (decorative graphic), HOTMETAL U.D.S., (decorative graphic), JPX, (decorative graphic), La Rouge, (decorative graphic), (hexagon logo on inset), (decorative graphic) BACK: (decorative graphic), MIZUNO CROWN: (hexagon logo alignment mark), (decorative graphic), (decorative graphic) HEEL: (loft) |
| Mizuno Corp. | JPX Premium Light (Version 1) | N/A | SOLE: JPX, PREMIUM LIGHT, SUPER STRONG, FORGED TITANIUM, 1, MIZUNO, HIGH TRAJECTORY, DESIGN TOE: (M logo) CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | JPX Premium Light (Version 2) | N/A | SOLE: JPX, PREMIUM LIGHT, SUPER STRONG, FORGED TITANIUM, 1, MIZUNO, HIGH TRAJECTORY, DESIGN TOE: (M logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| Mizuno Corp. | JPX Q | 11.5 | view image here SOLE: JPX, Q, (weight port), (logo) TOE: (logo) CROWN: ((logo) alignment mark) HEEL: (loft) FACE:JPX, Q view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------------|-------|---|
| Mizuno Corp. | JPX Soarer | 13 | SOLE: (logo), (decorative graphic), HOTMETAL U.D.S., (decorative graphic), JPX, (decorative graphic), Soarer, (decorative graphic), (hexagon logo on inset), (decorative graphic) BACK: (decorative graphic), MIZUNO CROWN: (hexagon logo alignment mark), (decorative graphic), (decorative graphic) HEEL: (loft) |
| Mizuno Corp. | Junior 120 | 16 | SOLE: MIZUNO, 1, LOFT (loft), 120 TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | Junior 140 | 16 | SOLE: MIZUNO, 1, LOFT (loft), 140 TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | LaRouge II | 11.5 | SOLE: (decorative graphic), (decorative graphic), (decorative graphic), LaRouge II, (decorative graphic), (diamond logo on inset), (decorative graphic), (decorative graphic) TOE: (logo media blast) CROWN: (diamond logo alignment mark), (decorative graphic), (decorative graphic), LaRouge II, (decorative graphic) HOSEL: (loft) HEEL: (MIZUNO media blast) |
| Mizuno Corp. | Mizuno Pro Model-E | N/A | SOLE: (screw), Mizuno Pro, WAVE TECHNOLOGY, MODEL-E TOE: (logo) HOSEL: (triangle) HEEL: (screw), QUICK, SWITCH |
| Mizuno Corp. | Mizuno Pro Model-E (LH) | N/A | SOLE: (screw), Mizuno Pro, WAVE TECHNOLOGY, MODEL-E TOE: (logo) HOSEL: (triangle) HEEL: (screw), QUICK, SWITCH |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------------|--------------|---|
| Mizuno Corp. | Mizuno Pro Model-S | N/A | SOLE: (screw), Mizuno Pro, WAVE TECHNOLOGY, MODEL-S TOE: (logo) HOSEL: (triangle) HEEL: (screw), QUICK, SWITCH |
| Mizuno Corp. | Mizuno Prototype Model | N/A | SOLE: (M logo) TOE: PROTOTYPE, MODEL, MIZUNO view image here |
| Mizuno Corp. | Mode P-300 | 10.5,11.5 | SOLE: MODE, MODE P POSITION, P-300, (line), G.F. FORGED, B-TITANIUM, 1, (loft) BACK: Optimum Design based MODE on Dynamic Stiffness TOE: GRAIN FLOW, FORGED CROWN: (Mode alignment mark) HEEL: CREATED BY MIZUNO view image here |
| Mizuno Corp. | Moe Oshikiri Collection | 13.5 | SOLE: Moe Oshikiri Collection, (M,C in Shield logo amongst stars), (star), (3 dots), (star), (2 dots), (star), (Dr, (loft), in star media blast logo with decorative gem inset), Mizuno TOE: (logo) CROWN: (alignment mark), (M,C in Shield logo) |
| Mizuno Corp. | MP 630 Fast Track | 8.5,9.5,10.5 | SOLE: FAST TRACK, 6-7-8-9-10, (5 dots), MP, (triangle) 630, MIZUNO, (5 dots), 1-2-3-4-5, (loft), (MP on inset) TOE: (logo) view image here |
| Mizuno Corp. | MP Craft | 9.5,10.5 | SOLE: MP, CRAFT, Mizuno, (MP on inset) TOE: (loft), (logo), Forged Ti Cup Face HEEL: YORO Pure Tuning, (arrow) view image here |
| Mizuno Corp. | MP Craft 425 (Version 1) | 8.5,9.5 | SOLE: MP, CRAFT 425, MIZUNO, MP TOE: (logo), (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | MP Craft 425 (Version 2) | 8.5,9.5,10.5 | SOLE: MP, CRAFT 425, MIZUNO, MP BACK: 5 pieces forged titanium TOE: (logo), (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---|--------------|--|
| Mizuno Corp. | MP Craft 425+ (LH) | 9.5,10.5 | SOLE: MP, CRAFT 425+, Mizuno, (MP on oval inset) BACK: Forged Titanium Cup Face TOE: (logo), (loft) view image here |
| Mizuno Corp. | MP Craft 425+ (Version 1) | 9.5,10.5 | SOLE: MP, CRAFT 425+, MIZUNO, (MP on oval inset) BACK: Forged Titanium Cup Face TOE: (logo), (loft) view image here |
| Mizuno Corp. | MP Craft 425+ (Version 2) (Prorotype) | 10.5 | SOLE: MP, CRAFT 425+, MIZUNO, (MP on oval inset) BACK: Forged Titanium Cup Face TOE: (logo) view image here |
| Mizuno Corp. | MP Craft 460 | 8.5,9.5,10.5 | SOLE: MP, CRAFT 460, MIZUNO, MP BACK: 5 pieces forged titanium TOE: (logo), (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | MP Craft 513 | 9.5,10.5 | SOLE: MP, CRAFT 513, Mizuno, ((MP), (5 lines) on plate) BACK: (loft) TOE: (logo) view image here |
| Mizuno Corp. | MP Craft 513 (Version 2) | 9.5 | SOLE: MP, CRAFT 513, Mizuno, ((MP), (5 lines) on plate) BACK: (loft)P TOE: (logo) view image here |
| Mizuno Corp. | MP Craft H4 | 9.5,10.5 | SOLE: MP CRAFT, H4, Mizuno, (loft) BACK: (H4 on inset) TOE: (logo) view image here |
| Mizuno Corp. | MP Craft H4 (Prototype) | N/A | SOLE: MP CRAFT, H4, Mizuno BACK: (PROTOTYPE on inset) TOE: (logo) view image here |
| Mizuno Corp. | MP Craft H4 (Version 2) | 9.5 | SOLE: MP CRAFT, H4, Mizuno, (loft) P BACK: (H4 on inset) TOE: (logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------|--------------|--|
| Mizuno Corp. | MP Craft H4 (Version 3) | N/A | SOLE: MP CRAFT, H4, Mizuno BACK: (H4 on inset) TOE: (logo) |
| Mizuno Corp. | MP Craft R1 | 8.5,9.5,10.5 | view image here SOLE: MP, CRAFT, MIZUNO, (logo) LIE ANGLE, (loft), R1 (in shape) TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| Mizuno Corp. | MP Craft S1 | 8.5,9.5,10.5 | view image here SOLE: MP, CRAFT, MIZUNO, (logo) LIE ANGLE, (loft), (S1 on inset) TOE: (logo) HEEL: 425, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | MP Craft S1 (Version 2) | 9.5 | SOLE: MP, CRAFT, MIZUNO, (logo) LIE ANGLE, (loft), (S1 on inset) TOE: (logo) CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | MP Craft T1 | 8.5,9.5,10.5 | SOLE: MP, CRAFT, MIZUNO, (logo) LIE ANGLE, (loft), T1 (in shape) TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | MP The Craft 611 | 9,10 | SOLE: MP, The Craft, (line) 611 (line), Mizuno TOE: (loft), (logo) view image here |
| Mizuno Corp. | MP Type 1 | N/A | SOLE: MP, (slashed graphics), WAVE TECHNOLOGY, (slashed graphics) BACK: TYPE-1 TOE: (logo) HOSEL: (loft orientation indicators) HEEL: MIZUNO, QUICK SWITCH, (triangle) view image here |
| Mizuno Corp. | MP Type 2 | N/A | SOLE: MP, (slashed graphics), WAVE TECHNOLOGY, (slashed graphics) BACK: TYPE-2 TOE: (logo) HOSEL: (loft orientation indicators) HEEL: MIZUNO, QUICK SWITCH, (triangle) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------|-------------------|--|
| Mizuno Corp. | MP-001 | 8,9,10,11,12 | SOLE: (M logo), FORGED MP-001, MIZUNO, (loft) BACK: (two recessed lines) TOE: TITANIUM GRAPHITE COMPOSITE view image here |
| Mizuno Corp. | MP-001 (LH) | 9,10 | SOLE: (M logo), FORGED MP-001, MIZUNO, (loft) BACK: (two recessed lines) TOE: TITANIUM GRAPHITE COMPOSITE view image here |
| Mizuno Corp. | MP-001 460 | 8.5,9.5,10.5,11.5 | SOLE: (M logo), FORGED MP.001, MIZUNO, (loft) BACK: (two recessed lines) TOE: TITANIUM GRAPHITE COMPOSITE 460 view image here |
| Mizuno Corp. | MP-001 T/S | 7.5,8.5,9.5,10.5 | SOLE: (M logo), FORGED MP-001, MIZUNO, (loft) BACK: (two recessed lines) TOE: TITANIUM GRAPHITE COMPOSITE T/S view image here |
| Mizuno Corp. | MP-001 TS+ | 8.5,9.5,10.5 | SOLE: Forged MP-001, TS+, (loft) TOE: Carbon Nano Tube, (M logo) HEEL: Conforming To, R&A/USGA SLE Rule view image here |
| Mizuno Corp. | MP-003 | 8.5,9.5,10.5 | SOLE: (M logo), MP, -003, FORGED, MIZUNO, (loft) BACK: TITANIUM GRAPHITE COMPOSITE HEEL: CONFORMING TO, R&A/USGA SLE RULE <u>view image here</u> |
| Mizuno Corp. | MP-600 | 8.5,9.5,10.5 | SOLE: MP, (triangle) 600, MIZUNO, (loft), (six dots), (recessed curved channel for two adjustable weights), (MP on plastic insert), 1 2 3 4 5 6 BACK: FAST TRACK TECHNOLOGY TOE: (graphic) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|------------------------------|------------------------|--|
| Mizuno Corp. | MP-600 (Japanese Version) | 8.5,9.5,10.5 | SOLE: MP, (triangle) 600, MIZUNO, (loft), (six dots), (recessed curved channel for two adjustable weights), (MP on plastic insert), 1 2 3 4 5 6 BACK: FAST TRACK TECHNOLOGY TOE: (graphic) HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| Mizuno Corp. | MP-600 Model/445 | 9.5 | SOLE: MP, (triangle) 600, MIZUNO, (loft), (6 dots), (recessed curved channel for two adjustable weights), (MP on plastic insert), 1 2 3 4 5 6 BACK: FAST TRACK TECHNOLOGY MODEL/445 TOE: (logo) |
| Mizuno Corp. | MP630 | 9.5,10.5,12 | SOLE: MP, (triangle) 630, MIZUNO, (MP in shape), (loft) TOE: (logo) view image here |
| Mizuno Corp. | MP650 | 8.5,9.5,10.5,12 | SOLE: MP, (triangle) 650, MIZUNO, (loft) TOE: (logo) view image here |
| Mizuno Corp. | MP-Prototype T-55 | N/A | SOLE: MP, (triangle) PROTOTYPE, T-55 TOE: (logo) HEEL: MIZUNO view image here |
| Mizuno Corp. | MX-330 | N/A | SOLE: (logo) MIZUNO, (slashed ribbon) WAVE TECHNOLOGY (slashed ribbon), (logo), ((triangle), (triangle), MX, (triangle) on inset) CROWN: (logo alignment mark) HOSEL: QUICK SWITCH (triangle), (loft indicators), (line), (line) HEEL: MX-330 view image here |
| Mizuno Corp. | MX-500 | 8.5,9.5,10.5,11.5,12.5 | SOLE: (M logo), MX, (arrow) 500, MIZUNO, (loft) BACK: 460cc Ti GRAPHITE COMPOSITE CROWN: (M logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|------------------------------|-----------------|---|
| Mizuno Corp. | MX-560 | 8.5,9.5,10.5,12 | SOLE: MX, (triangle)560, MIZUNO, (loft), HEMI COG, 460, (curved line) TOE: (graphic) CROWN: (MX alignment mark) HEEL: HIGH ENERGY MASS IMPACT |
| Mizuno Corp. | MX-560 (Japanese Version) | 8.5,9.5,10.5 | SOLE: MX, (triangle)560, MIZUNO, (loft), HEMI COG, 460, (curved line) TOE: (graphic) CROWN: (MX alignment mark) HEEL: HIGH ENERGY MASS IMPACT, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | MX-560 (LH) | 8.5,10.5 | SOLE: MX, (triangle)560, MIZUNO, (loft), (curved line), HEMI COG, 460 TOE: (graphic) CROWN: (MX alignment mark) HEEL: HIGH ENERGY MASS IMPACT |
| Mizuno Corp. | MX-700 (Japanese Version) | 9.5,10.5 | SOLE: (logo), MIZUNO, MX (triangle) 700, HOT, METAL, TITANIUM, (loft) CROWN: MX HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:Ti-9 view image here |
| Mizuno Corp. | MX-700 (LH) | 9.5,10.5 | SOLE: (logo), MIZUNO, MX (triangle) 700, HOT, METAL, TITANIUM, (loft) CROWN: MX FACE:Ti-9 view image here |
| Mizuno Corp. | MX-700 (Version 2) | 9.5,10.5,12 | SOLE: (logo), MIZUNO, MX (triangle) 700, HOT, METAL, TITANIUM, (loft) CROWN: MX FACE:Ti-9 view image here |
| Mizuno Corp. | MX-700 HL | N/A | SOLE: (logo), MIZUNO, MX (triangle) 700, HOT, METAL, TITANIUM, HL CROWN: MX FACE:Ti-9 view image here |
| Mizuno Corp. | Opti | 14 | SOLE: 1 (loft), (logo) Opti, TASTE OF ELEGANCE, MIZUNO CROWN: Opti HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------|------------|--|
| Mizuno Corp. | Presage | 10,11,12.5 | SOLE: 1 (loft), PRESAGE, FORGED TITANIUM, NA750/+5.0, MIZUNO TOE: D-D NAVIGATION DESIGN CROWN: PRESAGE view image here |
| Mizuno Corp. | Principia | N/A | SOLE: Principia, (sun logo), (Principia over two lion logos), (decorative marking), 1 BACK: (logo), THE MARK OF HIGH PRESTIGE (logo) CROWN: ((sun logo), (Principia over two lion logos), (decorative marking) alignment mark) FACE:((sun logo), (Principia over two lion logos), (decorative marking) media blast) view image here |
| Mizuno Corp. | Prototype (Version 1.1) | N/A | SOLE: (screw), (logo), PROTOTYPE 1 BACK: 1 HOSEL: (loft orientation indicators) HEEL: (screw) view image here |
| Mizuno Corp. | Prototype (Version 2.1) | N/A | SOLE: (screw), 5, (logo), PROTOTYPE 2 HOSEL: (loft orientation indicators) HEEL: (screw) view image here |
| Mizuno Corp. | Prototype (Version 3.1) | N/A | SOLE: (screw), 3, (logo), PROTOTYPE 3 HOSEL: (loft orientation indicators) HEEL: (screw) view image here |
| Mizuno Corp. | RV 03 | 10.5 | SOLE: (logo), (dotted curved line), RV03, MIZUNO, (loft) BACK: EACH GRAVITY DESIGN CROWN: (logo alignment mark) view image here |
| Mizuno Corp. | RV-1 | 10.5 | SOLE: (logo), (dotted curved line), RV-1, MIZUNO, (loft) BACK: EACH GRAVITY DESIGN CROWN: (logo alignment mark) view image here |
| Mizuno Corp. | RV-5 | 10.5 | SOLE: RV-5, EACH GRAVITY DESIGN, (inset), MIZUNO TOE: (logo) CROWN: (chevron alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------|-------|---|
| Mizuno Corp. | RV-7 | 10.5 | SOLE: RV-7, (logo), EACH GRAVITY DESIGN, (loft) CROWN: (alignment mark) view image here |
| Mizuno Corp. | RV-8 | 10.5 | SOLE: RV-8, (logo), EACH GRAVITY DESIGN CROWN: (alignment mark) HEEL: (loft) view image here |
| Mizuno Corp. | RV-9 | 10.5 | SOLE: (logo), RV-9, EACH GRAVITY DESIGN, (loft) CROWN: ((logo) alignment mark) view image here |
| Mizuno Corp. | SORA | 15 | SOLE: SORA, MIZUNO, 1 (loft) TOE: (graphic) HEEL: HIGH LAUNCH DESIGN view image here |
| Mizuno Corp. | ST180 | N/A | SOLE: (logo), ST, 180, MIZUNO, (weight port), (slashed ribbon) WAVE TECHNOLOGY (slashed ribbon) CROWN: (logo alignment mark), (curved line with indented line), MIZUNO SPEED TECH, (line) HOSEL: QUICK SWITCH, (triangle), (loft indicators) FACE:SP700, CORTECH-FACE |
| Mizuno Corp. | ST180 (LH) | N/A | view image here SOLE: (logo), MIZUNO, ST, 180, (weight port), (slashed ribbon) WAVE TECHNOLOGY (slashed ribbon) CROWN: (logo alignment mark), (curved line with indented line), MIZUNO SPEED TECH, (line) HOSEL: QUICK SWITCH, (triangle), (loft indicators) FACE:SP700, CORTECH-FACE view image here |
| Mizuno Corp. | ST180 (Version 2) | N/A | SOLE: (logo), ST, 180, MIZUNO, (weight port), (slashed ribbon) WAVE TECHNOLOGY (slashed ribbon) CROWN: (logo alignment mark), (curved line with indented line), MIZUNO SPEED TECH, (line) HOSEL: QUICK SWITCH, (triangle), (loft indicators) FACE:-SP700, CORTECH-FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------|-------|---|
| Mizuno Corp. | ST180 HL | N/A | SOLE: (logo), ST, 180, MIZUNO, (weight port), (slashed ribbon) WAVE TECHNOLOGY (slashed ribbon), HL CROWN: (logo alignment mark), (curved line with indented line), MIZUNO SPEED TECH, (line) HOSEL: QUICK SWITCH, (triangle), (loft indicators) FACE:SP700, CORTECH-FACE <u>view image here</u> |
| Mizuno Corp. | ST190 | 9.5 | SOLE: (logo), (weight port), (slashed ribbon) WAVE TECHNOLOGY (slashed ribbon), ST, 190 TOE: (logo), ST, 190 CROWN: (logo alignment mark), (curved line with indented line), MIZUNO SPEED TECH, (line) HOSEL: (loft), (triangle), (HIGH, UPRT, LOW, STD, (orientation indicators)) FACE:SP700 CORTECH-FACE view image here |
| Mizuno Corp. | ST190 (LH) | 9.5 | SOLE: (logo), (weight port), (slashed ribbon) WAVE TECHNOLOGY (slashed ribbon), ST, 190 TOE: (logo), ST, 190 CROWN: (logo alignment mark), (curved line with indented line), MIZUNO SPEED TECH, (line) HOSEL: (loft), (triangle), (HIGH, UPRT, LOW, STD, (orientation indicators)) FACE:SP700 CORTECH-FACE <u>view image here</u> |
| Mizuno Corp. | ST190 HL | 10.5 | SOLE: (logo), (weight port), (slashed ribbon) WAVE TECHNOLOGY (slashed ribbon), ST, 190 TOE: (logo), ST, 190 CROWN: (logo alignment mark), (curved line with indented line), MIZUNO SPEED TECH, (line) HOSEL: (loft), HL, (triangle), (HIGH, UPRT, LOW, STD, (orientation indicators)) FACE:SP700 CORTECH-FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------|----------|---|
| Mizuno Corp. | ST190G | N/A | SOLE: (logo), (weight channel with moveable weight), FADE, (triangle), F3, (triangle), F2, (triangle), F1, ST, 190G, (slashed ribbon) WAVE TECHNOLOGY (slashed ribbon), (weight channel with moveable weight), DRAW, (triangle), D3, (triangle), D2, (triangle), D1 TOE: (logo), ST, 190G CROWN: (logo alignment mark), (curved line with indented line), MIZUNO SPEED TECH, (line) HOSEL: (loft), (triangle), (HIGH, UPRT, LOW, STD, (orientation indicators)) HEEL: FAST TRACK TECHNOLOGY FACE:SP700 CORTECH-FACE |
| Mizuno Corp. | ST200 | 9.5,10.5 | SOLE: MIZUNO SPEED TECH (logo), ST200, (logo), WAVE TECHNOLOGY CROWN: (logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft), (triangle) FACE:(beta)-TITANIUM view image here |
| Mizuno Corp. | ST200 (LH) | 9.5 | SOLE: MIZUNO SPEED TECH (logo), ST200, (logo), WAVE TECHNOLOGY CROWN: (logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft), (triangle) FACE:(beta)-TITANIUM |
| Mizuno Corp. | ST200 G | 9 | SOLE: MIZUNO SPEED TECH (logo), ST200G, FADE, HIGH (triangle), (triangle), LOW, DRAW, HIGH, (triangle), (triangle), LOW, WAVE TECHNOLOGY CROWN: (logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft), (triangle) FACE:(beta)-TITANIUM |
| Mizuno Corp. | ST200 X | 10.5 | SOLE: MIZUNO SPEED TECH (logo), ST200X, (logo), WAVE TECHNOLOGY CROWN: (logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft), (triangle) FACE:(beta)-TITANIUM |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------|-------------|---|
| Mizuno Corp. | ST-G220 | 9 | SOLE: ST(triangle)G, (triangle), FADE, (triangle), (triangle), HIGH, (logo), WAVE TECHNOLOGY, (triangle), DRAW, (triangle) TOE: (logo) CROWN: (logo alignment mark), ST(triangle)G HOSEL: (orientation indicators) HEEL: 220, (loft), (triangle) FACE:(beta)-Ti |
| Mizuno Corp. | ST-MAX 230 | 9.5,10.5,12 | SOLE: (logo), STMAX, (CORTECH CHAMBER on insert) BACK: (weight port) CROWN: (alignment mark), STMAX HOSEL: (loft), (triangle), (orientation indicators) HEEL: 230 FACE:FORGED Ti-LFS view image here |
| Mizuno Corp. | ST-MAX 230 LH | 9.5 | SOLE: (CORTECH CHAMBER on insert), (logo), ST, MAX, BACK: (weight port) CROWN: (alignment mark), STMAX HOSEL: (loft), (triangle), (orientation indicators) HEEL: 230 FACE:FORGED Ti-LFS view image here |
| Mizuno Corp. | ST-X | 10.5,12 | SOLE: ST(triangle)X, WAVE TECHNOLOGY, (weight port), (logo) TOE: (logo) CROWN: (logo alignment mark), ST(triangle)X HOSEL: (loft), (triangle), (orientation indicators) view image here |
| Mizuno Corp. | ST-X 220 | 10.5,12 | SOLE: (logo), (weight port), WAVE TECHNOLOGY, ST(triangle)X, 220 CROWN: (logo alignment mark), X HOSEL: (loft), (triangle), (orientation indicators) FACE:(beta)-Ti view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------|-------------|---|
| Mizuno Corp. | ST-X 230 | 9.5,10.5,12 | SOLE: (logo), STX, (CORTECH CHAMBER on insert) BACK: (weight port) CROWN: (alignment mark), STX HOSEL: (loft), (triangle), (orientation indicators) HEEL: 230 FACE:(Beta)-Titanium |
| Mizuno Corp. | ST-X 230 (LH) | 10.5 | SOLE: (CORTECH CHAMBER on insert), (logo), STX BACK: (weight port) CROWN: (alignment mark), STX HOSEL: (loft), (triangle), (orientation indicators) HEEL: 230 FACE:(Beta)-Titanium |
| Mizuno Corp. | ST-X 230 PLTNM | 10.5,12 | SOLE: (logo), PLTNM, STX, (CORTECH CHAMBER on insert) BACK: (weight port) CROWN: (alignment mark), STX HOSEL: (loft), (triangle), (orientation indicators) HEEL: 230 FACE:(Beta)-Titanium |
| Mizuno Corp. | ST-Z | 9.5,10.5 | SOLE: ST(triangle)Z, WAVE TECHNOLOGY, (weight port), (logo) TOE: (logo) CROWN: (logo alignment mark), ST(triangle)Z HOSEL: (loft), (triangle), (orientation indicators) view image here |
| Mizuno Corp. | ST-Z (LH) | 9.5 | SOLE: ST(triangle)Z, WAVE TECHNOLOGY, (logo), (weight port) TOE: (logo) CROWN: (logo alignment mark), ST(triangle)Z HOSEL: (loft), (triangle), (orientation indicators) view image here |
| Mizuno Corp. | ST-Z 220 | 9.5,10.5 | SOLE: (logo), (weight port), WAVE TECHNOLOGY, ST(triangle)Z, 220 CROWN: (logo alignment mark), Z HOSEL: (loft), (triangle), (orientation indicators) FACE:(beta)-Ti view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------------|----------|--|
| Mizuno Corp. | ST-Z 220 (LH) | 9.5 | SOLE: (logo), (weight port), WAVE TECHNOLOGY, ST(triangle)Z, 220 CROWN: (logo alignment mark), Z HOSEL: (loft), (triangle), (orientation indicators) FACE:(beta)-Ti view image here |
| Mizuno Corp. | ST-Z 230 | 9.5,10.5 | SOLE: (logo), STZ, (CORTECH CHAMBER on insert) BACK: (weight port) CROWN: (alignment mark), STZ HOSEL: (loft), (triangle), (orientation indicators) HEEL: 230 FACE:(Beta)-Titanium |
| Mizuno Corp. | ST-Z 230 (LH) | 9.5 | SOLE: (CORTECH CHAMBER on insert), (logo), STZ BACK: (weight port) CROWN: (alignment mark), STZ HOSEL: (loft), (triangle), (orientation indicators) HEEL: 230 FACE:(Beta)-Titanium |
| Mizuno Corp. | Super Craft 300 | 10.5 | SOLE: 1 (loft), SUPER CRAFT, 300, SPECIAL EDITION, FORGED TITANIUM, MIZUNO view image here |
| Mizuno Corp. | T Zoid Jr. | 15 | SOLE: 1 (loft), T (through) ZOID, MIZUNO BACK: Jr. TOE: (M logo) CROWN: (alignment mark) view image here |
| Mizuno Corp. | Tava | N/A | SOLE: (TAVA over T media blast), 1 (loft), TITANIUM BACK: MIZUNO CROWN: (TAVA alignment mark) view image here |
| Mizuno Corp. | Tour Big Forged Face | 10,11 | SOLE: TOUR BIG, FORGED FACE, 1 (loft), MIZUNO, HIGH TRAJECTRY view image here |
| Mizuno Corp. | Tour Spirit Model III 300S | 9,10 | SOLE: (M logo), Mizuno Pro, TOUR SPIRIT MODEL-III, 300S, STRONG FORGED, TITANIUM, 1 10 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---|------------------|--|
| Mizuno Corp. | Tour Spirit Model III 300S (Version 1) | 8 | SOLE: (M logo), Mizuno Pro, TOUR SPIRIT MODEL-III, 300S, STRONG FORGED, TITANIUM, 1 (loft) TOE: (M logo) view image here |
| Mizuno Corp. | Tour Spirit Model-III 300S (Version 2) | 9,10 | SOLE: (M logo), Mizuno Pro, TOUR SPIRIT MODEL-III, 300S, STRONG FORGED, TITANIUM, 1, (loft) view image here |
| Mizuno Corp. | Turbo | 10.5 | SOLE: FORGED TITANIUM, Mizuno, TURBO, (loft), EACH GRAVITY DESIGN view image here |
| Mizuno Corp. | T-Zoid | 9,10 | SOLE: 1 (loft), (ZOID over T), Titanium, MIZUNO, FORGED TOE: (M logo) CROWN: (M logo) view image here |
| Mizuno Corp. | T-Zoid Blue Rage 310 | 8,9,10,11 | SOLE: MIZUNO, T-ZOID, Blue, Rage, 310, 1 (loft), FORGED TITANIUM view image here |
| Mizuno Corp. | T-Zoid Blue Rage 350 | 9,10 | SOLE: MIZUNO, T-ZOID, Blue Rage, 350, 1 (loft), FORGED TITANIUM view image here |
| Mizuno Corp. | T-Zoid Comp Titanium | 9.5,10.5,11.5,12 | SOLE: (ZOID over T logo),THE NEW STANDARD IN DISTANCE, COMP, TITANIUM, 1, (loft) BACK: (ZOID over T logo) TOE: (Mizuno logo) CROWN: (Mizuno logo) view image here |
| Mizuno Corp. | T-Zoid Plus | 10.5 | SOLE: (loft), T-ZOID, PLUS TOE: (logo) CROWN: (T-ZOID alignment mark) HOSEL: (orientation indicators) HEEL: Mizuno view image here |
| Mizuno Corp. | T-Zoid Plus (Version 2) | 10.5 | SOLE: (FORGED TITANIUM, (loft), over 3 lines and decorative pattern), T-ZOID, PLUS, Mizuno TOE: (logo) CROWN: (T-ZOID alignment mark) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------------|-------|---|
| Mizuno Corp. | T-Zoid RV-01 | 10.5 | SOLE: FORGED TITANIUM, T-ZOID, RV-01, MIZUNO, (loft) 1 TOE: (logo) CROWN: T-ZOID view image here |
| Mizuno Corp. | T-Zoid RV-02 | 10.5 | SOLE: FORGED TITANIUM, T-ZOID, RV-02, Mizuno BACK: (loft) TOE: (logo) CROWN: T-ZOID |
| Mizuno Corp. | Wingline | 10.5 | SOLE: Wingline, Titanium, In Search of Perfection, (loft) 1, Mizuno TOE: (W logo) view image here |
| Mizuno Corp. | Workshop Original K75 | N/A | SOLE: (M logo), WORKSHOP, ORIGINAL, K75 TOE: (M logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | Workshop Original K75td | N/A | SOLE: WORKSHOP, ORIGINAL, K75td, MIZUNO TOE: (logo) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | Zephyr | 10.5 | SOLE: (loft), ZEPHYR, EACH GRAVITY DESIGN, MIZUNO TOE: (logo) CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | Zephyr (ladies) | N/A | SOLE: ZEPHYR, EACH GRAVITY DESIGN, MIZUNO TOE: (logo) CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | Zephyr LG320 | 13.5 | SOLE: (loft) 1, L, (Z logo), Zephyr, Titanium LG320, Mizuno BACK: Each Gravity Design, Conforming To, R&A/USGA SLE Rule CROWN: (alignment mark) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------------|------------|--|
| Mizuno Corp. | Zephyr LG350 | 10,11 | SOLE: (loft) 1, (Z logo), Zephyr, Titanium LG350, Mizuno BACK: Each Gravity Design, Conforming To, R&A/USGA SLE Rule CROWN: (alignment mark) |
| Mizuno Corp. | Zephyr LG380 | 13.5 | SOLE: Zephyr, TITANIUM LG380 1 (loft), (line, 6 dots), MIZUNO, EACH GRAVITY DESIGN, (Z logo) CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | Zephyr LG420 | 10.5 | SOLE: Zephyr, TITANIUM LG420 1 (loft), (line, 6 dots), MIZUNO, EACH GRAVITY DESIGN, (Z logo) CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Mizuno Corp. | Zephyr NX Steel | 11.5 | SOLE: (loft) 1, Zephyr NX, THE NEXT STANDARD, MIZUNO CROWN: (NX alignment mark) view image here |
| Mizuno Corp. | Zephyr NX Titanium | 10,11,13.5 | SOLE: (loft) 1, Zephyr NX, THE NEXT STANDARD, MIZUNO, Titanium CROWN: (NX alignment mark) view image here |
| Mizuno Corp. | Zephyr ZL-01 | N/A | SOLE: 1, ZEPHYR, ZL-01, Mizuno TOE: (logo) CROWN: (alignment mark) HEEL: EACH GRAVITY DESIGN view image here |
| Mizuno Corp. | Zephyr ZL-02 | 11.5,13.5 | SOLE: (four dots), (loft), (four dots), Zephyr, ZL-02, (four dots), Mizuno, (four dots) TOE: (logo) CROWN: (four dots alignment mark) view image here |
| Mizuno Corp. | Zephyr ZL-02 (Version 2) | 13.5 | SOLE: Zephyr, ZL-02 TOE: (logo) CROWN: (logo alignment mark), (4 dots), Zephyr, (4 dots) HEEL: (4 dots), (loft), (4 dots), Mizuno |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-----------------------------------|-------|---|
| Mizuno Corp. | Zephyr ZM-01 | 10.5 | SOLE: (loft) 1, ZEPHYR, ZM-01, Mizuno TOE: (logo) CROWN: (alignment mark) HEEL: EACH GRAVITY DESIGN view image here |
| MK Trading Co Ltd | Birdie Hunt | N/A | SOLE: (skull logo), (golf club and flag (with 18) in cross shape) CROWN: Birdie (with bird logo above i) hunt HEEL: MIRAI GOLF view image here |
| MK Trading Co Ltd | Keyek | N/A | SOLE: (logo), KEYEK, MIRAI HOSEL: (orientation indicators) view image here |
| MK Trading Co Ltd | Keyek - R | N/A | SOLE: KEY (dot) POWER GROOVE, (weight port), (weight port), (logo), EYE (dot) 4 WEIGHT ADLUST, (weight port), (weight port), KEYEK (dot) R BACK: MK (dot) TRADING HOSEL: (orientation indicators) |
| MK Trading Co Ltd | Megem | N/A | SOLE: (weight port), (logo), Megem, MIRAI TOE: (weight port) HOSEL: (HIGH, LOW, UP, O (orientation indicators) HEEL: (weight port), (weight port) view image here |
| MK Trading Co Ltd | Mirai | 10 | SOLE: 1 (loft), MIRAI, FUTURE MK-03, KAN-MINORU, SP-700/BTI FACE:SP-700 |
| MK Trading Co Ltd | Mirai (prototype) | N/A | SOLE: 420Ti, Mirai, FUTURE MK-04, KAN-MINORU, 1 <u>view image here</u> |
| MK Trading Co Ltd | Mirai (Version 2) | N/A | SOLE: MiRAI, FORGED TITANIUM, MEGEM TOE: www,miraigolf.com view image here |
| MK Trading Co Ltd | Mirai Future MK-03 (prototype) | 9,11 | SOLE: 1 (loft), MIRAI, FUTURE MK-03, KAN-MINORU, SP-700BTI FACE:SP-700 view image here |
| MK Trading Co Ltd | Mirai Megem D | N/A | SOLE: MiRAI, MEGEM (dot) D, MIRAI GOLF, MEGEM (dot) S, TYPE O-2 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--|-----------|---|
| MK Trading Co Ltd | Mirai Miracle 460 | N/A | SOLE: MiRAI, MK10 MIRACLE 460, 1 TOE: MKT.CO.LTD JAPAN view image here |
| MK Trading Co Ltd | Mirai MK-05 Miracle 460 | 9 | SOLE: MIRAI, MK-05, (lines), MIRACLE 460, BY Kan Minoru, (loft) TOE: MKT.CO.,LTD. Japan HOSEL: 15-3-3-3 HEEL: HCOR |
| MK Trading Co Ltd | Mirai MK-05 Miracle 460 (Version 2) | 10.5,11.5 | view image here SOLE: MIRAI, MK-05, (lines), MIRACLE 460, BY Kan Minoru, (loft) TOE: MKT.CO.,LTD. Japan HOSEL: 15-3-3-3 HEEL: M-2 view image here |
| MK Trading Co Ltd | Mirai MK-06 (LH) | 9,10,12 | SOLE: MIRAI, MK-06, (lines), MIRACLE 460, BY Kan Minoru, (loft) TOE: MKT.CO.,LTD. Japan HEEL: LCOR view image here |
| MK Trading Co Ltd | Mirai MK-06 Miracle 460 | 9,10,11 | SOLE: MIRAI, MK-06, (lines), MIRACLE 460, BY Kan Minoru, (loft) HEEL: L.S.P view image here |
| MK Trading Co Ltd | Mirai MK-06 Miracle 460 (Version 2) | 10.5,11.5 | SOLE: MIRAI, MK-06, MIRACLE 460, BY Kan Minoru, (loft) HEEL: LCOR view image here |
| MK Trading Co Ltd | Mirai MK-07 | N/A | SOLE: MIRAI, MK-07, (lines), PREMIUM, 1 TOE: MKT.CO.LTD.JAPAN view image here |
| MK Trading Co Ltd | Mirai MK-07 Premium 460 | N/A | SOLE: MIRAI, MK-07, (lines), PREMIUM 460, BY Kan Minoru TOE: MKT.CO.LTD.JAPAN HEEL: LCOR view image here |
| MK Trading Co Ltd | Mirai MK-09 | 9,10 | SOLE: MIRAI (logo above i), MK-09, (lines), PREMIUM 460, BY Kan Minoru, ((K in crown and shield logo) on inset) BACK: (loft) FACE:SP-700 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------|---------|---|
| MK Trading Co Ltd | Mirai MK11 Miracle 460 | N/A | SOLE: MiRAI, MK11 MIRACLE 460 BACK: MKT.CO.LTD JAPAN view image here |
| MK Trading Co Ltd | Mirai MK-12 | N/A | SOLE: MIRAI, PREMIUM SERIES, MK-12 |
| | | | view image here |
| MK Trading Co Ltd | Mirai Proto 440 | 9 | SOLE: MiRAI, BY Kan Minoru, 1 BACK: PROTO440 TOE: (logo), (loft) FACE:DAT-55 view image here |
| MK Trading Co Ltd | Mirai Proto 460 | N/A | SOLE: MiRAI, PROTO 460, (port for shaft screw) TOE: MiraiGolf Japan HOSEL: (loft indicators) |
| MK Trading Co Ltd | Mirai Tinit (LH) | N/A | SOLE: TINIT, MiRAI, MODEL-017. BACK: (weight port), MiraiGolf Japan, (weight port) HEEL: (weight port) view image here |
| MK Trading Co Ltd | Tinit | N/A | SOLE: TINIT, MiRAI, MODEL-017. BACK: MiraiGolf Japan TOE: (weight port) HEEL: (weight port), (weight port) view image here |
| MK Trading Co Ltd | Yume | 9.5 | SOLE: 1 (loft), (logo) yume, Trajectory 1545, 450CC FACE:(logo) yume view image here |
| MK Trading Co Ltd | Yume Fit-30 | 8.5,9.5 | SOLE: (logo) yume, Fit-30, 1, (line), (loft), 460cc TOE: MKT.CO.,LTD. Japan view image here |
| MK Trading Co Ltd | Yume Fit-30 (Version 2) | 10.5 | SOLE: (logo) yume, Fit-30, 1, (line), (loft), 460cc TOE: MKT.CO.,LTD.Japan HEEL: Y-2 view image here |
| MK Trading Co Ltd | Yume Trajectory 1545 | 8.5 | SOLE: 1 (loft), (logo) yume, Trajectory 1545, (line), 450CC, Y-1 TOE: MKT.CO.,LTD. Japan FACE:(logo) yume view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------|-----------------------|---|
| ML Golf, Inc. | MX-500 (LH) | 9.5,10.5 | SOLE: (M logo), MX, (arrow) 500, MIZUNO, (loft) BACK: 460cc Ti GRAPHITE COMPOSITE CROWN: (M logo) view image here |
| Modart Co Ltd | MA01D | 8.5,9.5,10.5 | SOLE: LOFT, (loft), (Modart over Modart media blast), MA01D, (logo on inset) HEEL: MADE IN JAPAN view image here |
| Modart Co Ltd | MA01D + | 8.5,9.5,10.5 | SOLE: LOFT (loft), (Modart over Modart media blast), MA01D +, (logo on inset) HEEL: MADE IN JAPAN view image here |
| Modart Co Ltd | MA01D+ | 6.5,7.5,11.5 | SOLE: LOFT (loft), (Modart over Modart media blast), MA01D +, (logo on inset) HEEL: MADE IN JAPAN view image here |
| Modart Co Ltd | MA01D+R | 6.5,8.5,9.5,10.5,11.5 | SOLE: LOFT (loft), (Modart over Modart media blast), MA01D+R, (logo on inset) HEEL: MADE IN JAPAN view image here |
| Modart Co Ltd | MA01DS | 8.5,9.5,10.5 | SOLE: LOFT, (loft), (Modart over Modart media blast), MA01DS, (logo on inset) HOSEL: MADE IN JAPAN view image here |
| Modart Co Ltd | MA01S | 9.5,10.5,11.5 | SOLE: LOFT, (loft), (Modart over Modart media blast), MA01S, (logo on inset) HEEL: MADE IN JAPAN view image here |
| Modart Co Ltd | MA01S (Version 2) | 12.5,13.5 | SOLE: LOFT, (loft), (Modart over Modart media blast), MA01S, (logo on inset) view image here |
| Modart Co Ltd | MD1 | N/A | SOLE: (weight port), Modart, MD1, (weight port) HOSEL: (dot), (orientation indicators) HEEL: Made in Japan view image here |
| MOI Golf | Darkside 455 (Version 1) | 5,6.5 | SOLE: MOI GOLF, DARKSIDE®, 455 (dot in 4), (loft) TOE: MOI GOLF view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------|-------------------------|--|
| MOI Golf | Darkside 455 (Version 2) | 7.5,9,10.5 | SOLE: MOI GOLF, DARKSIDE®, 455 (dot in 4), cc, (loft) TOE: MOI GOLF view image here |
| MOI Golf | DSII Pro SF | 7.5,9,10.5 | SOLE: MOI GOLF, DSII (w/ S through D), Pro (line), (line) SF, (loft) 455cc TOE: MOI GOLF view image here |
| MOI Golf | Hellfire (Version 1) | 6 | SOLE: (460, HELLFIRE, (loft) over measurement scale graphic) BACK: MOI view image here |
| MOI Golf | Hellfire (Version 2) | 6 | SOLE: (two lines), (460, HELLFIRE, (loft) over measurement scale graphic), (two lines) BACK: (checkered pattern) TOE: MOI GOLF CROWN: (checkered pattern) view image here |
| MOI Golf | Intruder LD | 5,6.5,7.5 | SOLE: (INTRUDER over LD media blast w/ arrow through INTRUDER), 460, (loft) BACK: MOI view image here |
| MOI Golf | Intruder TW 460 | 4,5,6,6.5,7.5,9,10.5,12 | SOLE: INTRUDER, (segmented line w/ slash), TW 460 (three dots), (loft), MOI GOLF TOE: MOI GOLF view image here |
| MOI Golf | Intruder TW 460 (LH) | 6.5,7.5,9,10.5 | SOLE: INTRUDER, (segmented line w/ slash), TW 460 (three dots), (loft), MOI GOLF TOE: MOI GOLF view image here |
| MOI Golf | Sabre | 9 | SOLE: (skull graphic), Sabre, (loft) BACK: MOI view image here |
| MOI Golf | Sabre LD1 | N/A | SOLE: (skull graphic), Sabre, LD, 1 BACK: MOI view image here |
| MOI Golf | Sabre LD2 | N/A | SOLE: (skull graphic), Sabre, LD, 2 BACK: MOI view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|------------------------------|----------------|--|
| MOI Golf | Sabre XL | 9 | SOLE: (skull graphic), Sabre XL, (loft) BACK: MOI view image here |
| MOI Golf | Six | 6 | SOLE: (bent line over curved line), Six (w/ pitchfork graphic), (bent line over curved line), (loft) BACK: (two lines) TOE: MOI GOLF CROWN: (two lines) |
| Monark Golf Supply, Inc. | Hyper-Sonic 320cc | 10.5 | SOLE: 1 (loft), HYPER SONIC, (line), THIN FACE, FORGED, TITANIUM, 320c.c. CROWN: (triangle alignment mark) view image here |
| Monark Golf Supply, Inc. | HyperSonic 350cc | 9.5 | SOLE: (loft), HYPER SONIC, 350, (line under 50), c.c., MAX C.O.R. CROWN: (arrow alignment mark) view image here |
| Monark Golf Supply, Inc. | Mondeo Avensis 400cc | 10 | SOLE: mondeo, (triangle)AVENSIS, BETA TITANIUM - 400cc, (loft), HIGH MOI, (circular weight insert with two punchmarks) TOE: TITANIUM, (m on globe graphic), TECHNOLOGY view image here |
| Monark Golf Supply, Inc. | Mondeo Grandis Max S.L.E. | 8,9,10,11 | SOLE: (loft), GRANDIS, mondeo, MAX S.L.E. BETA-TITANIUM TOE: TITANIUM, (m on globe graphic), TECHNOLOGY view image here |
| Monark Golf Supply, Inc. | Mondeo Grandis Max SLE | 6,7,9,10,11 | SOLE: (loft), GRANDIS, mondeo, MAX S L E BETA-TITANIUM TOE: TITANIUM, (m on globe graphic), TECHNOLOGY view image here |
| Monark Golf Supply, Inc. | Mondeo Novaris 440cc | 8.5,10,11.5,13 | SOLE: mondeo, NOVARIS, 440cc · TITANIUM, (loft), POWER, INSERT, (circular weight in recessed oval), (circular weight in recessed square), (circular weight in recessed oval) TOE: TITANIUM, (m on globe graphic), TECHNOLOGY FACE:SP-700 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|---------------------|-----------------------|---|
| Monark Golf Supply, Inc. | Mondeo Signum | 7.5,8.5,9.5,10.5,11.5 | SOLE: mondeo, SIGNUM, (loft), BETA-TITANIUM CUP FACE TOE: TITANIUM, (m on globe graphic), TECHNOLOGY view image here |
| Monark Golf Supply, Inc. | PII President 340cc | 10 | SOLE: (PII in triangle), PRESIDENT, 340 C.C.•THIN FACE, (loft) CROWN: (dot alignment mark) FACE:ß-Ti view image here |
| Monark Golf Supply, Inc. | President 300cc | 9.5 | SOLE: 1, (STRONG, PRESIDENT, BAR in oval), TITANIUM, 300cc, (loft) CROWN: (punch mark alignment mark) FACE:THIN FACE view image here |
| Monark Golf Supply, Inc. | President Thin Face | 10 | SOLE: (loft), (curved line), PRESIDENT, (line) 2 (line), THIN FACE, (curved line), TITANIUM view image here |
| Monark Golf Supply, Inc. | Triumph2 385cc | 10.5 | SOLE: 1, Triumph², (segmented line), FORGED TITANIUM, (loft) CROWN: (arrow alignment mark) view image here |
| Monark Golf Supply, Inc. | Tru-Power 400cc | 9 | SOLE: 1 (loft), TRU POWER, 400 c.c., 6AL-4V, TITANIUM CROWN: (triangle alignment mark) view image here |
| Monark Golf Supply, Inc. | Tru-Power II 320cc | 9 | SOLE: (loft), TRU POWER, (triangle graphic), FORGED TITAN, THIN FACE, 320 C.C CROWN: (dot alignment mark) view image here |
| Monark Golf Supply, Inc. | V Series 360cc | 10.5 | SOLE: (loft), (V Series on egg shaped graphic with lines on rounded rectangle), 360cc view image here |
| Monark Golf Supply, Inc. | V Series 400cc | 10.5 | SOLE: (loft), V Series), 400cc, (five recessed shapes) BACK: (Titanium in oblong insert) CROWN: (dot alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|-------------------------------|----------|---|
| Monstar Psycho Co. Ltd | Mustang Tour | 9,10 | SOLE: Five-Engineer's Technique, (crown logo), (ZL logo), ZEAL, MUSTANG, (weight port), Let's tame The Mustang HEEL: (loft), Tour |
| Montech Golf Company, Inc. | Tru Monty | 9 | view image here SOLE: 1 (loft), (circle in trianlge logo in circular inset) Montech, TRUE, MONTY, Ti, PRECISION CRAFTED CROWN: (alignment mark) FACE:15•3•3•3 |
| Morita Golf Co Ltd | Design 01 | 9,10 | view image here SOLE: DESIGN, 01, (loft), MORITA GOLF |
| Monta Con Co Eta | | | CO.,LTD |
| | | | view image here |
| Morita Golf Co Ltd | Zekko:cho: 450 | N/A | SOLE: 1, Zekko:cho:, The Springtime of Life, 450 cc |
| | | | view image here |
| Morita Golf Co Ltd | Zekko:Cho: 450 (Version 2) | N/A | SOLE: Zekko:cho:, The Springtime of Life, 1 450cc, MORITA GOLF CO.,LTD. |
| | | 0.5.40.5 | view image here |
| Move One Co Ltd | Cyber Cast 400 | 9.5,10.5 | SOLE: CYBER CAST, 400, Loft (loft) FACE:Forged |
| | | | view image here |
| MT Global Co Ltd | Itobori Grind | N/A | SOLE: GMT, ITOBORI GRIND, JAPAN DESIGN PATENT, Number 1536589 FACE:(kanji characters media blast) |
| MT Global Co Ltd | Itobori Grind (Version 2) | N/A | view image here SOLE: GMT, ITOBORI GRIND, JAPAN DESIGN PATENT, Number 1536589, (over ITOBORI media blast) FACE:(kanji characters media blast) view image here |
| MT Global Co Ltd | Itobori Second Generation | 9.5,10.5 | SOLE: (two weight ports) BACK: (MT logo), FULL GRIND ITOBORI DESIGN PATENT 1536589 HAND CRAFTED BY MTG STUDIO HEEL: (loft) FACE:ITOBORI view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|-----------------------------|----------------|--|
| Mutant Golf LLC | Brute - Driven Edition | 5.5 | SOLE: (line), LD (loft), BRUTE (MUTANT in graphic), (GOLF in rectangle w/ three lines), (line) CROWN: (arrow alignment mark) FACE:(DRIVEN on circular graphic) |
| | | | <u>view image here</u> |
| Mutant Golf LLC | Brute (Version 1) | 3,5.5,7.5,10.5 | SOLE: LD (loft), (line), BRUTE (MUTANT in graphic), (GOLF in rectangle w/ three lines), (line) CROWN: (arrow alignment line) |
| | | | <u>view image here</u> |
| Mutant Golf LLC | Brute (Version 2) | 9,10.5 | SOLE: (line), LD (loft), BRUTE (MUTANT in graphic), (GOLF in rectangle w/ three lines), (line), (port w/ screw) CROWN: (arrow alignment mark) |
| | | | view image here |
| Mutant Golf LLC | Brute (Version 3) | 9 | SOLE: (line), LD (loft w/ degree symbol), BRUTE (MUTANT in graphic), (GOLF in rectangle w/ three lines), (line) CROWN: (arrow alignment mark) |
| | | | <u>view image here</u> |
| Mutant Golf LLC | Kra-Z (LH) | 5.5 | SOLE: 460cc, LD (loft), (bent line), (Mutant, (GOLF in rectangle) on logo), Kra (line over a)-Z, (bent line) CROWN: (arrow alignment line) |
| Marrie Or Ltd | Plank VCDIDE | 10 | view image here |
| Muziik Co Ltd | Black XSPIRE | 10 | SOLE: muziik, (weight port), BLACKXSPIRE, ULTIMATE MULTI COMPOSITE WOOD HOSEL: (orientation indicators) |
| | | | <u>view image here</u> |
| Muziik Co Ltd | On The Screw | 9.5,10.5 | SOLE: On The Screw BACK: muziik HEEL: (loft) |
| | | | view image here |
| Muziik Co Ltd | On The Screw (Version 2) | N/A | SOLE: On The Screw BACK: muziik HEEL: HL |
| | | 0.5.40.5 | view image here |
| Muziik Co Ltd | On The Screw D | 9.5,10.5 | SOLE: On The Screw, (muziik on inset) TOE: (18 dots in round cluster logo) CROWN: (D alignment mark) HEEL: (loft) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|------------------------------|----------|---|
| Muziik Co Ltd | On The Screw DD | N/A | SOLE: On The Screw BACK: muziik view image here |
| Muziik Co Ltd | On the Screw DD2 Heaven | N/A | SOLE: DD PLUS DISTANCE PERFORMANCE, (weight port), (weight port), (weight port), (weight port), DD2 HEAVEN BACK: muziik TOE: On The Screw HOSEL: (orientation indicators) |
| Muziik Co Ltd | On the Screw Deep Compact | N/A | SOLE: On The Screw, (weight port) BACK: muziik TOE: DEEP, COMPACT, (weight port), (weight port) HEEL: (weight port), (weight port) view image here |
| Muziik Co Ltd | On The Screw Xspire | 9.5,10.5 | SOLE: XSPIRE (with X logo), On The Screw, (muziik on inset) HEEL: (loft) view image here |
| Muziik Co Ltd | On The Screw Xspire HL | N/A | SOLE: XSPIRE (with X logo), On The Screw, (muziik on inset) HEEL: HL view image here |
| Muziik Co Ltd | Turfrider | 10.5 | SOLE: muziik, TURFRIDER, (loft) view image here |
| Muziik Co Ltd | Turfrider (Version 2) | N/A | SOLE: muziik, TURFRIDER view image here |
| Muziik Co Ltd | Turfrider 460 Forged | N/A | SOLE: (turfrider (underlined)), muziik view image here |
| Muziik Co Ltd | Turfrider II | N/A | SOLE: muziik, turfrider, II, TR <u>view image here</u> |
| Muziik Co Ltd | Xspire XR | N/A | SOLE: Designed by, muziik, JAPAN Intelligence Technology, XSPIRE XR, (screw) METAL EFFECT, (screw) view image here |
| MVI Trading | Double Eagle | 10.5 | SOLE: (eagle logo), 460, DOUBLE , EAGLE, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|-----------------------------|----------------|--|
| | | | |
| MVI Trading | King Tech | 10.5 | SOLE: 1, king (crown logo) tech (underlined), (loft), 460CC FACE:TITANIUM view image here |
| M-West Co Ltd | Rabbit Challenge Cup 400 | 9,10,11 | SOLE: SUPER HI TITAN, (loft), RABBIT, CHALLENGE CUP, (3 lines) 400 (3 lines), 1, (in circle) FACE:SP700 view image here |
| M-West Co Ltd | Tour Trad | 9,10,11 | SOLE: (logo), Tour Trad, POWER DRIVE TECHNOLOGY, 1 435, (loft), FORGED TITANIUM view image here |
| Myway Family Club Co Ltd | Buki Neo Titan 460 | 9.5,10,10.5,11 | SOLE: 1, BUKI, NEO TITAN, 460, IMPACT TECHNOL, THREE ZONE FACE, NGSL, (logo on oval inset) TOE: (logo), HIGH TRAJECTORY & MAX DISTANCE HEEL: (loft) |
| Myway Family Club Co Ltd | Buki Premium Edition 460 | N/A | SOLE: Premium Edition, THREE ZONE FACE, BUKI, NEO TITAN, 460, NGSL, (shape), (logo), (shape) |
| Myway Family Club Co Ltd | Buki Premium IT-5 | 10.5 | SOLE: 1, (loft), (B on circular inset), BUKI, PREMIUM, BUKI-IT5 on inset FACE:B view image here |
| Myway Family Club Co Ltd | Royal Weapon Sho-Bu | N/A | SOLE: ROYAL, WEAPON™ 1, (curved line), (curved line), SHO-BU, (R logo on insert) TOE: SUPER-IT, IMPACT TECHNOLOGY view image here |
| Nakajima, Inc. | N-05 | 9.5,10.5,11.5 | SOLE: L•DOT•, 1 (loft), N-05, THIN CROWN STRUCTURE, (circular weight), DAT600C CUP TOE: (curved line) Designed by N HEEL: (circular weight) view image here |
| Nakashima Golf | Htec (LH) (Version 2) | 9.5,10.5 | SOLE: (loft), NAKASHIMA (w/ N logo), Htec, (line), TITANIUM, Pat Pending BACK: (N logo) TOE: (Kanji characters) HOSEL: (N logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|------------------------------|-------------------|--|
| Nakashima Golf | Htec (Version 2) | 8.5,9.5,10.5,11.5 | SOLE: (loft), NAKASHIMA (w/ N logo), Htec, (line), TITANIUM, Pat Pending BACK: (N logo) TOE: (Kanji characters) HOSEL: (N logo media blast) |
| Nakashima Golf | Htec 460cc (Version 1) | 8.5,9.5,10.5,11.5 | SOLE: (loft), NAKASHIMA (w/ N logo), Htec, (line), 460CC, (hosel weight port), Pat Pending, (weight port) BACK: (N logo) HOSEL: (N logo media blast) |
| Nakashima Golf | Htec 460cc (Version 2) | 8.5,9.5,10.5,11.5 | SOLE: (loft), NAKASHIMA (w/ N logo), Htec, (line), 460CC, (hosel weight port), Pat Pending, (weight port) BACK: (N logo) TOE: (Kanji characters) HOSEL: (N logo media blast) view image here |
| Nakashima Golf | Htec 460cc TL (Version 1) | 5,6 | SOLE: TL-(loft), NAKASHIMA (w/ N logo), Htec, (line), 460CC, (hosel weight port), Pat Pending, (weight port) BACK: (N logo) HOSEL: (N logo media blast) view image here |
| Nakashima Golf | Htec 460cc TL (Version 2) | 5,6 | SOLE: TL-(loft), NAKASHIMA (w/ N logo), Htec, (line), 460CC, (hosel weight port), Pat Pending, (weight port) BACK: (N logo) TOE: (Kanji characters) HOSEL: (N logo media blast) view image here |
| Nakashima Golf | Htec TL | 5,6 | SOLE: TL-(loft), NAKASHIMA (w/ N logo), Htec, (line), TITANIUM, Pat Pending BACK: (N logo) TOE: (Kanji characters) HOSEL: (N logo media blast) view image here |
| Nakashima Golf | NP-1 380cc | 8.5,9.5,10.5 | SOLE: (loft), (N logo)AKASHIMA, (NP graphic)•1, (line), TITANIUM, 380CC BACK: (N logo) CROWN: (N logo alignment mark) HOSEL: (N logo media blast) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-----------------|-------------------|---|
| Nakashima Golf | NP-1 420cc | 8,9,10,12 | SOLE: (loft), (N logo)AKASHIMA, (NP graphic)•1, (line), TITANIUM, 420CC BACK: (N logo) CROWN: (N logo alignment mark) view image here |
| Nakashima Golf | NP-1 460cc | 8.5,9.5,10.5,11.5 | SOLE: (loft), (N logo)AKASHIMA, (NP graphic)•1, (line), TITANIUM, 460CC BACK: (N logo) TOE: (two Japanese characters), NAK SPEC view image here |
| Nakashima Golf | Ntec 2.80 | 8.5,9.5,10.5,11.5 | SOLE: (loft), (weight port), NAKASHIMA (w/ N logo), Ntec, (line), 2.80 Ti DRIVER (hosel weight port), US Patented TOE: (Kanji characters) HOSEL: (N logo media blast) view image here |
| Nakashima Golf | Ntec 2.80 (LH) | 9.5,10.5,11.5 | SOLE: (loft), (weight port), NAKASHIMA (w/ N logo), Ntec, (line), 2.80 Ti DRIVER (hosel weight port), US Patented TOE: (Kanji characters) HOSEL: (N logo media blast) |
| Nakashima Golf | Ntec 2.80 DF | 8.5,9.5,10.5,11.5 | SOLE: (loft), (weight port), NAKASHIMA (w/ N logo), Ntec, (line), 2.80 DF DRIVER (hosel weight port), US Patented TOE: (Kanji characters) HOSEL: (N logo media blast) |
| Nakashima Golf | Ntec 2.80 DF TL | 5,6 | SOLE: TL-(loft), (weight port), NAKASHIMA (w/ N logo), Ntec, (line), 2.80 DF DRIVER (hosel weight port), US Patented TOE: (Kanji characters) HOSEL: (N logo media blast) view image here |
| Nakashima Golf | Ntec 2.80 Ti | 7.5 | SOLE: (loft), (weight port), NAKASHIMA (w/ N logo), Ntec, (line), 2.80 Ti DRIVER (hosel weight port), US Patented TOE: (Kanji characters) HOSEL: (N logo media blast) |
| Nakashima Golf | Ntec 2.80 TL-5 | N/A | SOLE: TL-5, (weight port), NAKASHIMA (w/ N logo), Ntec, (line), 2.80 Ti DRIVER (hosel weight port), US Patented TOE: (Kanji characters) HOSEL: (N logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---------------------|-------------------|--|
| Nakashima Golf | Ntec 2.80 TL-5 (LH) | N/A | SOLE: TL-5, (weight port), NAKASHIMA (w/ N logo), Ntec, (line), 2.80 Ti DRIVER (hosel weight port), US Patented TOE: (Kanji characters) HOSEL: (N logo media blast) |
| Nakashima Golf | Ntec 2.80 TL-6 | N/A | SOLE: TL-6, (weight port), NAKASHIMA (w/ N logo), Ntec, (line), 2.80 Ti DRIVER (hosel weight port), US Patented TOE: (Kanji characters) HOSEL: (N logo media blast) view image here |
| Nakashima Golf | Ntec 2.85 Ti | 8.5,9.5,10.5,11.5 | SOLE: (weight port), (loft), NAKASHIMA (w/ N logo), Ntec, (line), 2.85 Ti DRIVER (weight port), (port screw) HOSEL: (N logo media blast) view image here |
| Nakashima Golf | Ntec 2.85 Ti TL-5 | N/A | SOLE: (weight port), TL-5, NAKASHIMA (w/ N logo), Ntec, (line), 2.85 Ti DRIVER (weight port), (port screw) HOSEL: (N logo media blast) view image here |
| Nakashima Golf | Ntec 4.06 | 9.5,10.5,11.5 | SOLE: (loft), NAKASHIMA (w/ N logo), Ntec, (line), 4.06 (dot in O) TITANIUM, (hosel weight port), Pat Pending HOSEL: (N logo media blast) view image here |
| Nakashima Golf | Ntec 4.06 (LH) | 9.5,10.5,11.5 | SOLE: (loft), NAKASHIMA (w/ N logo), Ntec, (line), 4.06 (dot in O) TITANIUM, (hosel weight port), Pat Pending HOSEL: (N logo media blast) view image here |
| Nakashima Golf | NX•1 TL-1 | N/A | SOLE: TL- (1), NAKASHIMA (w/ N logo), nx•1, (line), TITANIUM, 460 (0 w/ dot) CC view image here |
| Nakashima Golf | NX•1 TL-2 | N/A | SOLE: TL- (2), NAKASHIMA (w/ N logo), nx•1, (line), TITANIUM, 460 (0 w/ dot) CC view image here |
| Nakashima Golf | NX•1 TL-3 | N/A | SOLE: TL- (3), NAKASHIMA (w/ N logo), nx•1, (line), TITANIUM, 460 (0 w/ dot) CC view image here |
| Nakashima Golf | NX•1 TL-4 | N/A | SOLE: TL- (4), NAKASHIMA (w/ N logo), nx•1, (line), TITANIUM, 460 (0 w/ dot) CC view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------------------|-----------|---|
| Natural Golf | Hammer ST 460cc | 10.5,13 | SOLE: HaMMeR, ((line), (line), (loft), (line), (line), ST 460cc, Titanium BACK: (Natural w/ segmented circle logo)Golf® CROWN: (segmented circle logo w/ line alignment mark) |
| Natural Golf | Hammer ST Series 420 (Version 1) | 8,10.5,13 | SOLE: NATURAL, (leaf and dot logo)Golf., 420 FORGED TITANIUM, (three recessed grooves), (loft), (three recessed grooves), Hammer, SQUARE(underlined) TRACKING, TECHNOLOGY TOE: ST SERIES CROWN: (leaf and dot logo alignment mark) view image here |
| Natural Golf | Hammer ST Series 420 (Version 2) | 8,10.5,13 | SOLE: (loft) NATURAL, (leaf and dot logo)Golf., 420 FORGED TITANIUM, (three recessed grooves), 1, (three recessed grooves), STHammer, SQUARE(underlined) TRACKING, TECHNOLOGY TOE: ST SERIES CROWN: (leaf and dot logo alignment mark) |
| Natural Golf | Pipeline | 11 | SOLE: (NaturalGolf over circle logo), (three recessed grooves), 1, (three recessed grooves), (loft), LOFT TOE: PIPELINE, (line) CROWN: (leaf and logo alignment mark) view image here |
| Natural Golf | Tour Hammer 350cc | 8,10 | SOLE: NATURAL, (leaf and dot logo)Golf., TOUR, HAMMER (loft), FORGED, BETA TITANIUM, 350CC CROWN: (leaf and dot logo alignment mark) view image here |
| Natural Golf | Tour Hammer 410cc (Version 1) | 11 | SOLE: NATURAL, (leaf and dot logo) Golf., TOUR, HAMMER (loft), .83 C.O.R., FORGED, BETA TITANIUM, 410cc CROWN: (leaf and dot logo alignment mark) view image here |
| Natural Golf | Tour Hammer 410cc (Version 2) | 9 | SOLE: NATURAL, (leaf and dot logo) Golf., TOUR, HAMMER. (loft), .83 C.O.R., FORGED, BETA TITANIUM, (410cc. in rectangle) CROWN: (leaf and dot logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|------------------------------------|-------|--|
| Natural Golf | Tour Hammer 410cc (Version 3) | 9 | SOLE: NATURAL, (leaf and dot logo)Golf., TOUR, HAMMER (loft), .83 C.O.R., FORGED, BETA TITANIUM, (410cc in rectangle) CROWN: (leaf and dot logo alignment mark) view image here |
| Nestor Golf | NST CF-4602 | N/A | SOLE: MAX CARRY, (lines) NST, CF-4602, 1, NANO SCIENCE TECHNOLOGY HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Nestor Golf | NST CF-4604 | N/A | SOLE: NST, CF-4604 BACK: C06 DESIGN CROWN: TRUST, NST, (logo alignment mark) HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| New Art Sports Inc | Crazy CRZ 435 Limited Edition | N/A | SOLE: CRAZY, CRZ 435, Limited Edition, TRIPLE WEIGHT, TITANIUM, (club number/letter) TOE: (logo) view image here |
| New Art Sports Inc | Crazy CRZ-445 | N/A | SOLE: (weight port), (CRAZY, (CR wings logo) on inset), 445, CRZ, (weight port), (weight port) TOE: CR HOSEL: (orientation indicators), CR, (triangle) |
| New Art Sports Inc | Crazy CRZ460S | N/A | SOLE: (weight port), CRAZY, (CR wings logo), (weight port), (weight port), (weight port) TOE: (CR wings logo) HEEL: CRZ460S view image here |
| New Art Sports Inc | Crazy Titanium Wood (Version 2) | N/A | SOLE: CRAZY, (over patterned media blast), (cross) view image here |
| New Art Sports Inc | CRZ-445 Prototype | N/A | SOLE: (weight port), (CRAZY, (CR wings logo) on inset), 445, CRZ, (weight port), (weight port) TOE: CR HOSEL: (orientation indicators) view image here |

| New Art Sports inc Soarer SAR460S NA SolE: (weight port), (S wings logo). SOARER (intre weight port) (if three weight port) (if three weight port). SOARER (intre weight port). SOARER (intre weight port). SOARER (intre weight port). HELL SAR460S New Plaza Golf SolE: S-GOD (logo), PATENT CLUB, FS 1, HY. THE INVENT TOE: New Plaza Golf New Plaza Golf Skitter N/A SolE: 295, Skitter, Further Distance, 10-2-3 Titan yiew.image.here Newport Golf Corporation American CX 10.5 SolE: MANUFACTURED, UNDER LICENSE FROM, 1 American CX (loft), PGOWN: (crow alignment mark) FACE-MADE IN, USA yiew.image.here Newt Enterprise Co Ltd Guilliver Super Zone Vasion Next Enterprise Co Ltd Guilliver Super Zone Vasion Next Enterprise Co Ltd Vardon Cup Three Star Next Enterprise Co Ltd Vardon Cup Three Star Next Technology Golf, LLC Next Technology Golf, LC Controller 460 (Version 2) NGC Golf Controller 460 (Version 2) | Manufacturer | Product Name | Lofts | Identification Markings |
|--|------------------------|---------------------|--------|---|
| New Plaza Golf S-God FS1 HV (Version 3) N/A SOLE: S-GOD (logo), PATENT CLUB, FS 1, HV. THE INVENT TOE: New Plaza Golf View image here New Plaza Golf View image here New Plaza Golf View image here N/A SOLE: 295, Skitter, Further Distance, 10-2-3 Tilan View image here New Plaza Golf View image here SOLE: MANUFACTURED, UNDER LICENSE FROM, 1 American CX, (loft), PAT, PEND. CROWN: (arrow alignment mark) FACE: MADE IN, USA View image here View image here N/A SOLE: 1357**, RipiT ©, FIRM, PAT, PEND. CROWN: RipiT © (alignment marker) N/A SOLE: 1357**, RipiT ©, FIRM, PAT, PEND. CROWN: RipiT © (alignment marker) N/A View image here N/A View image here | New Art Sports Inc | Soarer SAR460S | N/A | SOARER, (three weight ports) TOE: (S wings logo), SOARER) HEEL: SAR460S |
| New Plaza Golf Skitter N/A SOLE: 295, Skitter, Further Distance, 10-2-3 Titan View image here SOLE: 295, Skitter, Further Distance, 10-2-3 Titan View image here SOLE: MANUFACTURED, UNDER, LICENSE FROM, 1 American CX, (loft), PAT, PEND. CROWN: (arrow alignment mark) FACE MADE IN, USA View image here SOLE: 1357"*, RipiT ®, FIRM, PAT, PEND. CROWN: RipiT ® (alignment marker) HOSEL: 16.8 View image here SOLE: 10-1, SUPER ZONE, (logo), GULLIVER CROWN: (alignment marker) SOLE: VIENT (alignment mark) View image here SOLE: SUPER (loft) 1, V450R (underlined), Z. ZONE, FORGED TITANIUM View image here SOLE: SUPER (loft) 1, V450R (underlined), Z. ZONE, FORGED TITANIUM View image here SOLE: SUPER (loft), VARDON CUP, SP, G stars) Three Star SOLE: MACNETIX 360, DRIVER, (loft), next(two triangles), TECHNOLOGY GOLF, 360cc Titanium, Patented CROWN: (loft), inext(two triangles), TECHNOLOGY GOLF, 360cc Titanium, Patented CROWN: (wo triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) View image here SOLE: 1, Controller 460 (Version 2) SOLE: 1, Controller 460, (loft), (NGC on recessed rectangle and Golf in rectangle border wit triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) | | | | view image here |
| New Plaza Golf Skitter N/A SOLE: 295, Skitter, Further Distance, 10-2-3 Titan view image here | New Plaza Golf | | N/A | HV, THE INVENT TOE: New Plaza Golf |
| Newport Golf Corporation American CX 10.5 SOLE: MANUFACTURED, UNDER, LICENSE FROM, 1 American CX, (loft), PAT. PEND. CROWN: (arrow alignment mark) FACE: MADE IN, USA view image here Newport Golf Corporation Ripit N/A SOLE: 1357***, Ripit ®, Firm, PAT., PEND. CROWN: Ripit ® (alignment marker) HOSE: 16.8 view image here Next Enterprise Co Ltd Gulliver Super Zone V450R Varion Cup Three Star Next Enterprise Co Ltd Vardon Cup Three Star Next Enterprise Co Ltd Next Enterprise Co Ltd Vardon Cup Three Star Next Enterprise Co Ltd Next Enterprise Co Ltd Vardon Cup Three Star Next Enterprise Co Ltd Vardon Cup Three Star Next Enterprise Co Ltd Vardon Cup Three Star Next Enterprise Co Ltd Next Enterprise Co Ltd Vardon Cup Three Star SOLE: 1 (loft), VARDON CUP, SP, (3 stars) Three Star, 420, FORGED TITANIUM View image here Next Enterprise Co Ltd Next Enterprise Co Ltd Vardon Cup Three Star SOLE: MAGNETIX 360, DRIVER, (loft), Next (two triangles), TECHNOLOGY GOLF, 360c Titanium, Patented CROWN: (two triangles), TI-Matix Metal M-70 Coating CROWN: (triangle alignment mark) | N D 0 / | Oliman | NI/A | - |
| Newport Golf Corporation | New Plaza Golf | Skitter | IN/A | |
| LICENSE FROM, 1 American CX, (loft), PAT. PEND. CROWN's (arrow alignment mark) FACE:MADE IN, USA view image here Newport Golf Corporation Newport Golf Corporation Ripit N/A SOLE: 1357™, RipIT @, FIRM, PAT., PEND. CROWN: RipIT @ (alignment marker) HOSEL: 16.8 view image here Next Enterprise Co Ltd Gulliver Super Zone V450R Next Enterprise Co Ltd Gulliver Super Zone V450R Next Enterprise Co Ltd Vardon Cup Three SoLE: 10.5 SOLE: 1 (loft), 1, V450R (underlined), Z, ZONE, FORGED TITANIUM view image here Next Enterprise Co Ltd Vardon Cup Three Star Next Technology Golf, LLC Nagnetix 360 SolE: 1 (loft), VARDON CUP. SP. (3 stars) Three Star, 420, FORGED TITANIUM view image here Next Technology Golf, LLC Nagnetix 360 SolE: MAGNETIX 360, DRIVER, (loft), next(two triangles), TECHNOLOGY GOLF, 360cc Titanium, Patented CROWN: (two triangle alignment mark) view image here NGC Golf Controller 460 (Version 2) NGC Golf Controller 460 (Version 2) SOLE: 1, Controller 4, 460, (loft), (NGC on recessed rectangle and Golf in rectangle border w/ triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) | | | | view image here |
| Newport Golf Corporation Ripit N/A SOLE: 1357 ***, RipiT **, FIRM, PAT., PEND. CROWN: RipiT **0 (alignment marker) HOSEL: 16.8 view image here Next Enterprise Co Ltd Gulliver Super Zone Next Enterprise Co Ltd Gulliver Super Zone V450R 10.5 SOLE: -(loft)- 1, SUPER ZONE, (logo), GULLIVER CROWN: (alignment mark) view image here Next Enterprise Co Ltd Vardon Cup Three Star 10.5 SOLE: SUPER (loft) 1, V450R (underlined), Z, ZONE, FORGED TITANIUM view image here SOLE: 1 (loft), VARDON CUP, SP, (3 stars) Three Star, 420, FORGED TITANIUM view image here Next Technology Golf, LLC Next Technology Golf, LLC Magnetix 360 8,9,10 SOLE: MAGNETIX 360, DRIVER, (loft), next(two triangles), TECHNOLOGY GOLF, 360cc Titanium, Patented CROWN: (two triangle alignment mark) view image here NGC Golf Controller 460 (Version 2) 10.5 SOLE: 1, Controller®, 460, (loft), (NGC on recessed rectangle and Golf in rectangle border w/ triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) | | American CX | 10.5 | LICENSE FROM, 1 American CX, (loft), PAT. PEND. CROWN: (arrow alignment mark) FACE:MADE IN, USA |
| Crown: RipiT @ (alignment marker) HOSEL: 16.8 view image here Next Enterprise Co Ltd Gulliver Super Zone Next Enterprise Co Ltd Gulliver Super Zone V450R 10.5 SOLE: -(loft)- 1, SUPER ZONE, (logo), GULLIVER CROWN: (alignment mark) view image here SOLE: SUPER (loft) 1, V450R (underlined), Z, Zone, FORGED TITANIUM view image here Next Enterprise Co Ltd Vardon Cup Three Star 10.5 SOLE: -(loft)- 1, SUPER ZONE, (logo), GULLIVER CROWN: (alignment mark) view image here SOLE: -(loft) 1, V450R (underlined), Z, Zone, FORGED TITANIUM view image here Next Technology Golf, LLC Next Technology Golf, LLC Next Technology Golf, LCC Controller 460 (Version 2) 10.5 SOLE: -(Loft) - 1, SUPER ZONE, (logo), GULLIVER, CROWN: (two triangles), TECHNOLOGY GOLF, 360cc Titanium, Patented CROWN: (two triangle alignment mark) view image here NGC Golf Controller 460 (Version 2) 10.5 SOLE: -1, Controller®, 460, (loft), (NGC on recessed rectangle and Golf in rectangle border w/ triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) | N | Dinit | N/A | |
| Next Enterprise Co Ltd Gulliver Super Zone 10.5 SOLE: -(loft)- 1, SUPER ZONE, (logo), GULLIVER CROWN: (alignment mark) view image here Next Enterprise Co Ltd Gulliver Super Zone V450R 10.5 SOLE: SUPER (loft) 1, V450R (underlined), Z, ZONE, FORGED TITANIUM view image here Next Enterprise Co Ltd Vardon Cup Three Star 10.5 SOLE: 1 (loft), VARDON CUP, SP, (3 stars) Three Star, 420, FORGED TITANIUM view image here Next Technology Golf, LLC Nagnetix 360 8,9,10 SOLE: MAGNETIX 360, DRIVER, (loft), next(two triangles), TECHNOLOGY GOLF, 360cc Titanium, Patented CROWN: (two triangle alignment mark) view image here NGC Golf Controller 460 (Version 2) 10.5 SOLE: 1, Controller®, 460, (loft), (NGC on recessed rectangle and Golf in rectangle border w/ triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) | | Ripit | N/A | CROWN: RipiT ® (alignment marker) |
| Next Enterprise Co Ltd Gulliver Super Zone V450R 10.5 SOLE: SUPER (loft) 1, V450R (underlined), Z, ZONE, FORGED TITANIUM view image here Next Enterprise Co Ltd Vardon Cup Three Star 10.5 SOLE: 1 (loft), VARDON CUP, SP, (3 stars) Three Star, 420, FORGED TITANIUM view image here Next Technology Golf, LLC Magnetix 360 8.9,10 SOLE: MAGNETIX 360, DRIVER, (loft), next (two triangles), TECHNOLOGY GOLF, 360cc Titanium, Patented CROWN: (two triangle alignment mark) view image here NGC Golf Controller 460 (Version 2) 10.5 SOLE: 1, Controller®, 460, (loft), (NGC on recessed rectangle and Golf in rectangle border w/ triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) | | | | <u>view image here</u> |
| Next Enterprise Co Ltd Gulliver Super Zone V450R 10.5 SOLE: SUPER (loft) 1, V450R (underlined), Z, ZONE, FORGED TITANIUM view image here Next Enterprise Co Ltd Vardon Cup Three Star 10.5 SOLE: 1 (loft), VARDON CUP, SP, (3 stars) Three Star, 420, FORGED TITANIUM view image here Next Technology Golf, LLC Nagnetix 360 8,9,10 SOLE: MAGNETIX 360, DRIVER, (loft), next(two triangles), TECHNOLOGY GOLF, 360cc Titanium, Patented CROWN: (two triangle alignment mark) view image here NGC Golf Controller 460 (Version 2) 10.5 SOLE: 1, Controller®, 460, (loft), (NGC on recessed rectangle and Golf in rectangle border w/ triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) | Next Enterprise Co Ltd | Gulliver Super Zone | 10.5 | GULLIVER CROWN: (alignment mark) |
| Next Enterprise Co Ltd Vardon Cup Three Star 10.5 SOLE: 1 (loft), VARDON CUP, SP, (3 stars) Three Star, 420, FORGED TITANIUM view image here Next Technology Golf, LLC Next Technology Golf, LC SOLE: MAGNETIX 360, DRIVER, (loft), next(two triangles), TECHNOLOGY GOLF, 360cc Titanium, Patented CROWN: (two triangle alignment mark) View image here NGC Golf Controller 460 (Version 2) 10.5 SOLE: 1, Controller®, 460, (loft), (NGC on recessed rectangle and Golf in rectangle border w/ triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) | Novt Entermine Colltd | Gullivar Supar Zana | 10.5 | • |
| Next Enterprise Co Ltd Vardon Cup Three Star 10.5 SOLE: 1 (loft), VARDON CUP, SP, (3 stars) Three Star, 420, FORGED TITANIUM view image here Next Technology Golf, LLC Next Technology Golf, LC Next Technology Golf, LC Next Technology Golf, LC SOLE: MAGNETIX 360, DRIVER, (loft), next(two triangles), TECHNOLOGY GOLF, 360cc Titanium, Patented CROWN: (two triangle alignment mark) view image here NGC Golf Controller 460 (Version 2) 10.5 SOLE: 1, Controller®, 460, (loft), (NGC on recessed rectangle and Golf in rectangle border w/ triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) | Next Enterprise Co Ltd | | 10.5 | |
| Star Three Star, 420, FORGED TITANIUM view image here Next Technology Golf, LLC Magnetix 360 8,9,10 SOLE: MAGNETIX 360, DRIVER, (loft), next(two triangles), TECHNOLOGY GOLF, 360cc Titanium, Patented CROWN: (two triangle alignment mark) view image here NGC Golf Controller 460 (Version 2) 10.5 SOLE: 1, Controller®, 460, (loft), (NGC on recessed rectangle and Golf in rectangle border w/ triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) | | | | - |
| Next Technology Golf, LLC Magnetix 360 8,9,10 SOLE: MAGNETIX 360, DRIVER, (loft), next(two triangles), TECHNOLOGY GOLF, 360cc Titanium, Patented CROWN: (two triangle alignment mark) view image here NGC Golf Controller 460 (Version 2) SOLE: 1, Controller®, 460, (loft), (NGC on recessed rectangle and Golf in rectangle border w/ triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) | Next Enterprise Co Ltd | | 10.5 | |
| NGC Golf Controller 460 (Version 2) Controller 460 (Version 2) NGC Golf Controller 460 (Version 2) NGC Golf Controller 460 (Version 2) Controller 460 (Version 2) NGC Golf Controller 460 (Version 2) NGC Golf Controller 460 (Version 2) NGC Golf Controller 460 (Version 2) | | | | view image here |
| NGC Golf Controller 460 (Version 2) SOLE: 1, Controller®, 460, (loft), (NGC on recessed rectangle and Golf in rectangle border w/ triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) | 0, | Magnetix 360 | 8,9,10 | next(two triangles), TECHNOLOGY GOLF, 360cc Titanium, Patented CROWN: (two triangle alignment mark) |
| (Version 2) recessed rectangle and Golf in rectangle border w/ triangle), Ti-Matrix Metal M-70 Coating CROWN: (triangle alignment mark) | | | | |
| viow image hore | NGC Golf | | 10.5 | recessed rectangle and Golf in rectangle border w/ triangle), Ti-Matrix Metal M-70 Coating |
| view image nere | | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|------------------------|---------------|--|
| Nicen Co Ltd | NQ-450S X-Tour | 9.5,10.5 | SOLE: MAX, Deep center of gravity, (logo) NICEN, (Allen key weight port), NQ-450S, X-TOUR, (loft), Semi shallow face view image here |
| Nicen Co Ltd | NT-460T Tour | 9,10 | SOLE: (logo), NICEN, NT-460T, TOUR, B-Titan, (loft), forged BACK: H T, dual wt adjustable, ultra thin crown CROWN: (alignment mark) FACE:deep face view image here |
| Nicen Co Ltd | NX-460M | 9,10.5 | SOLE: MAX, Deep center of gravity, (logo) NICEN, NX-460M, (loft) since 1995 TOE: (logo) view image here |
| Nickent Golf Equipment | 3DX RC | 12.5 | SOLE: (triangle), (loft), NICKENT, (line), 3DX RC, (triangle), (tungsten weight w/ HMOI, WEIGHTING) CROWN: (N alignment mark) view image here |
| Nickent Golf Equipment | 3DX Square | 9,10.5,12 | SOLE: (loft), NICKENT, (line), 3DX, SQUARE CROWN: (N logo alignment mark) view image here |
| Nickent Golf Equipment | 3DX Tour Square | 9,10.5 | SOLE: (loft), NICKENT, (line), 3DX, TOUR SQUARE CROWN: (N logo alignment mark) view image here |
| Nickent Golf Equipment | 4DX Draw Spec 460cc | 9,10.5,12,14 | SOLE: (two circular inserts in recessed rectangle), (loft), NICKENT, (line), 4DX, DRAW, SPEC, 460cc, (two circular inserts in recessed rectangle) BACK: SUPER THIN 0.4MM TITANIUM CROWN TOE: (N logo on winged graphic) CROWN: (N logo alignment mark) |
| Nickent Golf Equipment | 4DX Evolver | 8,9,10.5,12.5 | SOLE: (recessed rectangle weight insert), (loft), NICKENT, (line), 4DX, EVOLVER, (recessed rectangle weight insert) BACK: SUPER THIN 0.4MM TITANIUM CROWN TOE: (N logo on winged graphic) CROWN: (N logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|------------------------------|----------|---|
| Nickent Golf Equipment | 4DX Evolver Tour | 8,9,10.5 | SOLE: (recessed rectangle weight insert), T(loft), NICKENT, (line), 4DX, EVOLVER, (recessed rectangle weight insert) BACK: SUPER THIN 0.4MM TITANIUM CROWN TOE: (N logo on winged graphic) CROWN: (N logo alignment mark) HOSEL: (dot) view image here |
| Nickent Golf Equipment | 4DX Special Edition 460cc | 9,10.5 | SOLE: (two circular inserts in recessed rectangle), (loft), NICKENT, (line), 4DX, 460cc, (two circular inserts in recessed rectangle) BACK: SUPER THIN 0.4MM TITANIUM CROWN TOE: Special, Edition CROWN: (N logo alignment mark) |
| Nickent Golf Equipment | 4DX SuperMag | 9 | SOLE: (recessed rectangle weight insert), (loft), NICKENT, (line), 4DX, SUPERMAG, HI-MOI, (recessed rectangle weight insert) BACK: SUPER LIGHTWEIGHT MAGNESIUM CROWN TOE: (N logo on winged graphic) CROWN: (N logo alignment mark) view image here |
| Nickent Golf Equipment | 4DX SuperMag Tour | 9 | SOLE: (recessed rectangle weight insert), T(loft), NICKENT, (line), 4DX, SUPERMAG, HI-MOI, (recessed rectangle weight insert) BACK: SUPER LIGHTWEIGHT MAGNESIUM CROWN TOE: (N logo on winged graphic) CROWN: (N logo alignment mark) view image here |
| Nickent Golf Equipment | 4DX Tour Spec 460cc | 8,9,10.5 | SOLE: (two circular inserts in recessed rectangle), (loft), NICKENT, (line), 4DX, TOUR, SPEC, 460cc, (two circular inserts in recessed rectangle) BACK: SUPER THIN 0.4MM TITANIUM CROWN TOE: (N logo on winged graphic) CROWN: (N logo alignment mark) view image here |
| Nickent Golf Equipment | Genex 3DX T-Spec | 7,8,9,10 | SOLE: (oblong weight insert), (loft), GENEX, 3DX, NICKENT, (oblong weight insert) TOE: T-SPEC CROWN: (N logo alignment mark) FACE:SP-700 Ti |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------------|------------------|--------------------------|---|
| Nickent Golf Equipment | Genex 425 | 9,10 | SOLE: (N logo), (eight punchmarks), GENEX, (line), 425 FORGED, (loft) CROWN: (N logo alignment mark) FACE:SP-700 view image here |
| Nickent Golf Equipment | Genex Cross | 7.5,8.5,9.5,10.5,11.5,14 | SOLE: GENEX, CROSS (w/ dot in O), (loft), NICKENT TOE: CARBON, (half oval), (half oval), TITANIUM HEEL: US PAT., PENDING FACE:SP-700 view image here |
| Nickent Golf Equipment | Genex Trimax 460 | 7,8,9,10,11,12 | SOLE: NICKENT, GENEX, (line), TRIMAX 460, (loft) TOE: COR(OR superscript).830 CROWN: (N logo alignment mark) view image here |
| Nickent Golf Equipment | GH Plus | 10 | SOLE: (loft), GH PLUS, (line), TITANIUM, (N logo), NICKENT, HYPER FORGED™ CROWN: (N logo alignment mark) view image here |
| Nickent Golf Equipment | Great Hawk | 8 | SOLE: NICKENT, DRIVER, (loft), 1 Great Hawk™, 6A4V90, TITANIUM CROWN: (arrow alignment mark) view image here |
| Nickent Golf Equipment | Navi Hawk Plus | 10 | SOLE: (loft), NAVI HAWK, PLUS, (ßTi, FORGED in circle), REBOUND, (line), TECHNOLOGY CROWN: (alignment mark) view image here |
| Nicklaus Golf Equipment Co., L.C. | AirMax | 10.5 | SOLE: (triangle)airMax, SUPERSTEEL, (NICKLAUS in triangle), -300° F CRYOGENIC, (loft) TOE: (Nicklaus logo) CROWN: (alignment arrow) |
| Nicklaus Golf Equipment Co., L.C. | AirMax 360 | 8,9,10.5 | SOLE: (triangle)airMax, 360, CRYOGENIC, NICKLAUS, SUPER BETA, (loft) TOE: (Nicklaus logo) CROWN: (two triangles alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------------|--------------------------|-------------|---|
| Nicklaus Golf Equipment Co., L.C. | AirMax 360 (LH) | 10.5 | SOLE: (triangle)airMax, 360, NICKLAUS, (loft), CRYOGENIC, (triangle insert w/ (Nicklaus logo), EXACT CG), NICKLAUS, SUPER BETA CROWN: (two triangles alignment mark) |
| Nicklaus Golf Equipment Co., L.C. | AirMax 360 Offset | 9,10.5 | SOLE: (triangle)airMax, 360, NICKLAUS, (loft), OFFSET, CRYOGENIC, (triangle insert w/ (Nicklaus logo), EXACT CG), NICKLAUS, SUPER BETA CROWN: (two triangles alignment mark) view image here |
| Nicklaus Golf Equipment Co., L.C. | AirMax 360-S | 8,9,10.5 | SOLE: (triangle)airMax, 360-S, NICKLAUS, (loft), CRYOGENIC, (triangle insert w/ (Nicklaus logo), EXACT CG), NICKLAUS, SUPER BETA view image here |
| Nicklaus Golf Equipment Co., L.C. | AirMax 420 | 10 | SOLE: (triangle)airMax, 420, NICKLAUS, (loft) view image here |
| Nicklaus Golf Equipment Co., L.C. | AirMax 430-S | 9,10.5 | SOLE: (triangle)airMax, 430-S, NICKLAUS, (loft), CRYOGENIC, (triangle insert w/ (Nicklaus logo), EXACT CG), NICKLAUS, SUPER BETA view image here |
| Nicklaus Golf Equipment Co., L.C. | AirMax 430-S Offset | 10.5 | SOLE: (triangle)airMax, 430-S, NICKLAUS, (loft), OFFSET, CRYOGENIC, (triangle insert w/ (Nicklaus logo), EXACT CG), NICKLAUS, SUPER BETA view image here |
| Nicklaus Golf Equipment Co., L.C. | AirMax DPT 460 | 8,9,10.5,12 | SOLE: (triangle)airMax, (line), DPT, NICKLAUS, (loft), 460cc BACK: (Nicklaus logo) view image here |
| Nicklaus Golf Equipment Co., L.C. | AirMax DPT 460 (LH) | 9,10.5 | SOLE: (triangle)airMax, (line), DPT, NICKLAUS, (loft), 460cc BACK: (Nicklaus logo) view image here |
| Nicklaus Golf Equipment Co., L.C. | AirMax DPT 460 Offset | 12,15 | SOLE: (triangle)airMax, (line), DPT, NICKLAUS, OFFSET, (loft), 460cc BACK: (Nicklaus logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------------|---------------------------------|-------------|--|
| Nicklaus Golf Equipment Co., L.C. | AirMax Multi Layer 380 | 8,9,10.5 | SOLE: (triangle)airMax, MULTI LAYER, 380, NICKLAUS, (loft) BACK: ((MULTI on skewed rectangle) (LAYER on skewed rectangle), (380 over Nicklaus logo) on rounded triangle insert) |
| Nicklaus Golf Equipment Co., L.C. | AirMax Multilayer 440 | 8,9,10.5 | SOLE: (triangle)airMax, MULTI LAYER, 440, NICKLAUS, (loft) BACK: ((MULTI on skewed rectangle) (LAYER on skewed rectangle), (440 over Nicklaus logo) on rounded triangle insert) view image here |
| Nicklaus Golf Equipment Co., L.C. | AirMax Multilayer 440 (LH) | 10.5 | SOLE: (triangle)airMax, MULTI LAYER, 440, NICKLAUS, (loft) BACK: ((MULTI on skewed rectangle) (LAYER on skewed rectangle), (440 over Nicklaus logo) on rounded triangle insert) view image here |
| Nicklaus Golf Equipment Co., L.C. | AirMax Multilayer 440 Offset | 10.5,12 | SOLE: (triangle)airMax, MULTI LAYER, 440, NICKLAUS, (loft), OFFSET BACK: ((MULTI on skewed rectangle) (LAYER on skewed rectangle), (440 over Nicklaus logo) on rounded triangle insert) view image here |
| Nicklaus Golf Equipment Co., L.C. | Compri Women's 1w | 10 | SOLE: NICKLAUS, (golfer graphic in background)Compri, (two lines) (two lines), WOMEN'S, 1w, HI LAUNCH view image here |
| Nicklaus Golf Equipment Co., L.C. | Dual Point | 9° | SOLE: NICKLAUS, DUAL (circle and barbell in recessed square and circle) POINT BACK: (Nicklaus logo) HEEL: (loft) view image here |
| Nicklaus Golf Equipment Co., L.C. | Dual Point 460cc | 8,9,10.5,12 | SOLE: NICKLAUS, DUAL (circle and barbell in recessed square and circle) POINT, (loft) BACK: (Nicklaus logo) HEEL: 460cc view image here |
| Nicklaus Golf Equipment Co., L.C. | Dual Point 460cc (LH) | 9,10.5 | SOLE: NICKLAUS, DUAL (circle and barbell in recessed square and circle) POINT, (loft) BACK: (Nicklaus logo) HEEL: 460cc view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------------|---|----------|---|
| Nicklaus Golf Equipment Co., L.C. | Dual Point 460cc Offset | 10.5,12 | SOLE: NICKLAUS, DUAL (circle and barbell in recessed square and circle) POINT, (loft) BACK: (Nicklaus logo) HEEL: OFFSET, (line), 460cc |
| Nicklaus Golf Equipment Co., L.C. | Dual Point 460cc Offset HL | N/A | SOLE: NICKLAUS, DUAL (circle and barbell in recessed square and circle) POINT, HL BACK: (Nicklaus logo) HEEL: OFFSET, (line), 460cc |
| Nicklaus Golf Equipment Co., L.C. | Dual Point Draw Back Offset 460cc | 10.5 | SOLE: NICKLAUS, DUAL (circle and barbell in recessed square and circle) POINT, (loft), (Nicklaus logo media blast), DRAW BACK TOE: High MOI • Limit Dimensions CROWN: (double circle alignment mark) HEEL: OFFSET, 460cc |
| Nicklaus Golf Equipment Co., L.C. | Dual Point Draw Back Offset 460cc HL | N/A | SOLE: NICKLAUS, DUAL (circle and barbell in recessed square and circle) POINT, HL, (Nicklaus logo media blast), DRAW BACK TOE: High MOI • Limit Dimensions CROWN: (double circle alignment mark) HEEL: OFFSET, 460cc |
| Nicklaus Golf Equipment Co., L.C. | Dual Point Fast Back 460cc | 8,9,10.5 | SOLE: NICKLAUS, DUAL (circle and barbell in recessed square and circle) POINT, (loft), (Nicklaus logo media blast), FAST BACK TOE: High MOI • Limit Dimensions CROWN: (double circle alignment mark) HEEL: 460cc |
| Nicklaus Golf Equipment Co., L.C. | Dual Point Fast Back 460cc (LH) | 10.5 | SOLE: NICKLAUS, DUAL (circle and barbell in recessed square and circle) POINT, (loft), (Nicklaus logo media blast), FAST BACK TOE: High MOI • Limit Dimensions CROWN: (double circle alignment mark) HEEL: 460cc view image here |
| Nicklaus Golf Equipment Co., L.C. | Dual Point Fast Back 460cc HL | N/A | SOLE: NICKLAUS, DUAL (circle and barbell in recessed square and circle) POINT, HL, (Nicklaus logo media blast), FAST BACK TOE: High MOI • Limit Dimensions CROWN: (double circle alignment mark) HEEL: 460cc |

| November 04, 2024 | | | |
|--------------------------------------|--------------------------------|--------------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Nicklaus Golf Equipment Co., L.C. | Dual Point ML-3 | 8.5,9.5,10.5 | SOLE: (raised triangle), (three recessed triangles), (loft), (Nicklaus logo), NICKLAUS, (line), DUAL POINT, ML (3 superscript), (four pronged graphic), (three recessed triangles), (raised triangle) |
| | | | view image here |
| Nicklaus Golf Equipment Co., L.C. | Dual Point ML-3 (LH) | 10.5 | SOLE: (raised triangle), (three recessed triangles), (loft), NICKLAUS, (line), DUAL POINT, (Nicklaus logo), ML (3 superscript), (four pronged graphic), (three recessed triangles), (raised triangle) |
| | | | view image here |
| Nicklaus Golf Equipment Co., L.C. | Dual Point ML-3 HL | N/A | SOLE: (raised triangle), (three recessed triangles), HL, (Nicklaus logo), NICKLAUS, (line), DUAL POINT, ML (3 superscript), (four pronged graphic), (three recessed triangles), (raised triangle) |
| | | | view image here |
| Nicklaus Golf Equipment Co., L.C. | Dual Point ML-3 Offset | 10.5 | SOLE: (raised triangle), (three recessed triangles), (loft), OFFSET, (Nicklaus logo), NICKLAUS, (line), DUAL POINT, ML (3 superscript), (four pronged graphic), (three recessed triangles), (raised triangle) |
| | D 15:114.0 | 40.5 | view image here |
| Nicklaus Golf Equipment Co., L.C. | Dual Point ML-3 Offset (LH) | 10.5 | SOLE: (raised triangle), (three recessed triangles), (loft), OFFSET, NICKLAUS, (line), DUAL POINT, (Nicklaus logo), ML (3 superscript), (four pronged graphic), (three recessed triangles), (raised triangle) view image here |
| Nicklaus Golf Equipment Co., L.C. | Dual Point ML-3 Offset HL | N/A | SOLE: (raised triangle), (three recessed triangles), HL, OFFSET, (Nicklaus logo), NICKLAUS, (line), DUAL POINT, ML (3 superscript), (four pronged graphic), (three recessed triangles), (raised triangle) view image here |
| Nicklaus Golf Equipment Co., L.C. | Dual Point ML-4 | 9,10.5 | SOLE: (loft), (two recessed lines), NICKLAUS, (line), DUALPOINT, (two recessed lines), ML (4 superscript) |
| | | | view image here |
| Nicklaus Golf Equipment Co., L.C. | Dual Point ML-4 Offset | 10.5 | SOLE: (loft), OFFSET, (two recessed lines), NICKLAUS, (line), DUALPOINT, (two recessed lines), ML (4 superscript) |
| | | | view image here |

| Product Name | Lofts | Identification Markings |
|-------------------------------|--|--|
| Dual Point Prototype 460cc | 9,10.5 | SOLE: NICKLAUS, DUAL (circle and barbell in recessed square and circle) POINT, (loft) BACK: (Nicklaus logo), PROTOTYPE HEEL: 460cc |
| Golden Bear Big Bear Ti | 10 | SOLE: (loft), LOFT, (bear graphic), GOLDEN BEAR, BIG (line under BIG) Ti BEAR (line over BEAR), FORGED TITANIUM, 360cc CROWN: (three line alignment mark) |
| Jack Nicklaus CD² | 9,10 | SOLE: (Jack Nicklaus signature), (line) (line), (loft), ADJUSTABLE WT. BACK: (weight) ((eight dots), (circle w/ wings graphic) CD², TITANIUM on insert) CROWN: (circle w/ wings alignment mark) view image here |
| Jack Nicklaus EZ Up | 10.5 | SOLE: (Jack Nicklaus signature), EZ UP, TITANIUM, (loft), 460cc, (eight dots) CROWN: (circle w/ wings alignment mark) view image here |
| Jack Nicklaus Q4 | 9,10.5 | SOLE: (weight), (loft), (Jack Nicklaus signature), ADJUSTABLE Q (4 superscript), (weight) BACK: (weight) (weight) view image here |
| JNP | 8.5,9.5 | SOLE: Jack Nicklaus, (line), NICKLAUS, (line), (loft), CRYOGENIC, (JNP on triangular insert), SUPERBETA view image here |
| Walter Hagen 385M | 9,10 | SOLE: (WH on crest), Walter Hagen, 385M, (loft) view image here |
| Walter Hagen 430H | 9.5,10.5 | SOLE: (WH on crest), Walter Hagen, 430H, (loft) view image here |
| Walter Hagen AWS 440 | 9.5,10.5 | SOLE: (circular weight), 1, (Walter Hagen signature), AWS (w/ A logo), (line), .COMP, (loft), (circular weight) BACK: (circular weight) TOE: 440 TITANIUM CROWN: (line), XI, (line) |
| | Dual Point Prototype 460cc Golden Bear Big Bear Ti Jack Nicklaus CD² Jack Nicklaus EZ Up Jack Nicklaus Q4 JNP Walter Hagen 385M Walter Hagen 430H | Dual Point Prototype |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------------|------------------------------|----------|---|
| Nicklaus Golf Equipment Co., L.C. | Walter Hagen AWS 440 (LH) | 9.5,10.5 | SOLE: (circular weight), 1, AWS (w/ A logo), (line), .COMP, (Walter Hagen signature), (loft), (circular weight) BACK: (circular weight) TOE: 440 TITANIUM CROWN: (line), XI, (line) |
| Nicklaus Golf Equipment Co., L.C. | Walter Hagen AWS 440 HL | N/A | SOLE: (circular weight), 1, (Walter Hagen signature), AWS (w/ A logo), (line), .COMP, HL, (circular weight) BACK: (circular weight) TOE: 440 TITANIUM CROWN: (line), XI, (line) |
| Nicklaus Golf Equipment Co., L.C. | Walter Hagen Offset | 10.5 | SOLE: (WH on crest), Walter Hagen, OFFSET, (loft) view image here |
| Nihon Golf School | Exsole | 12 | SOLE: CONFORMING TO S.L.E. RULE, 1 (loft), AL NECK, Exsole, TC33 HI-DENSITY TITANIUM, N.G.S.L., MAXIMUM M.O.I. BALANCE, TUNGSTEN+, TUNGSTEN+ view image here |
| Nihon Golf School | Fin | 11 | SOLE: 1, (loft), CSR, FIN, (5 shapes), N.G.S.L., INTENSIVE HEAD-TURN PROVIDE MAX DISTANCE, ABSORBENT, Shock Damper, (SD logo) view image here |
| Nihon Golf School | Long Shooter | N/A | SOLE: LONG, SHOOTER, 1w, N.G.S.L. view image here |
| Nihon Golf School | Parbicc | 10.5 | SOLE: FORGED TITANIUM, (3 lines) PARBICC (3 lines), (loft) 460, C-CUP FACE, N.G.S.L. view image here |
| Nihon Golf School | Ryo-Ga | 10.5 | SOLE: (loft), Ryo-Ga (underlined), by N.G.S.L, 460CC HEEL: LCOR view image here |
| Nihon Golf School | Sigra | 10.5 | SOLE: (loft), SIGRA, CARBON COMPOSITE, N.G.S.L. view image here |
| Nihon Mechanic Co Ltd | Ignis Bump 415 | 10.5 | SOLE: Ignis, Bump, 415, 1, Loft (loft), Levicast Titan /, SP 700 Cold Roll TOE: Bump Canon Trading Inc. |
| | | | view image here |

| November 04, 2024 Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|------------------------|------------------------|---|
| | | | - |
| Nihon Mechanic Co Ltd | Ignis Bump 450 | 9.5,10.5 | SOLE: 450, BUMP, TITANIUM FORGED, BURNUP NMC MODEL, (loft), ignis |
| | | | view image here |
| Nihon Mechanic Co Ltd | Ignis P-601 | 10.5 | SOLE: Ignis, (loft) 1, Forged Titanium, P-601 TOE: Power Back Deep & Low Gravity view image here |
| Nike Golf | 300cc Forged Steel | 9.5,10.5 | SOLE: Steel, (Nike logo), (loft) |
| | | | CROWN: (alignment mark) |
| | | | view image here |
| Nike Golf | Covert (LH) | 8.5,9.5,10.5,11.5,12.5 | SOLE: COVERT, (bent recessed line), ((Vr logo), (line), (s in parallelogram) on cavity medallion), (Nike logo), (screw), FLEXLOFT TOE: (Nike logo) CROWN: COVERT, (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: D, (line), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) |
| | | | view image here |
| Nike Golf | Covert (Version 1) | 8.5,9.5,10.5,11.5,12.5 | SOLE: COVERT, ((Vr logo), (line), (s in parallelogram) on cavity medallion), (bent recessed line), (Nike logo), (screw), FLEXLOFT TOE: (Nike logo) CROWN: COVERT, (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: D, (line), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nike Golf | Covert (Version 2) | 8.5,9.5,10.5,11.5,12.5 | SOLE: COVERT, ((Vr logo), (line), (s in parallelogram) on cavity medallion), (bent recessed line), (Nike logo), (screw), FLEXLOFT TOE: (Nike logo) CROWN: (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: D, (line), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) |
| Nike Golf | Covert 2.0 (Version 1) | 8.5,9.5,10.5,11.5,12.5 | SOLE: VRS, COVERT, (2.0 on cavity |
| | | | medallion), (Nike logo), (screw), (screw), FLEXLOFT TOE: (Nike logo) CROWN: (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: (line), (lofts), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------------|------------------------|--|
| Nike Golf | Covert 2.0 (Version 2) | 8.5,9.5,10.5,11.5,12.5 | SOLE: VRS, COVERT, (2.0 on cavity medallion), (Nike logo), (screw), (screw), FLEXLOFT TOE: (Nike logo) CROWN: (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: (square symbol), (line), (lofts), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nike Golf | Covert 2.0 (Version 3) | 8.5,9.5,10.5,11.5,12.5 | SOLE: VRS, COVERT, (2.0 on cavity medallion), (Nike logo), (screw), (screw), FLEXLOFT TOE: (Nike logo) CROWN: (2.0 alignment mark), (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: (line), (lofts), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nike Golf | Covert 2.0 (Version 3) (LH) | 8.5,9.5,10.5,11.5,12.5 | SOLE: VRS, COVERT, (2.0 on cavity medallion), (Nike logo), (screw), (screw), FLEXLOFT TOE: (Nike logo) CROWN: (2.0 alignment mark), (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: (line), (lofts), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nike Golf | Covert 2.0 (Version 4) | 8.5,9.5,10.5,11.5,12.5 | SOLE: VRS, COVERT, (2.0 on cavity medallion), (Nike logo), (screw), (screw), FLEXLOFT TOE: (Nike logo) CROWN: (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: (line), (lofts), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nike Golf | Covert Tour (LH) | 8.5,9.5,10.5,11.5,12.5 | SOLE: COVERT, (screw), ((Vr logo), (line), (s in parallelogram), TOUR on cavity medallion), (Nike logo), (screw), FLEXLOFT TOE: (Nike logo) CROWN: COVERT, (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: D, (line), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------------|------------------------|---|
| Nike Golf | Covert Tour (Version 1) | 8.5,9.5,10.5,11.5,12.5 | SOLE: COVERT, ((Vr logo), (line), (s in parallelogram), TOUR on cavity medallion), (screw), (Nike logo), (screw), FLEXLOFT TOE: (Nike logo) CROWN: COVERT, (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: D, (line), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) |
| Nike Golf | Covert Tour (Version 2) | 8.5,9.5,10.5,11.5,12.5 | SOLE: COVERT, ((Vr logo), (line), (s in parallelogram), TOUR on cavity medallion), (screw), (Nike logo), (screw), FLEXLOFT TOE: (Nike logo) CROWN: (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: D, (line), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nike Golf | Covert Tour (Version 3) | 8.5,9.5,10.5,11.5,12.5 | SOLE: COVERT, ((Vr logo), (line), (s in parallelogram), TOUR on cavity medallion), (bent line), (Nike logo), (screw), FLEXLOFT TOE: (Nike logo) HOSEL: D, (line), (lofts), (orientation indicators) FACE:(Nexcor logo media blast) view image here |
| Nike Golf | Covert Tour (Version 4) | 8.5,9.5,10.5,11.5,12.5 | SOLE: COVERT, ((Vr logo), (line), (s in parallelogram), TOUR on cavity medallion), (bent line), (Nike logo), (screw), FLEXLOFT TOE: (Nike logo) CROWN: (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: D, (line), (lofts), (orientation indicators) FACE:(Nexcor logo media blast) view image here |
| Nike Golf | Covert Tour (Version 5) | N/A | SOLE: COVERT, ((Vr logo), (line), (s in parallelogram), TOUR on cavity medallion), (bent line), (Nike logo) TOE: (Nike logo) FACE:(NexCor logo media blast) view image here |
| Nike Golf | Covert Tour (Version 6) | N/A | SOLE: COVERT, ((Vr logo), (line), (s in parallelogram), TOUR on cavity medallion), (bent line), (Nike logo) TOE: (Nike logo) CROWN: (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY FACE:(NexCor logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------------------|------------------------|---|
| Nike Golf | Covert Tour 2.0 (Version 1) | 8.5,9.5,10.5,11.5,12.5 | SOLE: VRS, COVERT, (2.0 on cavity medallion), TOUR, (Nike logo), (screw), (screw), FLEXLOFT TOE: (Nike logo) CROWN: (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: (line), (lofts), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nike Golf | Covert Tour 2.0 (Version 2) | 8.5,9.5,10.5,11.5,12.5 | SOLE: VRS, COVERT, (2.0 on cavity medallion), TOUR, (Nike logo), (screw), (screw), FLEXLOFT TOE: (Nike logo) CROWN: (2.0 alignment mark), (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: (line), (lofts), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nike Golf | Covert Tour 2.0 (Version 2) (LH) | 8.5,9.5,10.5,11.5,12.5 | SOLE: VRS, COVERT, TOUR, (2.0 on cavity medallion), (Nike logo), (screw), (screw), FLEXLOFT TOE: (Nike logo) CROWN: (2.0 alignment mark), (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: (line), (lofts), (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nike Golf | Covert Tour 2.0 (Version 6) | N/A | SOLE: VRS, COVERT, (2.0 on cavity medallion), TOUR, (Nike logo) TOE: (Nike logo) FACE:(Nexcor logo media blast) view image here |
| Nike Golf | Covert Tour 2.0 (Version 7) | N/A | SOLE: VRS, COVERT, (2.0 on cavity medallion), TOUR, (Nike logo), (screw in port) TOE: (Nike logo) HOSEL: (line), (orientation indicators) HEEL: FLEXLOFT FACE:(Nexcor logo media blast) view image here |
| Nike Golf | Covert Tour 2.0 (Version 8) | 8.5,9.5,10.5,11.5,12.5 | SOLE: VRS, COVERT, (2.0 on cavity medallion), TOUR, (Nike logo), (screw in port) TOE: (Nike logo) HOSEL: (line), (lofts), (orientation indicators) HEEL: FLEXLOFT FACE:(Nexcor logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------------------|------------------------|---|
| Nike Golf | Covert Tour 2.0 (Version 9) | 8.5,9.5,10.5,11.5,12.5 | SOLE: VRS, COVERT, (2.0 on cavity medallion), TOUR, (Nike logo), (screw in port) TOE: (Nike logo) CROWN: (Nike logo), HIGH SPEED CAVITY BACK TECHNOLOGY HOSEL: (line), (lofts), (orientation indicators) HEEL: FLEXLOFT FACE:(Nexcor logo media blast) view image here |
| Nike Golf | Dymo Tour V1 | N/A | HOSEL: (four dots) view image here |
| Nike Golf | Ignite 325 (SF Tour) | N/A | SOLE: (five punchmarks), (Nike logo), (TW logo), (five punchmarks) BACK: (two punchmarks), (IGNITE on rectangle insert), (two punchmarks) HOSEL: (four punchmarks) |
| Nike Golf | Ignite 340 (DF Tour) | N/A | SOLE: (five punchmarks), (Nike logo), (five punchmarks) BACK: (two punchmarks), (IGNITE on rectangle insert), (two punchmarks) HOSEL: (four punchmarks) view image here |
| Nike Golf | Ignite 340 (SF Tour) | N/A | SOLE: (five punchmarks), (Nike logo), (five punchmarks) BACK: (two punchmarks), (IGNITE on rectangle insert), (two punchmarks) HOSEL: (four punchmarks), JDI-TW |
| Nike Golf | Ignite 380 (Tour) (Version 2) | N/A | SOLE: (five punchmarks), (Nike logo), (five punchmarks) BACK: (two punchmarks), (IGNITE on rectangle insert), (two punchmarks) HOSEL: (four punchmarks) |
| Nike Golf | Ignite 410 | 8.5,9.5,10.5 | SOLE: (seven punchmarks), 410, (Nike logo), (loft), (seven punchmarks) BACK: (IGNITE on rectangle insert) CROWN: (flaming I in circle alignment mark) FACE:410 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------------|------------------|--|
| Nike Golf | Ignite 410 (LH) | 10.5 | SOLE: (seven punchmarks), 410, (Nike logo), (loft), (seven punchmarks) BACK: (IGNITE on rectangle insert) HOSEL: (four punchmarks) FACE:410 |
| | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 750505405 | view image here |
| Nike Golf | Ignite 410 (Tour) | 7.5,8.5,9.5,10.5 | SOLE: (five punchmarks), 410, (Nike logo), (loft), (five punchmarks) BACK: (two punchmarks), (IGNITE on rectangle insert), (two punchmarks) HOSEL: (four punchmarks) FACE:410 |
| | | | view image here |
| Nike Golf | Ignite 450 | 9.5,10.5,13 | SOLE: (four punchmarks), 450, (Nike logo), (loft), (four punchmarks) BACK: (IGNITE on rectangle insert) CROWN: (flaming I in circle alignment mark) FACE:450 |
| | | | view image here |
| Nike Golf | Ignite 460 | 8.5,9.5,10.5,13 | SOLE: (seven punchmarks), 460, (Nike logo), (loft), (seven punchmarks) BACK: (IGNITE on rectangle insert) CROWN: (flaming I in circle alignment mark) FACE:460 |
| | | | view image here |
| Nike Golf | Ignite 460 (Tour) | 8.5,9.5,10.5,13 | SOLE: (five punchmarks), 460, (Nike logo), (loft), (five punchmarks) BACK: (two punchmarks), (IGNITE on rectangle insert), (two punchmarks) HOSEL: (four punchmarks) FACE:460 view image here |
| Nike Golf | Ignite DFI T460 | 9.5,10.5 | SOLE: T460, (Nike logo), (loft), (IGNITE, (line), DFI on medallion insert) |
| | | | view image here |
| Nike Golf | Ignite Tour 380 (Version 1) | 8.5 | SOLE: (seven punchmarks), (Nike logo), 8(5 in superscript), (seven punchmarks) BACK: (rectangular insert cavity) HOSEL: (four punchmarks) view image here |
| Nike Golf | Ignite+ DFI T395 | 9.5 | SOLE: T395, (logo), (loft), Ignite+ |
| TAING GOIL | (Version 1) | 5.5 | (underlined) DFI view image here |
| Nike Golf | Ignite+ DFI T395 | 9.5,10.5 | SOLE: T395, (Nike logo), (loft), (IGNITE+, |
| INIVE COII | (Version 2) | 0.0,10.0 | (line), DFI on medallion insert) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------|---------------|---|
| Nike Golf | Ignite+ DFI T395 (Version 3) | 10.5 | SOLE: T395, (Nike logo), (loft), IGNITE+ (underlined), DFI |
| | | | view image here |
| Nike Golf | Ignite+ DFI T460 (Version 1) | 9.5 | SOLE: T460, (logo), (loft), Ignite+ (underlined) DFI view image here |
| Nike Golf | NDS | 9.5,10.5,13 | SOLE: NDS, (Nike logo in triangle with eight punchmarks), (loft) TOE: (six curved lines) CROWN: (3 line alignment mark) HOSEL: (4 punchmarks) HEEL: (five curved lines) |
| Nike Golf | Nike 275cc (Version 1) | 9.5 | SOLE: (Nike logo), (loft) CROWN: (three dot alignment mark) HOSEL: (loft)/275 view image here |
| Nike Golf | Nike 275cc (Version 2) | 9.5,11 | SOLE: (Nike logo), (loft) CROWN: (three dot alignment mark) view image here |
| Nike Golf | Nike 300cc | 8.5,9.5 | SOLE: (Nike logo), (loft) CROWN: (three dot alignment mark) HOSEL: (loft)/300 |
| Nike Golf | Nike 350cc | 8,9.5,10.5,11 | SOLE: (Nike logo), (loft) CROWN: (three dot alignment mark) HOSEL: (loft)/350 view image here |
| Nike Golf | Nike 400cc | 8,9,10 | SOLE: 400, cc, (Nike logo), (loft) CROWN: (three dot alignment mark) HOSEL: (loft)/400 view image here |
| Nike Golf | Nike 450cc | 9,10.5 | SOLE: 450, cc, (Nike logo), (nine punchmarks), (loft) HOSEL: (four dots) view image here |
| Nike Golf | Nike Titanium | 9.5 | SOLE: (Nike logo), (loft) CROWN: (three dot alignment mark) view image here |
| Nike Golf | Slingshot (Ladies) | HL | SOLE: (Nike logo), HL, SLINGSHOT |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------------|------------------|---|
| Nike Golf | Slingshot (Version 1) | 10.5 | SOLE: (Nike logo), (loft), SLINGSHOT |
| | | | view image here |
| Nike Golf | Slingshot (Version 2) | 10.5 | SOLE: (indented angled lines), (Nike logo), SLINGSHOT, (loft) CROWN: (slingshot alignment mark), SLINGSHOT, (bent line), (dashed segmented bent line), (Nike logo) FACE:(Nike logo), (slingshot media blast) view image here |
| Nike Golf | SQ 460 (Max Tour) | 7.5,8.5,9.5,10.5 | SOLE: (right triangle)460, (loft), SQ (Nike logo) HOSEL: (four punchmarks) FACE:nexTl |
| Niles Oalf | SO 460 (May) | 8.5,9.5,10.5 | view image here |
| Nike Golf | SQ 460 (Max) | 0.0,9.0,10.0 | SOLE: (right triangle)460, (loft), SQ (Nike logo) CROWN: (arrow alignment mark) HOSEL: (four punchmarks) FACE:nexTI |
| | | | view image here |
| Nike Golf | SQ 460 (Max) (LH) | 9.5,10.5 | SOLE: (right triangle)460, (loft), (Nike logo), SQ CROWN: (arrow alignment mark) HOSEL: (four punchmarks) FACE:nexTI view image here |
| Nike Golf | SQ 460 Lucky (Max) | 13 | SOLE: (right triangle)460, LUCKY (loft), SQ (Nike logo) CROWN: (arrow alignment mark) HOSEL: (four punchmarks) FACE:nexTl |
| Nike Golf | SQ 460 Lucky (Max) (LH) | 13 | SOLE: (right triangle)460, LUCKY (loft), (Nike logo), SQ CROWN: (arrow alignment mark) HOSEL: (four punchmarks) FACE:nexTI view image here |
| Nike Golf | SQ Dymo (LH) (Version 3) | 9.5,10.5 | SOLE: ((Nike logo), SQ (line), Dymo, (loft) in curved triangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (four punch marks) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------------|-----------------------|--|
| Nike Golf | SQ Dymo (Version 1) | 7.5,8.5,9.5,10.5,11.5 | SOLE: ((Nike logo), SQ (line), Dymo, (loft) in curved triangle) HOSEL: (four punch marks) view image here |
| Nike Golf | SQ Dymo (Version 2) | 7.5,8.5,9.5,10.5,11.5 | SOLE: ((Nike logo), SQ (line), Dymo, (loft) in curved triangle) BACK: DYNAMIC MOMENT OF INERTIA HOSEL: (four punch marks) |
| Nike Golf | SQ Dymo (Version 3) | 8.5,9.5,10.5,11.5 | SOLE: ((Nike logo), SQ (line), Dymo, (loft) in curved triangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (four punch marks) view image here |
| Nike Golf | SQ Dymo HL (Version 3) | N/A | SOLE: ((Nike logo), SQ (line), Dymo, HL in curved triangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (four punch marks) |
| Nike Golf | SQ Dymo STR8-FIT (Version 1) | 8.5,9.5,10.5,11.5 | SOLE: ((Nike logo), SQ (line), Dymo, STR8-FIT (w/ gear graphic), (loft) in curved triangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (orientation indicators), (line) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ Dymo STR8-FIT (Version 1) (LH) | 9.5,10.5,11.5 | SOLE: ((Nike logo), SQ (line), Dymo, STR8-FIT (w/ gear graphic), (loft) in curved triangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (orientation indicators), (line) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ Dymo STR8-FIT (Version 2) | 8.5,9.5,10.5,11.5 | SOLE: ((Nike logo), SQ (line), Dymo, STR8-FIT (w/ gear graphic), (loft) in curved triangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (orientation indicators) FACE:(gear graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------------|-------------------|--|
| Nike Golf | SQ Dymo STR8-FIT (Version 2) (LH) | 9.5,10.5,11.5 | SOLE: ((Nike logo), SQ (line), Dymo, STR8-FIT (w/ gear graphic), (loft) in curved triangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (orientation indicators) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ Dymo STR8-FIT HL (Version 1) | N/A | SOLE: ((Nike logo), SQ (line), Dymo, STR8-FIT (w/ gear graphic), (loft) in curved triangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (orientation indicators), (line) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ Dymo STR8-FIT HL (Version 2) | N/A | SOLE: ((Nike logo), SQ (line), Dymo, STR8-FIT (w/ gear graphic), HL in curved triangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (orientation indicators) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ Dymo² (LH) (Version 2) | 9.5,10.5 | SOLE: ((Nike logo), SQ (line), Dymo², (loft) in curved rectangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (four punch marks) view image here |
| Nike Golf | SQ Dymo² (LH) (Version 3) | 9.5,10.5 | SOLE: ((Nike logo), SQ (line), Dymo², (loft) in curved rectangle) CROWN: (two triangles alignment mark) HOSEL: (four punch marks) view image here |
| Nike Golf | SQ Dymo ² (Version 1) | 8.5,9.5,10.5,11.5 | SOLE: ((Nike logo), SQ (line), Dymo², (loft) in curved rectangle) BACK: DYNAMIC MOMENT OF INERTIA HOSEL: (four punch marks) view image here |
| Nike Golf | SQ Dymo² (Version 2) | 8.5,9.5,10.5,11.5 | SOLE: ((Nike logo), SQ (line), Dymo², (loft) in curved rectangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (four punch marks) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---|-------------------|--|
| Nike Golf | SQ Dymo ² HL (Version 2) | N/A | SOLE: ((Nike logo), SQ (line), Dymo², HL in curved rectangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (four punch marks) view image here |
| Nike Golf | SQ Dymo ² STR8-FIT (Version 1) | 8.5,9.5,10.5,11.5 | SOLE: ((Nike logo), SQ (line), Dymo², STR8-FIT (w/ gear graphic), (loft) in curved rectangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (orientation indicators), (line) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ Dymo ² STR8-FIT (Version 1) (LH) | 9.5,10.5,11.5 | SOLE: ((Nike logo), SQ (line), Dymo², STR8-FIT (w/ gear graphic), (loft) in curved rectangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (orientation indicators), (line) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ Dymo² STR8-FIT (Version 2) | 8.5,9.5,10.5,11.5 | SOLE: ((Nike logo), SQ (line), Dymo², STR8-FIT (w/ gear graphic), (loft) in curved rectangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (orientation indicators) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ Dymo ² STR8-FIT (Version 2) (LH) | 9.5,10.5,11.5 | SOLE: ((Nike logo), SQ (line), Dymo², STR8-FIT (w/ gear graphic), (loft) in curved rectangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (orientation indicators) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ Dymo² STR8-FIT HL (Version 1) | N/A | SOLE: ((Nike logo), SQ (line), Dymo², STR8-FIT (w/ gear graphic), (loft) in curved rectangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (orientation indicators), (line) FACE:(gear graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---|----------|--|
| Nike Golf | SQ Dymo ² STR8-FIT HL (Version 2) | N/A | SOLE: ((Nike logo), SQ (line), Dymo², STR8-FIT (w/ gear graphic), HL in curved rectangle) BACK: DYNAMIC MOMENT OF INERTIA CROWN: (two triangles alignment mark) HOSEL: (orientation indicators) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ Machspeed | 9.5,10.5 | SOLE: SQ, MachSpeed, (Nike logo) TOE: MachSpeed HEEL: (arrow) (loft) view image here |
| Nike Golf | SQ Machspeed (LH) | 10.5 | SOLE: SQ, MachSpeed, (Nike logo) TOE: MachSpeed HEEL: (arrow) (loft) view image here |
| Nike Golf | SQ MachSpeed Jr. | N/A | SOLE: Machspeed JR., (SQ in triangle), (Nike logo on insert in triangle) HOSEL: (triangle) (club number) view image here |
| Nike Golf | SQ MachSpeed Jr. (Girls) | N/A | SOLE: Machspeed JR., (SQ in triangle), (Nike logo on insert in triangle) HOSEL: (triangle) (club number) view image here |
| Nike Golf | SQ MachSpeed Jr. (LH) | N/A | SOLE: Machspeed JR., (SQ in triangle), (Nike logo on insert in triangle) HOSEL: (triangle) (club number/letter) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT (Japan) | 9.5,10.5 | SOLE: SQ, MachSpeed, (Nike logo) TOE: MachSpeed HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) (loft) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT (Ladies) | 11.5 | SOLE: SQ, MachSpeed, (Nike logo) TOE: MachSpeed HOSEL: STR8-FIT (w/ gear graphic), (hosel alignment line), (orientation indicators) HEEL: (arrow) (loft) FACE:(gear graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|-------------------|--|
| Nike Golf | SQ MachSpeed STR8-FIT (Ladies) (Japan) | N/A | SOLE: SQ, MachSpeed, (Nike logo) TOE: MachSpeed HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) HL FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT (Ladies) HL | N/A | SOLE: SQ, MachSpeed, (Nike logo) TOE: MachSpeed HOSEL: STR8-FIT (w/ gear graphic), , (hosel alignment line), (orientation indicators) HEEL: (arrow) HL FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT (Tour) | 8.5,9.5,10.5,11.5 | SOLE: SQ, MachSpeed, (Nike logo) TOE: MachSpeed HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) (loft) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT (Version 1) | 8.5,9.5,10.5,11.5 | SOLE: SQ, MachSpeed, (Nike logo) TOE: MachSpeed HOSEL: STR8-FIT (w/ gear graphic), (hosel alignment line), (orientation indicators) HEEL: (arrow) (loft) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT (Version 1) (LH) | 9.5,10.5 | SOLE: SQ, MachSpeed, (Nike logo) TOE: MachSpeed HOSEL: STR8-FIT (w/ gear graphic), (hosel alignment line), (orientation indicators) HEEL: (arrow) (loft) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT (Version 2) | 9.5 | SOLE: SQ, MachSpeed, (Nike logo) TOE: AERODYNAMIC POWERBOW HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) (loft) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT Black (Round) | 8.5,9.5,10.5,11.5 | SOLE: MachSpeed BLACK, (SQ w/ six lines on triangle insert), (Nike logo) HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) (loft) FACE:(gear graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|-------------------|--|
| Nike Golf | SQ MachSpeed STR8-FIT Black (Round) (Ladies) | 11.5 | SOLE: MachSpeed BLACK, (SQ w/ six lines on triangle insert), (Nike logo) HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) (loft) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT Black (Round) (Ladies) HL | N/A | SOLE: MachSpeed BLACK, (SQ w/ six lines on triangle insert), (Nike logo) HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) HL FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT Black (Round) (LH) | 9.5,10.5 | SOLE: MachSpeed BLACK, (Nike logo), (SQ w/ six lines on triangle insert) HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) (loft) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT Black (Round) HL | N/A | SOLE: MachSpeed BLACK, (SQ w/ six lines on triangle insert), (Nike logo) HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) HL FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT Black (Square) | 8.5,9.5,10.5,11.5 | SOLE: MachSpeed BLACK, (SQ w/ six lines on triangle insert), (Nike logo) HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) (loft) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT Black (Square) (Ladies) | 11.5 | SOLE: MachSpeed BLACK, (SQ w/ six lines on triangle insert), (Nike logo) HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) (loft) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT Black (Square) (Ladies) HL | N/A | SOLE: MachSpeed BLACK, (SQ w/ six lines on triangle insert), (Nike logo) HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) HL FACE:(gear graphic media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---|-----------------------|--|
| Nike Golf | SQ MachSpeed STR8-FIT Black (Square) (LH) | 9.5,10.5 | SOLE: MachSpeed BLACK, (Nike logo), (SQ w/ six lines on triangle insert) HOSEL: STR8-FIT (w/ gear graphic),(orientation indicators) HEEL: (arrow) (loft) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT Black (Square) (Tour) | 8.5,9.5,10.5,11.5 | SOLE: MachSpeed BLACK, (SQ w/ six lines on triangle insert), (Nike logo) HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) (loft) FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT Black (Square) HL | N/A | SOLE: MachSpeed BLACK, (SQ w/ six lines on triangle insert), (Nike logo) HOSEL: STR8-FIT (w/ gear graphic), (orientation indicators) HEEL: (arrow) HL FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ MachSpeed STR8-FIT HL (Version 1) | N/A | SOLE: SQ, MachSpeed, (Nike logo) TOE: MachSpeed HOSEL: STR8-FIT (w/ gear graphic), (hosel alignment line), (orientation indicators) HEEL: (arrow) HL FACE:(gear graphic media blast) view image here |
| Nike Golf | SQ Sumo 460 (LH) | 9.5,10.5 | SOLE: (triangle)460, (loft), SQ, (Nike logo), SUPER MOMENT OF INERTIA, (SQ, sumo on trapezoid insert) HOSEL: (four punchmarks) view image here |
| Nike Golf | SQ Sumo 460 (Tour) | 8.5 | SOLE: (triangle)460, (loft), SQ, (Nike logo), (SQ, sumo on trapezoid insert), SUPER MOMENT OF INERTIA HOSEL: (four punchmarks) view image here |
| Nike Golf | SQ Sumo 460 (Version 1) | 7.5,8.5,9.5,10.5,11.5 | SOLE: (triangle)460, (loft), SQ, (Nike logo), (SQ, sumo on trapezoid insert), SUPER MOMENT OF INERTIA HOSEL: (four punchmarks) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------------------|--------------|---|
| Nike Golf | SQ Sumo 460 (Version 2) | 9.5,10.5 | SOLE: (triangle)460, (loft), SQ, (Nike logo), (SQ, sumo on trapezoid insert), SUPER MOMENT OF INERTIA CROWN: (two lines alignment mark) HOSEL: (four punchmarks) |
| Nike Golf | SQ Sumo 460 (Version 3) | 8.5,9.5,10.5 | SOLE: (triangle)460, (loft), SQ, (Nike logo), (SQ, sumo on trapezoid insert), SUPER MOMENT OF INERTIA HOSEL: (four punchmarks) FACE:(w/ scorelines across entire face) |
| Nike Golf | SQ Sumo 460 JDI | N/A | SOLE: (triangle)460, JDI, SQ, (Nike logo), (SQ, sumo on trapezoid insert) HOSEL: (four punchmarks) view image here |
| Nike Golf | SQ Sumo 460 Lucky 13 | 13 | SOLE: (triangle)460, LUCKY 13, SQ, (Nike logo), (SQ, sumo on trapezoid insert), SUPER MOMENT OF INERTIA HOSEL: (four punchmarks) view image here |
| Nike Golf | SQ Sumo 460 Lucky 13 (LH) | 13 | SOLE: (triangle)460, LUCKY 13, SQ, (Nike logo), (SQ, sumo on trapezoid insert), SUPER MOMENT OF INERTIA HOSEL: (four punchmarks) |
| Nike Golf | SQ Sumo 460 Sweet 16 | 16 | SOLE: (triangle)460, SWEET 16, SQ, (Nike logo), (SQ, sumo on trapezoid insert), SUPER MOMENT OF INERTIA HOSEL: (four punchmarks) view image here |
| Nike Golf | SQ Sumo 5000 (LH) (Version 1) | 10.5 | SOLE: ((triangle) (loft), SQ (Nike logo), (sumo on recessed trapezoid) in trapezoid), 5000, SUPER MOMENT OF INERTIA CROWN: (two lines alignment mark) HOSEL: (four punchmarks) view image here |
| Nike Golf | SQ Sumo 5000 (LH) (Version 2) | 9.5,10.5 | SOLE: ((triangle) (loft), SQ (Nike logo), (sumo on recessed trapezoid) in trapezoid), 5000, SUPER MOMENT OF INERTIA HOSEL: (four punchmarks) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------------------|-----------------------|---|
| Nike Golf | SQ Sumo 5000 (Offset) | 13 | SOLE: ((triangle) (loft), SQ (Nike logo), (sumo on recessed trapezoid) in trapezoid), 5000, SUPER MOMENT OF INERTIA CROWN: (two lines alignment mark) HOSEL: (four punchmarks) |
| Nike Golf | SQ Sumo 5000 (Version 1) | 8.5,9.5,10.5,11.5,13 | SOLE: ((triangle) (loft), SQ (Nike logo), (sumo on recessed trapezoid) in trapezoid), 5000, SUPER MOMENT OF INERTIA CROWN: (two lines alignment mark) HOSEL: (four punchmarks) view image here |
| Nike Golf | SQ Sumo 5000 (Version 1) (LH) | 9.5,13 | SOLE: ((triangle) (loft), SQ (Nike logo), (sumo on recessed trapezoid) in trapezoid), 5000, SUPER MOMENT OF INERTIA CROWN: (two lines alignment mark) HOSEL: (four punchmarks) view image here |
| Nike Golf | SQ Sumo 5000 (Version 2) | 7.5,8.5,9.5,10.5,11.5 | SOLE: ((triangle) (loft), SQ (Nike logo), (sumo on recessed trapezoid) in trapezoid), 5000, SUPER MOMENT OF INERTIA HOSEL: (four punchmarks) view image here |
| Nike Golf | SQ Sumo 5000 HL (Version 1) | N/A | SOLE: ((triangle) HL, SQ (Nike logo), (sumo on recessed trapezoid) in trapezoid), 5000, SUPER MOMENT OF INERTIA CROWN: (two lines alignment mark) HOSEL: (four punchmarks) |
| Nike Golf | SQ Sumo² 460 (Version 2) | 9.5,10.5 | SOLE: (triangle)460, (loft), SQ, (Nike logo), (SQ, sumo² on trapezoid insert), SUPER MOMENT OF INERTIA CROWN: (two lines alignment mark) HOSEL: (four punchmarks) |
| Nike Golf | SQ Sumo² 460 (Version 3) | 8.5,9.5,10.5 | SOLE: (triangle)460, (loft), SQ, (Nike logo), (SQ, sumo² on trapezoid insert), SUPER MOMENT OF INERTIA HOSEL: (four punchmarks) FACE:(w/ scorelines across entire face) |
| Nike Golf | SQ Sumo² 460 (Version 4) | 7.5,8.5,9.5,10.5,11.5 | SOLE: (triangle)460, (loft), SQ (circle) (Nike logo), (SQ, sumo² on trapezoid insert), SUPER MOMENT OF INERTIA HOSEL: (four punchmarks) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|-----------------------|--|
| Nike Golf | SQ Sumo ² 460 (Version 4) (LH) | 9.5 | SOLE: (triangle)460, (loft), SQ (circle) (Nike logo), (SQ, sumo² on trapezoid insert), SUPER MOMENT OF INERTIA HOSEL: (four punchmarks) |
| Nike Golf | SQ Sumo² 460 (Version 4) Lucky 13 | 13 | SOLE: (triangle)460, LUCKY 13, SQ (circle) (Nike logo), (SQ, sumo² on trapezoid insert), SUPER MOMENT OF INERTIA HOSEL: (four punchmarks) view image here |
| Nike Golf | SQ Sumo ² 460 JDI | N/A | SOLE: (triangle)460, JDI, SQ (Nike logo), (SQ, sumo² on trapezoid insert), SUPER MOMENT OF INERTIA HOSEL: (four punchmarks) view image here |
| Nike Golf | SQ Sumo ² 5900 | 8.5,9.5,10.5,11.5 | SOLE: ((triangle) (loft), SQ (Nike logo), (sumo² on recessed trapezoid) in trapezoid), 5900, SUPER MOMENT OF INERTIA CROWN: (two lines alignment mark) view image here |
| Nike Golf | SQ Sumo ² 5900 (LH) | 9.5,10.5 | SOLE: ((triangle) (loft), SQ (Nike logo), (sumo² on recessed trapezoid) in trapezoid), 5900, SUPER MOMENT OF INERTIA CROWN: (two lines alignment mark) view image here |
| Nike Golf | SQ Sumo ² 5900 HL | N/A | SOLE: ((triangle) HL, SQ (Nike logo), (sumo² on recessed trapezoid) in trapezoid), 5900, SUPER MOMENT OF INERTIA CROWN: (two lines alignment mark) view image here |
| Nike Golf | SQ Sumo² 5900 Lucky | 13 | SOLE: ((triangle) LUCKY, (loft), SQ (Nike logo), (sumo² on recessed trapezoid) in trapezoid), 5900, SUPER MOMENT OF INERTIA CROWN: (two lines alignment mark) view image here |
| Nike Golf | SQ Sumo ² 5900 Lucky (LH) | 13 | SOLE: ((triangle) LUCKY, (loft), SQ (Nike logo), (sumo² on recessed trapezoid) in trapezoid), 5900, SUPER MOMENT OF INERTIA CROWN: (two lines alignment mark) view image here |
| Nike Golf | SQ Sumo² Tour | 7.5,8.5,9.5,10.5,11.5 | SOLE: ((triangle) (loft), SQ (Nike logo), (sumo² on recessed trapezoid) in trapezoid), Tour, SUPER MOMENT OF INERTIA |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------|------------------|--|
| Nike Golf | SQ Sumo² Tour JDI | N/A | SOLE: ((triangle JDI, SQ (Nike logo), (sumo² on recessed trapezoid) in trapezoid), Tour, SUPER MOMENT OF INERTIA |
| Nike Golf | SQ Tour 410 | 8.5,9.5 | SOLE: Tour, (right triangle)410, (loft), SQ (Nike logo) HOSEL: (four punchmarks) FACE:nexTl view image here |
| Nike Golf | SQ Tour 460 (LH) (Version 1) | 9.5 | SOLE: Tour, (right triangle)460, (loft), (Nike logo), SQ HOSEL: (four punchmarks) FACE:nexTl view image here |
| Nike Golf | SQ Tour 460 (Version 1) | 7.5,8.5,9.5,10.5 | SOLE: Tour, (right triangle)460, (loft), SQ (Nike logo) HOSEL: (four punchmarks) FACE:nexTl |
| Nike Golf | SQ Tour 460 (Version 2) | 9.5 | SOLE: Tour, (right triangle)460, (loft), SQ (Nike logo) HOSEL: (four punchmarks) FACE:nexTI, (scorelines in center of face) view image here |
| Nike Golf | SQ Tour 460 (Version 3) | 8.5,9.5 | SOLE: Tour, (right triangle)460, (loft), SQ (Nike logo) HOSEL: (four punchmarks) view image here |
| Nike Golf | SQ Tour 460 JDI | N/A | SOLE: Tour, (right triangle)460, JDI (weight bias), SQ (Nike logo) HOSEL: (four punchmarks) FACE:nexTI view image here |
| Nike Golf | Steel 300cc | 9.5,10.5 | SOLE: STEEL, (Nike logo), (loft) CROWN: (3 dot alignment mark) FACE:FORGED view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|------------------------|------------------------|--|
| Nike Golf | Vapor Flex (LH) | 8.5,9.5,10.5,11.5,12.5 | SOLE: (weight w/ (orientation and lock indicators), (Nike logo), (double tri-spoke) FLEX FLIGHT (double tri-spoke)), (tri-spoke pattern), FLEX FLIGHT, (Nike logo), VAPOR, (port for screw) BACK: COVERT CAVITY BACK TECHNOLOGY TOE: VAPOR FLEX (Nike logo) CROWN: (Nike logo over tri-spoke pattern) HOSEL: (line), (loft orientations), (face angle orientations) |
| Nike Golf | Vapor Flex (Version 1) | 8.5,9.5,10.5,11.5,12.5 | SOLE: (weight w/ (orientation and lock indicators), (Nike logo), (double tri-spoke) FLEX FLIGHT (double tri-spoke)), (tri-spoke pattern), FLEX FLIGHT, (Nike logo), VAPOR, (port for screw) BACK: COVERT CAVITY BACK TECHNOLOGY TOE: VAPOR FLEX (Nike logo) CROWN: (Nike logo over tri-spoke pattern) HOSEL: (line), (loft orientations), (face angle orientations) view image here |
| Nike Golf | Vapor Flex 440 | N/A | SOLE: (tri-spoke pattern), (tri-spoke pattern), (Nike logo), (tri-spoke pattern), (tri-spoke pattern) TOE: VAPOR, FLEX, 440, (Nike logo) CROWN: (Nike logo), (tri-spoke pattern) HOSEL: (line), (loft orientations), (face angle orientations) |
| Nike Golf | Vapor Fly (LH) | N/A | SOLE: (diamond pattern), (bent line), (Nike logo over diamond pattern), (bent line), (diamond pattern), (port for screw) TOE: VAPOR, FLY, (Nike logo) CROWN: (Nike logo over diamond pattern) HOSEL: (line), (loft orientations), (face angle orientations) |
| Nike Golf | Vapor Fly (Version 1) | N/A | SOLE: (diamond pattern), (bent line), (Nike logo over diamond pattern), (bent line), (diamond pattern), (port for screw) TOE: VAPOR, FLY, (Nike logo) CROWN: (Nike logo over diamond pattern) HOSEL: (line), (loft orientations), (face angle orientations) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------|------------------------|--|
| Nike Golf | Vapor Fly (Version 2) | N/A | SOLE: (diamond pattern), (bent line), (Nike logo over diamond pattern), (bent line), (diamond pattern), (port for screw) TOE: VAPOR, FLY, (Nike logo) CROWN: (Nike logo over diamond pattern) HOSEL: (dot), (line), (loft orientations), (face angle orientations) |
| Nike Golf | Vapor Fly (Version 3) | N/A | SOLE: (diamond pattern), (bent line), (Nike logo over diamond pattern), (bent line), (diamond pattern), (port for screw) TOE: VAPOR, FLY, (Nike logo) CROWN: (Nike logo over diamond pattern) HOSEL: (tri-spoke), (line), (loft orientations), (face angle orientations) |
| Nike Golf | Vapor Fly Pro | N/A | SOLE: (diamond pattern), (bent line), (Nike logo over diamond pattern), (bent line), (diamond pattern), (port for screw) TOE: VAPOR, FLY, PRO, (Nike logo) CROWN: (Nike logo over diamond pattern) HOSEL: (line), (loft orientations), (face angle orientations) |
| Nike Golf | Vapor Fly Pro (LH) | N/A | view image here SOLE: (diamond pattern), (bent line), (Nike logo over diamond pattern), (bent line), (diamond pattern), (port for screw) TOE: VAPOR, FLY, PRO, (Nike logo) CROWN: (Nike logo over diamond pattern) HOSEL: (line), (loft orientations), (face angle orientations) view image here |
| Nike Golf | Vapor Fly TW (Version 2) | N/A | SOLE: (diamond pattern), (bent line), (Nike logo over diamond pattern), (bent line), (diamond pattern), (TW logo) TOE: VAPOR, FLY, (Nike logo) HOSEL: (square) |
| Nike Golf | Vapor Pro | 8.5,9.5,10.5,11.5,12.5 | SOLE: (Nike Logo on tri-spoke pattern), VAPOR, (port for screw) BACK: COVERT CAVITY BACK TECHNOLOGY TOE: VAPOR PRO (Nike logo) CROWN: (tri-spoke pattern), (Nike logo) HOSEL: (line), (loft orientations), (face angle orientations) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------|------------------------|--|
| Nike Golf | Vapor Pro (LH) | 8.5,9.5,10.5,11.5,12.5 | SOLE: (Nike logo on tri-spoke pattern), VAPOR, (port for screw) BACK: COVERT CAVITY BACK TECHNOLOGY TOE: VAPOR PRO (Nike logo) CROWN: (tri-spoke pattern), (Nike logo) HOSEL: (line), (loft orientations), (face angle orientations) |
| Nike Golf | Vapor Speed (Version 1) | 8.5,9.5,10.5,11.5,12.5 | SOLE: (Nike Logo on tri-spoke pattern), VAPOR, (port for screw) BACK: COVERT CAVITYBACK TECHNOLOGY TOE: VAPOR SPEED (Nike logo) CROWN: (tri-spoke pattern), (Nike logo) HOSEL: (line), (loft orientations), (face angle orientations) |
| Nike Golf | Vapor Speed (Version 1) (LH) | 8.5,9.5,10.5,11.5,12.5 | SOLE: (Nike Logo on tri-spoke pattern), VAPOR, (port for screw) BACK: COVERT CAVITY BACK TECHNOLOGY TOE: VAPOR SPEED (Nike logo) CROWN: (tri-spoke pattern), (Nike logo) HOSEL: (line), (loft orientations), (face angle orientations) |
| Nike Golf | Vapor Speed (Version 2) | 8.5,9.5,10.5,11.5,12.5 | SOLE: (Nike logo on tri-spoke pattern), VAPOR, (port for screw) BACK: COVERT CAVITY BACK TECHNOLOGY TOE: VAPOR SPEED (Nike logo) CROWN: (tri-spoke pattern), (Nike logo) HOSEL: (tri-spoke), (line), (loft orientations), (face angle orientations) view image here |
| Nike Golf | Vapor Speed (Version 3) | N/A | SOLE: (Nike Logo on tri-spoke pattern), VAPOR BACK: COVERT CAVITY BACK TECHNOLOGY TOE: VAPOR SPEED (Nike logo) view image here |
| Nike Golf | Vapor Speed (Version 4) | 8.5,9.5,10.5,11.5,12.5 | SOLE: (Nike Logo on tri-spoke pattern), VAPOR, (port for screw) BACK: COVERT CAVITY BACK TECHNOLOGY TOE: VAPOR SPEED (Nike logo) CROWN: (tri-spoke pattern), (Nike logo) HOSEL: (square), (line), (loft orientations), (face angle orientations) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|-----------------------|--|
| Nike Golf | Vapor Speed TW | N/A | SOLE: (Nike logo on tri-spoke pattern), VAPOR BACK: COVERT CAVITY BACK TECHNOLOGY TOE: VAPOR SPEED (Nike logo) HEEL: (TW logo) view image here |
| Nike Golf | Verdana HL | N/A | SOLE: (Wave graphics), Verdana, (Nike logo), HL CROWN: (Verdana alignment mark), (wave graphics) FACE:(flower media blast) view image here |
| Nike Golf | Vr (Tour) | 7.5,8.5,9.5,10.5,11.5 | SOLE: (bent line), (Vr logo), (Nike logo), (bent line), (loft w/ line), (COMPRESSION CHANNEL in channel) <u>view image here</u> |
| Nike Golf | Vr Pro (Tour Prototype) | 9.5 | SOLE: (Nike logo on raised trapezoid), (Vr logo), (two lines) PRO, COMPRESSION CHANNEL, (loft), (line) <u>view image here</u> |
| Nike Golf | Vr Pro Limited Edition | 10.5 | SOLE: (Nike logo on raised trapezoid), (Vr logo), (two lines) PRO, Ltd. Edition, COMPRESSION CHANNEL, (loft), (line) TOE: (Nike logo) |
| Nike Golf | Vr Pro Limited Edition (Version 1) | 8.5,9.5 | SOLE: (Nike logo on raised trapezoid), (Vr logo), (two lines) PRO, Ltd. Edition, COMPRESSION CHANNEL, (loft), (line) TOE: (Nike logo) |
| Nike Golf | Vr Pro Limited Edition (Version 1) (LH) | 9.5,10.5 | SOLE: COMPRESSION CHANNEL, (Vr logo), (two lines) PRO, Ltd. Edition, (Nike logo on raised trapezoid), (loft), (line) TOE: (Nike logo) view image here |
| Nike Golf | Vr Pro Limited Edition (Version 2) | 8.5,9.5,10.5 | SOLE: (Nike logo on raised trapezoid), (Vr logo), (two lines) PRO, Ltd. Edition, COMPRESSION CHANNEL, (loft), (line) TOE: (Nike logo) FACE:(Nexcor logo media blast) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|-------------------|--|
| Nike Golf | Vr Pro Limited Edition (Version 2) (LH) | 9.5,10.5 | SOLE: COMPRESSION CHANNEL, (Vr logo), (two lines) PRO, Ltd. Edition, (Nike logo on raised trapezoid), (loft), (line) TOE: (Nike logo) FACE:(Nexcor logo media blast) |
| Nike Golf | Vr Pro STR8-FIT Tour | 8.5,9.5,10.5,11.5 | view image here SOLE: (Nike logo on raise trapezoid), (Vr logo), (two lines) PRO, COMPRESSION CHANNEL, (loft) HOSEL: STR8-FIT (w/ gear graphic)TOUR, (orientation indicators) FACE:(gear graphic media blast) |
| Nike Golf | Vr Pro STR8-FIT Tour (LH) | 9.5,10.5,11.5 | view image here SOLE: COMPRESSION CHANNEL, (Vr logo), (two lines) PRO, (Nike logo on raised trapezoid), (loft) HOSEL: STR8-FIT (w/ gear graphic)TOUR, (orientation indicators) FACE:(gear graphic media blast) view image here |
| Nike Golf | VR STR8-FIT Tour | 8.5,9.5,10.5,11.5 | SOLE: (bent line), (Nike logo), (bent line), (loft), (Vr logo), COMPRESSION CHANNEL HOSEL: STR8-FIT (w/ gear graphic)TOUR FACE:(gear graphic media blast) |
| Nike Golf | VR STR8-FIT Tour (LH) | 9.5,10.5,11.5 | SOLE: COMPRESSION CHANNEL, (bent line), (Nike logo), (bent line), (loft), (Vr logo) HOSEL: STR8-FIT (w/ gear graphic)TOUR FACE:(gear graphic media blast) view image here |
| Nike Golf | Vr Tour (w/ sole weld) | 10.5 | SOLE: (Nike logo on raise trapezoid), (Vr logo), (two lines) PRO, COMPRESSION CHANNEL, (loft) HOSEL: STR8-FIT (w/ gear graphic)TOUR, (orientation indicators) FACE:(gear graphic media blast) view image here |
| Nike Golf | VRS | 8.5,9.5,10.5,11.5 | SOLE: ((Vr logo), (line), s (line) in triangle), (Nike logo on recessed lined insert), (loft) TOE: TOTAL SWING AERODYNAMICS CROWN: (bent line), (bent line), (Nike logo), (bent line), (bent line) HOSEL: (orientation indicators) HEEL: ((STR8-FIT w/ two bent lines), (screw) in port) FACE:NexCOR, (Nexcor logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------|--------------|---|
| Nike Golf | VRS (LH) | 9.5,10.5 | SOLE: ((Vr logo), (line), (s w/ line) in triangle), (loft), (Nike logo on recessed lined insert) TOE: TOTAL SWING AERODYNAMICS CROWN: (bent line), (bent line), (Nike logo), (bent line), (bent line) HOSEL: (orientation indicators) HEEL: ((STR8-FIT w/ two bent lines), (screw) in port) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nike Golf | VRS (Tour) | 8.5,9.5,10.5 | SOLE: ((Vr logo), (line), (s w/ line) in triangle), (Nike logo on recessed lined insert), (loft) TOE: TOTAL SWING AERODYNAMICS CROWN: (bent line), (bent line), (Nike logo), (bent line), (bent line) HOSEL: (orientation indicators) HEEL: ((STR8-FIT w/ two bent lines), (screw) in port) FACE:NexCOR (w/ dot in O), (Nexcor logo media blast) view image here |
| Nike Golf | VRS Forged | 9.5,10.5 | SOLE: ((Vr logo), (line), (s w/ line) in triangle), (Nike logo on recessed lined insert), (loft), ((STR8-FIT w/ two bent lines), (screw) in port) TOE: TOTAL SWING AERODYNAMICS HOSEL: FORGED (line) (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nike Golf | VRS Forged Ladies | N/A | SOLE: ((Vr logo), (line), (s w/ line) in triangle), (Nike logo on recessed lined insert), HL, ((STR8-FIT w/ two bent lines), (screw) in port) TOE: TOTAL SWING AERODYNAMICS HOSEL: FORGED (line) (orientation indicators) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nike Golf | VRS HL | N/A | SOLE: ((Vr logo), (line), (s w/ line) in triangle), (Nike logo on recessed lined insert), HL TOE: TOTAL SWING AERODYNAMICS CROWN: (bent line), (bent line), (Nike logo), (bent line), (bent line) HOSEL: (orientation indicators) HEEL: ((STR8-FIT w/ two bent lines), (screw) in port) FACE:NexCOR, (Nexcor logo media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|---------------|----------|---|
| Nike Golf | VRS Kids | N/A | SOLE: (Nike logo), (bent line), (VRS on stripes within outline), (bent line), (club number/letter) CROWN: (Nike logo) FACE:((two lines), (two bent lines) media blast) view image here |
| Nike Golf | VRS Kids (LH) | N/A | SOLE: (Nike logo), (bent line), (VRS on stripes within outline), (bent line), (club number/letter) CROWN: (Nike logo) FACE:((two lines), (two bent lines) media blast) view image here |
| Nike Golf | VRS Ladies | 11.5 | SOLE: ((Vr logo), (line), (s w/ line) in triangle), (Nike logo on recessed lined insert), (loft) TOE: TOTAL SWING AERODYNAMICS CROWN: (bent line), (bent line), (Nike logo), (bent line), (bent line) HOSEL: (orientation indicators) HEEL: ((STR8-FIT w/ two bent lines), (screw) in port) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nike Golf | VRS Ladies HL | N/A | SOLE: ((Vr logo), (line), (s w/ line) in triangle), (Nike logo on recessed lined insert), HL TOE: TOTAL SWING AERODYNAMICS CROWN: (bent line), (bent line), (Nike logo), (bent line), (bent line) HOSEL: (orientation indicators) HEEL: ((STR8-FIT w/ two bent lines), (screw) in port) FACE:NexCOR, (Nexcor logo media blast) view image here |
| Nikko Bussan Co Ltd | Alleato | 9.5,10.5 | SOLE: 1, ALLEATO, (loft) <u>view image here</u> |
| Nikko Bussan Co Ltd | Diretto N445 | 9.5,10.5 | SOLE: 1 (loft), DIRETTO, -N445-, TITANIUM <u>view image here</u> |
| Nikko Bussan Co Ltd | Diretto Op.2 | 9.5,10.5 | SOLE: (450cc on inset), DIRETTO, (loft), Op.2, (weight port) TOE: (N Logo) FACE:DAT55G view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|----------------------|-------------|---|
| | | _ | |
| Nikko Bussan Co Ltd | Presco 430 | 9.5,10.5 | SOLE: PRESCO 430, SNC TECHNOLOGY, FORGED TITANIUM, (loft) |
| | | | view image here |
| Nikko Bussan Co Ltd | Sopra | 9.5,10.5,12 | SOLE: SOPRA, FORGED TITANIUM, (loft) 1 |
| | | | view image here |
| Nikko Bussan Co Ltd | Vival alpha | 9.5,10.5 | SOLE: (VIVAL over media blast alpha logo), TITANIUM, (loft) TOE: Hybrid Spider Web Crown FACE:NTVC view image here |
| Nikko Bussan Co Ltd | Vival Alpha (LH) | 9.5,10.5 | SOLE: (VIVAL over media blast alpha logo), |
| NIKKO BUSSAII CO LIU | VIVAI AIPIIA (LI I) | 5.5, 10.5 | TITANIUM, (loft) TOE: Hybrid Spider Web Crown view image here |
| Nikko Bussan Co Ltd | Vivall | 9.5,10.5 | SOLE: VIVALL (underlined), Dual Balance |
| NIKKO Bussan Co Lid | Vivali | 9.5,10.5 | Composite, FORGED TITANIUM, 1, (loft) |
| | | 21/2 | view image here |
| Nippon Golf Co Ltd | Zelon 460 | N/A | SOLE: 1, (4 dots), -460-, ZELON, TITANIUM, (4 dots), NIPPON, GOLF, (logo) TOE: Moment of inertia |
| | | | view image here |
| Nippon Golf Co Ltd | Zero One 420T | N/A | SOLE: NIPPON, GOLF, (golfer logo) (in circle), 1 (oval), 420T, ZERO ONE, Hyper Complate, Titanium, NIPPON GOLF, CUSTAM, FITTING CLUB (in rectangle) TOE: PLASMA, POWER HEAD |
| Nippon Golf Co Ltd | Zero One 430 | N/A | SOLE: NIPPON, GOLF, (golfer logo) (in |
| | | | oval), 1 (oval), 430, ZERO ONE, Titanium, NIPPON GOLF, CUSTAM, FITTING CLUB (in rectangle) TOE: JET STROEAM view image here |
| Nippon Golf Co Ltd | Zero One Pro 400 Ti | N/A | SOLE: NIPPON, GOLF, (golfer logo) (in |
| Tapport Coll Co Ltu | 2010 0110 110 100 11 | | circle), 1 (oval), PRO 400 Ti, NIPPON GOLF, CUSTAM, FITTING CLUB (in rectangle), ZERO ONE |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|-----------------------|---------------------|--|
| Nirvana Golf Technologies, LLC | FeraLon System II | 8.5,10,11.5,14 | SOLE: FeraLon System II, (line), Nirvana Golf, Technologies, (golf ball logo), (line), (loft) CROWN: (alignment mark) HOSEL: FeraLon System II FACE:FSII |
| Nirvana Golf Technologies, LLC | TruLong I | 8,9.5 | SOLE: TruLong I, (line), Nirvana Golf, Technologies, (golf ball logo), (line), (loft) CROWN: (alignment mark) FACE:TruLong I view image here |
| Nishiakashi Golf Shop Co Ltd | Spirit & Co Signature | 11 | SOLE: (weight port), SPIRIT & Co., Signature TOE: SPIRIT & Co. view image here |
| Nissei Company Ltd | Inotex +One | 10.5 | SOLE: (loft), INOTEX, +one, Japan <u>view image here</u> |
| Nissei Company Ltd | Inotex 460 | 9.5,10.5 | SOLE: INOTEX 460, IN-0810, CUPFACE SP700 & TUNGSTEN, (loft), (i on oval inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Nissei Company Ltd | Tribute | 9.5,10.5 | SOLE: TRIBUTE 460, NI-0805, CUPFACE SP700 & TUNGSTEN, (loft), (i on oval inset) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Northland Co Ltd | JF NS-08 (LH) | 10.5 | SOLE: FORGED, TITANIUM, JOHNNY (line), (line), FRY, 1 (loft), NS-08 view image here |
| Nu Tec Golf, Inc. | Beetle T-I | 9,10 | SOLE: BEETLE, T-I, (omega symbol)-MEGA, TITANIUM, (loft), NU TEC, 1 view image here |
| Nu Tec Golf, Inc. | Beetle T-II | 7.5,8.5,9.5,10.5,11 | SOLE: BEETLE, T-II, (loft), (omega symbol)-MEGA, TITANIUM, NU TEC, 1 view image here |
| Nu Tec Golf, Inc. | Beetle T-III | 8,9,10,11 | SOLE: beetle(beetle logo), NT (Nu Tec logo), NU TEC GOLF, (loft), (TIII, NT, NU TEC GOLF on metal insert) TOE: NT (Nu Tec logo) CROWN: (beetle logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|----------------------|-------------|--|
| Nu Tec Golf, Inc. | Beetle T-IIS | 7.5,8.5,9.5 | SOLE: BEETLE, T-IIS, (loft), (omega symbol)-MEGA, TITANIUM, NU TEC, 1 view image here |
| Ohi Co Ltd | A-46 | N/A | SOLE: A-46, Fantastic Gear, for the pure amateur, FULL TITANIUM BODY, (A logo) view image here |
| Ohi Co Ltd | Amateurism NS II | 10 | SOLE: (A logo), AMATEURISM, NS II 1, CONFORMING TO, R&A/USGA SLE RULE, Loft (loft) BACK: DOUBLE, TUNGSTEN view image here |
| Ohtex Co Ltd | Ohtex | 14 | SOLE: OHTEX <u>view image here</u> |
| O'Murray Golf Co. | Black Eagle 360cc | 9,9.5,10 | SOLE: (curved line), O'MURRAY GOLF, BLACK, EAGLE, (eagle and moon graphic), 360cc, (loft), BETA-TITANIUM CROWN: (dot alignment mark) |
| Option Golf | Mafuta 459 LT | N/A | SOLE: 459, MAFUTA (underlined), OPTION TOE: TITANIUM HEEL: LT view image here |
| Option Golf | Mafuta 459 RT | N/A | SOLE: 459, MAFUTA (underlined), OPTION TOE: TITANIUM HEEL: RT view image here |
| Option Golf | Option 459 Square HT | N/A | SOLE: 459, SQUARE (underlined), OPTION TOE: TITANIUM HEEL: HT view image here |
| Option Golf | Option 459 Square RT | N/A | SOLE: 459, SQUARE (underlined), OPTION TOE: TITANIUM HEEL: RT view image here |
| Option Golf International (Pty) Ltd. | Mafuta HT 380 | 11 | SOLE: HT, OPTION (w/ O target graphic), GOLF, MAFUTA, 380 view image here |
| Option Golf International (Pty) Ltd. | Mafuta LT 380 | 7 | SOLE: LT, OPTION (w/ O target graphic), GOLF, MAFUTA, 380 view image here |

| November 04, 2024 | | | | |
|---|--------------------|-------|---|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| Option Golf International (Pty) Ltd. | Mafuta LT 450 | 8 | SOLE: LT, OPTION (w/ O target graphic), GOLF, MAFUTA | |
| | | | view image here | |
| Option Golf International (Pty) Ltd. | Mafuta LT 450 (LH) | 8 | SOLE: LT, OPTION (w/ O target graphic), GOLF, MAFUTA | |
| | | | <u>view image here</u> | |
| Option Golf International (Pty) Ltd. | Mafuta RT 380 | 9 | SOLE: RT, OPTION (w/ O target graphic), GOLF, MAFUTA, 380 | |
| | | | <u>view image here</u> | |
| Option Golf International (Pty) Ltd. | Mafuta RT 450 | 10 | SOLE: RT, OPTION (w/ O target graphic), GOLF, MAFUTA | |
| | | | view image here | |
| Orbiter Golf | Lotus SE | 10.5 | SOLE: (LOTUS in circle), (loft), (line), SE, (line), SPRING EFFECT, FORGED, BETA, TITANIUM, 10.5°, (line), 320cc TOE: (SE in oval), COPPER TUNGSTEN CROWN: (alignment mark) FACE:Spring Effect | |
| | | | view image here | |
| Orbiter Golf | Ricochet | 10.5 | SOLE: (curved line), ORBITER, RICOCHET, (line), Spring Effect Technology, Forged, Beta Titanium, -320cc-, (loft), TUNGSTEN CROWN: (arrow and punch mark alignment mark) FACE:Spring Effect view image here | |
| Original Co Ltd | Revolver 901 R2 | 10.5 | SOLE: Revolver, DISTANCE REVOLUTION, 901, (460cc, (loft) in oval) TOE: R2 view image here | |
| 0:: 10 /:: | Tantan | 10.5 | <u> </u> | |
| Original Co Ltd | Tantou | 10.5 | SOLE: (Japanese text), Accuracy & Distance, by, Julian Kamer, 460cc, (sword logo), (loft) | |
| | | | view image here | |
| Original Co Ltd | Winchester-47 | 10.5 | SOLE: E2, 460, (loft) ß TITANIUM, (line), Winchester-47, Maximum spec & Longest, Distance by original, (1 with oval) FACE:15-3-3-3 | |
| | | | view image here | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|------------------------------|----------|--|
| Original Co Ltd | Winchester-48 (version 2) | 10.5 | SOLE: E3, 460, (loft) ß TITANIUM, (line), EX-DV, Winchester-48, Maximum spec & Longest, Distance by original, (1 with oval) FACE:15-3-3-3 |
| Orka Golf Ltd | KII Cup Face | 10,12,14 | SOLE: (2 curved lines), ORKA, KII, CUP FACE, (curved line) BACK: ORKA TOE: CWS (in oval) CROWN: (K alignment mark) HEEL: (loft) view image here |
| Orka Golf Ltd | Orka Kii (Version 2) | 9,11 | SOLE: 460cc, (arrow), (line), ORKA (underlined) Kii, (loft), CWS (in shape), (logo) BACK: ORKA CROWN: (K logo) view image here |
| Orka Golf Ltd | Orka Kii HL (Version 2) | 13 | SOLE: 460cc, (arrow), (line), ORKA (underlined) Kii, HL, CWS (in shape), (logo) BACK: ORKA CROWN: (K logo) |
| Orka Golf Ltd | Orka Kii SD | 9,11 | SOLE: 460cc, (arrow), (line), ORKA (underlined) Kii SD, (loft), CWS (in shape), (logo) BACK: ORKA CROWN: (K logo) |
| Orka Golf Ltd | Orka XR | 9,10.5 | SOLE: 460cc, ORKA, XR, (loft) CROWN: (K alignment mark) view image here |
| Orka Golf Ltd | PS40 DFD | 8,9,10 | SOLE: (loft), ORKA, PS40 (underlined), CONFIGURABLE WEIGHT SYSTEM CROWN: (K alignment mark) FACE:DFD view image here |
| Orka Golf Ltd | PS40 DFD HL | N/A | SOLE: HL, ORKA, PS40 (underlined), CONFIGURABLE WEIGHT SYSTEM CROWN: (K alignment mark) FACE:DFD view image here |
| Orlimar Golf | Hip Ti 300cc | 8.5 | SOLE: (loft), (inset line), ORLIMAR, TRIMETAL hipTi, (inset line), 300cc CROWN: (O logo alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|-----------------------------------|-------|--|
| Orlimar Golf | Hip Ti 325cc | 10.5 | SOLE: (loft), (inset line), ORLIMAR, TRIMETAL hipTi, (inset line), 325cc CROWN: (O alignment mark) view image here |
| Orlimar Golf | Orlimar Hip Steel | 9 | SOLE: (loft), (line), ORLIMAR, TRIMETAL hipSteel, (line) CROWN: (O logo alignment mark) FACE:(/////) view image here |
| Orlimar Golf | Orlimar Trimetal | 6.5+ | SOLE: ORLIMAR, TRIMETAL®, (loft)+ FACE:MARAGING view image here |
| Orlimar Golf | Trimetal 270cc+ | 9 | SOLE: ORLIMAR, TRIMETAL®, 270cc, (loft)+ FACE:(alpha character) MARAGING view image here |
| Orlimar Golf | Trimetal Ti | 9.5 | SOLE: (loft), ORLIMAR, TRIMETAL , Ti CROWN: (O alignment mark) view image here |
| Orlimar Golf Co | Hip Ti 340cc | 9.5 | SOLE: (loft), (inset line) ORLIMAR, TRIMETAL Hip Ti, (inset line), 340cc CROWN: (O alignment mark) view image here |
| Orlimar Japan, L.L.C. | KZG | 10.5 | SOLE: (curved line and dot logo over KZG), (line), MARAGING, POWER, (line), 1, (loft) FACE:Maraging view image here |
| Oxylane Inesis | Canaveral (ladies) (Version 2) | 11 | SOLE: Inesis (logo), (loft), CANAVERAL (in oval) BACK: high COG angle CROWN: (alignment mark) HEEL: decathlon, creation@ |
| Oxylane Inesis | Canaveral (LH) (Version 2) | 10.5 | SOLE: Inesis (logo), (loft), CANAVERAL (in oval) BACK: high COG angle CROWN: (alignment mark) view image here |
| Oxylane Inesis | Canaveral (Version 1) | 10.5 | SOLE: (line) CANAVERAL BACK: COLD FORGED ß TITANIUM (loft) TOE: (logo) CROWN: (alignment mark) HOSEL: Inesis (logo) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---------------------------------------|----------|---|
| Oxylane Inesis | Canaveral (Version 2) | 9.5,10.5 | SOLE: Inesis (logo), (loft), CANAVERAL (in oval) BACK: high COG angle CROWN: (alignment mark) HEEL: DECATHLON, CREATION@ |
| Oxylane Inesis | Canaveral 440cc | 9.5,10.5 | SOLE: Inesis (logo), 440, Optimum B·F·S, (loft) BACK: CANAVERAL (in oval), high COG angle HEEL: decathlon, creation@ view image here |
| Oxylane Inesis | Canaveral 460cc | 10.5 | SOLE: Inesis (logo), tolerance (in shape), 460cc, (loft), CANAVERAL (in oval) TOE: peripheric weight system CROWN: (alignment mark) HEEL: power (in shape) view image here |
| Oxylane Inesis | Canaveral 460cc (ladies) | 12 | SOLE: Inesis (logo), tolerance (in shape), 460cc, (loft), CANAVERAL (in oval) TOE: peripheric weight system CROWN: (alignment mark) HEEL: power (in shape) view image here |
| Oxylane Inesis | Canaveral 500 | 10.5 | SOLE: INESIS (logo), CANAVERAL 500, 460 (loft) CROWN: (alignment mark) view image here |
| Oxylane Inesis | Canaveral 500 (ladies) | 12 | SOLE: INESIS (logo), CANAVERAL 500, 460 (loft) CROWN: (alignment mark) view image here |
| Oxylane Inesis | Canaveral 500 (Version 2) | 10.5 | SOLE: INESIS (logo), CANAVERAL 500, (logo on inset), 460, (loft) CROWN: (alignment mark) view image here |
| Oxylane Inesis | Canaveral 500 (Version 2) (ladies) | 12 | SOLE: INESIS (logo), CANAVERAL 500, (logo on inset), 460, (loft) CROWN: (alignment mark) view image here |
| Oxylane Inesis | Canaveral 500 (Version 2) (LH) | 10.5 | SOLE: INESIS (logo), CANAVERAL 500, (logo on inset), 460, (loft) CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---------------------------|---------|---|
| Oxylane Inesis | Canaveral 900 | 9,10 | SOLE: CANAVERAL, 900, 460 (loft) BACK: OBFS CROWN: (alignment mark) HEEL: INESIS (logo) view image here |
| Oxylane Inesis | Canaveral 900 (ladies) | 12 | SOLE: CANAVERAL, 900, 460 (loft) BACK: OBFS CROWN: (alignment mark) HEEL: INESIS (logo) view image here |
| Oxylane Inesis | Canaveral 901 | 9,10.5 | SOLE: INESIS (logo), CANAVERAL 901, (loft) BACK: (OBFS on inset) CROWN: (alignment mark) view image here |
| Oxylane Inesis | Dualt | 10.5 | SOLE: Inesis (logo), DUALT, STEEL, 1, (loft) CROWN: (alignment mark) HOSEL: decathlon, creation@ view image here |
| Oxylane Inesis | Dualt (ladies) | 12 | SOLE: Inesis (logo), DUALT, STEEL, 1, (loft) CROWN: (alignment mark) HOSEL: decathlon, creation@ view image here |
| Oxylane Inesis | Dualt Ti | 10.5,11 | SOLE: Inesis (logo), DUALT Ti, 1, (loft), BACK WEIGHT SYSTEM BACK: FORGED TITANIUM CROWN: (alignment mark) HEEL: decathlon, creation@ |
| Oxylane Inesis | Dualt Ti (LH) | 10.5 | SOLE: Inesis (logo), DUALT Ti, 1, (loft), BACK WEIGHT SYSTEM BACK: FORGED TITANIUM CROWN: (alignment mark) HEEL: decathlon, creation@ |
| Oxylane Inesis | Exult | 10.5 | SOLE: Inesis (logo), EXULT STEEL, 1, (loft) CROWN: (alignment mark) view image here |
| Oxylane Inesis | Exult (ladies) | 12 | SOLE: Inesis (logo), EXULT STEEL, 1, (loft) CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|--|--------|--|
| PALGOLF srl | Tonino Lamborghini 6AL-4V Ti 330cc | 10.5 | SOLE: FORGED 6AL-4V, TITANIUM, (bull on shield graphic), Tonino Lamborghini, 1 (loft), The Bull view image here |
| | | 10.5 | • |
| PALGOLF srl | Tonino Lamborghini 6AL-4V Ti 360cc | 10.5 | SOLE: FORGED 6AL-4V, TITANIUM, (bull on shield graphic), Tonino Lamborghini, 1 (loft), The Bull |
| | | 10.5 | view image here |
| PALGOLF srl | Tonino Lamborghini Beta Ti 330cc | 10.5 | SOLE: FORGED ß, TITANIUM, (bull on shield graphic), Tonino Lamborghini, 1 (loft), The Bull FACE:DAT-51 view image here |
| DAL COLE I | Taning Laurhaushini | 10.5 | |
| PALGOLF srl | Tonino Lamborghini Beta Ti 360cc | 10.5 | SOLE: FORGED ß, TITANIUM, (bull on shield graphic), Tonino Lamborghini, 1 (loft), The Bull |
| | | | <u>view image here</u> |
| Panda Golf Inc. | 400 ES P4 Face | 10 | SOLE: (loft), (curved line), 400 ES, 400 cc Ti / P4 FACE™, (Panda logo) TOE: (P logo)anda, G·O·L·F CROWN: (rectangle alignment mark) view image here |
| Panda Golf Inc. | Jackhammer | 9.5 | SOLE: (loft), (Panda logo), Jackhammer, |
| | | | (line) TOE: (P logo)anda, G·O·L·F· |
| | | | view image here |
| Panda Golf Inc. | P4 High Heat 420 ES | 9.5,11 | SOLE: (loft), P4, High Heat TM , (line), DRIVER, 420 ES/ 420cc Ti, (P4, FACE in curved trapezoid) TOE: (P logo)anda, G•O•L•F, SAN DIEGO CROWN: (curved trapezoid alignment mark) view image here |
| Panda Golf Inc. | P4 High Heat 420+ ES (LH) (Version 3) | 10.5 | SOLE: (loft), P4, High Heat™, (line), DRIVER, 420+ ES/ 420cc Ti-ß (P4, FACE in curved trapezoid) BACK: (four round weights in oval insert) TOE: (P logo)anda, G•O•L•F, SAN DIEGO CROWN: (curved trapezoid alignment mark) view image here |
| Panda Golf Inc. | P4 High Heat 420+ | 9.5,11 | SOLE: (loft), P4, High Heat™, (line), |
| i anda gon mo. | ES (Version 1) | 0.0, | DRIVER, 420+ ES/ 420cc Ti, (P4, FACE in curved trapezoid) BACK: (four round weights in oval insert) TOE: (P logo)anda, G•O•L•F, SAN DIEGO CROWN: (curved trapezoid alignment mark) |
| | | | view image here |

| Paragon Sports | Pyramid R600 460cc (Version 2) | 10.5 | SOLE: (segmented triangle logo), |
|--------------------|-----------------------------------|----------|---|
| | | | PARAGON, PYRAMID, (line), R 600, HL, (loft), 460c.c., dynamic flight, stabilization, PRECISION, FORGED, TITANIUM TOE: (weight port) HEEL: (weight port) FACE:TSi |
| Paragon Sports | VX-1 Ti | 10.5 | SOLE: (weight), 6AL-4V TITANIUM, (three line triangle logo), PARAGON, ((three line triangle logo) on circular insert), VX-1, EXTRA IMPACT, FORGED, 1(loft) FACE:TITAN |
| Paragon Sports | VX-1 Ti (Lady) | 14 | SOLE: (weight), 6AL-4V TITANIUM, (three line triangle logo), PARAGON, ((three line triangle logo) on circular insert), VX-1, EXTRA IMPACT, FORGED, 1(loft) FACE:TITAN view image here |
| Paragon Sports | Z-450F Ti (Version 1) | 11° | SOLE: PARAGON, Z-450F, (line), HIGH PERFORMANCE, (1 (loft), (line), • FORGED in oval), (two circular weights) BACK: TITANIUM CROWN: (three line triangle logo alignment mark) view image here |
| Paragon Sports | Z-450F Ti (Version 3) | 10.5 | SOLE: PARAGON, Z-450, (line)F, HIGH PERFORMANCE, (1 (loft), (line), (line) •FORGED, TITAN• on oval insert), (circular weight), (circular weight) BACK: TITANIUM CROWN: (segmented triangle alignment mark) view image here |
| Parallel Axis Golf | PAX 350cc | 7.5 | SOLE: (loft), PAX 350cc, (line), Beta, Ti, Parallel Axis System CROWN: (arrow and dot alignment mark) view image here |
| Parallel Axis Golf | Pax 350cc | 9,10.5 | SOLE: (loft), PAX 350cc, (line), Beta, Ti, Parallel Axis System CROWN: (arrow and dot alignment mark) view image here |
| Parallel Axis Golf | Pax 400cc | 7.5,10.5 | SOLE: (loft), PAX 400cc, (line), Beta, Ti, Parallel Axis System CROWN: (arrow and dot alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|----------------|--------------|---|
| Parallel Axis Golf | PAX II 400cc | 9 | SOLE: (loft), PAX 400cc, (line), II, BetaTi, Parallel Axis System CROWN: (arrow and dot alignment mark) view image here |
| Pat Simmons Golf, LLC | Liberator 460 | 7 | SOLE: (loft), (line), Liberator, (line), (curved line), Pat, SIMMONS®, GOLF, LLC, (curved line), FORGED, BETA, TITANIUM, 460cc |
| Pat Simmons Golf, LLC | PMMK-1 | 7,9 | SOLE: PMMK-I, (curved line), Pat, SIMMONS, GOLF, (curved line), FORGED, TITANIUM, 1 (loft) view image here |
| Pathfinder Co., CTD | Dagalo | 9,10.5 | SOLE: (winged graphic on insert), Dagalo, (loft) <u>view image here</u> |
| Patsky, Bernard J | Two SweetSpots | 10.5 | SOLE: TITANIUM, 1 (loft), (curved line and two dots logo), BERNIE PATSKY'S, 'TWO', SweetSpots, Prototype S.N.—, SEPT. 4, 2000 HOSEL: (line) |
| Pentium Sports Inc. | Pentium X | 8,9,10,11,12 | SOLE: PENTIUM, X, FORGED X TI, SUPER THIN FACE, (loft) view image here |
| Performance Golf | SF1 | 12 | SOLE: PG PERFORMANCE GOLF, (three vertical lines)SF1, (two weight ports) CROWN: (three vertical lines)SF1 HEEL: (loft) view image here |
| Performance Golf | SF1 (LH) | 12 | SOLE: PG PERFORMANCE GOLF, (three vertical lines)SF1, (two weight ports) CROWN: (three vertical lines)SF1 HEEL: (loft) view image here |
| Performance Golf | SF1 (Women's) | 12 | SOLE: PG PERFORMANCE GOLF, (three vertical lines)SF1, (two weight ports) CROWN: (three vertical lines)SF1 HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|-------------------|--------------|---|
| Photon Golf, Inc. | Forged Titanium | 9 | SOLE: FORGED TITANIUM, PHOTON GOLF, (curved line), LASER SURFACE, (star graphic and line), MODIFICATION, (loft) CROWN: (triangle alignment mark) view image here |
| Phyxius Sports, Inc. | Kratos EFT | 9,10 | SOLE: (triangle) (loft), (PHYXIUS on recessed backround), GOLF, KRATOS, (line), EFT, (Phyxius logo on insert) TOE: (Phyxius logo) CROWN: (Phyxius logo alignment mark), (bent line), (rounded triangle), (rounded triangle) HEEL: 460cc |
| Pigeon Golf | P-Tune | 10,12.5 | SOLE: P-tune, PG (numbers indicating loft) BACK: active four balance TOE: (PG logo) view image here |
| Pigeon Golf | P-Tune PG110 | N/A | SOLE: P-tune, PG 110 BACK: active four balance TOE: (PG logo) view image here |
| Pigeon Golf | P-Tune PG210 | N/A | SOLE: P-tune, PG210 BACK: active four balance TOE: (PG logo) view image here |
| Pigeon Golf | P-tune PG313 | N/A | SOLE: P-tune, active balance, PG313 TOE: (PG logo) HOSEL: (orientation indicators) view image here |
| Pigeon Golf | P-Tune PG414 | 11 | SOLE: P-tune, active balance B.A.F, PG414 TOE: (PG logo) HOSEL: (arrow), (orientation indicators) view image here |
| Pigeon Golf | P-Tune PG516 | N/A | SOLE: P-tune, PG516 TOE: (PG logo) view image here |
| Pineapple Golf Products GmbH | HSW Heavy Sole II | 10.5,12.5,14 | SOLE: HSW, HEAVY SOLE, — II —, 1, TS4, Plasma, /(loft) CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|-----------------------------------|----------|---|
| Pinemeadow Golf Products, Inc. (dba Carnahan Golf) | Command BK Tri-Port 460 | 10.5,12 | SOLE: (weight port), (Pinemeadow w/ P logo) (line), COMMAND, (line over line), B, K, 460cc, (weight port) BACK: (weight port) TOE: (triangle in circle) Tri-Port, WEIGHTING SYSTEM HEEL: (loft) FACE:(P logo) |
| Pinemeadow Golf Products, Inc. (dba Carnahan Golf) | Command Q4 400cc | 10.5 | SOLE: (circle around weight port), (loft), (line), COMMAND, (line) Q4, (Pinemeadow w/ P logo), 400cc, (circle around weight port) BACK: (circle around weight port), (circle around weight port) TOE: TITANIUM CROWN: (dot alignment mark) FACE:(P logo) view image here |
| Pinemeadow Golf Products, Inc. (dba Carnahan Golf) | Doublewall DD2 | 9.5,10.5 | SOLE: (loft), (-DD²- in oval), PINEMEADOW, DOUBLE WALL™, TITANIUM CROWN: (dot alignment mark) FACE:—(DD² in oval)— view image here |
| Pinemeadow Golf Products, Inc. (dba Carnahan Golf) | Doublewall DD2 400 (Version 1) | 9.5 | SOLE: (loft), (-DD²- in oval), PINEMEADOW, DOUBLE WALL™, 400, TITANIUM FACE:—(DD² in oval)— view image here |
| Pinemeadow Golf Products, Inc. (dba Carnahan Golf) | Doublewall DD2 400 (Version 2) | 10.5 | SOLE: (loft w/o degree symbol), (-DD²- in oval), PINEMEADOW, DOUBLE WALL™, 400, TITANIUM FACE:—(DD² in oval)— view image here |
| Pinemeadow Golf Products, Inc. (dba Carnahan Golf) | Excel Lightning | 10 | SOLE: (loft), Excel², Ti-LIGHTNING BACK: (Pinemeadow w/ P logo) TOE: (lightning bolt through circle graphic) FACE:(P logo) view image here |
| Pinemeadow Golf Products, Inc. (dba Carnahan Golf) | Excel Strong 460 | 10 | SOLE: 460, Excel, TITANIUM, (loft) BACK: (Pinemeadow w/ P logo) FACE:(P logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|------------------|-----------------|--|
| Pinemeadow Golf Products, Inc. (dba Carnahan Golf) | Yukon Anti-Slice | 10.5 | SOLE: (loft), YUKON, ANTI-SLICE, (line), OFFSET, (ANTI-SLICE in lined circular graphic) FACE:(P logo) view image here |
| Pinemeadow Golf Products, Inc. (dba Carnahan Golf) | ZR1 | 10.5 | SOLE: (ZR1 in rectangle), ((flag w/ dots) 1 (flag), (line), (loft) in crescent) view image here |
| PING, Inc. | Anser | 8.5,9.5,10.5,12 | SOLE: (ANSER, (loft) on lined insert), PING, (screw) CROWN: (two triangles alignment mark) HOSEL: (triangle), (orientation indicators) |
| PING, Inc. | Anser (LH) | 8.5,9.5,10.5,12 | SOLE: (ANSER, (loft) on lined insert), PING, (screw) CROWN: (two triangles alignment mark) HOSEL: (triangle), (orientation indicators) |
| PING, Inc. | Faith | 12,14 | SOLE: PING, (curved line), (Faith, (torch graphic) in oval), (curved line), (curved line), Titanium CROWN: (two triangles alignment mark) HEEL: (loft) |
| PING, Inc. | Faith (LH) | 12,14 | SOLE: PING, (curved line), (Faith, (torch graphic) in oval), (curved line), (curved line), Titanium CROWN: (two triangles alignment mark) HEEL: (loft) |
| PING, Inc. | G | 9,10.5 | SOLE: (bent line) G, (bent line), (weight port) PING, (bent line), (port w/ screw) BACK: VORTEC (w/lines surrounding O) CROWN: (bent line), TURBULATORS, (two lines) HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------|--------|--|
| PING, Inc. | G (LH) | 9,10.5 | SOLE: G, (bent line), (bent line), PING, (weight port), (bent line), (port w/ screw) BACK: VORTEC (w/lines surrounding O) CROWN: (two lines), (bent line), TURBULATORS HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) |
| PING, Inc. | G Le | 11.5 | SOLE: G Le, ping, VORTEC (w/lines surrounding O) CROWN: TURBULATORS HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G Le (LH) | 11.5 | SOLE: G Le, ping, VORTEC (w/lines surrounding O) CROWN: TURBULATORS HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G Le2 | 11.5 | SOLE: G Le2, ping HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G Le2 (LH) | 11.5 | SOLE: G Le2, ping HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G Le3 | 11.5 | SOLE: G LE3, ping, (triangle) FORGED FACE (triangle) BACK: (weight port), VORTEC HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G Le3 (LH) | 11.5 | SOLE: (triangle) FORGED FACE (triangle), G LE3, ping BACK: VORTEC, (weight port) HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------|--------------------|--|
| PING, Inc. | G LS TEC | 9,10.5 | SOLE: (bent line) G,(bent line), LS TEC, (weight port) PING, (bent line), (port w/ screw) BACK: VORTEC (w/lines surrounding O) CROWN: (bent line), TURBULATORS, (two lines) HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) |
| PING, Inc. | G LS Tec (LH) | 9,10.5 | SOLE: G, (bent line), (bent line), PING, (weight port), LS TEC, (bent line), (port w/ screw) BACK: VORTEC (w/lines surrounding O) CROWN: (two lines), (bent line), TURBULATORS HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) |
| PING, Inc. | G SF TEC | 10,12 | SOLE: (bent line) G, (bent line), (weight port) PING, SF TEC, (bent line), (port w/ screw) BACK: VORTEC (w/lines surrounding O) CROWN: (bent line), TURBULATORS, (two lines) HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) |
| PING, Inc. | G SF Tec (LH) | 10,12 | SOLE: G, (bent line), (bent line), PING, (weight port), SF TEC, (bent line), (port w/screw) BACK: VORTEC (w/lines surrounding O) CROWN: (two lines), (bent line), TURBULATORS HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) |
| PING, Inc. | G10 460cc | 7.5,9,10.5,12,13.5 | SOLE: PING, G, (line), 10, 460cc• TITANIUM CROWN: (crescent moon with arrow alignment mark) HEEL: (loft) view image here |
| PING, Inc. | G10 460cc (LH) | 7.5,9,10.5,12,13.5 | SOLE: PING, G, (line), 10, 460cc• TITANIUM CROWN: (crescent moon with arrow alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------|--------------------|---|
| PING, Inc. | G10 Draw 460cc | 9,10.5,12,13.5 | SOLE: PING, G, (line), 10, 460cc - TITANIUM CROWN: (crescent moon with arrow alignment mark) HEEL: (loft) Draw view image here |
| PING, Inc. | G10 Draw 460cc (LH) | 9,10.5,12,13.5 | SOLE: PING, G, (line), 10, 460cc • TITANIUM CROWN: (crescent moon with arrow alignment mark) HEEL: (loft) Draw view image here |
| PING, Inc. | G15 460 | 7.5,9,10.5,12,13.5 | SOLE: PING, (bent line), (G15 in hexagon), Titanium CROWN: (two traingles alignment mark) HEEL: (loft) view image here |
| PING, Inc. | G15 460 (LH) | 7.5,9,10.5,12,13.5 | SOLE: PING, (bent line), (G15 in hexagon), Titanium CROWN: (two traingles alignment mark) HEEL: (loft) view image here |
| PING, Inc. | G15 460 Draw | 9,10.5,12 | SOLE: PING, (bent line), (G15 in hexagon), Titanium CROWN: (two traingles alignment mark) HEEL: Draw, (loft) view image here |
| PING, Inc. | G15 460 Draw (LH) | 9,10.5,12 | SOLE: PING, (bent line), (G15 in hexagon), Titanium CROWN: (two traingles alignment mark) HEEL: Draw, (loft) view image here |
| PING, Inc. | G2 400cc | 15.5 | SOLE: (curved line), G2, (curved line), PING, 400cc, (loft) CROWN: (crescent moon with arrow alignment mark) view image here |
| PING, Inc. | G2 400cc (LH) | 15.5 | SOLE: (curved line), G2, (curved line), PING, 400cc, (loft) CROWN: (crescent moon with arrow alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------|-----------------|---|
| PING, Inc. | G2 460cc | 7,8.5,10,11.5 | SOLE: (curved line), G2, (curved line), PING, 460cc, (loft) CROWN: (cresent moon with arrow alignment mark) view image here |
| | 00.400 (111) | 0.5.40.44.5 | |
| PING, Inc. | G2 460cc (LH) | 8.5,10,11.5 | SOLE: (curved line), G2, (curved line), PING, 460CC, (loft) CROWN: (crescent moon with arrow alignment mark) view image here |
| | 00.7 | 7.0.5.40 | |
| PING, Inc. | G2 Tour | 7,8.5,10 | SOLE: (curved line), G2, (curved line), PING, Tour, (loft) CROWN: (crescent moon with arrow alignment mark) view image here |
| DINO In a | G20 | 8.5,9.5,10.5,12 | |
| PING, Inc. | G20 | 0.0,9.0,10.0,12 | SOLE: (jagged line), PING, (curved line), G20, (jagged line), (loft) CROWN: (two triangles alignment mark) |
| | | | <u>view image here</u> |
| PING, Inc. | G20 (LH) | 8.5,9.5,10.5,12 | SOLE: (jagged line), PING, (curved line), G20, (jagged line), (loft) CROWN: (two triangles alignment mark) |
| | | | view image here |
| PING, Inc. | G25 | 8.5,9.5,10.5,12 | SOLE: G25, (four lines), (weight port), PING, (four lines), (hosel screw), (loft) CROWN: (two triangles alignment mark) HOSEL: (triangle), (orientation indicators) view image here |
| PING, Inc. | G25 (LH) | 8.5,9.5,10.5,12 | SOLE: (four lines), G25, (weight port), PING, (four lines), (hosel screw), (loft) CROWN: (two triangles alignment mark) HOSEL: (triangle), (orientation indicators) view image here |
| PING, Inc. | G25 (Tour) (LH) | 8.5 | SOLE: (four lines), G25, (weight port), PING, (four lines), (hosel screw), (loft) CROWN: (two stripes w/ PING over stripe), (two stripes) HOSEL: (triangle), (orientation indicators) |
| PING, Inc. | G30 | 9,10.5 | SOLE: G30, PING, (loft), (circular weight), |
| i ing, iile. | 330 | 0,10.0 | (port screw) CROWN: (curved line) TURBULATORS (three lines) HOSEL: LOFT, (triangle), (orientation indicators) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------|--------|---|
| PING, Inc. | G30 (LH) | 9,10.5 | SOLE: G30, PING, (loft), (circular weight), (port screw) CROWN: (three lines) TURBULATORS (curved line) HOSEL: LOFT, (triangle), (orientation indicators) |
| PING, Inc. | G30 LS Tec | 9,10.5 | SOLE: G30, PING, ((circular weight), LS TEC on triangular insert), (port screw) CROWN: (curved line) TURBULATORS (three lines) HOSEL: LOFT, (triangle), (orientation indicators) HEEL: (loft) |
| PING, Inc. | G30 LS Tec (LH) | 9,10.5 | SOLE: G30, PING, ((circular weight), LS TEC on triangular insert), (port screw) CROWN: (curved line) TURBULATORS (three lines) HOSEL: LOFT, (triangle), (orientation indicators) HEEL: (loft) |
| PING, Inc. | G30 SF Tec | 10,12 | SOLE: G30, PING, (loft), (circular weight), SF Tec, (port screw) CROWN: (curved line) TURBULATORS (three lines) HOSEL: LOFT, (triangle), (orientation indicators) view image here |
| PING, Inc. | G30 SF Tec (LH) | 10,12 | SOLE: G30, PING, (loft), (circular weight), SF Tec, (port screw) CROWN: (three lines) TURBULATORS (curved line) HOSEL: LOFT, (triangle), (orientation indicators) view image here |
| PING, Inc. | G400 | 9,10.5 | SOLE: TUNGSTEN, PING, G400 BACK: VORTEC TOE: G400 HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------|--------|---|
| PING, Inc. | G400 (LH) | 9,10.5 | SOLE: PING, TUNGSTEN, G400 BACK: VORTEC TOE: G400 HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G400 LST | 8.5,10 | SOLE: LST, TUNGSTEN, PING, G400 BACK: VORTEC TOE: G400 HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G400 LST (LH) | 8.5,10 | SOLE: LST, PING, TUNGSTEN, G400 BACK: VORTEC TOE: G400 HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G400 Max | 9,10.5 | SOLE: TUNGSTEN, PING, G400, MAX TOE: G400, MAX HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G400 Max (LH) | 9,10.5 | SOLE: PING, TUNGSTEN, G400, MAX TOE: G400, MAX HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G400 SFT | 10,12 | SOLE: SFT, PING, TUNGSTEN, G400 BACK: VORTEC TOE: G400 HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G400 SFT (LH) | 10,12 | SOLE: SFT, TUNGSTEN, PING, G400 BACK: VORTEC TOE: G400 HOSEL: LOFT (triangle), (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------|-----------|--|
| PING, Inc. | G410 LST | 9,10.5 | SOLE: FADE, PING, G410, FORGED FACE, DRAW, LST, LOW SPIN TOE: G410 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G410 LST (LH) | 9,10.5 | SOLE: FADE, PING, G410, FORGED FACE, DRAW, LST, LOW SPIN TOE: G410 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G410 Plus | 9,10.5,12 | SOLE: FADE, PING, G410, FORGED FACE, DRAW, PLUS TOE: G410 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G410 Plus (LH) | 9,10.5,12 | SOLE: FADE, PING, FORGED FACE, G410, PLUS, DRAW TOE: G410 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G410 SFT | 10.5 | SOLE: PING, G410, FORGED FACE, SFT, STRAIGHT FLIGHT BACK: VORTEC TOE: G410 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G410 SFT (LH) | 10.5 | SOLE: PING, FORGED FACE, G410, SFT, STRAIGHT FLIGHT BACK: VORTEC TOE: G410 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G425 LST | 9,10.5 | SOLE: LST, FADE, PING, (line)FORGED FACE(line), DRAW, G425 BACK: (weight port) TOE: G425 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------|-----------|--|
| PING, Inc. | G425 LST (LH) | 9,10.5 | SOLE: LST, FADE, (line)FORGED FACE(line), PING, DRAW, G425 BACK: (weight port) TOE: G425 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G425 Max | 9,10.5,12 | SOLE: MAX, FADE, PING, (line)FORGED FACE(line), DRAW, G425 BACK: (weight port) TOE: G425 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G425 Max (LH) | 9,10.5,12 | SOLE: MAX, FADE, (line)FORGED FACE(line), PING, DRAW, G425 BACK: (weight port) TOE: G425 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G425 SFT | 10.5 | SOLE: SFT, PING, (line)FORGED FACE(line), G425 BACK: (weight port) TOE: G425 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G425 SFT (LH) | 10.5 | SOLE: SFT, (line)FORGED FACE(line), PING, G425 BACK: (weight port) TOE: G425 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G430 LST | 9,10.5 | SOLE: LST, FADE, PING, FORGED FACE, DRAW, G430 BACK: (TUNGSTEN on weight port) TOE: G430 CROWN: CARBONFLY WRAP HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------|-----------|--|
| PING, Inc. | G430 LST (LH) | 9,10.5 | SOLE: LST, FORGED FACE, PING, FADE, DRAW, G430 BACK: (TUNGSTEN on weight port) TOE: G430 CROWN: CARBONFLY WRAP HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G430 LST (Version 2) | 9 | SOLE: LST, FADE, PING, FORGED FACE, DRAW, G430 BACK: (dash), (TUNGSTEN on weight port), (dash) TOE: G430 CROWN: CARBONFLY WRAP HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G430 Max | 9,10.5,12 | SOLE: MAX, FADE, PING, FORGED FACE, DRAW, G430 BACK: (TUNGSTEN on weight port) TOE: G430 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G430 Max (LH) | 9,10.5,12 | SOLE: MAX, FADE, FORGED FACE, PING, DRAW, G430 BACK: (TUNGSTEN on weight port) TOE: G430 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G430 Max 10K | 9,10.5,12 | SOLE: PING, FORGED FACE BACK: (TUNGSTEN on weight port) TOE: G430, MAX 10K CROWN: CARBONFLY WRAP HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G430 Max 10K (LH) | 9,10.5,12 | SOLE: FORGED FACE, PING BACK: (TUNGSTEN on weight port) TOE: G430, MAX 10K CROWN: CARBONFLY WRAP HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------|--------------------|---|
| PING, Inc. | G430 SFT | 10.5 | SOLE: SFT, DRAW, PING, FORGED FACE, DRAW+, G430 BACK: (TUNGSTEN on weight port) TOE: G430 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G430 SFT (LH) | 10.5 | SOLE: SFT, FORGED FACE, DRAW, PING, DRAW+, G430 BACK: (TUNGSTEN on weight port) TOE: G430 HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| PING, Inc. | G5 460cc | 7.5,9,10.5,12,13.5 | SOLE: G5, PING, 460cc, (serial number), (loft) BACK: TITANIUM CROWN: (crescent moon with arrow alignment mark) view image here |
| PING, Inc. | G5 460cc (LH) | 7.5,9,10.5,12,13.5 | SOLE: G5, PING, 460cc, (serial number), (loft) BACK: TITANIUM CROWN: (crescent moon with arrow alignment mark) view image here |
| PING, Inc. | G5 460cc Offset | 9,10.5,12 | SOLE: G5, PING, 460cc, (serial number), (loft), offset BACK: TITANIUM CROWN: (crescent moon with arrow alignment mark) view image here |
| PING, Inc. | G5 460cc Offset (LH) | 9,10.5,12 | SOLE: G5, PING, 460cc, (serial number), (loft), offset BACK: TITANIUM CROWN: (crescent moon with arrow alignment mark) view image here |
| PING, Inc. | G5L 460 | 14 | SOLE: PING, G5 (curved line), L 460cc, (loft) BACK: TITANIUM CROWN: (crescent moon with arrow alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------|--------------|--|
| PING, Inc. | G5L 460 (LH) | 14 | SOLE: PING, G5 (curved line), L 460cc, (loft) BACK: TITANIUM CROWN: (crescent moon with arrow alignment mark) view image here |
| PING, Inc. | G5L 460 Offset | 14 | SOLE: PING, G5 (curved line), L 460cc, (loft), offset BACK: TITANIUM CROWN: (crescent moon with arrow alignment mark) view image here |
| PING, Inc. | G5L 460 Offset (LH) | 14 | SOLE: PING, G5 (curved line), L 460cc, (loft), offset BACK: TITANIUM CROWN: (crescent moon with arrow alignment mark) view image here |
| PING, Inc. | G812 Jr. | N/A | SOLE: PING TOE: G812 HEEL: DRIVER view image here |
| PING, Inc. | G812 Jr. (LH) | N/A | SOLE: PING TOE: G812 HEEL: DRIVER view image here |
| PING, Inc. | i15 460 | 8,9.5,11 | SOLE: (bent line), PING, (loft), (bent line), (i15 in pentagon), Titanium CROWN: (two triangles alignment mark) view image here |
| PING, Inc. | i15 460 (LH) | 8,9.5,11 | SOLE: (bent line), PING, (loft), (bent line), (i15 in pentagon), Titanium CROWN: (two triangles alignment mark) view image here |
| PING, Inc. | i20 | 8.5,9.5,10.5 | SOLE: ((bent line), Tungsten on insert), i20, PING, ((bent line), Tungsten on insert), (loft) CROWN: (two triangles alignment mark) view image here |
| PING, Inc. | i20 (LH) | 8.5,9.5,10.5 | SOLE: PING, i20, ((bent line), Tungsten on insert), ((bent line), Tungsten on insert), (loft) CROWN: (two triangles alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|------------------|--------------|--|
| PING, Inc. | i25 | 8.5,9.5,10.5 | SOLE: (Tungsten over insert), (circular weight), (Tungsten over insert), PING, i25, (club number/letter) (loft), (port w/ screw) CROWN: (two stripes w/ PING over stripe), (two stripes) HOSEL: (triangle), (orientation indicators) |
| PING, Inc. | i25 (LH) | 8.5,9.5,10.5 | SOLE: PING, i25, (port w/ screw), (loft), (Tungsten over insert), (circular weight), (Tungsten over insert) CROWN: (two stripes w/ PING over stripe), (two stripes) HOSEL: (triangle), (orientation indicators) |
| PING, Inc. | i3 | 7,9,11,13 | SOLE: 1 ,(i/3 in oval), 17-4 PH (loft) BACK: (i/3 on oval insert) TOE: PING CROWN: (K alignment mark) view image here |
| PING, Inc. | i3 (LH) | 7,9,11,13 | SOLE: 1, (i/3 in oval), (loft) 17-4PH BACK: (i/3 on oval insert) TOE: PING CROWN: (K alignment mark) view image here |
| PING, Inc. | K15 | 9.5,10.5,12 | SOLE: K 15, (line), PING, (bent line), SF Tec, Titanium CROWN: (two triangles alignment mark) HEEL: (loft) view image here |
| PING, Inc. | K15 (LH) | 9.5,10.5,12 | SOLE: PING, K 15, (line), (bent line), SF Tec, Titanium CROWN: (two triangles alignment mark) HEEL: (loft) view image here |
| PING, Inc. | Moxie I Jr. | 16 | SOLE: (bent intersecting line), TITANIUM, 370 CC, MOXIE, PING, (bent intersecting line), DRIVER CROWN: (two curved triangles alignment mark) view image here |
| PING, Inc. | Moxie I Jr. (LH) | 16 | SOLE: (bent intersecting line), PING, MOXIE, 370 CC, TITANIUM, (bent intersecting line), DRIVER CROWN: (two curved triangles alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------------|--------------------|--|
| PING, Inc. | Moxie Junior 325cc | 15 | SOLE: (curved line), MOXIE, (curved line), PING, 325 cc, TITANIUM, (loft) CROWN: (crescent moon with arrow alignment mark) view image here |
| PING, Inc. | Moxie Junior 325cc (LH) | 15 | SOLE: (curved line), MOXIE, (curved line), PING, 325 cc, TITANIUM, (loft) CROWN: (crescent moon with arrow alignment mark) view image here |
| PING, Inc. | Prodi G (Version 1) (Junior) | N/A | SOLE: Prodi G, PING HEEL: Driver view image here |
| PING, Inc. | Prodi G (Version 1) (Junior) (LH) | N/A | SOLE: Prodi G, PING HEEL: Driver view image here |
| PING, Inc. | Prodi G (Version 2) (Junior) | N/A | SOLE: Prodi G, PING, (line)DRIVER(line) view image here |
| PING, Inc. | Prodi G (Version 2) (Junior) (LH) | N/A | SOLE: Prodi G, (line)DRIVER(line), PING <u>view image here</u> |
| PING, Inc. | Rapture 460 | 7.5,9,10.5,12 | SOLE: PING, Rapture 460cc, (segmented curve), (loft) BACK: Composite, (PING on oval insert) CROWN: (crescent moon with arrow alignment mark), (mesh graphic w/ eight voids) view image here |
| PING, Inc. | Rapture 460 (LH) | 7.5,9,10.5,12 | SOLE: PING, Rapture 460cc, (segmented curve), (loft) BACK: Composite, (PING on oval insert) CROWN: (crescent moon with arrow alignment mark), (mesh graphic w/ eight voids) view image here |
| PING, Inc. | Rapture V2 460 | 7.5,9,10.5,12,13.5 | SOLE: PING, (loft), Rapture, (segmented curve), V2 CROWN: (segmented curve alignment mark) view image here |
| PING, Inc. | Rapture V2 460 (LH) | 7.5,9,10.5,12,13.5 | SOLE: PING, (loft), Rapture, (segmented curve), V2 CROWN: (segmented curve alignment mark) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------|---------------|---|
| PING, Inc. | Rhapsody | 12 | SOLE: (three lines), (ping in curved line), (line), (loft), Rhapsody, (screw in port) CROWN: (curved line), TURBULATORS, (three lines) HOSEL: LOFT, (triangle), (loft indicators) |
| PING, Inc. | Rhapsody (LH) | 12 | SOLE: (three lines), (ping in curved line), (loft), (line) Rhapsody, (screw in port) CROWN: (three lines), TURBULATORS, (curved line) HOSEL: LOFT, (triangle), (loft indicators) view image here |
| PING, Inc. | Rhapsody 460cc | 12,14,16 | SOLE: PING, (Rhapsody in two ovals), 460cc - Titanium CROWN: (crescent moon with line alignment mark) HEEL: (loft) view image here |
| PING, Inc. | Rhapsody 460cc (LH) | 12,14,16 | SOLE: PING, (Rhapsody in two ovals), 460cc - Titanium CROWN: (crescent moon with line alignment mark) HEEL: (loft) view image here |
| PING, Inc. | Serene | 10.5,12,14 | BACK: (Serene on vine graphic), PING, (club number/letter) (loft), (vine graphic) HOSEL: (two triangles alignment mark) view image here |
| PING, Inc. | Serene (LH) | 10.5,12,14 | BACK: (Serene on vine graphic), PING, (club number/letter) (loft), (vine graphic) HOSEL: (two triangles alignment mark) view image here |
| PING, Inc. | Si3 340 (LH) (Version 2) | 6,7,8,9,10,11 | SOLE: PING, Si3, 340, Forged Titanium, (recessed dot) (loft) BACK: (Si3 on oval insert) TOE: PING CROWN: (K alignment mark) view image here |
| PING, Inc. | Si3 340 (Version 1) | 6,7,8,9,10,11 | SOLE: PING, Si3, Forged Titanium, (recessed dot) (loft) BACK: (Si3 on oval insert) TOE: PING CROWN: (K alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------|----------------|---|
| PING, Inc. | Si3 340 (Version 2) | 9,10 | SOLE: PING, Si3, 340, Forged Titanium, (recessed dot) (loft) BACK: (Si3 on oval insert) TOE: PING CROWN: (K alignment mark) view image here |
| PING, Inc. | Si3 340 Prototype | 8.5,9.5 | SOLE: PING, (recessed dot), (loft), (SR serial number) BACK: (oval insert with two screws) TOE: PING view image here |
| PING, Inc. | Si3 380 | 7,8,9,10,11,12 | SOLE: PING, Si3, 380, Forged Titanium, (recessed dot) (loft) BACK: (Si3 on oval insert) TOE: PING CROWN: (K alignment mark) view image here |
| PING, Inc. | Si3 380 (LH) | 7,8,9,10,11,12 | SOLE: PING, Si3, Forged Titanium, (recessed dot) (loft) BACK: (Si3 on oval insert) TOE: PING CROWN: (K alignment mark) view image here |
| PING, Inc. | Si3 380 Prototype | 7,8,9 | SOLE: PING, (recessed circle) (loft), (SR serial number) BACK: (oval insert with two screws) TOE: PING CROWN: (K alignment mark) view image here |
| PING, Inc. | Thrive | N/A | SOLE: (line), (bent line), PING, THRIVE, (bent line), (line), DRIVER CROWN: (arrow alignment mark), (line), (bent line), (line), (bent line) |
| PING, Inc. | Thrive (LH) | N/A | SOLE: (line), (bent line), PING, THRIVE, (bent line), (line), DRIVER CROWN: (arrow alignment mark), (line), (bent line), (line), (bent line) view image here |
| PING, Inc. | TiSI | 7,8.5,10,11.5 | SOLE: ISI®(gold), (gold line), TITANIUM(gold), KARSTEN 10° BACK: (Ping sun logo) TOE: PING(gold) CROWN: (alignment marker-gold 'K') FACE:(gold and black hypehnated grooves) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|---------------|-------------------|--|
| PING, Inc. | TiSI (Heavy) | 8.5 | SOLE: ISI®, (line), TITANIUM, KARSTEN, (loft) BACK: (Ping star logo on insert) TOE: PING CROWN: (K alignment mark) HOSEL: RUD |
| PING, Inc. | TiSI (LH) | 7,8.5,10 | SOLE: ISI®, (line), TITANIUM, (loft) KARSTEN BACK: (Ping star logo on insert) TOE: PING CROWN: (K alignment mark) view image here |
| PING, Inc. | TiSI d | 8.5 | SOLE: ISI®, (line), TITANIUM, d (loft) TOE: PING CROWN: (K alignment mark) view image here |
| PING, Inc. | TiSI Tec | 5.5,7,8.5,10,11.5 | SOLE: (box), ISI®, TEC, (line), (line), TITANIUM, KARSTEN (ET, (loft) in box) BACK: (TISI, Tec, (line) on insert) TOE: PING CROWN: (K alignment mark) |
| PING, Inc. | TiSI Tec (LH) | 7,8.5,10,11.5 | SOLE: (box), ISI®, Tec, (line), (line), TITANIUM, (ET, (loft) in box) KARSTEN BACK: (TISI, Tec, (line) on insert) TOE: PING CROWN: (K alignment mark) view image here |
| PING, Inc. | TiSI Tour | 6,7.5 | SOLE: ISI®, TOUR, (line), TITANIUM, KARSTEN, (loft) BACK: (Ping star logo on insert) TOE: PING CROWN: (K alignment mark) HOSEL: TUD |
| Piranha Golf | Gelo-10 Proto | 9 | SOLE: (three segmented lines logo), Piranha, GOLF, GELO-10 PROTO, (loft), TITANIUM, 420cc CROWN: (three segmented lines logo alignment mark) view image here |
| Planning Sports Co Ltd | Runessa 460 | 9,10,10.5 | SOLE: Runessa 460 RIB, RIB BACK POWER, , 1 (loft), plaspo view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------------------|--------------|--|
| Playing Pro | Double X | 8.5,9.5,10.5 | SOLE: (loft), Double X, Double Face Technology, 400cc TOE: Playing Pro CROWN: (alignment mark) view image here |
| Playing Pro | Spider (Version 3) | 9,10.5 | SOLE: (loft), (spider graphic) PLAYING PRO, SPIDER BACK: (weight port), (weight port) CROWN: (logo alignment mark) FACE:WEB FACE TECHNOLOGY view image here |
| PMJ Co Ltd | H 083 460 | 9.5,10.5 | SOLE: (H 083, 460, over PMJ media blast logo), Designed by PMJ GOLF, Since 2005, (loft), TITANIUM, R&A RULES CONFORMITY, TEAM PMJ GOLF view image here |
| Pole Kat Golf | XR2 Fury Titanium | 10.5 | SOLE: POLE-KAT, XR2, FURY (triangle), TITANIUM, 460cc, (loft) TOE: THIN CROWN TECHNOLOGY - CUP FACE view image here |
| Porsche Design Golf | PD 901 | 7.5,9.5,10.5 | SOLE: WINDTUNNEL SOLE, PD 901, titanium, (loft), Porsche Design, Golf view image here |
| Porsche Design Golf | PD 902 A | 8.5,9.5,10.5 | SOLE: WINDTUNNEL SOLE, PD 902 A, titanium, (loft), PORSCHE DESIGN, GOLF CROWN: (alignment mark) view image here |
| PowerArc | PowerArc | 9.5 | SOLE: 1, (PowerArc logo), PowerArc®, (loft) FACE:Maraging view image here |
| PowerBilt Golf | Air Force One 777 N7 2.8mm | 9.5,10.5 | SOLE: POWER(lightning bolt)BILT, (triangle w/ two lines) AIR FORCE (triangle w/ two lines), ONE, 777, (loft), NITROGEN CHARGED, N7, (port) BACK: (irregular rectangle) (three dots) (irregular rectangle) CROWN: (V w/ oval and dot alignment mark) FACE:2.8mm |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--------------------------------|-------------------|--|
| PowerBilt Golf | Air Force One DF | 8.5,9.5,10.5 | SOLE: (curved line), (triangle), (two lines), AIR FORCE, (two lines), (triangle), ONE, (curved line), (cap), NITROGEN CHARGED BACK: POWER(lightning bolt)Bilt, DF TOE: (tribal graphic) CROWN: ((two lines), (triangle) alignment mark) HEEL: (tribal graphic), (loft) FACE:FFT |
| PowerBilt Golf | Air Force One DF Black | 8.5,9.5,10.5,12.5 | SOLE: (curved line), (triangle), (two lines), AIR FORCE, (two lines), (triangle), ONE, (curved line), (cap), NITROGEN CHARGED BACK: POWER(lightning bolt)Bilt, DF TOE: (tribal graphic) CROWN: ((two lines), (triangle) alignment mark) HEEL: (tribal graphic), (loft) FACE:FFT view image here |
| PowerBilt Golf | Air Force One DF Black (LH) | 10.5 | SOLE: (curved line), (triangle), (two lines), AIR FORCE, (two lines), (triangle), ONE, (curved line), (cap), NITROGEN CHARGED BACK: POWER(lightning bolt)Bilt, DF TOE: (tribal graphic) CROWN: ((two lines), (triangle) alignment mark) HEEL: (loft), (tribal graphic) FACE:FFT view image here |
| PowerBilt Golf | Air Force One DFX | 8.5,9.5,10.5,12.5 | SOLE: (cross-hatched graphic), (triangle), (two lines), AIR FORCE, (two lines), (triangle), ONE, NITROGEN CHARGED, N7, (weight port), (cross-hatched graphic) BACK: POWER(lightning bolt)Bilt, DFX CROWN: ((two lines), (triangle) alignment mark) HEEL: (loft) FACE:FFT |
| PowerBilt Golf | Air Force One DFX (LH) | 10.5,12.5 | SOLE: (cross-hatched graphic), (triangle), (two lines), AIR FORCE, (two lines), (triangle), ONE, NITROGEN CHARGED, N7, (weight port), (cross-hatched graphic) BACK: POWER(lightning bolt)Bilt, DFX CROWN: ((two lines), (triangle) alignment mark) HEEL: (loft) FACE:FFT |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---|-----------|---|
| PowerBilt Golf | Air Force One G.V. (2.6mm) | 10.5,12.5 | SOLE: (AIR (three lines), FORCE, ONE, NITROGEN, N7, POWERED in rounded triangle), POWER (lightning bolt)BILT, (curved arrow) BACK: (port) HEEL: (loft), GV FACE:(2.6mm media blast) |
| PowerBilt Golf | Air Force One G.V. (Ladies) | 12.5 | SOLE: (AIR (three lines), FORCE, ONE, NITROGEN, N7, POWERED in rounded triangle), POWER (lightning bolt)BILT, (curved arrow) BACK: (port) HEEL: (loft), GV FACE:(2.6mm media blast) |
| PowerBilt Golf | Air Force One N7 Air Foil 2.6mm | 9.5,10.5 | SOLE: (triangle w/ two lines) AIR FORCE (triangle w/ two lines), ONE N7, AIR FOIL, POWER(lightning bolt)Bilt, (curved line), (port cap) BACK: NITROGEN CHARGED TOE: (winged graphic w/ A logo) CROWN: (V w/ oval and dot alignment mark) HEEL: (loft) FACE:2.6mm, (A logo surrounded by two circles and eight lines) view image here |
| PowerBilt Golf | Air Force One N7 Air Foil 2.8mm | 9.5,10.5 | SOLE: (triangle w/ two lines) AIR FORCE (triangle w/ two lines), ONE N7, AIR FOIL, POWER(lightning bolt)Bilt, (curved line), (port cap) BACK: NITROGEN CHARGED TOE: (winged graphic w/ A logo) CROWN: (V w/ oval and dot alignment mark) HEEL: (loft) FACE:2.8mm, (A logo surrounded by two circles and eight lines) view image here |
| PowerBilt Golf | Air Force One N7 Air Foil Tour 2.6mm | 9.5,10.5 | SOLE: (triangle w/ two lines) AIR FORCE (triangle w/ two lines), ONE N7, AIR FOIL, POWER(lightning bolt)Bilt, (curved line), (port cap) BACK: NITROGEN CHARGED TOE: (winged graphic w/ A logo) CROWN: (V w/ oval and dot alignment mark) HEEL: (loft), TOUR FACE:2.6mm, (A logo surrounded by two circles and eight lines) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|---|---------------|---|
| PowerBilt Golf | Air Force One N7 Air Foil Tour 2.8mm | 9.5,10.5 | SOLE: (triangle w/ two lines) AIR FORCE (triangle w/ two lines), ONE N7, AIR FOIL, POWER(lightning bolt)Bilt, (curved line), (port cap) BACK: NITROGEN CHARGED TOE: (winged graphic w/ A logo) CROWN: (V w/ oval and dot alignment mark) HEEL: (loft), TOUR FACE:2.8mm, (A logo surrounded by two circles and eight lines) view image here |
| PowerBilt Golf | Air Force One P.V. (2.6mm) | 9.5,10.5 | SOLE: (AIR (three lines), FORCE, ONE, NITROGEN, N7, POWERED in rounded triangle), POWER (lightning bolt)BILT, (curved arrow) BACK: (port) HEEL: (loft), PV FACE:(2.6mm media blast) |
| PowerBilt Golf | Citation | 6 | SOLE: ·GENUINE·, BETA TITANIUM, (HB in horseshoe logo), Citation, (line), FORGED, 1, (loft) CROWN: POWER BILT view image here |
| PowerBilt Golf | Powerbilt N7 | 9.5,10.5,12.5 | SOLE: NITROGEN CHARGED, POWER(lightning bolt)BILT, N7 CROWN: (lightning bolt) HEEL: (loftl) FACE:CUP FACE view image here |
| PowerBilt Golf | TPS 320 | 12 | SOLE: 1, TPS, (line), 320, (loft), FORGED BETA TITANIUM, (lighting bolt in oval) TOE: POWER (lighting bolt) BILT CROWN: (lighting bolt in oval alignment mark) view image here |
| PowerBilt Golf | TPS 400 (Version 1) | 6 | SOLE: 1, TPS, (line), 400, (loft), (lighting bolt in oval), FORCED BETA TITANIUM TOE: POWER (lighting bolt) BILT CROWN: (lighting bolt in oval) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------|---------------------|-----------|--|
| PowerBilt Golf | TPS 400 (Version 2) | 9,10.5 | SOLE: 1, TPS, (line), 400, (loft), FORGED BETA TITANIUM, (lightning bolt and oval graphic) TOE: POWER(lightning bolt graphic)BILT CROWN: (lightning bolt and oval graphic alignment mark) HOSEL: (recessed circle) |
| PowerBilt Golf | TPS 400tc Sub 305g | 9,10.5 | SOLE: 1, TPS, (line), 400tc, SUB 305g, (loft), (lightning bolt in oval), FORGED BETA TITANIUM TOE: POWER (lightning bolt) BILT view image here |
| PowerBilt Golf | TPS 460 | 9,10.5,12 | SOLE: (oval), POWER(lightning bolt)BILT, TPS, FIBERIZED FORGING, (oval), (loft) BACK: (TUNGSTEN, 460, INJECTED on insert) CROWN: (lightning bolt in oval alignment mark) view image here |
| Powerbilt Holdings LLC | VC Max TD | 10.5 | SOLE: (sliding weight port), FADE, TD, (sliding weight port), DRAW, POWER(lightning bolt)BILT, VC MAX CROWN: (arrow alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Prairie Golf | Beta-Ti 460cc | 9,10.5 | SOLE: Prairie, BETA-TI, 460cc, (windmill graphic with PG), (tee graphic), (loft), (four recessed hexagons) CROWN: (P in G alignment mark) view image here |
| Prairie Golf | Forge Ti 360cc | 10.5 | SOLE: Prairie, FORGED, TITANIUM, (windmill graphic with PG), (tee graphic), (loft) CROWN: (P in G alignment mark) view image here |
| Precision Japan Ltd | Tour Vector 420 | 10 | SOLE: 420, TOUR, (Z line), VECTOR, FORGED TITANIUM, LAUNCH CONTROL HEEL: C.O.R. UNDER 0.830, (loft) view image here |
| Precision Made Golf Limited | Integrity | 12 | SOLE: 460cc, INTEGRITY, 6-4 Ti, 1, PRECISION GOLF FORGING TOE: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------|-----------------------------------|----------------|---|
| Precision Made Golf Limited | Integrity PGF | 10 | SOLE: 460cc, INTEGRITY, 6-4 Ti, 1, PRECISION GOLF FORGING TOE: PGF (in oval) view image here |
| Precision Technology Corp | Nancy Lopez Delma Special Wood | 10 | SOLE: delma, SPECIALWOOD, Ti XTRA LONG, (logo), NANCY, LOPEZ, GOLF, (loft)-N CROWN: (logo) HOSEL: NLG, NLG view image here |
| Precision Technology Corp | Precision 350cc N.C. | 9.5 | SOLE: DRIVER (loft), Precision, 350 c.c., N.C. view image here |
| Precision Technology Corp | Square Two XLD-350 | 10 | SOLE: (loft)- 0, XLD-350, SQUARE TWO, EXTREME LEGAL DISTANCE, FORGED, BETA TI 10-2-3 view image here |
| Precision Technology Corp | Square Two XLD-400 | 9 | SOLE: (loft)- 0, XLD-400, SQUARE TWO, EXTREME LEGAL DISTANCE, FORGED, BETA TI 10-2-3 view image here |
| Prestige Golf | XDC 2911 - High Launch | 14.5 | SOLE: FOR EXTRA DISTANCE, PRESTIGE, X (underlined) DC, 2911, 460CC, MID LAUNCH, (loft) CROWN: 2911 view image here |
| Prestige Golf | XDC 2911 - Mid Launch | 12.5 | SOLE: FOR EXTRA DISTANCE, PRESTIGE, X (underlined) DC, 2911, 460CC, MID LAUNCH, (loft) CROWN: 2911 view image here |
| Prestige Golf | XDC 2911 - Pro Launch | 10.5 | SOLE: FOR EXTRA DISTANCE, PRESTIGE, X (underlined) DC, 2911, 460CC, PRO LAUNCH, (loft) CROWN: 2911 view image here |
| Prestige Golf | XDC 909 | 10.5,12.5,14.5 | SOLE: (loft), PRESTIGE, X(underlined)DC, 909, 430C.C, FOR EXTRA, DISTANCE FACE:SP-700 view image here |

| TOTOTIBLE 07, 2027 | | | | |
|--|---------------------------|-----------|--|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | 23 LS Driver | 10.5,11.5 | SOLE: LS, DEEP BACK SOLE, PRGR TOE: PRGR LS CROWN: (LS alignment mark) HEEL: (loft) FACE:CNC MILLED, CUP FACE <u>view image here</u> | |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | 23 LS Driver (Ladies) | 12.5 | SOLE: LS, DEEP BACK SOLE, PRGR TOE: PRGR LS CROWN: (LS alignment mark) FACE:CNC MILLED, CUP FACE view image here | |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | 23 LS Driver PROTOTYPE | 10 | SOLE: LS, PROTOTYPE, (clover), (weight port), DEEP BACK SOLE, PRGR TOE: PRGR FACE:CNC MILLED, CUP FACE view image here | |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | 500 TR | 8.5,10 | SOLE: ZIRCONIUM, TR (in oval), MODEL, 500, (loft) BACK: PRGR, CONFORMING TO R&A/USGA SLE RULE, TR 500 TOE: PRGR view image here | |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | 513ER | 12.5,13.5 | SOLE: PRGR, 513, ER, (loft), Titanium BACK: Effective Repulsion TOE: Duo, Dual (logo) Composite <u>view image here</u> | |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | AS302 | 10.5 | SOLE: PRGR, GOLF, AS302, TITANIUM, (loft) DRIVER view image here | |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | egg | 9,10,11 | SOLE: (egg on inset), egg(wing logo), FORCE OF egg, -(loft)-, (PRGR in shape) BACK: CONFORMING TO, R&A/USGA SLE RULE FACE:(egg in shape) view image here | |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg 1 | N/A | SOLE: (egg on inset), TITANIUM, (egg over media blast 1), (PRGR in shape) BACK: (ZIRCONIUM underlined), CONFORMING TO, R&A/USGA SLE RULE CROWN: (egg in shape alignment mark) view image here | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|-------------------------|---------------|---|
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg 2017 | 10.5,11.5 | SOLE: egg(wing logo), FORCE OF egg, (PRGR in oval) BACK: CONFORMING TO, R&A/USGA RULES, ((weight port) in inset) TOE: (egg on inset) HEEL: (loft) FACE:(egg media blast logo) |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg 2017 Impact Spec | 10.5,11.5 | SOLE: egg(wing logo), FORCE OF egg, (PRGR in oval) BACK: CONFORMING TO, R&A/USGA RULES, ((weight port) IMPACT SPEC in inset) TOE: (egg on inset) HEEL: (loft) FACE:(egg media blast logo) |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg 44 | 9.5,10.5 | SOLE: (egg on inset), egg, 44, DRIVER, PRGR TOE: Maximise your Potential HEEL: (loft) FACE:CNC MILLED view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg 5500 | 10.5,11.5 | SOLE: egg, 5500, PRGR CROWN: (egg alignment mark) HEEL: (loft) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg 5500 Impact | 10.5,11.5 | SOLE: egg, 5500, PRGR CROWN: (egg alignment mark) HEEL: impact, (loft) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg Bird | 10,11 | SOLE: egg, (egg on inset), (PRGR in oval), TITANIUM, (wing logo) egg bird (wing logo), LOFT, (loft) CROWN: (alignment mark) FACE:(egg media blast logo) |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg Bird (Version 2) | 9.5,10.5,11.5 | SOLE: (TITANIUM in wing logo), (wing logo) egg bird (wing logo), PRGR, (egg on inset), (vertical line) TUNGSTEN (vertical line), (loft) BACK: (FORCE OF egg on inset), CONFORMING TO, R&A/USGA SLE RULE CROWN: (alignment mark) FACE:(egg media blast logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|---------------------------|-------------|---|
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg Extreme | 9.5,10.5 | SOLE: PRGR, egg, X, EXTREME CROWN: Maximum moment of inertia HEEL: (loft) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg Impact PX-01 A | N/A | SOLE: PX-01•, (egg on inset) —egg—, (PRGR in shape) TOE: egg, impact CROWN: alignment mark FACE:(egg media blast logo) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg Impact PX-01 B | N/A | SOLE: PX-01••, (egg on inset) —egg—, (PRGR in shape) TOE: egg, impact CROWN: alignment mark FACE:(egg media blast logo) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg Impact Titanium | N/A | SOLE: egg, (egg on inset), (PRGR in oval), TITANIUM, egg impact BACK: CONFORMING TO, R&A/USGA SLE RULE CROWN: (alignment mark) FACE:(egg media blast logo) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg Seven | N/A | SOLE: egg, 7, (PRGR in oval), TITANIUM, (egg on inset), egg seven BACK: CONFORMING TO, R&A/USGA SLE RULE CROWN: (alignment mark) FACE:(egg media blast logo) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Egg Seven (Version 2) | 5,9 | SOLE: egg, 7, (loft), (PRGR in oval), TITANIUM, (egg on inset), egg seven BACK: CONFORMING TO, R&A/USGA SLE RULE CROWN: (alignment mark) FACE:(egg media blast logo) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | GN502 (Version 1) | 9,10.5,11.5 | SOLE: OPTIMIZED DESIGN, PRGR, GOLF, (9 circles) (in inset), (loft) BACK: GN502, DRIVER CROWN: (alignment mark) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | GN502 (Version 1) (LH) | 10.5 | SOLE: OPTIMIZED DESIGN, PRGR, GOLF, (9 circles) (in inset), (loft) BACK: GN502, DRIVER CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|------------------------|--------|--|
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | GN502 (Version 2) | N/A | SOLE: OPTIMIZED DESIGN, PRGR, GOLF, (9 circles) (in inset) BACK: GN502, DRIVER CROWN: (alignment mark) view image here |
| PRGR Co Ltd | GN502 Tour | 9,10.5 | SOLE: (loft), (PRGR, GOLF, (9 circles) in |
| (Yokohama Rubber Co Ltd) | | | inset), OPTIMIZED DESIGN BACK: GN502, TOUR |
| | | | view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | GN502 Tour (Version 2) | 9,10.5 | SOLE: (loft), GN 502, TOUR BACK: OPTIMUM SIZE DRIVER, vol.440 TOE: PRGR |
| | | | view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | GN502 Tour (Version 3) | 9 | SOLE: (loft), GN502,*TOUR* BACK: (OPTIMUM SIZE DRIVER in oval), vol. 440 TOE: PRGR view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | GN502 Tour 390 | 9 | SOLE: (loft), GN 502, •TOUR• BACK: (OPTIMUM SIZE DRIVER in oval), vol. 390 TOE: PRGR |
| | 11/2 /52 // : 2) | 40 | view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | H/S 150 (Version 2) | 18 | SOLE: 1, (loft), H/S •••, 150, PRGR Jr TOE: CLUB HEAD SPEED CONCEPT CROWN: (•PRGR alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | <u>view image here</u> |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | H/S 301 | N/A | SOLE: H/S 301, •••, PRGR, CLUB HEAD SPEED CONCEPT HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | H/S 701 | N/A | SOLE: H/S •••, 701, PRGR, (PRGR, H/S, CLUB HEAD SPEED CONCEPT on inset), TITANIUM HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD (Ladies) | N/A | SOLE: INSPIRATION & DATA, iD TOE: PRGR, iD CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE, iD, WOMAN'S |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|--------------------|---------------|--|
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD 395 | 9,10.5 | SOLE: INSPIRATION & DATA, iD 395 TOE: PRGR iD HEEL: CONFORMING TO, R&A/USGA RULE, (LOFT), (loft) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD 395 (Pro) | 9.5 | SOLE: INSPIRATION & DATA, iD, BD11A E390 TOE: PRGR iD HEEL: CONFORMING TO, R&A/USGA SLE RULE, LOFT (loft) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD 435 | 9.5,10.5 | SOLE: INSPIRATION & DATA, iD 435 TOE: PRGR iD HEEL: CONFORMING TO, R&A/USGA SLE RULE, LOFT (loft) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD 435 (Pro) | 9.5 | SOLE: INSPIRATION & DATA, iD 435, SD02A E440 TOE: PRGR iD HEEL: CONFORMING TO, R&A/USGA SLE RULE, LOFT (loft) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD 435 (version 2) | 9.5,10.5 | SOLE: iD 435, INSPIRATION & DATA, FORGED TITANIUM BACK: (iD, CHEMICAL MILL on inset) TOE: PRGR iD HEEL: CONFORMING TO, R&A/USGA SLE RULE, (LOFT) (loft) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD 455 | 9.5,10.5,11.5 | SOLE: INSPIRATION & DATA, iD TOE: PRGR iD, 455 CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE, LOFT (loft) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD Nabla Black | 9.5,10.5 | SOLE: FORGED TITANIUM, iD, nabla, (media blast triangle logo), PRGR BACK: CONFORMING TO, R&A/USGA SLE RULE TOE: INSPIRATION & DATA, nabla, BLACK HEEL: (LOFT, (loft) in triangle logo) |

| | November 04, 2024 | | | | |
|--|-----------------------------|---------------|---|--|--|
| Manufacturer | Product Name | Lofts | Identification Markings | | |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD nabla Red | 10.5,11.5 | SOLE: INSPIRATION & DATA, (loft), iD, nabla, (media blast triangle logo), PRGR, (RED raised triangle loge on triangular plate in inset) TOE: iD, nabla, RED CROWN: (triangle logo alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(media blast triangle logo) | | |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD nabla Red (Version 2) | 10.5,11.5 | SOLE: nabla, RED, PRGR, (triangle logo on inset) TOE: (ID logo over pattern in shape), (loft), CONFORMING TO R&A/USGA SLE RULE CROWN: (triangle logo alignment mark) FACE:(media blast triangle logo) <u>view image here</u> | | |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD nabla RS 01 | 9.5,10.5 | SOLE: (iD over chequered pattern on inset), (LOCK, (triangle), (arrow logo), (triangle), (triangle) around weight port), (loft), (nabla, RS, (wavy line) over media blast chequered flag logo), (LOCK, (triangle), (arrow logo), (triangle), (triangle) around weight port), PRGR BACK: CONFORMING TO, R&A/USGA SLE RULE TOE: (nabla, RS, (triangle logo), (wavy line) over chequered flag logo), 01 HOSEL: (triangle), (orientation indicators) FACE:(media blast triangle logo) | | |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD nabla RS 02 | 9.5,10.5,11.5 | SOLE: (iD over chequered pattern on inset), (LOCK, (triangle), (arrow logo), (triangle), (triangle) around weight port), (loft), (nabla, RS, (wavy line) over media blast chequered flag logo), (LOCK, (triangle), (arrow logo), (triangle), (triangle) around weight port), PRGR BACK: CONFORMING TO, R&A/USGA SLE RULE TOE: (nabla, RS, (triangle logo), (wavy line) over chequered flag logo), 02 HOSEL: (triangle), (orientation indicators) FACE:(media blast triangle logo) | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|---------------------|---------------|---|
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD Nabla X | 9.5,10.5,11.5 | SOLE: iD, nabla, (media blast triangle logo), PRGR, CONFORMING TO, R&A/USGA SLE RULE BACK: nabla system design (arrow), ((38.0) line (23.0) line (17.5, 18.5 or 19.0)), FGL, GR, FP, nabla X TOE: INSPIRATION & DATA CROWN: (alignment mark) HEEL: (LOFT, (loft) in triangle logo) FACE:(media blast triangle logo) |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD Nabla X (Ladies) | N/A | SOLE: iD, nabla, (media blast triangle logo), PRGR, CONFORMING TO, R&A/USGA SLE RULE BACK: nabla system design (arrow), ((38.0) line (21.0) line (18.0)), FGL, GR, FP, nabla X TOE: INSPIRATION & DATA CROWN: (alignment mark) HEEL: (WOMAN'S, iD in triangle logo) FACE:(media blast triangle logo) |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | iD Nabla X Draw | 10.5,11.5 | SOLE: iD, nabla, (media blast triangle logo), PRGR, CONFORMING TO, R&A/USGA SLE RULE BACK: nabla system design (arrow), ((38.0) line (23.0) line (18.5 or 19.0)), FGL, GR, FP, nabla X DRAW TOE: INSPIRATION & DATA CROWN: (alignment mark) HEEL: (LOFT, (loft) in triangle logo) FACE:(media blast triangle logo) |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | LS | 10.5,11.5 | SOLE: LS, DEEP BACK SOLE DESIGN, PRGR TOE: PRGR LS, Launch & Spin CROWN: (LS alignment mark) HEEL: (loft) FACE:CNC MILLED, CUP FACE view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | LS (Ladies) | 12.5 | SOLE: LS, DEEP BACK SOLE DESIGN, PRGR TOE: PRGR LS, Launch & Spin CROWN: (LS alignment mark) HEEL: (loft) FACE:CNC MILLED, CUP FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|-------------------------------------|----------------|---|
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | LS Prototype | 10.5 | SOLE: LS, DEEP BACK SOLE DESIGN, PRGR, PROTOTYPE TOE: PRGR LS, Launch & Spin CROWN: (LS alignment mark) HEEL: (loft) FACE:CNC MILLED, CUP FACE view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Premium Gold | N/A | SOLE: PRGR, Premium, Gold, TITANIUM, CONFORMING TO, R&A/USGA SLE RULE (PRGR, ••, PREMIUM, GOLD on inset) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Premium Red TR-X 505 | 10.5,11.5,12.5 | SOLE: (PRGR, (PR logo), PREMIUM RED (on circular inset)), PREMIUM RED, TR-X 505, PRGR, FORGED TITANIUM TOE: PREMIUM RED, (lines) (PR logo) (lines), PRGR (in oval), CONFORMING TO R&A/USGA SLE RULE CROWN: PREMIUM RED HEEL: (loft) |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Premium Red TR-X 505 (Version 2) | 10.5 | SOLE: (PRGR, (PR logo), PREMIUM RED (on circular inset)), PREMIUM RED, TR-X 505, PRGR, FORGED TITANIUM TOE: PREMIUM RED, (lines) (PR logo) (lines), PRGR (in oval), CONFORMING TO R&A/USGA SLE RULE CROWN: (PR logo) HEEL: (loft) |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Premium Red TR-X 505 (Version 3) | N/A | SOLE: (PRGR, (PR logo), PREMIUM RED (on circular inset)), PREMIUM RED, TR-X 505, PRGR, FORGED TITANIUM TOE: PREMIUM RED, (lines) (PR logo) (lines), PRGR (in oval), CONFORMING TO R&A/USGA SLE RULE CROWN: PREMIUM RED |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Premium Red TR-X 505 for Pro | N/A | SOLE: For Pro, (PRGR, (PR logo), PREMIUM RED (on circular inset)), PREMIUM RED, TR-X 505, PRGR, FORGED TITANIUM TOE: PREMIUM RED, (lines) (PR logo) (lines), PRGR (in oval), CONFORMING TO R&A/USGA SLE RULE CROWN: PREMIUM RED |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|--|-----------|--|
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Premium Red TR-X 505 for Pro (Version 2) | N/A | SOLE: For Pro, (PRGR, (PR logo), PREMIUM RED (on circular inset)), PREMIUM RED, TR-X 505, PRGR, FORGED TITANIUM view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | PRGR Duo 370 | 9 | SOLE: Duo, PRGR, Carbon & Titanium, C (logo) T TOE: TR Carbon C (logo) Titanium view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | PRGR Premium Edition | N/A | SOLE: FORGED, (line), Titanium Mix, Premium, PRGR, Edition, Premium, PRGR, Edition, Premium Edition, (line), PRGR, GOLF BACK: CONFORMING TO, R&A/USGA SLE RULE, PRGR TOE: Premium, Edition, (logo), LOFT, (loft) CROWN: (alignment mark) |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | PRGR Tune 02 | 9,10 | SOLE: 0, 2, ([), PRGR, TUNE, (]) FACE:CNC MILLED view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | PRGR Tune 03 | 9,10 | SOLE: 0, 3, ([), PRGR, TUNE, (]) FACE:CNC MILLED view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | PRGR Tune 05 | 10,11 | SOLE: 0, 5, (weight port), ([), PRGR, TUNE, (]) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Red | 10.5,11.5 | SOLE: RED, (logo), PRGR BACK: CONFORMING TO, R&A/USGA SLE RULE HEEL: (loft) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Red 505 | 10.5 | SOLE: PRGR, (RED, 505 on inset), FORGED, (loft) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Red 505 (Version 2) | 10.5 | SOLE: PRGR, (RED, 505 on inset), •FORGED• BACK: (loft) TOE: < <red, &="" (chemical="" 0.35="" 0.75mm="" 505,="" crown="" in="" mill,="" oval),="" thickness:,="">> view image here</red,> |

| Product Name | Lofts | Identification Markings |
|--------------------------------|---|--|
| Red 505 VL | 10.5,11.5 | SOLE: PRGR, TITANIUM MIX, (RED, 505 on inset), VL-TITANIUM FACE, FORGED, (loft) TOE: RED, 505, (CHEMICAL MILL, CROWN in oval), Thickness:, 0.35 & 0.75mm CROWN: (alignment mark) <u>view image here</u> |
| Red 505 VL (Version 2) | N/A | SOLE: PRGR, TITANIUM MIX, (RED, 505 on inset), VL-TITANIUM FACE, FORGED TOE: RED, 505, (CHEMICAL MILL, CROWN in oval), Thickness:, 0.35 & 0.75mm CROWN: (alignment mark) |
| Red S-9.5 | 9.5 | SOLE: RED, (logo), S-9.5, PRGR BACK: CONFORMING TO, R&A/USGA SLE RULE <u>view image here</u> |
| Red S-9.5 (Version 2) | 10.5 | SOLE: RED, (logo), S-9.5, PRGR BACK: CONFORMING TO, R&A/USGA SLE RULE HEEL: (loft) view image here |
| Reverse Type 295D Data Wood | 7 | SOLE: 1, . , Reverse, Type 295D, Data Wood, PRGR, Titanium TOE: H/S, Head Speed CROWN: Reverse HEEL: Groove, Surround |
| Reverse Type 300 Data Wood | 11 | SOLE: 1, , Reverse, Type 300, Data Wood, PRGR, Titanium. TOE: H/S, Head Speed CROWN: Reverse HEEL: Groove Surround |
| RS 2017 | 9.5,10.5,11.5 | SOLE: (arrow markings around weight port), (weight port), RS, PRGR, (arrow markings around weight port), (weight port) BACK: CONFORMING TO, R&A/USGA SLE RULE HOSEL: RS, (arrow), (arrow), (arrow), HEEL: (loft), nabla (triangle) DESIGN FACE:RS view image here |
| | Red 505 VL (Version 2) Red S-9.5 Red S-9.5 (Version 2) Reverse Type 295D Data Wood Reverse Type 300 Data Wood | Red 505 VL 10.5,11.5 Red 505 VL (Version 2) N/A Red S-9.5 9.5 Red S-9.5 (Version 2) 10.5 Reverse Type 295D Data Wood 7 Reverse Type 300 Data Wood 11 |

| Manufacturer | Droduct Name | Lofts | Identification Maybings |
|--|----------------------------------|---------------|--|
| wanuracturer | Product Name | | Identification Markings |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS 2018 | 9.5,10.5,11.5 | SOLE: W DESIGN, crown & moment of inertia, RS, PRGR, (arrow markings around weight port), (weight port) HOSEL: RS, (arrow), (arrow), (arrow) HEEL: (loft) FACE:RS |
| | | | view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS 2020 | 9.5,10.5 | SOLE: RS, PRGR, RS, 5 BACK: (arrow markings around weight port), (weight port) HOSEL: (triangle), (triangle), RS, (triangle) HEEL: All for Max Performance., (loft) FACE:CNC MILLED view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS 2022 | 9.5,10.5 | SOLE: RS, (weight port), PRGR TOE: PRGR, RS JUST, (logo) CROWN: RS HOSEL: (triangle)(triangle), RS, (triangle) HEEL: (loft) FACE:CNC MILLED view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS 2024 Driver (YRC390) | 9.5,10.5 | SOLE: (weight port), PRGR, PRGR RSX, JUST CONCEPT, (weight port), CROWN: RS HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:CNC MILLED view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS DR | 9.5,10.5,11.5 | SOLE: RS, (over chequered flag media blast logo), (arrow markings around weight port), PRGR, (arrow markings around weight port), nabla, (triangle), DESIGN, (loft) BACK: CONFORMING TO, R&A/USGA SLE RULE TOE: (logo), RS, (logo), HOSEL: RS, (arrow), (arrow), (arrow), FACE:RS <u>view image here</u> |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS Dr F Prototype (Version 2) | 9.5,10.5 | SOLE: RS(F media blast), (arrow markings around weight port), (weight port), (arrow markings around weight port), (weight port), PRGR, PROTOTYPE, (loft) BACK: CONFORMING TO, R&A/USGA SLE RULE HOSEL: RS, (arrow), (arrow), (arrow) FACE:RSF |

| Monufacturer | Draduot Nama | Lofts | Identification Markings |
|--|-----------------------------------|---------------|--|
| Manufacturer | Product Name | | Identification Markings |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS DR Proto Type (Prototype) | 9.5,10.5,11.5 | SOLE: RS, PRGR, PROTOTYPE, (loft) HOSEL: RS, (arrow), (arrow) FACE:RS <u>view image here</u> |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS DR Proto Type F (Prototype) | 9.5,10.5 | SOLE: RS, PRGR, PROTOTYPE, (loft) HOSEL: RS, (arrow), (arrow) FACE:RSF view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS F 2024 Driver (YRC389) | 10 | SOLE: PRGR, (weight port), PRGR RSX, JUST CONCEPT, (weight port), F CROWN: RS HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:CNC MILLED view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS F Prototype 01 | N/A | SOLE: PRGR, RSF HOSEL: RS, (triangle), (triangle) HEEL: PROTOTYPE, (clover logo) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS F Prototype 03 | N/A | SOLE: (weight port), PRGR, RSF, (weight port) HOSEL: RS, (triangle), (triangle) HEEL: PROTOTYPE, (clover logo), (clover logo), (clover logo) |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS F Prototype 04 | N/A | SOLE: (weight port), PRGR, RSF, (weight port) HEEL: PROTOTYPE, (clover logo), (clover logo), (clover logo) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS F Prototype 05 | N/A | SOLE: (weight port), PRGR, RSF, (weight port) HOSEL: RS, (triangle), (triangle) HEEL: PROTOTYPE, (clover logo), (clover logo), (clover logo), (clover logo) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS MAX 2024 Driver (YRC391) | 9.5,10.5 | SOLE: PRGR RSX, MAX, PRGR, JUST CONCEPT BACK: (weight port) CROWN: RS HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:CNC MILLED view image here |

| November 04, 2024 | | | |
|--|-----------------------------|-----------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS PROTO Driver (YRC380) | 10 | SOLE: RS, PROTOTYPE (clover), (weight port), (weight port) PRGR TOE: PRGR HOSEL: (triangle)(triangle), RS, (triangle) FACE:CNC MILLED <u>view image here</u> |
| PRGR Co Ltd | RS Red | 9.5,10.5,11.5 | SOLE: RS, RED, PRGR |
| (Yokohama Rubber Co Ltd) | No Neu | 6.6, 16.6, 11.6 | BACK: W DESIGN, crown & moment of inertia HEEL: (loft) view image here |
| PRGR Co Ltd | RS Red (Ladies) | 12.5,13.5 | SOLE: RS, RED, PRGR |
| (Yokohama Rubber Co Ltd) | No Neu (Laules) | 12.0,10.0 | BACK: W DESIGN, crown & moment of inertia HEEL: (loft) |
| | | | view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS+ 2020 | 10.5,11.5 | SOLE: RS, PRGR, RS, 5+ BACK: (arrow markings around weight port), (weight port) HOSEL: (triangle), (triangle), RS, (triangle) HEEL: All for Max Performance., (loft) FACE:CNC MILLED view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS-D 2022 | 9.5,10.5 | SOLE: RSD, PRGR BACK: (weight port) TOE: PRGR, RS JUST, (logo) CROWN: RS HOSEL: (triangle)(triangle), RS, (triangle) HEEL: (loft) FACE:CNC MILLED view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS-E | 9.5,10.5 | SOLE: W DESIGN, crown & moment of inertia, RS E, PRGR HEEL: (loft) FACE:RS E |
| | | | view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS-F 2017 | 9.5,10.5 | SOLE: RS-F, PRGR, (arrow markings around weight port), (weight port), (arrow markings around weight port), (weight port) BACK: CONFORMING TO, R&A/USGA SLE RULE HOSEL: RS, (arrow), (arrow), (arrow) HEEL: (loft), nabla, (triangle), DESIGN FACE:RSF |

| November 04, 2024 | Dura di cat Nic | 1.46- | Manual Constitution Manual Constitution of the |
|--|-------------------------------|----------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS-F 2018 | 9.5,10.5 | SOLE: W DESIGN, crown & moment of inertia, RS F, PRGR, (arrow markings around weight port), (weight port) HOSEL: RS, (arrow), (arrow), (arrow) HEEL: (loft) FACE:RSF |
| | | | view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS-F 2018 Prototype | 9.5,10.5 | SOLE: W DESIGN, crown & moment of inertia, RS F, PRGR, (arrow markings around weight port), (weight port), PROTOTYPE HOSEL: RS, (arrow), (arrow), (arrow) HEEL: (loft) FACE:RSF |
| DDOD 0-144 | DC F 2019 Prototype | N/A | view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS-F 2018 Prototype P002 | IV/A | SOLE: W DESIGN, crown & moment of inertia, RS F, PRGR, P002, (weight port), PROTOTYPE HOSEL: RS, (arrow), (arrow) |
| | | | view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS-F 2020 | 9.5,10.5 | SOLE: RS, (arrow markings around weight port), (weight port), PRGR, RSF, 5 HOSEL: (triangle), (triangle), RS, (triangle) HEEL: All for Max Performance., (loft) FACE:CNC MILLED |
| | | | view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS-F 2022 | 9.5,10.5 | SOLE: RSF, (weight port), (weight port), PRGR TOE: PRGR, RS JUST, (logo) CROWN: RS HOSEL: (triangle)(triangle), RS, (triangle) HEEL: (loft) FACE:CNC MILLED view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS-F Prototype | N/A | SOLE: PRGR, (weight port), RSF, (weight port) HOSEL: RS, (triangle), (triangle) HEEL: PROTOTYPE, (clover logo) FACE:CNC MILLED view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | RS-F Prototype (Version 2) | N/A | SOLE: PRGR, (weight port), RSF, (weight port) HOSEL: RS, (triangle), (triangle) HEEL: PROTOTYPE, (clover logo), (clover logo), (clover logo) FACE:CNC MILLED view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|-----------------------------|------------------|--|
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Sweep M-12 | 12.5,13.5 | SOLE: •TITANIUM•, Sweep, model M-12, (dots indicating loft), PRGR TOE: (M-30, Sweep on inset) CROWN: (alignment mark) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Sweep M-13 | 12.5,13.5 | SOLE: SWEEP, model M-13, (dots indicating loft), (dot) TITANIUM (dot) PRGR BACK: CONFORMING TO, R&A/USGA SLE RULE TOE: Relax swing SWEEP CROWN: (alignment mark) FACE:PRGR |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Sweep Model M-10 | 13.5,14.5 | SOLE: Sweep, model M-10, (dots indicating loft), (shape), •TITANIUM• BACK: M-30, Sweep TOE: PRGR CROWN: (alignment mark) FACE:PRGR |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Sweep Model M-11 | 13.5,14.5 | SOLE: Sweep, model M-11, (dots indicating loft), *TITANIUM* BACK: PRGR TOE: (M-30, Sweep on inset) CROWN: (alignment mark) FACE:PRGR view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | T3 Model 105 (Version 1) | 10.5 | SOLE: T3, model 105, PRGR, Titanium Mix <u>view image here</u> |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | T3 Model 105 (Version 2) | 9,10.5 | SOLE: T3, model105, PRGR, (loft), Titanium Mix, T3 BACK: CONFORMING TO, R&A/USGA SLE RULE, PRGR TOE: (circle logo), FORGED, Titanium Mix view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | T3 Model 305 | 9,10.5,11.5,12.5 | SOLE: T3, model 305, PRGR, (loft), Titanium Mix, T3 BACK: CONFORMING TO, R&A/USGA SLE RULE, PRGR TOE: (coloured logo), FORGED, Titanium Mix <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|-----------------------------|-----------------------|--|
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | T3 Model 305 (LH) | 10.5 | SOLE: T3, model 305, PRGR, (loft), Titanium Mix, T3 BACK: CONFORMING TO, R&A/USGA SLE RULE, PRGR TOE: (oval logo), FORGED, Titanium Mix |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | T3 Model 501 | 9,10.5 | view image here SOLE: PRGR, GOLF, model501, (loft), T3 (in oval), Titanium mix BACK: CONFORMING TO R&A/USGA SLE RULE TOE: T3, Tour, Profile, 501 CROWN: (alignment mark) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | T3 Model 502 | 9,10.5,11.5,12.5,13.5 | SOLE: (loft), PRGR, GOLF, model 502, T3, Forged Titanium mix BACK: CONFORMING TO R&A/USGA SLE RULE TOE: T3, Shallow, Profile, 502 CROWN: (alignment mark) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | T3 Model 502 (LH) | 10.5 | SOLE: PRGR, GOLF, model502, (loft), T3, Forged Titanium mix BACK: CONFORMING TO R&A/USGA SLE RULE TOE: T3, Shallow, Profile, 502 CROWN: (alignment mark) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | T3 Model 502 (Version 2) | 9 | SOLE: (loft) (underlined), PRGR, GOLF, model 502, T3, Forged Titanium mix BACK: CONFORMING TO R&A/USGA SLE RULE TOE: T3, Shallow, Profile, 502 CROWN: (alignment mark) |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | T3 Model 502 Ver.3 | 9,10.5 | SOLE: (loft), PRGR, GOLF, model 502, T3, Titanium mix BACK: CONFORMING TO R&A/USGA SLE RULE TOE: T3, Tour, Profile, 501 view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | T3 Model 505 | 10.5,11.5,12.5 | SOLE: T3, model 505, PRGR, Titanium Mix, T3, 505 RED BACK: CONFORMING TO, R&A/USGA SLE RULE, PRGR TOE: (logo), FORGED, Titanium Mix CROWN: (alignment mark) view image here |

| November 04, 2024 | | | |
|--|------------------|-------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | T3 Model N007 | 10.5 | SOLE: T3, model N007, PRGR BACK: B8 SP1 view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | TR Duo CFM | 9,10.5 | SOLE: (loft), CFM, TR Duo, Compression, PRGR BACK: Head Compression (underlined) Professional TOE: (line), Duo (underlined), Compression, (line), 2 |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | TR340 Duo CFM | 9,10.5 | SOLE: Loft (loft), TR340 (underlined), Dual Composite, (logo), CFM PRGR TOE: Duo, Dual (logo) Composite view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | TR-X 370 Duo CFM | 9,10.5 | SOLE: Loft (loft), TR-X 370 (underlined), Dual Composite, (logo), CFM PRGR TOE: Duo Dual (logo) Composite view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | TR-X 405 CFM | 9,10.5 | SOLE: Loft (loft), Dual (logo) Composite, TR-X, Type 405 CFM, PRGR TOE: Duo (underlined), Dual (logo) Composite, Soft-CFRP view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | TR-X Duo CFM | 9,10.5,11.5 | SOLE: (loft), CFM, TR-X Duo, Compression, PRGR BACK: Head Compression Regular TOE: Duo (underlined), Compression, 2 |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Tune Dr 01 | 9.5,10.5 | SOLE: 0, 1, ([), PRGR, TUNE, (]) BACK: CONFORMING TO, R&A/USGA SLE RULE HEEL: (loft) view image here |
| PRGR Co Ltd (Yokohama Rubber Co Ltd) | Tune Dr 02 | 9.5,10.5 | SOLE: 0, 2, ([), PRGR, TUNE, (]) BACK: CONFORMING TO, R&A/USGA SLE RULE HEEL: (loft) view image here |
| Prime Golf Inc | A Ti-Innovation | N/A | SOLE: A, (golfer logo), Ti-INNOVATION, by ALBA JAPAN, CRAFTED, SNIPER WEAPON, AVATAR, view image here |

| November 04, 2024 | | | |
|---------------------------------|--------------------------------|--------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Prime Golf Inc | Avatar II (Version 2) | N/A | SOLE: (weight port), (golfer logo), (weight port), AVATAR II, ALBA JAPAN CRAFTED, (weight port), (infinity) |
| | | | view image here |
| Prime Golf Inc | Prime Athlete X (Version 2) | N/A | SOLE: (weight port), (weight port), PRIME, ATHLETE X, BIRTH, DR-1, (weight port) view image here |
| Prime Golf Inc | Prime G1 | N/A | SOLE: PRIME, G, 1, BACK WEIGHT BELT, BIRTH |
| | | | view image here |
| Prince Golf | Titanium 3200 Plus | 9 | SOLE: (Prince and P logo on circular inset), (loft), (line), TITANIUM, 3200 PLUS CROWN: (double arrow and dot alignment mark) |
| | | | view image here |
| Prince Golf | Titanium 4000 | 9 | SOLE: prince, 1 (loft) LOFT (line underneath LOFT), TITANIUM (line under UM), 4000 USA CROWN: (alignment mark) view image here |
| Prince Golf Ent. | Titanium 5000 EX | 9,10.5 | SOLE: prince, 1, (loft), LOFT, (TITANIUM, (line), 5000, (line), EX in square) CROWN: (double arrow and dot alignment mark) view image here |
| Pro Tour Sports | Pro Tour Titanium | 10.5 | SOLE: 1, Pro Tour, (loft) Loft, TITANIUM CROWN: (lightning bolt alignment mark) |
| | | | view image here |
| Professional Golf Europe Ltd | RAD-01 | 9,11 | SOLE: (VEGA (with star in G) over star media blast logo), RAD•01 HOSEL: (dot(s) loft indicator) |
| | | | view image here |
| Professional Golf Europe Ltd | RAD-02 | 9,11 | SOLE: VEGA (with star in G), RAD-02 HOSEL: (dot(s) loft indicator) |
| | | | <u>view image here</u> |
| Professional Golf Europe Ltd | United PD-01 | 10.5 | SOLE: premier, (angled line), UNITED, PD-01, (angled line) CROWN: (logo alignment mark over digitised alignment graphic) HOSEL: (loft) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------------|----------------|----------|---|
| Professional Golf Europe Ltd | Vega RAD-04 | 10 | SOLE: RAD-04 BACK: (WWW.VEGA-GOLF.COM VEGA around star on weight port) TOE: VEGA (with star in G) HOSEL: (loft) view image here |
| Progress Ltd | BB4 | N/A | SOLE: BB4, NCHARTED TERRITORY BACK: (weight port) HOSEL: N, L, NU, R, 1, +1, -1, (dot), (dot), CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Progress Ltd | BB4 SB01 | N/A | SOLE: (weight port), BB4, UNCHARTED TERRITORY, SB01, (weight port) TOE: Center of Gravity Control HOSEL: (dot), (dot), (orientation indicators) view image here |
| Progress Ltd | BB6 | 9.5,10.5 | SOLE: (weight port), BB6, ENDLESS AMBITION, (weight port) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE, (dot), (dot), (orientation indicators) HEEL: (loft)/N |
| Progress Ltd | BB6 MB-02 | 9.5,10.5 | view image here SOLE: (weight port), BB6, ENDLESS AMBITION, MB-02, DUAL BELLOWS COMPOSITE HOSEL: CONFORMING, TO R&A/USGA, SLE RULE, (dot), (dot), (orientation indicators) HEEL: (loft)/N view image here |
| Project & Management Consultants | MPB Golf - MP1 | 10.5 | SOLE: MP-1, (triangle), mpb, (triangle), (triangle), GOLF, (loft) CROWN: (triangle alignment mark) FACE:(triangle media blast logo), (triangle media blast logo) view image here |
| Prosimmon Golf Equipment | Recoil 400cc | 9 | SOLE: PROSIMMON, Forged Titanium, RECOIL (w/ swirled O graphic), Trampoline Face, 400cc, (loft) CROWN: (circular alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------|----------|---|
| Protean Products L.L.C. | EOS Terra X-30 | 9 | SOLE: (EOS logo) E O S, TERRA, (reversed C and \ graphic) - 30, REFLEX FACE TECHNOLOGY, FORGED BETA TITANIUM, (loft) TOE: (EOS logo) E O S, RFT CROWN: (EOS logo alignment mark) view image here |
| Protex Co Ltd | G-Club | 9,10.5 | SOLE: SUSANOO, (loft) 1, (star) NATURE BLOW (star), (symbol) G(star)CLUB (symbol) view image here |
| Protex Co Ltd | Madness | 10 | SOLE: (M logo), MADNESS, FULL TITAN BODY, TYPE 53A (loft) view image here |
| Protex Co Ltd | Madness 58-A | 9.5,10.5 | SOLE: CONDITIONS FOR, MAXIMUM DISTANCE, (logo), MADNESS, FULL TITAN, ID:58A (loft) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Protex Co Ltd | Madness 70-A | 9.5,10.5 | SOLE: MADNESSX, (M logo), 70A: (loft) view image here |
| Protex Co Ltd | Madness Biggus | 9,10 | SOLE: MADNESS X, BIGGUS, (logo), (loft) HOSEL: (orientation indicators) HEEL: (logo), SIGHT view image here |
| Protex Co Ltd | Madness Biggus Sai | 9,10 | SOLE: MADNESS X, BIGGUS, SAI, (logo), (loft) BACK: (logo on inset) TOE: CONFORMING TO, R&A/USGA SLE RULE HOSEL: (orientation indicators) HEEL: (logo), SIGHT FACE:(media blast logo) view image here |
| Protex Co Ltd | Madness Great-4 | 10.5 | SOLE: GREAT-4, (logo), MADNESS, PROTO, (loft) BACK: 460 view image here |
| Protex Co Ltd | Madness ID:53A | 9 | SOLE: ID:53A, MADNESS, (logo), FULL TITAN BODY, TYPE (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|----------|---|
| Protex Co Ltd | Madness ID:54A | 9.5,10.5 | SOLE: ID:54A, MADNESS, (logo), FULL TITANIUM, PREMIUM CASTING, TYPE (loft) view image here |
| Protex Co Ltd | Madness Proto 460 | 9,10 | SOLE: PROTO (logo), 460, (loft), (line) BACK: MADNESS view image here |
| Protex Co Ltd | Madness X 60-A Evolution (Version 1) | 12.5 | SOLE: MAXIMUM DISTANCE, (M logo), MADNESS, X, 60A, EVOLUTION BACK: ((loft)••• on weight port) TOE: (m logo) view image here |
| Protex Co Ltd | Madness X 60-A Evolution (Version 2) | 9,10.5 | SOLE: MAXIMUM DISTANCE, (M logo), MADNESS, X, 60A, EVOLUTION (loft) 60 TOE: (bird logo) view image here |
| Protex Co Ltd | Madness X 60-A Evolution (Version 3) | 9,10.5 | SOLE: MAXIMUM DISTANCE, (M logo), MADNESS, X, 60A, EVOLUTION (loft) 60 view image here |
| Protex Co Ltd | Madness X ID:59A | 9,10.5 | SOLE: MADNESS X, (logo), ID:59A/(loft) view image here |
| Protex Co Ltd | Madness X Woke | 9,10.5 | SOLE: (weight port), WOKE, (logo), (weight port) HOSEL: (dot), (orientation indicators) HEEL: MADNESSX(loft) FACE:DAT FACE, (logo) view image here |
| Protex Co Ltd | Woss 450cc | 10 | SOLE: (loft), WOSS, GOLF, 450cc, TUNGSTEN BALANCE CROWN: (W logo) FACE:FORGED view image here |
| Protex Co Ltd | Woss 460 | 10.5 | SOLE: FORGED 6-4 TITANIUM, 1 (loft), WOSS, GOLF, 460CC view image here |
| Protex Co Ltd | Woss Big Aiming | 10 | SOLE: WOSS, BIG AIMING, FORGED TITANIUM, (loft)-460 HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|----------------------|----------------|---|
| Protex Co Ltd | Woss Blacklabel 460 | 10.5 | SOLE: (loft) 1, WOSS, GOLF, 460cc, BLACKLABEL WG-01 CROWN: (W logo) FACE:TI-FORGED view image here |
| Protex Co Ltd | Woss Gnimia 460 V1 | 9,10 | SOLE: 460V1, GNIMIA, DR-(loft), WOSS view image here |
| Protex Co Ltd | Woss MO-03 | 10.5 | SOLE: WOSS, (diamond), MO-03, DISTANCE, 1 (loft) view image here |
| Protex Co Ltd | Woss Royal Staff 460 | 10 | SOLE: WOSS, ROYAL STAFF, FULL TITANIUM, 460, (loft) view image here |
| Protex Co Ltd | Woss WT460 | 10.5 | SOLE: WT460, WOSS (with W logo in square), GOLF•, (loft), (w logo on inset) view image here |
| Protex Co Ltd | Woss Z-2 | 10.5 | SOLE: WOSS, Z2, FORGED FULL TITANIUM, 1, (loft), 460 view image here |
| Pure Spin Golf, Inc. | 4-70 Series | 4,5,6,7,8,9,10 | SOLE: Diamond Technology, (PureSpin in circle and triangle logo), 4-70 Series (superscript) Driver view image here |
| Pure Spin Golf, Inc. | Diamond Face 370cc | 8 | SOLE: (PureSpin in circle and triangle logo), AS ROLL B TITANIUM, DIAMOND FACE, 370 C.C., (loft) view image here |
| Pure Spin Sports | MG-400 | 9,10 | SOLE: MG-400, (PureSpin in circle and triangle logo), (loft), METAL GRAPH TECHNOLOGY view image here |
| Pure Spin Sports | MG-460 | N/A | SOLE: Metal Graph Technology, (PureSpin in circle and triangle logo), (facsimile circular weight insert) 460, (dot) TOE: PureSpin CROWN: (two dot alignment mark) |
| Purefit Golf Company Sdn Bhd | D.C. Tour V 450 | 5,6,7,9,10 | SOLE: PURE(curve)FIT, D.C. Tour, (450 in broken V), (loft), SP700 Plasma Titanium CROWN: (V alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|---------------------|---------------------|--|
| Purefit Golf Company Sdn Bhd | D.C. Tour V 450 HT | N/A | SOLE: PURE(curve)FIT, D.C. Tour, (450 in broken V), HT, SP700 Plasma Titanium CROWN: (V alignment mark) view image here |
| Purefit Golf Company Sdn Bhd | D.C. Tour V 450 HT2 | N/A | SOLE: PURE(curve)FIT, D.C. Tour, (450 in broken V), HT2, SP700 Plasma Titanium CROWN: (V alignment mark) view image here |
| Purefit Golf Company Sdn Bhd | DC Tool | 9,10 | SOLE: 1 (loft), PURE (curved line) FIT, (line), D.C. TOOL, FORGED, TITANIUM TOE: DISTANCE + (arrow), CONTROL O (arrow), SERIES (arrow) CROWN: (arrow + alignment mark) view image here |
| Purefit Golf Company Sdn Bhd | DC Tool II 360cc | 9,10 | SOLE: 1 (loft), PURE (curved line) FIT, (line), D.C. TOOL II, 360cc, BETA CROWN: (arrow alignment mark) |
| Purefit Golf Company Sdn Bhd | DC Tour V 400cc | 8,9,10 | SOLE: PURE (curved line) FIT, (I, (line), (loft) in oval), (D.C. Tour, (line), V, PLASMA SP-700 TI over shaded curve), ACTIVE, 400cc TOE: (DISTANCE+, CONTROL, SERIES with three arrows and circle) CROWN: (arrow + alignment mark) |
| Purefit Golf Company Sdn Bhd | DC Tour V.1 400cc | 8,9,10,HT,HT | SOLE: PURE(curved line)FIT, (I, (line), (loft) in oval), D.C. Tour V.1, (line), PLASMA SP-700 TI, ACTIVE, 400cc TOE: (DISTANCE +, CONTROL, SERIES with three arrows and circle) CROWN: (arrow and + alignment mark) view image here |
| Purefit Golf Company Sdn Bhd | iD 420 | 6,7,8,9,10,11,HT,HT | SOLE: PURE(curved line)FIT, iD 420, (line), Vari-Face SP700 Ti, (loft) view image here |
| Purefit Golf Company Sdn Bhd | iD Raw | 5.5,6.5,7.5,10.5 | SOLE: PURE (curve) FIT, iDRAW (three lines), (line), (loft) BACK: (circular weight) CROWN: (dot alignment mark) view image here |
| Purefit Golf Company Sdn Bhd | iD Raw 460 X | 6.5,7.5,9.5,10.5 | SOLE: PURE (curve) FIT, iDRAW (three lines), (line), 460 X (loft) BACK: (circular weight) CROWN: (dot alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|------------------------------|---------------|--|
| Purefit Golf Company Sdn Bhd | iD Raw 460 X ht | N/A | SOLE: PURE (curve) FIT, iDRAW (three lines), (line), 460 X ht BACK: (circular weight) CROWN: (dot alignment mark) view image here |
| Purefit Golf Company Sdn Bhd | iD Raw 460 X ht.two | N/A | SOLE: PURE (curve) FIT, iDRAW (three lines), (line), 460 X ht.two BACK: (circular weight) CROWN: (dot alignment mark) view image here |
| Purefit Golf Company Sdn Bhd | iD Viking | 5,6,7,9,10 | SOLE: PURE (curve) FIT, iD VIKING, (cross graphic), Vari-Face, SP700 Ti, (loft) CROWN: (V alignment mark) view image here |
| PXG-Parsons Xtreme Golf | Darkness | 9 | SOLE: DARKNESS HOSEL: (dot) HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG 0211 (Version 1) | 7.5,9,10.5,12 | SOLE: (PXG logo), 0211 TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot) HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG 0211 (Version 1) (LH) | 9,10.5,12 | SOLE: (PXG logo), 0211 TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot) HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG 0211 (Version 2) | 9,10.5,12 | SOLE: (PXG logo) TOE: (PXG logo) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), 0211 view image here |
| PXG-Parsons Xtreme Golf | PXG 0211 (Version 2) (LH) | 9,10.5,12 | SOLE: (PXG logo) TOE: (PXG logo) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), 0211 |
| | | | |

| | November 04, 2024 | | | | |
|----------------------------|--------------------|------------|--|--|--|
| Manufacturer | Product Name | Lofts | Identification Markings | | |
| PXG-Parsons Xtreme Golf | PXG 0211 Z | N/A | SOLE: (weight port), (PXG logo), 0211 Z TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (club letter/number) view image here | | |
| PXG-Parsons Xtreme Golf | PXG 0211 Z (LH) | N/A | SOLE: (weight port), (PXG logo), 0211 Z TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (club letter/number) view image here | | |
| PXG-Parsons Xtreme Golf | PXG 0311 Gen5 | 7.5,9,10.5 | SOLE: (PXG logo), (weight port), 0311 TOE: (weight port) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), GEN5, (weight port) FACE:HS TI 412 Face view image here | | |
| PXG-Parsons Xtreme Golf | PXG 0311 Gen5 (LH) | 7.5,9,10.5 | SOLE: (PXG logo), (weight port), 0311 TOE: (weight port) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), GEN5, (weight port) FACE:HS TI 412 Face view image here | | |
| PXG-Parsons Xtreme Golf | PXG 0311 Gen6 | 7.5,9,10.5 | SOLE: (PXG logo), (two weight ports), 0311 TOE: (weight port) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot), (orientation indicators) HEEL: (loft), GEN6 FACE:HS TI 412 Face view image here | | |
| PXG-Parsons Xtreme Golf | PXG 0311 Gen6 (LH) | 7.5,9,10.5 | SOLE: (PXG logo), (weight port), 0311, (weight port) TOE: (weight port) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot), (orientation indicators) HEEL: (loft), GEN6 FACE:HS TI 412 Face | | |
| PXG-Parsons Xtreme Golf | PXG 0311 XF Gen5 | 9,10.5,12 | SOLE: (PXG logo), (weight port), 0311 XF TOE: (weight port) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), GEN5, (weight port) FACE:HS TI 412 Face view image here | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------------|-----------|---|
| PXG-Parsons Xtreme Golf | PXG 0311 XF Gen5 (LH) | 9,10.5,12 | SOLE: (PXG logo), (weight port), 0311 XF TOE: (weight port) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), GEN5, (weight port) FACE:HS TI 412 Face view image here |
| PXG-Parsons Xtreme Golf | PXG 0311 XF Gen6 | 9,10.5,12 | SOLE: (PXG logo), (two weight ports), 0311 XF TOE: (weight port) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), GEN6 FACE:HS TI 412 Face view image here |
| PXG-Parsons Xtreme Golf | PXG 0311 XF Gen6 (LH) | 9,10.5,12 | SOLE: (PXG logo), (weight port), 0311 XF, (weight port) TOE: (weight port) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), GEN6 FACE:HS TI 412 Face |
| PXG-Parsons Xtreme Golf | PXG 08 | 9 | SOLE: (sixteen screws), (PXG logo), 08, (screw in port) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG 0811 (LH) | 9,10.5 | SOLE: (sixteen screws), 0811, (PXG logo), (screw in port) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG 0811 (Version 1) | 9,10.5 | SOLE: (sixteen screws), 0811, (PXG logo), (screw in port) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG 0811 (Version 2) | 9 | SOLE: 0811, (PXG logo), (nine weight ports) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------------|--------------|--|
| PXG-Parsons Xtreme Golf | PXG 0811LD Gen2 | 4 | SOLE: (PXG logo), 0811LD TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot) HEEL: (loft), GEN2 view image here |
| PXG-Parsons Xtreme Golf | PXG 0811LD Proto | 4 | SOLE: (PXG logo), 0811LD TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot) HEEL: (loft), PROTO view image here |
| PXG-Parsons Xtreme Golf | PXG 0811LX (LH) | 9,10.5,12 | SOLE: (ten ports), 0811LX, (PXG logo) TOE: (PXG logo) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG 0811LX (Version 2) | 9,10.5,12 | SOLE: (ten ports), (PXG logo), 0811LX TOE: (PXG logo) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG 0811X (LH) (Version 1) | 9,10.5,12 | SOLE: (eleven ports), 0811X, (PXG logo) TOE: (PXG logo) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG 0811X (Version 1) | 9,10,10.5,12 | SOLE: (eleven ports), 0811X, (PXG logo) TOE: (PXG logo) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG 0811X (Version 2) | 9,10.5,12 | SOLE: (ten ports), (PXG logo), 0811X TOE: (PXG logo) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------------|---------------|---|
| PXG-Parsons Xtreme Golf | PXG 0811X (Version 2) (LH) | 9,10.5,12 | SOLE: 0811X, (ten ports), (PXG logo) TOE: (PXG logo) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) |
| PXG-Parsons Xtreme Golf | PXG 0811X Gen2 | 9,10.5,12 | SOLE: (nine ports), (PXG logo), 0811X TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot) HEEL: (loft), GEN2 |
| PXG-Parsons Xtreme Golf | PXG 0811X Gen2 (LH) | 9,10.5,12 | SOLE: (nine ports), (PXG logo), 0811X TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot) HEEL: (loft), GEN2 view image here |
| PXG-Parsons Xtreme Golf | PXG 0811X Gen4 | 7.5,9,10.5,12 | SOLE: AV CARBON FIBER TECH, (PXG logo), 0811X TOE: (PXG logo) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), GEN4 FACE:HS TI 412 Face |
| PXG-Parsons Xtreme Golf | PXG 0811X Gen4 (LH) | 7.5,9,10.5,12 | SOLE: AV CARBON FIBER TECH, (PXG logo), 0811X TOE: (PXG logo) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), GEN4 FACE:HS TI 412 Face |
| PXG-Parsons Xtreme Golf | PXG 0811X Proto | 9,10.5 | SOLE: (PXG logo), 0811X TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot) HEEL: (loft), PROTO view image here |
| PXG-Parsons Xtreme Golf | PXG 0811X Proto (LH) | 9 | SOLE: (PXG logo), 0811X TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot) HEEL: (loft), PROTO view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------------|--------------|---|
| PXG-Parsons Xtreme Golf | PXG 0811X+ Proto | 9,10.5,12 | SOLE: (PXG logo), 0811X+ TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot) HEEL: (loft), PROTO |
| PXG-Parsons Xtreme Golf | PXG 0811X+ Proto (LH) | 9,10.5,12 | SOLE: (PXG logo), 0811X+ TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot) HEEL: (loft), PROTO view image here |
| PXG-Parsons Xtreme Golf | PXG 0811XF | 9,10.5,12,14 | SOLE: (six ports), (PXG logo), 0811XF TOE: (PXG logo) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG 0811XF (LH) | 9,10.5,12,14 | SOLE: (six ports), 0811XF, (PXG logo) TOE: (PXG logo) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG 0811XF Gen2 | 9,10.5,12,14 | SOLE: (five ports), (PXG logo), 0811XF TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot) HEEL: (loft), GEN2 view image here |
| PXG-Parsons Xtreme Golf | PXG 0811XF Gen2 (LH) | 9,10.5,12,14 | SOLE: (PXG logo), 0811XF, (five ports) TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot) HEEL: (loft), GEN2 <u>view image here</u> |
| PXG-Parsons Xtreme Golf | PXG 0811XF Gen4 | 9,10.5,12 | SOLE: AV CARBON FIBER TECH, (PXG logo), 0811XF TOE: (PXG logo) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), GEN4 FACE:HS TI 412 Face view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------|-------------|---|
| | | | |
| PXG-Parsons Xtreme Golf | PXG 0811XF Gen4 (LH) | 9,10.5,12 | SOLE: AV CARBON FIBER TECH, (PXG logo), 0811XF TOE: (PXG logo) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), GEN4 FACE:HS TI 412 Face |
| PXG-Parsons Xtreme | PXG 0811XT | 9 | SOLE: (PXG logo), 0811XT |
| Golf | | | TOE: (PXG logo) CROWN: (X alignment mark) HOSEL: (dot) HEEL: (loft), PROTO |
| | | | view image here |
| PXG-Parsons Xtreme Golf | PXG 0811XT Gen4 | 7.5,9,10.5 | SOLE: AV CARBON FIBER TECH, (PXG logo), 0811XT TOE: (PXG logo) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), GEN4 FACE:S TI 412 Face |
| | | | view image here |
| PXG-Parsons Xtreme Golf | PXG 0811XT Gen4 (LH) | 7.5,9,10.5 | SOLE: AV CARBON FIBER TECH, (PXG logo), 0811XT TOE: (PXG logo) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), GEN4 FACE:HS TI 412 Face view image here |
| PXG-Parsons Xtreme Golf | PXG Black Ops | 8,9,10.5,12 | SOLE: (weight port), (PXG logo), (weight port), 0311, (weight port) TOE: BLACK OPS CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG Black Ops (LH) | 9,10.5,12 | SOLE: (weight port), (PXG logo), (weight port), 0311, (weight port) TOE: BLACK OPS CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|------------------------------|----------|--|
| PXG-Parsons Xtreme Golf | PXG Black Ops Tour-1 | 8,9,10.5 | SOLE: (PXG logo), (two weight ports), 0311 BACK: (weight port) TOE: BLACK OPS CROWN: (X alignment mark), (PXG logo) HOSEL: (dot), TOUR-1 HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG Black Ops Tour-1 (LH) | 9 | SOLE: (PXG logo), (two weight ports), 0311 BACK: (weight port) TOE: BLACK OPS CROWN: (X alignment mark), (PXG logo) HOSEL: (dot), TOUR-1 HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG Black Ops Tour-2 | 9,10.5 | SOLE: (PXG logo), (two weight ports), 0311 BACK: (weight port) TOE: BLACK OPS CROWN: (X alignment mark), (PXG logo) HOSEL: (dot), TOUR-2 HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG Black Ops Tour-2 (LH) | 9 | SOLE: (PXG logo), (weight port), (weight port), 0311 BACK: (weight port) TOE: BLACK OPS CROWN: (X alignment mark), (PXG logo) HOSEL: (dot), TOUR-2 HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG Black Ops Tour-3 | 8,9 | SOLE: (PXG logo), (two weight ports), 0311 BACK: (weight port) TOE: BLACK OPS CROWN: (X alignment mark), (PXG logo) HOSEL: (dot), TOUR-3 HEEL: (loft) |
| PXG-Parsons Xtreme Golf | PXG Black Ops Tour-4 | 8,9,10.5 | view image here SOLE: (weight port), (PXG logo), 0311, (weight port) BACK: (weight port) TOE: BLACK OPS CROWN: (X alignment mark), (PXG logo) HOSEL: (dot), TOUR-4 HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-----------------------------|--------|---|
| PXG-Parsons Xtreme Golf | PXG Black Ops Ultra-Lite | 9,10.5 | SOLE: (PXG logo), (weight port), 0311 TOE: BLACK OPS CROWN: (X alignment mark), (PXG logo) HOSEL: (dot), ULTRA-LITE HEEL: (loft) view image here |
| PXG-Parsons Xtreme Golf | PXG Secret Weapon | 9,13 | SOLE: (weight port), (weight port), (PXG logo), (weight port), (weight port) TOE: SECRET WEAPON CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft) |
| PXG-Parsons Xtreme Golf | PXG Secret Weapon (LH) | 13 | SOLE: (weight port), (weight port), (PXG logo), (weight port), (weight port) TOE: SECRET WEAPON CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft) |
| | | | view image here |
| PXG-Parsons Xtreme Golf | PXG TD (Version 1) | 9,10.5 | SOLE: (weight port), AV CARBON FIBER TECH, (PXG logo), (P in triangle), (weight port), TD, (weight port) TOE: (PXG logo) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft) FACE:HS TI 412 Face |
| PXG-Parsons Xtreme Golf | PXG TD (Version 2) | 9,10.5 | SOLE: (weight port), AV CARBON FIBER TECH, (PXG logo), (P in triangle), (weight port), TD, (weight port) TOE: (PXG logo) CROWN: (X alignment mark), (PXG logo) HOSEL: (dot) HEEL: (loft), (star) FACE:HS TI 412 Face view image here |
| PXG-Parsons Xtreme Golf | PXG XX | 9 | SOLE: (PXG logo), XX TOE: (PXG logo) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------------|-------|---|
| PXG-Parsons Xtreme Golf | PXG XXF | 9 | SOLE: (PXG logo), XXF TOE: (PXG logo) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) |
| | | | <u>view image here</u> |
| PXG-Parsons Xtreme Golf | PXG ZZ | 9 | SOLE: (PXG logo), ZZ TOE: (PXG logo) CROWN: (two triangles alignment mark) HOSEL: (dot) HEEL: (loft) |
| | | | <u>view image here</u> |
| Q Golf (Japan) | QS V5 | N/A | SOLE: QS, V5 (underlined), Y's model BACK: CARBON COMPOSITE |
| | | | <u>view image here</u> |
| Q Golf (Japan) | QS V5 (Version 2) | N/A | SOLE: QS, V5 (underlined) view image here |
| Qest Golf Inc | Danmajin Exceed SQ 460D | 10.5 | SOLE: DANMAJIN EXCEED (underlined), SQ 460D, –(loft)– BACK: DMJ (in rectangle) TOE: (logo), High repulsion technology FACE:Premium ßTi view image here |
| Qest Golf Inc | Verios 455E | 11 | SOLE: VERIOS, 455E, (loft), (logo), ARIGA, Hommage to the source of passion for Golf Club, by Kuzuu FACE:(logo) view image here |
| Qest Golf Inc | Verios 455K | 9,10 | SOLE: VERIOS, 455K, (loft), (logo), ARIGA, Hommage to the source of passion for Golf Club, by Kuzuu FACE:(logo) view image here |
| Qoid Co., Ltd | QD-01 | N/A | SOLE: KING PEGASUS, (pegasus logo), QD-01 TOE: Qoidco.,Ltd. FACE:FORGED, (pegasus logo) view image here |
| Qoid Co., Ltd | QS-01 | N/A | SOLE: KING PEGASUS, (pegasus logo), QS-01, (inset), (inset) TOE: Qoidco.,Ltd. FACE:FORGED, (pegasus logo) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--------------------------|-----------|---|
| Qookai Co Ltd | MOE86 | N/A | SOLE: MOE86 HOSEL: FOR THE PUTTING view image here |
| Quality Corporation | MD-40c | N/A | SOLE: 1, MD-40c (underlined), Designed by Quality view image here |
| Quality Golf Products | Condor SQ | 10.5 | SOLE: CONDOR®460, NGC GOLF ((SQ in square), (loft) DRIVER CROWN: (dot alignment mark) view image here |
| Quality Golf Products | Controller (Version 2) | 10.5 | SOLE: Controller®, (line), (loft) -Driver-, (line), (NGC^GOLF in boxes) FACE:Armor Pierce, Metal view image here |
| Quantum Leap Golf, Inc. | Stewart Ryan Coldfire | 10.5 | SOLE: STEWART RYAN, (loft), COLDfire, (mountain and sun logo), DNA, THERMAL, CYCLING CROWN: (triangle and circle alignment mark) |
| Quantum Sports Industries | Sabre Tooth 36X | 8,9,10 | view image here SOLE: (sabre tooth tiger graphic), Sabre Tooth™, 36X, (loft), (Quantum Sports logo) CROWN: (Quantum Sports logo alignment mark) view image here |
| R.L. Zeider, Inc. | The Absolute | 2,3,4,5,7 | SOLE: R L (Z logo)EIDER, The ABSOLUTE, (line), FORGED TITANIUM, MADE IN USA, (loft) CROWN: (Z logo alignment mark) view image here |
| R.L. Zeider, Inc. | The Absolute (Version 2) | 6 | SOLE: R L (Z logo)eider, THE ABSOLUTE, (line), FORGED TITANIUM, MADE IN USA, (loft) CROWN: (Z logo alignment mark) FACE:6A 1-4V-Ti view image here |
| R.L. Zeider, Inc. | The Valiant | 4,5,6,7 | SOLE: ZEIDER GOLF, (Z logo), FORGED TITANIUM, THE VALIENT 1, MADE IN THE USA, (loft) CROWN: (Z logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------|--------------|--|
| Rainbow Golf Co. | SP-360 | 10 | SOLE: SP - 360, (line), FORGED ß TITANIUM, 1 (loft), 360 cc, Rainbow FACE:10-2-3 view image here |
| Ram Golf | FX Ti | 9.5,10.5 | SOLE: (loft), R(in circle)AM, FX Ti, 1, 440cc, FORGED, TITANIUM CROWN: (alignment mark) view image here |
| Ram Golf | FX9 CG Tour | 9.5,10.5,12 | SOLE: (loft)°, R(in circle)AM FX9, CG TOUR, FORGED Ti, 460cc TOE: ·SINCE 1946·, R(in circle), FX9 (all in logo) CROWN: (oval alignment mark) view image here |
| Ram Golf | FX9 CG Tour (Ladies) | 9.5,12 | SOLE: (loft)°, R(in circle)AM FX9, CG TOUR, FORGED Ti, 400cc TOE: ·SINCE 1946·, R(in circle), FX9 (all in logo) CROWN: (oval alignment mark) view image here |
| Ram Golf | Serbera | 10.5,12 | SOLE: R(in circle)AM, (loft), SERBERA, (logo), MILLED TITANIUM, 460cc TOE: COMPOSITE SOLE TECHNOLOGY CROWN: (R in circle alignment mark) HEEL: DYNAMIC FLOW WEIGHTING view image here |
| Ram Golf | Serbera (ladies) | 14 | SOLE: R(in circle)AM, (loft), SERBERA, (logo), MILLED TITANIUM, 460cc TOE: COMPOSITE SOLE TECHNOLOGY CROWN: (R in circle alignment mark) HEEL: DYNAMIC FLOW WEIGHTING view image here |
| Rational Golf LLC | Vector 15 | 12.5,14,15.5 | SOLE: VECTOR 15, (atomic symbol) RATIONAL GOLF™, (loft) view image here |
| Raven Golf | TM-4000 | 7.5 | SOLE: RAVEN (w/ V graphic and diamond), (line), (line), NEARNET (diamond) FORGED, TM-4000, (loft), 1 CROWN: (three lines) R (three lines) view image here |
| Raven Golf | Tour Spec TM-4200 | N/A | SOLE: 1 (w/dot) RAVEN (w/ V graphic and diamond), TOUR SPEC, TM-4200, (five circular weights) FACE:SP-700 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|------------------------------------|------------|--|
| Raven Golf | Tour Spec TM-4200 (LH) | N/A | SOLE: 1 (w/dot) RAVEN (w/ V graphic and diamond), TOUR SPEC, TM-4200, (five circular weights) FACE:SP-700 view image here |
| Raven Golf | Tour Spec TM-4300 | N/A | SOLE: 1 RAVEN (w/ V graphic and diamond), TOUR SPEC, TM-4300, (five circular weights) FACE:SP-700 view image here |
| Raven Golf | Tour Spec TM-4600 | N/A | SOLE: 1 (w/dot) RAVEN (w/ V graphic and diamond), TOUR SPEC, TM-4600, (five circular weights) FACE:SP-700 view image here |
| Razor Golf | Carnivore | 9,10.5 | SOLE: CARNIVORE!, Razor (w/ o golf ball graphic) (wide curved line), (loft) FACE:SP700 view image here |
| Razor Golf | Carnivore 450 | 9,10.5 | SOLE: CARNIVORE!, Razor (w/ o golf ball graphic) (curved line), PLAY THE EDGE, 450, (loft) view image here |
| Razor Golf | Carnivore! Mutation (Version 2) | 9,10.5 | SOLE: CARNIVORE!, Mutation, Razor (w/ golfball graphic), (curved line), PLAY THE EDGE, Golf, (loft) FACE:FORGED view image here |
| Razor Golf | Eclipse | 9.5,10.5 | SOLE: ECLIPSE, Razor (w/ golfball graphic), (curved line), PLAY THE EDGE, Golf, (weight port), (flower graphic on insert), AU-79 HEEL: (loft) view image here |
| Razor Golf | Razor Swoop! Stainless | 9.5,10.5 | SOLE: 1, (line), (loft), (curved line) Swoop!, Razor, TM, (·STAINLESS·STEEL·17·4· encircling Z logo) view image here |
| Razor Golf | Razor Swoop! Titanium | 7.5,9,10.5 | SOLE: 1, (line), (loft), (curved line) Swoop!, Razor, TM, (·TITANIUM·90TI·6A·4V· encircling Z logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|---------------------------------|------------|---|
| Razor Golf | Shallow Faced | 9.5,10.5 | SOLE: Razor (w/ curved line), PLAY THE EDGE, TM, 1 SOLE WEIGHTED, SHALLOW, FACED, (line), (loft) LOFT |
| Razor Golf | Tour 2000 Stainless | 9.5,10.5 | SOLE: Razor (w/ curved line), (line), Tour, 2000 ™, PLAY THE EDGE, (loft), (·STAINLESS·STEEL·17·4· encircling Z logo) view image here |
| Razor Golf | Tour 2000 Titanium | 7.5,9,10.5 | SOLE: Razor (w/ curved line), (line), Tour, 2000 ™, PLAY THE EDGE, (loft), (·TITANIUM·90TI·6A·4V encircling Z logo) FACE:TITANIUM |
| Real Max Co Ltd | Zero Field Dot B | N/A | SOLE: BRAVING, DOT, •, B, ZERO FIELD, ZF, FORGED TITANIUM, ß Ti FACE <u>view image here</u> |
| Real Sports Co Ltd | Grandista Franklin | N/A | SOLE: (weight port), (pattern of text), (pattern of text), GRAN DISTA, Franklin, (weight port), (weight port), (pattern of text) HOSEL: (orientation indicators) view image here |
| Real Sports Co Ltd | Grandista LS-001 | N/A | SOLE: Grandista (with crown logo above r), LS-001, The I view image here |
| Real Sports Co Ltd | Grandista Mercury | N/A | SOLE: (weight port), (pattern of text), (pattern of text), GRAN DISTA, Mercury, (weight port), (pattern of text) HOSEL: (dot), (orientation indicators) view image here |
| Real Sports Co Ltd | Grandista RS-001 (Version 2) | 9,10 | SOLE: Grandista (with crown logo above r), RS-001, Weight 195g, Lieangle 59°, Volume 460cc, Faceangle 0.0°, Gravityangle 22°, Faceheight 55.0mm, Gravitydepth 40.0mm, Gravityheight 35.0mm, Gravitylength 41.0mm, Loft (loft) BACK: Real Sports Co Ltd Japan view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|-------------------------------|--------------|---|
| Real Sports Co Ltd | Grandista RS-001 Version.S | 9,10 | SOLE: Grandista (with crown logo above r), RS-001, Weight 195g, Lieangle 59°, Volume 460cc, Faceangle 0.0°, Gravityangle 22°, Faceheight 55.0mm, Gravitydepth 40.0mm, Gravityheight 35.0mm, Gravitylength 41.0mm, Loft (loft) BACK: Real Sports Co Ltd Japan FACE:Version.S |
| Real Sports Co Ltd | Grandista RS-D | 9,10 | SOLE: Grandista (with crown logo above r), RS-D, (crown), (weight port), (weight port) HEEL: Loft (loft) view image here |
| RedBird Sports, Inc. | 385 Pro (Version 1) | 10.5,12 | SOLE: 385(star graphic)PRO, RED BIRD, sports, Forged Beta Ti, 10•2•3, (circular weight), (loft), (circular weight) CROWN: (B logo alignment mark) view image here |
| RedBird Sports, Inc. | 385 Pro (Version 2) | 9 | SOLE: 385(star graphic)PRO, RED BIRD, sports, Forged Beta Ti, 10•2•3, (circular weight), (loft w/ degree symbol), (circular weight) CROWN: (B logo alignment mark) view image here |
| RedBird Sports, Inc. | FBT 330 | 7.5,8.5,9.5 | SOLE: 330·FBT, REDBIRD, (line), sports, Forged ßeta Ti, 15·3·3·3, (loft) CROWN: (B logo alignment mark) view image here |
| RedBird Sports, Inc. | FBT 370 | 7.5,8.5,10.5 | SOLE: 370·FBT, REDBIRD, (line), sports, Forged ßeta Ti, 15·3·3·3, (loft) CROWN: (B logo alignment mark) view image here |
| RedBird Sports, Inc. | FBT 430 | 7.5,8.5,9.5 | SOLE: 430·FBT, RED BIRD, (line), sports, Forged Beta Ti, 15·3·3·3, (loft) CROWN: (B logo alignment mark) view image here |
| Redfil SL | Agile 434 Tour | 10 | SOLE: AGILE, 434, tour, ti ForGed, (loft) view image here |
| Redfil SL | Bridge | N/A | SOLE: AGILE, BRIDGE, TI FORGED, 330cc view image here |
| Redfil SL | O-Nix (Agile) | N/A | SOLE: AGILE, O-NIX, TI FORGED, 460cc |
| | | | view image here |

| November 04, 2024 | | | |
|-------------------------|------------------------|-------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| REFEC Sports Sdn Bhd | ED Tec Drive | 9.5,10.5 | SOLE: (RIVE in ED media blast), (loft) TOE: ED TEC (ED in circle) CROWN: (heart alignment mark) view image here |
| REFEC Sports Sdn Bhd | ED Tec Drive HT | N/A | SOLE: (RIVE in ED media blast), HT TOE: ED TEC (ED in circle) CROWN: (heart alignment mark) view image here |
| Retug Inc | Acentus | 9.5,10.5,12 | SOLE: Acentus, TITANIUM POWER VORTEX, (loft) view image here |
| Retug, Inc. | VT 420 | N/A | SOLE: VT 420, (line), BETA TITANIUM, (loft), Vortex Technology view image here |
| Rhim Korea | AfterBurner-X | N/A | SOLE: 1, Rhim (with circle above i), AfterBurner-X CROWN: (3 circles alignment mark) view image here |
| Rick's Golf LLC | Lexus 430 TVC Compo | 10.5 | SOLE: (Lexus logo), LEXUS, 430 TVC, COMPO, (circular weight) (loft) BACK: (circular weight) view image here |
| Rick's Golf LLC | Lexus LS 430 | 10.5 | SOLE: (Lexus logo), LEXUS, (line), LS 430, (tungsten weight port), (loft) BACK: (tungsten weight port) view image here |
| Rick's Golf LLC | Red Tailed RG/D-460 | 10.5 | SOLE: RG/D-460, (line), SP700 - 2.7mm, (feather graphic), Red Tailed, (loft), Cutting Edge, DCG Sole BACK: (two inserted screw weights) TOE: (feather graphic), (flying bird graphic), Red Tailed view image here |
| Ridis Golf Corporation | Ridis | 10 | SOLE: (RiDiS, FORGED TI FACE, R1, (logo) over media blast logo), (loft) view image here |
| Ridis Golf Corporation | Ridis R20 | 10 | SOLE: (loft), RiDis, R20 |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|------------------------|-------|--|
| Ridis Golf Corporation | Ridis R30 Gee | 10 | SOLE: HI, (weight port), MADE IN FIKUSHIMA JAPAN, RIDIS, Gee, LO, (weight port), R30 BACK: (logo) CROWN: RiDIS HOSEL: (dot) (orientation markers), (dot) HEEL: (loft) FACE:Variable Face, (floral design) view image here |
| Ridis Golf Corporation | Ridis TP-456-RR | 9,10 | SOLE: RiDiS, FORGED TITANIUM, TP-456-RR, (curved line), (loft) view image here |
| Ridis Golf Corporation | Ridis TP-457-RRR | 9,10 | SOLE: RiDiS, TP-457-RRR, (loft) |
| Tridis don dorporation | Trade II Tol Itali | 3,.0 | view image here |
| Ridis Golf Corporation | TP-455-R | 9,10 | SOLE: January 18, 2001, 'RIDIS' made by, local golfer in the south of Fukushima, prefecture is an excellent club, (R logo), RIDIS HEEL: (loft) |
| Dilay Calf | X-10 | N/A | view image here SOLE: X-10, (circle w/ X), Riley |
| Riley Golf | X-10 | 14/7 | view image here |
| Rizap Innovations Co.,Ltd. | Lexim 03 (version 2) | N/A | SOLE: (LEXIM text on chevron shape), (weight port), (logo) LEXIM, (logo), (weight port), (weight port), (weight port), (LEXIM text on chevron shape) HOSEL: (logo) LEXIM03, (orientation indicators) FACE:FORGED, (logo) |
| Rizap Innovations Co.,Ltd. | Lexim 1701 (Version 2) | N/A | SOLE: (logo), LEXIM HOSEL: 1701, (orientation indicators) STDLOFT, LOWER, HIGHER HEEL: (weight port) view image here |
| Rizap Innovations Co.,Ltd. | Lexim 1702 | N/A | SOLE: ((logo), LEXIM over media blast logo) BACK: (weight port) (weight port) HEEL: RIZAP GOLF FACE:(FORGED, (logo) in media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|----------|--|
| Roir Japan Co | 2022 Ray Type R | 11 | SOLE: (weight port), (logo), START GUIDE FRAME, (Ray on hexagonal inset), RomaRo, TYPE R BACK: RomaRo TOE: (flame), Fire Lock Face HOSEL: (dot), RomaRo HEEL: (weight port), GRAND QUALITY, (weight port) FACE:Fire Lock Face, Type, R |
| Roir Japan Co | Abroad KG-425 | N/A | SOLE: KG-425, THE BEST STRIKING, (ABROAD (with O logo) over media blast A logo), FORGED CUP FACE SP700 TOE: (A logo), THE BEST STRIKING view image here |
| Roir Japan Co | Ballista 3D Driver BR08 | N/A | SOLE: = 3D PRINTED HEAD =, Ballista, BR08, (weight port) BACK: RomaRo HOSEL: K, (dot), (dot), RomaRo view image here |
| Roir Japan Co | Ballista BR08 | 12.5 | SOLE: 3D PRINTED HEAD, Ballista, BR08, (weight port) BACK: RomaRo HOSEL: (dot), RomaRo view image here |
| Roir Japan Co | Ballista The FIRST 3D Driver (version 2) | N/A | SOLE: RomaRo, Ballista, (B logo) CROWN: (RomaRo in inset) HOSEL: L, (dot), RomaRo view image here |
| Roir Japan Co | Ray 435LX | 9,10 | SOLE: Tour Quality Model, D.i.B, (RomaRo over logo), Ray, -435LX-BACK: RomaRoHEEL: -Radial Symmetry Titanium Cup Face-, (loft) |
| Roir Japan Co | Ray 455LX | 9.5,10.5 | SOLE: Tour Quality Model, RomaRo, (logo), Ray, -455LX- BACK: RomaRo HEEL: -Radial Symmetry Titanium Face-, (loft) view image here |
| Roir Japan Co | Ray 455LX Type R | 9.5,10.5 | SOLE: (RomaRo over media blast logo), Ray, TYPE R, 455LX, (loft) BACK: RomaRo HEEL: FORGED TITANIUM W CUP FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---|-------------|--|
| Roir Japan Co | Ray 455LX Type R Tour Select | N/A | SOLE: (RomaRo over media blast logo), Ray, TYPE R, 455LX, TOUR SELECT, (logo) BACK: RomaRo HEEL: FORGED TITANIUM W CUP FACE view image here |
| Roir Japan Co | Ray 455LX Type R Tour Select Speed Tune | N/A | SOLE: (RomaRo over media blast logo), Ray, TYPE R, 455LX, TOUR SELECT, (logo) BACK: RomaRo TOE: SPEED, TUNE HEEL: FORGED TITANIUM W CUP FACE view image here |
| Roir Japan Co | Ray 460 HX (H.T) | 11 | SOLE: (RomaRo over media blast logo), (Ray, HX on hexagonal inset), 460, (arrow), HARMONIZE FIN SYSTEM, (arrow), GRAND QUALITY BACK: RomaRo HEEL: H.T view image here |
| Roir Japan Co | Ray 460 HX Speed Tune | 9,10 | SOLE: (RomaRo over media blast logo), (Ray, HX on hexagonal inset), 460, (arrow), HARMONIZE FIN SYSTEM, (arrow), GRAND QUALITY BACK: RomaRo TOE: S, PEED, TUNE HEEL: (loft) view image here |
| Roir Japan Co | Ray 460 HX Speed Tune H.T (Version 2) | 11 | SOLE: (RomaRo over media blast logo), (Ray, HX on hexagonal inset), 460, (arrow), HARMONIZE FIN SYSTEM, (arrow), GRAND QUALITY BACK: RomaRo TOE: S, PEED, TUNE HEEL: H.T view image here |
| Roir Japan Co | Ray a | 9.5,10.5,14 | SOLE: (RomaRo over media blast logo), (Ray, a (alpha) over logo on shield inset), (loft) BACK: FORGED TITANIUM CUP FACE view image here |
| Roir Japan Co | Ray a (Version 2) | 9.5,10.5 | SOLE: (RomaRo), (logo), (Ray, (alpha) on shield inset), FORGED TITANIUM CUP FACE, (loft) FACE:(Ray, (alpha) in shield logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|-----------------------------|----------|---|
| Roir Japan Co | Ray a Black | 12 | SOLE: (RomaRo), (logo), (Ray, (alpha) on shield inset) HOSEL: (dot), RomaRo, RomaRo, RomaRo HEEL: (weight port), =BLACK=, (weight port) FACE:(Ray, (alpha) in shield logo) |
| Roir Japan Co | Ray HX460 | 9,10 | SOLE: (RomaRo over medial blast logo), (Ray, HX on hexagonal inset), 460 BACK: RomaRo HEEL: (loft) view image here |
| Roir Japan Co | Ray Type R (Version 2) | 9.5,10.5 | SOLE: (RomaRo over media blast logo), (Ray on hexagonal inset), TYPE R BACK: RomaRo HOSEL: Z HEEL: (loft) view image here |
| Roir Japan Co | Ray Type R Ultimate Tune | 10.5 | SOLE: RomaRo (logo), (Ray on hexagonal inset), TYPE R BACK: RomaRo TOE: ULTIMATE TUNE CROWN: ULTIMATE TUNE view image here |
| Roir Japan Co | Ray V | 9,10 | SOLE: RomaRo, (Ray (in cavity)), (logo), (line, line) DUAL FORCE POCKET (line, line) BACK: RomaRo HEEL: (loft) view image here |
| Roir Japan Co | Ray V Speed Tune | 9,10 | SOLE: RomaRo, (Ray in inset), (logo), (line, line) DUAL FORCE POCKET (line, line), SPEED, TUNE BACK: RomaRo HEEL: (loft) view image here |
| Roir Japan Co | Ray V V2 435 | N/A | SOLE: =SILVER BACK FACE=, (weight port), (weight port), RomaRo, (logo), (Ray, V on inset), (weight port), (weight port) BACK: RomaRo TOE: V2, 435 HOSEL: (dot), RomaRo view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--------------------|---------------|--|
| Roir Japan Co | Ray V V2 455 | 9.5,10.5 | SOLE: =SILVER BACK FACE=, (weight port), (weight port), RomaRo, (logo), (Ray, V on inset), (weight port), (weight port) BACK: RomaRo TOE: V2, 455 HOSEL: (dot), RomaRo HEEL: (loft) view image here |
| Roir Japan Co | Ray V V2 455 Tour | 9.5,10.5 | SOLE: =SILVER BACK FACE=, (weight port), RomaRo, (logo), (Ray, V on inset), (weight port) BACK: RomaRo TOE: V2, 455, TOUR HOSEL: (dot), RomaRo HEEL: (loft) view image here |
| Roir Japan Co | Ray V1 (Version 2) | 9.5,10.5 | SOLE: DOUBLE TITANIUM FACE, RomaRo, (logo), (Ray V on inset) BACK: RomaRo TOE: V1, 460, (weight port) HOSEL: M HEEL: (loft), (weight port) view image here |
| Roir Japan Co | RD-01 | 9.5,10.5,11.5 | SOLE: (loft), PRODUCED BY ROMARO, (in oval), (logo), GRAND VICTORY (in oval), RD-01 BACK: RomaRo view image here |
| Roir Japan Co | VALOS | 10.5 | SOLE: (weight port), (weight port), (weight port), VALOS CROWN: (alignment mark) HOSEL: (arrow), (orientation indicators) view image here |
| Roots Golf Co Ltd | AERMET ACE | 9.5,10.5 | SOLE: Roots Golf, DESIGNED IN KYOTO, AERMET, ACE, (loft), AERMET CUP FACE CROWN: (logo), ACE HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:(logo), Roots Golf view image here |
| Roots Golf Co Ltd | AerMet Infini | 9.5,10.5 | SOLE: (loft), (RG on inset), ROOTS GOLF, AerMet Infini, Super AerMet Cup Face CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------|----------|---|
| Roots Golf Co Ltd | AerMet-G | 9.5,10.5 | SOLE: ((Roots Golf, Aer Met, (loft), (G logo), (RG logo) in shape) over repeated media blast GG logo), (GG logo on inset) BACK: CONFORMING TO R&A/USGA SLE RULE, Super AerMet Cup Face FACE:(media blast GG logo) |
| Roots Golf Co Ltd | AerMet-X | 9.5,10.5 | SOLE: AerMet, 5 diamond shaped insets, ((X logo) over X media blast), (loft) TOE: Roots Golf HEEL: CONFORMING TO R&A/USGA SLE RULE FACE:AerMet Cup Face |
| Roots Golf Co Ltd | Click | 9.5,10.5 | SOLE: (ROOTS, GOLF over logo media blast), (loft) BACK: CLICK HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Roots Golf Co Ltd | Jyuraju Elixir | 10.5 | SOLE: Jyuraku, ELIXIR, SUPER AerMet FACE BACK: (loft), (logo on inset) TOE: ROOTS, GOLF HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| Roots Golf Co Ltd | Jyuraku | 10,11.5 | SOLE: (3 circles), The ROOTS, Jyuraku, ((logo) on inset), (loft), (3 circles) HOSEL: ROOTS, GOLF HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Roots Golf Co Ltd | Karyou | 10.5 | SOLE: Super AerMet Cup Face, (loft), (The Roots, Karyou, Roots Golf over media blast logo), CONFORMING TO, R&A / USGA SLE RULE, (logo on circular inset) FACE:(media blast logo), (media blast logo) view image here |
| Roots Golf Co Ltd | Karyou HT | N/A | SOLE: Super AerMet Cup Face, HT°, (The Roots, Karyou, Roots Golf over media blast logo), CONFORMING TO, R&A / USGA SLE RULE, (logo on circular inset) FACE:(media blast logo), (media blast logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--------------------|-----------|---|
| Roots Golf Co Ltd | Kei | 10 | SOLE: (logo), The Roots, Kei, (loft), NEO CUP FACE, (SUPER, Aermet on inset) TOE: Roots Golf, (logo) CROWN: (logo alignment mark) HOSEL: CONFORMING TO, R&A/USGA, SLE RULE view image here |
| Roots Golf Co Ltd | Kei HT | N/A | SOLE: (logo), The Roots, Kei, HT°, NEO CUP FACE, (SUPER, Aermet on inset) TOE: Roots Golf, (logo) CROWN: (logo alignment mark) HOSEL: CONFORMING TO, R&A/USGA, SLE RULE view image here |
| Roots Golf Co Ltd | MD Driver 440 AT | 10,11 | SOLE: MD DRIVER, AERMET & TITANIUM, (7 circles), (logo) TOE: ROOTS, GOLF CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA SLE RULE FACE:Cup Face, (loft) view image here |
| Roots Golf Co Ltd | Raptor (Version 2) | 9.5,10.5 | SOLE: Roots, Raptor, (loft) TOE: Super AerMet CROWN: (alignment mark) HEEL: CONFORMING TO, R&A/USGA, SLE RULE view image here |
| Roots Golf Co Ltd | Roots 400 Driver | 9.5,10.5 | SOLE: ROOTS, SUPER TITANIUM, GOSEN AMERICA, 400 DRIVER, = (loft) = view image here |
| Roots Golf Co Ltd | Roots MD Driver | N/A | SOLE: ROOTS, SUPER AERMET, GOSEN AMERICA, MD DRIVER BACK: TUNGSTEN HEAVY WEIGHT FACE:AerMet view image here |
| Roots Golf Co Ltd | The Roots Driver | 9.5,10.5 | SOLE: The ROOTS, SUPER AERMET, S.V.L. dream composite, (circles), Loft (loft) FACE:AerMet view image here |
| Roots Golf Co Ltd | The Roots Jin | 10.5,11.5 | SOLE: (loft), (inset), The Roots, Jin, J TOE: Super AerMet Cup Face CROWN: (alignment mark) HEEL: CONFORMING TO R&A/USGA SLE RULE FACE:J view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---|------------------------|---|
| Roots Golf Co Ltd | The Roots Sui | 10.5,HT,HT | SOLE: ((loft) over media blast pattern), (pattern around hexagonal inset), ((GOLF ROOTS GOLF ROOTS GOLF ROOTS) (Sui logo) on hexagonal inset), The, Roots, (Sui over (Sui logo media blast), ((Roots Golf) over media blast pattern) TOE: Super AerMet Cup Face CROWN: (Sui logo alignment mark) HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| Roots Golf Co Ltd | The Roots Zip Driver | 10.5,11.5 | SOLE: Aermet Cup Face, (insert),THE, ROOTS, ZIP, (loft). CROWN: (alignment mark) HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| Royal Collection | Model SS-04 | 8 | SOLE: SONARTEC, Driving Cavity, [MODEL SS-04], 1, U.S. PATENTED, LOFT, (loft) view image here |
| Royal Collection | Model Ti-01 | 9,10,11 | SOLE: SONARTEC, Driving Cavity, [MODEL Ti-01], 1, U.S.PATENTED, LOFT, (loft) view image here |
| Royal Collection | Model Ti-02 | 7,8,9,10,11 | SOLE: SONARTEC, Driving Cavity, [MODEL Ti-02], U.S. PATENTED, LOFT, 1 (loft) BACK: (two curved lines) HEEL: PRO TO-III view image here |
| Royal Collection | Royal Collection RC BBD Type H II (Version 1) | 8.5,9.5,10.5,12 | SOLE: RC (loft), B.B.D Type H, (line) II (line), ROYAL COLLECTION BACK: (three circular weight ports in oval) view image here |
| Royal Collection | Royal Collection RC BBD Type H II (Version 2) | 8,8.5,9,9.5,10,10.5,11 | SOLE: RC (loft), (circular weight), B.B.D TYPE H, (line)II(line), ROYAL COLLECTION (circular weight) BACK: (three circular weights) view image here |
| Royal Collection | Royal Collection RC CV Pro US | 8.5,9.5 | SOLE: RC (loft) US, CV PRO, (line), ROYAL COLLECTION BACK: (three circular weight ports) view image here |
| Royal Collection | Royal Collection RC Proto NP | 9,10 | BACK: (three circular inserts) HEEL: RC PROTO NP (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|---|-------------------|--|
| Royal Collection | Royal Collection RC* fd | 8.5,9.5,10.5,11.5 | SOLE: (fd in circle), (circular weight), (1 in circle), (loft in circle)°, (circular weight), ROYAL COLLECTION, (circular weight) TOE: RC (star graphic) CROWN: (arrow alignment mark) |
| Royal Collection | Royal Collection RC-295 | 8.5,9.5 | SOLE: (RC logo) ROYAL COLLECTION, RC-295, FOR PRO USE, Ti. DRIVER, 1 (loft) view image here |
| Royal Collection | Royal Collection Super CV BBD Type H | 7,8,9,10 | SOLE: SUPER CV, B.B.D, (two triangles)Type-H(two triangles), ROYAL COLLECTION, 1, WORLDWIDE, PATENTED, (loft) US |
| Royal Collection | Royal Collection Super CV BBD Type H US (Version 1) | 7,8,9,10 | SOLE: SUPER CV, B.B.D, (two triangles) Type-H (two triangles), ROYAL COLLECTION, 1, WORLDWIDE, PATENTED, (loft) US BACK: (two curved lines) HOSEL: PROTO-1 |
| Royal Collection | Royal Collection Super CV BBD Type H US (Version 2) | 8,9,10 | SOLE: SUPER CV, B.B.D, (two triangles) Type-H (two triangles), ROYAL COLLECTION, 1, WORLDWIDE, PATENTED, (loft) US BACK: (two curved lines) HOSEL: PROT-II |
| Royal Collection | Royal Collection Super CV SFD 340 Plus | 8,8.5,9,9.5 | SOLE: SUPER.CV, S.F.D, (line), 340 Plus, Super Back Weight, (K logo) ROYAL COLLECTION, 1 LOFT (loft) view image here |
| Royal Collection | Royal Collection Super CV UFD | 10.5 | SOLE: SUPER. CV, U. F. D., (line), [TITANIUM], (RC logo)ROYAL COLLECTION, 1 LOFT (loft) view image here |
| Royal Collection | Super CV Pro (Version 1) | 9 | SOLE: SUPER. CV, P.R.O, (line), [TITANIUM], (line with two arrows) ROYAL COLLECTION, 1 LOFT (loft) view image here |
| Royal Collection | Super CV Pro (Version 2) | 7 | SOLE: SUPER. CV, PRO, (line), [TITANIUM], (K logo) ROYAL COLLECTION, 1, LOFT (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|----------------------|--------------|--|
| Royal Collection Inc | BBD 105V | 9.5,10.5 | SOLE: (loft), BBD, RC, 105V BACK: DR-CV WEIGHT TOE: ROYAL COLLECTION HEEL: VOLUME 415 |
| | | | view image here |
| Royal Collection Inc | BBD 105V (Black) | 9.5,10.5 | SOLE: (loft), BBD, RC, 105V BACK: DR-CV WEIGHT TOE: ROYAL COLLECTION HEEL: VOLUME 415, (triangle) BLACK FINISH (triangle) view image here |
| Payal Callaction Inc | BBD 105V Forged | 9.5,10.5 | SOLE: (loft), BBD, RC, 105V FORGED |
| Royal Collection Inc | BBD 103V Folged | 3.3,10.3 | BACK: DR-CV WEIGHT TOE: ROYAL COLLECTION |
| | | | <u>view image here</u> |
| Royal Collection Inc | BBD 106V Forged | 9.5,10.5 | SOLE: (loft) FORGED, BBD 106 V, RC |
| | | | view image here |
| Royal Collection Inc | BBD 107V (Prototype) | 9.5,10.5 | SOLE: (loft), DR-CV WEIGHT, (RC logo), BBD 107V |
| | | | view image here |
| Royal Collection Inc | BBD V7 | 9.5,10.5 | SOLE: V7, ROYAL COLLECTION, (loft), BBD TOE: RC |
| | | | view image here |
| Royal Collection Inc | RC BBD's 104F | 9.5,10.5 | SOLE: BBD's, 104F 1 (triangle) (loft) TOE: RC HEEL: ROYAL COLLECTION |
| | | | view image here |
| Royal Collection Inc | RC BBD's 104T | 8.5,9.5,10.5 | SOLE: BBD's, 104T 1 (triangle) (loft) TOE: RC HEEL: ROYAL COLLECTION |
| | | | view image here |
| Royal Collection Inc | RC cvXer | 8,9,10 | SOLE: RC, cvXer, ROYAL COLLECTION, 1 (loft) (underlined) |
| | | | view image here |
| Royal Collection Inc | RC CvXer | 11 | SOLE: RC, cvXer, ROYAL COLLECTION, 1 (loft) (double underlined) |
| | | | view image here |
| Royal Collection Inc | RC FD | 10.5,11.5 | SOLE: fd (in circle), 1 (in circle), (loft) (in circle), ROYAL COLLECTION CROWN: (alignment mark) HOSEL: GOLD |
| | | | <u>view image here</u> |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|------------------|-------------|---|
| Royal Collection Inc | RC Star | 9.5,10.5,13 | SOLE: RC, (star), STAR, (RC STAR on inset), ROYAL COLLECTION, (loft) HOSEL: (orientation indicators) |
| | | | view image here |
| Royal Collection Inc | SFD | 9.5,10.5 | SOLE: S (F with line above) D, ROYAL COLLECTION, ((something over line), for, (distance over line) on inset), (loft) TOE: Forged SP-700 Titanium Face |
| | | | view image here |
| Royal Collection Inc | SFD Black | 9.5,10.5 | SOLE: SFD, BLACK, RC, (media blast R logo), (loft), SUPER FAIRWAY DRIVE BACK: ROYAL COLLECTION |
| | | | view image here |
| Royal Collection Inc | SFD III | 9.5,10.5 | SOLE: SFD III, RC ROYAL COLLECTION, (loft) |
| | | | view image here |
| Royal Collection Inc | SFD X7 | 9.5,10.5,12 | SOLE: S (F with line above) D, ROYAL COLLECTION, X7 (loft) (line), (RC on inset) TOE: ROYAL COLLECTION view image here |
| Royal Collection Inc | SFD X7 Black | 9.5,10.5,12 | SOLE: S (F with line above) D, ROYAL COLLECTION, X7 (loft) (line), (RC on inset) TOE: ROYAL COLLECTION |
| | | | view image here |
| Royal Collection Inc | SFD X7 Prototype | 9.5,10.5 | SOLE: S (F with line above) D, ROYAL COLLECTION, X7 (loft), (line), PROTOTYPE, (RC on inset) TOE: ROYAL COLLECTION FACE:(loft) P view image here |
| Royal Collection Inc | SFD X8 | 9.5,10.5 | SOLE: S (F with line above) D, ((ROYAL COLLECTION, RC, ROYAL COLLECTION, RC on inset around weight port) (weight port)), ROYAL COLLECTION, X8, TOE: RC HOSEL: (STD, LOW, UPRT, HIGH (orientation indicators)) HEEL: (loft) (line) FACE:BK |

| 050 (0 (1) 0) | | |
|-----------------------------|---|---|
| SFD X8 (Version 2) | 9.5,10.5 | SOLE: S (F with line above) D, ((ROYAL COLLECTION, RC, ROYAL COLLECTION, RC on inset around weight port) (weight port)), ROYAL COLLECTION, X8, TOE: RC HOSEL: (STD, LOW, UPRT, HIGH (orientation indicators)) HEEL: (loft) (line) |
| Sonartec TD | 9.5,10.5 | SOLE: TD, (logo on circular inset), SONARTEC, FORGED CUP FACE, (loft), (logo on circular inset) TOE: TOUR DISTANCE FACE:(media blast logo) view image here |
| Tour VS | 9,10 | SOLE: (loft), RC, TOUR VS BACK: ROYAL COLLECTION TOE: BBD'S view image here |
| XVP | 9.5,10.5 | SOLE: EXtra Vintage Premium, ((RC, ROYAL COLLECTION in crown shaped crest with stars), SINCE 1992, (star) on inset) TOE: Royal Collection HEEL: Loft (loft) view image here |
| BT23 420cc (Version 1) | 8.5,10.5 | SOLE: BT23, BETA TITANIUM, Royaltee, 1 (loft), (Cadillac logo on circular insert), 420cc CROWN: (R alignment mark) view image here |
| BT23 420cc (Version 2) | 9.5,11.5 | SOLE: BT23, BETA TITANIUM, Royaltee, (1 (loft) in rectangle), (Cadillac logo on circular insert), 420CC CROWN: (R logo alignment mark) view image here |
| (T)LESS (HL) | 13 | SOLE: (T)LESS, RXS, HIGH LAUNCH (loft) CROWN: (two dots alignment mark) view image here |
| (T)LESS (Version 3) | N/A | SOLE: (T)LESS, HIGH LAUNCH (loft) CROWN: (two dots alignment mark) view image here |
| (T)LESS (Version 4) (LH) | N/A | SOLE: (T)LESS, HIGH LAUNCH (loft) CROWN: (two dots alignment mark) FACE:HY>LAUNCH view image here |
| | Tour VS XVP BT23 420cc (Version 1) BT23 420cc (Version 2) (T)LESS (HL) (T)LESS (Version 4) | Tour VS 9,10 XVP 9.5,10.5 BT23 420cc (Version 1) 8.5,10.5 (T)LESS (HL) 13 (T)LESS (Version 3) N/A (T)LESS (Version 4) N/A |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------|---------------|---|
| Ryobi Limited | Vigorous 350 | 10 | SOLE: 1, (loft), Vigorous, 350, Ryobi |
| | | | view image here |
| Ryobi Limited | Vigorous FD Deep | N/A | SOLE: VIGOROUS, FD, F1, deep, RYOBI |
| | | | view image here |
| Ryobi Limited | Vigorous FD Shallow | N/A | SOLE: VIGOROUS, FD, F1, shallow, RYOBI |
| | | | view image here |
| Ryoka Co., Ltd | Linhua 435 NK-01 | 9.5,10.5 | SOLE: Linhua, 435, DAT55G FACE, NK-01, (loft) |
| | | | view image here |
| Ryoka Co., Ltd | Linhua 440 NK-04 | 10.5 | SOLE: Linhua, 440, NK-04 BACK: (weight port), (weight port) |
| | | | view image here |
| Ryoka Co., Ltd | Linhua 445 NK-02 | 9.5,10.5 | SOLE: Linhua, 445, DAT55G (loft), NK-02 |
| | | | view image here |
| Ryoka Co., Ltd | Linhua 460 NK-03 | 9.5,10.5 | SOLE: Linhua, 460, PLASMA (loft), NK-03 |
| | | | view image here |
| Ryoma Golf Co Ltd | D-1 | 9.5,10.5,11.5 | SOLE: D-1 BACK: (POWERED BY, (triangle) DSI (triangle), TECHNOLOGY on inset) TOE: RYOMA, GOLF HEEL: (loft), CONFORMING TO, R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | D-1 HT | N/A | SOLE: D-1 BACK: (POWERED BY, (triangle) DSI (triangle), TECHNOLOGY on inset) TOE: RYOMA, GOLF HEEL: HT, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | D-1 Maxima Type-D | 9.5,10.5,11.5 | SOLE: D-1, MAXIMA, (loft), TYPE-D BACK: (POWERED BY, DSI, TECHNOLOGY on inset) TOE: Ryoma, GOLF HEEL: (angled line), TYPE-D, CONFORMING TO R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------|-------------------|---|
| Ryoma Golf Co Ltd | D-1 Maxima Type-D (HT) | N/A | SOLE: D-1, MAXIMA, HT BACK: (POWERED BY, DSI, TECHNOLOGY on inset) TOE: Ryoma, GOLF HEEL: (angled line), TYPE - D, CONFORMING TO R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | D-1 Maxima Type-D (LH) | 9.5,10.5,11.5 | SOLE: D-1, MAXIMA, (loft) BACK: (POWERED BY, DSI, TECHNOLOGY on inset) TOE: Ryoma, GOLF HEEL: (angled line), TYPE-D, CONFORMING TO R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | D-1 Maxima Type-G | 9.5,10.5,11.5 | SOLE: D-1, MAXIMA, (loft) BACK: (POWERED BY, DSI, TECHNOLOGY on inset) TOE: Ryoma, GOLF HEEL: (angled line), TYPE-G, CONFORMING TO R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | D-1 Maxima Type-G (LH) | 9.5,10.5,11.5 | SOLE: D-1, MAXIMA, (loft) BACK: (POWERED BY, DSI, TECHNOLOGY on inset) TOE: Ryoma, GOLF HEEL: (angled line), TYPE-G, CONFORMING TO R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | D-1 Maxima Type-V | 8.5,9.5,10.5 | SOLE: D-1, MAXIMA, (loft) BACK: (POWERED BY, DSI, TECHNOLOGY on inset) TOE: Ryoma, GOLF HEEL: (angled line), TYPE-V, CONFORMING TO R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | D-1 Maxima Type-V (LH) | 9.5,10.5 | SOLE: D-1, MAXIMA, (loft) BACK: (POWERED BY, DSI, TECHNOLOGY on inset) TOE: Ryoma, GOLF HEEL: (angled line), TYPE-V, CONFORMING TO R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | D-1 Premia | 8.5,9.5,10.5,11.5 | SOLE: D-1, PREMIA BACK: (POWERED BY, (triangle) DSI (triangle), TECHNOLOGY on inset) TOE: RYOMA, GOLF HEEL: (loft), CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------------------|--------------------|---|
| Ryoma Golf Co Ltd | D-1 V-Spec | 8.5,9.5,10.5 | SOLE: D-1, V-SPEC BACK: (POWERED BY, (TRIANGLE) DSI (TRIANGLE), TECHNOLOGY on inset) TOE: Ryoma, GOLF HEEL: (loft), CONFORMING TO, R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | Maxima II Type-D | 9.5,10.5,11.5,13 | SOLE: MAXIMA, (loft) BACK: (DSI on inset) TOE: Ryoma, GOLF HEEL: TYPE D, CONFORMING TO R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | Maxima II Type-V | 8.5,9.5,10.5 | SOLE: MAXIMA, (loft) BACK: (DSI on inset) TOE: Ryoma, GOLF HEEL: TYPE V, CONFORMING TO R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | Maxima III Type-D | 9.5,10.5,HT,HT | SOLE: (weight port), (logo), MAXIMA, DSI, (loft) TOE: RYOMA HEEL: TYPE D, CONFORMING TO R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | Maxima III Type-V | 10 | SOLE: (weight port), (logo), MAXIMA, DSI, (loft) TOE: RYOMA HEEL: TYPE V, CONFORMING TO R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | Maxima III Type-V (version 2) | 9 | SOLE: (weight port), (logo), MAXIMA, DSI, (loft) TOE: RYOMA HEEL: TYPE V, CONFORMING TO R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | Ryoma Maxima Type-D | 9.5,10.5,11.5,12.5 | SOLE: Ryoma, MAXIMA, (loft) BACK: (DSI, (underlined), TECHNOLOGY on inset) TOE: Ryoma, GOLF HEEL: TYPE D, CONFORMING TO, R&A/USGA SLE RULE view image here |

| Manufacturer | Due do et Messe | 1 - 64 - | lalandification 20 at the second |
|--------------------------------|---------------------------|----------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Ryoma Golf Co Ltd | Ryoma Maxima Type-G | 9.5,10.5,11.5 | SOLE: Ryoma, MAXIMA, (loft) BACK: (DSI, (underlined), TECHNOLOGY on inset) TOE: Ryoma, GOLF HEEL: TYPE G, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Ryoma Golf Co Ltd | Ryoma Maxima Type-V | 9.5,10.5 | SOLE: Ryoma, MAXIMA, (loft) BACK: (DSI, (underlined), TECHNOLOGY on inset) TOE: Ryoma, GOLF HEEL: TYPE V, CONFORMING TO, R&A/USGA SLE RULE view image here |
| Saga Co Ltd | Mehana ML | N/A | SOLE: Mehana, (weight port) TOE: ROSE HOSEL: (dot), (orientation indicators) HEEL: ML view image here |
| Saga Co Ltd | Rose Moe86-300 | N/A | SOLE: MOE86, 300 TOE: Rose view image here |
| Sakamoto Golf Manufacturing | CZ-Arrow F-1 | N/A | SOLE: F-1, CZ-ARROW, -Formula 460 Attack-, (logo) s.m.g. view image here |
| Sakamoto Golf Manufacturing | CZ-Arrow F-2 | N/A | SOLE: F-2, CZ-ARROW, -Formula 460 Attack-, (logo) s.m.g. <u>view image here</u> |
| Sakamoto Golf Manufacturing | LZ-R 460D V1 | 10 | SOLE: V1, LZ-R 460D, (line), Distance of LZR Moment, (logo) s.m.g. view image here |
| Sakamoto Golf Manufacturing | LZ-R 460D V2 | 11.5 | SOLE: V2, LZ-R 460D, (line), Distance of LZR Moment, (logo) s.m.g. view image here |
| Sakamoto Golf Manufacturing | SMG 436GTI (Version 1) | 10,11.5 | SOLE: (logo) S.M.G, (3 lines) 436GTI (3 lines), α-ZP, MT-(loft indicator) <u>view image here</u> |
| Sakamoto Golf Manufacturing | SMG 436GTI (Version 2) | 10.5,11.5,12.5 | SOLE: (logo) S.M.G., (3 lines) 436GTI (3 lines), MT-(loft indicator) FACE:SP-700 view image here |

| Manufacturer | Droduct News | Lofto | Idontification Montines |
|--------------------------------|-------------------|------------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Sakamoto Golf Manufacturing | SMG 460 X-1 | N/A | SOLE: SUPER CHAMP, S.M.G., Dynamic Round Sole, SP-700, 460 X-1, (SMG logo) view image here |
| Sakamoto Golf Manufacturing | SMG 460 X-2 | N/A | SOLE: SUPER CHAMP, S.M.G., Dynamic Round Sole, SP-700, 460 X-2, (SMG logo) view image here |
| Sakamoto Golf Manufacturing | SMG 460 X-3 | N/A | SOLE: SUPER CHAMP, S.M.G., Dynamic Round Sole, SP-700, 460 X-3, (SMG logo) view image here |
| Sakamoto Golf Manufacturing | SMG Baludira 460 | 10,11.5 | SOLE: - BALUDIRA -, LT-(loft indicator), 460 (in square), S.M.G. view image here |
| Sakamoto Golf Manufacturing | SMG Expairal 450D | 10,11.5 | SOLE: EXPAIRAL, 450D, (logo) S.M.G., LT-(loft indicator) view image here |
| Sakamoto Golf Manufacturing | SMG SP-700 450 | 10,11.5,13 | SOLE: (SMG logo) S.M.G., Dynamic Round Sole, 1, SP-700, 450, SMG-(loft identification number 1, 2 or 3), Produced by, -Sakamoto Golf- FACE:SP-700 view image here |
| Sakamoto Golf Manufacturing | SMG SP-700 460 | 10,13 | SOLE: (SMG logo) S.M.G., Dynamic Round Sole, 1, SP-700, 460, SMG-(loft identification number 1 or 3), Produced by, -Sakamoto Golf-FACE:SP-700 |
| Saso Grind Sports Inc | B/T F-26 | N/A | SOLE: (logo), Saso, B/T F-26, Mx=IxO, FxO/1, Dr. Sato view image here |
| Saso Grind Sports Inc | Dr. Sato II Tour | N/A | SOLE: MR2 (underlined), Square, F=ma, MX=lxö, I=mr2, IX=lx+mr2, (logo), Saso, mrw2=mv2/r, Fx=lxö/e, 1, Dr. Sato II, Tour view image here |
| Saso Grind Sports Inc | Dr. Sato Tour | N/A | SOLE: MR2 (underlined), Square, F=ma, MX=lxö, I=mr2, IX=lx+mr2, (logo), Saso, mrw2=mv2/r, Fx=lxö/e, Dr. Sato, 1 Tour view image here |
| Saso Grind Sports Inc | Flying Dragon | 10.5 | SOLE: 1 (loft), Flying, Dragon, Titanium, PAT 3025825, PAT Pending <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|------------------------|-----------------|--|
| Saso Grind Sports Inc | MR2 Square Tour | 9.5,10.5 | SOLE: mr2, (line), square TOUR, (logo), Saso, (I = ~~~(triangle)Mr2mx my mz over 1), (loft) view image here |
| Saso Grind Sports Inc | RRR S Saso (Version 2) | 10.5 | SOLE: SASO, RRR, (S logo), SASO, (loft) HEEL: R&A / USGA, SLERULE view image here |
| Saso Grind Sports Inc | RRR Saso a | 9.5 | SOLE: SASO, RRR, alpha, (S logo), SASO, (loft) view image here |
| Saso Grind Sports Inc | RRR-II | 9.5,10.5 | SOLE: SASO, (S logo), (S logo), RRR-II, (loft) view image here |
| Saso Grind Sports Inc | ß/t F-24 Tour | N/A | SOLE: ß/t, 1 F-24 Tour, (logo), Saso <u>view image here</u> |
| Scottish Golf Marketing | RSd 440 | 8.5,9.5,10.5,12 | SOLE: (loft), RSd, 440cc view image here |
| Seiko Sports Life Co Ltd | Acroclass | 10.5,11.5 | SOLE: S-Yard, Acroclass, Forged Titanium, S-YARD, SA, For the Pleasure of Golfing CROWN: (alignment mark) HEEL: Loft (loft) (underlined), SLE-CFM |
| Seiko Sports Life Co Ltd | Acroclass (Version 2) | 10.5,11.5 | SOLE: S-Yard, Acroclass, Forged Titanium, (loft), (SA logo), S-Yard Acroclass, (diamond) For the Pleasure of Golfing, (SA logo), (SA logo), S-Yard Acroclass, S-YARD CROWN: (alignment mark) view image here |
| Seiko Sports Life Co Ltd | Acroclass Senfina | 11.5,13 | SOLE: S-Yard, Acroclass, Senfina, Forged Titanium, (loft), (SA logo), S-Yard Acroclass, (diamond) For the Pleasure of Golfing, (SA logo), (SA logo), S-Yard Acroclass, S-YARD CROWN: (alignment mark) view image here |
| Seiko Sports Life Co Ltd | Exelight | 10.5 | SOLE: Exelight, DRIVER, INTERNATIONAL MODEL, Nano-Technology, Titanium, -(loft)-, Tungsten, S-YARD TOE: (S logo) CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|---|---------------|--|
| Seiko Sports Life Co Ltd | Exelight (Version 2) | 10.5,12.5 | SOLE: S-YARD, Exelight, DRIVER, Forged Titanium, (loft), (logo), S-YARD Exelight Golf Gear For Executive Golfers BACK: Forged Dual Titanium, Cup Face view image here |
| Seiko Sports Life Co Ltd | S-Yard Exelight Forged Titanium (Version 1) | 10.5 | SOLE: Exelight, DRIVER, S-YARD, Forged Titanium, Exelight CROWN: (alignment mark) HEEL: (loft) view image here |
| Seiko Sports Life Co Ltd | S-Yard Exelight Forged Titanium (Version 2) | N/A | SOLE: Exelight, DRIVER, S-YARD, Forged Titanium, Exelight CROWN: (alignment mark) view image here |
| Seiko Sports Life Co Ltd | S-Yard GT | 9.5,10.5,11.5 | SOLE: GT, FORGED, MULTI-Ti. HYBRID BACK: (S-YARD in shape) CROWN: (alignment mark) HEEL: (loft) view image here |
| Seiko Sports Life Co Ltd | S-Yard GT Type-S | 9,10 | SOLE: GT, FORGED TITANIUM, Type S BACK: (S-YARD in shape) HEEL: (loft) view image here |
| Seiko Sports Life Co Ltd | S-Yard T9 Special | 10 | SOLE: S-YARD 1, T, DRIVER, 9, Forged Titanium, -(loft)-, SPECIAL CROWN: (arrow alignment mark) view image here |
| Seiko Sports Life Co Ltd | S-Yard TX-V HD (Version 1) | 9.5,10.5,11.5 | SOLE: TX-V HD, DRIVER, S-YARD, FORGED TITANIUM, MULTI WEIGHT SYSTEM CROWN: (alignment mark) HEEL: (loft) view image here |
| Seiko Sports Life Co Ltd | S-Yard TX-V HD (Version 2) | 11.5 | SOLE: TX-V HD, DRIVER, S-YARD, FORGED TITANIUM, Senfina, MULTI WEIGHT SYSTEM CROWN: (alignment mark) HEEL: (loft) view image here |
| Seiko Sports Life Co Ltd | S-Yard TX-V HD Premium Edition | 9.5,10.5,11.5 | SOLE: TX-V HD, DRIVER, S-YARD, FORGED TITANIUM, Premium Edition, MULTI WEIGHT SYSTEM CROWN: (alignment mark) HEEL: (loft) view image here |

| November 04, 2024 | Due donet November | 1 - 4 - | Laboratific actions \$5 miles |
|-----------------------------|--------------------|-----------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Seiko Sports Life Co Ltd | S-Yard X-Lite | 10.5,11.5 | SOLE: (S-YARD, Forged Titanium, over X media blast), X-Lite CROWN: (alignment mark) HEEL: (loft) |
| | | | <u>view image here</u> |
| Seiko Sports Life Co Ltd | T.301 | 10.5,11.5 | SOLE: S-YARD, T.301, Forged Titanium 1, - (loft)- CROWN: (arrow alignment mark) view image here |
| Seiko Sports Life Co Ltd | T.301 NF | 9,10,11 | SOLE: S-Yard, T.301 NF, Forged Titanium 1, -(loft)- CROWN: (alignment mark) view image here |
| Seiko Sports Life Co Ltd | T.301 NF-II | 8.5,10 | SOLE: S-YARD, T.301NF-II, Forged Titanium 1, -(loft)- CROWN: (alignment mark) view image here |
| Seiko Sports Life Co Ltd | T.301 Senfina | 11.5,13 | SOLE: S-YARD, T.301, SENFINA, Forged Titanium 1, -(loft)- CROWN: (arrow alignment mark) view image here |
| Seiko Sports Life Co Ltd | T.302 | 10.5,11.5 | SOLE: 1, T.302, (line), Forged Titanium, S-YARD, -(loft)-CROWN: (alignment mark) view image here |
| Seiko Sports Life Co Ltd | T.302 CS | 10.5,11.5 | SOLE: 1, T.302 CS, (line), Forged Titanium, S-YARD, -(loft)-CROWN: (alignment mark) view image here |
| Seiko Sports Life Co Ltd | T.302 GD 1 | 10.5 | SOLE: 1, T.302 GD, (line), Forged Titanium, S-YARD, -(loft)-CROWN: (alignment mark) view image here |
| Seiko Sports Life Co Ltd | T.302 Senfina | 11.5,13 | SOLE: 1, SENFINA T.302, (line), Forged Titanium, S-YARD, -(loft)-CROWN: (alignment mark) view image here |
| Seiko Sports Life Co Ltd | T.311 | 9.5 | SOLE: S-YARD, T.311, Forged Titanium 1, - (loft)- CROWN: (arrow alignment mark) view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|------------------|-----------|---|
| Seiko Sports Life Co Ltd | T.501 | 9,10 | SOLE: S-YARD, T.501, Forged Titanium 1, - (loft)- <u>view image here</u> |
| Seiko Sports Life Co Ltd | T.601 | 10.5,11.5 | SOLE: S-YARD, T.601, Forged Titanium 1, - (loft)- CROWN: (alignment mark) view image here |
| Seiko Sports Life Co Ltd | T9 FAO.5 SPECIAL | 9 | SOLE: S-YARD 1, T 9, DRIVER, FAO.5, Forged Titanium, -(loft)-, SPECIAL CROWN: (arrow alignment mark) view image here |
| Seiko Sports Life Co Ltd | TX-1 COR | 9,10,11 | SOLE: TX-1, Driver, S-Yard, Forged Titanium, Loft (loft), C.O.R. CROWN: (alignment mark) view image here |
| Seiko Sports Life Co Ltd | TX-2 COR | 9,10,11 | SOLE: TX-2, Driver, S-Yard, Forged Titanium, Loft (loft), C.O.R. CROWN: (alignment mark) view image here |
| Seiko Sports Life Co Ltd | TX-T | 9,10,11.5 | SOLE: TX-T, S-YARD, TITANIUM DRIVER, MULTI WEIGHT SYSTEM L(loft), (three recessed circles w/ triangle weights) TOE: (S-YARD on oval insert) CROWN: (arrow and line alignment mark) FACE:SLE-CFM |
| Seiko Sports Life Co Ltd | TX-T Senfina | 11.5,13 | view image here SOLE: TX-T, Senfina, S-YARD, TITANIUM DRIVER, MULTI WEIGHT SYSTEM, L(loft) FACE:SLE-CFM |
| Seiko Sports Life Co Ltd | TX-V (Version 1) | 9.5,10.5 | view image here SOLE: TX-V, DRIVER, FORGED TITANIUM, (loft), S-YARD BACK: MULTI WEIGHT SYSTEM CROWN: (alignment mark) view image here |
| Seiko Sports Life Co Ltd | TX-V (Version 2) | 9 | SOLE: TX-V, DRIVER, S-YARD, FORGED TITANIUM, MULTI WEIGHT SYSTEM HEEL: (loft) view image here |
| Seiko Sports Life Co Ltd | TX-V (Version 3) | 10,11 | SOLE: TX-V, DRIVER, S-YARD, FORGED TITANIUM, MULTI WEIGHT SYSTEM CROWN: (alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|--|------------------------------|---|
| Seiko Sports Life Co Ltd | TX-V Senfina | 11.5,13 | SOLE: TX-V, DRIVER, S-YARD, Senfina, FORGED TITANIUM, MULTI WEIGHT SYSTEM CROWN: (alignment mark) HEEL: (loft) |
| Cairni Chail Ca Ltd | Bio Power 2000 | Mild | view image here |
| Seiyu Shoji Co., Ltd. | Bio Powei 2000 | IVIIIU | SOLE: BIO POWER, 2000, (loft), CUSTOM MADE BY MS, B-TITANIUM, AS ROLL |
| 0 : 0 ! 0 ! ! ! | Dia Daniar 400 | Coft Mild Mild Strong Strong | view image here |
| Seiyu Shoji Co., Ltd. | Bio Power 420 | Soft,Mild,Mild,Strong,Strong | SOLE: (circular weight), Bio, power, (circular weight), 420, (loft) BACK: (circular weight) |
| | | | <u>view image here</u> |
| Seiyu Shoji Co., Ltd. | Bio Power Bio Dream 360 (Version 2) | Mild | SOLE: 360, Bio, power, SP-700 TITANIUM, FOR CUSTOM MADE, (loft), BIO DREAM |
| | | | <u>view image here</u> |
| Senior Golf Shokai | Five Star | N/A | SOLE: FIVE STAR, XX SGS XXX TOE: (5 stars) |
| | | | view image here |
| Shark Attack Golf | "F" Bomb (Version 2) | 4.5 | SOLE: Shark, f, Attack Golf, (loft) view image here |
| Shark Attack Golf | Albino | 8.5,10 | SOLE: Albino, (loft), (Yeti logo), yeti, GOLF |
| SHAIR Allack Gull | Albino | 0.0,10 | view image here |
| Shark Attack Golf | Feral (LH) | 5.5 | SOLE: (weight port), (Feral logo), FERAL, (weight port) HOSEL: (dot) HEEL: (loft) view image here |
| Shark Attack Golf | Feral (Version 1) | 5.5 | SOLE: (weight port), (Feral logo), FERAL, (weight port) HOSEL: (dot) HEEL: (loft) view image here |
| Shark Attack Golf | Feral (Version 2) | 5.5 | SOLE: (weight port), (Feral logo), FERAL, (weight port) CROWN: (fin alignment mark) HEEL: (loft) view image here |
| Shark Attack Golf | Goldiloxxx | 6.66 | SOLE: SHARK ATTACK, (Kanji characters in sun stamp), GOLDILOXXX, (loft) view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|-------------------------|---------------|---|
| Shark Attack Golf | Grifyn | 9 | SOLE: (two weight ports), DRAW, n, FADE, (Grifyn logo), GRIFYN CROWN: (arrow alignment marker) HOSEL: (dot), (orientation indicators) HEEL: (loft) |
| Shark Attack Golf | Grifyn (LH) | 9 | SOLE: (two weight ports), FADE, n, DRAW, (Grifyn logo), GRIFYN CROWN: (arrow alignment marker) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Shark Attack Golf | Mako | 4,5.5,9,10,11 | SOLE: Shark, (Kanji characters), (shark fin and wave graphic), Attack Golf, (loft) TOE: Mako view image here |
| Shark Attack Golf | Mako (LH) | 5.5 | SOLE: Shark, (Kanji characters), (shark fin and wave graphic), Attack Golf, (loft) TOE: Mako CROWN: (shark teeth graphics) view image here |
| Shark Attack Golf | Tokyo Drift (Version 2) | 5 | SOLE: Shark Attack, (Tokyo logo), Golf, TOKYODRIFT CROWN: (arrow alignment indicator) HOSEL: (orientation indicators) HEEL: (loft) view image here |
| Shark Attack Golf | Yeti 460 | 5.5,7,8,10.5 | SOLE: (yeti graphic), yeti, GOLF, (loft), (460 in pointed oval) view image here |
| Shark Attack Golf | Yeti Albino | 5.5 | SOLE: Albino, (loft), (Yeti logo), yeti, GOLF view image here |
| Shear-Line Golf | S-400 "Blue Crush" | 9,10.5 | SOLE: 1 (loft), (large S logo), SHEAR-LINE, (line), 400, Forged Titanium CROWN: (dot alignment mark) view image here |
| Shenzhen Tianying Sports Company Ltd | Gicoo K518 | 10,11 | SOLE: (loft), K518 (lines), (logo)Gicoo, GOLF, 1, TIP-TECHNOLOGY CROWN: (alignment mark) FACE:Gicoo view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|------------------------------------|---------------|--|
| Shimano Inc | Ultegra X T380 | 9 | SOLE: 1 (loft), Ultegra X, T380, Shimano BACK: Integrated MI&CG Design TOE: Shimano <u>view image here</u> |
| Shimano Inc | Ultegra X T385 | 9 | SOLE: 1 (loft), Ultegra X, T385, Shimano BACK: Integrated MI&CG Design view image here |
| Shimano Inc | Ultegra-X 385 | 9 | SOLE: 1 (loft), Ultegra X, 385 Tour Version, Shimano BACK: Integrated MI&CG Design view image here |
| Shimano Inc | Ultegra-X S350 Pro Spec | 9 | SOLE: Pro Spec (circle logo), 1 (loft), Ultegra X, S-350, Shimano BACK: Integrated MI&CG Design (logo) view image here |
| Shintomi Golf Co Ltd | Limited Premium Dual Blade Sole | 10.5,11.5 | SOLE: (loft), LIMITED, DUAL BLADE SOLE, CONFORMING, TO R&A/USGA, SLE RULE, 1, 460, PREMIUM, (P logo) CROWN: (alignment mark) view image here |
| Shintomi Golf Co Ltd | Personal Limited VxII | 10.5,11.5,13 | SOLE: PERSONAL LIMITED, VxII(horizontal lines) 432, (loft) CROWN: (alignment mark) view image here |
| Sierra Tahoe Golf | STG Low Spin Design | 7.5,9,10.5,12 | SOLE: (loft), (two mountains logo)STG, (line with points), (line), SIERRA TAHOE GOLF, (line), Active, Beta Face, LOW SPIN DESIGN, 330cc CROWN: (STG alignment mark) view image here |
| Sigma Golf (UK) Limited | PGA Collection | 10.5 | SOLE: (loft), PGA, Pro, Collection (underlined), 420cc BACK: Titanium Graphite view image here |
| Sigma Golf (UK) Limited | PGA Collection EZ 2 | 12 | SOLE: EZ2 (superscript), PGA®, COLLECTION, 1, (loft) FACE:100% FORGED view image here |
| Sigma Golf (UK) Limited | PGA Collection HCF XP | 10.5 | SOLE: XP, HCF, PGA, COLLECTION, PRO, 1, TITANIUM, (LOFT) CROWN: (alignment mark) view image here |

| November 04, 2024 | | | |
|----------------------------|------------------------------------|------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Sigma Golf (UK) Limited | PGA Collection IQ XP | 10.5,12,14 | SOLE: (loft), iQ, PGA, COLLECTION, XP, TITANIUM 460cc view image here |
| Sigma Golf (UK) Limited | PGA Collection Square Design | 14 | SOLE: PGA®, COLLECTION, 460, (loft), EZ, SQUARE, DESIGN view image here |
| Sigma Golf (UK) Limited | PGA Collection System Match 440 | 10.5 | SOLE: 440cc, PGA, COLLECTION (underlined), PRO, SYSTEM MATCH, (loft) TOE: TITANIUM view image here |
| Sigma Golf (UK) Limited | Rogue IQ | 12 | SOLE: FORGED TITANIUM, 460CC iQ, 1, (loft) (line), Rogue® CROWN: (R logo) view image here |
| Sigma Golf (UK) Limited | Rogue Omen | 10.5 | SOLE: (loft), Omen, 420cc BACK: Titanium Graphite view image here |
| Sigma Golf (UK) Limited | Sigma Zero (offset) | 10.5,12 | SOLE: (loft), Zero, 460 BACK: SIGMA CROWN: (alignment mark) view image here |
| Sigma Golf (UK) Limited | St Mellion Tour Series XP | 10.5 | SOLE: 440cc, ST, MELLION (in logo), TOUR SERIES, TITANIUM, XP, (2 lines), (loft) CROWN: (alignment mark) view image here |
| Simpac Golf | S-Cube D2 460cc | 10.5 | SOLE: SIMPAC, (S graphic in hexagon), S-Cube, D2, 460cc, (line), Bera Titanium, (loft) TOE: CUBE TECHNOLOGY CROWN: (S graphic in hexagon alignment mark) view image here |
| Simpac Golf | Simpac C-1 | 10 | SOLE: Simpac C-1, (S graphic in hexagon), 1 (loft), (line), US Patent. 489105 TOE: (S graphic in hexagon) CROWN: (S graphic in hexagon) FACE:15-3-3-3 view image here |
| Simpac Golf | Simpac NF-C | 8,9 | SOLE: Simpac NF-C, (S graphic in hexagon), Simpac golf, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------|---------------------------------|-----------------|--|
| Simpac Golf | Simpac NF-FR | 9,10,12 | SOLE: Simpac NF-FR, Simpac, (S graphic in hexagon over curved media blast), 1 (loft) (line), (oval) TOE: (S graphic in hexagon) CROWN: (S graphic in hexagon) HEEL: US Pat. D489105S FACE:15-3-3-3 |
| Simpac Golf | Simpac NF-FR (LH) | 9,10,12 | SOLE: Simpac NF-FR, Simpac, (S graphic in hexagon over curve media blast), 1 (loft) (line), (oval) TOE: (S graphic in hexagon) CROWN: (S graphic in hexagon) HEEL: US Pat. D489105S FACE:15-3-3-3 |
| Simpac Golf | Simpac VSD-300 | N/A | SOLE: 1, (S graphic in hexagon), Simpac golf, DynaCube BACK: VSD-300 CROWN: (S graphic in hexagon) FACE:HS-45T view image here |
| Single B Co Ltd | Crazy CRZ-460D | N/A | SOLE: (CRAZY over media blast logo), regenesis, CRZ-460D, For Athlete, Golfers TOE: (CR wings logo) HEEL: Produced by A.F.D. view image here |
| Single B Co Ltd | Crazy CRZ-460D (LH) | N/A | SOLE: (CRAZY over media blast logo), regenesis, CRZ-460D, For Athlete, Golfers TOE: (CR wings logo) HEEL: Produced by, A.F.D. view image here |
| Sinister Golf | Agent Orange | 6,7.5,9,10.5,12 | SOLE: SINISTER (w/ dagger logo), GOLF, Agent, Orange, (loft) BACK: S(dagger logo)G view image here |
| Sky Golf Ltd | Skymax Pulse Square | 9.5,10.5,12 | SOLE: SKYMAX, (logo), PULSE, (2 lines) SQUARE, (loft), (line), (S logo) TOE: 460CC•SUPER HIGH MOI CROWN: (S logo) view image here |
| Sky Golf Ltd | Skymax Pulse Square (ladies) | 12 | SOLE: SKYMAX, (logo), PULSE, (2 lines) SQUARE, (loft), (line), (S logo) TOE: 460CC•SUPER HIGH MOI CROWN: (S logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|------------------------------|----------------|--|
| Slazenger Golf | K1 Fast | 10.5 | SOLE: 460cc, K1, (2 lines) F.A.S.T (2 lines), FLIGHT ADJUSTMENT SYSTEM TECHNOLOGY, Slazenger, (loft) BACK: (TPT logo), (Slazenger logo), TOUR PROVEN TECHNOLOGY FACE:(2 lines) F.A.S.T (2 lines) |
| Slazenger Golf | K1 Fast (ladies) | 12 | SOLE: 460cc, K1, (2 lines) F.A.S.T (2 lines), FLIGHT ADJUSTMENT SYSTEM TECHNOLOGY, Slazenger, (loft) BACK: (TPT logo), (Slazenger logo), TOUR PROVEN TECHNOLOGY |
| | | | FACE:(2 lines) F.A.S.T (2 lines) view image here |
| Slazenger Golf | K1 Speed | 10 | SOLE: (logo), Slazenger, K1, SPEED, KNIFE, technology, (loft) TOE: HRC FORGED TA4, 460, cc, TITANIUM |
| | | | view image here |
| Slazenger Golf | K1 Speed (ladies) | 12 | SOLE: (logo), Slazenger, K1, SPEED, KNIFE, technology, (loft) TOE: HRC FORGED TA4, 460, cc, TITANIUM FACE:K1-L |
| | | | <u>view image here</u> |
| Slazenger Golf | K1 Speed (LH) | 10 | SOLE: (Slazenger logo), Slazenger, K1, SPEED, KNIFE, technology TOE: HRC FORGED TA4, 460, CC, TITANIUM HEEL: (loft) FACE:K1 |
| | | | <u>view image here</u> |
| Slazenger Golf | K1 Speed (LH) (Version 2) | 10 | SOLE: (logo), Slazenger, K1, SPEED, KNIFE, technology, (loft) TOE: HRC FORGED TA4, 460, cc, TITANIUM |
| | | | view image here |
| SM Global, LLC | Kirkland Signature Driver | 10.5 | SOLE: Kirkland, Signature, (loft) BACK: (weight port) CROWN: (dot alignment mark) HOSEL: (orientation indicators) |
| SMT Colf | 02 | 45678010 | view image here |
| SMT Golf | 02 | 4,5,6,7,8,9,10 | SOLE: 0 (2on 0), SMT, (loft) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------------------|-------------------|---|
| SMT Golf | 310 | 9,10 | SOLE: (310, TRAMPOLINE FACE over SMT), CRYO-FORGED ß TITANIUM, (loft) TOE: SMT view image here |
| SMT Golf | 455 Deep Bore (LH) (Version 2) | 7,9,10 | SOLE: (loft), (455, DEEP BORE, SMT over sideways D media blast), VACUUM FORGED ß TITANIUM TOE: 384, (YDS vertical alignment), (WORLD CHAMPION in banner), LONG DRIVE view image here |
| SMT Golf | 455 Deep Bore (Version 1) | 6,7,8,9 | SOLE: (loft), (455, DEEP BORE, SMT over curved design), VACUUM FORGED ß TITANIUM view image here |
| SMT Golf | 455 Deep Bore (Version 2) | 5,10,11 | SOLE: (loft), (455, DEEP BORE, SMT over curved design), VACUUM FORGED ß TITANIUM TOE: 384, (YDS vertical alignment), (WORLD CHAMPION in banner), LONG DRIVE |
| | | | view image here |
| SMT Golf | 455 Deep Bore (Version 3) | 4,5 | SOLE: (loft), (455, DEEP BORE, (line), SMT over curved design), VACUUM FORGED ß TITANIUM TOE: 384, (YDS vertical alignment), (WORLD CHAMPION in banner), LONG DRIVE |
| SMT Golf | 455 Deep Bore (Version 3) (LH) | 4,5,6 | SOLE: (loft), (455, DEEP BORE, (line), SMT over curved design), VACUUM FORGED ß TITANIUM TOE: 384 (vertical YDS), (WORLD CHAMPION in banner), LONG DRIVE |
| SMT Golf | Babylon Ti/Carbon Matrix | 4,5,6,7,8,9,10,11 | SOLE: SMT, Babylon, Ti/Carbon Matrix, DEGREE, (loft), OF LOFT, (loft).25 launch view image here |
| SMT Golf | Baltusrol | 4,5,6,7,8.5 | SOLE: 350, (BALTUSROL over SMT), CRYO-FORGED ß TITANIUM, 'SPRING FACE', (loft) TOE: SMT view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------|--------------------------------|--|
| SMT Golf | Carnoustie | 4,5,6,7,8.5 | SOLE: (loft), (CARNOUSTIE over SMT), CRYO-FORGED ß TITANIUM TOE: SMT |
| | | | <u>view image here</u> |
| SMT Golf | DB Plus | 6,7,8,9,10,12 | SOLE: SMT, (double bend line), (loft in two circles), db, plus TOE: (metal shield insert) view image here |
| SMT Golf | Encore | 5,6,7,8,9,10,11,13 | SOLE: DEGREE, (loft), OF LOFT, (EnCORE (w/diamond in O) over (EnCORE (w/diamond in O) media blast)), (line) SMT |
| SMT Golf | Encore (LH) | 5,6,7,8,9,10 | SOLE: DEGREE, (loft), OF LOFT, (EnCORE (w/diamond in O) over (EnCORE (w/diamond in O) media blast)), (line) SMT view image here |
| SMT Golf | Gleneagles | 4,5,6,7,8.5,9.5,10.5 | SOLE: 360, (GLENEAGLES over SMT), CRYO-FORGED ß TITANIUM, 'SPRING FACE', (loft) TOE: SMT view image here |
| SMT Golf | Inception 350 | 4,5,6,7,8.5 | SOLE: 350, (INCEPTION over SMT), CRYO-FORGED ß TITANIUM, 'SPRING FACE', (loft) TOE: SMT view image here |
| SMT Golf | Indio | 5.5,6.5,7.5,8.5,9.5,10.5,12.5, | SOLE: (six elongated triangles), (loft), indio, (line), ultralight forged crown design, SMT <u>view image here</u> |
| SMT Golf | Mv² | 4,5,6,8.5 | SOLE: SMT Mv², (line), Superior Metal Technology (loft), CRYO-FORGED ß TITANIUM BACK: AccuFLEX TOE: SMT view image here |
| SMT Golf | MV ² | 7,9.5 | SOLE: SMT Mv², (line), Superior Metal Technology (loft), CRYO-FORGED ß TITANIUM TOE: SMT view image here |
| SMT Golf | Nemesis 370 (LH) (Version 1) | 4,5,6,7,9,10 | SOLE: (loft), (370, NEMESIS, SMT over curved design), VACUUM FORGED ß TITANIUM |
| | | | view image here |

| mesis 370 (Version mesis 370 (Version mesis 370 Offset | 4,5,6,7,9,10 4,5,6,7,8,9,10,11,12,14 8,9,10,11,12 | SOLE: (loft), (370, NEMESIS, SMT over curved design), VACUUM FORGED ß TITANIUM view image here SOLE: (loft), (370, NEMESIS, (line), SMT over curved design), VACUUM FORGED ß TITANIUM TOE: 342 (vertical YDS), (WORLD CHAMPION in banner), LONG DRIVE view image here SOLE: (loft), offset, (370, NEMESIS, SMT over sideways D media blast), VACUUM FORGED ß TITANIUM view image here |
|--|---|---|
| mesis 370 Offset | 8,9,10,11,12 | over curved design), VACUUM FORGED ß TITANIUM TOE: 342 (vertical YDS), (WORLD CHAMPION in banner), LONG DRIVE view image here SOLE: (loft), offset, (370, NEMESIS, SMT over sideways D media blast), VACUUM FORGED ß TITANIUM |
| | | over sideways D media blast), VACUUM FORGED ß TITANIUM |
| | 11 12 14 | |
| | 11,12,17 | SOLE: O(2 on O), SMT, (loft) view image here |
| nnecock 360 rsion 1) | 5 | SOLE: 360, (SHINNECOCK over SMT), CRYO-FORGED & TITANIUM, 'SPRING FACE', (loft) BACK: AccuFLEX TOE: SMT view image here |
| nnecock 360 rsion 2) | 4,6,7,9 | SOLE: 360, (SHINNECOCK over SMT), CRYO-FORGED ß TITANIUM, 'SPRING FACE', (loft) TOE: SMT view image here |
| nnecock 360 rsion 3) | 11,12,14 | SOLE: 360, (SHINNECOCK over SMT), FORGED ß TITANIUM, (loft) TOE: SMT view image here |
| nnecock 360 rsion2) | 10 | SOLE: 360, (SHINNECOCK over SMT), CRYO-FORGED & TITANIUM, 'SPRING FACE', (loft) TOE: SMT view image here |
| ectrum | 4,5,6,7,8,9,10,11,12 | SOLE: DEGREE, (loft), OF LOFT, (loft).25 launch angle, (five hexagons), Spectrum, SMT, (two hexagons) BACK: (two hexagons), (two hexagons) CROWN: (logo in recessed circle), (four hexagons) view image here |
| r | nnecock 360 rsion2) | nnecock 360 10 rsion2) |

| HOSEL: (orientation indicators) HEEL: (loft) FACE:TITANIUM, (Snake Eyes logo) view image here Solid Contacts Co Ltd CRZ-425 N/A SOLE: (CRAZY over logo), CRZ-425, (logo) (CRAZY in butterfly logo) (logo), HVD | Manufacturer | Product Name | Lofts | Identification Markings |
|--|-----------------------|---------------------|--------------|---|
| SMT/Diamond Tour Golf SMT AF 460C SMT AF 460C SMT AF 460C SOLE: (textured oval), (AIR FILLED on patterned media blast), (AF 460c in broken rectangle), SMT TOE: (O2 ENERGY on patterned circle) CROWN: (dot alignment mark), (five shapes) view image here Snake Eyes Golf Snake Eyes 685X 10.5 SOLE: (weight port), 685X, (weight port), (Snake Eyes logo), snake eyes, (weight port) TOE: snake eyes, (Snake Eyes logo), REACTIVE CUP FACE CROWN: (Snake Eyes logo alignment mark), HOSEL: (orientation indicators) HEEL: (loft) FACE:TITANIUM, (Snake Eyes logo) view image here Solid Contacts Co Ltd CRZ-425 N/A SOLE: (CRAZY over logo), CRZ-425, (logo) (CRAZY in butterfly logo) (logo), HVD | SMT Golf | Tam O'Shanter | 4,5,6,7,9 | CRYO-FORGED & TITANIUM, (loft) TOE: SMT |
| Snake Eyes Golf Snake Eyes 685X 10.5 SOLE: (weight port), 685X, (weight port), (Snake Eyes logo), snake eyes, (weight port) TOE: snake eyes, (Snake Eyes logo), REACTIVE CUP FACE CROWN: (Snake Eyes logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:TITANIUM, (Snake Eyes logo) view image here Solid Contacts Co Ltd CRZ-425 N/A SOLE: (CRAZY over logo), CRZ-425, (logo) (CRAZY in butterfly logo) (logo), HVD | | SMT AF 460C | 9,10.5,12 | SOLE: (textured oval), (AIR FILLED on patterned media blast), (AF 460c in broken rectangle), SMT TOE: (O2 ENERGY on patterned circle) CROWN: (dot alignment mark), (five shapes) |
| (Snake Eyes logo), snake eyes, (weight port) TOE: snake eyes, (Snake Eyes logo), REACTIVE CUP FACE CROWN: (Snake Eyes logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:TITANIUM, (Snake Eyes logo) view image here Solid Contacts Co Ltd CRZ-425 N/A SOLE: (CRAZY over logo), CRZ-425, (logo) (CRAZY in butterfly logo) (logo), HVD | 0 1 5 0 % | 0 | 10.5 | • |
| Solid Contacts Co Ltd CRZ-425 N/A SOLE: (CRAZY over logo), CRZ-425, (logo) (CRAZY in butterfly logo) (logo), HVD | Snake Eyes Golf | Snake Eyes 685X | 10.5 | (Snake Eyes logo), snake eyes, (weight port) TOE: snake eyes, (Snake Eyes logo), REACTIVE CUP FACE CROWN: (Snake Eyes logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) |
| (CRAZY in butterfly logo) (logo), HVD | | | | view image here |
| TOE: (HVD in diamond) | Solid Contacts Co Ltd | CRZ-425 | N/A | TUNING, by Solid Contacts, from TOKYO, 1 |
| view image here | | | | |
| Solid Contacts Co Ltd Solid Contacts 7,9,10.5,13 SOLE: SOLID, CONTACTS HOSEL: 42840 view image here | Solid Contacts Co Ltd | Solid Contacts | 7,9,10.5,13 | HOSEL: 42840 |
| Solid Contacts Co Ltd Solid Contacts (LH) N/A SOLE: SOLID, CONTACTS | Solid Contacts Co Ltd | Solid Contacts (LH) | N/A | |
| HOSEL: 49018 | Cond Contacto Co Eta | Cond Contacts (2.1) | | |
| view image here | | | | view image here |
| Solid Contacts Co Ltd Solid Contacts (Version 2) Solid Contacts (Version 2) Solid Contacts (Solid Contacts (Version 2) Solid Contacts (Solid Contacts (Solid Contacts (Motes) (Solid Contacts (Motes) (Solid Contacts (Motes) (Notation (Motes) (M | Solid Contacts Co Ltd | | 9,10,13 | media blast), SOLID, CONTACTS, (dot(s) loft indicator) TOE: (logo) |
| view image here | | | | • |
| Solid Contacts Co Ltd TD460 8,9.5,10.5 SOLE: SOLID, CONTACTS, (logo), TD460, Loft(loft), Conform to R&A/USGA SLE rules HEEL: PROTO | Solid Contacts Co Ltd | TD460 | 8,9.5,10.5 | Loft(loft), Conform to R&A/USGA SLE rules HEEL: PROTO |
| View image here Solid Contacts Could TD460 (Version 2) 8 5 9 5 10 5 SOLID CONTACTS (Jame) TD460 | 0-164 0-14 1 0 111 | TD460 (\\\/ | 9505405 | |
| Solid Contacts Co Ltd TD460 (Version 2) 8.5,9.5,10.5 SOLE: SOLID, CONTACTS, (logo), TD460, (loft) | Solid Contacts Co Ltd | 1D460 (Version 2) | 0.5,9.5,10.5 | \ \frac{\pi}{2} |
| view image here | | | | view image here |

| Product Name | Lofts | Identification Markings |
|-------------------------|--|--|
| Sting | 10.5 | SOLE: STING, (Solinco logo), SOLINCO®, (loft) TOE: Solinco® CROWN: (segmented arrow alignment mark) |
| | | view image here |
| Sting One | 8.5,9.5,10.5 | SOLE: SOLINCO®, CIWE, (Solinco logo on medallion), STING ONE TOE: (flame graphic) SOLINCO (Solinco logo) CROWN: (arrow alignment mark), ((Solinco logo) SOLINCO in flame gaphic) HOSEL: (loft) |
| | | view image here |
| Superior 450 Ti | 9.5,10.5 | SOLE: SOLO, Great Design, Superior Driver, (loft), 450 Ti, SOLO makes, your golf life, exciting and enjoyable |
| | 0.5 | view image here |
| Ben Hogan | 9.5 | SOLE: 1, Ben Hogan, (line), (loft), 6-4 Titanium TOE: Speed Slot |
| Day 11 000 | 10.5 | view image here |
| Ben Hogan 280cc | 10.5 | SOLE: (loft), Ben Hogan, (line), 280 CC FORGED BETA TITANIUM TOE: SPEED SLOT CROWN: Ben Hogan view image here |
| Ben Hogan 310cc | 10.5 | SOLE: (loft), Ben Hogan, (line), 310 CC FORGED BETA TITANIUM TOE: SPEED SLOT CROWN: Ben Hogan view image here |
| Ben Hogan Apex 310cc | 8.5,9.5 | SOLE: (loft), Ben Hogan, (line), TI 310 CC Apex TOE: SPEED SLOT view image here |
| Ben Hogan Apex 360cc | 9.5 | SOLE: (loft), Ben Hogan, (line), FORGED TI 360 CC Apex TOE: SPEED SLOT view image here |
| Giga | 10.5 | SOLE: 1 (loft), Top Flight, GIGA, FORGED TITANIUM, REINFORCED BY DIMPLES, 270cc CROWN: (Arrow alignment mark) |
| | Sting One Sting One Superior 450 Ti Ben Hogan Ben Hogan 280cc Ben Hogan 310cc Ben Hogan Apex 310cc Ben Hogan Apex 360cc | Sting 10.5 Sting One 8.5,9.5,10.5 Superior 450 Ti 9.5,10.5 Ben Hogan 9.5 Ben Hogan 280cc 10.5 Ben Hogan 310cc 10.5 Ben Hogan Apex 310cc 8.5,9.5 Ben Hogan Apex 360cc 9.5 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|------------------------------|-------|---|
| Speed System Golf | Speed Black (Version 2) | 10 | SOLE: speed, BLACK, (loft) FACE:speed, (hexagon) view image here |
| Speed System Golf | Speed Blue (Version 2) | 11.5 | SOLE: speed, BLUE, (loft) FACE:speed, (hexagon) view image here |
| Speed System Golf | Speed Gold (Version 2) | 12.5 | SOLE: speed, GOLD, (loft) FACE:speed, (hexagon) view image here |
| Speed System Golf | Speed Silver (Version 2) | 12.5 | SOLE: speed, SILVER, (loft) FACE:speed, (hexagon) view image here |
| Sport Life Planets Co Inc | Roddio | N/A | SOLE: RODDIO, (R logo) BACK: TRAJECTORY, Mid HOSEL: (line) view image here |
| Sport Life Planets Co Inc | Roddio 333 | N/A | SOLE: RODDIO (media blast), 333 (media blast), R (logo), (Bee Logo) CROWN: (curved line) HOSEL: (line) view image here |
| Sport Life Planets Co Inc | Roddio 385 | N/A | SOLE: RODDIO (media blast), 385 (media blast), R (logo), (Bee logo) CROWN: (curved line) HOSEL: (line) view image here |
| Sport Life Planets Co Inc | Roddio 385 S | N/A | SOLE: (RODDIO in media blast), (385 S in media blast), (weight port), (weight port), (R logo), (Bee logo), (weight port) HOSEL: (line) view image here |
| Sport Life Planets Co Inc | Roddio 460G | N/A | SOLE: RODDIO, (weight port), (weight port), (R logo), (weight port) HOSEL: (line) HEEL: (weight port), (Bee logo) view image here |
| Sport Life Planets Co Inc | Roddio Compact - Deepback | N/A | SOLE: RODDIO, Deepback, (Bee logo), (weight port), (weight port), (R logo), (weight port) HOSEL: (line) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--------------------------------|-------|---|
| Sport Life Planets Co Inc | Roddio Compact - Midback | N/A | SOLE: RODDIO, Midback, (Bee logo), (weight port), (weight port), (R logo), (weight port) HOSEL: (line) view image here |
| Sport Life Planets Co Inc | Roddio D-Design R-Tune | N/A | SOLE: (weight port), R, (weight port), (weight port) BACK: (Bee logo) TOE: RODDIO HOSEL: R-TUNE, (dot), (orientation indicators) HEEL: D-design |
| Sport Life Planets Co Inc | Roddio F-Tuning (Fixed) | N/A | SOLE: (Bee logo), (weight port), R, (weight port), (weight port) BACK: RODDIO HOSEL: (dot) HEEL: F-Tuning view image here |
| Sport Life Planets Co Inc | Roddio F-Tuning (Removable) | N/A | SOLE: (Bee logo), (weight port), R, (weight port), (weight port) BACK: RODDIO HOSEL: (dot), (orientation indicators) HEEL: F-Tuning |
| Sport Life Planets Co Inc | Roddio G-Design | N/A | SOLE: (Bee logo), R, RODDIO BACK: RODDIO on inset HOSEL: (dot), (orientation indicators) HEEL: G- Design view image here |
| Sport Life Planets Co Inc | Roddio G-Model 00 | N/A | SOLE: (weight port), (Bee logo), R, (weight port), (weight port) BACK: RODDIO HOSEL: (dot), (orientation indicators) view image here |
| Sport Life Planets Co Inc | Roddio G-Model 01 Oversized | N/A | SOLE: (weight port), (Bee logo), R, (weight port), (weight port) BACK: RODDIO HOSEL: (dot), (orientation indicators) HEEL: Oversized view image here |
| Sport Life Planets Co Inc | Roddio High | N/A | SOLE: RODDIO, (R logo) BACK: TRAJECTORY, High HOSEL: (line) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--------------------------------|-------|---|
| Sport Life Planets Co Inc | Roddio Low | N/A | SOLE: RODDIO, (R logo on inset) BACK: TRAJECTORY, Low HOSEL: (line) view image here |
| Sport Life Planets Co Inc | Roddio M-Tuning (Fixed) | N/A | SOLE: (Bee logo), (weight port), R, (weight port), (weight port) BACK: RODDIO HOSEL: (dot) HEEL: M-Tuning view image here |
| Sport Life Planets Co Inc | Roddio M-Tuning (Removable) | N/A | SOLE: (Bee logo), (weight port), R, (weight port), (weight port) BACK: RODDIO HOSEL: (dot), (orientation indicators) HEEL: M-Tuning view image here |
| Sport Life Planets Co Inc | Roddio S-Design F-Tune | N/A | SOLE: FADE AREA, (weight port), R, (weight port), LOW SPIN, (weight port), DRAW AREA BACK: RODDIO TOE: (Bee logo) HOSEL: F-TUNE, (dot) HEEL: S-design |
| Sport Life Planets Co Inc | Roddio S-Design R-Tune | N/A | SOLE: FADE AREA, (weight port), R, (weight port), LOW SPIN, (weight port), DRAW AREA BACK: RODDIO TOE: (Bee logo) HOSEL: R-TUNE, (dot), (orientation indicators) HEEL: S-design |
| Sport Life Planets Co Inc | Roddio S-Tuning | N/A | SOLE: RODDIO, (R logo on inset) BACK: S-TUNING HOSEL: (line) view image here |
| Sport Life Planets Co Inc | Roddio Type-S Low | N/A | SOLE: RODDIO, (R logo on inset) BACK: TRAJECTORY, Low HOSEL: (line) view image here |
| Sport Life Planets Co Inc | Roddio Type-S Mid | N/A | SOLE: RODDIO, (R logo on inset) BACK: TRAJECTORY, Mid HOSEL: (line) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|--|-------|--|
| Sports Network Pte Ltd | John Daly Enforcer | 10.5 | SOLE: TITANIUM ENHANCED, John Daly, ENFORCER, HIGH ARC LAUNCH, 1, (loft), 460CC CROWN: (alignment mark) view image here |
| Sports Network Pte Ltd | John Daly JD 450cc | 10.5 | SOLE: 1 (loft), JD, (logo), TOUR, 450CC, FORGED, LONGREACH BACK: John Daly TOE: DIGITAL IMPACT POWER CROWN: (alignment mark) FACE:Beta Ti |
| Sports Network Pte Ltd | John Daly JD 609 | 10.5 | SOLE: John Daly, JD 609, HIGH TRAJECTORY, 1, (loft, 460CC, (logo) TOE: TITANIUM ENHANCED CROWN: (alignment mark) view image here |
| Sports Network Pte Ltd | John Daly JD Tour Ltd | 10.5 | SOLE: John Daly, JD, TOUR, LTD, 1, (loft), 460CC TOE: DIGITAL IMPACT POWER CROWN: (alignment mark) FACE:ß-TITANIUM view image here |
| Sports Network Pte Ltd | John Daly JD XD | 10.5 | SOLE: John Daly, JD XD, XTRA DISTANCE, 1 (loft), 460 TOE: TITANIUM ENHANCED CROWN: (alignment mark) FACE:7075 view image here |
| Sports Network Pte Ltd | John Daly Roaring Distance | 10.5 | SOLE: John Daly, ROARING DISTANCE (underlined), HIGH TRAJECTORY, 1, (loft), 460CC TOE: TITANIUM ENHANCED CROWN: (alignment mark) view image here |
| Sports Network Pte Ltd | John Daly Tour Distance | 10.5 | SOLE: John Daly, 1, TOUR (logo), DISTANCE, (loft), 460CC TOE: DIGITAL IMPACT POWER CROWN: (alignment mark) FACE:TITANIUM view image here |
| Sports Network Pte Ltd | Slazenger Lady Panther Titanium Matrix 440CC | 12 | SOLE: (panther logo), (line), Slazenger, (line), Lady, Panther, TITANIUM MATRIX, 1, (loft), 440cc TOE: Titanium Matrix CROWN: (panther alignment mark) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|---------------------------------|-------|--|
| Sports Network Pte Ltd | Slazenger Lady Sela (ladies) | 14 | SOLE: 1 (loft), Sela, Sela (in shape), (logo), (line), Slazenger (underlined) CROWN: (panther alignment mark) FACE:100% Forged view image here |
| Sports Network Pte Ltd | Slazenger Mirai SL38 | 12 | SOLE: (logo), (line), Slazenger (underlined), Mirai (underlined), SL38, 1, (loft), 460cc TOE: (3 circles) CROWN: (panther alignment mark) HEEL: (3 circles) FACE:TITANIUM |
| Sports Network Pte Ltd | Slazenger Panther Pro | 10.5 | SOLE: (panther logo), (line), Slazenger (underlined), PANTHER PRO, 1, (loft), 460cc, (logo) TOE: TITANIUM ENHANCED CROWN: (panther alignment mark) FACE:7075 FORGED view image here |
| Sports Network Pte Ltd | Slazenger Panther XP 77 | 10.5 | SOLE: (logo), (line), Slazenger (underlined), PANTHER, XP77, IMPACT POWER MACHINE, 1 (loft) TOE: Ti Matrix CROWN: (panther alignment mark) view image here |
| Sports Network Pte Ltd | Slazenger Panther XP 78 | 10.5 | SOLE: (logo), (line), Slazenger (underlined), PANTHER, XP78, 1, (loft), 460cc, IMPACT POWER MACHINE TOE: TI MATRIX CROWN: (panther alignment mark) FACE:100% FORGED view image here |
| Sports Network Pte Ltd | Slazenger Panther XP 88 | 10.5 | SOLE: 1, PANTHER, XP88, (loft), 460cc, (panther logo), (line), Slazenger, (line), TI-ENHANCED TOE: TI-ENHANCED CROWN: (panther alignment mark) |
| Sports Network Pte Ltd | Slazenger Panther XP 88 (LH) | 10.5 | SOLE: 1, PANTHER, XP88, (loft), 460cc, (panther logo), (line), Slazenger, (line), TI-ENHANCED TOE: TI-ENHANCED CROWN: (alignment mark) |

| November 04, 2024 | Due due t Nove | Leffe | Identification Markings |
|-------------------------|-------------------------------|-------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Sports Network Pte Ltd | Slazenger Panther XP Pro | 10.5 | SOLE: (logo), (line), Slazenger (underlined), XP PRO, 7075 FORGED, 1, (loft), 460cc TOE: Ti Matrix CROWN: (panther alignment mark) FACE:100% FORGED view image here |
| 0 1 1 1 1 1 1 1 1 | Clazanger Denther VD | 10.5 | - |
| Sports Network Pte Ltd | Slazenger Panther XP Tour | 10.5 | SOLE: TITANIUM MATRIX, PANTHER, 1 XP TOUR, 7075 FORGED, Slazenger, (loft), 460cc CROWN: (panther alignment mark) FACE:100% FORGED view image here |
| Sports Network Pte Ltd | Slazenger Phantom | 10.5 | SOLE: 430CC, (logo), (line), Slazenger |
| Sports Network File Liu | Glazeriger i Hamom | 10.0 | (underlined), PHANTOM, TITANIUM MATRIX, 1, (loft), DRIVER, HIGH TRAJECTORY CROWN: (panther alignment mark) view image here |
| Sports Network Pte Ltd | Slazenger Raw Distance III | 10.5 | SOLE: (logo), (line), Slazenger (underlined), RAW DISTANCE III, 1 (loft), TITANIUM, 460cc CROWN: (panther alignment mark) FACE:TITANIUM view image here |
| Sports Network Pte Ltd | Slazenger Supercat 8.3 | 10.5 | SOLE: (logo), (line), Slazenger (underlined), SUPERCAT, SX 8.3, 1, 450cc, (loft) CROWN: (alignment mark) FACE:TITANIUM view image here |
| Sports Network Pte Ltd | Slazenger Supercat 8.5 | 10.5 | SOLE: (logo), (line), Slazenger (underlined), SUPERCAT, SX 8.5, 1, (loft), 460cc CROWN: (panther alignment mark) FACE:TITANIUM view image here |
| Sports Network Pte Ltd | Slazenger Supercat 8.7 | 10 | SOLE: SUPERCAT, SX 8.7, FORGED, 1, 460cc, (loft), (logo), (line), Slazenger (underlined) CROWN: (alignment mark) FACE:TITANIUM view image here |
| Sports Network Pte Ltd | Slazenger Supercat 8.9 | 10.5 | SOLE: TITANIUM, SUPERCAT, SX 8.9, (logo), (line), Slazenger (underlined), 1, (loft), 440cc CROWN: (panther alignment mark) FACE:TITANIUM |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------|----------------------------------|-----------|--|
| Sports Network Pte Ltd | Slazenger Supercat SX8.8 | 10.5 | SOLE: SUPERCAT, SX 8.8, 1, 460cc, (loft), (panther logo), (line), Slazenger (underlined) CROWN: (alignment mark) FACE:TITANIUM |
| Sports Network Pte Ltd | Slazenger Supercat SX8.8 (LH) | 10.5 | SOLE: SUPERCAT, SX8.8, 1, 460cc, (loft), (panther logo), (line), Slazenger, (line) CROWN: (alignment mark) FACE:TITANIUM view image here |
| Sports Network Pte Ltd | Slazenger Tour Select TS 9 | 9.5,10.5 | SOLE: Slazenger, TOUR SELECT, (logo) TS9, 1, (loft), 450cc, (logo) TOE: ENHANCED WEIGHT TECHNOLOGY CROWN: (panther alignment mark) HEEL: DIGITAL IMPACT POWER FACE:ß-TITANIUM view image here |
| Sports Network Pte Ltd | Slazenger XS9.9 | 10.5 | SOLE: (logo), (line), Slazenger (underlined), SX9.9, 1, 460cc, (loft) CROWN: (alignment mark) FACE:TITANIUM view image here |
| Sports Plc | Forgan St Andrews F1 | 9,10.5,12 | SOLE: (loft), F1 (in square), FORGAN, St Andrews, 460cc TOE: SINCE 1860 CROWN: (alignment mark) view image here |
| Sports Plc | Forgan St Andrews F3 | 9,10.5,12 | SOLE: (loft), F3 (in square), FORGAN, St Andrews, 460cc CROWN: (alignment mark) |
| Sports Plc | Forgan St Andrews IWD2 | 9 | SOLE: FORGAN, St Andrews. 1, (IWD2 in rectangle shape), (loft) CROWN: (alignment mark) view image here |
| SRI Sports Limited | Cosmograde | 8.5 | SOLE: 1 (loft), (logo), COSMOGRADE, by ISAO AOKI, Ti-FORGED BACK: DUNLOP FACE:(logo) view image here |
| SRI Sports Limited | Hi-Brid Oversize | 8,9,10,11 | SOLE: HI-BRID, Oversize, SHALLOW, (arrow) BACK, 1, (loft) TOE: SRIXON, (recessed area for sticker) CROWN: (arrow alignment mark) view image here |
| | | | VIOVV IIIIago IIOIO |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|------------------------------|--------------|--|
| SRI Sports Limited | Maxfli Hi-Brid Autofocus | 8,9 | SOLE: HI-BRID, Oversize, SHALLOW, (triangle) BACK, 1, (loft) TOE: Autofocus, (logo), (line), SURE HITTING AT SWEET AREA, DUNLOP CROWN: MAXFLI view image here |
| SRI Sports Limited | New Breed Hyper Driving | 8.5,9.5,10.5 | SOLE: 1 (loft), New Breed, HYPER DRIVING, 10V-2Fe-3AI, TITANIUM BACK: SRIXON (line under S) TOE: (line), TOUR 255 (line), FORGED view image here |
| SRI Sports Limited | New Breed Magic Driving | 8.5,9.5,10.5 | SOLE: 1 (loft), NEW BREED, MAGIC DRIVING, TITANIUM BACK: SRIXON (line under S) TOE: (NB logo), NewBreed view image here |
| SRI Sports Limited | New Breed W-103 | 8 | SOLE: NB, NEW BREED, W-103, 1, PROFESSIONAL, FORGED-TI, (loft) TOE: (NB logo) <u>view image here</u> |
| SRI Sports Limited | Newbreed | 8 | SOLE: 1 (loft), NEWBREED, ß-TITANIUM <u>view image here</u> |
| SRI Sports Limited | Newbreed Hyper Driving | 8.5,9.5 | SOLE: 1, (loft) , NewBreed, HYPER DRIVING, 10V-2Fe-3AI, TITANIUM BACK: DUNLOP TOE: (line), TOUR, 255, (line), FORGED view image here |
| SRI Sports Limited | Newbreed Hyper Forged | 8 | SOLE: 1 (loft), NEWBREED, HYPER FORGED, ß-TITANIUM view image here |
| SRI Sports Limited | Newbreed W103 | 8 | SOLE: 1, NEWBREED TOE: NB view image here |
| SRI Sports Limited | Srixon | 8 | SOLE: (loft) 1, SRIXON <u>view image here</u> |
| SRI Sports Limited | Srixon Trajectory Control | 8.5,9.5 | SOLE: SRIXON (w/ line under S), (loft), TRAJECTORY CONTROL, TITANIUM TOE: SRIXON (w/ line under S), conforming view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|---------------------------------|------------------|--|
| SRI Sports Limited | Srixon W-201 (Version 1) | 8,9 | SOLE: (loft), 1, SRIXON, (line under S), W-201, -SP700 FACE-TOE: SRIXON, (line under S) view image here |
| SRI Sports Limited | Srixon W-201 (Version 2) | 8,9,10 | SOLE: (loft), 1, SRIXON, (line under S), W-201, -SP700 FACE-, TRAJECTORY CONTROL TOE: SRIXON, (line under S), conforming view image here |
| SRI Sports Limited | Srixon W-201 (Version 3) | 8,9 | SOLE: (loft), 1, SRIXON, (line under S), W-201, -SP700 FACE-, TRAJECTORY CONTROL TOE: SRIXON, (line under S) FACE:(scorelines across entire face) view image here |
| SRI Sports Limited | Srixon W-302 (Version 1) | 7.5,8.5,9.5,10.5 | SOLE: SRIXON, (line under S), W-302, (loft), TRAJECTORYCONTROL, TITANIUM TOE: SRIXON, (line under S) HEEL: conforming view image here |
| SRI Sports Limited | XXIO AX-Sole (Version 1) | 7,8,9 | SOLE: XXIO, (loft), TITANIUM 1, AX-SOLE. TOE: IMPACT, TECHNOLOGY, SRIXON CROWN: (arrow alignment mark) view image here |
| SRI Sports Limited | XXIO AX-Sole (Version 2) | 10,11 | SOLE: XXIO, (loft), TITANIUM 1, AX-SOLE TOE: IMPACT, TECHNOLOGY, SRIXON CROWN: (arrow alignment mark) view image here |
| SRI Sports Limited | XXIO PRT Twin AX-Sole | 9 | SOLE: TWIN, AX-SOLE, XXIO, 1, (loft), TITANIUM.PRT TOE: (oval insert), IMPACT, POWER, FACE view image here |
| SRI Sports Limited | XXIO Tour Model | 8,9,10 | SOLE: TWIN, AX-SOLE, XXIO, 1, (loft), TITANIUM. TOE: (oval insert), IMPACT, POWER, FACE, conforming view image here |
| SRI Sports Limited | XXIO Tour Special 45 AX-Sole | 8 | SOLE: XXIO, TOUR SPECIAL, (loft), TITANIUM 1, AX-SOLE TOE: (Srixon logo), IMPACT, TECHNOLOGY, DUNLOP, 45 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------|--|-----------|---|
| SRI Sports Limited | XXIO Tour Special AX-Sole | 8,9 | SOLE: XXIO, TOUR SPECIAL, (loft), TITANIUM 1, AX-SOLE TOE: IMPACT, TECHNOLOGY, DUNLOP view image here |
| SRI Sports Limited | XXIO Tour Special ß 1 AX-Sole | 8,9 | SOLE: XXIO, TOUR SPECIAL, (loft), TITANIUM 1, AX-SOLE TOE: (Srixon logo), ß 1, DUNLOP view image here |
| SRI Sports Limited | XXIO Twin AX-Sole (Version 1) | 8,9 | SOLE: TWIN, AX - SOLE, XXIO, 1 (loft), TITANIUM. TOE: (oval insert), IMPACT, POWER, FACE, 45 view image here |
| SRI Sports Limited | XXIO Twin-AX Sole (Version 2) | 8,9,10,11 | SOLE: TWIN, AX-SOLE., XXIO, 1, (loft), TITANIUM TOE: (oval insert), SRIXON, (line), conforming CROWN: (arrow alignment mark) view image here |
| St Andrews Golf Company Ltd | George Nicoll 370cc - Legacy Series | 10.5 | SOLE: 1, George Nicoll, LEGACY (hand logo) SERIES, (loft), 370cc CROWN: (alignment mark) view image here |
| St Andrews Golf Company Ltd | George Nicoll 460cc | 10.5 | SOLE: 460CC BETA TITANIUM, ST ANDREWS, (logo), SCOTLAND (in circle), George Nicoll, (loft) CROWN: (alignment mark) view image here |
| St Andrews Golf Company Ltd | St Andrews Golf Co 460cc | 10.5 | SOLE: 460cc BETA TITANIUM, (logo), St Andrews Golf Co., Scotland, EST. 1881, (loft) view image here |
| Stadium AB | D55 | 10,12 | SOLE: 4D/D55 (underlined), 460 cc . HIGH LAUNCH, (loft) BACK: TPT TOE: 0.5MM SUPER THIN CROWN CROWN: (alignment mark) FACE:4D view image here |
| Stadium AB | D55 (LH) | 12 | SOLE: 4D/D55 (underlined), 460 cc . HIGH LAUNCH, (loft) BACK: TPT TOE: 0.5MM SUPER THIN CROWN CROWN: (alignment mark) FACE:4D view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------------|---------------------------|----------|--|
| Stadium AB | Four D D55 | 10,12 | SOLE: FOUR•D, (line), D55 HIGH M.O.I, (loft) TOE: TOTAL PERFORMANCE TECHNOLOGY view image here |
| Stadium AB | Four D D55 (ladies) | 14 | SOLE: FOUR•D, (line), D55 HIGH M.O.I, (loft) TOE: TOTAL PERFORMANCE TECHNOLOGY view image here |
| Stadium AB | Four D D55 Qb | 10,12 | SOLE: FOUR•D, (line of dots), 3D MILLED TI · M.O.I 5200, D55 Qb, (loft) BACK: (TPT logo) CROWN: (alignment mark) view image here |
| Stadium AB | Four D D55 Qb (ladies) | 14 | SOLE: FOUR•D, (line of dots), 3D MILLED TI · M.O.I 5200, D55 Qb, (loft) BACK: (TPT logo) CROWN: (alignment mark) view image here |
| Starling's Nest Driving Range | GTR Excellence | 7.5 | SOLE: (G T R in circle w/ 3 triangles), 1 (loft) EXCELLENCE, PLASMA TREATMENT, HRC>80 CROWN: (arrow and dot alignment mark) view image here |
| Stella Trading Co Ltd | Get Win TF-450D NH | 9.5 | SOLE: TF-450D, (weight port), GET WIN, NH, (weight port) view image here |
| Stella Trading Co Ltd | Get Win TF-450D TH | 10.5 | SOLE: TF-450D, (weight port), GET WIN, TH, (weight port) view image here |
| Stella Trading Co Ltd | Get Win TF-458D | 9.5,10.5 | SOLE: TF-458D, GET WIN, POWER GRAVITY TECHNOLOGY, 1, (loft) CROWN: (alignment mark) HEEL: Conforming to, SLE Rule <u>view image here</u> |
| Stella Trading Co Ltd | Get Win TF-460D | 9.5,10.5 | SOLE: TF-460D, GET WIN, 2 X POWER, TECHNOLOGY, DEEP & LOW BALANCE, (loft) LOFT HEEL: Conforms to, R&A/USGA, SLE rules view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------------|--------------------------------|---------------------------|---|
| Stellar Golf Consulting, Inc. | Air Force One | 10 | SOLE: U.S. Patent, 6,019,687, AIR (three lines), FORCE, ONE, 1 (loft), (circular weight) TOE: (two lines) A (two lines) CROWN: (A alignment mark) view image here |
| Stix Golf Co. | V2 | 10.5 | SOLE: (Stix logo), stix (loft) 460CC TITANIUM CROWN: (dot alignment marker) view image here |
| Straight 8 Golf, Inc. | Straight 8 | 8,9,10 | SOLE: (STRAIGHT 8 on octagon bar graphic), O.G.S. TECHNOLOGY, FORGED TITANIUM, (loft) view image here |
| Straight Arrow Golf, Inc. | Impaler | 10 | SOLE: 1, (Straight, (arrow graphic), Arrow on recessed oval insert), (loft) CROWN: ('Razor Tip' logo alignment arrow) view image here |
| S-Trixx Co Ltd | S-Trixx 380 Forged Titanium | 10.5 | SOLE: (loft) 1, 380, .350Ø, Forged Ti, S.Trixx view image here |
| Stulz Golf Technologies | Special Edition | 6,7.5,9,10.5,12 | SOLE: Special Edition, Powered by STULZ, SUPER_LITE_Ti, (loft) CROWN: (S• alignment mark) FACE:(two triangles media blast) view image here |
| Sturm, Ruger & Company, Inc. | Ruger Titanium (Version 2) | 7.5,8.5,9.5,10.5 | SOLE: (SR bird logo), 1 RUGER, (line), (loft) TITANIUM, MADE IN USA CROWN: (alignment mark) view image here |
| Sturm, Ruger & Company, Inc. | Ruger Titanium (Version 3) | Low Launch,Mid Launch,Mid | SOLE: LOW LAUNCH, RUGER, (line), TITANIUM, (Sturm, Ruger eagle logo), MADE IN USA CROWN: (dot alignment mark) view image here |
| Suarez Corporation Industries | Pro Tour | 9.5 | SOLE: 1, PRO(lightning bolt)TOUR, (loft) LOFT, TITANIUM CROWN: (lightning bolt alignment mark) view image here |
| Sub 70 Golf | 839-D | 9.5,10.5,12 | SOLE: (line), 70, 839-D TOE: 4 PHASE FACE TECHNOLOGY HOSEL: (triangle), (orientation indicators) HEEL: (loft) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|--------------------------------------|-------------|--|
| Sub 70 Golf | 849 Pro | 9,10.5 | SOLE: (weight port), 849 PRO (underlined), (weight port), (line), 70, (weight port) HOSEL: (loft), (dot), (orientation indicators) |
| | | | view image here |
| Sub 70 Golf | 849-D | 9,10.5,12 | SOLE: (weight port), 849-D, (weight port), (line), 70, (weight port) HOSEL: (loft), (dot), (orientation indicators) |
| Sub 70 Golf | 859 | 9,10.5,12.5 | SOLE: (weight port), (line), 70, (weight port), |
| Sub 70 Goil | 000 | 0,10.0,12.0 | 859 HOSEL: (loft) (dot) (orientation indicators) view image here |
| Sub 70 Golf | 859 (LH) | 9,10.5 | SOLE: (line), 70, (weight port), 859, (weight port) HOSEL: (loft) (dot) (orientation indicators) view image here |
| Sub 70 Golf | 859 JD | 8 | SOLE: (weight port), (line), 70, (weight port), 859 JD, (line) HOSEL: (loft) (dot) (orientation indicators) view image here |
| Sub 70 Golf | 859 Pro | 9,10.5 | SOLE: (weight port), (line), 70, (weight port), 859 pro, (line) HOSEL: (loft) (dot) (orientation indicators) |
| Sukira Golf Inc | JB-1 | 9,10.5 | SOLE: (loft), SUKIRA, JB-1, (line), TITANIUM TOE: (logo) view image here |
| Sukira Golf Inc | Suterusu | 9,10.5 | SOLE: (logo), SUKIRA, (line), SUTERUSU, (Japanese characters), (loft) view image here |
| Sumitomo Rubber Industries Ltd | Cleveland | N/A | SOLE: (CG logo), Cleveland, DRIVER view image here |
| Sumitomo Rubber Industries Ltd | Cleveland Launcher SL290 JV | 9,10.5 | SOLE: (CG logo), Cleveland, SL290, JV, (loft) TOE: LAUNCHER, ULTRALITE FACE:460cc view image here |
| Sumitomo Rubber Industries Ltd | Cleveland Launcher TL 310 Tour JV | 8.5,9.5 | SOLE: TOUR, (CG logo), Cleveland, TL310, JV, (loft) TOE: LAUNCHER, ULTRALITE FACE:440cc |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|---------------------------------------|-----------|--|
| Sumitomo Rubber Industries Ltd | DDH-V MF | 11 | SOLE: (loft) 1, DDH-V, MULTI FUNCTION, DUNLOP, DUAL, DIRECTION, AUTOFOCUS DESIGN CROWN: DDH-V view image here |
| Sumitomo Rubber Industries Ltd | DDH-V MF (Ladies) | 15 | SOLE: (loft) 1, DDH-V, MULTI FUNCTION, DUNLOP, DUAL, DIRECTION, AUTOFOCUS DESIGN CROWN: DDH-V view image here |
| Sumitomo Rubber Industries Ltd | Hi-Brid Digital Autofocus (Ladies) | 13 | SOLE: HI-BRID (underlined), DIGITAL, Autofocus, 1 (loft) TITANIUM, (weight port w/ series of numbers) BACK: V-SOLE TOE: (logo) 3D (with squares), FLOW DESIGN, DUNLOP CROWN: (alignment mark) |
| Sumitomo Rubber Industries Ltd | Hi-Brid Digital Autofocus (LH) | 9,10,11 | SOLE: HI-BRID (underlined), DIGITAL, Autofocus, TITANIUM (loft) 1, (weight port w/ series of numbers) BACK: V-SOLE TOE: 3D (with squares), FLOW DESIGN, DUNLOP, (logo) CROWN: (alignment mark) |
| Sumitomo Rubber Industries Ltd | Hi-Brid EZ | 10.5,11.5 | view image here SOLE: HI-BRID, EZ, IMPACT POWER MATCHING, (loft) 1, (3 dots) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | Hi-Brid EZ (ladies) | 12.5,13.5 | SOLE: HI-BRID, EZ, IMPACT POWER MATCHING, (loft) 1, (3 dots) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | Maxfli Hi-Brid Autofocus | 10,11,12 | SOLE: HI-BRID, Oversize, SHALLOW, (triangle) BACK, 1 (loft) TOE: Autofocus (logo) (underlined), SURE HITTING AT SWEET AREA, DUNLOP CROWN: MAXFLI view image here |
| Sumitomo Rubber Industries Ltd | Maxfli Hi-Brid Autofocus (Ladies) | 13 | SOLE: HI-BRID, Oversize, SHALLOW, (triangle) BACK, 1 (loft) TOE: Autofocus (logo) (underlined), SURE HITTING AT SWEET AREA, DUNLOP CROWN: MAXFLI view image here |

| TOVORIDGE 04, 2024 | | | |
|-----------------------------------|----------------------------------|-----------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Sumitomo Rubber Industries Ltd | Maxfli Hi-Brid Autofocus (LH) | 9,10,11 | SOLE: HI-BRID, Oversize, SHALLOW, BACK (triangle), 1 (loft) TOE: (logo) Autofocus (underlined), SURE HITTING AT SWEET AREA, DUNLOP CROWN: MAXFLI view image here |
| Sumitomo Rubber | Maxfli Long Distance | 10 | SOLE: MAXFLI, 1 (loft), LONG DISTANCE, |
| Industries Ltd | MRH | | (line), (3 dots) (line), DIGITAL IMPACT, (lines) BACK: TUNGSTEN WEIGHT CROWN: (alignment mark) |
| Sumitomo Rubber | Srixon 2005 Pro | 8.5,9.5 | SOLE: Srixon, Titanium, (loft) |
| Industries Ltd | Model | 5.5,5.5 | TOE: Srixon view image here |
| Owner Harris - Double | Srixon GiE | 9.5,10.5,11.5 | |
| Sumitomo Rubber Industries Ltd | Srixon GIE | 9.5, 10.5, 11.5 | SOLE: SRIXON (with S underlined), GIE, (loft), SRIXON (with S underlined in inset) TOE: SRIXON (with S underlined) CROWN: (G alignment mark) |
| | | | <u>view image here</u> |
| Sumitomo Rubber Industries Ltd | Srixon GiE (Version 2) | 9.5,10.5 | SOLE: SRIXON (with S underlined), GiE, (loft), (SRIXON (with S underlined) on inset) |
| | | | view image here |
| Sumitomo Rubber Industries Ltd | Srixon GiE-L | 12.5,13.5 | SOLE: SRIXON (with S underlined), GIE-L, (loft), SRIXON (with S underlined in inset) TOE: SRIXON (with S underlined) CROWN: (G alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | Srixon GiE-L (Version 2) | 12.5,13.5 | SOLE: SRIXON (with S underlined), GiE-L, (loft) CROWN: (G alignment mark) view image here |
| Sumitomo Rubber | Srixon Junior | N/A | SOLE: SRIXON (with S underlined), |
| Industries Ltd | | | JUNIOR 1 TOE: SRIXON (with S underlined) CROWN: (alignment mark) |
| | | | <u>view image here</u> |
| Sumitomo Rubber Industries Ltd | Srixon Proto-1 (prototype) | 9.5 | SOLE: SRIXON (with S underlined), PROTO • 1, (loft) TOE: SRIXON (with S underlined) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|--|-----------------------|--|
| Sumitomo Rubber Industries Ltd | Srixon Proto-2 (prototype) | 8.5 | SOLE: SRIXON (with S underlined), PROTO • 2, (loft) TOE: SRIXON (with S underlined) view image here |
| Sumitomo Rubber Industries Ltd | Srixon W-505 | 8.5,9.5,10.5 | SOLE: S(underlined)RIXON, TITANIUM, W-505, (loft) TOE: S(underlined)RIXON view image here |
| Sumitomo Rubber Industries Ltd | Srixon W-506 | 7.5,8.5,9.5,10.5,11.5 | SOLE: S(underlined)RIXON, TITANIUM, W-506, (loft), HIGH POWER WEIGHT+ TOE: S(underlined)RIXON CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | Srixon WR | 9.5,10.5,11.5 | SOLE: SRIXON (S underlined), WR, (loft), W-NI.WT. view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z 525 Proto Type (Prototype) | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 525, (loft), (UNLOCK (arrow logo) LOCK around weight port), QTS, QUICK TUNE SYSTEM, (UNLOCK (arrow logo) LOCK around weight port), TOUR FITTING TOE: SRIXON (with S underlined) HEEL: PROTO TYPE |
| Sumitomo Rubber Industries Ltd | Srixon Z 525 Proto Type 1 (Prototype) | 9.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 525, (loft), (UNLOCK (arrow logo) LOCK, around weight port) QTS, QUICK TUNE SYSTEM, (UNLOCK (arrow logo) LOCK around weight port), TOUR FITTING TOE: SRIXON (with S underlined) HEEL: PROTO TYPE 1 |
| Sumitomo Rubber Industries Ltd | Srixon Z 725 Proto Type (Prototype) | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 725, (loft), (UNLOCK (arrow logo) LOCK around weight port), QTS, QUICK TUNE SYSTEM, (UNLOCK (arrow logo) LOCK around weight port), TOUR FITTING TOE: SRIXON (with S underlined) HEEL: PROTO TYPE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|--|--------------|---|
| Sumitomo Rubber Industries Ltd | Srixon Z 725 Proto Type 1 (Prototype) | 9.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 725, (loft), (UNLOCK (arrow logo) LOCK around weight port), QTS, QUICK TUNE SYSTEM, (UNLOCK (arrow logo) LOCK around weight port), TOUR FITTING TOE: SRIXON (with S underlined) HEEL: PROTO TYPE 1 |
| Sumitomo Rubber Industries Ltd | Srixon Z 925 Proto Type (Prototype) | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 925, (loft), (UNLOCK (arrow logo) LOCK around weight port), QTS, QUICK TUNE SYSTEM, (UNLOCK (arrow logo) LOCK around weight port), TOUR FITTING TOE: SRIXON (with S underlined) HEEL: PROTO TYPE |
| Sumitomo Rubber Industries Ltd | Srixon Z Star | 9,10.5 | SOLE: REAR, WEIGHT, ? HIGHER, ? MID, ? LOWER, TRAJECTORY, SRIXON (with S underlined) Z, STAR, (loft) TOE: SRIXON (with S underlined) HOSEL: (star), (orientation indicators) HEEL: S (star) T (star) A (star) R, FITTING SYSTEM |
| Sumitomo Rubber Industries Ltd | Srixon ZR-30 | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), ZR-30, (loft), HIGH, POWER, WEIGHT BACK: SRIXON (with S underlined) TOE: SRIXON (with S underlined) view image here |
| Sumitomo Rubber Industries Ltd | Srixon ZR-30 (Version 2) (prototype) | 9.5 | SOLE: SRIXON (with S underlined), ZR-30, (loft), HIGH, POWER, WEIGHT BACK: (SRIXON (with S underlined) on inset) TOE: SRIXON (with S underlined) HOSEL: CONFORMING, TO R&A/USGA, SLE RULE (manufacturer lot number) view image here |
| Sumitomo Rubber Industries Ltd | Srixon ZR-600 (Version 1) | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), ZR-600, (loft) TOE: SRIXON (with S underlined) view image here |
| Sumitomo Rubber Industries Ltd | Srixon ZR-600 (Version 2) | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), ZR-600, W-NI.Wt, (loft) TOE: SRIXON (with S underlined) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|--------------------------------------|-------------------|---|
| Sumitomo Rubber Industries Ltd | Srixon ZR-700 | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), ZR-700, (loft) BACK: HIGH POWER WEIGHT TOE: SRIXON (with S underlined) |
| Sumitomo Rubber Industries Ltd | Srixon ZR-800 | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), ZR-800, (loft) BACK: SRIXON (with S underlined) TOE: SRIXON (with S underlined), WING WEIGHT |
| Sumitomo Rubber Industries Ltd | Srixon ZR900 (prototype) | 9.5 | view image here SOLE: SRIXON (with S underlined), ZR900, (loft) TOE: SRIXON (with S underlined) view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z-RW | 8.5,9.5,10.5,11.5 | SOLE: SRIXON (with S underlined), Z-RW, (loft), W-NI.Wt. TOE: SRIXON (with S underlined) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z-RW (prototype) | 10.5 | SOLE: SRIXON (with S underlined), Z-RW, (loft) TOE: SRIXON (with S underlined) view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z-RW Long Neck (prototype) | 8.5,10.5 | SOLE: SRIXON (with S underlined), Z-RW, (line), (loft), W-NI.Wt. TOE: SRIXON (with S underlined) view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z-Ti | 8.5,9.5,10.5,11.5 | SOLE: Z-TI, TITANIUM, SRIXON (S underlined), (loft) TOE: SRIXON (S underlined) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z-Ti (ladies) | 13 | SOLE: Z-TI, TITANIUM, SRIXON (S underlined), (loft) TOE: SRIXON (S underlined) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z-Ti (LH) | 8.5,9.5,10.5,11.5 | SOLE: Z-TI, TITANIUM, SRIXON (S underlined), (loft) TOE: SRIXON (S underlined) CROWN: (alignment mark) view image here |

| Manufacture | Dro duot Name | Leffe | Identification Moults as |
|-----------------------------------|--|--------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Sumitomo Rubber Industries Ltd | Srixon Z-TX | 8.5,9.5 | SOLE: (weight port), SRIXON (with S underlined), (loft), Z-TX, (weight port) TOE: SRIXON (with S underlined) view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z-TX (prototype) | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), Z-TX, (loft) TOE: SRIXON (with S underlined) view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z-TX (prototype) (Version 2) | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), Z-TX, (loft), (weight port), (weight port) TOE: SRIXON (with S underlined) view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z-TX Tour Extreme | 8.5,9.5,10.5 | SOLE: TOUR EXTREME (underlined), SRIXON (with S underlined), Z-TX, (loft), TWIN CAM SOLE, (Z-TX on inset) TOE: SRIXON (with S underlined) view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z-TX Tour Extreme (prototype) | 9.5 | SOLE: TOUR EXTREME (underlined), (weight port), SRIXON (with S underlined), Z-TX, (loft), (weight port), TWIN CAM SOLE, (Z-TX on inset) TOE: SRIXON (with S underlined) FACE:(hyphenated grooves) view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z-TX Tour Extreme (prototype) (Version 2) | 10.5 | SOLE: TOUR EXTREME (underlined), (weight port), SRIXON (with S underlined), Z-TX, (loft), (weight port), TWIN CAM SOLE, (Z-TX on inset) TOE: SRIXON (with S underlined) view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z-TX Tour Extreme (Tour) | 8.5,9.5 | SOLE: (weight port), TOUR EXTREME, SRIXON (with S underlined), Z-TX, (loft), (weight port) TOE: SRIXON (with S underlined) HEEL: (triangle) TOUR view image here |
| Sumitomo Rubber Industries Ltd | Srixon Z-TX Tour Extreme (Version 2) | 8.5,9.5,10.5 | SOLE: (line) TOUR EXTREME (curved line), SRIXON (with S underlined), (weight port), Z-TX, (loft), (weight port) TOE: SRIXON (with S underlined) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|--------------------------|----------|--|
| Sumitomo Rubber Industries Ltd | Srixon ZXi | 8,9,10.5 | SOLE: (weight port), (weight port), SRIXON (with S underlined), ZXi, REBOUND FRAME TOE: SRIXON (with S underlined) CROWN: (alignment mark), Star Frame HOSEL: LOFT, (orientation indicators) HEEL: (loft) FACE:i-FLEX |
| Sumitomo Rubber Industries Ltd | Srixon ZXi (LH) | 9,10.5 | SOLE: REBOUND FRAME, ZXi, SRIXON (with S underlined), (weight port), TOE: SRIXON (with S underlined) CROWN: (alignment mark), Star Frame HOSEL: LOFT, (orientation indicators) HEEL: (loft) FACE:i-FLEX view image here |
| Sumitomo Rubber Industries Ltd | Srixon ZXi LS | 8,9,10.5 | SOLE: (weight port), SRIXON (with S underlined), ZXi, REBOUND FRAME, LS, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark), Star Frame HOSEL: LOFT, (orientation indicators) HEEL: (loft) FACE:i-FLEX |
| Sumitomo Rubber Industries Ltd | Srixon ZXi LS (LH) | 9 | SOLE: (weight port), REBOUND FRAME, LS, ZXi, SRIXON (with S underlined), (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark), Star Frame HOSEL: LOFT, (orientation indicators) HEEL: (loft) FACE:i-FLEX view image here |
| Sumitomo Rubber Industries Ltd | Srixon ZXi LS Diamond | 9,10.5 | SOLE: (weight port), ZXi, REBOUND FRAME, LS, (weight port), SRIXON (with S underlined) TOE: SRIXON (with S underlined) CROWN: (alignment mark), Star Frame HOSEL: LOFT, (orientation indicators) HEEL: (loft) (diamond) FACE:i-FLEX view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|---------------------|-------------|---|
| Sumitomo Rubber Industries Ltd | Srixon ZXi LS T244 | 9 | SOLE: ZXi, REBOUND FRAME, LS, (weight port), SRIXON (with S underlined) TOE: SRIXON (with S underlined) CROWN: (alignment mark), STAR FRAME HOSEL: LOFT, (orientation indicators) HEEL: (loft) T244 FACE:i-FLEX view image here |
| Sumitomo Rubber Industries Ltd | Srixon ZXi LS T248 | 9 | SOLE: ZXi, (weight port), REBOUND FRAME, (weight port), LS, SRIXON (with S underlined) TOE: SRIXON (with S underlined) CROWN: (alignment mark), STAR FRAME HOSEL: LOFT, (orientation indicators) HEEL: (loft) T248 FACE:i-FLEX view image here |
| Sumitomo Rubber Industries Ltd | Srixon ZXi LS T249 | 9 | SOLE: ZXi, (weight port), REBOUND FRAME, LS, SRIXON (with S underlined) TOE: SRIXON (with S underlined) CROWN: (alignment mark), STAR FRAME HOSEL: LOFT, (orientation indicators) HEEL: (loft) T249 FACE:i-FLEX view image here |
| Sumitomo Rubber Industries Ltd | Srixon ZXi MAX | 8,9,10.5,12 | SOLE: SRIXON (with S underlined), ZXi, REBOUND FRAME, MAX, BACK: (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark), Star Frame HOSEL: LOFT, (orientation indicators) HEEL: (loft) FACE:i-FLEX view image here |
| Sumitomo Rubber Industries Ltd | Srixon ZXi MAX (LH) | 10.5,12 | SOLE: REBOUND FRAME, MAX, ZXi, SRIXON (with S underlined) BACK: (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark), Star Frame HOSEL: LOFT, (orientation indicators) HEEL: (loft) FACE:i-FLEX view image here |
| Sumitomo Rubber Industries Ltd | Srixon ZXi SLS T242 | 9 | SOLE: ZXi, SLS, REBOUND FRAME, (weight port), SRIXON (with S underlined) TOE: SRIXON (with S underlined) CROWN: (alignment mark), STAR FRAME HOSEL: LOFT, (orientation indicators) HEEL: (loft) T242 FACE:i-FLEX view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|---|--------------|--|
| Sumitomo Rubber Industries Ltd | Srixon ZXi SLS T243 | 9 | SOLE: ZXi, SLS, REBOUND FRAME, (weight port), SRIXON (with S underlined), TOE: SRIXON (with S underlined) CROWN: (alignment mark), STAR FRAME HOSEL: LOFT, (orientation indicators) HEEL: (loft) T243 FACE:i-FLEX view image here |
| Sumitomo Rubber Industries Ltd | Srixon ZXi SLS T246 | 9 | SOLE: ZXi, SLS, REBOUND FRAME, (weight port), SRIXON (with S underlined) TOE: SRIXON (with S underlined) CROWN: (alignment mark), STAR FRAME HOSEL: LOFT, (orientation indicators) HEEL: (loft) T246 FACE:i-FLEX view image here |
| Sumitomo Rubber Industries Ltd | Srixon ZXi TR | 8,9,10.5 | SOLE: (weight port), (weight port), SRIXON (with S underlined), ZXi, TR, REBOUND FRAME TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: LOFT, (orientation indicators) HEEL: (loft) FACE:i-FLEX view image here |
| Sumitomo Rubber Industries Ltd | XXIO 460 | 9,10,11 | SOLE: (loft) 1 460, XXIO, IMPACT POWER MATCHING CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Forged | 8.5,9.5,10.5 | SOLE: DISTANCE, by STRONG TRAJECTORY, XXIO, FORGED, (loft) TOE: XXIO view image here |
| Sumitomo Rubber Industries Ltd | XXIO Impact Power Matching | 8,9,10 | SOLE: (loft) 1, XXIO, IMPACT POWER MATCHING <u>view image here</u> |
| Sumitomo Rubber Industries Ltd | XXIO Impact Power Matching (ladies) | 12.5,14 | SOLE: (loft) 1, XXIO, IMPACT POWER MATCHING CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Impact Power Matching (Ladies) (Korea model) | 11.5,12.5 | SOLE: (loft),(line), XXIO, IMPACT POWER, MATCHING, (logo on inset) CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|---|-----------------------------|---|
| Sumitomo Rubber Industries Ltd | XXIO Impact Power Matching (LH) | 9,10,11 | SOLE: 1 (loft), XXIO, IMPACT POWER MATCHING CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Impact Power Matching (LH) (Version 2) | 9.5,10.5,11.5 | SOLE: 1 (loft), XXIO BACK: IMPACT, POWER, MATCHING CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Impact Power Matching (Version 2) | 8.5,9.5,10.5,11.5,12.5,13.5 | SOLE: (loft) 1, XXIO, (weight port) BACK: IMPACT, POWER, MATCHING CROWN: (arrow alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Impact Power Matching (Version 3) | 8.5,9.5,10.5,11.5,12.5 | SOLE: (loft), (line), XXIO, IMPACT POWER, MATCHING, (X logo on inset) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Impact Power Matching (Version 3) (Ladies) | 12.5,13.5 | SOLE: (loft), (line), XXIO, IMPACT POWER, MATCHING, (X logo on inset) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Impact Power Matching (Version 3) (LH) | 9.5,10.5,11.5 | SOLE: (loft), (line), XXIO, IMPACT POWER, MATCHING, (X logo on inset) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Model MRH | 9,10,11,12 | SOLE: (loft) 1, XXIO, IMPACT POWER MATCHING CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Next Future Technology | 8.5,9.5,10.5,11.5,12.5 | SOLE: XXIO, (loft) TOE: NEXT FUTURE TECHNOLOGY (underlined)//, (triangle), (line) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Next Future Technology (Ladies) | 11.5,12.5,13.5 | SOLE: XXIO, (loft), NEXT FUTURE TECHNOLOGY (underlined)//, (triangle), (line) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Next Future Technology (LH) | 9.5,10.5,11.5 | SOLE: XXIO, (loft), \\NEXT FUTURE TECHNOLOGY (underlined), (triangle), (line) CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|---|---------------|---|
| Sumitomo Rubber Industries Ltd | XXIO Next Future Technology (Version 2) (Prototype) | 8.5,9.5 | SOLE: XXIO, (loft) TOE: NEXT FUTURE TECHNOLOGY (underlined)//, (triangle), (line) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Prime | 10.5,11.5 | SOLE: XXIO, -PRIME-, (loft) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Prime (Version 2) | 10.5,11.5 | SOLE: XXIO, -PRIME-, (diamond) (loft) (diamond) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Prime Impact Power Matching | 10.5,11.5 | SOLE: XXIO, -PRIME-, (loft) 1 BACK: IMPACT POWER MATCHING CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Prime Royal Status | 10.5 | SOLE: Royal Status, (logo), XXIO, -PRIME-, (logo, crystal stones, logo), (loft) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Prime VP | N/A | SOLE: CARBON X TI, HYBRID BODY, XXIO, -PRIME-, VP CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Revo | 9.5,10.5,11.5 | SOLE: IMPACT POWER, MATCHING, (loft), XXIO, REVO CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Tour Special | 8,9,10,11,12 | SOLE: XXIO, Tour Special, (loft), Titanium, 1, AX-Sole TOE: (logo), Impact, Technology, Dunlop CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Tour Special (Ladies) | 12,13 | SOLE: XXIO, Tour Special, (loft), Titanium, 1, AX-Sole TOE: (logo), Impact, Technology, Dunlop CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd | XXIO Tour Special (LH) | 9,10,11 | SOLE: XXIO, Tour Special, (loft), Titanium, 1, AX-Sole TOE: (logo), Impact, Technology, Dunlop CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|---|---------------------|---|
| Sumitomo Rubber Industries Ltd | XXIO Tour Special (Tour Model Light) | 8,9,10 | SOLE: XXIO, Tour Special., (loft), Titanium, 1, AX-Sole TOE: (logo), Impact, Technology, Dunlop view image here |
| Sumitomo Rubber Industries Ltd | XXIO Tour Special (Tour Model) | 7,8,9 | SOLE: XXIO, Tour Special, (loft), Titanium, 1, AX-Sole. TOE: (logo), Impact, Technology, Dunlop view image here |
| Sumitomo Rubber Industries Ltd | Z-TX Tour P-420 | 8.5,9.5,10.5 | SOLE: (UNLOCK, (triangle), (arrow logo), (triangle), LOCK around weight port), SRIXON (with S underlined), Z-TX TOUR, (loft), (UNLOCK, (triangle), (arrow logo), (triangle), LOCK around weight port), QTS, QUICK TUNE SYSTEM, LIMITED, MODEL TOE: SRIXON (with S underlined) HEEL: P-420 |
| Sumitomo Rubber Industries Ltd. | 20 XXIO Type 1 | 8.5,9.5,10.5,11.5 | SOLE: XXIO, EXPERIENCE, THE DIFFERENCE, (hexagonal inset) CROWN: (alignment mark) HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | 20 XXIO Type 1 (LH) | 9.5,10.5,11.5 | SOLE: XXIO, EXPERIENCE, THE DIFFERENCE, (weight port) CROWN: (alignment mark) HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | 20 XXIO Type 1 KR | 10.5,11.5,12.5 | SOLE: XXIO, EXPERIENCE, THE DIFFERENCE, (leaves logo), (hexagonal inset) CROWN: (alignment mark) HOSEL: K HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | 20 XXIO Type 2 | 8.5,9.5,10.5 | SOLE: X, EXPERIENCE, THE DIFFERENCE TOE: XXIO CROWN: (alignment mark) HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | 20 XXIO Type 3 (Ladies) | 10.5,11.5,12.5,13.5 | SOLE: XXIO, EXPERIENCE, THE DIFFERENCE, (inset), (leaves logo) CROWN: (alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|--|--------------|--|
| Sumitomo Rubber Industries Ltd. | 2022 Cleveland Package Set (Driver) | 10.5 | SOLE: (CG logo) on inset)), Cleveland, (loft) CROWN: Alignment mark <u>view image here</u> |
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX5 MKII | 8.5,9.5,10.5 | SOLE: REBOUND FRAME, (weight port), SRIXON (with S underlined), ZX5, MKII TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX5 MKII (LH) | 9.5,10.5 | SOLE: REBOUND FRAME, SRIXON (with S underlined), (weight port), ZX5, MKII TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX5 MKII (LH) version 2 | 10.5 | SOLE: REBOUND FRAME, SRIXON (with S underlined), (weight port), ZX5, MKII TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX5 MKII LS | 8.5,9.5,10.5 | SOLE: REBOUND FRAME, LS, SRIXON (with S underlined), (weight port), ZX5, MKII, TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), LS FACE:REBOUND FRAME view image here |
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX5 MKII LS Driver_T238 | 9.5 | SOLE: REBOUND FRAME, SRIXON (with S underlined), ZX5, LS, MKII, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T238 FACE:REBOUND FRAME |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|--|--------------|--|
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX5 MKII LS Driver_T239 | 9.5 | SOLE: REBOUND FRAME, SRIXON (with S underlined), ZX5, LS, MKII, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T238(diamond) FACE:REBOUND FRAME view image here |
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX5 MKII LS T240 | 9.5 | SOLE: REBOUND FRAME, SRIXON (with S underlined), ZX5, LS, MKII, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T240 FACE:REBOUND FRAME view image here |
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX5 MKII T219 | 9.5 | SOLE: REBOUND FRAME, (weight port), SRIXON (with S underlined), ZX5, MKII, TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T219 FACE:REBOUND FRAME view image here |
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX5 MKII T220 | 9.5 | SOLE: REBOUND FRAME, (weight port), SRIXON (with S underlined), ZX5, MKII, TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T220 FACE:REBOUND FRAME view image here |
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX5 MKII T225 | 9.5 | SOLE: REBOUND FRAME, (weight port), SRIXON (with S underlined), ZX5, MKII, TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T225 FACE:REBOUND FRAME view image here |
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX7 MKII | 8.5,9.5,10.5 | SOLE: REBOUND FRAME, (weight port), SRIXON (with S underlined), ZX7, MKII, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) FACE:REBOUND FRAME |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|-----------------------------------|-------------------|--|
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX7 MKII (diamond) | 8.5,9.5 | SOLE: REBOUND FRAME, (weight port), SRIXON (with S underlined), ZX7, MKII, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), (diamond) FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX7 MKII (LH) | 9.5,10.5 | SOLE: REBOUND FRAME, (weight port), SRIXON (with S underlined), ZX7, MKII, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX7 MKII LS | 8.5,10.5 | SOLE: REBOUND FRAME, LS, (weight port), SRIXON (with S underlined), ZX7, MKII, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), LS FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | 2022 Srixon ZX7 MKII T217 | 9.5 | SOLE: REBOUND FRAME, (weight port), SRIXON (with S underlined), ZX7, MKII, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T217 FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | 2022 XXIO Type 1 | 8.5,9.5,10.5,11.5 | SOLE: EXPERIENCE THE DIFFERENCE, XXIO, -REBOUND FRAME-, (hexagonal inset) CROWN: (alignment mark), ACTIVWING HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | 2022 XXIO Type 1 (LH) | 9.5,10.5,11.5 | SOLE: -REBOUND FRAME-, XXIO, EXPERIENCE THE DIFFERENCE, (hexagonal inset) CROWN: (alignment mark), ACTIVWING HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|---|---------------------|--|
| Sumitomo Rubber Industries Ltd. | 2022 XXIO Type 2 | 9.5,10.5 | SOLE: -REBOUND FRAME-, -EXPERIENCE THE DIFFERENCE-, (inset), X CROWN: (alignment mark), ACTIVWING HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | 2022 XXIO Type 3 (Ladies) | 10.5,11.5,12.5,13.5 | SOLE: EXPERIENCE THE DIFFERENCE, XXIO, -REBOUND FRAME-, (oval inset) CROWN: (alignment mark), (three arrows), ACTIVWING HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | 2022 XXIO Type 5 | 8.5,9.5,10.5 | SOLE: -REBOUND FRAME-, -EXPERIENCE THE DIFFERENCE-, (inset), X CROWN: (alignment mark), ACTIVWING HOSEL: (dot), (orientation indicators) HEEL: (loft), T |
| Sumitomo Rubber Industries Ltd. | 2023 XXIO Prime | 10.5,11.5 | SOLE: EXPERIENCE THE DIFFERENCE, XXIO, PRIME, (inset) CROWN: ACTIVWING, (alignment mark) HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | 2023 XXIO PRIME Royal Edition | 9.5,10.5 | SOLE: Royal Edition, (crown), (RE logo in shield), XXIO, PRIME, (inset) CROWN: (RE in shield) HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | 2023 XXIO Prime Royal Edition (Ladies) | 11.5 | SOLE: Royal Edition, (RE logo in oval), XX10, PRIME, (inset) CROWN: ((RE logo in oval) alignment mark) HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | 2024 XXIO Type 1 | 8.5,9.5,10.5,11.5 | SOLE: (inset), XXIO, -REBOUND FRAME- TOE: EXPERIENCE THE DIFFERENCE CROWN: (alignment mark), ACTIVWING HEEL: (loft) FACE:BIFLEX FACE view image here |
| Sumitomo Rubber Industries Ltd. | 2024 XXIO Type 1 (LH) | 9.5,10.5,11.5 | SOLE: -REBOUND FRAME-, XXIO, (inset) TOE: EXPERIENCE THE DIFFERENCE CROWN: ACTIVWING, (alignment mark) HEEL: (loft) FACE:BiFLEX FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|---|---------------------|--|
| Sumitomo Rubber Industries Ltd. | 2024 XXIO Type 2 | 8.5,9.5,10.5 | SOLE: EXPERIENCE THE DIFFERENCE, (inset with weight port), X, REBOUND FRAME CROWN: (alignment mark), ACTIVWING HOSEL: (dot), (orientation indicators) HEEL: (loft) FACE:BIFLEX FACE view image here |
| Sumitomo Rubber Industries Ltd. | 2024 XXIO Type 3 Ladies | 10.5,11.5,12.5,13.5 | SOLE: (inset), XXIO, -REBOUND FRAME- TOE: EXPERIENCE THE DIFFERENCE CROWN: (alignment mark), ACTIVWING HEEL: (loft) FACE:BiFLEX FACE view image here |
| Sumitomo Rubber Industries Ltd. | 21 XXIO Prime | 10.5,11.5 | SOLE: (arrow), EXPERIENCE THE DIFFERENCE (arrow), XXIO, PRIME, (inset), (weight port) CROWN: (alignment mark) HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | 21 XXIO Prime Royal Edition | 9.5,10.5 | SOLE: (arrow), Royal Edition (arrow), XXIO, PRIME, ((RE in shield), on inset), (weight port) CROWN: ((RE in shield) alignment mark) HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | 21 XXIO Prime Royal Edition (Ladies) | 11.5 | SOLE: (flower), Royal Edition (flower), XXIO, PRIME, ((RE in shield), on inset), (weight port) CROWN: ((RE in shield) alignment mark) HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | Cleveland (2018) | 10.5 | SOLE: Cleveland, (CG logo on inset), (loft) <u>view image here</u> |
| Sumitomo Rubber Industries Ltd. | Cleveland Bloom (2018) (Ladies) | N/A | SOLE: Cleveland, (CG logo on inset), BLOOM, 1 <u>view image here</u> |
| Sumitomo Rubber Industries Ltd. | Cleveland Box Set 2012 | 10.5 | SOLE: TITANIUM, (CG logo), Cleveland, DRIVER, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|------------------------------|--------------|--|
| Sumitomo Rubber Industries Ltd. | Cleveland CG Black Tour | 9,10.5 | SOLE: Cleveland, (CG logo) BLACK, TOUR, (loft) TOE: (curved line), SPEED CROWN DESIGN, (three lines) CROWN: (logo alignment mark) FACE:460cc view image here |
| Sumitomo Rubber Industries Ltd. | Hi-Brid Digital Autofocus | 9,10,11,12 | SOLE: HI-BRID (underlined), DIGITAL, Autofocus, 1 (loft) TITANIUM, (weight port w/ series of numbers) BACK: V-SOLE TOE: (logo) 3D (with squares), FLOW DESIGN, DUNLOP CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Amica (Ladies) | 12.5,13.5 | SOLE: SRIXON (with S underlined), (three dots), amica, (loft), 1, (dot) BACK: ((raised heart and circles on inset) surrounded by hearts and circles decorative pattern) CROWN: ((six dots), (dot), (six dots) alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 355 | 9.5,10.5,12 | SOLE: SRIXON (with S underlined), Z, 355, (loft) HOSEL: (star), (orientation indicators) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 355 (LH) | 10.5,12 | SOLE: SRIXON (with S underlined), Z, 355, (loft) HOSEL: (star), (orientation indicators) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 355 HL | N/A | SOLE: SRIXON (with S underlined), Z, 355, HL HOSEL: (star), (orientation indicators) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 525 | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 525, (loft), (UNLOCK (arrow logo) LOCK around weight port), (arrow logo) QTS, QUICK TUNE SYSTEM, (arrow logo) (UNLOCK (arrow logo) LOCK around weight port), TOUR FITTING TOE: SRIXON (with S underlined) HOSEL: (orientation indicators) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|------------------------------------|--------------|---|
| Sumitomo Rubber Industries Ltd. | Srixon Z 525 Proto Type 2 | 9.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 525, (loft), (UNLOCK (arrow logo) LOCK around weight port), (arrow logo), QTS, QUICK TUNE SYSTEM, (arrow logo), (UNLOCK (arrow logo) LOCK around weight port), TOUR FITTING TOE: SRIXON (with S underlined) HOSEL: (star), (orientation indicators) HEEL: PROTO TYPE 2 |
| Sumitomo Rubber Industries Ltd. | Srixon Z 545 | 9.5 | SOLE: SRIXON (with S underlined), Z, 545, (LOCK (arrow logo) UNLOCK around weight port), (loft), (LOCK (arrow logo) UNLOCK around weight port), TOUR FITTING HOSEL: (star), (orientation indicators) view image here |
| Sumitomo Rubber Industries Ltd. | SRIXON Z 545 | 8.5,10.5 | SOLE: SRIXON (with S underlined), Z, 545, (LOCK (arrow logo) UNLOCK around weight port), (loft), (LOCK (arrow logo) UNLOCK around weight port), TOUR FITTING HOSEL: (star), (orientation indicators) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 545 N.A. Staff Edition | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), Z, 545, (LOCK (arrow logo) UNLOCK around weight port), (loft), TOUR FITTING HOSEL: (star), (orientation indicators) HEEL: N.A. STAFF EDITION view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 545 Proto Type | 9.5 | SOLE: SRIXON (with S underlined), Z, 545, (loft), (LOCK (arrow logo) UNLOCK around weight port), TOUR FITTING HOSEL: (star), (orientation indicators) HEEL: PROTO TYPE view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 565 | 9.5,10.5 | SOLE: Z, 565 TOE: SRIXON (with S underlined) HOSEL: (star), (orientation indicators) HEEL: SRIXON (with S underlined), (loft) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 565 (LH) | 9.5,10.5 | SOLE: Z, 565 TOE: SRIXON (with S underlined) HOSEL: (star), (orientation indicators) HEEL: (loft), SRIXON (with S underlined) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|--|--------------|---|
| Sumitomo Rubber Industries Ltd. | Srixon Z 565 (Version 2) | 9.5 | SOLE: Z, 565, (weight port) TOE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 565 (Version 3) | 9.5 | SOLE: Z, 565, (weight port) TOE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft), (dot) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 725 | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 725, (loft), (UNLOCK (arrow logo) LOCK around weight port), (arrow logo) QTS, QUICK TUNE SYSTEM, (arrow logo) (UNLOCK (arrow logo) LOCK around weight port), TOUR FITTING TOE: SRIXON (with S underlined) HOSEL: (orientation indicators) |
| Sumitomo Rubber Industries Ltd. | Srixon Z 725 Limited Model | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 725, LIMITED MODEL, (loft), (UNLOCK (arrow logo) LOCK around weight port), (arrow), QTS, QUICK TUNE SYSTEM, (arrow), (UNLOCK (arrow logo) LOCK around weight port), TOUR FITTING TOE: SRIXON (with S underlined) HOSEL: (star), (orientation indicators) |
| Sumitomo Rubber Industries Ltd. | Srixon Z 725 Limited Model Proto Type 1 | 9.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 725, LIMITED MODEL, (loft), QTS, QUICK TUNE SYSTEM BACK: TOUR FITTING TOE: SRIXON (with S underlined) HEEL: PROTO TYPE 1 view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 725 Proto Type 2 | 9.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 725, (loft), (UNLOCK (arrow logo) LOCK around weight port), (arrow logo), QTS, QUICK TUNE SYSTEM, (arrow logo), (UNLOCK (arrow logo) LOCK around weight port), TOUR FITTING TOE: SRIXON (with S underlined) HOSEL: (star), (orientation indicators) HEEL: PROTO TYPE 2 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|---|--------------|---|
| Sumitomo Rubber Industries Ltd. | Srixon Z 725 Proto Type 3 | 9.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 725, (loft), (UNLOCK (arrow logo) LOCK around weight port), (arrow logo), QTS, QUICK TUNE SYSTEM, (arrow logo), (UNLOCK (arrow logo) LOCK around weight port), TOUR FITTING TOE: SRIXON (with S underlined) HEEL: PROTO TYPE 3 |
| Sumitomo Rubber Industries Ltd. | Srixon Z 725 Proto Type 4 | 9.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 725, (loft), (arrow logo), (arrow logo), TOUR FITTING TOE: SRIXON (with S underlined) HEEL: PROTO TYPE 4 |
| Sumitomo Rubber Industries Ltd. | Srixon Z 725M | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 725M, (loft), (UNLOCK (arrow logo) LOCK around weight port), (arrow), QTS, QUICK TUNE SYSTEM, (arrow), (UNLOCK (arrow logo) LOCK around weight port), TOUR FITTING TOE: SRIXON (with S underlined) HOSEL: (orientation indicators), (star) |
| Sumitomo Rubber Industries Ltd. | SRIXON Z 745 | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), Z, 745, (LOCK (arrow logo) UNLOCK around weight port), (loft) BACK: TOUR FITTING HOSEL: (star), (orientation indicators) |
| Sumitomo Rubber Industries Ltd. | Srixon Z 745 Proto Type 11 (Prototype) | 9.5 | SOLE: SRIXON (with S underlined), Z, 745, (loft) BACK: TOUR FITTING HEEL: PROTO TYPE 11 view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 745 Proto Type 12 (Prototype) | 9.5 | SOLE: SRIXON (with S underlined), Z, 745, (loft) BACK: TOUR FITTING HEEL: PROTO TYPE 12 view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 745 Proto Type 3 (Prototype) | 9.5 | SOLE: SRIXON (with S underlined), Z, 745, (loft) BACK: TOUR FITTING HEEL: PROTO TYPE 3 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|--|----------|--|
| Sumitomo Rubber Industries Ltd. | Srixon Z 745 Proto Type 4 (Prototype) | 9.5 | SOLE: SRIXON (with S underlined), Z, 745, (loft) BACK: TOUR FITTING HEEL: PROTO TYPE 4 |
| Sumitomo Rubber | Srixon Z 745 Proto | 9.5 | view image here SOLE: SRIXON (with S underlined), Z, 745, |
| Industries Ltd. | Type 5 (Prototype) | | (loft) BACK: TOUR FITTING HEEL: PROTO TYPE 5 |
| | | | <u>view image here</u> |
| Sumitomo Rubber Industries Ltd. | Srixon Z 745 Proto Type 6 (Prototype) | 9.5 | SOLE: SRIXON (with S underlined), Z, 745, (loft) BACK: TOUR FITTING HEEL: PROTO TYPE 6 |
| | | | <u>view image here</u> |
| Sumitomo Rubber Industries Ltd. | Srixon Z 745 Proto Type 7 | 9.5 | SOLE: SRIXON (with S underlined), Z, 745, (loft) BACK: TOUR FITTING HEEL: PROTO TYPE 7 |
| | | | view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 745 Proto Type 8 (Prototype) | 9.5 | SOLE: SRIXON (with S underlined), Z, 745, (loft) BACK: TOUR FITTING HEEL: PROTO TYPE 8 |
| | | | <u>view image here</u> |
| Sumitomo Rubber Industries Ltd. | Srixon Z 745 Proto Type 9 (Prototype) | 9.5 | SOLE: SRIXON (with S underlined), Z, 745, (loft) BACK: TOUR FITTING HEEL: PROTO TYPE 9 |
| | | | <u>view image here</u> |
| Sumitomo Rubber Industries Ltd. | Srixon Z 765 | 9.5,10.5 | SOLE: Z, 765 TOE: SRIXON (with S underlined) HOSEL: (star), (orientation indicators) HEEL: SRIXON (with S underlined), (loft) view image here |
| Sumitomo Rubber | Srixon Z 765 (LH) | 9.5,10.5 | SOLE: Z, 765 |
| Industries Ltd. | | | TOE: SRIXON (with S underlined) HOSEL: (star), (orientation indicators) HEEL: (loft), SRIXON (with S underlined) |
| | | | view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 765 (Prototype) | 9.5,10.5 | SOLE: Z, 765 TOE: SRIXON (with S underlined) HOSEL: (star), (orientation indicators) HEEL: SRIXON (with S underlined), (loft), (dot), (dot) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|--|----------|---|
| Sumitomo Rubber Industries Ltd. | Srixon Z 765 (Version 2) (Prototype) | 9.5,10.5 | SOLE: Z, 765 TOE: SRIXON (with S underlined) HOSEL: (star), (orientation indicators) HEEL: SRIXON (with S underlined), (loft), (dot), (dot), (dot) |
| Sumitomo Rubber Industries Ltd. | Srixon Z 765 Limited Model | 8.5,9.5 | SOLE: Z 765, LIMITED, MODEL TOE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 765 Limited Model (Prototype) | 9.5 | SOLE: Z, 765, LIMITED, MODEL TOE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft), (dot) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 765 Limited Model (Version 2) (Prototype) | 8.5,9.5 | SOLE: Z, 765, LIMITED, MODEL TOE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft), (dot), (dot) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 765 Limited Model (Version 3) (Prototype) | 9.5 | SOLE: Z, 765, LIMITED, MODEL TOE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft), (diamond) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 765 Limited Model (Version 4) (Prototype) | 9.5 | SOLE: Z, 765, LIMITED, MODEL TOE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft), (dot), (dot), (dot) |
| Sumitomo Rubber Industries Ltd. | Srixon Z 765 Limited Model (Version 5) (Prototype) | 9.5 | SOLE: Z, 765, LIMITED, MODEL TOE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft), (O) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z 765 Limited Model (Version 6) (Prototype) | 9.5 | SOLE: (weight port), Z, 765, (weight port), LIMITED, MODEL TOE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft), X65-RC_F2 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|-------------------------------|--------------|--|
| Sumitomo Rubber Industries Ltd. | Srixon Z 925 | 8.5,9.5,10.5 | SOLE: SRIXON (with S underlined), (Z over Z media blast logo), 925, (loft), (UNLOCK (arrow logo) LOCK around weight port), (arrow logo) QTS, QUICK TUNE SYSTEM, (arrow logo) (UNLOCK (arrow logo) LOCK around weight port), TOUR FITTING TOE: SRIXON (with S underlined) HOSEL: (orientation indicators) |
| Sumitomo Rubber Industries Ltd. | SRIXON Z 945 | 8.5,9.5 | SOLE: SRIXON (with S underlined), Z, 945, (LOCK (arrow logo) UNLOCK around weight port), (loft) BACK: TOUR FITTING HOSEL: (star), (orientation indicators) |
| Sumitomo Rubber Industries Ltd. | Srixon Z Prototype Tour 19 | 9.5 | SOLE: Z TOE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft), Tour19 view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z Prototype Tour 20 | 9.5 | SOLE: Z TOE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft), (dot), Tour20 view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z Prototype Tour 21 | 9.5 | SOLE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft), (dot), Tour21 view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z Prototype Tour 22 | 9.5 | SOLE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft), (dot), (dot), Tour22 view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z Prototype Tour 23 | 9.5 | SOLE: SRIXON (with S underlined) HEEL: SRIXON (with S underlined), (loft), P2-3, Tour23 view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z585 | 9.5,10.5 | SOLE: SRIXON (with S underlined), Z 585, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|---------------------|----------|--|
| Sumitomo Rubber Industries Ltd. | Srixon Z785 | 9.5,10.5 | SOLE: SRIXON (with S underlined), Z 785 TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z785 (LH) | 9.5,10.5 | SOLE: SRIXON (with S underlined), Z 785 TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z785 T00 | 9.5 | SOLE: SRIXON (with S underlined), Z785 TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (circle), STD, LOFT, +1, LOFT, STD, UR, -1, LOFT, (orientation indicators) HEEL: (loft) T00 view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z785 T003 | 9.5 | SOLE: SRIXON (with S underlined), Z785 TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), STD, LOFT, +1, LOFT, STD, UR, -1, LOFT, (orientation indicators) HEEL: (loft) T003 view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z785 T006 TF | 9.5 | SOLE: SRIXON (with S underlined), Z785, (dot) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) T006 |
| Sumitomo Rubber Industries Ltd. | Srixon Z785 T007 | 9.5 | SOLE: SRIXON (with S underlined), Z785 TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), STD, LOFT, +1, LOFT, STD, UR, -1, LOFT, (orientation indicators) HEEL: (loft) T007 view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z785 T008 | 9.5 | SOLE: SRIXON (with S underlined), Z785 TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) T008 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|---------------------|----------|---|
| Sumitomo Rubber Industries Ltd. | Srixon Z785 T009 | 9.5 | SOLE: SRIXON (with S underlined), Z785 TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) T009 |
| Sumitomo Rubber Industries Ltd. | Srixon Z785 T010 | 9.5 | SOLE: SRIXON (with S underlined), Z785, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) T010 view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z785 Tour | 9.5,10.5 | SOLE: SRIXON (with S underlined), Z 785 TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (orientation indicators) HEEL: (loft) T |
| Sumitomo Rubber Industries Ltd. | Srixon Z785 Tour 5 | 9.5 | SOLE: SRIXON (with S underlined), Z 785 TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) TO5 |
| Sumitomo Rubber Industries Ltd. | Srixon Z785 Tour 7 | 9.5 | SOLE: SRIXON (with S underlined), Z 785 TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot) HEEL: (loft) view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z785 Tour FL | 9.5,10.5 | SOLE: SRIXON (with S underlined), Z 785 TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) FL view image here |
| Sumitomo Rubber Industries Ltd. | Srixon Z785 Tour LS | 9.5 | SOLE: SRIXON (with S underlined), Z 785 TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (orientation indicators) HEEL: (loft) TLS view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|-----------------------------------|----------|--|
| Sumitomo Rubber Industries Ltd. | Srixon ZX5 | 9.5,10.5 | SOLE: SRIXON (with S underlined), ZX5, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX5 (LH) | 9.5,10.5 | SOLE: SRIXON (with S underlined), (weight port), ZX5 TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX5 MKII Driver_T226 | 9.5 | SOLE: REBOUND FRAME, (weight port), SRIXON (with S underlined), ZX5, MKII, TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T226 FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX5 MKII Driver_T237 | 9.5 | SOLE: REBOUND FRAME, (weight port), SRIXON (with S underlined), ZX5, MKII, TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T237 FACE:REBOUND FRAME view image here |
| Sumitomo Rubber Industries Ltd. | Srixon ZX5 MKII LS Driver_T230 | 9.5 | SOLE: REBOUND FRAME, LS, SRIXON (with S underlined), (weight port), ZX5, MKII, TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T230 FACE:REBOUND FRAME view image here |
| Sumitomo Rubber Industries Ltd. | Srixon ZX5 T012 | 9.5 | SOLE: SRIXON (with S underlined), ZX5, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), REBOUND FRAME, T012 FACE:REBOUND FRAME |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|-----------------|----------|---|
| Sumitomo Rubber Industries Ltd. | Srixon ZX5 T201 | 9.5 | SOLE: SRIXON (with S underlined), ZX5, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), REBOUND FRAME, T201 FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX5 T209 | 9.5 | SOLE: SRIXON (with S underlined), ZX5, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T209, REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 | 9.5,10.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 (LH) | 9.5,10.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 T011 | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T011, REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 T202 | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T202, REBOUND FRAME FACE:REBOUND FRAME |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|--------------------------------|-------|--|
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 T203 | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T203, REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 T203 (Version 2) | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T203, (diamond), REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 T205 | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T205, REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 T205 (Version 2) | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T205, (diamond), REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 T206 | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T206, REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 T207 | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T207, REBOUND FRAME FACE:REBOUND FRAME |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|--------------------------------|-------|--|
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 T208 | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T208, REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 T211 | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T211, REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 T212 | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T212, REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 T212 (Version 2) | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T212, (diamond), REBOUND FRAME FACE:REBOUND FRAME |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 T216 | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), T216 FACE:REBOUND FRAME view image here |
| Sumitomo Rubber Industries Ltd. | Srixon ZX7 Tour | 9.5 | SOLE: (weight port), SRIXON (with S underlined), ZX7, (weight port) TOE: SRIXON (with S underlined) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), (diamond), REBOUND FRAME FACE:REBOUND FRAME |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|-----------------------------|------------------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Sumitomo Rubber Industries Ltd. | XXIO (2018) | 8.5,9.5,10.5,11.5 | SOLE: (line), TRUE-FOCUS IMPACT, (line), (weight port), XXIO, (loft) TOE: XXIO CROWN: (logo alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO (2018) (Black) | 8.5,9.5,10.5 | SOLE: (line), TRUE-FOCUS IMPACT, (line), (weight port), XXIO, (loft) TOE: XXIO view image here |
| Sumitomo Rubber Industries Ltd. | XXIO (2018) (Korea) | 10.5,11.5,12.5 | SOLE: (line), TRUE-FOCUS IMPACT, (line), (weight port), XXIO, (loft) TOE: XXIO CROWN: (alignment mark) HOSEL: K view image here |
| Sumitomo Rubber Industries Ltd. | XXIO (2018) (Ladies) | 10.5,11.5,12.5,13.5 | SOLE: (line), TRUE-FOCUS IMPACT, (line), (weight port), XXIO, (loft) TOE: XXIO CROWN: (logo alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO (2018) (LH) | 9.5,10.5,11.5 | SOLE: (line), TRUE-FOCUS IMPACT, (line), XXIO, (weight port), (loft) TOE: XXIO CROWN: (logo alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO (Gold) | 9.5,10.5 | SOLE: XXIO, (3 decorative gems on inset), (loft), (decorative media blast logo), (dot) Next Future Technology (dot) CROWN: (alignment mark), (decorative markings) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO DST | 8.5,9.5,10.5,11.5,12.5 | SOLE: D(S in shape)T, DUAL SPEED, TECHNOLOGY, XXIO, (loft) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO DST (Kaula Version) | 8.5,9.5,10.5 | SOLE: (4 lines), D(S in shape)T, DUAL SPEED, TECHNOLOGY, XXIO, (loft) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO DST (Ladies) | 10.5,11.5,12.5 | SOLE: D(S in shape)T, DUAL SPEED, TECHNOLOGY, XXIO, (loft) CROWN: (alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|----------------------------------|------------------------|--|
| Sumitomo Rubber Industries Ltd. | XXIO DST (Ladies) (Version 2) | 10.5,11.5,12.5,13.5 | SOLE: (3 lines), D(S in shape)T, DUAL SPEED, TECHNOLOGY, (decorative graphic), XX10, (loft) CROWN: (alignment mark) |
| 0 " 0 !! | VVIO DCT (LLI) | 9.5,10.5,11.5 | |
| Sumitomo Rubber Industries Ltd. | XXIO DST (LH) | 9.5,10.5,11.5 | SOLE: D(S in shape)T, DUAL SPEED, TECHNOLOGY, XXIO, (loft) CROWN: (alignment mark) |
| <u> </u> | V/// O DOT (I II) | 05405445 | view image here |
| Sumitomo Rubber Industries Ltd. | XXIO DST (LH) (Version 2) | 9.5,10.5,11.5 | SOLE: D(S in shape)T, DUAL SPEED, TECHNOLOGY, (4 lines), XXIO, (loft) CROWN: (alignment mark) |
| | | | view image here |
| Sumitomo Rubber Industries Ltd. | XXIO DST (Version 2) | 11.5,12.5,13.5 | SOLE: D(S in shape)T, DUAL SPEED, TECHNOLOGY, (media blast logo), XXIO, (loft), (media blast logo), (loft) CROWN: (logo alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO DST (Version 3) | 8.5,9.5,10.5,11.5,12.5 | SOLE: (4 lines), D(S in shape)T, DUAL SPEED, TECHNOLOGY, XXIO, (loft) CROWN: (alignment mark) |
| | | 100 | view image here |
| Sumitomo Rubber Industries Ltd. | XXIO DST Black | 10.5 | SOLE: D(S in shape)T, DUAL SPEED, TECHNOLOGY, XXIO, (loft) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO FG | 9.5,10.5 | SOLE: DUAL SPEED TECHNOLOGY,(D(S in shape)T on diamond shaped inset) XXIO, FG, (loft) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Forged (Japan model) | 8.5,9.5,10.5 | SOLE: XXIO, FORGED, (loft), (lines) TOE: NEXT FUTURE, TECHNOLOGY view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Forged (Korean model) | 8.5,9.5,10.5 | SOLE: XXIO, FORGED, (loft), (lines) TOE: NEXT FUTURE, TECHNOLOGY CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Good Year | 9.5,10.5,11.5 | SOLE: NEXT FUTURE TECHNOLOGY (underlined)//, (triangle), (line), GOOD (logo) YEAR, XXIO, (loft) CROWN: (logo alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|--|----------------|--|
| Sumitomo Rubber Industries Ltd. | XXIO Good Year (Ladies) | 11.5,12.5,13.5 | SOLE: NEXT FUTURE TECHNOLOGY (underlined)//, (triangle), (line), GOOD (logo) YEAR, XXIO, (loft) CROWN: (logo alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Good Year (LH) | 9.5,10.5,11.5 | SOLE: NEXT FUTURE TECHNOLOGY (underlined)//, (triangle), (line), GOOD (logo) YEAR, XXIO, (loft) CROWN: (logo alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Prime 2019 | 10.5,11.5 | SOLE: (arrow), REAL LIGHT POWER (arrow), (inset), XXIO, -PRIME-, (loft) CROWN: (arrow alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Prime Dual Speed Technology | 10.5,11.5 | SOLE: XX10, -PRIME-, (loft) TOE: (logo), DUAL SPEED TECHNOLOGY CROWN: (alignment mark) FACE:(media blast logo) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Prime Dual Speed Technology (Version 2) | 10.5,11.5 | SOLE: XX10, -PRIME-, (loft) TOE: DUAL SPEED TECHNOLOGY CROWN: (alignment mark) FACE:(chevron media blast between score lines) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Prime Next Future Technology (Japan model) | 10.5,11.5 | SOLE: XXIO, - PRIME -, NEXT FUTURE TECHNOLOGY, (loft) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Prime Next Future Technology (Korean model) | 10.5,11.5 | SOLE: XXIO, - PRIME -, NEXT FUTURE TECHNOLOGY, (loft) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Prime Next Future Technology (Ladies) | 11.5 | SOLE: XXIO, - PRIME -, NEXT FUTURE TECHNOLOGY, (loft) CROWN: (alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Prime Royal Edition | 10.5 | SOLE: XX10, -PRIME-, (logo on circular inset) (loft) TOE: Royal Edition, (curved lines) CROWN: (alignment mark) FACE:(media blast logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------------|---|--------------|--|
| Sumitomo Rubber Industries Ltd. | XXIO Prime Royal Edition (Ladies) | 11.5 | SOLE: XX10, -PRIME-, (decorative graphic), (decorative graphic), (decorative graphic), (RE circular inset), (decorative graphic), (loft) TOE: (decorative graphic), Royal Edition, (decorative graphic) CROWN: (alignment mark) FACE:(media blast logo) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Prime Royal Edition (Ladies) (Version 2) | 11.5 | SOLE: (media blast graphics), XX10, -PRIME-, ((RE logo in oval) on inset), (loft), (media blast graphics) TOE: (graphics), Royal Edition, (graphics) CROWN: ((RE logo in oval) alignment mark) FACE:(media blast logo) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Prime Royal Edition (Ladies) (Version 3) | 11.5 | SOLE: (RE logo in oval), Royal Edition, (inset), XX10, -PRIME-, (loft) CROWN: ((RE logo in oval) alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Prime Royal Edition (Version 2) | 10.5 | SOLE: (media blast graphics), XX10, -PRIME-, ((RE logo in shield) on inset), (loft), (media blast graphics) TOE: Royal Edition, (curved lines) CROWN: ((RE logo in shield) alignment mark) FACE:(media blast logo) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Prime Royal Edition (Version 3) | 9.5,10.5 | SOLE: (RE in shield logo), Royal Edition, (inset), XX10, -PRIME-, (loft) CROWN: ((RE in shield logo) alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Prime VP (Version 2) | N/A | SOLE: XXIO, -PRIME-, VP, 01 (with 0 underlined) CROWN: (VP alignment mark) view image here |
| Sumitomo Rubber Industries Ltd. | XXIO Tour Special Titanium AX-Sole | 8,9,10,11,12 | SOLE: XXIO, Tour Special, (loft), Titanium 1, AX-Sole TOE: (logo) Impact Technology Dunlop CROWN: (alignment mark) view image here |
| Summit Golf | SURFACE2AIR | 9 | SOLE: , SURFACE2AIR, (loft) COMPUTER DESIGNED 1, SUMMIT GOLF CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------------|-----------------|-----------|--|
| Sun Valley Golf Company | SVG Gold 320cc | 8,9,10,11 | SOLE: (loft), ß-TI 1, SVG GOLD CROWN: (arrow and dot alignment) view image here |
| Sungreen Inc. | Flying Dragon | 10.5 | SOLE: 1 (loft), (line), Flying, Dragon, (w/ engraved D), TITANIUM, PAT 3025825, PAT Pending view image here |
| Sunshine Plus Ltd | RW Design I40 | 10 | SOLE: (RWD logo), Double Trench HEEL: (loft) view image here |
| Sunvillage Corporation | Aqiema 460 | N/A | BACK: (logo), Aqiema TOE: (4 circles) HEEL: (4 circles) view image here |
| Superkit Sporting Goods Co Ltd | Superkit | 14.5 | SOLE: (weight port), SJ-135, SUPER JUNIOR, (crown logo), Superkit TOE: Superkit CROWN: You'll be better with me, (crown logo) HOSEL: USA HEEL: (club number, loft), (degree) FACE:(crown logo) |
| SuperPower Golf Company, LLC | SP 455 | 10.5 | SOLE: (loft), SUPER(flagstick graphic)POWER, SP455, ROLL FORGED CROWN: (alignment arrow) view image here |
| SuperPower Golf Company, LLC | SP455 | 9 | SOLE: (loft), SUPER(flagstick graphic)POWER, SP455, ROLL FORGED CROWN: (alignment arrow) view image here |
| Surpass Golf | Bullet | 9.5,10.5 | SOLE: (S logo) (star), BULLET, ((loft), (loft) on weight port) view image here |
| Swing Science, LLC | FC-ONE A Series | N/A | SOLE: Swing Science, FC-ONE, A SERIES HOSEL: (dot), (orientation indicators) view image here |
| Swing Science, LLC | FC-ONE Pro | 10.5 | SOLE: Swing Science, (weight port), TWIN SPEED SLOT TECHNOLOGY, FC-ONE, PRO CROWN: (Ss alignment marker) HOSEL: (loft), (dot), (orientation indicators) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------|---|---------------|--|
| Swing Science, LLC | S-800 | 9,10.5 | SOLE: 460, Swing, Science, (loft). (S, (S superscript), S800 on triangle insert) CROWN: (S alignment mark) view image here |
| Swing Science, LLC | Swing Science Cup Face 460 (Version 1) | 9 | SOLE: (loft), Swing, Science, CUP FACE, 460CC TOE: S (s superscript) view image here |
| Swing Science, LLC | Swing Science Cup Face 460 (Version 2) | 10.5,12 | SOLE: (loft), Swing, Science®, CUP FACE, 460CC TOE: S (s superscript) view image here |
| Swing Sync USA | Swing Sync (Version 1) | 9 | SOLE: Beta Ti, Face, Swing, (loft), LOFT (recessed spoked wheel graphic) Sync, SINGLE FREQUENCY, SYSTEM view image here |
| Swing Sync USA | Swing Sync (Version 2) | 10.5 | SOLE: Beta Ti, Swing, (loft), LOFT (recessed spoked wheel graphic) Sync, SINGLE FREQUENCY, SYSTEM view image here |
| Swingscience Japan Inc | Estivant | N/A | SOLE: ESTIVANT, (three diamonds) PROTO • FORGED (three diamonds), (helmet logo) view image here |
| S-Yard Co Ltd | T.388 | 9.5,10.5 | SOLE: S-YARD, ((S-YARD over (logo) on inset)), T.388, FORGED TITANIUM BACK: CENTRALIZED POWER ZONE TOE: S-YARD HEEL: (loft) view image here |
| S-Yard Co Ltd | XT | 9.5,10.5,11.5 | SOLE: (XT on plate), S-YARD, FORGED TITANIUM TOE: S-YARD CROWN: (alignment mark) HEEL: (loft) view image here |
| S-Yard Co Ltd | XV | 9.5,10.5 | SOLE: (XV logo), FORGED TITANIUM BACK: (S-YARD on inset) TOE: S-YARD HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------------|---------------------------------|-------|--|
| Synergy Golf International, Inc. | MT-360 | 10.5 | SOLE: (Synergy logo), SYNERGY, MT 360, SP-700 Titanium TOE: (swinging golfer graphic) TOPPOINT®, (line) CROWN: (swing golfer graphic alignment mark) FACE:(Synergy logo) (loft) MWCL FACE |
| SZ North Asia L.L.C | Advisor F-Ti 460 | 10.5 | SOLE: advisor, (logo), F-Ti 460, (loft) TOE: (ZERO over logo) CROWN: advisor, advisor, (logo alignment mark) HOSEL: (orientation indicators) view image here |
| SZ North Asia L.L.C | Advisor F-Ti 460 (Version 2) | 8,9 | SOLE: advisor, (logo), F-Ti 460, (loft) TOE: (G-SPEC over logo), ZERO CROWN: advisor, advisor, (decorative graphics), (logo alignment mark) HOSEL: (dot), (orientation indicators) view image here |
| SZ North Asia L.L.C | Aerotech | 10.5 | SOLE: 460CC, aerotech, ESD-a, (loft), FORGED, TITANIUM CROWN: (alignment mark) view image here |
| SZ North Asia L.L.C | Aerotech (Ladies) | 12 | SOLE: 460CC, aerotech, ESD-a, (loft), FORGED, TITANIUM CROWN: (alignment mark) view image here |
| SZ North Asia L.L.C | Aerotech Heart | 13 | SOLE: (loft), Aerotech (heart logo) Heart, FORGED TITANIUM, 460CC TOE: Aerotech Heart CROWN: (heart alignment mark) <u>view image here</u> |
| T&D Co., Ltd | Gogue RIID | 10 | SOLE: (weight port), GOGUE, (GG logo), Overwhelming Strength, RIID, (weight port), WORKS CROWN: (GG logo alignment mark) HOSEL: (dot), (dot), (orientation indicators) FACE:RIID, (GG logo) view image here |
| T&D Co., Ltd | MAXIMAX | 10 | SOLE: 460, (loft), MAXIMAX, BOS, WORKS HOSEL: (orientation indicators), STD, DRAW, FADE |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|---------------------|--------------------|--|
| T&D Co., Ltd | Wild D Max | 10.5 | SOLE: SLE, CONFORMED, WILD, D MAX, WORKS, GOLF HOSEL: (orientation indicators), STANDARD, DRAW, FADE |
| | | | view image here |
| Tad Moore Design | Physics (LH) | 9.75,10.75 | SOLE: (circular weight w/ flower graphic), (P w/ orbitals graphic), PHYSICS, by (Tad Moore signature), (circular weight w/ flower graphic), MAXX, SP-700, FACE, (loft) view image here |
| Tad Moore Design | Tad Moore 409 | 8.5,9.5,10.5 | SOLE: 409, (loft)T, Tad Moore, (TM in circle), TITANIUM |
| | | | view image here |
| Tad Moore Design | Tad Moore 460 | 10 | SOLE: 460, (loft)T, (Tad Moore signature), (TM logo), TITANIUM BACK: (Tad Moore signature) view image here |
| Tad Moore Design | Tad Moore by Dunlop | 8.5 | SOLE: (Dunlop logo), Tad Moore, by Dunlop, 1 (loft), 348cc, (triangle) FACE:15-3-3-3 Ti view image here |
| Tad Moore Design | TM 409 (LH) | 9.5,10.5,11.5 | SOLE: 409, (loft)T, (Tad Moore signature), |
| rau Moore Design | 1W 403 (E11) | 0.0,10.0,11.0 | (TM in circle logo), TITANIUM view image here |
| Tad Moore Design | TM3 Screw | 9.5,10.5,11.5,12.5 | SOLE: 1 (loft) (circular weight w/ flower graphic), (eleven recessed lines), SP700, FACE, (circular weight w/ flower graphic), (circular weight w/ flower graphic) BACK: (Tad Moore signature) |
| Tad Moore Design | TM3 Screw (LH) | 10.5,11.5 | SOLE: (circular weight w/ flower graphic), 1 (loft), (eleven recessed lines), (circular weight w/ flower graphic), SP700, FACE, (circular weight w/ flower graphic) BACK: (Tad Moore signature) view image here |
| Tad Moore Design | Walter Hagen Moto | 9.5,10.5 | SOLE: (WH on crest w/ crown graphic), MOTO, (loft), (three curved lines) BACK: (TPU band w/ three screws and weight) TOE: (Walter Hagen signature) CROWN: (XI alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------|------------------|--|
| Tami Sports Co Ltd | Katana Stardom | 9.5 | SOLE: KATANA, (KG logo), PREMIUM CLUB, STARDOM, PRO MODEL, TYPE-1, (loft) BACK: (JAPAN, JAPAN on weight port), (JAPAN, JAPAN on weight port) TOE: (KG logo) HEEL: KATANA GOLF® |
| Tami Sports Co Ltd | Stardom-V Black | 9 | SOLE: STARDOM, (SR, PREMIUM CLUB in shield logo), (loft), (decorative markings), ((SR, (PREMIUM CLUB in shield logo), STARDOM on inset) TOE: (SR in shield logo) HEEL: STARDOM® BLACK FACE:(SR, PREMIUM CLUB in sheid logo), STARDOM |
| TaylorMade Golf Company | 200 Steel | 8.5,9.5,10.5,12 | SOLE: TaylorMade (w/ T logo), (line), 200 Steel, (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | 300 Mini Driver | 11.5,13.5 | SOLE: (weight port), TaylorMade (w/ T logo), (line), 300 MINI, DRIVER, (line)SPEED POCKET(line), (loft) TOE: TITANIUM CROWN: (T logo alignment mark), 300 HOSEL: (twelve lines), (orientation indicators) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | 300 Mini Driver (LH) | 11.5 | SOLE: (line)SPEED POCKET(line), TaylorMade (w/ T logo), (line), 300 MINI, DRIVER, (loft) TOE: TITANIUM CROWN: (T logo alignment mark), 300 HOSEL: (twelve lines), (orientation indicators) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | 300 Ti | 7.5,8.5,9.5,10.5 | SOLE: TaylorMade (w/ T logo), (line), 300 Ti, (loft) CROWN: (T logo a;ignment mark) view image here |
| TaylorMade Golf Company | 300 Ti (LH) | 9.5 | SOLE: (T logo)aylorMade, (line), 300 Ti (loft) CROWN: (T logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|------------------------------|------------------|---|
| TaylorMade Golf Company | 300 Tour (LH) (Version 2) | 9 | SOLE: Tour, TaylorMade (w/ T logo), (line), 300, (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | 300 Tour (Version 1) | N/A | SOLE: TaylorMade (w/ T logo), (line), 300, Tour· CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | 300 Tour (Version 2) | 8,9.5,10.5 | SOLE: Tour, (TaylorMade (w/ T logo), (line), 300, (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | 320 Ti | 8.5,9.5,10.5,12 | SOLE: TaylorMade (w/ T logo), (line), 320 Ti, (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | 320 Ti (LH) | 9.5 | SOLE: (T logo)aylorMade, (line), 320 Ti, (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | 320 Ti Tour | 7.5,8.5,9.5,10.5 | SOLE: TaylorMade (w/ T logo), (line), 320 Ti, Tour (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | 360 Ti | 7,8.5,9.5,10.5 | SOLE: TaylorMade (w/ T logo), (line), 360 Ti, (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | 510 | 9.5 | SOLE: 510, (line under 10), TaylorMade (w/ T logo), (loft), (weight cartridge insert) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | 540 | 9.5 | SOLE: 540, (line under 40), TaylorMade (w/ T logo), (loft), (weight cartridge insert) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | 580 | 9.5 | SOLE: 580, (line under 80), TaylorMade (w/ T logo), (loft), (weight cartridge insert) CROWN: (T logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------------------|-------------|---|
| TaylorMade Golf Company | Adams Idea | 9,10.5,12 | SOLE: VELOCITY SLOT, idea, ADAMS, PRECISION, DRAW, (weight port) TOE: CARBON TOE CROWN: (AG alignment marker) HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:AG |
| TaylorMade Golf Company | Adams Idea (LH) | 9,10.5,12 | SOLE: VELOCITY SLOT, idea, ADAMS, PRECISION, DRAW, (weight port) TOE: CARBON TOE CROWN: (AG alignment marker) HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:AG view image here |
| TaylorMade Golf Company | AeroBurner (Japan) | 10,11,12,14 | SOLE: (graphic decal), TaylorMade (w/ T logo), (AERO BURNER on graphic decal), (loft) TOE: TaylorMade (w/ T logo) CROWN: (AEROBURNER, (lines) alignment mark) view image here |
| TaylorMade Golf Company | AeroBurner (Japan) (LH) | 10,11 | SOLE: (graphic decal), TaylorMade (w/ T logo), (loft), (AERO, BURNER on graphic decal) TOE: TaylorMade (w/ T logo) CROWN: (AEROBURNER, (lines) alignment mark) view image here |
| TaylorMade Golf Company | AeroBurner (LH) (Version 1) | 9.5,10.5,12 | SOLE: (graphic decal), TaylorMade (w/ T logo), ((loft), AERO, BURNER on graphic decal) TOE: TaylorMade (w/ T logo) CROWN: (AEROBURNER, (lines) alignment mark) view image here |
| TaylorMade Golf Company | AeroBurner (Version 1) | 9.5,10.5,12 | SOLE: (graphic decal), TaylorMade (w/ T logo), (AERO (loft), BURNER on graphic decal) TOE: TaylorMade (w/ T logo) CROWN: (AEROBURNER, (lines) alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---------------------------------|---------------|---|
| TaylorMade Golf Company | AeroBurner (Version 2) | 9.5,10.5 | SOLE: TaylorMade (w/ T logo), (AERO (loft), BURNER on graphic decal) CROWN: (alignment mark) view image here |
| TaylorMade Golf Company | AeroBurner (Version 2) (LH) | 9.5 | SOLE: TaylorMade (w/ T logo), ((loft), AERO, BURNER on graphic decal) CROWN: (alignment mark) view image here |
| TaylorMade Golf Company | AeroBurner HL | N/A | SOLE: (graphic decal), TaylorMade (w/ T logo), (AERO HL, (triangle) BURNER on graphic decal) TOE: TaylorMade (w/ T logo) CROWN: (AEROBURNER, (lines) alignment mark) view image here |
| TaylorMade Golf Company | AeroBurner TP | 9,9.5,10.5,12 | SOLE: (graphic decal), TaylorMade (w/ T logo), (AERO (loft), BURNER on graphic decal) TOE: TaylorMade (w/ T logo), (TP badge) CROWN: (line alignment mark) view image here |
| TaylorMade Golf Company | AeroBurner TP (LH) | 9,9.5,10.5,12 | SOLE: (graphic decal), TaylorMade (w/ T logo), ((loft) AERO, BURNER on graphic decal) TOE: TaylorMade (w/ T logo), (TP badge) CROWN: (line alignment mark) view image here |
| TaylorMade Golf Company | AeroBurner TP HL | N/A | SOLE: (graphic decal), TaylorMade (w/ T logo), (AERO HL, BURNER on graphic decal) TOE: TaylorMade (w/ T logo), (TP badge) CROWN: (line alignment mark) |
| TaylorMade Golf Company | BRNR Mini Driver (Version 1) | 11.5,13.5 | SOLE: MINI DRIVER, (HEAVY, (weight) on weight port), BRNR, (LIGHT, (weight) on weight port), (line) SPEED POCKET (line), TITANIUM TOE: (T logo)TaylorMade CROWN: (T logo) HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE, -ZA- view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------------------------|-----------|--|
| TaylorMade Golf Company | BRNR Mini Driver (Version 1) (LH) | 11.5 | SOLE: MINI DRIVER, (line) SPEED POCKET (line), (LIGHT, (weight) on weight port), BRNR, (HEAVY, (weight) on weight port), TITANIUM TOE: (T logo)TaylorMade CROWN: (T logo) HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:-ZA-, TWIST FACE |
| TaylorMade Golf Company | BRNR Mini Driver (Version 2) | 11.5,13.5 | SOLE: MINI DRIVER, (weight port w/ indicators), Taylor, (T logo) Made, (weight port w/ indicators), (line) SPEED POCKET (line), TITANIUM TOE: BRNR CROWN: (T logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:TWIST FACE, -ZA-view image here |
| TaylorMade Golf Company | BRNR Mini Driver (Version 2) (LH) | 11.5 | SOLE: MINI DRIVER, (line) SPEED POCKET (line), (weight port w/ indicators), Taylor, (T logo) Made, (weight port w/ indicators), TITANIUM TOE: BRNR CROWN: (T logo alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:-ZA-, TWIST FACE |
| TaylorMade Golf Company | Burner (LH) (Version 1) | 9.5,10.5 | SOLE: (T logo)aylorMade, (flame graphic)BURNER, (circular weight) CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner (LH) (Version 2) | 9.5,10.5 | SOLE: TaylorMade (w/ T logo), (flame graphic) B, (flame graphic)BURNER, (circular weight) CROWN: ((flame alignment mark) w/ crown decal) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner (Version 1) | 9.5,10.5 | SOLE: (T logo)aylorMade, (flame graphic)BURNER, (circular weight) CROWN: (T logo alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-----------------------|--------------|--|
| TaylorMade Golf Company | Burner (Version 2) | 9.5,10.5 | SOLE: TaylorMade (w/ T logo), (flame graphic) B, (flame graphic)BURNER, (circular weight) CROWN: ((flame alignment mark) w/ crown decal) HOSEL: (loft) |
| TaylorMade Golf Company | Burner 1.0 | 9.5,10.5 | SOLE: TaylorMade (w/ T logo), (1 media blast), (flame logo)BURNER, 1.0, (three lines) CROWN: (flame graphic alignment mark), (curved line) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner 1.0 (Women's) | 11.5 | SOLE: TaylorMade (w/ T logo), (1 media blast), (flame logo)BURNER, 1.0, (three lines) CROWN: (flame graphic alignment mark), (curved line) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner 420 | 8.5,9.5,10.5 | SOLE: TaylorMade (w/ T logo), BurneR, (line), 420, (loft), TI CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | Burner Draw | 9.5,10.5 | SOLE: DRAW, (T logo)aylorMade, (flame graphic)BURNER, (circular weight) CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner Draw (LH) | 9.5,10.5 | SOLE: DRAW, (T logo)aylorMade, (flame graphic)BURNER, (circular weight) CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner HT (Version 1) | N/A | SOLE: (T logo)aylorMade, (flame graphic)BURNER, (circular weight) CROWN: (T logo alignment mark) HEEL: HT view image here |
| TaylorMade Golf Company | Burner HT (Version 2) | 9.5 | SOLE: TaylorMade (w/ T logo), (flame graphic) B, (flame graphic)BURNER, (circular weight) CROWN: ((flame alignment mark) w/ crown decal) HEEL: HT |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--|----------|--|
| TaylorMade Golf Company | Burner HT Draw | N/A | SOLE: DRAW, (T logo)aylorMade, (flame graphic)BURNER, (circular weight) CROWN: (T logo alignment mark) HEEL: HT view image here |
| TaylorMade Golf Company | Burner Plus | 9.5,10.5 | SOLE: TaylorMade (w/T logo), (flame logo) (B logo), (flame logo) BURNER, PLUS, (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | Burner Plus (LH) | 9.5,10.5 | SOLE: TaylorMade (w/T logo), (flame logo) (B logo), (flame logo) BURNER, PLUS, (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | Burner Plus HT | N/A | SOLE: TaylorMade (w/T logo), (flame logo) (B logo), (flame logo) BURNER, PLUS, HT CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | Burner Superfast | 9.5,10.5 | SOLE: TaylorMade (w/ T logo), (1 media blast), (flame logo)BURNER, SUPERFAST, (three lines) CROWN: (flame graphic alignment mark on honeycomb crown decal) HEEL: (loft) |
| TaylorMade Golf Company | Burner Superfast (Japan model) | 9.5,10.5 | view image here SOLE: TaylorMade (w/T logo), (1 media blast logo), (logo) BURNER, SUPERFAST CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner Superfast (Japan Model) (LH) | 10.5 | SOLE: (1 media blast logo), TaylorMade (w/T logo), (logo) BURNER, SUPERFAST CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner Superfast (LH) | 9.5,10.5 | SOLE: TaylorMade (w/ T logo), (1 media blast), (flame logo)BURNER, SUPERFAST, (three lines) CROWN: (flame graphic alignment mark on honeycomb crown decal) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------------------|--------------|--|
| TaylorMade Golf Company | Burner Superfast (Tour) | 8.5,9.5,10.5 | SOLE: TaylorMade (w/ T logo), (1 media blast), (flame logo)BURNER, SUPERFAST, (three lines) CROWN: (flame graphic alignment mark on honeycomb crown decal) HEEL: (loft) |
| TaylorMade Golf Company | Burner Superfast (Tour) (Ladies) | 10.5 | SOLE: TaylorMade (w/ T logo), (1 media blast), (flame logo)BURNER, SUPERFAST, (three lines) CROWN: (flame graphic alignment mark on honeycomb crown decal) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner Superfast (Tour) (LH) | 9.5 | SOLE: TaylorMade (w/ T logo), (1 media blast), (flame logo)BURNER, SUPERFAST, (three lines) CROWN: (flame graphic alignment mark on honeycomb crown decal) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner Superfast 2.0 | 9.5,10.5 | SOLE: (line), (flame logo)BURNER, SUPERFAST, 2.0, (1 media blast), (line), TaylorMade (w/ T logo) CROWN: (flame graphic) BURNER, (bent line), (flame graphic, BURNER alignment mark), (bent line, three lines) HEEL: (loft) |
| TaylorMade Golf Company | Burner Superfast 2.0 (LH) | 9.5,10.5 | SOLE: (line), (flame logo)BURNER, SUPERFAST, 2.0, (1 media blast), (line), TaylorMade (w/ T logo) CROWN: (flame graphic) BURNER, (bent line), (flame graphic, BURNER alignment mark), (bent line, three lines) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner Superfast 2.0 HT | N/A | SOLE: (line), (flame logo)BURNER, SUPERFAST, 2.0, (1 media blast), (line), TaylorMade (w/ T logo) CROWN: (flame graphic) BURNER, (bent line), (flame graphic, BURNER alignment mark), (bent line, three lines) HEEL: HT view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---------------------------------|--------------|--|
| TaylorMade Golf Company | Burner Superfast 2.0 TP | 8.5,9.5,10.5 | SOLE: (flame logo)BURNER, SUPERFAST, 2.0, (1 media blast), (line), TaylorMade (w/ T logo) TOE: (TP shield logo), (weight port) CROWN: (flame graphic) BURNER, (bent line), (flame graphic alignment mark), (bent line, three lines) HEEL: (loft) |
| TaylorMade Golf Company | Burner Superfast 2.0 TP (LH) | 9.5,10.5 | SOLE: (flame logo)BURNER, SUPERFAST, 2.0, (1 media blast), (line), TaylorMade (w/ T logo) TOE: (TP shield logo), (weight port) CROWN: (flame graphic) BURNER, (bent line), (flame graphic alignment mark), (bent line, three lines) HEEL: (loft) |
| TaylorMade Golf Company | Burner SuperFast 2.0J | 9.5,10.5 | SOLE: (logo) BURNER, SUPERFAST, TaylorMade (w/T logo), (2.0J, SUPERFAST TECHNOLOGY on inset) CROWN: (alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner SuperFast 2.0J HT | N/A | SOLE: (logo) BURNER, SUPERFAST, TaylorMade (w/T logo), (2.0J, SUPERFAST TECHNOLOGY on inset) CROWN: (alignment mark) HEEL: HT view image here |
| TaylorMade Golf Company | Burner Superfast HT | N/A | SOLE: TaylorMade (w/ T logo), (1 media blast), (flame logo)BURNER, SUPERFAST, (three lines) CROWN: (flame graphic alignment mark on honeycomb crown decal) HEEL: HT view image here |
| TaylorMade Golf Company | Burner Superfast HT (Ladies) | N/A | SOLE: TaylorMade (w/ T logo), (1 media blast), (flame logo)BURNER, SUPERFAST, (three lines) CROWN: (flame graphic alignment mark on honeycomb crown decal) HEEL: HT view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---|------------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| TaylorMade Golf Company | Burner Superfast TP (Japan Model) | 8.5,9.5,10.5 | SOLE: (TP logo), TaylorMade (w/T logo), (1 media blast logo), (logo) BURNER, SUPERFAST CROWN: (T logo alignment mark) HEEL: (loft) |
| | | | view image here |
| TaylorMade Golf Company | Burner Superfast TP (Japan Model) (LH) | 9.5 | SOLE: (TP logo) TaylorMade (w/T logo), (1 media blast logo), (logo) BURNER, SUPERFAST CROWN: (T logo alignment mark) HEEL: (loft) |
| | | | view image here |
| TaylorMade Golf Company | Burner SuperSteel | 8.5,9.5 | SOLE: Taylor(T logo)Made, BURNER, (line), SuperSteel, (loft) CROWN: (T logo alignment mark) |
| | | | view image here |
| TaylorMade Golf Company | Burner SuperSteel 250 | 8.5,9.5 | SOLE: Taylor (T logo) Made, BURNER, (line), SuperSteel, 250, (loft) CROWN: (T logo alignment mark) |
| | | | <u>view image here</u> |
| TaylorMade Golf Company | Burner SuperSteel Tour | 8.5 | SOLE: Taylor(T logo)Made, BURNER, (line), SuperSteel, TOUR, (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | Burner TP (LH) (Version 5) | 9.5,10.5 | SOLE: TaylorMade (w/ T logo), (flame graphic) B, (flame graphic)BURNER, (circular weight) TOE: (TaylorMade TP pad print) CROWN: ((TP alignment mark) w/ crown decal) HEEL: (loft) |
| TaylorMade Golf Company | Burner TP (Version 1) | 5.5,8.5,9.5,10.5 | SOLE: (T logo)aylorMade, (flame graphic)BURNER, (circular weight) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner TP (Version 2) | 8.5,9.5,10.5 | SOLE: (T logo)aylorMade, (flame graphic)BURNER, (circular weight) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------------|--------------|--|
| TaylorMade Golf Company | Burner TP (Version 2) (LH) | 9.5,10.5 | SOLE: (T logo)aylorMade, (flame graphic)BURNER, (circular weight) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner TP (Version 3) | 8.5,9.5,10.5 | SOLE: (T logo)aylorMade, (flame graphic)BURNER, (circular weight) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HOSEL: PLS HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner TP (Version 4) | 9.5,10.5 | SOLE: (T logo)aylorMade, (flame graphic)BURNER, (circular weight) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HOSEL: LCG HEEL: (loft) |
| TaylorMade Golf Company | Burner TP (Version 5) | 8.5,9.5,10.5 | SOLE: TaylorMade (w/ T logo), (flame graphic) B, (flame graphic)BURNER, (circular weight) TOE: (TaylorMade TP pad print) CROWN: ((TP alignment mark) w/ crown decal) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner Womens | 10.5 | SOLE: (T logo)aylorMade, (flame graphic)BURNER, (circular weight) CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | Burner Womens HT | N/A | SOLE: (T logo)aylorMade, (flame graphic)BURNER, (circular weight) CROWN: (T logo alignment mark) HEEL: HT view image here |
| TaylorMade Golf Company | Burner Womens HT Draw | N/A | SOLE: DRAW, TaylorMade (w/ T logo), (flame graphic)BURNER, (circular weight) CROWN: (T logo alignment mark) HEEL: HT view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-----------------|--------------|--|
| TaylorMade Golf Company | Firesole | 8.5,9.5,10.5 | SOLE: titanium, Taylor Made, (T logo), FIRESOLE, (tungsten in curved rectangle), (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | Firesole 320 | 8.5,10.5 | SOLE: titanium, Taylor Made, (T logo), FIRESOLE, 320, (loft) CROWN: (Taylor Made logo) view image here |
| TaylorMade Golf Company | Firesole Offset | 9.5 | SOLE: titanium, Taylor Made, (T logo), FIRESOLE, (tungsten in curved rectangle), (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | Firesole Tour | 8.5 | SOLE: titanium, Taylor Made, (T logo), FIRESOLE, TOUR, (loft) CROWN: (Taylor Made logo) view image here |
| TaylorMade Golf Company | Gloire (Black) | 11.5 | SOLE: ADVANCE DISTANCED TECHNOLOGY, (lion head logo on inset), GLOIRE TOE: TaylorMade (w/T logo) CROWN: (lion head alignment mark), GLOIRE HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED |
| TaylorMade Golf Company | Gloire (Ladies) | 12.5 | SOLE: (lion graphic media blast), GLOIRE, (lion graphic medallion on insert), (weight port), (port w/ screw) TOE: TaylorMade (w/ T logo) CROWN: (lion graphic alignment mark), (curved line), (shape), (shape) HOSEL: (twelve dashes), (orientation indicators) HEEL: HL FACE:(lines), (bent line), (bent line), (curved line) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------|--------------------|--|
| TaylorMade Golf Company | Gloire (LH) | 9.5,10.5 | SOLE: ADVANCED DISTANCE TECHNOLOGY, GLOIRE, (lion head logo on inset) TOE: TaylorMade (w/T logo) CROWN: GLOIRE, (lion head alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:FORGED view image here |
| TaylorMade Golf Company | Gloire (Version 1) | 9.5,10.5,12.5,13.5 | SOLE: ADVANCED DISTANCE TECHNOLOGY, (lion head logo on inset), GLOIRE TOE: TaylorMade (w/T logo) CROWN: ((lion head logo alignment mark), (line), (line) GLOIRE (line)) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:FORGED view image here |
| TaylorMade Golf Company | Gloire (Version 2) | 9.5,10.5 | SOLE: (lion graphic media blast), GLOIRE, (lion graphic medallion on insert), (weight port), (port w/ screw) TOE: TaylorMade (w/ T logo) CROWN: (lion graphic alignment mark), (curved line), (shape), (shape) HOSEL: (twelve dashes), (orientation indicators) HEEL: (loft) FACE:(lines), (bent line), (bent line), (curved line) |
| TaylorMade Golf Company | Gloire (Version 3) | 10.5,11.5 | SOLE: GLOIRE, (T logo), CARBONWOOD, SPEED POCKET BACK: (weight port) CROWN: (T logo alignment mark), GLOIRE HOSEL: (triangle) HEEL: TaylorMade (w/T logo), (weight port), (loft) FACE:(dot) CARBON (dot) view image here |
| TaylorMade Golf Company | Gloire Audi | 10.5 | SOLE: (logo), Audi, (lion head logo on inset), GLOIRE TOE: TaylorMade (w/T logo) CROWN: GLOIRE, (logo, Audi alignment mark) HOSEL: (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------------------|---------------|--|
| TaylorMade Golf Company | Gloire F (Ladies) | 13 | SOLE: (lion graphic medallion on insert), SPEED POCKET, GLOIRE, (weight port), (port w/ screw) BACK: (two curved lines), (two curved lines), (F in rectangle) TOE: TaylorMade (w/ T logo) CROWN: (lion graphic alignment mark), (two bent lines) GLOIRE (bent line) (curved line) (bent line) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:FORGED |
| TaylorMade Golf Company | Gloire F (Tour) (Version 2) | 9.5 | SOLE: F, (weight port), GLOIRE, SPEED POCKET, (lion graphic medallion on insert) TOE: TaylorMade (w/ T logo) CROWN: (lion graphic alignment mark), GLOIRE HOSEL: (triangle), (dashes), (orientation indicators) HEEL: (loft) FACE:FORGED view image here |
| TaylorMade Golf Company | Gloire F (Version 1) | 10,11,12 | SOLE: (two curved lines), (lion graphic medallion on insert), SPEED POCKET, GLOIRE, (weight port), (port w/ screw) BACK: (two curved lines), (F in rectangle) TOE: TaylorMade (w/ T logo) CROWN: (lion graphic alignment mark), (two bent lines) GLOIRE (bent line) (curved line) (bent line) HOSEL: (triangle), (dashes), (orientation indicators) HEEL: (loft) FACE:FORGED |
| TaylorMade Golf Company | Gloire F (Version 2) | 9.5,10.5,11.5 | SOLE: F, (weight port), GLOIRE, SPEED POCKET, (lion graphic medallion on insert) TOE: TaylorMade (w/ T logo) CROWN: (lion graphic alignment mark), GLOIRE HOSEL: (triangle), (dashes), (orientation indicators) HEEL: (loft) FACE:FORGED view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------|-----------|---|
| TaylorMade Golf Company | Gloire G | 10.5,11.5 | SOLE: (lion head logo on inset), GLOIRE, (line), G, (line), (curved line), TaylorMade (w/T logo) CROWN: (lion head logo alignment mark), (curved line) HEEL: (line), (loft) FACE:FORGED view image here |
| TaylorMade Golf Company | Gloire HL | HL | SOLE: (lion graphic media blast), GLOIRE, (lion graphic medallion on insert), (weight port), (port w/ screw) TOE: TaylorMade (w/ T logo) CROWN: (lion graphic alignment mark), (curved line), (shape), (shape) HOSEL: (twelve dashes), (orientation indicators) HEEL: HL FACE:(lines), (bent line), (bent line), (curved line) view image here |
| TaylorMade Golf Company | Gloire Reserve | 9.5,10.5 | SOLE: ADVANCED DISTANCE TECHNOLOGY, ((bent line), GLOIRE, Reserve, (weight port), (bent line) outlined w/ line), (curved line), (lined hexagon medallion w/ lion graphic), (port w/ screw) CROWN: (lion graphic alignment mark), GLOIRE, (double bent line), (double bent line) HOSEL: (eight dashes), (orientation indicators) HEEL: (loft) FACE:(double curved line), (double curved line) view image here |
| TaylorMade Golf Company | JetSpeed | 9.5,10.5 | SOLE: (two curved lines), (circular insert w/ SPEED POCKET TECHNOLOGY, (star)), TaylorMade (w/ T logo), (lines), (port screw) TOE: JETSPEED CROWN: (line), (two curved lines), (three dots), (line), (two curved lines) HOSEL: (lines), (orientation indicators), (line) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-----------------|-----------|---|
| TaylorMade Golf Company | JetSpeed (LH) | 9.5,10.5 | SOLE: (lines), TaylorMade (w/ T logo), (circular insert w/ SPEED POCKET TECHNOLOGY, (star)), (two curved lines), (port screw) TOE: JETSPEED CROWN: (line), (two curved lines), (three dots), (line), (two curved lines) HOSEL: (lines), (orientation indicators), (line) HEEL: (loft) |
| TaylorMade Golf Company | JetSpeed HL | HL | SOLE: (two curved lines), (circular insert w/ SPEED POCKET TECHNOLOGY, (star)), TaylorMade (w/ T logo), (lines), (port screw) TOE: JETSPEED CROWN: (line), (two curved lines), (three dots), (line), (two curved lines) HOSEL: (lines), (orientation indicators), (line) HEEL: HL |
| TaylorMade Golf Company | Kalea | 12 | SOLE: (multiple lines), (four triangles), KALEA, TaylorMade (w/ T logo) CROWN: (T logo alignment mark) HOSEL: (loft), (line) view image here |
| TaylorMade Golf Company | Kalea (LH) | 12 | SOLE: (multiple lines), (four triangles), KALEA, TaylorMade (w/ T logo) CROWN: (T logo alignment mark) HOSEL: (loft), (line) view image here |
| TaylorMade Golf Company | Kalea Gold | 11.5,13.5 | SOLE: TaylorMade (w/T logo), KALEA, (lines) SPEED POCKET (lines), GOLD, (weight port) BACK: (weight port) CROWN: (T logo alignment mark), KALEA HOSEL: (orientation indicators) HEEL: (loft) FACE:(dot) CARBON (dot) |
| TaylorMade Golf Company | Kalea Gold (LH) | 11.5,13.5 | SOLE: TaylorMade (w/T logo), (lines) SPEED POCKET (lines), KALEA, (weight port), GOLD BACK: (weight port) CROWN: (T logo alignment mark), KALEA HOSEL: (orientation indicators) HEEL: (loft) FACE:(dot) CARBON (dot) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-----------------------------------|---------------|---|
| TaylorMade Golf Company | Kalea Premier (Version 1) | 12.5 | SOLE: KALEA, PREMIER, (line) SPEED POCKET (line), TaylorMade (w/T logo) BACK: (weight port), 22G, (line)FORGED ALUMINUM(line) TOE: (T logo) CROWN: (T logo), KALEA HEEL: (loft) FACE:TWIST FACE |
| TaylorMade Golf Company | Kalea Premier (Version 1) (LH) | 12.5 | SOLE: KALEA, PREMIER, (line) SPEED POCKET (line), (TaylorMade w/T logo) BACK: (weight port), 22G, (line)FORGED ALUMINUM(line) TOE: (T logo) CROWN: (T logo), KALEA HEEL: (loft) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | Kalea Premier (Version 2) | 12.5 | SOLE: KALEA, PREMIER, (line) SPEED POCKET (line), (TaylorMade w/T logo) BACK: (weight port), 22G, (line)FORGED ALUMINUM(line) TOE: (T logo) CROWN: (T logo), KALEA HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |
| TaylorMade Golf Company | LCG | 8.5,9.5,10.5 | SOLE: TaylorMade (w/ T logo), (line), LCG, (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | M Gloire | 9.5,10.5,11.5 | SOLE: (line) HAMMERHEAD (line), M, GLOIRE, TaylorMade (w/T logo), (weight port) CROWN: (T logo alignment mark) HEEL: (loft) FACE:FORGED, TWIST FACE view image here |
| TaylorMade Golf Company | M Gloire (Ladies) | 12.5 | SOLE: (line) HAMMERHEAD (line), M, GLOIRE, TaylorMade (w/T logo), (weight port) CROWN: (T logo alignment mark) HEEL: (loft) FACE:FORGED, TWIST FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------------|--------------|---|
| TaylorMade Golf Company | M1 430 | 8.5,9.5,10.5 | SOLE: (polygon), (lines), (bent line) 430, (channel w/ one moveable weight, HIGH (tic marks) N, (tic marks), LOW), (channel w/ one moveable weight, FADE (tic marks) N, (tic marks), DRAW), (port screw), (bent line), M1, (lines) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), (bent line), TUNED PERFORMANCE HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft in polygon) |
| TaylorMade Golf Company | M1 440 | 8.5,9.5,10.5 | SOLE: (T logo), MULTI-MATERIAL, HIGH (tic marks) LOW, FADE (tic marks) DRAW, TaylorMade (w/ T logo), TUNED PERMORMANCE, M1, 440 CROWN: (T logo alignment mark), M1 HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | M1 460 (LH) (Version 1) | 8.5,9.5,10.5 | SOLE: (polygon), (lines), (bent line) 460, (channel w/ one moveable weight, DRAW (tic marks) N, (tic marks), FADE), (port screw), (channel w/ one moveable weight, LOW (tic marks) N, (tic marks), HIGH), M1, (bent line), (lines) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), (bent line), TUNED PERFORMANCE HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft in polygon) |
| TaylorMade Golf Company | M1 460 (LH) (Version 2) | 9.5,10.5 | SOLE: (T logo), MULTI-MATERIAL, DRAW, (tic marks), FADE, LOW(tic marks), HIGH, TaylorMade (w/ T logo), TUNED PERFORMANCE, M1, 460 CROWN: (T logo alignment mark), M1 HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---------------------|---------------------|---|
| TaylorMade Golf Company | M1 460 (Version 1) | 7.5,8.5,9.5,10.5,12 | SOLE: (polygon), (lines), (bent line) 460, (channel w/ one moveable weight, HIGH (tic marks) N, (tic marks), LOW), (channel w/ one moveable weight, FADE (tic marks) N, (tic marks), DRAW), (port screw), (bent line), M1, (lines) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), (bent line), TUNED PERFORMANCE HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft in polygon) |
| TaylorMade Golf Company | M1 460 (Version 2) | 8.5,9.5,10.5,12 | SOLE: (T logo), MULTI-MATERIAL, HIGH, (tic marks), LOW, FADE (tic marks), DRAW, TaylorMade (w/ T logo), TUNED PERFORMANCE, M1, 460 CROWN: (T logo alignment mark), M1 HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | M2 (LH) | 8.5 | SOLE: SPEED POCKET, M2 TOE: TaylorMade (w/ T logo), MULTI-MATERIAL CROWN: (T logo alignment mark), TUNED PERFORMANCE HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) view image here |
| TaylorMade Golf Company | M2 (Version 1) | 8.5,9.5,10.5 | SOLE: M2, SPEED POCKET TOE: TaylorMade (w/ T logo), MULTI-MATERIAL CROWN: (T logo alignment mark), TUNED PERFORMANCE HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) view image here |
| TaylorMade Golf Company | M2 (Version 1) (LH) | 9.5,10.5 | SOLE: SPEED POCKET, M2 TOE: TaylorMade (w/ T logo), MULTI-MATERIAL CROWN: TUNED PERFORMANCE, (T logo alignment mark) HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-----------------------|-----------------|---|
| TaylorMade Golf Company | M2 (Version 2) | 8.5,9.5,10.5,12 | SOLE: GEOCOUSTIC, M2, TaylorMade (w/ T logo) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), M2 HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | M2 (Version 2) (LH) | 9.5,10.5 | SOLE: GEOCOUSTIC, M2, TaylorMade (w/ T logo) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), M2 HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) view image here |
| TaylorMade Golf Company | M2 (Version 2) (Tour) | 8.5,9.5,10.5 | SOLE: GEOCOUSTIC, M2, TaylorMade (w/ T logo) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), M2 HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) view image here |
| TaylorMade Golf Company | M2 D-Type | 8.5,9.5,10.5,12 | SOLE: GEOCOUSTIC, TaylorMade (w/ T logo), M2, D-TYPE TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), M2 HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | M2 D-Type (LH) | 9.5,10.5 | SOLE: GEOCOUSTIC, TaylorMade (w/ T logo), M2, D-TYPE TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), M2 HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | M2 HL | HL | view image here SOLE: M2, SPEED POCKET TOE: TaylorMade (w/ T logo), MULTI-MATERIAL CROWN: (T logo alignment mark), TUNED PERFORMANCE HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: HL view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------|-----------------|--|
| TaylorMade Golf Company | M3 | 8.5,9.5,10.5,12 | SOLE: M3, FADE, LOW, HIGH, HAMMERHEAD, DRAW, 460, TaylorMade (w/ T logo) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), M3 HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |
| TaylorMade Golf Company | M3 (LH) | 8.5,9.5,10.5 | SOLE: M3, FADE, HAMMERHEAD, LOW, HIGH, 460, DRAW, TaylorMade (w/ T logo) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), M3 HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |
| TaylorMade Golf Company | M3 440 | 9,10 | SOLE: M3, FADE, LOW, HIGH, HAMMERHEAD, DRAW, 440, TaylorMade (w/ T logo) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), M3 HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |
| TaylorMade Golf Company | M4 | 8.5,9.5,10.5,12 | SOLE: TaylorMade (w/ T logo), GEOCOUSTIC, M4, HAMMERHEAD CROWN: (T logo alignment mark), M4 HOSEL: (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | M4 (LH) | 9.5,10.5 | SOLE: HAMMERHEAD, TaylorMade (w/ T logo), M4, GEOCOUSTIC CROWN: (T logo alignment mark), M4 HOSEL: (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------|-------------|---|
| TaylorMade Golf Company | M4 D-Type | 9.5,10.5,12 | SOLE: TaylorMade (w/ T logo), GEOCOUSTIC, M4, D-TYPE, HAMMERHEAD CROWN: (T logo alignment mark), M4 HOSEL: (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |
| TaylorMade Golf Company | M4 D-Type (LH) | 9.5,10.5 | SOLE: TaylorMade (w/ T logo), GEOCOUSTIC, HAMMERHEAD, M4, D-TYPE CROWN: (T logo alignment mark), M4 HOSEL: (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | M5 460 | 8,9,10.5,12 | SOLE: M5, FADE, DRAW, HIGH, LOW, SPEED INJECTED, TaylorMade (w/ T logo) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), M5 HOSEL: (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |
| TaylorMade Golf Company | M5 460 (LH) | 9,10.5 | SOLE: M5, FADE, SPEED INJECTED, LOW, HIGH, DRAW, TaylorMade (w/ T logo) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), M5 HOSEL: (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |
| TaylorMade Golf Company | M5 Tour | 9,10.5 | SOLE: M5, TOUR, FADE, DRAW, HIGH, LOW, SPEED INJECTED, TaylorMade (w/ T logo) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), M5 HOSEL: (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------|-------------|--|
| TaylorMade Golf Company | M6 | 8,9,10.5,12 | SOLE: M6, M6, SPEED INJECTED, TaylorMade (w/ T logo) TOE: (T logo) CROWN: (T logo alignment mark), M6 HOSEL: (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |
| TaylorMade Golf Company | M6 (LH) | 9,10.5 | SOLE: M6, SPEED INJECTED, M6, TaylorMade (w/ T logo) TOE: (T logo) CROWN: (T logo alignment mark), M6 HOSEL: (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | M6 D-Type | 9,10.5,12 | SOLE: TaylorMade (w/ T logo), M6, M6, SPEED INJECTED, D-TYPE CROWN: (T logo alignment mark), M6 HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |
| TaylorMade Golf Company | M6 D-Type (LH) | 9,10.5 | view image here SOLE: TaylorMade (w/ T logo), M6, SPEED INJECTED, M6, D-TYPE CROWN: (T logo alignment mark), M6 HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | Maxfli 460 Ti | 9,10.5 | SOLE: (loft), MAXFLI (A with dot), 460 TI, MAXIMUM, (line), COR · ZONE BACK: MAXFLI (A with dot) TOE: BLUE MAX CROWN: (circle with ring alignment mark) view image here |
| TaylorMade Golf Company | Maxfli 460 Ti (LH) | 10.5 | SOLE: (loft), MAXFLI (A with dot), 460 TI, MAXIMUM, (line), COR · ZONE BACK: MAXFLI (A with dot) TOE: BLUE MAX CROWN: (circle with ring alignment mark) view image here |

| | Dec deset II | 1.46 | Identification Mark |
|----------------------------|-----------------------------------|-----------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| TaylorMade Golf Company | Maxfli Powermax DR | 9.5,10.5 | SOLE: (loft), MAXFLI, 460, cc, (three lines) TOE: POWERMAX CROWN: (M alignment mark) view image here |
| TaylorMade Golf Company | Mini Driver AeroBurner | 12,14,16 | SOLE: (loft), (graphic decal), TaylorMade (w/ T logo), (AERO, BURNER on graphic decal) TOE: MINIDRIVER CROWN: (AEROBURNER (flame) alignment mark) |
| TaylorMade Golf Company | Mini Driver AeroBurner (LH) | 12,14 | SOLE: (loft), (graphic decal), TaylorMade (w/ T logo), (AERO, BURNER on graphic decal) TOE: MINIDRIVER CROWN: ((flame) AEROBURNER alignment mark) |
| TaylorMade Golf Company | Mini Driver AeroBurner TP | 12,14 | SOLE: (loft), (graphic decal), TaylorMade (w/ T logo), (AERO, BURNER on graphic decal) TOE: MINIDRIVER, (TP badge) CROWN: (flame alignment mark) |
| TaylorMade Golf Company | Mini Driver AeroBurner TP (LH) | 12,14 | SOLE: (loft), (graphic decal), TaylorMade (w/ T logo), (AERO, BURNER on graphic decal) TOE: MINIDRIVER, (TP badge) CROWN: (flame alignment mark) |
| TaylorMade Golf Company | Miscela (Version 1) | N/A | SOLE: 1, MISCELA (line thru A), ((TaylorMade (w/ T logo) on oval insert) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | Miscela (Version 2) | N/A | SOLE: MISCELA (line thru A), ((T logo) on circular insert), 1 TOE: TITANIUM CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | Original One Mini Driver | 11.5,13.5 | SOLE: ORIGINAL ONE, MINI DRIVER, PITTSBURGH PERSIMMON, SPEED POCKET TOE: TaylorMade (w/ T logo), TITANIUM CROWN: (T logo alignment mark) HOSEL: (loft), (twelve lines), (orientation indicators) FACE:TWIST FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------------------|-------------|--|
| TaylorMade Golf Company | Original One Mini Driver (LH) | 11.5,13.5 | SOLE: SPEED POCKET, PITTSBURGH PERSIMMON, ORIGINAL ONE, MINI DRIVER TOE: TaylorMade (w/ T logo), TITANIUM CROWN: (T logo alignment mark) HOSEL: (loft), (twelve lines), (orientation indicators) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | Perfica | 12.5,13.5 | SOLE: (pattern inset), Perfica, TaylorMade (w/T logo), (pattern inset) CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | Porsche Design | 9.5,10.5 | SOLE: (circular weight), Porsche Design, (circular weight) TOE: (T logo)aylorMade CROWN: (T logo alignment mark) HEEL: (loft) FACE:pd view image here |
| TaylorMade Golf Company | Qi10 (Version 1) | 8,9,10.5,12 | SOLE: CARBONWOOD, (T logo), Qi10, (line)SPEED POCKET(line), (weight port), TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: (T logo alignment mark), Qi10 HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:CARBON |
| TaylorMade Golf Company | Qi10 (Version 1) (LH) | 9,10.5 | SOLE: CARBONWOOD, (T logo), (line)SPEED POCKET(line), Qi10,(weight port), TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: (T logo alignment mark), Qi10 HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:CARBON view image here |
| TaylorMade Golf Company | Qi10 (Version 2) | 8,9,10.5 | SOLE: CARBONWOOD, (T logo), Qi10, (line)SPEED POCKET(line), (weight port), TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: (T logo alignment mark), Qi10 HOSEL: (triangle), (orientation indicators) HEEL: (loft) (degree symbol) FACE:CARBON view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-----------------------------|----------|---|
| TaylorMade Golf Company | Qi10 (Version 2) (LH) | 9,10.5 | SOLE: CARBONWOOD, (T logo), (line)SPEED POCKET(line), Qi10,(weight port), TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: Qi10, (T logo alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft) (degree symbol) FACE:CARBON view image here |
| TaylorMade Golf Company | Qi10 LS (Version 1) | 8,9,10.5 | SOLE: CARBONWOOD, (T logo), Qi10, LS, FADE, (weight port), DRAW, (line)SPEED POCKET(line), TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: (T logo alignment mark), Qi10 HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:CARBON |
| TaylorMade Golf Company | Qi10 LS (Version 1) (LH) | 9,10.5 | SOLE: CARBONWOOD, (T logo), (line)SPEED POCKET(line), FADE, (weight port), DRAW, Qi10, LS, TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: Qi10, (T logo alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:CARBON view image here |
| TaylorMade Golf Company | Qi10 LS (Version 2) | 9,10.5 | SOLE: CARBONWOOD, (Retro T logo), Qi10, LS, FADE, (weight port), DRAW, (line)SPEED POCKET(line), (Retro T logo) TaylorMade BACK: (weight port) TOE: (Retro T logo) CROWN: (Retro T logo alignment mark), Qi10 HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:(dot) CARBON (dot) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-----------------------------|-----------|--|
| TaylorMade Golf Company | Qi10 LS (Version 2) (LH) | 9,10.5 | SOLE: CARBONWOOD, (Retro T logo), (line)SPEED POCKET(line), FADE, (weight port), DRAW, Qi10, LS, (Retro T logo) TaylorMade BACK: (weight port) TOE: (Retro T logo) CROWN: (Retro T logo alignment mark), Qi10 HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:(dot) CARBON (dot) |
| TaylorMade Golf Company | Qi10 Max (LH) | 9,10.5,12 | SOLE: CARBONWOOD, (T logo), (line)SPEED POCKET(line), Qi10, MAX, TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: (T logo alignment mark), Qi10 HOSEL: (triangle), (orientation indicators) HEEL: (weight port), (loft) FACE:CARBON view image here |
| TaylorMade Golf Company | Qi10 Max (Version 1) | 9,10.5,12 | SOLE: CARBONWOOD, (T logo), Qi10, MAX, (line)SPEED POCKET(line), TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: (T logo alignment mark), Qi10 HOSEL: (triangle), (orientation indicators) HEEL: (weight port), (loft) FACE:CARBON view image here |
| TaylorMade Golf Company | Qi10 Max (Version 2) | 9,10.5 | SOLE: CARBONWOOD, (T logo), Qi10, MAX, (line)SPEED POCKET(line), TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: (T logo alignment mark), Qi10 HOSEL: (triangle), (orientation indicators) HEEL: (weight port), (loft w/ degree symbol) FACE:CARBON view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---------------------|------------------------|--|
| TaylorMade Golf Company | R1 (Version 1) | 8,9.5,9.5,10.5,10.5,12 | SOLE: (weight port), TaylorMade (w/ T logo), (1R logo), (CLOSED (triangle), (triangle) OPENED, orientation indicators on dial), FACE (triangle) ANGLE TOE: TaylorMade (w/ T logo), (two lines) TUNED PERFORMANCE (segmented parallelogram) CROWN: (T logo alignment mark), (line) (stripe), (1R logo over stripe), (line) HOSEL: (loft indicators w/ lines) HEEL: (weight port), (triangle) LOFT (triangle) |
| TaylorMade Golf Company | R1 (Version 1) (LH) | 8,9.5,9.5,10.5,10.5,12 | SOLE: (weight port), TaylorMade (w/ T logo), (1R logo), (CLOSED (triangle), (triangle) OPENED, orientation indicators on dial), ANGLE (triangle) FACE TOE: TaylorMade (w/ T logo), (segmented parallelogram), TUNED PERFORMANCE, (two lines) CROWN: (T logo alignment mark), (line) (stripe), (1R logo over stripe), (line) HEEL: (weight port), (triangle) LOFT (triangle) |
| TaylorMade Golf Company | R1 (Version 2) | N/A | SOLE: (weight port), TaylorMade (w/ T logo), (1R logo), (CLOSED (triangle), (triangle) OPENED, orientation indicators on dial), FACE (triangle) ANGLE, (port for screw) TOE: TaylorMade (w/ T logo), (two lines) TUNED PERFORMANCE (segmented parallelogram) CROWN: (T logo alignment mark), (line) (stripe), (1R logo over stripe), (line) HOSEL: (dashes), (loft orientations) HEEL: (weight port), (triangle) LOFT (triangle) |
| TaylorMade Golf Company | R1 (Version 2) (LH) | N/A | SOLE: (weight port), TaylorMade (w/ T logo), (CLOSED (triangle), (triangle) OPENED, orientation indicators on dial), (1R logo), FACE (triangle) ANGLE, (port for screw) TOE: TaylorMade (w/ T logo), (segmented parallelogram) TUNED PERFORMANCE (two lines) CROWN: (T logo alignment mark), (line) (stripe), (1R logo over stripe), (line) HOSEL: (dashes), (loft orientations) HEEL: (weight port), (triangle) LOFT (triangle) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---------------------|-------------|--|
| TaylorMade Golf Company | R1 (Version 3) | N/A | SOLE: (weight port), TaylorMade (w/ T logo), (1R logo), (CLOSED (triangle), (triangle) OPENED, orientation indicators on dial), FACE (triangle) ANGLE, (port for screw) TOE: (two lines) TUNED PERFORMANCE (segmented parallelogram) CROWN: (T logo alignment mark), (line) (stripe), (1R logo over stripe), (line) HOSEL: (dashes), (loft orientations) HEEL: (weight port), (triangle) LOFT (triangle) |
| TaylorMade Golf Company | R1 (Version 3) (LH) | N/A | SOLE: (weight port), TaylorMade (w/ T logo), (1R logo), (CLOSED (triangle), (triangle) OPENED, orientation indicators on dial), FACE (triangle) ANGLE, (port for screw) TOE: (segmented parallelogram) TUNED PERFORMANCE (two lines) CROWN: (T logo alignment mark), (line) (stripe), (1R logo over stripe), (line) HOSEL: (dashes), (loft orientations) HEEL: (weight port), (triangle) LOFT (triangle) |
| TaylorMade Golf Company | R1 (Version 4) (LH) | N/A | SOLE: (weight port), TaylorMade (w/ T logo), (1R logo), (CLOSED (triangle), (triangle) OPENED, orientation indicators on dial), FACE (triangle) ANGLE, (port for screw) TOE: (segmented parallelogram) TUNED PERFORMANCE (two lines) CROWN: (T logo alignment mark) HOSEL: (dashes), (loft orientations) HEEL: (weight port), (triangle) LOFT (triangle) |
| TaylorMade Golf Company | R11 (Version 1) | 8,9,10.5,12 | SOLE: (adjustable weight), (two recessed lines), TaylorMade (w/ T logo), R11, (FACE (screw) ANGLE on adjustable sole plate w/ orientation indicators), (triangle), (port for shaft screw), (adjustable weight) BACK: (curved line w/ three slashes), (five slashes), OPENED NEUTRAL CLOSED TOE: ASP (w/ atomic graphic) CROWN: (T logo alignment mark), (triangle) (bent line w/ three dashes), (bent line w/ five slashes), (five slashes w/ segmented bent line), (three dashes), (seven lines) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------|----------|--|
| TaylorMade Golf Company | R11 (Version 1) (LH) | 9,10.5 | SOLE: (adjustable weight), (two recessed lines), TaylorMade (w/ T logo), R11, (FACE (screw) ANGLE on adjustable sole plate w/ orientation indicators), (triangle), (port for shaft screw), (adjustable weight) BACK: (curved line w/ three slashes), (five slashes), OPENED NEUTRAL CLOSED TOE: ASP (w/ atomic graphic) CROWN: (T logo alignment mark), (triangle) (bent line w/ three dashes), (bent line w/ five slashes), (five slashes w/ segmented bent line), (three dashes), (seven lines) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | R11 (Version 2) | 8,9,10.5 | SOLE: (adjustable weight), (two recessed lines), TaylorMade (w/ T logo), R11, (FACE (screw) ANGLE on adjustable sole plate w/ orientation indicators), (triangle), (port for shaft screw), (adjustable weight) BACK: (curved line w/ three slashes), (five slashes), OPENED NEUTRAL CLOSED TOE: ASP (w/ atomic graphic) CROWN: (T logo alignment mark), (triangle) (bent line w/ three dashes), (bent line w/ five slashes), (five slashes w/ segmented bent line), (three dashes), (seven lines) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft w/ degree) |
| TaylorMade Golf Company | R11 (Version 2) (LH) | 9,10.5 | SOLE: (adjustable weight), (two recessed lines), TaylorMade (w/ T logo), R11, (FACE (screw) ANGLE on adjustable sole plate w/ orientation indicators), (triangle), (port for shaft screw), (adjustable weight) BACK: (curved line w/ three slashes), (five slashes), OPENED NEUTRAL CLOSED TOE: ASP (w/ atomic graphic) CROWN: (T logo alignment mark), (bent line w/ five slashes), (triangle) (bent line w/ three dashes), (five slashes w/ segmented bent line), (three dashes), (seven lines) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft w/ degree) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-----------------------|-------------|--|
| TaylorMade Golf Company | R11J | 9,10.5 | SOLE: TaylorMade (w/ T logo), R11J, (FACE (screw) ANGLE on adjustable sole plate w/ orientation indicators), (triangle), (port for shaft screw) BACK: (curved line w/ three slashes), (five slashes), OPENED NEUTRAL CLOSED TOE: ASP (w/ atomic graphic) CROWN: (R11 alignment mark), (bent line w/ three dashes), (bent line w/ five slashes), (bent line w/ five slashes), (bent line w/ five slashes), HOSEL: (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | R11J (LH) | 10.5 | SOLE: TaylorMade (w/ T logo), R11J, (FACE (screw) ANGLE on adjustable sole plate w/ orientation indicators), (triangle), (port for shaft screw) BACK: (curved line w/ three slashes), OPENED NEUTRAL CLOSED TOE: ASP (w/ atomic graphic) CROWN: (R11 alignment mark), (bent line w/ three dashes), (bent line w/ five slashes), (seven lines), (bent line w/ five slashes) HOSEL: (orientation indicators) HEEL: (loft) |
| | | | view image here |
| TaylorMade Golf Company | R11S (Version 1) | 8,9,10.5,12 | SOLE: TaylorMade (w/ T logo), OPENED NEUTRAL CLOSED, (curved line w/ three slashes), R11S, (FACE (screw) ANGLE on adjustable sole plate w/ orientation indicators), (triangle), (port for shaft screw) TOE: (weight port) CROWN: (R11 alignment mark), (bent line w/ three dashes), (bent line w/ five slashes), (bent line w/ five slashes), (bent line w/ five slashes), (bent line w/ or w/o triangle), (orientation indicators) HEEL: (weight port), (loft) |
| TaylorMade Golf Company | R11S (Version 1) (LH) | 9,10.5 | SOLE: TaylorMade (w/ T logo), OPENED NEUTRAL CLOSED, (curved line w/ three slashes), R11S, (FACE (screw) ANGLE on adjustable sole plate w/ orientation indicators), (triangle), (port for shaft screw) TOE: (weight port) CROWN: (R11 alignment mark), (bent line w/ three dashes), (bent line w/ five slashes), (bent line w/ five slashes), (bent line w/ five slashes), (seven lines) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (weight port), (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-----------------------|----------|---|
| TaylorMade Golf Company | R11S (Version 2) | 8,9,10.5 | SOLE: TaylorMade (w/ T logo), OPENED NEUTRAL CLOSED, (curved line w/ three slashes), R11S, (FACE (screw) ANGLE on adjustable sole plate w/ orientation indicators), (triangle on sole plate base), (port for shaft screw) TOE: (weight port) CROWN: (R11 alignment mark), (bent line w/ three dashes), (bent line w/ five slashes), (bent line w/ five slashes), (bent line w/ for w/o triangle), (orientation indicators) HEEL: (weight port), (loft) |
| TaylorMade Golf Company | R11S (Version 2) (LH) | 9,10.5 | SOLE: TaylorMade (w/ T logo), (curved line w/ three slashes) OPENED NEUTRAL CLOSED, R11S, (FACE (screw) ANGLE on adjustable sole plate w/ orientation indicators), (triangle on sole plate base), (port for shaft screw) TOE: (weight port) CROWN: (R11 alignment mark), (bent line w/ three dashes), (bent line w/ five slashes), (bent line w/ five slashes), (bent line w/ for w/o triangle), (orientation indicators) HEEL: (loft), (weight port) |
| TaylorMade Golf Company | R11S (Version 3) | 8,9,10.5 | SOLE: TaylorMade (w/ T logo), OPENED NEUTRAL CLOSED, (curved line w/ three slashes), R11S, (FACE (screw) ANGLE on adjustable sole plate w/ orientation indicators), (triangle (opposite direction from Ver.2) on sole plate base), (port for shaft screw) TOE: (weight port) CROWN: (R11 alignment mark), (bent line w/ three dashes), (bent line w/ five slashes), (bent line w/ five slashes), (bent line w/ five slashes), HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (weight port), (loft) |

| 9,9.5,10,10.5,11,12 | SOLE: R15, (TaylorMade (w/ T logo) on sole badge), 430, (channel w/ two moveable weights, (screw), FADE (tic marks) N, (tic marks), DRAW), (line), (loft) TOE: TUNED, PERFORMANCE, (two lines), TaylorMade (w/ T logo), (segmented banner graphic) CROWN: (T logo), (bent line), (line), (bent line) alignment mark), (bent line) (line) TUNED PERFORMANCE (line) HOSEL: (triangle), (twelve lines), (orientation indicators) |
|----------------------------|---|
| | view image here |
| 9.5,10.5,12 | SOLE: (channel w/ two moveable weights, (screw)), DRAW (tic marks) N, (tic marks), FADE, 430, (TaylorMade (w/ T logo) on sole badge), R15, (line), (loft) TOE: TaylorMade (w/ T logo), TUNED, PERFORMANCE, (two lines)(segmented banner graphic) CROWN: (T logo alignment mark), (bent line), (line), (bent line), (bent line) (line) TUNED PERFORMANCE (line) HOSEL: (triangle), (twelve lines), (orientation indicators) |
| 8 5 9 9 5 10 10 5 11 12 14 | <u>view image here</u> SOLE: R15, (TaylorMade (w/ T logo) on sole |
| 0.0,0,0.0,10,10.0,11,12,14 | badge), 460, (channel w/ two moveable weights, (screw)), FADE (tic marks) N, (tic marks), DRAW, (line), (loft) TOE: TUNED, PERFORMANCE, (two lines), TaylorMade (w/ T logo), (segmented banner graphic) CROWN: (T logo alignment mark), (bent line), (line), (bent line), (bent line) (line) TUNED PERFORMANCE (line) HOSEL: (twelve lines), (orientation indicators) |
| | view image here |
| 9.5,10,10.5,11,12 | SOLE: (channel w/ two moveable weights, (screw)), DRAW (tic marks) N, (tic marks), FADE, 460, (TaylorMade (w/ T logo) on sole badge), R15, (line), (loft) TOE: TaylorMade (w/ T logo), (two lines), TUNED, PERFORMANCE, (segmented banner graphic) CROWN: (T logo alignment mark), (bent line), (line), (bent line) (line) TUNED PERFORMANCE (line) HOSEL: (triangle), (twelve lines), (orientation indicators) |
| | 8.5,9,9.5,10,10.5,11,12,14 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---------------------|------------------|---|
| TaylorMade Golf Company | R360 XD | 8.5,9.5,10.5 | SOLE: TaylorMade (w/ T logo), (line), R360XD, (loft) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) |
| TaylorMade Golf Company | r5 dual Tour | 7.5,8.5,9.5,10.5 | SOLE: r5 dual, (line), TaylorMade (w/ T logo) BACK: (weight insert), (TYPE, N on metal insert shield), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r5 |
| TaylorMade Golf Company | r5 dual Tour (LH) | 9 | SOLE: r5 dual, (line), TaylorMade (w/ T logo) BACK: (weight insert), (TYPE, N on metal insert shield), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r5 |
| TaylorMade Golf Company | r5 dual TP (LH) | 9.5 | SOLE: r5 dual, (line), (T logo)aylorMade BACK: (weight insert), (TYPE, N on metal insert shield), (weight insert) TOE: (TaylorMade TP pad print) HEEL: (loft) FACE:r5 |
| TaylorMade Golf Company | r5 dual Type D | 8.5,9.5,10.5,12 | SOLE: r5 dual, (line), TaylorMade (w/ T logo) BACK: (weight insert), (TYPE, D on metal insert shield), (weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r5 |
| TaylorMade Golf Company | r5 dual Type D (LH) | 9.5,10.5 | SOLE: r5 dual, (line), TaylorMade (w/ T logo) BACK: (weight insert), (TYPE, D on metal insert shield), (weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r5 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---------------------|--------------|--|
| TaylorMade Golf Company | r5 dual Type N | 8.5,9.5,10.5 | SOLE: r5 dual, (line), TaylorMade (w/ T logo) BACK: (weight insert), (TYPE, N on metal insert shield), (weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r5 |
| TaylorMade Golf Company | r5 Dual Type N | 7.5,12 | SOLE: r5 dual, (line), (T logo)aylorMade BACK: (weight insert), (TYPE, N on metal insert shield), (weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r5 |
| TaylorMade Golf Company | r5 dual Type N (LH) | 9.5,10.5 | SOLE: r5 dual, (line), TaylorMade (w/ T logo) BACK: (weight insert), (TYPE, N on metal insert shield), (weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r5 |
| TaylorMade Golf Company | r5 dual Type W | 12,13.5 | SOLE: r5 dual, (line), TaylorMade (w/ T logo) BACK: (weight insert), (TYPE, W on metal insert shield), (weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r5 |
| TaylorMade Golf Company | r5 dual Type W (LH) | 12 | SOLE: r5 dual, (line), (T logo)aylorMade BACK: (weight insert), (TYPE, W on metal insert shield), (weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r5 |
| TaylorMade Golf Company | r5 XL 460 D | 9.5,10.5,12 | SOLE: 460, cc, (triangle)D, XL, r5, (T logo)aylorMade, (weight insert), (weight insert) CROWN: (T logo alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|------------------|----------|---|
| TaylorMade Golf Company | r5 XL 460 D (LH) | 10.5 | SOLE: 460, cc, (triangle)D, XL, r5, (T logo)aylorMade, (weight insert), (weight insert) CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | r5 XL460 N | 9.5,10.5 | SOLE: 460, cc, (triangle)N, XL, r5, (T logo)aylorMade, (weight insert), (weight insert) CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | r5 XL460 N (LH) | 9.5 | SOLE: 460, cc, (triangle)N, XL, r5, (T logo)aylorMade, (weight insert), (weight insert) CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | R500 | 8.5,9.5 | SOLE: R 500, (line under 00), TaylorMade (w/ T logo), (loft), (3 weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) view image here |
| TaylorMade Golf Company | R500 Tour | 7.5,10.5 | SOLE: R500, (line under 00), TaylorMade (w/ T logo), (loft) (line under .5), (three weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) view image here |
| TaylorMade Golf Company | R500 Tour (LH) | 9 | SOLE: R500, (line under 00), TaylorMade (w/ T logo), (loft w/ line), (three weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) |
| TaylorMade Golf Company | R500 TP | 8.5 | SOLE: R500, (line under 00), (T logo)aylorMade, (loft), (three weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:(scorelines in center of face) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------|-----------------------|--|
| TaylorMade Golf Company | R510 | 7.5,8.5,9.5,10.5 | SOLE: R510, (line under 10), TaylorMade (w/ T logo), (loft), (three weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) view image here |
| TaylorMade Golf Company | R510 Tour | 7.5,8.5,9.5,10.5 | SOLE: R510, (line under 10), TaylorMade (w/ T logo), (loft w/ line), (three weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) |
| TaylorMade Golf Company | R510 Tour (LH) | 9 | SOLE: R510, (line under 10), TaylorMade (w/ T logo), (loft w/ line), (three weight insert) CROWN: (T logo alignment mark) FACE:(scorelines in center of face) |
| TaylorMade Golf Company | R510 TP | 7.5,8.5,9.5,10.5,11.5 | SOLE: R510, (line under 10), TaylorMade (w/ T logo), (loft w/ line), (three weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) FACE:(scorelines in center of face) |
| TaylorMade Golf Company | R510 TP (LH) | 9 | SOLE: R510, (line under 10), (T logo)aylorMade, (loft w/ line), (three weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) FACE:(scorelines in center of face) view image here |
| TaylorMade Golf Company | R540 | 7.5,8.5,9.5,10.5,12 | SOLE: R 540, (line under 40), TaylorMade (w/ T logo), (loft), (three weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) |
| TaylorMade Golf Company | R540 Tour | 7.5,8.5,9.5,10.5 | SOLE: R540, (line under 40), TaylorMade (w/ T logo), (loft)(line under 5), (three weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------|---------------------|---|
| TaylorMade Golf Company | R540 XD | 8.5,9.5,10.5,12 | SOLE: R540 XD, (line under 40), TaylorMade (w/ T logo), (loft), (three weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) view image here |
| TaylorMade Golf Company | R540 XD (LH) | 9.5,10.5 | SOLE: R540 XD, (line under 40), TaylorMade (w/ T logo), (loft), (three weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) view image here |
| TaylorMade Golf Company | R540 XD Tour | 7.5,8.5,9.5,10.5 | SOLE: R540XD, (line under 40), TaylorMade (w/ T logo), (loft w/ line)), (three weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) view image here |
| TaylorMade Golf Company | R540 XD Tour (LH) | 9 | SOLE: R540XD, (line under 40), TaylorMade (w/ T logo), (loft w/ line), (three weight insert) CROWN: (T logo alignment mark) FACE:(scorelines in center of face) |
| TaylorMade Golf Company | R540 XD TP | 7.5,8.5,9.5,10.5 | SOLE: R540 XD, (line under 40), (T logo)aylorMade, (loft), (three weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:(scorelines in center of face) |
| TaylorMade Golf Company | R580 | 7.5,8.5,9.5,10.5,12 | SOLE: R580, (line under 80), TaylorMade (w/ T logo), (loft), (three weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) view image here |
| TaylorMade Golf Company | R580 XD | 8.5,9.5,10.5,12 | SOLE: R580XD, (line under 80), TaylorMade (w/ T logo), (loft), (three weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------|-----------------------|---|
| TaylorMade Golf Company | R580 XD (LH) | 9.5,10.5 | SOLE: R580 XD, (line under 80), TaylorMade (w/ T logo), (loft), (three weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) view image here |
| TaylorMade Golf Company | R580 XD Tour | 7.5,8.5,9.5,10.5,11.5 | SOLE: R580XD, (line under 80), TaylorMade (w/ T logo), (loft w/ line), (three weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:(scorelines in center of face) |
| TaylorMade Golf Company | R580 XD Tour (LH) | 9 | SOLE: R580XD, (line under 80), TaylorMade (w/ T logo), (loft w/ line), (three weight insert) CROWN: (T logo alignment mark) FACE:(scorelines in center of face) |
| TaylorMade Golf Company | R580 XD TP | 8.5,9.5,10.5 | SOLE: R580 XD, (line under 80), (T logo)aylorMade, (loft), (three weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:(scorelines in center of face) |
| TaylorMade Golf Company | R5XL Plus Draw | 10.5 | SOLE: r5, XL, PLUS, TaylorMade (w/T logo), (triangle) D CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | R5XL Plus Draw HT | N/A | SOLE: r5, XL, PLUS, TaylorMade (w/T logo), (triangle) D CROWN: (T logo alignment mark) HEEL: HT <u>view image here</u> |
| TaylorMade Golf Company | R5XL Plus Neutral | 9.5,10.5 | SOLE: r5, XL, PLUS, TaylorMade (w/T logo), (triangle) N CROWN: (T logo alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------------|-------------------|---|
| TaylorMade Golf Company | r7 425 HT TP | 9.5,10.5 | SOLE: (weight insert), r7, 425, (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HOSEL: HT HEEL: (loft) FACE:r7, (scorelines in center of face) |
| TaylorMade Golf Company | r7 425 HT TP (LH) | 10.5 | SOLE: (weight insert), r7, 425, (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HOSEL: HT HEEL: (loft) FACE:r7, (scorelines in center of face) view image here |
| TaylorMade Golf Company | r7 425 MWT | 8.5,9.5,10.5,11.5 | SOLE: (weight insert), r7, 425, (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: MWT, MOVABLE WEIGHT, TECHNOLOGY CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 425 MWT (LH) | 9.5,10.5 | SOLE: (weight insert), r7, 425, (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: MWT, MOVABLE WEIGHT, TECHNOLOGY CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 425 TP (LH) (Version 1) | 9.5,10.5 | SOLE: (weight insert), r7, 425, (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7, (no scorelines in center of face) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------------|-------------------|---|
| TaylorMade Golf Company | r7 425 TP (Version 1) | 7.5,8.5,9.5,10.5 | SOLE: (weight insert), r7, 425, (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7, (no scorelines in center of face) |
| TaylorMade Golf Company | r7 425 TP (Version 2) | 5.5,8.5,9.5,10.5 | SOLE: (weight insert), r7, 425, (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7, (scorelines in center of face) |
| TaylorMade Golf Company | r7 460 MWT | 8.5,9.5,10.5,11.5 | SOLE: (weight insert), r7, 460, (T-logo)aylorMade, (weight insert) BACK: (weight insert) TOE: MWT, MOVABLE WEIGHT, TECHNOLOGY CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 460 MWT (LH) | 9.5,10.5 | SOLE: (weight insert), r7, 460, (T-logo)aylorMade, (weight insert) BACK: (weight insert) TOE: MWT, MOVABLE WEIGHT, TECHNOLOGY CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 460 TP (LH) (Version 1) | 9.5,10.5 | SOLE: (weight insert), r7, 460, (T-logo)aylorMade, (weight insert) BACK: (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7, (no scorelines in center of face) view image here |
| TaylorMade Golf Company | r7 460 TP (Version 1) | 8.5,9.5,10.5 | SOLE: (weight insert), r7, 460, (T-logo)aylorMade, (weight insert) BACK: (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7, (no scorelines in center of face) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---------------------------------------|----------|---|
| TaylorMade Golf Company | r7 460 TP (Version 2) | 9.5,10.5 | SOLE: (weight insert), r7, 460, (T-logo)aylorMade, (weight insert) BACK: (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7, (scorelines in center of face) |
| TaylorMade Golf Company | r7 CGB Max (LH) (Version 1) | 9.5,10.5 | SOLE: r7, CGB, MAX, TaylorMade (w/ T logo), (three ports w/ weights) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 CGB Max (Version 1) | 9.5,10.5 | SOLE: r7, CGB, MAX, TaylorMade (w/ T logo), (three ports w/ weights) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 CGB Max (Version 2) | 9.5 | SOLE: r7, CGB, MAX, TaylorMade (w/ T logo), (three ports w/ weights) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7, (scorelines in center of face) |
| TaylorMade Golf Company | r7 CGB Max (Womens) (Version 1) | 10.5 | SOLE: r7, CGB, MAX, TaylorMade (w/ T logo), (three ports w/ weights) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 view image here |
| TaylorMade Golf Company | r7 CGB Max HT (Version 1) | N/A | SOLE: r7, CGB, MAX, TaylorMade (w/ T logo), (three ports w/ weights) CROWN: (T logo alignment mark) HEEL: HT FACE:r7 view image here |
| TaylorMade Golf Company | r7 CGB Max HT (Womens) (Version 1) | N/A | SOLE: r7, CGB, MAX, TaylorMade (w/ T logo), (three ports w/ weights) CROWN: (T logo alignment mark) HEEL: HT FACE:r7 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|------------------------------|----------------|---|
| TaylorMade Golf Company | r7 CGB Max Limited | 8.5,9,9.5,10.5 | SOLE: r7, CGB, MAX, TaylorMade (w/ T logo), (three ports w/ weights) TOE: Limited CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 Draw 460 | 9,10.5 | SOLE: (weight insert), r7 DRAW, (T-logo)aylorMade, 460, DRAW-WEIGHTED TECHNOLOGY TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 Draw 460 (LH) | 9,10.5 | SOLE: (weight insert), r7 DRAW, (T-logo)aylorMade, 460, DRAW-WEIGHTED TECHNOLOGY TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 Draw 460 (Womens) | 10.5 | SOLE: (weight insert), r7 DRAW, (T-logo)aylorMade, 460, DRAW-WEIGHTED TECHNOLOGY TOE: TITANIUM CROWN: (T logo alignment mark) HOSEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 Draw 460 (Womens) (LH) | 10.5 | SOLE: (weight insert), r7 DRAW, (T-logo)aylorMade, 460, DRAW-WEIGHTED TECHNOLOGY TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 view image here |
| TaylorMade Golf Company | r7 Draw 460 HT | N/A | SOLE: (weight insert), r7 DRAW, (T-logo)aylorMade, 460, DRAW-WEIGHTED TECHNOLOGY TOE: TITANIUM CROWN: (T logo alignment mark) HOSEL: HT FACE:r7 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--|-------------------|---|
| TaylorMade Golf Company | r7 Draw 460 HT (Womens) (Version 1) | N/A | SOLE: (weight insert), r7 DRAW, (T-logo)aylorMade, 460, DRAW-WEIGHTED TECHNOLOGY TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: HT FACE:r7 |
| TaylorMade Golf Company | r7 Draw 460 HT (Womens) (Version 2) | N/A | SOLE: (weight insert), r7 DRAW, (T-logo)aylorMade, 460, DRAW-WEIGHTED TECHNOLOGY TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: HT FACE:r7 view image here |
| TaylorMade Golf Company | r7 Limited | 8.5,9.5,10.5,11.5 | SOLE: (weight insert), (curved line media blast), TaylorMade (w/ T logo), r7, Limited, (curved line media blast), (weight insert), (weight insert) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 Limited (LH) | 9.5,10.5 | SOLE: (weight insert), (curved line media blast), TaylorMade (w/ T logo), r7, Limited, (curved line media blast), (weight insert), (weight insert) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 Limited edition | 8.5,9.5,10.5 | SOLE: (weight insert), (curved line media blast), TaylorMade (w/ T logo), r7, Limited, edition, (curved line media blast), (weight insert), (weight insert) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 Limited Patriot Day Edition | 9.5 | SOLE: (weight insert), (curved line media blast), TaylorMade (w/ T logo), (jet fighter media blast), r7, Limited, (curved line media blast), (weight insert), (weight insert) TOE: (PATRIOT, •GOLF DAY• on striped and winged shield) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------|-------------------|---|
| TaylorMade Golf Company | r7 Limited TP | 8.5,9.5,10.5 | SOLE: (weight insert), (curved line media blast), TaylorMade (w/ T logo), r7, Limited, (curved line media blast), (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 Limited TP (LH) | 9.5 | SOLE: (weight insert), (curved line media blast), TaylorMade (w/T logo), r7, Limited, (curved line media blast), (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 quad | 8.5,9.5,10.5 | SOLE: (weight insert), r7 quad, (line), TaylorMade (w/ T logo), (weight insert) BACK: (weight insert), (weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 quad (LH) | 9.5,10.5 | SOLE: (weight insert), r7 quad, (line), TaylorMade (w/ T logo), (weight insert) BACK: (weight insert), (weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 quad ht | 8.5,9.5,10.5,11.5 | SOLE: (weight insert), r7 quad, (line), ht, TaylorMade (w/ T logo), (weight insert) BACK: (weight insert), (weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 view image here |
| TaylorMade Golf Company | r7 quad ht (LH) | 9.5,10.5 | SOLE: (weight insert), r7 quad, (line), ht, TaylorMade (w/ T logo), (weight insert) BACK: (weight insert), (weight insert) TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------------------|------------------|--|
| TaylorMade Golf Company | r7 quad ht TP | 7.5,8.5,9.5,10.5 | SOLE: (weight insert), ht, r7 quad, (line), (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 quad ht TP (LH) | 9.5 | SOLE: (weight insert), ht, r7 quad, (line), (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | R7 quad Tour (LH) | 10.5 | SOLE: (weight insert), r7 quad, (line), TaylorMade (w/ T logo), (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 quad Tour (LH) (Version 1) | 9 | SOLE: (weight insert), r7 quad, (line), TaylorMade (w/ T logo), (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 (no scorelines in center of face) |
| TaylorMade Golf Company | r7 quad Tour (Version 1) | 7.5,8.5,9.5,10.5 | SOLE: (weight insert), r7 quad, (line), TaylorMade (w/ T logo), (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 (no scorelines in center of face) view image here |
| TaylorMade Golf Company | r7 quad Tour (Version 2) | 9.5,10.5 | SOLE: (weight insert), r7 quad, (line), TaylorMade (w/ T logo), (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 (w/ scorelines in center of face) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------------------|-------------------|--|
| TaylorMade Golf Company | r7 quad Tour Shallow | 7.5,8.5,9.5,10.5 | SOLE: (weight insert), r7 quad, (line), TaylorMade (w/ T logo) (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 quad Tour Shallow (LH) | 9 | SOLE: (weight insert), r7 quad, (line), TaylorMade (w/ T logo), (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 Superquad | 9.5,10.5 | SOLE: (weight insert), r7, SUPERQUAD, (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: 1st EDITION, ALL BLACK CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 Superquad 460 MWT | 8.5,9.5,10.5,11.5 | SOLE: (weight insert), r7, SUPERQUAD, (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: 460 MWT CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 Superquad 460 MWT (LH) | 9.5,10.5 | SOLE: (weight insert), r7, SUPERQUAD, (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: 460 MWT CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 Superquad TP (Version 1) | 9.5,10.5 | SOLE: (weight insert), r7, SUPERQUAD, (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: 1st EDITION, (TaylorMade TP pad print), ALL BLACK CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------------------|---------------|--|
| TaylorMade Golf Company | r7 Superquad TP (Version 2) | 8.5,9.5,10.5 | SOLE: (weight insert), r7, SUPERQUAD, (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 Superquad TP (Version 2) (LH) | 9.5,10.5 | SOLE: (weight insert), r7, SUPERQUAD, (T-logo)aylorMade, (weight insert) BACK: (weight insert), (weight insert) TOE: (TaylorMade TP pad print) CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | R7 XD | 9.5,10.5 | SOLE: (weight port), (three lines), r7 XD, Taylormade (w/ T logo), 460, DRAW-WEIGHTED TECHNOLOGY TOE: TITANIUM CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 XR | 9.5,10.5,11.5 | view image here SOLE: (weight insert), r7,TaylorMade (w/T logo), (XR on trapezoid insert), (weight insert) TOE: MWT CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 XR (ladies) | 12.5,14 | SOLE: (weight insert), r7, TaylorMade (w/T logo), (XR on trapezoid insert), (weight insert) TOE: MWT CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| TaylorMade Golf Company | r7 XR (LH) | 9.5,10.5 | SOLE: (weight insert), r7, TaylorMade (w/T logo), (XR on trapezoid insert), (weight insert) TOE: MWT CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |

| Product Name | Lofts | I al a satisfic and the satisfic as |
|-------------------------------|---------------|---|
| | | Identification Markings |
| R7 XR 2008 Special Edition | 10.5 | SOLE: r7, TaylorMade (w/T logo), XR TOE: 2008, Special, Edition CROWN: (T logo alignment mark) HEEL: (loft) FACE:r7 |
| | | view image here |
| r7 XR Tour | 9.5,10.5,11.5 | SOLE: (weight insert), r7, (T-logo)aylorMade, (weight insert), (XR on trapezoid insert) TOE: TITANIUM CROWN: (T logo alignment mark) FACE:r7 view image here |
| R9 | 8.5,9.5,10.5 | SOLE: (weight port), TaylorMade (w/ T logo), R9, (port for shaft screw), (weight port) BACK: (weight port) TOE: FCT (w/ screw logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |
| DO (I H) | 9 5 10 5 | SOLE: (weight port), TaylorMade (w/ T logo), |
| No (LIT) | 3.0,10.0 | R9, (port for shaft screw), (weight port) BACK: (weight port) TOE: FCT (w/ screw logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |
| | | view image here |
| R9 (Tour) (Version 1) | 9.5,10.5 | SOLE: (weight port), TaylorMade (w/ T logo), R9, (port for shaft screw), (weight port) BACK: (weight port) TOE: FCT (w/ screw logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |
| | | view image here |
| R9 (Tour) (Version 2) | 9.5,10.5 | SOLE: (weight port), TaylorMade (w/ T logo), R9, (port for shaft screw), (weight port) BACK: (weight port) TOE: FCT (w/ screw logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |
| | R9 R9 (LH) | r7 XR Tour 9.5,10.5,11.5 R9 8.5,9.5,10.5 R9 (LH) 9.5,10.5 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------------|-------------------|---|
| TaylorMade Golf Company | R9 460 (Version 1) | 9.5,10.5 | SOLE: TaylorMade (w/ T logo), R9, 460, (port for shaft screw), (weight port) TOE: FCT (w/ screw logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | R9 460 (Version 2) | 8.5,9.5,10.5,11.5 | SOLE: TaylorMade (w/ T logo), R9, 460, (port for shaft screw), (weight port) TOE: FCT (w/ screw logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | R9 460 (Version 2) (LH) | 9.5,10.5 | SOLE: TaylorMade (w/ T logo), R9, 460, (port for shaft screw), (weight port) TOE: FCT (w/ screw logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | R9 Max | 9.5,10.5 | SOLE: TaylorMade (w/T logo), R9, MAX, (port for shaft screw) TOE: FCT (logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | R9 Max (LH) | 10.5 | SOLE: TaylorMade (w/T logo), R9, MAX, (port for shaft screw) TOE: FCT (logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) view image here |
| TaylorMade Golf Company | R9 Max Type E | 9.5,10.5,12 | SOLE: TaylorMade (w/T logo), R9, MAX, TYPE E, (port for shaft screw) TOE: FCT (logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---------------------------------|-------------------|--|
| TaylorMade Golf Company | R9 Max Type E (LH) | 10.5 | SOLE: TaylorMade (w/T logo), R9, MAX, TYPE E, (port for shaft screw) TOE: FCT (logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) view image here |
| TaylorMade Golf Company | R9 SUPERDEEP | 6.5,8.5,9.5,10.5 | SOLE: (weight port), (two lines), TaylorMade (w/ T logo), R9, SUPERDEEP, (two lines), (port for shaft screw), (weight port) BACK: BBLB TOE: (TP on badge) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | R9 SUPERDEEP (LH) | 9.5,10.5 | SOLE: (weight port), (two lines), TaylorMade (w/ T logo), R9, SUPERDEEP, (two lines), (port for shaft screw), (weight port) BACK: BBLB TOE: (TP on badge) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | R9 SUPERTRI (Version 1) | 8.5,9.5,10.5,11.5 | SOLE: (weight port), (three lines), TaylorMade (w/ T logo), R9, SUPERTRI, (three lines), (port for shaft screw), (weight port) BACK: (weight port) TOE: FCT (w/ screw logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) view image here |
| TaylorMade Golf Company | R9 SUPERTRI (Version 1) (LH) | 9.5,10.5 | SOLE: (weight port), (three lines), TaylorMade (w/ T logo), R9, SUPERTRI, (three lines), (port for shaft screw), (weight port) BACK: (weight port) TOE: FCT (w/ screw logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------------|--------------|---|
| TaylorMade Golf Company | R9 SUPERTRI (Version 2) | 8.5,9.5,10.5 | SOLE: (weight port), (three lines), TaylorMade (w/ T logo), R9, SUPERTRI, (three lines), (port for shaft screw), (weight port) BACK: (weight port) TOE: FCT (w/ screw logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | RBZ (Version 1) | 8.5,9.5,10.5 | SOLE: RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo), (loft), (port for shaft screw), (weight port) TOE: ROCKETBALLZ CROWN: (R logo w/ two lines alignment mark), (seven hexagons), (three stripes), (four hexagons) TAYLORMADE SPEED ENGINEERED HOSEL: (w/ or w/o triangle), (orientation indicators) |
| TaylorMade Golf Company | RBZ (Version 1) (LH) | 9.5,10.5 | view image here SOLE: RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo), (port for shaft screw), (loft), (weight port) TOE: ROCKETBALLZ CROWN: (R logo w/ two lines alignment mark), (seven hexagons), (three stripes), TAYLORMADE SPEED ENGINEERED, (four hexagons) HOSEL: (w/ or w/o triangle), (orientation indicators) view image here |
| TaylorMade Golf Company | RBZ (Version 2) | 9.5,10.5 | SOLE: RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo), (loft), (weight port) TOE: ROCKETBALLZ CROWN: (R logo w/ two lines alignment mark), (seven hexagons), (three stripes), (four hexagons) TAYLORMADE SPEED ENGINEERED view image here |
| TaylorMade Golf Company | RBZ (Version 2) (LH) | 9.5,10.5 | SOLE: RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo), (loft), (weight port) TOE: ROCKETBALLZ CROWN: (R logo w/ two lines alignment mark), (seven hexagons), (three stripes), TAYLORMADE SPEED ENGINEERED, (four hexagons) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------|----------|--|
| TaylorMade Golf Company | RBZ (Version 3) | 9.5,10.5 | SOLE: ULTRALIGHT TITANIUM CORE, RBZ TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), RBZ HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | RBZ (Version 3) (LH) | 9.5,10.5 | SOLE: RBZ, ULTRALIGHT TITANIUM CORE TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), RBZ HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) view image here |
| TaylorMade Golf Company | RBZ HL (Version 1) | N/A | SOLE: RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo), HL, (port for shaft screw), (weight port) TOE: ROCKETBALLZ CROWN: (R logo w/ two lines alignment mark), (seven hexagons), (three stripes), (four hexagons) TAYLORMADE SPEED ENGINEERED HOSEL: (w/ or w/o triangle), (orientation indicators) |
| TaylorMade Golf Company | RBZ HL (Version 2) | N/A | SOLE: RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo), HL, (weight port) TOE: ROCKETBALLZ CROWN: (R logo w/ two lines alignment mark), (seven hexagons), (three stripes), (four hexagons) TAYLORMADE SPEED ENGINEERED view image here |
| TaylorMade Golf Company | RBZ HL (Version 3) | HL | SOLE: ULTRALIGHT TITANIUM CORE, RBZ TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), RBZ HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: HL view image here |
| TaylorMade Golf Company | RBZ Pro | 9.5,10.5 | SOLE: (weight port), (line), (PRO over line), (line), RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (trapezoid), (three lines) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------|----------|---|
| TaylorMade Golf Company | RBZ Pro (LH) | 9.5,10.5 | SOLE: (weight port), (line), (PRO over line), (line), RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (trapezoid), (three lines) HEEL: (loft) |
| TaylorMade Golf Company | RBZ Pro HL | HL | SOLE: (weight port), (line), (PRO over line), (line), RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (trapezoid), (three lines) HEEL: HL |
| TaylorMade Golf Company | RBZ SL | 10.5 | SOLE: (weight port), (line), (SL over line), (line), RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (trapezoid), (three lines) HEEL: (loft) |
| TaylorMade Golf Company | RBZ SL (Version 2) | 10.5 | SOLE: RBZ (w/ two lines in R logo), SL, (loft) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), (graphic) view image here |
| TaylorMade Golf Company | RBZ SL HL | HL | SOLE: (weight port), (line), (SL over line), (line), RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (trapezoid), (three lines) HEEL: HL view image here |
| TaylorMade Golf Company | RBZ SL HT | НТ | SOLE: RBZ (w/ two lines in R logo), SL, HT TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), (graphic) view image here |
| TaylorMade Golf Company | RBZ SpeedLite | 10.5 | SOLE: RBZ, SPEEDLITE, SPEED POCKET, HIGH MOI-AERO DESIGN TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark) HEEL: (loft) FACE:RBZ view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---------------------------------|----------|---|
| TaylorMade Golf Company | RBZ Stage 2 (Version 1) | 9.5,10.5 | SOLE: (weight port), (STAGE 2 over line), (two lines), RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo), (port for screw) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (trapezoid), (three lines) HOSEL: (dashes), (loft indicators), (line) HEEL: (loft) |
| TaylorMade Golf Company | RBZ Stage 2 (Version 1) (LH) | 9.5,10.5 | SOLE: (weight port), RBZ (w/ R logo w/ two lines), (STAGE 2 over line), (two lines), TaylorMade (w/ T logo), (port for screw) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (trapezoid), (three lines) HOSEL: (triangle), (dashes), (loft indicators), (line) HEEL: (loft) |
| TaylorMade Golf Company | RBZ Stage 2 (Version 2) | 9.5 | SOLE: (weight port), (STAGE 2 over line), (two lines), RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo), (port for screw) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (trapezoid), (three lines) HOSEL: (dashes), (loft indicators) HEEL: (loft w/ degree symbol) |
| TaylorMade Golf Company | RBZ Stage 2 (Version 2) (LH) | 9.5,10.5 | SOLE: (weight port), (STAGE 2 over line), (two lines), RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (trapezoid), (three lines) HEEL: (loft) |
| TaylorMade Golf Company | RBZ Stage 2 (Version 3) | 9.5,10.5 | SOLE: (weight port), (STAGE 2 over line), (two lines), RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (trapezoid), (three lines) HEEL: (loft w/ degree symbol) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------------|----------|--|
| TaylorMade Golf Company | RBZ Stage 2 (Version 4) | 9.5,10.5 | SOLE: (weight port), (STAGE 2 over line), (two lines), RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (trapezoid), (three lines) HEEL: (loft) |
| TaylorMade Golf Company | RBZ Stage 2 HL (Version 1) | N/A | SOLE: (weight port), (STAGE 2 over line), (two lines), RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo), (port for screw) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (trapezoid), (three lines) HOSEL: (triangle), (dashes), (loft indicators), (line) HEEL: HL |
| TaylorMade Golf Company | RBZ Stage 2 Tour | 9,10.5 | SOLE: (weight port), (STAGE 2 over line), (TOUR over line), (line), RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo), (port for screw) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (TOUR over trapezoid), (three lines) HOSEL: (dashes), (loft indicators), (line) HEEL: TOUR, (loft) |
| TaylorMade Golf Company | RBZ Stage 2 Tour (LH) | 9,10.5 | SOLE: (weight port), (STAGE 2 over line), (TOUR over line), (line), RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo), (port for screw) CROWN: (R logo w/ two lines alignment mark), (bent line), (three lines), (TOUR over trapezoid), (three lines) HOSEL: (dashes), (loft indicators), (line) HEEL: TOUR, (loft) |
| TaylorMade Golf Company | RBZ Tour | 8,9,10.5 | SOLE: RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo), TOUR, (loft), (port for shaft screw), (weight port) TOE: ROCKETBALLZ CROWN: (R logo w/ two lines alignment mark), (seven hexagons), (three stripes), (three hexagons) TAYLORMADE SPEED ENGINEERED HOSEL: (w/ or w/o triangle), (orientation indicators) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---------------|----------|---|
| TaylorMade Golf Company | RBZ Tour (LH) | 9,10.5 | SOLE: RBZ (w/ R logo w/ two lines), TaylorMade (w/ T logo), (port for shaft screw), TOUR, (loft), (weight port) TOE: ROCKETBALLZ CROWN: (R logo w/ two lines alignment mark), TAYLORMADE SPEED ENGINEERED (four hexagons), (seven hexagons), (three stripes) HOSEL: (w/ or w/o triangle), (orientation indicators) view image here |
| TaylorMade Golf Company | Royal Gloire | N/A | SOLE: (lion graphic badge on insert), ROYAL, GLOIRE, (weight port) TOE: TaylorMade (w/ T logo) CROWN: (lion graphic alignment mark), (bent line), (curved line), (curved line) HEEL: (club number/letter) |
| TaylorMade Golf Company | SIM | 8,9,10.5 | SOLE: AERODYNAMIC SOLE DESIGN, SIM, (triangle) FADE, DRAW (triangle), (triangle) SPEED INJECTED (triangle), TaylorMade (w/ T logo) TOE: (T logo) CROWN: (T logo alignment mark), SIM HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | SIM (LH) | 9,10.5 | SOLE: (triangle) SPEED INJECTED (triangle), AERODYNAMIC SOLE DESIGN, FADE (triangle), (triangle) DRAW, SIM, TaylorMade (w/ T logo) TOE: (T logo) CROWN: (T logo alignment mark), SIM HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | SIM (Tour) | 9,10.5 | SOLE: AERODYNAMIC SOLE DESIGN, SIM, (triangle) FADE, DRAW (triangle), (triangle) SPEED INJECTED (triangle), TaylorMade (w/ T logo) TOE: (T logo) CROWN: SIM HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------|---------------|--|
| ivianuracturer | | | Identification Markings |
| TaylorMade Golf Company | SIM Gloire | 9.5,10.5,11.5 | SOLE: TaylorMade (w/ T logo), (line)SIM(line), GLOIRE TOE: SPEED INJECTED CROWN: (T logo alignment mark) HEEL: (loft) FACE:TWIST FACE, (line)ZA(line) view image here |
| TaylorMade Golf | SIM Gloire (Women's) | 12.5 | SOLE: TaylorMade (w/ T logo), |
| Company | | | (line)SIM(line), GLOIRE TOE: SPEED INJECTED CROWN: (T logo alignment mark) HEEL: (loft) FACE:TWIST FACE, (line)ZA(line) |
| | | 0.0.40.5.40 | view image here |
| TaylorMade Golf Company | SIM Max | 8,9,10.5,12 | SOLE: AERODYNAMIC SOLE DESIGN, SIM, MAX, (triangle) SPEED INJECTED (triangle), TaylorMade (w/ T logo) CROWN: (T logo alignment mark), SIM HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |
| | | | view image here |
| TaylorMade Golf Company | SIM Max (LH) | 9,10.5 | SOLE: AERODYNAMIC SOLE DESIGN, (triangle) SPEED INJECTED (triangle), SIM, MAX, TaylorMade (w/ T logo) CROWN: (T logo alignment mark), SIM HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |
| TaylorMade Golf | SIM Max D | 9,10.5,12 | SOLE: TaylorMade (w/ T logo), SIM, MAX•D, |
| Company | | | (triangle) SPEED INJECTED (triangle), AERODYNAMIC SOLE DESIGN CROWN: (T logo alignment mark), SIM HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |
| | | | view image here |
| TaylorMade Golf Company | SIM Max D (LH) | 9,10.5 | SOLE: TaylorMade (w/ T logo), (triangle) SPEED INJECTED (triangle), SIM, MAX•D, AERODYNAMIC SOLE DESIGN CROWN: (T logo alignment mark), SIM HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE |
| | | | view image here |

| November 04, 2024 | | | |
|----------------------------|------------------------|----------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| TaylorMade Golf Company | SIM Max Team Europe | 9,10.5 | SOLE: AERODYNAMIC SOLE DESIGN, SIM, MAX, (triangle) SPEED INJECTED (triangle), TaylorMade (w/ T logo) TOE: (European Union flag) CROWN: (T logo alignment mark), SIM HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TEAM EUROPE, (twelve stars media blast) view image here |
| TaylorMade Golf Company | SIM Max Team USA | 9,10.5 | SOLE: DYNAMIC SOLE DESIGN, SIM, MAX, (triangle) SPEED INJECTED (triangle), TaylorMade (w/ T logo) TOE: (American flag) CROWN: (T logo alignment mark), SIM HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:TEAM USA, (USA media blast) view image here |
| TaylorMade Golf Company | SIM2 (LH) | 9,10.5 | SOLE: SIM2, (line), SPEED POCKET, (line), (T logo), HIGH MOI, LOW SPIN BACK: (line), FORGED ALUMINUM, (line), 16G TOE: (T logo), SPEED INJECTED CROWN: (T logo alignment mark) HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft), TaylorMade (w/ T logo) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | SIM2 (Version 1) | 8,9,10.5 | SOLE: SIM2, (line), SPEED POCKET, (line), (T logo), HIGH MOI, LOW SPIN BACK: (line), FORGED ALUMINUM, (line), (weight indicator) TOE: (T logo), SPEED INJECTED CROWN: (T logo alignment mark) HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft), TaylorMade (w/ T logo) FACE:TWIST FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------|-------------|---|
| TaylorMade Golf Company | SIM2 (Version 2) | 9 | SOLE: SIM2, (line), SPEED POCKET, (line), (T logo), HIGH MOI, LOW SPIN BACK: (line), FORGED ALUMINUM, (line), 16G TOE: (T logo), SPEED INJECTED HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft), TaylorMade (w/ T logo) FACE:TWIST FACE <u>view image here</u> |
| TaylorMade Golf Company | SIM2 Max | 8,9,10.5,12 | SOLE: SIM2, MAX, (line), SPEED POCKET, (line), (T logo), HIGH, MOI BACK: (line), FORGED ALUMINUM, (line), (weight indicator) TOE: (T logo), SPEED INJECTED CROWN: (T logo alignment mark) HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft), TaylorMade (w/ T logo) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | SIM2 Max (LH) | 9,10.5 | SOLE: SIM2, MAX, (line), SPEED POCKET, (line), (T logo), HIGH, MOI BACK: (line), FORGED ALUMINUM, (line), 24G TOE: (T logo), SPEED INJECTED CROWN: (T logo alignment mark) HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft), TaylorMade (w/ T logo) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | SIM2 Max (Version 1) | 8,9,10.5 | SOLE: SIM2, MAX, (line), SPEED POCKET, (line), (T logo), HIGH, MOI BACK: (line), FORGED ALUMINUM, (line), 24G TOE: (T logo), SPEED INJECTED CROWN: (T logo alignment mark) HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft), TaylorMade (w/ T logo) FACE:TWIST FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------|-----------|--|
| TaylorMade Golf Company | SIM2 Max (Version 2) | 9 | SOLE: SIM2, MAX, (line), SPEED POCKET, (line), (T logo), HIGH, MOI BACK: (line), FORGED ALUMINUM, (line), 24G TOE: (T logo), SPEED INJECTED HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft), TaylorMade (w/ T logo) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | SIM2 Max D | 9,10.5,12 | SOLE: SIM2, MAX•D, (line), SPEED POCKET, (line), (T logo) BACK: (line), FORGED ALUMINUM, (line), 22G TOE: (T logo), SPEED INJECTED CROWN: (T logo alignment mark) HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft), TaylorMade (w/ T logo), (T logo), HIGH MOI, DRAW) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | SIM2 Max D (LH) | 9,10.5 | SOLE: SIM2, MAX•D, (line), SPEED POCKET, (line) BACK: (line), FORGED ALUMINUM, (line), 22G TOE: (T logo), SPEED INJECTED CROWN: (T logo alignment mark) HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: HIGH MOI, DRAW, (loft), TaylorMade (w/ T logo), (T logo) FACE:TWIST FACE view image here |
| TaylorMade Golf Company | SIM2 Max Team Europe | 9,10.5 | SOLE: (European Union flag), SPEED INJECTED, SIM2, MAX, (triangle) SPEED POCKET (triangle), (T logo), HIGH, MOI, TaylorMade (w/ T logo) BACK: (weight port w/ weight indicator), (line), (triangle) FORGED ALUMINUM (triangle), (line) TOE: (T logo) CROWN: (T logo alignment mark) HOSEL: (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE, TEAM EUROPE, (twelve stars media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------------|-----------|--|
| TaylorMade Golf Company | SIM2 Max Team USA | 9,10.5 | SOLE: (American flag), SPEED INJECTED, SIM2, MAX, (triangle) SPEED POCKET (triangle), (T logo), HIGH, MOI, TaylorMade (w/ T logo) BACK: (weight port w/ weight indicator), (line), (triangle) FORGED ALUMINUM (triangle), (line) TOE: (T logo) CROWN: (T logo alignment mark) HOSEL: (twelve lines), (orientation indicators) HEEL: (loft) FACE:TWIST FACE, TEAM USA, (USA media blast) |
| TaylorMade Golf Company | SLDR 430 | 9,10.5,12 | SOLE: (channel w/ moveable weight, (screw)), FADE (dashes) DRAW, (SLDR, TaylorMade (w/ T logo) on insert), 430, (three bent lines) TOE: TaylorMade (w/ T logo), (four lines), (TUNED DISTANCE in bent line), (two lines) CROWN: (T logo alignment mark), SLDR, (line w/ dashes), (two lines) TUNED DISTANCE, (bent line), (ruler graphic) HOSEL: (triangle), (dashes), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | SLDR 430 (LH) | 9,10.5,12 | SOLE: (channel w/ moveable weight, (screw)), DRAW (dashes) FADE, (SLDR, TaylorMade (w/ T logo) on insert), 430, (three bent lines) TOE: TaylorMade (w/ T logo), (two lines), (TUNED DISTANCE in bent line), (four lines) CROWN: (T logo alignment mark), SLDR, (line w/ dashes), (two lines) TUNED DISTANCE, (bent line), (ruler graphic) HOSEL: (triangle), (dashes), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | SLDR 430 Tour Preferred | 10,11 | SOLE: (channel w/ moveable weight, (screw)), FADE (dashes) DRAW, (SLDR, TaylorMade (w/ T logo) on insert), 430, (three bent lines) TOE: TOUR, PREFERRED CROWN: (T logo alignment mark), SLDR, (line w/ dashes), (two lines) TUNED DISTANCE, (bent line), (ruler graphic) HOSEL: (triangle), (dashes), (orientation indicators) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|---------------------------------|------------------|--|
| TaylorMade Golf Company | SLDR 430 Tour Preferred (LH) | 10,11 | SOLE: (channel w/ moveable weight, (screw)), DRAW (dashes) FADE, (SLDR, TaylorMade (w/ T logo) on insert), 430, (three bent lines) TOE: TaylorMade (w/ T logo), (four lines), (TUNED DISTANCE in bent line), (two lines) CROWN: (T logo alignment mark), SLDR, (line w/ dashes), (two lines) TUNED DISTANCE, (bent line), (ruler graphic) HOSEL: (triangle), (dashes), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | SLDR 460 (LH) | 9.5,10.5,12,14 | SOLE: ((screw), channel w/ moveable weight), FADE (dashes) DRAW, (SLDR, TaylorMade (w/ T logo) on insert), 460, (six bent lines) TOE: TaylorMade (w/ T logo), (two lines), (TUNED DISTANCE in bent line), (four lines) CROWN: (T logo alignment mark), SLDR, (line w/ dashes), (bent line), (two lines) TUNED DISTANCE, (ruler graphic) HOSEL: (triangle), (dashes), (orientation indicators) HEEL: (loft) |
| TaylorMade Golf Company | SLDR 460 (Version 1) | N/A | SOLE: (channel w/ moveable weight, (screw)), FADE (dashes) DRAW, (SLDR, TaylorMade (w/ T logo) on insert), 460 CROWN: (T logo alignment mark), SLDR, (line w/ dashes), (two lines) TUNED PERFORMANCE, (bent line), (ruler graphic) HOSEL: (triangle), (dashes), (orientation indicators) view image here |
| TaylorMade Golf Company | SLDR 460 (Version 2) | 8,9.5,10.5,12,14 | SOLE: (channel w/ moveable weight, (screw)), FADE (dashes) DRAW, (SLDR, TaylorMade (w/ T logo) on insert), 460, (six bent lines) TOE: TaylorMade (w/ T logo), (four lines), (TUNED DISTANCE in bent line), (two lines) CROWN: (T logo alignment mark), SLDR, (line w/ dashes), (two lines) TUNED DISTANCE, (bent line), (ruler graphic) HOSEL: (triangle), (dashes), (orientation indicators) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------------------------|------------------|---|
| TaylorMade Golf Company | SLDR 460 S Class (Version 1) | 9,10,11,12,14,16 | SOLE: (channel w/ moveable weight), FADE (dashes) DRAW, (SLDR, TaylorMade (w/ T logo) on insert), 460, S, (three bent lines) TOE: TaylorMade (w/ T logo), (four lines), (TUNED DISTANCE in bent line), (two lines) CROWN: (T logo alignment mark), SLDR, (line w/ dashes), (two lines) TUNED DISTANCE, (bent line), (ruler graphic) HEEL: (loft) |
| TaylorMade Golf Company | SLDR 460 S Class (Version 1) (LH) | 10,12,14,16 | SOLE: (channel w/ moveable weight), FADE (dashes) DRAW, (SLDR, TaylorMade (w/ T logo) on insert), 460, S, (three bent lines) TOE: TaylorMade (w/ T logo), (two lines), (TUNED DISTANCE in bent line), (four lines) CROWN: (T logo alignment mark), SLDR, (line w/ dashes), (two lines) TUNED DISTANCE, (bent line), (ruler graphic) HEEL: (loft) |
| TaylorMade Golf Company | SLDR 460 S Class (Version 2) | 10,12 | SOLE: (channel w/ moveable weight, (screw)), FADE (dashes) DRAW, (SLDR, TaylorMade (w/ T logo) on insert), 460, S, (three bent lines) TOE: TaylorMade (w/ T logo), (four lines), (TUNED DISTANCE in bent line), (two lines) CROWN: (T logo alignment mark), SLDR, (line w/ dashes), (two lines) TUNED DISTANCE, (bent line), (ruler graphic) HEEL: (loft) |
| TaylorMade Golf Company | SLDR 460 S Class (Version 2) (LH) | 10,12 | SOLE: (channel w/ moveable weight), FADE (dashes) DRAW, (SLDR, TaylorMade (w/ T logo) on insert), 460, S, (three bent lines) TOE: TaylorMade (w/ T logo), (two lines), (TUNED DISTANCE in bent line), (four lines) CROWN: (T logo alignment mark), SLDR, (line w/ dashes), (two lines) TUNED DISTANCE, (bent line), (ruler graphic) HEEL: (loft) view image here |
| TaylorMade Golf Company | SLDR MiniDriver (Version 1) | 12 | SOLE: (line) (triangle) (line), SLDR, TaylorMade (w/ T logo), (S on shield), (four bent lines) TOE: SLDR, (four lines), (bent line), (two lines), MiniDriver CROWN: (T logo alignment mark), SLDR, (line w/ dashes), (bent line), (ruler graphic) HEEL: (club number/letter)-(loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------------------|---------------|--|
| TaylorMade Golf Company | SLDR MiniDriver (Version 1) (LH) | 12,14,16 | SOLE: (line) (triangle) (line), SLDR, TaylorMade (w/ T logo), (S on shield), (four bent lines) TOE: SLDR, (four lines), (bent line), (two lines), MiniDriver CROWN: (T logo alignment mark), (bent line), (ruler graphic) HEEL: (club number/letter)-(loft) |
| TaylorMade Golf Company | SLDR MiniDriver (Version 2) | 12,14,16 | SOLE: (line) (triangle) (line), SLDR, TaylorMade (w/ T logo), (S on shield), (four bent lines) TOE: SLDR, (four lines), (bent line), (two lines), MiniDriver CROWN: (T logo alignment mark), (bent line), (ruler graphic) HEEL: (club number/letter)-(loft) |
| TaylorMade Golf Company | SLDR MiniDriver (Version 2) (LH) | 10.5 | SOLE: (line) (triangle) (line), SLDR, TaylorMade (w/ T logo), (S on shield), (four bent lines) TOE: SLDR, (four lines), (bent line), (two lines), MiniDriver CROWN: (T logo alignment mark), (bent line), (ruler graphic) HEEL: (club number/letter)-(loft) |
| TaylorMade Golf Company | SLDR MiniDriver (Version 3) | 10.5,12,14 | SOLE: (line) (triangle) (line), SLDR, TaylorMade (w/ T logo), (S on shield), (four bent lines) TOE: SLDR, (four lines), (bent line), (two lines), MiniDriver CROWN: (T logo alignment mark), (bent line), (ruler graphic) HEEL: (club number/letter)-(loft) view image here |
| TaylorMade Golf Company | SLDR MiniDriver (Version 3) (LH) | 10.5,12,14,16 | SOLE: (line) (triangle) (line), SLDR, TaylorMade (w/ T logo), (S on shield), (four bent lines) TOE: SLDR, (four lines), (bent line), (two lines), MiniDriver CROWN: (T logo alignment mark), (bent line), (ruler graphic) HEEL: (club number/letter)-(loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------------------|---------------|---|
| TaylorMade Golf Company | SLDR MiniDriver (Version 4) | 10.5,12,14,16 | SOLE: (line) (triangle) (line), SLDR, TaylorMade (w/ T logo), (S on shield), (four bent lines) TOE: SLDR, (four lines), (bent line), (two lines), MiniDriver CROWN: (T logo alignment mark), (bent line), (ruler graphic) HEEL: (club number/letter)-(loft) |
| TaylorMade Golf Company | Stealth | 8,9,10.5,12 | SOLE: CARBONWOOD, STEALTH, (line) SPEED POCKET (line) BACK: (weight port) TOE: TaylorMade (w/ T logo) CROWN: (T logo), STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |
| TaylorMade Golf Company | Stealth (LH) | 9,10.5 | SOLE: CARBONWOOD, (line) SPEED POCKET (line), STEALTH BACK: (weight port) TOE: TaylorMade (w/ T logo) CROWN: (T logo), STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |
| TaylorMade Golf Company | Stealth Gloire | 9.5,10.5,11.5 | SOLE: CARBONWOOD, (line) SPEED POCKET (line), (T logo), (triangle) STEALTH (triangle), GLOIRE BACK: (weight port) TOE: TaylorMade (w/ T logo) CROWN: (T logo), GLOIRE HEEL: (loft) FACE:60X CARBON, TWIST FACE view image here |
| TaylorMade Golf Company | Stealth Gloire (Women's) | 11.5,12.5 | SOLE: CARBONWOOD, (line) SPEED POCKET (line), (T logo), (triangle) STEALTH (triangle), GLOIRE BACK: (weight port) TOE: TaylorMade (w/ T logo) CROWN: (T logo), GLOIRE HEEL: (loft) FACE:60X CARBON, TWIST FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------------|-----------|--|
| TaylorMade Golf Company | Stealth Gloire+ | 9.5,10.5 | SOLE: CARBONWOOD, (line) SPEED POCKET (line), (T logo), (triangle) STEALTH (triangle), GLOIRE+ BACK: (weight port) TOE: TaylorMade (w/ T logo) CROWN: (T logo), GLOIRE HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |
| TaylorMade Golf Company | Stealth HD | 9,10.5,12 | SOLE: CARBONWOOD, STEALTH, (line) SPEED POCKET (line), HD BACK: (weight port) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |
| TaylorMade Golf Company | Stealth HD (LH) | 9,10.5 | SOLE: CARBONWOOD, (line) SPEED POCKET (line), STEALTH, HD BACK: (weight port) TOE: TaylorMade (w/ T logo) CROWN: (T logo alignment mark), STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE view image here |
| TaylorMade Golf Company | Stealth Plus (Version 1) | 8,9,10.5 | SOLE: CARBONWOOD, STEALTH, (triangle) FADE, DRAW (triangle), (weight port), N, (line) SPEED POCKET (line), PLUS+ BACK: (weight port) TOE: TaylorMade (w/ T logo) CROWN: (T logo), STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------------------|-------------|--|
| TaylorMade Golf Company | Stealth Plus (Version 1) (LH) | 9,10.5 | SOLE: CARBONWOOD, (line) SPEED POCKET (line), N, (weight port), (triangle) FADE, DRAW (triangle), STEALTH, PLUS+ BACK: (weight port) TOE: TaylorMade (w/ T logo) CROWN: (T logo), STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |
| TaylorMade Golf Company | Stealth Plus (Version 2) | 9,10.5 | SOLE: CARBONWOOD, STEALTH, (triangle) FADE, DRAW (triangle), (weight port), N, (line) SPEED POCKET (line), PLUS+ BACK: (weight port) TOE: TaylorMade (w/ T logo) CROWN: STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |
| TaylorMade Golf Company | Stealth Plus (Version 2) (LH) | 9,10.5 | SOLE: CARBONWOOD, (line) SPEED POCKET (line), N, (weight port), (triangle) FADE, DRAW (triangle), STEALTH, PLUS+ BACK: (weight port) TOE: TaylorMade (w/ T logo) CROWN: STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |
| TaylorMade Golf Company | Stealth2 | 8,9,10.5,12 | SOLE: CARBONWOOD, STEALTH2, (line) SPEED POCKET (line), TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: (T logo), STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------------------|-----------|---|
| TaylorMade Golf Company | Stealth2 (LH) | 9,10.5 | SOLE: CARBONWOOD, STEALTH2, (line) SPEED POCKET (line), TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: (T logo), STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |
| TaylorMade Golf Company | Stealth2 HD | 9,10.5,12 | SOLE: CARBONWOOD, STEALTH2, (line) SPEED POCKET (line), TaylorMade (w/ T logo), HD BACK: (weight port) TOE: (T logo) CROWN: (T logo), STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE view image here |
| TaylorMade Golf Company | Stealth2 HD (LH) | 9,10.5 | SOLE: CARBONWOOD, STEALTH2, (line) SPEED POCKET (line), HD, TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: (T logo), STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE view image here |
| TaylorMade Golf Company | Stealth2 Plus (Red Bull Edition) | 9,10.5 | SOLE: TaylorMade (w/ T logo), (Red Bull symbol), ORACLE, Red Bull (Red Bull logo), (line), RACING, (triangle) FADE, N, DRAW (triangle), (weight port), (line) SPEED POCKET, (line), STEALTH2, PLUS+BACK: (weight port) TOE: (club number/letter) CROWN: (T logo alignment mark), STEALTH HOSEL: (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------------------|----------|---|
| TaylorMade Golf Company | Stealth2 Plus (Version 1) | 8,9,10.5 | SOLE: CARBONWOOD, STEALTH2, (triangle), FADE, N, DRAW, (triangle), (weight port), (line) SPEED POCKET (line), TaylorMade (w/ T logo), PLUS+ BACK: (weight port) TOE: (T logo) CROWN: (T logo), STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |
| TaylorMade Golf Company | Stealth2 Plus (Version 1) (LH) | 8,9,10.5 | SOLE: CARBONWOOD, STEALTH2, (line) SPEED POCKET (line),(triangle), DRAW, N, FADE, (triangle), PLUS+, TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: (T logo), STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |
| TaylorMade Golf Company | Stealth2 Plus (Version 2) | 8,9,10.5 | SOLE: CARBONWOOD, STEALTH2, (triangle), FADE, N, DRAW, (triangle), (weight port), (line) SPEED POCKET (line), TaylorMade (w/ T logo), PLUS+ BACK: (weight port) TOE: (T logo) CROWN: STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |
| TaylorMade Golf Company | Stealth2 Plus (Version 2) (LH) | 9,10.5 | SOLE: CARBONWOOD, STEALTH2, (line) SPEED POCKET (line), (triangle), DRAW, N, FADE, (triangle), PLUS+, TaylorMade (w/ T logo) BACK: (weight port) TOE: (T logo) CROWN: STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft) FACE:60X CARBON, TWIST FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|----------------------------|--------------|--|
| TaylorMade Golf Company | Stealth2 Plus (Version 3) | 8,9,10.5 | SOLE: CARBONWOOD, STEALTH2, (triangle), FADE, N, DRAW, (triangle), (weight port), (line) SPEED POCKET (line), TaylorMade (w/ T logo), PLUS+ BACK: (weight port) TOE: (T logo) CROWN: (T logo), STEALTH HOSEL: (triangle), (twelve lines), (orientation indicators) HEEL: (loft)* FACE:60X CARBON, TWIST FACE |
| TaylorMade Golf Company | Super Steel 250 | 10.5 | SOLE: Taylor (T logo) Made, BURNER, (line), SuperSteel, 250, (loft) CROWN: (T logo alignment mark) view image here |
| TaylorMade Golf Company | SuperMax R9 | 9.5,10.5 | SOLE: TaylorMade (w/T logo), R9, SUPERMAX, (port for shaft screw) TOE: FCT (logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) view image here |
| TaylorMade Golf Company | SuperMax R9 HT | N/A | SOLE: TaylorMade (w/T logo), R9, SUPERMAX, (port for shaft screw) TOE: FCT (logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: HT |
| TaylorMade Golf Company | SuperMax R9 HT (Ladies) | N/A | SOLE: TaylorMade (w/T logo), R9, SUPERMAX, (port for shaft screw) TOE: FCT (logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: HT |
| TaylorMade Golf Company | Tour Burner | 8.5,9.5,10.5 | SOLE: TaylorMade (w/ T logo), (flame graphic) B, TOUR, (flame graphic)BURNER, (circular weight) CROWN: (flame alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-------------------------------|---------------------|---|
| TaylorMade Golf Company | Tour Burner (LH) | 9.5,10.5 | SOLE: TaylorMade (w/ T logo), (flame graphic) B, TOUR, (flame graphic)BURNER, (circular weight) CROWN: (flame alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | Tour Burner TP | 8,8.5,9,9.5,10,10.5 | SOLE: TaylorMade (w/ T logo), (flame graphic) B, TOUR, (flame graphic)BURNER, (circular weight) CROWN: (TP alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | Tour Burner TP (LH) | 9.5,10.5 | SOLE: TaylorMade (w/ T logo), (flame graphic) B, TOUR, (flame graphic)BURNER, (circular weight) CROWN: (TP alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | Tour Burner TP (Version 2) | 9.5,10.5 | SOLE: TaylorMade (w/ T logo), (flame graphic) B, TOUR, (flame graphic)BURNER, (circular weight) CROWN: (TP alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | XR | 9.5,10.5 | SOLE: TaylorMade (w/T logo), XR TOE: XR CROWN: (T logo alignment mark) HEEL: (loft) view image here |
| TaylorMade Golf Company | XR FCT | 10.5 | SOLE: TaylorMade (w/T logo), (XR on inset), (port for shaft screw) TOE: FCT (with screw logo) CROWN: (T logo alignment mark) HOSEL: (w/ or w/o triangle), (orientation indicators) HEEL: (loft) view image here |
| TaylorMade Golf Company | XR HT | N/A | SOLE: TaylorMade (w/T logo), XR TOE: XR CROWN: (T logo alignment mark) HEEL: HT view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--|--------------|--|
| TDG Co Ltd | Public D-400 | 8.5,9.5,10.5 | SOLE: (YUME inside logo with YUME repeated around border), PUBLIC, D-400, (TDG on screwed plate) BACK: YUME TOE: (loft) / 460 CC HEEL: Hybrid Technology, (line), Designed by, TDG |
| TDG Co Ltd | Yume Prestige F-400 | 9.5,10.5 | SOLE: ((crown logo), (YUME inside wing logo) over (YUME repeated around border of circle logo)), PRESTIGE, F - 400, (loft) CROWN: (alignment mark) FACE:UM |
| TDG Co Ltd | Yume Prestige F-400 (Version 2) | 8.5 | SOLE: (YUME inside logo with YUME repeated around border), PRESTIGE, F - 400, (loft) TOE: YUME CROWN: (alignment mark) FACE:UM |
| Team Performance Products | Team Performance Driver (Version 2) | 9.5,10.5 | SOLE: (curved line), TPD, ®, TEAM PERFORMANCE DRIVER™, power/distance/control, (loft), 460, SUPER TITANIUM CROWN: ((arrow), (circle w/in circle) alignment mark) view image here |
| Tech Line Corp. | 150-230 CHD BigFace | N/A | SOLE: TECH-LINE, BIGFACE 1, US PATENT 5,366,223, OTHERS PENDING, USE A TALL TEE, 359T6 FACE:150 TO 230, CHD view image here |
| Tech Line Corp. | 220-270 CHD BigFace | N/A | SOLE: TECH-LINE, BIGFACE 1, US PATENT 5,366,223, OTHERS PENDING, USE A TALL TEE, 359T6 FACE:220 TO 270, CHD view image here |
| Tech Line Corp. | 260-300 CHD BigFace | N/A | SOLE: Tech-Line, BIGFACE 1, US PATENT 5,366,223, OTHERS PENDING, USE A TALL TEE, 359T6 FACE:260 TO 300, CHD view image here |
| Tech Line Corp. | FHT 11 | 10 | SOLE: (FHT 11, (loft) in recessed oval) BACK: (TECH-LINE in recessed oval) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--|-------------------------------|---------|---|
| Tensor Golf, Inc. | Power Claw | 9 | SOLE: (five 'phillips screw head' graphics), TOUR, (triangle graphic), Forged Ti, (loft) view image here |
| The Club Works | The Chosen One | 6,7.5,9 | SOLE: the, ClubW(w/ two dots over o)rks.™com, (double line under Club Works), (rectangle) 450 LD (rectangle), THE CHOSEN ONE, 1 (loft) view image here |
| The Golf Coast Equip. (See Vector Golf) | Stiletto II (Version 2) | 9 | SOLE: (loft), STILETTO, (line), II, BETA, (line), TI, 15, 3-3-3 CROWN: (S alignment mark) FACE:Beta•Ti view image here |
| The Golf Coast Equip. (See Vector Golf) | Vector II | 9 | SOLE: (loft), VECTOR, (line), II, BETA, (line), TI, 15, 3-3-3 CROWN: (V alignment mark) FACE:Beta•Ti view image here |
| The Golf Coast Equip. (See Vector Golf) | Vector III 370 | 9,10.5 | SOLE: (loft), VECTOR (line) III, 370, BETA (line), TI, 15, 3-3-3 CROWN: (V alignment mark) FACE:Beta•Ti, 2.7 view image here |
| The Golf Coast Equip. (See Vector Golf) | Vector III 444 (Version 1) | 10.5 | SOLE: (loft), VECTOR (line) III, 444, BETA (line), TI, 15, 3-3-3 CROWN: (V alignment mark) FACE:Beta•Ti, 2.7 |
| The Golfworks | CER 701P | 9,10.5 | SOLE: C•E•R, 701P, PRO•FORGED, 1, (loft) BACK: BETA FORGED TITANIUM, (line), (line) CROWN: C•E•R view image here |
| The Golfworks | Distance Master Hero 380cc | 9.5 | SOLE: (curved line)DM, HERO (w/ dot in O), FORGED BETA TITANIUM, 380CC, 1 (loft) CROWN: (curved line with dot alignment mark) view image here |
| The Golfworks | Distance Master Hero 450cc | 10 | SOLE: (curved line)DM, HERO (w/ dot in O), FORGED BETA TITANIUM, 450CC, 1 (loft) CROWN: (curved line with dot alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--|-----------------|--|
| The Golfworks | Distance Master Pro Ti² 460 (Version 2) | 10.5,12.5 | SOLE: (D (w/triangle)M in oval), ProTi(superscript 2 w/ underline), 460, (loft w/ no degree symbol), Pro Titanium, SQUARED BACK: (D (w/triangle)M in oval insert) CROWN: ((D (w/triangle)M in oval) alignment mark) view image here |
| The Golfworks | Distance Master Pro Ti ² 460 (Version 2) (LH) | 10.5 | SOLE: (D (w/triangle)M in oval), ProTi(superscript 2 w/ underline), 460, (loft w/ no degree symbol), Pro Titanium, SQUARED BACK: (D (w/triangle)M in oval insert) CROWN: ((D (w/triangle)M in oval) alignment mark) view image here |
| The Golfworks | EGO 400cc | 9.5,11 | SOLE: EGO 400(w/ dots in 0s), FORGED TITANIUM, 1, (400c.c. over 1), (loft)LOFT CROWN: (logo alignment mark) view image here |
| The Golfworks | EGO 450cc | 10.5 | SOLE: EGO 450(w/ dot in 0), FORGED TITANIUM, (450c.c. over 1), (loft)LOFT CROWN: (logo alignment mark) view image here |
| The Golfworks | Logic Pro | 10 | SOLE: MALTBY, (line), (line), LogicPro, (line), FORGED ß TITANIUM, (loft) LOFT, 1 CROWN: (logo alignment mark) <u>view image here</u> |
| The Golfworks | Maltby CT250 450cc | 8,9.5,10.5,11.5 | SOLE: (M logo)ALTBY, (line), CT (w/line through C) 250, TUNGSTEN WEIGHTED, BETA TITANIUM • 450cc, (loft) BACK: (three straight edge screws) CROWN: (CT w/ line through C alignment mark) view image here |
| The Golfworks | Maltby CT250 450cc 6-LD | 6 | SOLE: (M logo)ALTBY, (line), CT (w/line through C) 250, TUNGSTEN WEIGHTED, BETA TITANIUM • 450cc, (loft) (LD in rectangle) BACK: (three straight edge weight ports) CROWN: (CT alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--|-------------|--|
| The Golfworks | Maltby CT250 460 | 9,10,11 | SOLE: (M logo in circle)MALTBY, (line), CT (w/line through C)250, MAXIMUM MOI, (loft)/460, (circular weight), (five lines), (circular weight) CROWN: (CT alignment mark) view image here |
| The Golfworks | Maltby CT250 Carbon/Titanium 450cc (Version 1) | 10.5 | SOLE: (M logo)ALTBY, (line), CT (w/line through C) 250, CARBON/TITANIUM, TUNGSTEN WEIGHTED, (loft w/ dgree symbol), 450cc BACK: (three straight edge screws) CROWN: (CT w/ line through C alignment mark) view image here |
| The Golfworks | Maltby CT250 Carbon/Titanium 450cc (Version 2) | 9.5 | SOLE: (M logo)ALTBY, (line), CT (w/ line through C) 250, CARBON/TITANIUM, TUNGSTEN WEIGHTED, (loft), 450cc BACK: (three straight edge screws) CROWN: (CT w/ line through C alignment mark) view image here |
| The Golfworks | Maltby CT250 Draw 460 | 9.5,10.5,12 | SOLE: (M logo in circle)MALTBY, DRAW, (line), CT (w/line through C)250, MAXIMUM MOI, (loft)/460, (five lines), (circular weight) CROWN: (CT alignment mark) view image here |
| The Golfworks | Maltby CT250 Professional 460cc | 8,9.5,10.5 | SOLE: (M logo)MALTBY, CT (w/line through C) 250, (line), PROFESSIONAL, (loft), 460cc BACK: (weight port), (curved line) CROWN: (CT alignment mark) view image here |
| The Golfworks | Maltby EGO II Beta Ti 410cc (Version 3) | 9.5,10.5 | SOLE: (M logo)ALTBY, (line), EGO II, •TI-451 BETA TITANIUM•, (line), 1, (loft) • 410cc BACK: BLACK BOX METAL CROWN: (triangle alignment mark) view image here |
| The Golfworks | Maltby Glider S 460cc | 10,13 | SOLE: (M logo in circle)MALTBY, GLIDER, HIGH LAUNCH • HIGH INERTIA (S in circle), (loft), 460cc/TITANIUM CROWN: (S in circle alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|--------------------------|---------------|--|
| The Golfworks | Maltby ISO-T (Version 1) | 10.5 | SOLE: ISO-T, (loft) TOE: ISOTHERMAL, FORGED, (flame graphic) CROWN: (arrow alignment mark) HEEL: MALTBY |
| | M W 100 T 0/ | 0.5 | view image here |
| The Golfworks | Maltby ISO-T (Version 2) | 9.5 | SOLE: ISO-T, (loft w/degree symbol) TOE: ISOTHERMAL, FORGED, (flame graphic) CROWN: (arrow alignment mark) HEEL: MALTBY |
| | | | <u>view image here</u> |
| The Golfworks | Maltby KE4 450cc | 9.5,10.5,13 | SOLE: (M logo)ALTBY (w/ line), KE4, (line), 450CC PERFORMANCE WEIGHTED, (loft), CAST TITANIUM BACK: (circular weight), KINETIC ENERGY CROWN: KE4 |
| | | 0.5.40.5.40.5 | view image here |
| The Golfworks | Maltby KE4 SSF1 | 9.5,10.5,12.5 | SOLE: (M logo in circle)MALTBY, (KE4, SSF1 FORGED 460 over arrow media blast), (loft), (weight port) view image here |
| The Golfworks | Maltby KE4 ST-2 | 9,10.5 | SOLE: KE4, ST-2, (weight), (line), (crosshair graphic), (loft), (M logo in circle)MALTBY CROWN: (arrow alignment mark) view image here |
| The Golfworks | Maltby KE4 ST-2A | 9.5,10.5 | SOLE: ST-2A, KE4, (loft), (weight), (M logo in circle)MALTBY, FCT, (screw in port) CROWN: (arrow alignment mark) HOSEL: (dot), (orientation indicators) |
| The Golfworks | Maltby Ke4 TC Max | 10 | SOLE: MALTBY, (weight port), KE4, (line)TC MAX, MAXSPEED CROWN: (dot alignment marker) HOSEL: (dot), (orientation indicators) HEEL: (loft) FACE:MAX view image here |
| The Golfworks | Maltby Ke4 TC Max (LH) | 10 | SOLE: MALTBY, KE4, (line)TC MAX, (weight port), MAXSPEED CROWN: (dot alignment marker) HOSEL: (dot), (orientation indicators) HEEL: (loft) FACE:MAX view image here |

| The Golfworks Maltby KE4 TC Pro SOLE: TC PRO, KE4, (weight port) BACK: MALTBY, TOUR CONTROL GROWN. (dot alignment marker) HOSEL: (dot) (orientation indicators) HEEL: (dot) yiew image here The Golfworks Maltby KE4 Tour TC N/A SOLE: MALTBY, KE4, TOUR TC, TRALECTORY, CONTROL, SPEED=IN, TECHNOL.GGY CROWN. (corde alignment mark) HOSEL: (orientation indicators) yiew image here The Golfworks Maltby KE4 V 460 (Version 1) The Golfworks Maltby KE4 V 460 (Version 2) Maltby Logic Gold 10.5 SOLE: (KE4 over V graphic media blast), (dot), VisRRATION CONTROL 460, (V graphic), (weight port) CROWN: KE4 HEEL: (M logo in circle)MALTBY yiew image here The Golfworks Maltby Logic Gold 10.5 SOLE: MALTBY, (line), Lo, (line)G.ic,old, (line), 1, FORGED FLEX, TITANIUM, (loft) LOFT CROWN: (alignment mark) FACE: (Z. In center) yiew image here The Golfworks Maltby Logic Tech 10 SOLE: MALTBY, (line), Logic, LADY, 1, (loft) LOFT, FORGED FLEX, TITANIUM CROWN, (alignment mark) FACE: (Z. In center) yiew image here The Golfworks Maltby Logic Tech 10 SOLE: MALTBY, (line), LOGI-C (line), TECH, (line), 1, FORGED LOGI-C (line), TECH, F | Manufacturer | Product Name | Lofts | Identification Markings |
|--|---------------|--------------------|-------|--|
| The Golfworks Maitby KE4 Tour TC N/A SOLE: MALTBY, KE4, TOUR TC, TRAJECTORY, CONTROL, SPEED=IN, TECHNOLOGY CROWN: (circle alignment mark) HOSEL: (orientation indicators) view image here The Golfworks Maitby KE4 V 460 (Version 1) The Golfworks Maitby KE4 V 460 (Version 2) Maitby KE4 V 460 (Version 2) Maitby Legic Gold 10.5 SOLE: (KE4 over V graphic media blast), (loft, w/ degree symbol), VIBRATION CONTROL 460, (V graphic), (weight port) CROWN: KE4 HEEL: (M logo in circle)MALTBY view image here SOLE: (KE4 over V graphic media blast), (loft, VIRRATION CONTROL 460, (V graphic), (weight port) CROWN: KE4 HEEL: (M logo in circle)MALTBY view image here The Golfworks Maitby Logic Gold 10.5 SOLE: MALTBY, (line), Lo, (line)G, c, old, (line), 1, FORGED FLEX, TITANIUM, (loft) LOFT, CROWN: Ke4 (line), 1, FORGED FLEX, TITANIUM, (loft) LOFT, CROWN: (alignment mark) FACE: (Z, z in center) view image here The Golfworks Maitby Logic Lady The Golfworks Maitby Logic Tech 10 SOLE: MALTBY, (line), Logic, LADY, 1, (loft) LOFT, FORGED ULTRA FLEX TITANIUM CROWN: (alignment mark) FACE: (Z, z in center) view image here The Golfworks Maitby Logic Tech 10 SOLE: MALTBY, (line), LOGI-C (line), TECH, FORGED + SOLE: MALTBY, (line), LOGI-C (line), TECH, (line), 1, Loft) LOFT FACE: 64 TITANIUM view image here The Golfworks Maitby Logic Tech SOLE: MALTBY, (line), LOGI-C (line), TECH, FORGED + SOLE: 1, LOGIC, (line), TECH, FORGED + SOLE: 1, LOGI | The Golfworks | Maltby KE4 TC Pro | 9 | BACK: MALTBY, TOUR CONTROL CROWN: (dot alignment marker) HOSEL: (dot) (orientation indicators) HEEL: (loft) |
| The Golfworks Maltby KE4 V 460 (Version 1) The Golfworks Maltby KE4 V 460 (Version 2) The Golfworks Maltby KE4 V 460 (Version 2) The Golfworks Maltby Logic Gold Maltby Logic Gold Maltby Logic Gold The Golfworks Maltby Logic Gold The Golfworks Maltby Logic Gold The Golfworks Maltby Logic Lady The Golfworks Maltby Logic Lady Maltby Logic Tech The Golfworks | | | 21/0 | |
| The Golfworks Maltby KE4 V 460 (Version 1) 10.5 SOLE: (KE4 over V graphic media blast), (loft w/ degree symbol), VIBRATION CONTROL 460, (V graphic), (weight port) CROWN: KE4 HEEL: (M logo in circle)MALTBY view image here SOLE: (KE4 over V graphic media blast), (loft), VIBRATION CONTROL 460, (V graphic, weight port) CROWN: KE4 HEEL: (M logo in circle)MALTBY view image here SOLE: MALTBY, (loft), USRATION CONTROL 460, (V graphic), (weight port) CROWN: KE4 HEEL: (M logo in circle)MALTBY view image here SOLE: MALTBY, (line), Lo, (line)G, ic, old, (line), 1, FORGED FLEX, TITANIUM, (loft) LOFT CROWN: (alignment mark) FACE: (Z,Z in center) view image here SOLE: MALTBY, (line), Logic, LADY, 1, (loft) LOFT, FORGED ULTRA FLEX TITANIUM CROWN: (alignment mark) FACE: (Z,Z in center) view image here SOLE: MALTBY, (line), Logic, LADY, 1, (loft) LOFT, FORGED ULTRA FLEX TITANIUM CROWN: (alignment mark) FACE: (Z,Z in center) view image here SOLE: MALTBY, (line), LOG-I-C (line), TECH, (line), 1, (loft) LOFT FACE: 6-4 TITANIUM view image here SOLE: MALTBY, (line), LOG-I-C (line), TECH, (line), 1, (loft) LOFT FACE: 6-4 TITANIUM view image here SOLE: MALTBY, (line), LOG-I-C (line), TECH, (line), 1, (loft) LOFT FACE: 6-4 TITANIUM view image here SOLE: MALTBY, (line), LOG-I-C (line), TECH, (line), 1, (loft) LOFT FACE: 6-4 TITANIUM view image here SOLE: MALTBY, (line), LOG-I-C (line), TECH, (line), 1, (loft) LOFT FACE: 6-4 TITANIUM view image here SOLE: MALTBY, (line), LOG-I-C (line), TECH, FORGED + SOLE: 1, LOGIC, (line), TECH, FORGED + SOLE: 1, LO | The Golfworks | Maltby KE4 Tour TC | N/A | TRAJECTORY, CONTROL, SPEED=IN, TECHNOLOGY CROWN: (circle alignment mark) HOSEL: (orientation indicators) |
| (loft w/ degree symbol), VIBRATION CONTROL 460, (V graphic), (weight port) CROWN: KE4 HEEL: (M logo in circle)MALTBY view image here SOLE: (KE4 over V graphic media blast), ((loft), VIBRATION CONTROL 460, (V graphic), (weight port) CROWN: KE4 HEEL: (M logo in circle)MALTBY view image here The Golfworks Maltby Logic Gold 10.5 SOLE: MALTBY, (line), Lo, (line)G, ic, old, (line), 1, FORGED FLEX, TITANIUM, (loft) LOFT CROWN: (alignment mark) FACE:(Z,Z in center) view image here The Golfworks Maltby Logic Lady 12 SOLE: MALTBY, (line), Logic, LADY, 1, (loft) LOFT, FORGED ULTRA FLEX TITANIUM CROWN: (alignment mark) FACE:(Z,Z in center) view image here The Golfworks Maltby Logic Tech 10 SOLE: MALTBY, (line), LOG-I-C (line), TECH, (line), 1, (loft) LOFT FACE:(A TITANIUM view image here The Golfworks Maltby Logic Tech 380cc Maltby Logic Tech SOLE: 1, LOGIC, (line), TECH, FORGED - 380cc, (loft), Beta Titanium, MALTBY, (line) | | | | |
| The Golfworks Maltby KE4 V 460 (Version 2) Maltby KE4 V 460 (Version 2) SOLE: (KE4 over V graphic media blast), (loft), VIBRATION CONTROL 460, (V graphic), (weight port) CROWN: KE4 HEEL: (M logo in circle)MALTBY view image here The Golfworks Maltby Logic Gold 10.5 SOLE: MALTBY, (line), Lo, (line)G, ic, old, (line), 1, FORGED FLEX, TITANIUM, (loft) LOFT CROWN: (alignment mark) FACE:(Z, Z in center) view image here The Golfworks Maltby Logic Lady 12 SOLE: MALTBY, (line), Logic, LADY, 1, (loft) LOFT, FORGED ULTRA FLEX TITANIUM CROWN: (alignment mark) FACE:(Z, Z in center) view image here The Golfworks Maltby Logic Tech 10 SOLE: MALTBY, (line), LOG-I-C (line), TECH, FORGED TECH, Ilne), 1, (loft) LOFT FACE:6-4 TITANIUM view image here The Golfworks Maltby Logic Tech SOLE: 1, LOGIC, (line), TECH, FORGED 380cc, (loft), Beta Titanium, MALTBY, (line) | The Golfworks | | 10.5 | (loft w/ degree symbol), VIBRATION CONTROL 460, (V graphic), (weight port) CROWN: KE4 |
| (Version 2) ((oft), VIBRATION CONTROL 460, (V graphic), (weight port) CROWN: KE4 HEEL: (M logo in circle)MALTBY view image here The Golfworks Maltby Logic Gold 10.5 SOLE: MALTBY, (line), Lo, (line)G,ic,old, (line), 1, FORGED FLEX, TITANIUM, (loft) LOFT CROWN: (alignment mark) FACE:(Z,Z in center) view image here The Golfworks Maltby Logic Lady 12 SOLE: MALTBY, (line), Logic, LADY, 1, (loft) LOFT, FORGED ULTRA FLEX TITANIUM CROWN: (alignment mark) FACE:(Z,Z in center) view image here The Golfworks Maltby Logic Tech 10 SOLE: MALTBY, (line), LOG-I-C (line), TECH, (line), 1, (loft) LOFT FACE:6-4 TITANIUM view image here The Golfworks Maltby Logic Tech 380cc Maltby Logic Tech, FORGED 380cc, (loft), Beta Titanium, MALTBY, (line) | | | | <u>view image here</u> |
| (line), 1, FORGED FLEX, TITANIUM, (loft) LOFT CROWN: (alignment mark) FACE:(Z,Z in center) view image here The Golfworks Maltby Logic Lady 12 SOLE: MALTBY, (line), Logic, LADY, 1, (loft) LOFT, FORGED ULTRA FLEX TITANIUM CROWN: (alignment mark) FACE:(Z,Z in center) view image here The Golfworks Maltby Logic Tech 10 SOLE: MALTBY, (line), LOG-I-C (line), TECH, (line), 1, (loft) LOFT FACE:6-4 TITANIUM view image here The Golfworks Maltby Logic Tech 380cc Maltby Logic Tech, FORGED • 380cc, (loft), Beta Titanium, MALTBY, (line) | The Golfworks | | 9.5 | (loft), VIBRATION CONTROL 460, (V graphic), (weight port) CROWN: KE4 HEEL: (M logo in circle)MALTBY |
| The Golfworks Maltby Logic Tech The Golfworks Maltby Logic Tech The Golfworks Maltby Logic Tech Maltby Logic Tech The Golfworks Maltby Logic Tech Maltby Logic Tech The Golfworks | The Golfworks | Maltby Logic Gold | 10.5 | (line), 1, FORGED FLEX, TITANIUM, (loft) LOFT CROWN: (alignment mark) FACE:(Z,Z in center) |
| The Golfworks Maltby Logic Tech 380cc | The Golfworks | Maltby Logic Lady | 12 | (loft) LOFT, FORGED ULTRA FLEX TITANIUM CROWN: (alignment mark) FACE:(Z,Z in center) |
| 380cc, (loft), Beta Titanium, MALTBY, (line) | The Golfworks | Maltby Logic Tech | 10 | TECH, (line), 1, (loft) LOFT FACE:6-4 TITANIUM |
| view image here | The Golfworks | | 9,10 | 380cc, (loft), Beta Titanium, MALTBY, (line) CROWN: (dot alignment mark) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------------|----------|--|
| The Golfworks | Maltby Logic Tech 420cc | 9.5,10.5 | SOLE: 1, LOGIC, (line), TECH, FORGED • 420cc, (loft), Beta Titanium, MALTBY, (line) CROWN: (dot alignment mark) view image here |
| The Golfworks | Maltby Logic Tradition 350cc | 9,10 | SOLE: M-350, Logic Tradition, (line), FORGED, 1, HEAT TREATED, DAT51 BETA TITANIUM, (loft) BACK: M, MALTBY, (line) CROWN: (dot alignment mark) |
| The Golfworks | Maltby Logic Tradition 380cc | 9.5 | view image here SOLE: M-350, Logic Tradition, (line), FORGED, 1, HEAT TREATED, DAT51 BETA TITANIUM, (loft) BACK: M, MALTBY, (line) CROWN: (dot alignment mark) view image here |
| The Golfworks | Maltby Logic Traditon 380cc | 10.5 | SOLE: M-350, Logic Tradition, (line), FORGED, 1, HEAT TREATED, DAT51 BETA TITANIUM, (loft) BACK: M, MALTBY, (line) CROWN: (dot alignment mark) view image here |
| The Golfworks | Maltby LTech 450 | 13,15 | SOLE: (M logo)MALTBY, LTECH 450, (line), HIGH LAUNCH DESIGN 1, (loft), FORGED, TITANIUM BACK: (M logo) CROWN: (LT alignment mark) view image here |
| The Golfworks | Maltby M890 | 10,12,14 | SOLE: (line), M890, LAUNCH TECH HL, (line), FORGED, (club number/letter), (loft) CROWN: (circle alignment mark) HEEL: MALTBY view image here |
| The Golfworks | Maltby RDM 320cc | 8,9.5 | SOLE: (RDM 320 in rectangle) 1, RECOIL, FORGED TITANIUM, (loft) LOFT BACK: MALTBY, (line) view image here |
| The Golfworks | Maltby RDM 340cc | 9,10.5 | SOLE: (RDM 340 in rectangle) 1, RECOIL, FORGED TITANIUM, (loft) LOFT BACK: MALTBY, (line) view image here |
| The Golfworks | Maltby RDM 360cc | 9.5,11 | SOLE: (RDM 360 in rectangle) 1, RECOIL, FORGED TITANIUM, (loft) LOFT BACK: MALTBY, (line) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------|---------------------------|--------------|---|
| The Golfworks | Maltby RDM 380cc | 9,10.5 | SOLE: 1, (RDM 380 in a rectangle), RECOIL BETA TITANIUM, (loft) LOFT BACK: (M logo) CROWN: (recessed diamond-shaped alignment mark) view image here |
| The Golfworks | Maltby STW2 | 10,12 | SOLE: SPEEDFIN, TECHNOLOGY, STW2, (loft) CROWN: (circle alignment mark) HEEL: MALTBY view image here |
| The Golfworks | Maltby STW2 (LH) | 10 | SOLE: SPEEDFIN, TECHNOLOGY, STW2, (loft) CROWN: (circle alignment mark) HEEL: MALTBY view image here |
| The Golfworks | Maltby Tricept PFT | 9,10.5 | SOLE: (triangle), TRICEPT, (triangle)PFT(triangle), (loft), (line), 455 BACK: (triangle) TOE: (PRECISION, *BETA*, FORGED in oval) CROWN: (three triangles alignment mark) HEEL: (M logo in circle) MALTBY |
| The Golfworks | Peak Velocity 82 | 8.5,9.5,10.5 | SOLE: PEAK VELOCITY, (P within V logo) 82, 1 (loft), (delta character)-22 TITANIUM CROWN: (PV logo alignment mark) HEEL: MALTBY, (line) FACE:(PV logo), 82 view image here |
| The Golfworks | Peak Velocity 82 350cc | 9.5 | SOLE: PEAK VELOCITY, (P within V logo) 82, 350cc, 1 (loft), (delta character)-22 TITANIUM CROWN: (PV logo alignment mark) HEEL: MALTBY, (line) FACE:(PV logo), 82 view image here |
| The Golfworks | Peak Velocity 83 400cc | 9,10 | SOLE: PEAK VELOCITY, (P within V logo) 83, 400cc, (ß in shield inset), FORGED, BETA, TITANIUM, 1 (loft), MALTBY, (line) CROWN: (PV logo alignment mark) HEEL: PEAK C.O.R. view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|-----------------------------------|--------------|---|
| The Golfworks | Toski Target T-5 400cc | 8.5,9.5,10.5 | SOLE: 1 (loft), (Target w/ arrow crossing t over circle graphic), T-5, 400CC, FORGED, BETA TITANIUM, Toski TOE: HIGH LAUNCH, (*), LOW SPIN CROWN: Toski |
| The Golfworks | Toski Target T-5 450cc | 9.5,10.5,12 | SOLE: 1 (loft), (Target w/ arrow crossing t over circle graphic), T-5, 450CC, FORGED, BETA TITANIUM, Toski TOE: HIGH LAUNCH, (*), LOW SPIN CROWN: Toski |
| The Perfect Club Co., LLC | The Perfect Driver (Version 3) | N/A | SOLE: (PERFECT, (curved line), DRIVER, in triangle with 10 lines), 370cc, BETATI, VFT BACK: (elongated oval) |
| The Perfect Club Co., LLC | The Perfect Driver HD2 | 10.5 | SOLE: PERFECT, DRIVER CROWN: (triangle alignment marker) HEEL: HD2, (loft) view image here |
| The Royal Collection, Inc. | Super CV Pro (Version 2) | 8,9,10 | SOLE: SUPER. CV, PRO, (line), [TITANIUM], (K logo) ROYAL COLLECTION, 1, LOFT (loft) view image here |
| The Sixty Niners Corp. | 69ers GX 460 (Version 2) | 9.5,10.5 | SOLE: (69, ers in wreath logo), THE SIXTY NINERS, (GX 460 in shape on inset), (loft) FACE:(69, ers in wreath media blast logo) view image here |
| The Stewart & Stewart Co. | Acumen 300cc | 9 | SOLE: STEWART & STEWART, (bagpiper logo), D, (loft), ACUMEN view image here |
| The Stewart & Stewart Co. | Aspire Ti | 9 | SOLE: STEWART & STEWART, (bagpiper logo), ASPIRE, Ti, D, (loft) <u>view image here</u> |
| The Stewart & Stewart Co. | Assail Ti | 9 | SOLE: STEWART & STEWART, (bagpiper logo), D, (loft), ASSAIL, Ti <u>view image here</u> |
| The Stewart & Stewart Co. | Assert | 9 | SOLE: STEWART & STEWART, (bagpiper logo), Assert, 1, (loft) <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------|---|--------------|---|
| The Stewart & Stewart Co. | D Beta Ti | 9.5,10.5 | SOLE: D, (loft) LOFT, STEWART & STEWART, (bagpiper logo), FORGED, ß TITANIUM CROWN: (alignment mark) FACE:ß TITANIUM view image here |
| The Stewart & Stewart Co. | War ß-Ti | 9 | SOLE: D, (loft), STEWART & STEWART, (bagpiper logo), WAR, B Ti FACE:ß-Ti |
| The Stewart & Stewart Co. | Warhead | 9 | view image here SOLE: STEWART & STEWART, 1, (loft), (bagpiper graphic), WARHEAD, ß-TI, (line) view image here |
| Thomas Golf | AT 705 | 10.5 | SOLE: Thomas, (triangle logo) Golf, (club number/letter) (loft), AT705, HYBRID, DRIVER CROWN: (alignment line) |
| Thunder Golf, Inc. | Little Thunder Explosion (Version 1) | 8,9,10 | SOLE: EXPLOSION, (loft), Little, (lightning bolt graphic), THUNDER®, ULTRA, LOW, CG CROWN: (thunderbolt logo alignment mark), (metal oval insert) FACE:TI-TOP view image here |
| Thunder Golf, Inc. | Little Thunder Explosion (Version 2) | 9,11,14 | SOLE: EXPLOSION, (loft), Little, (lightning bolt graphic), THUNDER, ULTRA, LOW, CG CROWN: (thunderbolt logo alignment mark), (metal oval insert) FACE:TI-TOP view image here |
| Tiger Shark Golf | Power Pod II (Version 2) | N/A | SOLE: (POWERPOD over II) BACK: POWERSHELF, (loft), (TIGERSHARK over shark fin graphic in trapezoid) TOE: Jim Flood, DESIGN CROWN: (TS over shark fin graphic alignment mark) view image here |
| Tiger Sports, Inc. | Integra Sooolong Offset | 9,10.5,12,14 | SOLE: INTEGRA, S(three O meter graphics)LONG, (circular weight), ß - TITANIUM, (circular weight), -OFFSET-, 1 (loft), (circular weight) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|---------------------------|--------------|--|
| Tiger Sports, Inc. | Integra Super Sooolong | 9,10.5,12,14 | SOLE: SUPER, S(three O meter graphics)LONG, (weight port), BI-FACE ß-TI, (weight port), GRAPHITE TECHNOLOGY, US PATENT:465535, 1 (loft), (weight port) |
| | | | view image here |
| Titanium Metal Works | Long Ballz | 10.5,12 | SOLE: TiWorks TOE: LongBallz CROWN: (oval alignment mark) HEEL: (loft) |
| | | | view image here |
| Titanium Metal Works | Long Ballz Draw | 10.5 | SOLE: TiWorks TOE: LongBallz CROWN: (oval alignment mark) HEEL: (loft), (Draw) |
| | | | view image here |
| Titanium Metal Works | Long Ballz Max | 10 | SOLE: (weight port), LongBallz, (weight port), Max, (two weight port) CROWN: (oval alignment mark) HEEL: (loft) |
| | | | view image here |
| Titanium Metal Works | ProSpeed | 10 | SOLE: Tour Form, Sensor Disc, Pro Speed, (circle), (loft) CROWN: (oval alignment mark) view image here |
| TLF Nordic AB | Tonino Lamborghini | 8,9,10,11,12 | SOLE: (bull logo), (loft), Tonino Lamborghini, FORGED TITANIUM, 460CC CROWN: (alignment mark) FACE:TITANIUM, (logo) view image here |
| TMJ Corporation | The Major 2001 | 8.5,9.5,10.5 | SOLE: THE MAJOR, 2001, (M logo), Jumbo, JO-33A, 1 , (loft) TOE: TMJ |
| | | 10.5 | view image here |
| Tokai Golf Co Ltd | Accudis AD-501 | 10.5 | SOLE: 460, (loft), (logo), Accudis, AD-501, HIGH-LAUNCH, DESIGN, 1 BACK: FORGED TITANIUM TOE: (logo) view image here |
| Tokai Golf Co Ltd | Accudis AD-501 (LH) | 10.5 | SOLE: (loft), 460, (logo), Accudis, AD-501, HIGH-LAUNCH, DESIGN, 1 BACK: FORGED TITANIUM TOE: (logo) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------------------------|----------|---|
| Tokai Golf Co Ltd | Advisor EQ-1 | 9 | SOLE: (logo), advisor, EQ-1, (loft), (triangle) F-Ti 460 (triangle) CROWN: (logo alignment mark) view image here |
| Tokai Golf Co Ltd | Advisor Gi3 | 10.5 | SOLE: (logo), advisor, (triangle) Gi3 (triangle), 1, (DiA on inset), SPEC 460- Ti, (loft) BACK: DIA•TECHNOLOGY CROWN: (alignment mark) FACE:CUP FACE view image here |
| Tokai Golf Co Ltd | Air Win | 14 | SOLE: Air Win, Princess, 1, LOFT (loft), Wide Sweet Area, Low Gravity BACK: .310 TITANIUM. TOE: (AW logo) view image here |
| Tokai Golf Co Ltd | Caledonia CL-430 | 14 | SOLE: FORGED TITANIUM, CALEDONIA, CL-430, 1, LOFT (loft) TOE: CL-430 view image here |
| Tokai Golf Co Ltd | Caledonia CL-II 370 Ti | 13 | SOLE: Caledonia, CL-II, Spec.370 Ti, 1 (loft), (line) (ram logo) (line) BACK: -FORGED TITANIUM- TOE: (ram logo) CL-II |
| Tokai Golf Co Ltd | Caledonia CL-II Spec.350D Ver.08 | 13 | SOLE: Caledonia, CL-II, Spec.350D, (curved line), (logo), (curved line), 1 (loft) BACK: - FORGED DURALUMIN - TOE: (logo) CL-II HOSEL: 350D |
| Tokai Golf Co Ltd | Daiwa Advisor AD-450 | 9.5,10.5 | SOLE: (A logo), ADVISOR, AD-450, 1, TEAM, DAIWA, -(loft)- BACK: FORGED TITANIUM TOE: TEAM DAIWA view image here |
| Tokai Golf Co Ltd | Fairy Golf FL-460 | 14 | SOLE: -Clover-, (loft) 1, FAIRYGOLF, (media blast clover leaf logo), FL-460 BACK: Forged Titanium CROWN: (clover leaf logo alignment mark) view image here |
| Tokai Golf Co Ltd | Fairy Golf Lovely Hearts | 14 | SOLE: FAIRY GOLF, Lovely, Hearts, 1, (loft), (heart/clover logo),•• SPEC 420 •• BACK: - TITANIUM - TOE: (heart/clover logo) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-----------------------------|----------|---|
| Tokai Golf Co Ltd | M.U Sports MUS-L1 | 14 | SOLE: 1 (loft), (logo) M.U SPORTS, MUS-L1, Spec. 420, FORGED TITANIUM BACK: (logo) |
| | | | view image here |
| Tokai Golf Co Ltd | Marvelous MV 420 | 10.5 | SOLE: MARVELOUS, SINCE 2001, 1 (loft), MV 420 (oval) BACK: FORGED TI TOE: MV 420 (oval) view image here |
| Tokai Golf Co Ltd | Marvelous MV 420 (LH) | 10.5 | SOLE: MARVELOUS, SINCE 2001, 1 (loft), MV 420 (oval) BACK: FORGED TI TOE: MV 420 (oval) view image here |
| Tokai Golf Co Ltd | Marvelous MX 400 | 10.5 | SOLE: MARVELOUS, SINCE 2001, MX 400, FORGED TITANIUM, 1, LOFT (loft), (3 circles) TOE: (cross logo), MARVELOUS, SINCE 2001 view image here |
| Tokai Golf Co Ltd | Marvelous MX 400 (LH) | 10.5 | SOLE: MARVELOUS, SINCE 2001, MX 400, FORGED TITANIUM, 1, LOFT (loft), (3 circles) TOE: (cross logo), MARVELOUS, SINCE 2001 view image here |
| Tokai Golf Co Ltd | Marvelous X Piral MV-450 | 10.5 | SOLE: XPIRAL, MARVELOUS, MV 450, 1 / (loft) TOE: (logo), MARVELOUS, SINCE 2001 HEEL: FORGED TITANIUM view image here |
| Tokai Golf Co Ltd | Onesider Junior | N/A | SOLE: DRIVER, 1, ONESIDER (underlined), (line) JUNIOR (line), TSURUYA TOE: (logo) view image here |
| Tokai Golf Co Ltd | Phoebus | 9.5,10.5 | SOLE: Phoebus, FORGED TITANIUM, 1, (loft).59.01.400 TOE: Phoebus view image here |
| Tokai Golf Co Ltd | Progical Jr | 15 | SOLE: (Jr logo), PROGICAL, -Junior-, EASY CONCEPT, 1 (loft), TSURUYA, (Jr logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------------------------|--------------|--|
| Tokai Golf Co Ltd | Quat 460 | 10.5 | SOLE: FORGED-Ti & CARBON CROWN, Quat 460, -(loft)- <u>view image here</u> |
| Tokai Golf Co Ltd | Q-V4 | 7,10,11,12.5 | SOLE: 460 Forged-Ti (underlined), (loft), Q-V4 view image here |
| Tokai Golf Co Ltd | QV-4 Hanpen | 10.5 | SOLE: HANPEN, (loft), Q-V4, 460 Forged-Ti |
| Tokai Golf Co Ltd | Roosevelt RTB-L2 | 14 | SOLE: (triangle) Spec.420 (triangle), (RTB-L2, Easy & Elegant over paw print media blast logo), 1 (loft) BACK: Roosevelt Teddy Bear TOE: (RTB in teddy bear logo) CROWN: (paw print logo alignment mark) HEEL: FORGED-Ti |
| Tokai Golf Co Ltd | Roosevelt RTB-L2 (LH) | 14 | SOLE: (triangle) Spec.420 (triangle), (RTB-L2, Easy & Elegant over paw print media blast logo), (loft) 1 BACK: Roosevelt Teddy Bear TOE: (RTB in teddy bear logo) CROWN: (paw print logo alignment mark) HEEL: FORGED-Ti |
| Tokai Golf Co Ltd | Roosevelt Teddy Bear | N/A | SOLE: 1, FORGED TITANIUM, wide spot, SPEC. 420, (Roosevelt, Teddy Bear in teddy bear logo media blast), USA official recognition, Theodore Roosevelt, G-Tour TOE: Roosevelt Teddy Bear HOSEL: CONFORMING TO, R&A/USGA SLE RULE |
| Tokai Golf Co Ltd | Roosevelt Teddy Bear (Version 2) | 14 | SOLE: Roosevelt (paw print logo), (paw print logo) Teddy Bear, 1 (loft), FORGED, TITANIUM, SPEC. 430 TOE: (paw print logos) HOSEL: RTB-S1 |
| Tokai Golf Co Ltd | Roosevelt Teddy Bear (Version 3) | 14 | SOLE: (Roosevelt (paw print logo), (paw print logo) Teddy Bear, over paw print media blast logo), 1 (loft), FORGED TITANIUM, SPEC.430 HEEL: (diamond) RTB-L1 (diamond) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|----------------------------------|-------|--|
| Tokai Golf Co Ltd | Saxon Plazma III | 9,10 | SOLE: SAXON, PLAZMA.III, (logo), ADVANCED, TECHNOLOGY, (loft) 1, Spec 390 BACK: FORGED TITANIUM TOE: SAXON, PLAZMA.III, SXN 05w, (logo) view image here |
| Tokai Golf Co Ltd | Saxon Plazma III (LH) | 10 | SOLE: SAXON, PLAZMA.III, (logo), ADVANCED, TECHNOLOGY, 1, (loft), Spec 390 BACK: FORGED TITANIUM TOE: SAXON, PLAZMA.III, SXN 05w, (logo) view image here |
| Tokai Golf Co Ltd | Saxon Plazma III Athlete Ver. | 9 | SOLE: SAXON, PLAZMA•III, (logo), ADVANCED, TECHNOLOGY, Athlete Ver. (underlined), (loft) 1, Spec 390 TOE: SAXON, PLAZMA•III, SXN 05w, (logo) HEEL: SP-700 • FORGED TITANIUM FACE:AD FACE view image here |
| Tokai Golf Co Ltd | Saxon Victa SXN 06W | 9,10 | SOLE: VICTA, LANDMARK DESIGN, (curved line), FORGED 450-Ti (logo), (loft) 1 BACK: POWER WEIGHT SYSTEM, 450 TOE: SAXON, SXN 06w view image here |
| Tokai Golf Co Ltd | SQD-P071 | 10.5 | SOLE: SQD-P071, LOFT (loft) <u>view image here</u> |
| Tokai Golf Co Ltd | St Andrews AD-503 Brassie | 13 | SOLE: ACCURACY & DISTANCE AD-503, 1 -(loft)- (underlined), BRASSIE, St.Andrews, SCOTLAND, ß-FORGED, WEIGHT CONTROL SYSTEM TOE: (St Andrews shield logo), St. Andrews, LINKS, SCOTLAND FACE:DOUBLE, FACE view image here |
| Tokai Golf Co Ltd | St Andrews AD-503 Driver | 11 | SOLE: ACCURACY & DISTANCE AD-503, 1 -(loft)- (underlined), DRIVER, St.Andrews, SCOTLAND, ß-FORGED, WEIGHT CONTROL SYSTEM TOE: (St Andrews shield logo), St. Andrews, LINKS, SCOTLAND FACE:DOUBLE, FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|--------------------------------|---------------|---|
| Tokai Golf Co Ltd | St Andrews Jubilee 380 Ti | 14 | SOLE: Jubilee, 380, -EASY & ELEGANT-, - (loft)- 1, St.Andrews, (line), BRASS, WEIGHT BACK: FORGED TITANIUM TOE: Jubilee, 380 view image here |
| Tokai Golf Co Ltd | St Andrews Jubilee III | 14 | SOLE: St.Andrews, Jubilee III, 1, -(loft)-, |
| | | | FORGED TITANIUM TOE: St.Andrews, Jubilee III |
| | | | view image here |
| Tokai Golf Co Ltd | St Andrews Just Impact | 10.5 | SOLE: St.Andrews, JUST IMPACT, 1, - (loft)-, FORGED TITANIUM BACK: SPEC 410 TOE: St.Andrews, JUST IMPACT |
| | | | view image here |
| Tokai Golf Co Ltd | St Andrews SA-602L | 14 | SOLE: (1 in circle) (loft in circle), Easy & Elegant, SA-602L, Spec.420, (shield logo), St. Andrews, LINKS, SCOTLAND, (5 circles), Titanium TOE: St. Andrews, (LINKS OF SCOTLAND in rounded rectangle) |
| | | | view image here |
| Tokai Golf Co Ltd | St Andrews SAD-201 | 10.5 | SOLE: (St Andrews shield logo), St.Andrews, LINKS, SCOTLAND, St.Andrews, SCOTLAND, ~PREMIUM MODEL~, Spec. 400 (through) 1, (loft) BACK: FORGED ß-TITANIUM FACE:SAT-2041 |
| | | | <u>view image here</u> |
| Tokai Golf Co Ltd | St Andrews SAD-202 | 9.5,10.5,11.5 | SOLE: 1, -(loft)-, SAD-202, FORGED ß-TITANIUM, Spec. 460, St.Andrews, SCOTLAND, (logo), St. Andrews, (symbols) LINKS (symbols), SCOTLAND BACK: LINKS, ~PREMIUM MODEL~ (in shape) TOE: (logo), St.Andrews, (symbols) LINKS (symbols), SCOTLAND FACE:CNC ß-FACE |
| | | | view image here |
| Tokai Golf Co Ltd | St Andrews SAF-504 Spec 450 | 10.5 | SOLE: St.Andrews, SCOTLAND, SAF-504, FORGED, DURALUMIN, 7075, Spec. 450, 1, -(loft)- TOE: (St Andrews shield logo), St. Andrews, LINKS, SCOTLAND |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|---------------------------------|-------------|---|
| Tokai Golf Co Ltd | St Andrews SAF-504 Spec. 400 | 10.5 | SOLE: St.Andrews, SCOTLAND, SAF-504, FORGED TITANIUM, (curved line), Spec. 400, 1, -(loft)- BACK: DOUBLE B-WEIGHT TOE: (St Andrews shield logo), St.Andrews, LINKS, SCOTLAND view image here |
| Tokai Golf Co Ltd | St Andrews SAF-601L (ladies) | 14 | SOLE: (triangle) Spec. 420 (triangle), SAF-601L, Easy & Elegant, 1 (loft), (logo), St. Andrews, LINKS, SCOTLAND BACK: (3 circles) LINKS (3 circles) TOE: (logo), St. Andrews, LINKS, SCOTLAND HEEL: FORGED-Ti |
| Tokai Golf Co Ltd | St Andrews SAF-601L (LH) | 14 | SOLE: (triangle) Spec. 420 (triangle), SAF-601L, Easy & Elegant, (loft) 1, (logo), St. Andrews, LINKS, SCOTLAND BACK: (3 circles) LINKS (3 circles) TOE: (logo), St. Andrews, LINKS, SCOTLAND |
| Tokai Golf Co Ltd | St Andrews TC 400 Spec 1 | 10.5 | SOLE: LOFT (loft), St.Andrews, TC 400, TRAJECTORY CONTROL (underlined), SPEC-1, 1 BACK: -FORGED TITANIUM- FACE:B-Ti view image here |
| Tokai Golf Co Ltd | St Andrews TC 400 Spec 2 | 10.5 | SOLE: St.Andrews, TC 400, LOFT (loft), TRAJECTORY CONTROL (underlined), SPEC-2, 1 BACK: -FORGED TITANIUM- FACE:B-Ti view image here |
| Tokai Golf Co Ltd | St Andrews VR-410 | 9,10.5,11.5 | SOLE: St.Andrews, VR-410, Vibration Resistance System (around circle), 1, - (loft)-, FORGED TITANIUM TOE: St.Andrews, VR-410 <u>view image here</u> |
| Tokai Golf Co Ltd | St.Andrews C.C. Spec 385 | 10.5 | SOLE: St.Andrews, CARBONFIBER - TITANIUM, COMPOSITION, Spec 385, DR, —(loft)— TOE: St.Andrews, CARBONFIBER - TITANIUM, COMPOSITION view image here |

| | | Identification Markings |
|-----------------------------|--|---|
| St.Andrews SAF-505 | 10.5 | SOLE: St.Andrews, SCOTLAND, SAF-505 (underlined), (line), 1, LOFT (loft), (line), SPEC.450 BACK: FORGED TITANIUM HOSEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Tad Moore X-Piral | 10.5 | SOLE: Tad Moore, (X logo), X-PIRAL, TX-02, 1 (loft) BACK: SPEC.420Ti TOE: (X logo) view image here |
| Tad Moore X-Piral TX-01 | 10.5 | SOLE: Tad Moore, X-PIRAL, TX-01, SPEC, 400, 1, (loft) TOE: X, X-PIRAL HEEL: FORGED TITANIUM view image here |
| Tech Plus | 10.5 | SOLE: (TP logo), TECH PLUS, TXG (underlined), FORGED DURALUMIN, 1 (loft) TOE: (TP logo), TECH PLUS view image here |
| Tech Plus TXR | 10.5 | SOLE: (loft) 1, TECH PLUS TXR, FORGED DURALUMIN 7075, SPEC.410, (TP logo) TOE: TECH PLUS, TXR, (TP logo) view image here |
| Tour Blast MK-V | 10.5 | SOLE: 1, Tour, BLAST (with triangle in A), MK-V, (loft) BACK: 6AL4V TITANIUM view image here |
| TXD-420 | 10.5 | SOLE: 1 (loft), TXD-420, DEEP CENTER, (logo) FORGED DURALUMIN, OF GRAVITY BACK: TECH PLUS view image here |
| X-Piral XP-450 | 10.5 | SOLE: X-PIRAL, X, XP-450, DEEP GRAVITY DESIGN, (loft) 1 BACK: FORGED DURALUMIN view image here |
| Alien Golf AT-1 | 10.5 | SOLE: (loft), AT-1, (alien GOLF logo), 1 CROWN: (a logo alignment mark) <u>view image here</u> |
| Alien Golf AT-1 (Ladies) | 14 | SOLE: (loft), AT-1, (alien GOLF logo), 1 CROWN: (a logo alignment mark) view image here |
| | Tad Moore X-Piral Tad Moore X-Piral TX-01 Tech Plus Tech Plus TXR Tour Blast MK-V TXD-420 X-Piral XP-450 Alien Golf AT-1 | Tad Moore X-Piral 10.5 Tad Moore X-Piral 10.5 Tech Plus 10.5 Tech Plus TXR 10.5 Tour Blast MK-V 10.5 TXD-420 10.5 X-Piral XP-450 10.5 Alien Golf AT-1 10.5 Alien Golf AT-1 14 |

| November 04, 2024 | | | | |
|---------------------------------|------------------------|----------|---|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| Tokita AC Inc (A M C Co Ltd) | AS2 | N/A | SOLE: HT, AS2, EASY TO HIT, DRAW DRIVER, HIGH TORAJECTORY view image here | |
| Tokita AC Inc (A M C Co Ltd) | AS-3 | N/A | SOLE: HT, AS,3, ANTI-SLICE, 460, EASY TO HIT CROWN: (alignment mark) view image here | |
| Tokita AC Inc (A M C Co Ltd) | AS-N | 10.5 | SOLE: (2 curved lines), (ASN logo), (loft) CROWN: (ASN alignment logo), (decorative graphic), (decorative graphic) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster Active | N/A | SOLE: BLASTER, (ACTIVE over A media blast), DOUBLE IMPACT SOLE WEIGHT view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster Black | 9.5,10.5 | SOLE: BLASTER, BLACK HEEL: (loft) FACE:BLACK view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster Black (Silver) | 9.5 | SOLE: BLASTER, BLACK HEEL: (loft) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster Blade | 9.5,10.5 | SOLE: (BLASTER, BLADE, over cross media blast), (weight port) HEEL: (loft) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster Blade 430 | 10.5 | SOLE: (BLASTER, BLADE, over cross media blast), 430, (weight port) HEEL: (loft) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster G | 9.5,10.5 | SOLE: BLASTER, G, (loft), (PVD, G on plate) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster G (LH) | 10.5 | SOLE: BLASTER, G, (loft), (PVD, G on plate) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster G (Version 2) | N/A | SOLE: BLASTER, G, 1, (PVD, G on plate) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster J | 9.5,10.5 | SOLE: BLASTER, J, (loft) CROWN: (curved line), (curved line) | |
| | | | view image here | |

| November 04, 2024 | | | | |
|---------------------------------|-------------------------|----------|---|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| Tokita AC Inc (A M C Co Ltd) | Blaster J (LH) | 10.5 | SOLE: BLASTER, J, (loft) CROWN: (curved line), (curved line) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster J Premium | 10.5 | SOLE: BLASTER, Premium, J, (loft) CROWN: (curved line), (curved line) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster JJ | 9.5 | SOLE: BLASTER, (JJ logo), (loft) CROWN: (decorative markings) FACE:(JJ media blast logo) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster JJ (Black) | 9.5,10.5 | SOLE: BLASTER, (JJ logo), (loft) CROWN: (decorative markings) FACE:(JJ media blast logo) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster LD | N/A | SOLE: (weight port), (BLASTER, Blade, over cross media blast), LD, (weight port) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster V | 10.5 | SOLE: BLASTER, V, (loft) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster Viper | 9.5,10.5 | SOLE: (B, BLASTER on shield logo), (loft) FACE:(VIPER media blast) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster Viper Black | 10.5 | SOLE: (B, BLASTER on shield logo), (loft) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster XX (LH) | 10.5 | SOLE: BLASTER', (XX logo), (loft), DUBLE IMPACT SOLE WEIGHT view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster' XX (Version 2) | 9.5 | SOLE: a.m.c, BLASTER', (XX logo), (loft), DUBLE IMPACT SOLE WEIGHT view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster' XX (Version 3) | 13.5 | SOLE: BLASTER', (XX logo), (loft), DOUBLE IMPACT SOLE WEIGHT view image here | |
| Tokita AC Inc (A M C Co Ltd) | Blaster' Z | 10.5 | SOLE: BLASTER', Z, (loft) <u>view image here</u> | |
| Tokita AC Inc (A M C Co Ltd) | Charger-X Warp Line | 11 | SOLE: CHARGER-X, WARP Line, (loft) CROWN: (alignment mark) view image here | |
| | | | view image nere | |

| November 04, 2024 | | | | |
|---------------------------------|--------------------------|----------|---|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| Tokita AC Inc (A M C Co Ltd) | Decatan Fire HT | N/A | SOLE: 1, DECATAN, FIRE (flame logo), HT TOE: (flame logo) CROWN: (flame logo alignment mark) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Decatan Seven | 10.5 | SOLE: HIGH MOI, (DECATAN over 7 media blast), SEVEN, (loft) CROWN: (alignment mark) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Decatan Seven HT | N/A | SOLE: HIGH MOI, (DECATAN over 7 media blast), SEVEN, HT CROWN: (alignment mark) HEEL: view image here | |
| Tokita AC Inc (A M C Co Ltd) | Decatan Seven HT (LH) | N/A | SOLE: HIGH MOI, (DECATAN over 7 media blast), SEVEN, HT CROWN: (alignment mark) view image here | |
| Tokita AC Inc (A M C | Decatan Speeed | 10.5 | SOLE: DECATAN, SPEEED, 1 | |
| Co Ltd) | | | view image here | |
| Tokita AC Inc (A M C Co Ltd) | Decatan Zero 3 | 10.5 | SOLE: DECATAN, ZERO 3, (loft), DOUBLE IMPACT SOLE WEIGHT | |
| Tokita AC Inc (A M C | Lucid Ray | N/A | view image here SOLE: LUCID, Ray | |
| Co Ltd) | Lucid Nay | 147.1 | CROWN: (Ray alignment mark) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Mad-01 Adjust | 10.5 | SOLE: MAD-01, (channel w/ moveable weight, (screw)), (triangle)ADJUST(triangle), (loft) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Mad-01 Evolution | 9.5,10.5 | SOLE: 460cc, MAD-01, (triangle) EVOLUTION (triangle), (loft) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Mad-01 Type D | 9.5 | SOLE: MAD - 01, TYPE, D, (loft) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Mad-01 Type D (Black) | 9.5,10.5 | SOLE: MAD - 01, TYPE, D, (loft) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Max Trusty | 10.5 | SOLE: MAX, TRUSTY, (triangle) EASY TO HIT (triangle), 460, (loft) | |
| | | | view image here | |

| November 04, 2024 | | | | |
|---------------------------------|------------------------------|----------|---|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| Tokita AC Inc (A M C Co Ltd) | Pinclover | 14 | SOLE: PINCLOVER, (loft), (curved line), (clover leaf logo on circular inset) CROWN: (clover leaf alignment mark) view image here | |
| Tokita AC Inc (A M C Co Ltd) | Prestgear PG01 | N/A | SOLE: PRESTGEAR, PG01 view image here | |
| Tokita AC Inc (A M C Co Ltd) | Prestgear PG02 | N/A | SOLE: PRESTGEAR, (raised X logo on inset), PG02 view image here | |
| Tokita AC Inc (A M C Co Ltd) | Seventies Type-C | N/A | SOLE: 70(triangle)S, MUSCLE, SEVENTIES sole design, TYPE-C, (weight port) BACK: (weight port) HOSEL: (dot), (loft indicators), (dot) view image here | |
| Tokita AC Inc (A M C Co Ltd) | TGC | 9.5,10.5 | SOLE: ((Bird logo) TGC on shield logo), (loft) view image here | |
| Tom Wishon Golf Technology | 515 GRT 360cc (Version 1) | 9.5 | SOLE: (loft), (line), 515 (GRT superscript), (line), 360cc, 20/0 ROLL, TECHNOLOGY, Wishon, Golf TOE: (Wishon Golf logo) FACE:ßti | |
| Tom Wishon Golf Technology | 515 GRT 360cc (Version 2) | 9.5 | view image here SOLE: (loft), (line), 515 GRT, (line), 360cc, 0 Roll, TECHNOLOGY, Wishon, Golf FACE:ßTI view image here | |
| Tom Wishon Golf Technology | 515 GRT 395cc (Version 1) | 11 | SOLE: (loft), (line), 515 (GRT superscript), (line), 395cc, 15/0 ROLL, TECHNOLOGY, Wishon, Golf TOE: (Wishon Golf logo) FACE:ßTI | |
| Tom Wishon Golf Technology | 525 GRT 460cc | 9.5,10 | SOLE: (loft), (line), 525 GRT, (line), 460cc, GRT FACE, TECHNOLOGY, Wishon, Golf TOE: (Wishon Golf logo) view image here | |
| Tom Wishon Golf Technology | 525 GRT 460cc High Launch | N/A | SOLE: (loft), (line), 525 GRT, (line), 460cc, GRT FACE, TECHNOLOGY, Wishon, Golf TOE: (Wishon Golf logo) | |
| | | | view image here | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|-----------------------------|--------|---|
| Tom Wishon Golf Technology | 525 GRT-C | 11 | SOLE: (loft), (line), 525 GRT, c, (line), 460cc, GRT FACE, TECHNOLOGY, Wishon, Golf TOE: (Wishon Golf logo), MILLED CROWN view image here |
| Tom Wishon Golf Technology | 715 CLC | 10.5 | SOLE: 715 CLC, (FADE BIAS, LOW LAUNCH, DRAW BIAS, HIGH LAUNCH, (six lines encircling adjustable weight w/ three punchmarks), (loft), Pat.Pend BACK: Wishon, Golf TOE: (Wishon Golf logo) CROWN: (triangle and line alignment mark) FACE:CLC |
| Tom Wishon Golf Technology | 730 CL-C 400 High Launch | N/A | view image here SOLE: 730, CL, C, (line), High Launch, DRIVER, 400cc, Titanium, Wishon, Golf TOE: (Wishon Golf logo) CROWN: (triangle and line alignment mark) view image here |
| Tom Wishon Golf Technology | 915 CFE 320cc | 10 | SOLE: (loft), DRIVER, (line), 915 CFE, (line), 320cc, COLD ROLLED, ß TITANIUM, Wishon, Golf CROWN: (triangle and line alignment mark) FACE:ßTI |
| Tom Wishon Golf Technology | 915 CFE 360cc | 9,10.5 | SOLE: (loft), DRIVER, (line), 915 CFE, (line), 360cc, COLD ROLLED, ß TITANIUM, Wishon, Golf CROWN: (triangle and line alignment mark) FACE:ßTI |
| Tom Wishon Golf Technology | 915 CFE 420 High Launch | 15 | SOLE: HIGH-LAUNCH, DRIVER, (line), 915 CFE, (line), 420cc, COLD ROLLED, ß TITANIUM, Wishon, Golf TOE: (Wishon Golf logo) CROWN: (triangle and line alignment mark) FACE:ßTI view image here |
| Tom Wishon Golf Technology | 915 CFE 420cc | 9.5,11 | SOLE: 11, DRIVER, (line), 915 CFE, (line), 420cc, COLD ROLLED, ß TITANIUM, Wishon, Golf CROWN: (triangle and line alignment mark) FACE:ßTI view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|-------------------------------------|--------|--|
| Tom Wishon Golf Technology | 915 CFE 460 | 11 | SOLE: (loft), DRIVER, (line), 915 CFE, (line), 460cc, COLD ROLLED, ß TITANIUM, Wishon, Golf TOE: (Wishon Golf logo) CROWN: (triangle and line alignment mark) FACE:ßTI view image here |
| Tom Wishon Golf Technology | 915 CFE 460 High Launch | 13 | SOLE: HIGH-LAUNCH, DRIVER, (line), 915 CFE, (line), 460cc, COLD ROLLED, ß TITANIUM, Wishon, Golf TOE: (Wishon Golf logo) CROWN: (triangle and line alignment mark) FACE:ßTI view image here |
| Tom Wishon Golf Technology | 915 CFE 460cc Offset | 11 | SOLE: (loft), DRIVER, (line), 915 CFE, (line), 460cc, COLD ROLLED, ß TITANIUM, Wishon Golf TOE: (Wishon Golf logo) CROWN: (triangle and line alignment mark) FACE:ß Ti |
| Tom Wishon Golf Technology | 915 CFE 460cc Offset High Launch | 14 | SOLE: HIGH-LAUNCH, (line), 915 CFE, (line), 460cc, COLD ROLLED, ß TITANIUM, Wishon Golf TOE: (Wishon Golf logo) CROWN: (triangle and line alignment mark) FACE:ß Ti |
| Tom Wishon Golf Technology | 919 THI 460cc (Version 1) | 8,9,11 | SOLE: (curved line), 919 THI, (curved line), (loft), 460cc, High MOI, (curved line), Wishon, Golf BACK: (Wishon Golf logo) TOE: ((star), CERTIFIED, (star), MOI, 5000-5400 in oval) |
| Tom Wishon Golf Technology | 919 THI 460cc (Version 1) (LH) | 10.5 | SOLE: (curved line), 919 THI, (curved line), (loft), 460cc, High MOI, (curved line), Wishon, Golf BACK: (Wishon Golf logo) TOE: ((star), CERTIFIED, (star), MOI, 5000-5400 in oval) view image here |
| Tom Wishon Golf Technology | 919 THI 460cc (Version 2) | 9,11 | SOLE: (W in oval insert), 919 THI, (line), (loft) 460cc, (line), HIGH MOI BACK: WISHON GOLF TOE: ((star), CERTIFIED, (star), MOI, 5000-5400 in oval) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|--|-------|--|
| Tom Wishon Golf Technology | 919 THI 460cc High Launch (Version 1) | N/A | SOLE: (curved line), 919 THI, (curved line), HIGH LAUNCH, 460cc, High MOI, (curved line), Wishon, Golf BACK: (Wishon Golf logo) TOE: ((star), CERTIFIED, (star), MOI, 5000-5400 in oval) |
| T W. I O K | 040 TH 400cc High | N/A | |
| Tom Wishon Golf Technology | 919 THI 460cc High Launch (Version 2) | IN/A | SOLE: (W in oval insert), 919 THI, (line), HIGH LAUNCH, 460cc, (line), HIGH MOI BACK: WISHON GOLF TOE: ((star), CERTIFIED, (star), MOI, 5000-5400 in oval) |
| | | | view image here |
| Tom Wishon Golf Technology | 919 THI 460cc High Launch Plus | N/A | SOLE: (W in oval insert), 919 THI, (line), HIGH LAUNCH PLUS, 460cc, (line), HIGH MOI BACK: WISHON GOLF TOE: ((star), CERTIFIED, (star), MOI, 5000-5400 in oval) view image here |
| Tom Wishon Golf Technology | 919 THI Draw Bias | 10.5 | SOLE: (curved line), 919 THI, (curved line), (loft), Draw Bias, High MOI, (curved line), Wishon, Golf BACK: (Wishon Golf logo) TOE: ((star), CERTIFIED, (star), MOI, 5000-5400 in oval) view image here |
| Tom Wishon Golf Technology | 919 THI Draw Bias Plus | 10.5 | SOLE: (W in oval insert), 919 THI, (line), (loft) DRAW BIAS PLUS, (line), HIGH MOI BACK: WISHON GOLF TOE: ((star), CERTIFIED, (star), MOI, 5000-5400 in oval) |
| Tom Wishon Golf Technology | 949 G/TI 390cc | 10.5 | SOLE: (loft), (line), 949 G/TI, (line), 390cc, Wishon Golf BACK: (tungsten/copper oval weight) TOE: (Wishon Golf logo) CROWN: (triangle and line alignment mark) view image here |
| Tom Wishon Golf Technology | 949 MC 400cc | 10.5 | SOLE: (loft), (line), 949 MC, (line), 400cc, Wishon Golf BACK: (tungsten/copper oval weight) TOE: ((Wishon Golf logo), MILLED CROWN) CROWN: (triangle and line alignment mark) view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------|---------------------------------|--------------|---|
| Tom Wishon Golf Technology | 949 MC 460cc (Version 2) | 9,10.5 | SOLE: (loft w/ degree symbol), (line), 949 MC, (line), 460cc, Wishon Golf BACK: (tungsten/copper oval weight) TOE: (Wishon Golf logo), MILLED CROWN CROWN: (triangle and line alignment mark) |
| Tom Wishon Golf Technology | 949 MC c 460cc High Launch | N/A | SOLE: HIGH LAUNCH, (line), 949 MC, c, (line), 460cc, Wishon Golf BACK: (tungsten/copper oval weight) TOE: ((Wishon Golf logo), MILLED CROWN) CROWN: (triangle and line alignment mark) |
| Tom Wishon Golf Technology | Tamarron Grand Monarch 375cc | 10.5 | SOLE: (loft), (mountain graphic), Tamarron, GRAND, MONARCH, (triangle), 1, 375cc, Maximum C.O.R. CROWN: (dual line alignment mark) view image here |
| Tom Wishon Golf Technology | Tamarron Grand Monarch 435cc | 10.5 | SOLE: (loft), (mountain graphic), Tamarron, GRAND MONARCH, (triangle), 1, 435cc, Maximum, C.O.R. CROWN: (arrow alignment mark) view image here |
| Tommy Armour Golf Company | 845 Forged Persimmon 400cc | 8.5,9.5,10.5 | SOLE: FIRE, HARDENED, Beta-Ti, 845, Forged PERSIMMON, 400cc, (loft) CROWN: (Tommy Armour alignment mark) view image here |
| Tommy Armour Golf Company | 845w Silver Back | 12 | SOLE: (loft), (SilverBack over 845w graphic), 1 BACK: FORGED, TITANIUM CROWN: (Tommy Armour alignment mark) view image here |
| Tommy Armour Golf Company | Ayr Time (High-Launch) | N/A | SOLE: (three circular weight ports), Tommy Armour, ((AYR on graphic), TIME on graphic) TOE: HIGH-LAUNCH FACE:(Tommy Armour logo) view image here |
| Tommy Armour Golf Company | Ayr Time (Mid-Launch) | N/A | SOLE: (three circular weight ports), Tommy Armour, ((AYR on graphic), TIME on graphic) TOE: MID-LAUNCH FACE:(Tommy Armour logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---------------------------|------------|---|
| Tommy Armour Golf Company | Ayr Time (Tour-Launch) | N/A | SOLE: (three circular weight ports), Tommy Armour, ((AYR on graphic), TIME on graphic) TOE: TOUR-LAUNCH FACE:(Tommy Armour logo) view image here |
| Tommy Armour Golf Company | Silver Scot 460 | 9,10.5 | SOLE: (Tommy Armour signature), (curved and straight intersecting lines), (Silver Scot logo in rectangle) SILVER SCOT, 460, (straight and curved intersecting lines), 1, (line), (loft) view image here |
| Tommy Armour Golf Company | Torch 460cc | 9.5,10.5 | SOLE: (flame media blast), Tommy Armour, (T on three flame graphic)ORCH, (T logo on shield), (flame media blast), 10(.5° superscript) BACK: 460cc (cc on recessed rectangle) CROWN: (A alignment mark) view image here |
| Toski Golf Company | HRC 53 | 9,10 | SOLE: (TG logo in circle) Toski, Miracle Metal, HRC53 SERIES, 1 (loft) view image here |
| Toski Golf Company | V.D.T. 320cc | 9,10,11.5 | SOLE: V.D.T., TITANIUM, (TG logo in circle), TUNGSTEN, 1, 320CC, (loft), (Toski, Golf in triangle) CROWN: (V in circle alignment mark) view image here |
| Tour Dynamix | Tour Dynamix JC-52 | N/A | SOLE: (weight) (Tour Dynamix logo), TOUR DYNAMIX, JC-52 view image here |
| Tour Edge Golf Mfg. | Bazooka | 9 | SOLE: (golf club logo)Tour/Edge, (line), Golf Mfg. Corp., BAZOOKA (w/ O crosshairs graphic), (line), TUNGSTEN BETA Ti, U.S. Pat. 5,536, 006, (loft) CROWN: (Tour Edge crosshairs logo) HOSEL: Tour/Edge, (line) FACE:15-3-3-3 BETA-TI |
| Tour Edge Golf Mfg. | Bazooka 320 J | 5,7,8,9,10 | SOLE: (golf club logo)Tour/Edge, (line), (loft), BAZOOKA (w/ O crosshairs graphic), (line), FORGED BETA Ti, 320 J, ULTIMATE DISTANCE WEAPON TOE: (Tour Edge logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-----------------------------------|--------------|--|
| Tour Edge Golf Mfg. | Bazooka 350 J | 9 | SOLE: (golf club logo)Tour/Edge, (line), (loft), BAZOOKA (w/ O crosshairs graphic), (line), FORGED BETA Ti, 350 J, ULTIMATE DISTANCE WEAPON TOE: (Tour Edge logo) |
| Tour Edge Golf Mfg. | Bazooka 400 J (LH) (Version 2) | 9 | SOLE: (golf club logo)Tour/Edge, (line), BAZOOKA (w/ O crosshairs graphic), (line), FORGED BETA Ti, (loft), 400 J., ULTIMATE DISTANCE WEAPON TOE: (Tour Edge logo) view image here |
| Tour Edge Golf Mfg. | Bazooka 400 J (Version 1) | 10 | SOLE: (golf club logo)Tour/Edge, (line), (loft), BAZOOKA (w/ O crosshairs graphic), (line), FORGED BETA Ti, 400 J, ULTIMATE DISTANCE WEAPON TOE: (Tour Edge logo) |
| Tour Edge Golf Mfg. | Bazooka 400 J (Version 2) | 8,9,10,11 | SOLE: (golf club logo)Tour/Edge, (line), (loft), BAZOOKA (w/ O crosshairs graphic), (line), FORGED BETA Ti, 400 J., ULTIMATE DISTANCE WEAPON TOE: (Tour Edge logo) |
| Tour Edge Golf Mfg. | Bazooka Geomax | 9,10.5,12,14 | SOLE: ((golf club logo)Tour/Edge, (line) (line), (circular weight) BAZOOKA (w/ O crosshairs graphic), GEOMAX, (loft) CROWN: (O crosshairs graphic alignment mark) HEEL: MAX M.O.I. By Geometry view image here |
| Tour Edge Golf Mfg. | Bazooka Geomax (LH) | 10.5 | SOLE: ((golf club logo)Tour/Edge, (line) (line), BAZOOKA (w/ O crosshairs graphic), GEOMAX, (circular weight), (loft) CROWN: (O crosshairs graphic alignment mark) HEEL: MAX M.O.I. By Geometry view image here |
| Tour Edge Golf Mfg. | Bazooka GeoMax 2 | 9,10.5,12,15 | SOLE: (golf club logo)Tour/Edge, (line), (line), (curved line), (loft), BAZOOKA (w/ O crosshairs graphic), GEOMAX 2, HIGHER M.O.I. CROWN: (crosshairs graphic alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|------------------------------------|-------------------|---|
| Tour Edge Golf Mfg. | Bazooka GeoMax 2 (LH) | 10.5 | SOLE: (golf club logo)Tour/Edge, (line), (line), (curved line), (loft), BAZOOKA (w/ O crosshairs graphic), GEOMAX 2, HIGHER M.O.I. CROWN: (crosshairs graphic alignment mark) view image here |
| Tour Edge Golf Mfg. | Bazooka GeoMax 2 Draw | 9,10.5,12,15 | SOLE: ((golf club logo)Tour/Edge, (line), (line), (curved line), (loft), DRAW, BAZOOKA (w/ O crosshairs graphic), GEOMAX 2, HIGHER M.O.I. CROWN: (crosshairs graphic alignment mark) view image here |
| Tour Edge Golf Mfg. | Bazooka GeoMax 2 Draw (LH) | 10.5 | SOLE: ((golf club logo)Tour/Edge, (line), (line), (curved line), (loft), DRAW, BAZOOKA (w/ O crosshairs graphic), GEOMAX 2, HIGHER M.O.I. CROWN: (crosshairs graphic alignment mark) view image here |
| Tour Edge Golf Mfg. | Bazooka JMax 410 | 8.5,9.5,10.5,11.5 | SOLE: BAZOOKA (w/ O crosshairs graphic), (line), JMAX, (line under MAX), TITANIUM, (golf club logo)Tour\Edge, (line), (loft) BACK: 410cc TOE: (Tour Edge logo) view image here |
| Tour Edge Golf Mfg. | Bazooka JMax 460 Carbon Draw | 9,10,11,12 | SOLE: BAZOOKA (w/ O crosshairs graphic), (line), JMAX, (line under MAX), 460, CARBON, (loft) DRAW BACK: ((golf club logo)Tour(line)Edge, (line) (line) within oval insert) TOE: TITANIUM - CARBON COMPOSITE view image here |
| Tour Edge Golf Mfg. | Bazooka JMax 460 Carbon Neutral | 9,10,11 | SOLE: BAZOOKA (w/ O crosshairs graphic), (line), JMAX, (line under MAX), 460, CARBON, (loft) NEUTRAL BACK: ((golf club logo)Tour(line)Edge, (line) (line) within oval insert) TOE: TITANIUM - CARBON COMPOSITE |
| Tour Edge Golf Mfg. | Bazooka JMax Carbon (Draw) | 9,10,11,12 | SOLE: BAZOOKA (w/ O crosshairs graphic), (line), JMAX, (line under MAX), CARBON, (loft) DRAW BACK: ((golf club logo) TourEdge, (line) in oval insert) TOE: TITANIUM - CARBON COMPOSITE HEEL: DRAW BIAS HEEL WEIGHT view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------------------|-------------------|--|
| Tour Edge Golf Mfg. | Bazooka JMax Carbon (Fade) | 8.5,9.5,10.5 | SOLE: BAZOOKA (w/ O crosshairs graphic), (line), JMAX, (line under MAX), CARBON, (loft) FADE BACK: ((golf club logo)TourEdge, (line) in oval insert) TOE: POWER FADE TOE WEIGHT HEEL: TITANIUM - CARBON COMPOSITE view image here |
| Tour Edge Golf Mfg. | Bazooka JMax CF 460 | 8.5,9.5,10.5,11.5 | SOLE: BAZOOKA (w/ O crosshairs graphic), (line), JMAX CF, (line under MAX), TITANIUM, (golf club logo)Tour/Edge, (line), (loft) BACK: 460CC TOE: ((curved line)(golf club logo)T(curved line)) view image here |
| Tour Edge Golf Mfg. | Bazooka JMax CF 460 (LH) | 10.5 | SOLE: BAZOOKA (w/ O crosshairs graphic), (line), JMAX CF, (line under MAX), TITANIUM, (golf club logo)Tour/Edge, (line), (loft) BACK: 460cc TOE: (Tour Edge logo) |
| Tour Edge Golf Mfg. | Bazooka JMax Houdini | N/A | SOLE: BAZOOKA (w/ O crosshairs graphic), (line), JMAX, (line under MAX), TITANIUM, HOUDINI BACK: (golf club logo)Tour(line)Edge, (line) (line) TOE: ((golf club logo)T in oval) CROWN: (dot alignment mark) view image here |
| Tour Edge Golf Mfg. | Bazooka JMax QL | 9,10.5,12 | SOLE: ((golf club logo)Tour/Edge, (line) (line), (BAZOOKA (w/ O crosshairs graphic), (line), JMAX, (line), QL in oval), (circular weight w/ three punchmarks), (loft), (circular weight w/ three punchmarks) BACK: Dual Tungsten, QL, (line), Quick Launch, Design TOE: TITANIUM 455 CROWN: (O crosshairs graphic alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|---------------------------|--------------|--|
| Tour Edge Golf Mfg. | Bazooka JMax QL Offset | 9,10.5,12,14 | SOLE: ((golf club logo)Tour/Edge, (line) (line), (BAZOOKA (w/ O crosshairs graphic), (line), JMAX, (line), QL in oval), (circular weight w/ three punchmarks), (loft), (circular weight w/ three punchmarks) BACK: Dual Tungsten, QL, (line), Quick Launch, Design TOE: TITANIUM 455 CROWN: (O crosshairs graphic alignment mark) HEEL: OFFSET |
| Tour Edge Golf Mfg. | Bazooka JMax Tour 385 | 8.5,9.5,10.5 | SOLE: BAZOOKA (w/ O crosshairs graphic), (line), JMAX Tour, (line under MAX), TITANIUM, (golf club logo)Tour/Edge, (line), (loft) BACK: 385cc TOE: FORGED view image here |
| Tour Edge Golf Mfg. | Bazooka QLS | 9,10.5,12 | SOLE: (BAZOOKA (w/ O crosshairs graphic), (line), QLS, (curved line), ((golf club logo)Tour/Edge, (line) (line), (loft) CROWN: (O crosshairs graphic alignment mark) view image here |
| Tour Edge Golf Mfg. | Bazooka QLS (LH) | 10.5 | SOLE: (BAZOOKA (w/ O crosshairs graphic), (line), QLS, (curved line), ((golf club logo)Tour/Edge, (line) (line), (loft) CROWN: (O crosshairs graphic alignment mark) view image here |
| Tour Edge Golf Mfg. | Bazooka QLS HL | N/A | SOLE: (BAZOOKA (w/ O crosshairs graphic), (line), QLS, (curved line), ((golf club logo)Tour/Edge, (line) (line), HL CROWN: (O crosshairs graphic alignment mark) view image here |
| Tour Edge Golf Mfg. | Exotics | 8,9,10.5,12 | SOLE: (golf club logo)Tour/Edge, (line) (line), EXOTICS, (nine punchmarks), (X media blast), (loft) BACK: EXOTICS, (two weight ports) HEEL: Beta Ti 0.4mm Brazing Crown FACE:(X media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------|-------------|--|
| Tour Edge Golf Mfg. | Exotics C721 | 9.5,10.5,12 | SOLE: (weight port), C721, Tour Edge, (line), EXOTICS, XTREME (diamond) MOI CROWN: (E alignment mark), RIDGEBACK HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:DIAMOND FACE 2.0, (diamond media blast) view image here |
| Tour Edge Golf Mfg. | Exotics C722 | 9.5,10.5 | SOLE: CARBON WRAP TECH, (weight port), Tour Edge, (line), EXOTICS, (weight port), C722 BACK: RIDGEBACK CROWN: (722 alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:DIAMOND FACE, (diamond media blast) view image here |
| Tour Edge Golf Mfg. | Exotics C722 (LH) | 10.5 | SOLE: CARBON WRAP TECH, (weight port), Tour Edge, (line), EXOTICS, (weight port), C722 BACK: RIDGEBACK CROWN: (722 alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:(diamond media blast), DIAMOND FACE |
| Tour Edge Golf Mfg. | Exotics C723 | 8,9,10.5 | SOLE: Tour Edge, (line), EXOTICS, (weight port), FADE, N, DRAW, FTS FLIGHT TUNING, SYSTEM, C723 BACK: (triangle) RIDGEBACK (triangle) TOE: QUAD CARBON TECH CROWN: (723 alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:DIAMOND FACE, (diamond media blast) view image here |
| Tour Edge Golf Mfg. | Exotics C723 (LH) | 10.5 | SOLE: Tour Edge, (line), EXOTICS, FTS FLIGHT TUNING, SYSTEM, FADE, N, DRAW, (weight port), C723 BACK: (triangle) RIDGEBACK (triangle) TOE: QUAD CARBON TECH CROWN: (723 alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:(diamond media blast), DIAMOND FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|---------------------------------|-------------|---|
| Tour Edge Golf Mfg. | Exotics C725 | 9,10.5 | SOLE: FLIGHT TUNING, SYSTEM, Tour Edge, (line), EXOTICS, (weight port), C725 BACK: FADE (weight port) DRAW TOE: C725 CROWN: (725 alignment mark), RIDGEBACK 360 HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:3D DIAMOND FACE, (diamond media blast) view image here |
| Tour Edge Golf Mfg. | Exotics CB3 Tour | 9,10 | SOLE: (golf club logo)Tour/Edge, (segmented line), EXOTICS, X, (loft), (CB3, (curved line), TOUR on badge insert) BACK: EXOTICS TOE: Combo-Brazing Tour Distance view image here |
| Tour Edge Golf Mfg. | Exotics CB4 Tour (Version 2) | 6,8,9 | SOLE: (EXOTICS over X), CB4, (line), TOUR, (loft w/ degree symbol), X view image here |
| Tour Edge Golf Mfg. | Exotics CProto | 9,10.5 | SOLE: Tour Edge, (line), EXOTICS, (weight port), CPROTO BACK: (weight port) TOE: CPROTO CROWN: RIDGEBACK 360 HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:3D DIAMOND FACE (diamond media blast) view image here |
| Tour Edge Golf Mfg. | Exotics E722 | 9.5,10.5,12 | SOLE: CARBON WRAP TECH, (weight port), MAX MOI, Tour Edge, (line), EXOTICS, E722 BACK: RIDGEBACK CROWN: (722 alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:DIAMOND FACE, (diamond media blast) view image here |
| Tour Edge Golf Mfg. | Exotics E722 (LH) | 10.5 | SOLE: CARBON WRAP TECH, Tour Edge, (line), EXOTICS, MAX MOI, (weight port), E722 BACK: RIDGEBACK CROWN: (722 alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:DIAMOND FACE, (diamond media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------|------------------------------|--|
| Tour Edge Golf Mfg. | Exotics E723 | 9,10.5,12 | SOLE: Tour Edge, (line), EXOTICS, (weight port), FADE, N, DRAW, MOI+ MAXIMUM, FORGIVENESS, E723 BACK: (triangle) RIDGEBACK (triangle) TOE: QUAD CARBON TECH CROWN: (723 alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:DIAMOND FACE, (diamond media blast) view image here |
| Tour Edge Golf Mfg. | Exotics E723 (LH) | 10.5 | SOLE: Tour Edge, (line), EXOTICS, MOI+ MAXIMUM, FORGIVENESS, FADE, N, DRAW, (weight port), E723 BACK: (triangle) RIDGEBACK (triangle) TOE: QUAD CARBON TECH CROWN: (723 alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:(diamond media blast), DIAMOND FACE view image here |
| Tour Edge Golf Mfg. | Exotics E725 | 9,10.5,12 | SOLE: 10K MOI, FORGIVENESS, Tour Edge, (line), EXOTICS, E725 BACK: DRAW (weight port) FADE TOE: E725 CROWN: (725 alignment mark), RIDGEBACK 360 HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:3D DIAMOND FACE, (diamond media blast) view image here |
| Tour Edge Golf Mfg. | Exotics E8 | 8.5,9,9.5,10,10.5,11,11.5,12 | SOLE: EXOTICS, (line), X, (x-shaped weight w/ four X logos), (line), E8, (line), (screw in port) CROWN: (E alignment mark) HEEL: (triangle), (eight lines), (loft indicators) view image here |
| Tour Edge Golf Mfg. | Exotics E8 Beta | 8.5,9,9.5,10,10.5,11,11.5,12 | SOLE: EXOTICS, (line), X, (x-shaped weight w/ four X logos), (line), E8, (line), Beta, (screw in port) CROWN: (E alignment mark) HEEL: (traingle), (eight lines), (loft indicators) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------------|--------|--|
| Tour Edge Golf Mfg. | Exotics EProto | 9,10.5 | SOLE: Tour Edge, (line), EXOTICS, EPROTO BACK: (weight port) TOE: EPROTO CROWN: RIDGEBACK 360 HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:3D DIAMOND FACE (diamond media blast) view image here |
| Tour Edge Golf Mfg. | Exotics EX10 | 10,12 | SOLE: EXOTICS, EX 10, (line) BACK: EXOTICS CROWN: (E alignment mark) HEEL: (loft) view image here |
| Tour Edge Golf Mfg. | Exotics EX9 | 10,12 | SOLE: EXOTICS, EX 9 (line), (weight port), (loft) CROWN: (E alignment mark) HOSEL: (triangle), (orientation indicators) view image here |
| Tour Edge Golf Mfg. | Exotics EX9 Tour | 9,10 | SOLE: EXOTICS, (weight port), EX 9, (line), TOUR, (loft) CROWN: (E alignment mark) HOSEL: (triangle), (orientation indicators) view image here |
| Tour Edge Golf Mfg. | Exotics EXS (Version 1) | 9.5 | SOLE: EXOTICS, EXS, (loft) BACK: EXOTICS TOE: TourEdge CROWN: (E alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: EXS FACE:ROLL FACE view image here |
| Tour Edge Golf Mfg. | Exotics EXS (Version 2) | 10.5 | SOLE: DUAL CARBON TECH, EXOTICS EXS, (loft) BACK: EXOTICS TOE: TourEdge CROWN: (E alignment mark) HOSEL: (triangle), (orientation indicators) HEEL: EXS FACE:ROLL FACE |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------------|-------------|--|
| Tour Edge Golf Mfg. | Exotics EXS 220 | 9.5,10.5,12 | SOLE: E, EXOTICS, MAX M.O.I., TRIPLE CARBON TECH, EXS, 220, (loft) BACK: EXOTICS TOE: (golf club logo)TourEdge CROWN: (E alignment mark) HOSEL: (orientation indicators) HEEL: EXS FACE:DIAMOND FACE, (diamond media blast) |
| Tour Edge Golf Mfg. | Exotics EXS Pro | 9.5,10.5 | SOLE: E, EXOTICS, EXS, (line), PRO, FADE, DRAW, (loft) TOE: (golf club logo)TourEdge CROWN: (E alignment mark) HOSEL: (orientation indicators) HEEL: EXS FACE:DIAMOND FACE, (diamond media blast) view image here |
| Tour Edge Golf Mfg. | Exotics Pro 721 | 9.5,10.5 | SOLE: (weight port), PRO 721, Tour Edge, (line), EXOTICS, (weight port) CROWN: (E alignment mark), RIDGEBACK HOSEL: (triangle), (orientation indicators) HEEL: (loft) FACE:DIAMOND FACE 2.0, (diamond media blast) view image here |
| Tour Edge Golf Mfg. | Exotics Tour Proto | 9 | SOLE: (golf club logo)Tour/Edge, (line) (line), EXOTICS, (nine punchmarks), X, TOUR (loft) PROTO BACK: EXOTICS, (two weight ports) HEEL: -Beta Ti 0.4mm Brazing Crown- |
| Tour Edge Golf Mfg. | Exotics XCG (Version 1) | 10.5,12 | SOLE: (golf club logo)Tour/Edge, (line) (line), EXOTICS, (X graphic), (loft), (XCG, (line) (+ over circle) on shield insert) TOE: magnesium crown CROWN: (X alignment mark) HEEL: Ti Cup Face-Steel Body-Mg Crown FACE:EXOTICS |
| Tour Edge Golf Mfg. | Exotics XCG (Version 2) | 9 | SOLE: (golf club logo)Tour/Edge, (line) (line), EXOTICS, (X graphic), (loft w/ degree symbol), (XCG, (line) (+ over circle) on shield insert) TOE: magnesium crown CROWN: (X alignment mark) HEEL: Ti Cup Face-Steel Body-Mg Crown FACE:EXOTICS view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|----------------------------------|------------------------------|---|
| Tour Edge Golf Mfg. | Exotics XCG V | 9,10.5,12 | SOLE: EXOTICS, (X graphic), (loft), (XCG, triple V on shield insert) TOE: TITANIUM V-CUP FACE BRAZING TECHNOLOGY view image here |
| Tour Edge Golf Mfg. | Exotics XCG3 (Version 2) | 9,10.5,12 | SOLE: X, (loft w/ degree symbol), EXOTICS, TUNGSTEN, (XCG, 3 on trapezoid insert) BACK: EXOTICS view image here |
| Tour Edge Golf Mfg. | Exotics XCG4 | 9,10.5,12 | SOLE: (EXOTICS over X), (XCG, 4 on trapezoid insert) HEEL: (loft) view image here |
| Tour Edge Golf Mfg. | Exotics XCG4 (LH) | 10.5 | SOLE: (EXOTICS over X), (XCG, 4 on trapezoid insert) HEEL: (loft) FACE:(X media blast) view image here |
| Tour Edge Golf Mfg. | Exotics XCG5 | 9,10.5,12 | SOLE: (EXOTICS over X), (loft), (XCG5 on lined insert) CROWN: (X alignment mark) view image here |
| Tour Edge Golf Mfg. | Exotics XCG5 (LH) | 10.5 | SOLE: (EXOTICS over X), (loft), (XCG5 on lined insert) CROWN: (X alignment mark) view image here |
| Tour Edge Golf Mfg. | Exotics XCG6 | 9,10.5,12 | SOLE: (XCG6 on diamond insert) (EXOTICS over X), (loft), (screw) HOSEL: (triangle), (orientation indicators) view image here |
| Tour Edge Golf Mfg. | Exotics XCG7 | 8.5,9,9.5,10,10.5,11,11.5,12 | SOLE: EXOTICS, X, (XCG7 on insert), (screw in port) CROWN: EXOTICS HOSEL: (triangle), (loft orientations) view image here |
| Tour Edge Golf Mfg. | Exotics XCG7 Beta (Version 2) | 8.5,9,9.5,10,10.5,11,11.5,12 | SOLE: EXOTICS, X, (XCG7ß on insert), (screw in port) CROWN: EXOTICS HOSEL: (triangle), (loft orientations) HEEL: Beta FACE:X view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-----------------------------|------------------|--|
| Tour Edge Golf Mfg. | Exotics XJ1 | 9,10.5,12 | SOLE: EXOTICS, E, XJ1, (loft) CROWN: (E alignment mark) view image here |
| Tour Edge Golf Mfg. | Exotics XLD | 9,10.5,12,15 | SOLE: (golf club logo)Tour/Edge, (line) (line), EXOTICS, (X graphic), XLD, (loft) CROWN: (X alignment mark) HEEL: MeGa M.O.I. Geometric desiGn FACE:EXOTICS view image here |
| Tour Edge Golf Mfg. | Exotics XLD (LH) | 10.5 | SOLE: (golf club logo)Tour/Edge, (line) (line), EXOTICS, (X graphic), XLD, (loft) CROWN: (X alignment mark) HEEL: MeGa M.O.I. Geometric desiGn FACE:EXOTICS view image here |
| Tour Edge Golf Mfg. | Exotics XLD LS | 9,10.5,12 | SOLE: (line) (line), EXOTICS, (X graphic), XLD, (line), LS TOE: (golf club logo)Tour/Edge CROWN: (X alignment mark) HEEL: PENTAGON POWERED HIGH M.O.I., (loft) FACE:EXOTICS view image here |
| Tour Edge Golf Mfg. | Exotics XLD LS (LH) | 10.5 | SOLE: (line) (line), EXOTICS, (X graphic), XLD, (line), LS TOE: (golf club logo)Tour/Edge CROWN: (X alignment mark) HEEL: PENTAGON POWERED HIGH M.O.I., (loft) FACE:EXOTICS view image here |
| Tour Edge Golf Mfg. | Lift-Off Hyper Steel | 7.5,8.5,9.5,10.5 | SOLE: (golf club logo)Tour/Edge, (line), 1 (loft), LIFT-OFF, HYPER STEEL™, ULTRA THIN, FACE BACK: (TourEdge logo insert) view image here |
| Tour Edge Golf Mfg. | Lift-Off Hyper Steel 300 | 7.5,8.5,9.5,10.5 | SOLE: (golf club logo)Tour/Edge, (line), 1 (loft), LIFT-OFF, HYPER STEEL™, 300, ULTRA THIN, FACE BACK: (TourEdge logo insert) view image here |
| Tour Edge Golf Mfg. | Lift-Off Titanium | 7 | SOLE: (golf club logo)Tour/Edge, (line), LIFT-OFF, TITANIUM, (loft), DRIVER TOE: (T logo) CROWN: (T logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|---------------------------|-------------|--|
| Tour Edge Golf Mfg. | V25 460 Draw | 10 | SOLE: (golf club logo)Tour/Edge, (line), (line), V25, 460cc BACK: (weight port), (TITANIUM, DRAW on rectangle insert), (weight port) TOE: BETA TI - CUP FACE CROWN: ((golf club logo)T over oval) HEEL: (loft) view image here |
| Tour Edge Golf Mfg. | V25 460 Fade | 9 | SOLE: (golf club logo)Tour/Edge, (line), (line), V25, 460cc BACK: (weight port), (TITANIUM, FADE on rectangle insert), (weight port) TOE: BETA TI - CUP FACE CROWN: ((golf club logo)T over oval) HEEL: (loft) view image here |
| Tour Edge Golf Mfg. | V25 460 Neutral | 10 | SOLE: (golf club logo)Tour/Edge, (line), (line), V25, 460cc BACK: (weight port), (TITANIUM, NEUTRAL on rectangle insert), (weight port) TOE: BETA TI - CUP FACE CROWN: ((golf club logo)T over oval) HEEL: (loft) view image here |
| Tour Golf Products/Mars Golf | GT (Version 1) | 4,5,6,7,8,9 | SOLE: (loft in oval), (MARS in oval), ß-TITANIUM CROWN: (two stripes with M inside oval) view image here |
| Tour Golf Products/Mars Golf | GT (Version 2 grooveless) | 4,5.5,7 | SOLE: (loft in oval), (MARS in oval), ß-TITANIUM CROWN: (two stripes with M inside oval) view image here |
| Tour Golf Products/Mars Golf | GT (Version 3) | 4,5.5,7 | SOLE: (loft in oval), (MARS in oval), TITANIUM CROWN: (large flame graphic) view image here |
| Tour Golf Products/Mars Golf | Mars 360cc | 10 | SOLE: ((loft) in flame graphic), (MARS in oval) FACE:10-2-3 view image here |
| Tour Golf Products/Mars Golf | SWB2K Tourwood 450 | 9 | SOLE: (loft), SWB2K, TOURWOOD, ß-TITANIUM, (450 in oval) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------------|-------------------------------------|--------|--|
| Tour Golf Products/Mars Golf | SWB99 Tourwood 360 | 10 | SOLE: (loft), (360 in oval), SWB99, TOURWOOD, ß-TITANIUM FACE:SP700 view image here |
| Tour Golf Products/Mars Golf | SWB99 Tourwood 400 | 8,10 | SOLE: (loft), (400 in oval), SWB99, TOURWOOD, ß-TITANIUM FACE:SP700 view image here |
| Tour Golf Products/Mars Golf | SWB99 Tourwood 450 | 8,10 | SOLE: (loft), (450 in oval), SWB99, TOURWOOD, ß-TITANIUM FACE:SP700 view image here |
| Tour Golf Products/Mars Golf | SWBII 330cc | 9 | SOLE: (loft), 330cc, SWBII, TOURWOOD, ß TITANIUM FACE:SP700 view image here |
| Tour Golf Products/Mars Golf | Tour Series ESS 355 | 10.5 | SOLE: 1, TOUR SERIES, (two curved lines and dot) (line), ESS355, (SP700 BETA TITANIUM in rectangle), (loft) view image here |
| Tour Golf Products/Mars Golf | Tourwood ES2405+ | 10.5 | SOLE: TOURWOOD, (line), ES(2 superscript)405+, 1, (loft), (TOURWOOD on oval insert) view image here |
| Tour Golf Products/Mars Golf | Tourwood ESS310 | 9 | SOLE: TOURWOOD®, TITANIUM, FORGED, ESS310, 1, (loft) view image here |
| Tour Project Ltd | 310 SP Titan | 9,10.5 | SOLE: Tour Project, 310SP Titan, 1, (loft) TOE: TP view image here |
| TourSwing Golf | 5N2 Honeycomb Carbon (Version 3) | 8 | SOLE: TOUR, (three lines) SWING, (loft), (honeycomb graphic) 5N2, Honeycomb, Carbon FACE:SP 700 |
| TourSwing Golf | Cogent | 5,6,7 | SOLE: (loft), TOUR, (three lines) SWING, Cogent BACK: (recessed oval) view image here |
| TourSwing Golf | Cogent (LH) | 6 | SOLE: (loft), TOUR, (three lines)SWING, Cogent BACK: (recessed oval) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|-----------------------|-----------|---|
| TourSwing Golf | Fusion 450 | 5,6,7 | SOLE: 1 (loft), TOUR, (three lines) SWING, Fusion 450, FORGED-ßTI, (TUNGSTEN, COPPER on oval insert) |
| | | | view image here |
| TourSwing Golf | Fusion 450 (LH) | 5,6 | SOLE: 1 (loft), TOUR, (three lines) SWING, Fusion 450, FORGED-ßTI, (TUNGSTEN, COPPER on oval insert) view image here |
| TourSwing Golf | Infringer (Version 2) | 6.5 | SOLE: TOUR, (three lines), SWING, |
| Tourswing Goil | mmiger (version 2) | 0.0 | infringer, (loft w/ degree symbol) |
| | | | view image here |
| TourSwing Golf | L.D. Tour 400 | 5,6,7 | SOLE: TOUR, (three lines) SWING, L.D. TOUR, 400, REACTIVE SP700, TITANIUM, (loft) |
| | | | <u>view image here</u> |
| TourSwing Golf | Proton | 8,9 | SOLE: (loft), TOUR, (three lines) SWING, PROTON (w/ orbiting O graphic), SP-700 BETA TITANIUM |
| | | | view image here |
| TourSwing Golf | TVC | 9,10.5,12 | SOLE: TOUR, (three lines) SWING, TVC, (loft) |
| | | | view image here |
| TourSwing Golf | TyLex 360cc | 6,7.5 | SOLE: TOUR, (three lines) SWING, 1, (loft), TyLex, FORGED TITANIUM·SP700FACE, 360CC |
| | | | view image here |
| TourSwing Golf | Tylex 360cc | 13 | SOLE: TOUR, (three lines)SWING, 1 (loft), TyLex, FORGED TITANIUM-SP700FACE, 360CC |
| | | | view image here |
| TourSwing Golf | Xplode | 9.5,11 | SOLE: TOUR, (three lines) SWING, X, (line w/ notch), PLODE, (line w/ notch), (loft), (circular weight) |
| | | | <u>view image here</u> |
| Traditional Golf | TR-1 Classic | N/A | SOLE: Traditional, TR-1 classic 1 |
| Equipment, Inc. | | | TOE: (three oak leafs in circle) CROWN: ('Traditional' alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|-------------------|----------|---|
| Traditional Sport Limited | DB 458 Forged | N/A | SOLE: DB 458, (logo on circular inset), •••, FORGED HEEL: CONFORMING TO R&A/USGA SLE RULE FACE:(media blast logo) |
| Traditional Sport Limited | Divine Blow DB435 | N/A | SOLE: DIVINEBLOW BACK: (triangle) 435 (triangle) TOE: D HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Traditional Sport Limited | Divineblow DB450 | N/A | SOLE: DIVINEBLOW, 450 TOE: (D logo) HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Traditional Sport Limited | GP-a | 9.5,10.5 | SOLE: ULTIMATE TECH, GP-a (underlined), 1 (loft), DREAM COME TRUE 300Y, 460cc HEEL: CONFORMING, TO R&A USGA, SLE. RULE view image here |
| Traditional Sport Limited | JM 380 Comp | 9 | SOLE: JM 380 comp (underlined), C-Face Technology, (loft) TOE: (JM logo) FACE:15-3-3-3 |
| Traditional Sport Limited | JM 410 Force | 9 | SOLE: JM 410 Force (underlined), C-Face Technology, (JM logo), 1 (loft), ß-TITANIUM TOE: JM FACE:15-3-3-3 |
| Traditional Sport Limited | JM Mad | 9,10.5 | SOLE: MAD, (diamond) MORE ACCURACY (diamond) (underlined), (JM logo), COMP TITANIUM 460, 1 (loft) (in oval) TOE: JM view image here |
| Traditional Sport Limited | Mario MA410 | N/A | SOLE: (star), Best Selection, (star) Mario (star) (logo), The Professional, (star) FACE:15-3-3-3 |
| Traditional Sport Limited | PCBS420 VG | N/A | SOLE: PROFESSIONAL, CRAFTSMAN, BEST SELECTION, LOFT(loft). LIE60, F/A 0 W/T 419cc, (arrow logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|---------------------|-------|--|
| Traditional Sport Limited | Proto Zero | N/A | SOLE: PROTO ZERO, TYPE-BYG 445, FORGED, (logo) FACE:(media blast logo) view image here |
| Traditional Sport Limited | Protozero | N/A | SOLE: protozero, (Z logo) BACK: GOLF PRO, PROJECT |
| Traditional Sport Limited | Saipro 1 | N/A | view image here SOLE: (Saipro over media blast 1), (flower logos on three circular insets) FACE:(media blast logo) view image here |
| Traditional Sport Limited | Saipro D | N/A | SOLE: (three leaves logo), an optimum weight balance, (Saipro over media blast D), (flower, stem and leaves logos on three circular insets) HEEL: original weight system leads up to torsional return of shafts, CONFORMING TO, R&A/USGA SLE RULE FACE:(three leaves media blast logo) |
| Traditional Sport Limited | Science Gear TS404 | N/A | SOLE: (logo), SCIENCE GEAR TS404, (dot), (dot), (dot) view image here |
| Traditional Sport Limited | Science Gear TS-423 | N/A | SOLE: (dot), science gear ts423, (dot) (dot), (logo) BACK: (logo) view image here |
| Traditional Sport Limited | Science Gear TS-438 | N/A | SOLE: SCIENCE GEAR, TS-438, 3-DIMENSION, (circle), (curved line), (circle), (logo) BACK: INNOVATION, (logo) FORCE (logo) HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| Traditional Sport Limited | Science Gear TS442 | N/A | SOLE: SCIENCE GEAR, 3D-DIMENSION, TS-442, (logo on oval inset) BACK: VELOCITY HEEL: CONFORMING TO R&A, USGA SLE RULE view image here |
| Traditional Sport Limited | Science Gear TS-448 | N/A | SOLE: SCIENCE GEAR, TS-448, 3D-DIMENSION, (3 lines) BACK: (oval logo) CROWN: (dot alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|------------------------|----------|---|
| Traditional Sport Limited | TMC430M Divine Blow | N/A | SOLE: Divine Blow (double underlined), new generation concept TMC430M, (logo) view image here |
| Traditional Sport Limited | TS418M Science Gear | N/A | SOLE: (3 circles logo), TS418M, SCIENCE, GEAR BACK: VELOCITY, 3-DIMENSION FACE:H.R.L view image here |
| Traditional Sport Limited | TS-452 | N/A | SOLE: TS-452, DELAYED IMPACT, 3D-DIMENSION BACK: (SCIENCE GEAR on oval inset) HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| Traditional Sport Limited | TS-456 | N/A | SOLE: WNB, TS-456 CROWN: (dot) SCIENCE GEAR (dot) view image here |
| Trial Company Limited | Biglietto | 10.5 | SOLE: Biglietto, (five diamonds), FORGED DRIVER, 1, -(loft)- <u>view image here</u> |
| Trial Company Limited | Fit On | 10.5 | SOLE: Dual power face and power sole, -TYPE-C-, (logo), (weight port) TOE: FIT ON® HOSEL: (orientation indicators) view image here |
| Trial Company Limited | Flit Box | 10.5 | SOLE: FORGED TITANIUM 460, 1, (FLIT BOX, (triangle) (oval) (triangle) over media blast logo), CONFORMED TO R&A RULES, (loft) CROWN: (alignment mark) view image here |
| Trial Company Limited | Flit Box III | 9.5,10.5 | SOLE: (FLIT BOX, (line) (oval) (line), FORGED TITANIUM 460 over media blast logo), III, 1 (loft) view image here |
| Trial Company Limited | Flit-Box 5 | 9.5,10.5 | SOLE: THE SAME GRAVITY ANGLE DESIGN, V - FIVE -, FLIT BOX, (line), (oval), (line), 1 (loft), Titanium view image here |
| Trial Company Limited | Frantia | 14 | SOLE: Frantia (w/heart above i), (TITANIUM, (F in heart logo), 1, (loft), (decorative gems) over Frantia (w/heart above i repeated media blast) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|--------------------------------|----------|--|
| Trial Company Limited | Gear Max ST-21 | 9.5,10.5 | SOLE: (logo), GEAR MAX, FORGED TITANIUM, ST-21, 1, (loft), HIGH PERFORMANCE GEAR, (line), CONFORM TO R&A/USGA SLE RULE view image here |
| Trial Company Limited | Gear Max Ver-11 | 10.5 | SOLE: GEAR MAX, 460 TITANIUM, VER-11, (logo), 1, LOFT (loft) view image here |
| Trial Company Limited | Gear Max Ver-21 | 10.5 | SOLE: TITANIUM, (logo) GEAR MAX, VER - 21, 1, (loft) view image here |
| Trial Company Limited | Gear Max WT-21 | 9.5,10.5 | SOLE: (loft), TITANIUM, (logo) GEAR MAX, WT-21, 1 view image here |
| Trial Company Limited | Larouge 460 | 10.5 | SOLE: WIDE SWEETSPOT, LOW GRAVITY, 1, (loft), (Larouge in logo), FORGED TITAN, SPEC460 view image here |
| Trial Company Limited | Larouge 460 (Version 2) | 14 | SOLE: FORGED DRIVER 460, (dot and paw print logos), LAROUGE, 1 (loft) view image here |
| Trial Company Limited | Larouge AP-01 | 10.5 | SOLE: Larouge (underlined), FORGED DRIVER 460, AP-01, DR, (loft) view image here |
| Trial Company Limited | Larouge Forged Titanium | 10.5 | SOLE: (Larouge, Forged Titanium, 460 over (Larouge, (logo), LG media blast inside (media blast shield shield))), 1 (loft) view image here |
| Trial Company Limited | Larouge HT | 10.5 | SOLE: (Larouge, HT, FORGED TITANIUM over LG media blast logo), 1 HEEL: LOFT:(loft) view image here |
| Trial Company Limited | Larouge HT (LH) | 10.5 | SOLE: 460, (Larouge, HT, FORGED TITANIUM over media blast logo), 1, (loft) view image here |
| Trial Company Limited | Larouge HT (LH) (Version 2) | 10.5 | SOLE: 460, (Larouge, HT, FORGED TITANIUM over ((logo), LG media blast in (media blast shield logo))), 1, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|------------------------|----------|---|
| | | | |
| Trial Company Limited | Larouge HT2 | 10.5 | SOLE: -(loft)-, FORGED TITANIUM 460, HT2, LOW GRAVITY, Larouge, 1 |
| | | | view image here |
| Trial Company Limited | Larouge Jess | 14 | SOLE: (four dog logos), THE DOG IS CALLED 'JESS'., (dog logo), LAROUGE, FORGED DRIVER 460, (loft), 1 |
| | 1, 1/2 | 10.5 | view image here |
| Trial Company Limited | Larouge VR | 10.5 | SOLE: Larouge, VR, NANO TECHNOLOGY, 460, 1, (loft) |
| | | | view image here |
| Trial Company Limited | Larouge-BV 460 | 9.5,10.5 | SOLE: Black-Version, (logo), Larouge, FORGED TITANIUM 460, 1 (loft) |
| | | | view image here |
| Trial Company Limited | Larouge-BZ | 9.5,10.5 | SOLE: FORGED TITANIUM, (logo), Larouge-BZ, (STRAIGHT DESIGN in oval), 1 (loft) |
| | | | view image here |
| Trial Company Limited | Momentum S.E.C. | 9.5,10.5 | SOLE: (three lines), SCIENCE TECHNOLOGY, (line), (three squares), 460 CASTING TITANIUM, MOMENTUM, S. E. C., ((WEIGHT), (BALANCE) around weight port), (loft), ((decorative logo), (Hillerich & Bradsby) on pentagon shaped inset) |
| | | | view image here |
| Trial Company Limited | Nice Paris (Version 1) | 14 | SOLE: ((decorative gems), Elegant Golfer over hearts media blast logo), Nice, PARIS, 1 - (loft) - |
| | | | view image here |
| Trial Company Limited | Nice Paris (Version 2) | 14 | SOLE: ((decorative gem) Elegant Golfer over flower media blast logo), Nice, PARIS, 1 -(loft)- |
| | | | view image here |
| Trial Company Limited | Nice Paris (Version 3) | 14 | SOLE: ((decorative gem) Elegant Golfer over flower media blast logo), (decorative gem) (flower media blast logo) Nice, PARIS, 1 -(loft)- |
| | | | view image here |
| Trial Company Limited | Nice Paris (Version 4) | 14 | SOLE: 1 - LOFT (loft) -, ((decorative gems), Elegant Golfer in double heart logo with media blast spots), PARIS, Nice |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|------------------------|----------|---|
| Trial Company Limited | Paris | 14 | SOLE: PARIS, TITANIUM DRIVER, (decorative gems) (3 dots), (2 lines), 1 (loft), (shield logo) view image here |
| Trial Company Limited | Paris (Version 2) | 14 | SOLE: (clover logo), PARIS, (clover logo), FORGED TITANIUM, 1 (loft) |
| | | | view image here |
| Trial Company Limited | Paris Lafille | 14 | SOLE: TITANIUM, PARIS, Lafille, Je joue au golf habilement, 1 (loft) BACK: (decorative gems) view image here |
| Trial Company Limited | Paris Lucky Charm | 14 | SOLE: Titanium, (clover logo), PARIS, LUCKY CHARM, (clover logo), 1 (loft) |
| | | | view image here |
| Trial Company Limited | Power Bilt 460 | 9.5,10.5 | SOLE: FORGED TITANIUM, 1 (loft), (POWER (lightning bolt) BILT over lightning bolt media blast logo), SPEC 460 DICTANCE |
| | | | view image here |
| Trial Company Limited | Power Bilt Citation XR | 10.5 | SOLE: (loft), POWER (logo) BILT, CITATION XR, Forged Titanium 460, 1 |
| | | | view image here |
| Trial Company Limited | Power Bilt Citation-X | 10.5 | SOLE: POWER (logo) BILT, CITATION-X, 1, -(loft)-, (logo on inset) |
| | | | view image here |
| Trial Company Limited | Power Bilt GV-901 | 10.5 | SOLE: (POWER BILT, GV-901 over lightning bolt media blast logo), 1 (loft) |
| | | | view image here |
| Trial Company Limited | Power Bilt HB | 10.5 | SOLE: POWER (logo) BILT, HB, FORGED TITANIUM, 1, (loft) |
| | | | view image here |
| Trial Company Limited | Power Bilt XR-Limited | 10.5 | SOLE: 1, POWER (lightning bolt) BILT (underlined), XR-LIMITED Version, 460 TITANIUM, LOFT (loft), (HB in shape) |
| | | | view image here |
| Trial Company Limited | Sosiego | 10.5 | SOLE: WIDE SWEETSPOT, LOW GRAVITY, 1, (loft), (logo), (square) SOSIEGO (square), (logo), FORGED TITAN, SPEC460 |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|-----------------------------------|--------|--|
| Trial Company Limited | Sosiego LF-11 (LH) | 10.5 | SOLE: SOSIEGO, FORGED TITANIUM 460, LF-11, (shield media blast logo), 1 (loft) view image here |
| Trial Company Limited | Sosiego LFG-11 (Ladies) (LH) | 14 | SOLE: SOSIEGO, FORGED TITANIUM 430, LFG-11, (shield media blast logo), 1 (loft) view image here |
| Trial Company Limited | Valvolation VT-460 (version 2) | 10.5 | SOLE: VT-460, (line), VALVOLATION, (line) (circle) (line), (dot) FORGED TITANIUM (dot), 1 (loft) view image here |
| Trial Company Limited | VS-01 | 10.5 | SOLE: (logo), Larouge, VS-01, NANO Processing, (loft), 1 view image here |
| Trinity Golf | Stiletto 320 | 4,6,9 | SOLE: (loft), STILETTO, (line), 320, BETA, (line), TI, 15, 3-3-3 CROWN: (S alignment mark) FACE:Beta • Ti view image here |
| Trinity Golf | Stiletto II (Version 2) | 4,6 | SOLE: (loft), STILETTO, (line), II, BETA, (line), TI, 15, 3-3-3 CROWN: (S alignment mark) FACE:Beta• Ti view image here |
| Trinity Golf | TG 02 357 | 8.5,10 | SOLE: (circle), FORGED, (T, G, 357 in circle), TITANIUM, • DIRECTIONAL, • PERIMETER, • WEIGHTING, • (loft), PAT., PEND TOE: (weight insert) HEEL: (weight insert) |
| Trinity Golf | TG 02 409 | 9,10.5 | SOLE: (circle), FORGED, (T, G, 409 in circle), TITANIUM, • DIRECTIONAL, • PERIMETER, • WEIGHTING, • (loft), PAT., PEND TOE: (weight insert) HEEL: (weight insert) view image here |
| Trinity Golf | TG 02 409 (LH) | 9,10.5 | SOLE: (circle), FORGED, (T, G, 409 in circle), TITANIUM, • DIRECTIONAL, • PERIMETER, • WEIGHTING, • (loft), PAT., PEND TOE: (weight insert) HEEL: (weight insert) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|---------------------------------------|-----------|---|
| Trophy Sports, LLC | Golden Eagle LTMRF 400 | 8.5 | SOLE: GOLDEN, EAGLE, L.T.M.R.F, (line), (eagle graphic), Made in USA, Titanium, (loft), 400 cc view image here |
| Trophy Sports, LLC | HVG 2 340 | 7.5,9,10 | SOLE: 1, (loft), LOFT, HVG 2, TITANIUM, EXTREME, SPRING VELOCITY, STRONG FORGED, 340 view image here |
| Trophy Sports, LLC | HVG II 300 | 7.5,9,10 | SOLE: 1 (loft), HVG II, TITANIUM, EXTREME, SPRING VELOCITY, STRONG FORGED 300 CROWN: (arrow and dot alignment mark) view image here |
| Trophy Sports, LLC | Integra 100% B-Titanium | 6,7 | SOLE: INTEGRA, 100 %, ß - TITANIUM, WORLD LONG, DRIVE FINALS, 1, (loft) CROWN: (arrow and dot alignment mark) view image here |
| Trophy Sports, LLC | Integra 330cc | 9,10 | SOLE: INTEGRA, 330 cc, TITANIUM, 90Ti-6AL-4V, (loft in oval) CROWN: (i in oval logo alignment mark) view image here |
| Trophy Sports, LLC | Integra C² Ion Plating (Version 1) | 7.5,10 | SOLE: (i in square logo) INTEGRA, 1, (loft), C² ß-Titanium, (line), ION PLATING, TICN HV3800 FACE:B15-3-3-3 |
| Trophy Sports, LLC | Integra C² Ion Plating (Version 2) | 3,4,6 | SOLE: (i in square logo) INTEGRA, 1, (loft), C² ß-Titanium, (line), ION PLATING, TICN HV3800 TOE: (i in square logo), FORGED ßTi view image here |
| Trophy Sports, LLC | Integra C4 | 3,4,6 | SOLE: INTEGRA, 1, (loft), C4(4 superscript) ß-Titanium, (line), ION PLATING, TICN HV3800 TOE: (i in square logo), FORGED ßTi view image here |
| Trophy Sports, LLC | Integra Cryonic 400R | 10.5 | SOLE: INTEGRA, CRYONIC, B-TITANIUMM, 400R, 1 (loft) TOE: (i in square logo), FORGED Bti view image here |
| Trophy Sports, LLC | Integra Disukaba | 8,9,10,12 | SOLE: 1, INTEGRA, DISUKABA, Innovative Forging, Process, (loft), PATENT, Pending TOE: INTEGRA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|--------------------------------------|--------------------|---|
| Trophy Sports, LLC | Integra IV 320cc | 8,9,10 | SOLE: (i in square logo) INTEGRA IV, FORGED TITANIUM, 320C.C., 90Ti-6AL-4V, 1 (loft) |
| | | | view image here |
| Trophy Sports, LLC | Integra L1 Ion Plating | 6 | SOLE: INTEGRA, L1 TITANIUM, (line), IONPLATING, TICN HV3000, 1 (loft) CROWN: (i in oval logo alignment mark) |
| | | | view image here |
| Trophy Sports, LLC | Integra L-Series Cryo-Plasma | 8,9,10 | SOLE: (i in square logo) INTEGRA, (line), 1 (loft) L - SERIES, CRYO-PLASMA, HRC>80 CROWN: (<· alignment mark) |
| | | | <u>view image here</u> |
| Trophy Sports, LLC | Integra Sooolong 450R (Version 1) | 7.5 | SOLE: INTEGRA, S(three O meter graphics)LONG, ß - TITANIUM, 450 R, 1 (loft) |
| | | | <u>view image here</u> |
| Trophy Sports, LLC | Integra Sooolong 450R (Version 2) | 9,10.5,12 | SOLE: INTEGRA, S(three O meter graphics)LONG, ß-TITANIUM, 450 R, US PATENT:465535, 1 (loft) TOE: INTEGRA |
| | | | view image here |
| Trophy Sports, LLC | Integra SoooLong 460cc | 8.5,9.5,10.5,12,14 | SOLE: INTEGRA, S(three O meter graphics)LONG, 460cc, CUP FACE, TECHNOLOGY, 1 (loft), (circle) TOE: INTEGRA |
| | | | <u>view image here</u> |
| Trophy Sports, LLC | Integra Sooolong Graph-Ti | 4,6,7.5,9,10.5,12 | SOLE: INTEGRA, S(three O meter graphics)LONG, GRAPH-TI, US PATENT:465535, 1 (loft) TOE: INTEGRA |
| | | | <u>view image here</u> |
| Trophy Sports, LLC | Integra SoooLong Quadratic | 8.5,9.5,10.5,12,14 | SOLE: INTEGRA, S(three O meter graphics)LONG, Quadratic, (line), US PATENT:7,008,332, 1 (loft), (curved line) |
| | | | view image here |
| Trophy Sports, LLC | Integra SoooLong Quadratic II | 8.5,9.5,10.5,12,14 | SOLE: INTEGRA, S(three O meter graphics)LONG, Quadratic II, (line), EXTREME MOI, US PATENT:7008332, (loft), (curved line) |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|--------------------------------------|----------------|--|
| Trophy Sports, LLC | Integra SoooLong Quadratic Offset | 8.5,9.5,12,14 | SOLE: INTEGRA, S(three O meter graphics)LONG, Quadratic, (line), US PATENT:7,008,332, 1 (loft), OFFSET, (curved line) view image here |
| Trophy Sports, LLC | Integra Super 450 | 4,6,7.5,9,10 | SOLE: INTEGRA, SUPER 450, FORGED ßTI, (loft) FACE:SP700 view image here |
| Trophy Sports, LLC | Integra Super 450 Cryo Plasma | 9,10 | SOLE: INTEGRA, SUPER 450, FORGED ßTI, CRYO-PLASMA, (loft) FACE:SP700 view image here |
| Trophy Sports, LLC | Integra TS 380 | 4,5,6,7.5,9,10 | SOLE: (loft), FORGED TI, INTEGRA, TS 380, ACTIVE BETA FACE TOE: INTEGRA CROWN: (i in square logo) view image here |
| Trophy Sports, LLC | Integra Viktory | 2,4,6,7.5,9,10 | SOLE: INTEGRA, Viktory (line through Viktory), WORLD LONG DRIVE FINALS, 1, (loft) TOE: (i in square logo), FORGED ßti view image here |
| Trophy Sports, LLC | Integra Viktory (LH) | 6 | SOLE: INTEGRA, Viktory (line through Viktory), WORLD LONG DRIVE FINALS, 1, (loft) TOE: (i in square logo), FORGED ßti view image here |
| Trophy Sports, LLC | Integra Viktory Tungsten | 7.5 | SOLE: INTEGRA, Viktory (line through Viktory), WORLD LONG DRIVE FINALS, 1, (loft) TOE: (i in square logo), FORGED ßti view image here |
| Trophy Sports, LLC | SV3 460 | 10.5 | SOLE: 460, (line), Ti, SV3, (loft) view image here |
| Trophy Sports, LLC | TF 360 Series (Version 1) | 8,9,10 | SOLE: TF 360 Series, TRAMPOLINE FACE, (Omega symbol)TITANIUM, (loft) view image here |
| Trophy Sports, LLC | TF 360 Series (Version 2) | 8,9,10 | SOLE: TF 360 SERIES, TRAMPOLINE FACE (Omega symbol)TITANIUM, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------------------------|----------|--|
| Trophy Sports, LLC | Tri-Power 460 | 10.5 | SOLE: (weight port), Ti, (line), 460, Tri-POWER, hi-MOI, (loft), (weight port), (weight port) view image here |
| Trophy Sports, LLC | VS 88 Titanium II | 10 | SOLE: VS 88, (line), ULTRA HIGH C.O.R., TITANIUM, II, (loft) view image here |
| TRPX Co Ltd | TRPX D-016 (Prototype) Version 2 | N/A | SOLE: TRPX, D-016 Prototype TOE: TR (cross) PX HEEL: CONFORMING TO, R&A/USGA RULES view image here |
| TRPX Co Ltd | TRPX D-016 Prototype | N/A | SOLE: TRPX (dot pattern), D(dot)016 Prototype TOE: TR (cross) PX HEEL: CONFORMING TO R&A/USGA RULES view image here |
| TRPX Co Ltd | TRPX E-016 | N/A | SOLE: (cross logo), (cross mark), (cross mark), (cross mark), (E logo)-016, (T as cross mark)RPX TOE: Maximize the potential of all golfers view image here |
| TRPX Co Ltd | TRPX S-016 | N/A | SOLE: (cross design), S-0l6 BACK: (T as cross design)RPX HEEL: CONFORMING TO R&A/USGA RULES view image here |
| True Custom | True Custom 400cc | 6,9,12 | SOLE: (loft), True Custom, (oval and arrow logo), FORGED BETA, TITANIUM, 400 view image here |
| True Custom | True Custom 400cc (LH) | 7.5,10.5 | SOLE: (loft), True Custom, (oval and arrow logo), FORGED BETA, TITANIUM, 400 view image here |
| TSHOTS GOLF | M56 Titanium | 9,12 | SOLE: M56, (loft), TSHOTSGOLF®, Titanium view image here |
| Tsuruya Golf Co Ltd | Axel BL | 10 | SOLE: AXEL, -BL-, (media blast logo in shape) (loft) HEEL: TSURUYA view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|---------------------------------|---------------|--|
| Tsuruya Golf Co Ltd | Axel BL (Ladies) | 12 | SOLE: AXEL, - BL -, (media blast logo in shape), (loft) HEEL: TSURUYA view image here |
| Tsuruya Golf Co Ltd | Axel BL (Ladies) (Version 2) | 13.5 | SOLE: (AXEL, - BL -, 1 over media blast logo), -(loft)- TOE: Ver.2 CROWN: (decorative graphic) view image here |
| Tsuruya Golf Co Ltd | Axel BL (Version 2) | 10 | SOLE: (dot), W (dot) A (dot) T (dot), (dot), (dot), (bent line), (dot), (AXEL, - BL - over media blast logo), 1, -(loft)-, (dot), (bent line), (dot) TOE: Ver.2 CROWN: (decorative graphic) view image here |
| Tsuruya Golf Co Ltd | AXEL BL (Version 3) | 10.5 | SOLE: (graphic design), -(loft)-, AXEL, -BL-, (line), POWER CHANNEL, (line), (line), Ver.3, (line) TOE: (media blast logo) CROWN: (alignment mark) |
| Tsuruya Golf Co Ltd | Axel Carbon Composite 400 HM | 10.5 | SOLE: Axel, Carbon Composite, -400-, 1, (loft), Tsuruya BACK: TVC Plasma Welding TOE: HM, Club Moment of Inertia |
| Tsuruya Golf Co Ltd | Axel DI-X | 9.5,10.5,11.5 | SOLE: AXEL, DI-X, (logo), DUAL IMPACT Technology, (triangle) C.F.R.P (triangle), (logo on inset) HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| Tsuruya Golf Co Ltd | Axel DI-X (Ladies) | 13 | SOLE: AXEL, DI-X, (logo), DUAL IMPACT Technology, (triangle) C.F.R.P (triangle), (logo on inset) HEEL: (loft) view image here |
| Tsuruya Golf Co Ltd | Axel DI-X (LH) | 10.5 | SOLE: AXEL, DI-X, (logo), DUAL IMPACT Technology, (triangle) C.F.R.P (triangle), (logo on inset) HOSEL: (triangle), S, H, U, L (orientation indicators), (dot) HEEL: (loft) view image here |
| | | | viow imago noro |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|--|---------|--|
| Tsuruya Golf Co Ltd | Axel Dual Impact 450 HM | 10 | SOLE: AXEL, DUAL IMPACT, 450, TSURUYA, 1, -(loft)-, HIGH IMPULSIVE FORCE DESIGN TOE: HM, CLUB MOMENT OF INERTIA view image here |
| Tsuruya Golf Co Ltd | Axel Dual Impact HM | 10,11 | SOLE: Axel, Dual Impact, Tsuruya, 1, -(loft)-, High Impulsive Force Design TOE: HM, Club Moment of Inertia view image here |
| Tsuruya Golf Co Ltd | Axel Dual Impact HM (LH) | 10 | SOLE: Axel, Dual Impact, Tsuruya, 1, -(loft)-, High Impulsive Force Design TOE: HM, Club Moment of Inertia view image here |
| Tsuruya Golf Co Ltd | Axel Dual Impact HM (MIF Design) | 10,11 | SOLE: AXEL, DUAL IMPACT, 1, -(loft)-, MAXIMUM IMPULSIVE FORCE DESIGN, TSURUYA TOE: HM, CLUB MOMENT OF INERTIA view image here |
| Tsuruya Golf Co Ltd | Axel Dual Impact HM (MIF Design) (LH) | 10 | SOLE: AXEL, DUAL IMPACT, 1, -(loft)-, MAXIMUM IMPULSIVE FORCE DESIGN, TSURUYA TOE: HM, CLUB MOMENT OF INERTIA view image here |
| Tsuruya Golf Co Ltd | Axel Dual Impact LM | 11.5,13 | SOLE: AXEL, DUAL IMPACT, TSURUYA, 1 -(loft)-, HIGH IMPULSIVE FORCE DESIGN TOE: LM, CLUB MOMENT OF INERTIA view image here |
| Tsuruya Golf Co Ltd | Axel Dual Impact LM (MIF Design) | 13 | SOLE: AXEL, DUAL IMPACT, 1, -(loft)-, MAXIMUM IMPULSIVE FORCE DESIGN, TSURUYA TOE: LM, CLUB MOMENT OF INERTIA view image here |
| Tsuruya Golf Co Ltd | Axel Dual Impact MM | 11 | SOLE: Axel, Dual Impact, Tsuruya, 1 -(loft)-, High Impulsive Force Design TOE: MM, Club Moment of Inertia view image here |
| Tsuruya Golf Co Ltd | Axel Dual Impact MM (MIF Design) | 11 | SOLE: AXEL, DUAL IMPACT, 1, -(loft)-, MAXIMUM IMPULSIVE FORCE DESIGN, TSURUYA TOE: MM, CLUB MOMENT OF INERTIA view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------------------|-------|--|
| Tsuruya Golf Co Ltd | Axel Dual Impact Tour | 10 | SOLE: AXEL, DUAL IMPACT, TSURUYA, 1, -(loft)-, HIGH IMPULSIVE FORCE DESIGN FACE:TOUR view image here |
| Tsuruya Golf Co Ltd | Axel Dual Impact Z HM | 10,11 | SOLE: -HM-, AXEL, DUAL IMPACT, Z, 1, - (loft)-, TSURUYA TOE: ZENITHAL IMPULSIVE FORCE DESIGN, (media blast 'A' logo) view image here |
| Tsuruya Golf Co Ltd | Axel Dual Impact Z HM (LH) | 10 | SOLE: -HM-, AXEL, DUAL IMPACT, Z, 1, - (loft)-, TSURUYA TOE: (media blast A logo), ZENITHAL IMPULSIVE FORCE DESIGN view image here |
| Tsuruya Golf Co Ltd | Axel Dual Impact Z LM | 13 | SOLE: (logo), - LM -, (logo), AXEL, DUAL IMPACT, Z, 1, -(loft)-, TSURUYA TOE: (media blast logo), ZENITHAL IMPULSIVE FORCE DESIGN view image here |
| Tsuruya Golf Co Ltd | Axel Dual Impact Z MM | 11 | SOLE: -MM-, AXEL, DUAL IMPACT, Z, 1, - (loft)-, TSURUYA TOE: ZENITHAL IMPULSIVE FORCE DESIGN, (media blast 'A' logo) view image here |
| Tsuruya Golf Co Ltd | Axel Dual Impact Z Tour | 9.5 | SOLE: (logo), TOUR, (logo), AXEL, DUAL IMPACT, Z, 1, -(loft)-, TSURUYA TOE: (media blast logo), ZENITHAL IMPULSIVE FORCE DESIGN view image here |
| Tsuruya Golf Co Ltd | Axel Forged B LM | 11.5 | SOLE: 1, Axel, Forged B, LM, -(loft)-, E.H.D., Power Synchro, Structure, Tsuruya TOE: Club Moment, Of Inertia, LM FACE:SAT-2041 |
| Tsuruya Golf Co Ltd | AXEL GF (Ladies) Driver | 13 | SOLE: CARBON FACE (underlined), (loft), AXEL, GF, DUAL IMPACT, (triangle) C.F.R.P (triangle), INNER WEIGHT view image here |
| Tsuruya Golf Co Ltd | AXEL GF Driver (LH) | 10.5 | SOLE: INNER WEIGHT, (triangle) C.F.R.P (triangle), DUAL IMPACT, GF, AXEL, (loft), CARBON FACE (underlined) HOSEL: (triangle), (orientation indicators) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|-------------------------------|-------|--|
| Tsuruya Golf Co Ltd | AXEL GF Driver (version 4) | 10.5 | SOLE: CARBON FACE (underlined), (loft), AXEL, GF, DUAL IMPACT, (triangle) C.F.R.P (triangle), INNER WEIGHT HOSEL: (triangle), (orientation indicators) |
| | | | view image here |
| Tsuruya Golf Co Ltd | AXEL GF Driver (version 5) | 10.5 | SOLE: -CARBON FACE- (underlined), (loft), AXEL, GF, DUAL IMPACT, (triangle) C.F.R.P (triangle), INNER WEIGHT HOSEL: (triangle), (orientation indicators) |
| Touring Colf Co. Ltd | AXEL GF Titanium | 10.5 | |
| Tsuruya Golf Co Ltd | Face Driver | 10.3 | SOLE: (loft), AXEL, GF, DUAL IMPACT, (triangle) C.F.R.P (triangle), INNER WEIGHT HOSEL: (triangle), (orientation indicators) |
| | | | view image here |
| Tsuruya Golf Co Ltd | Axel GX Deep | 9.5 | SOLE: DUAL IMPACT, Technology, DEEP, -GX-, -(loft)-, 1, (AXEL over media blast logo), TSURUYA TOE: (media blast logo) |
| | | | view image here |
| Tsuruya Golf Co Ltd | Axel GX Gold | 10 | SOLE: Sat 2041 ß, Titanium Face, -Gold-, -GX-, -(loft)- 1, (AXEL over media blast logo), TSURUYA TOE: (media blast logo) |
| | | | view image here |
| Tsuruya Golf Co Ltd | Axel GX HM | 10,11 | SOLE: DUAL IMPACT, Technology, -HM-, -GX-, -(loft)- 1, (AXEL over media blast logo), TSURUYA TOE: (logo) |
| | | | view image here |
| Tsuruya Golf Co Ltd | Axel GX HM (LH) | 10 | SOLE: -(loft)- 1, (AXEL over media blast logo), TSURUYA, DUAL IMPACT, Technology, -HM-, -GX-TOE: Media blast logo. view image here |
| Tsuruya Golf Co Ltd | Axel GX HM V | 10,11 | SOLE: DUAL IMPACT, Technology, -HM-, |
| isuruya Goli Co Lto | AAGI GA TIIVI V | 10,11 | -GX-, -(loft)- 1, (AXEL over media blast logo), TSURUYA TOE: (logo) HOSEL: V (underlined) |
| Tsuruya Golf Co Ltd | Axel GX LM (Ladies) | 13 | SOLE: DUAL IMPACT, Technology, -LM-, |
| | | | -GX-, -(loft)- 1, (AXEL over media blast logo), TSURUYA TOE: (logo) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------------------------|-------|---|
| Tsuruya Golf Co Ltd | Axel GX MM | 11 | SOLE: DUAL IMPACT, Technology, -MM-, -GX-, -(loft)- 1, (AXEL over media blast logo), TSURUYA TOE: (logo) view image here |
| Tsuruya Golf Co Ltd | Axel GX MM V | 11 | SOLE: DUAL IMPACT, Technology, -MM-, -GX-, -(loft)- 1, (AXEL over media blast logo), TSURUYA TOE: (logo) HOSEL: V (underlined) view image here |
| Tsuruya Golf Co Ltd | Axel Jr | 15 | SOLE: Axel, For Junior Players, Loft (loft) 1, Tsuruya view image here |
| Tsuruya Golf Co Ltd | Axel Tour | 9.5 | SOLE: AXEL, (media blast logo in shape) PROTOTYPE, (loft) BACK: TOUR CROWN: (alignment mark) HEEL: TSURUYA |
| Tsuruya Golf Co Ltd | Axel Tour (Type 385) | 9.5 | view image here SOLE: AXEL, (dot) (TOUR media blast logo), (loft) 1, TSURUYA TOE: (logo) |
| Tsuruya Golf Co Ltd | Axel Tour (Type 385) (Version 2) | 9.5 | view image here SOLE: AXEL, (dot) ((triangle) TOUR (triangle) media blast), (loft) 1, TSURUYA, (media blast logo) TOE: (logo) view image here |
| Tsuruya Golf Co Ltd | Axel Tour (Type 425x) | 9.5 | SOLE: (AXEL, TOUR over media blast logo), (loft) 1, TSURUYA TOE: (logo) CROWN: (alignment mark) view image here |
| Tsuruya Golf Co Ltd | Axel Tour (Type 430) | 9.5 | SOLE: AXEL, (TOUR media blast logo), (loft) 1, TSURUYA TOE: (logo) <u>view image here</u> |
| Tsuruya Golf Co Ltd | Axel Tour (Type 430) (Version 2) | 9.5 | SOLE: AXEL, ((triangle) TOUR (triangle) media blast), (loft) 1, TSURUYA, (media blast logo) TOE: (logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------------------------|-----------|---|
| Tsuruya Golf Co Ltd | Axel Tour (Type 440) | 9.5 | SOLE: AXEL, ((triangle) TOUR (triangle) media blast), (loft) 1, TSURUYA, (media blast logo) TOE: (logo) view image here |
| Tsuruya Golf Co Ltd | Axel Tour (Type 441x) | 9.5 | SOLE: (AXEL, TOUR over media blast logo), (loft) 1, TSURUYA TOE: (logo) CROWN: (alignment mark) view image here |
| Tsuruya Golf Co Ltd | Axel Tour (Type 455) | 9.5 | SOLE: AXEL, ((triangle) TOUR (triangle) media blast), (loft) 1, TSURUYA, (media blast logo) TOE: (logo) FACE:(grooves in centre of face) view image here |
| Tsuruya Golf Co Ltd | Axel Tour (Type 455) (Pro) | 9.5 | SOLE: AXEL, (triangle) TOUR (triangle), (loft) 1, TSURUYA, (media blast logo) TOE: (logo) FACE:(no grooves in centre of face) view image here |
| Tsuruya Golf Co Ltd | Axel Tour (Type 460) | 9.5 | SOLE: AXEL, (two dots) (TOUR media blast logo), (loft) 1, TSURUYA TOE: (logo) view image here |
| Tsuruya Golf Co Ltd | Axel Tour (Type 460) (Version 2) | 9.5 | SOLE: AXEL, (two dots) ((triangle) TOUR (triangle) media blast), (loft) 1, TSURUYA, (media blast logo) TOE: (logo) view image here |
| Tsuruya Golf Co Ltd | Axel VF | 10.5,11.5 | SOLE: AXEL, VF, (loft), VARIOUS, FORCE, (triangle) C.F.R.P (triangle) HOSEL: (triangle), (orientation indicators) view image here |
| Tsuruya Golf Co Ltd | Axel VF (Ladies) | 13 | SOLE: AXEL, VF, (loft), VARIOUS, FORCE, (triangle) C.F.R.P (triangle) view image here |
| Tsuruya Golf Co Ltd | Axel XP HM | 10,11 | SOLE: AXEL, 1, -(loft)-, HM, XP, T.C.S. TOE: (media blast logo) HOSEL: (arrow), (orientation indicators) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|---------------------|-------|--|
| Tsuruya Golf Co Ltd | Axel XP HM (LH) | 10 | SOLE: AXEL, 1, -(loft)-, HM, T.C.S., XP TOE: (media blast logo) HOSEL: (arrow), (orientation indicators) view image here |
| Tsuruya Golf Co Ltd | Axel XP LM | 11,13 | SOLE: AXEL, 1, -(loft)-, LM, XP, Dual wt. TOE: (media blast logo) view image here |
| Tsuruya Golf Co Ltd | Axel XP MM | 11 | SOLE: AXEL, 1, -(loft)-, MM, XP, T.C.S. TOE: (media blast logo) HOSEL: (arrow), (orientation indicators) view image here |
| Tsuruya Golf Co Ltd | Axel ZR | N/A | SOLE: POWER CHANNEL, (AXEL, ZR over logo media blast), DUAL IMPACT Technology, (triangle) C.F.R.P (triangle) (logo on inset) TOE: (logo) HOSEL: ((loft) in window) HEEL: (triangle) T.C.S. II (triangle) |
| Tsuruya Golf Co Ltd | Axel ZR (Ladies) | 13 | SOLE: (POWER CHANNEL in media blast), (AXEL, ZR over logo media blast), DUAL IMPACT Technology, (triangle) C.F.R.P (triangle) (logo on inset) TOE: (logo) HEEL: 1, (loft) |
| Tsuruya Golf Co Ltd | Axel ZR (Version 2) | 11 | SOLE: POWER CHANNEL, (AXEL, ZR over logo media blast), DUAL IMPACT Technology, (triangle) C.F.R.P (triangle) (logo on inset) TOE: (logo) HEEL: 1, (loft) |
| Tsuruya Golf Co Ltd | Axel ZX HM | N/A | SOLE: -HM-, AXEL ZX, T.C.S.II, DUAL IMPACT Technology, (logo on inset) TOE: (logo) HOSEL: (loft in window) |
| Tsuruya Golf Co Ltd | Axel ZX HM (LH) | N/A | SOLE: -HM-, AXEL ZX, T.C.S.II, DUAL IMPACT Technology, (logo on inset) TOE: (logo) HOSEL: (loft window) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|----------------------------------|-------|---|
| Tsuruya Golf Co Ltd | Axel ZX LM | 13 | SOLE: -LM-, AXEL ZX, 1, -(loft)-, DUAL IMPACT Technology, (logo on inset) TOE: (logo) view image here |
| Tsuruya Golf Co Ltd | Axel ZX MM | N/A | SOLE: -MM-, AXEL ZX, T.C.S.II, DUAL IMPACT Technology, (logo on inset) TOE: (logo) HOSEL: (loft in window) |
| Tsuruya Golf Co Ltd | Axel-I Titan | 11.5 | SOLE: Axel-1, Titanium, 1, -(loft)-, Tsuruya TOE: 300cc, (line) Titanium Head (line), Tsuruya view image here |
| Tsuruya Golf Co Ltd | Axel-II | 11 | SOLE: Axel II, Titanium, Texture Hardening, Reinforced Face, 1, -(loft)-, Tsuruya FACE:SP-700 CR view image here |
| Tsuruya Golf Co Ltd | Axel-II SP-700 Ti | 11 | SOLE: Loft (loft), Tungsten, 1, Axel II, SP-700 Ti, Tsuruya view image here |
| Tsuruya Golf Co Ltd | Axel-III 330 Ti | 10.5 | SOLE: -(loft)-, 1, Axel-III, 330 Ti, Tsuruya TOE: 330cc, Titanium Head (underlined), Deep Face view image here |
| Tsuruya Golf Co Ltd | Golden Prix | 9,10 | SOLE: Golden Prix, Titanium, 1, -(loft)-, Tsuruya (logo) TOE: (logo) view image here |
| Tsuruya Golf Co Ltd | Golden Prix - prototype | N/A | SOLE: F6221 2041AS 9-B <u>view image here</u> |
| Tsuruya Golf Co Ltd | Golden Prix (LH) | 9,10 | SOLE: GOLDEN PRIX, TITANIUM, 1, - (loft)-, TSURUYA, (G logo) TOE: (G logo) view image here |
| Tsuruya Golf Co Ltd | Golden Prix 375-D (Prototype) | 10 | SOLE: GOLDEN PRIX, TITANIUM, 1, - (loft)-, TSURUYA TOE: (G logo) view image here |
| Tsuruya Golf Co Ltd | Golden Prix 420 | 9,10 | SOLE: GOLDEN PRIX, TITANIUM, 420, 1, - (loft)-, TSURUYA, (G logo) TOE: (G logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|---|---------|---|
| Tsuruya Golf Co Ltd | Golden Prix PG | 9 | SOLE: Golden, Prix, Dedicated to Winner, Tsuruya, -(loft)- TOE: Golden, Prix, Dedicated To Winner <u>view image here</u> |
| Tsuruya Golf Co Ltd | Golden Prix PG (LH) | 10.5 | SOLE: GOLDEN, PRIX, DEDICATED TO WINNER, TSURUYA, 1 -(loft)- TOE: GOLDEN, PRIX, DEDICATED TO WINNER view image here |
| Tsuruya Golf Co Ltd | Golden Prix RC | 7.5,8.5 | SOLE: Golden Prix, SP-700, 1, (line) (loft) (line), RC, Tsuruya TOE: (logo) Golden Prix view image here |
| Tsuruya Golf Co Ltd | Golden Prix RX | N/A | SOLE: (media blast logo), GOLDEN PRIX, RX, (media blast lines logo), (angled line) T.C.S.II (angled line), (G media blast logo), POWER CHANNEL HOSEL: (adjustable loft in window) |
| Tsuruya Golf Co Ltd | Golden Prix Tour Model 320 Prototype | N/A | SOLE: Golden Prix, Tour Model, 320, Prototype, Tsuruya view image here |
| Tsuruya Golf Co Ltd | Golden Prix Tour Model 330 (Version 1) | N/A | SOLE: Golden Prix, Tour Model, 330, Tsuruya HOSEL: (dot) view image here |
| Tsuruya Golf Co Ltd | Golden Prix Tour Model 330 (Version 2) | N/A | SOLE: GOLDEN PRIX, TOUR MODEL, 330, TSURUYA view image here |
| Tsuruya Golf Co Ltd | Golden Prix Tour Model 330 Prototype | N/A | SOLE: Golden Prix, Tour Model, 330, Prototype, Tsuruya <u>view image here</u> |
| Tsuruya Golf Co Ltd | Golden Prix Tour Model TM-365 | 10 | SOLE: GoldenPrix, TM-365, 1, - (loft) -, Tsuruya, (G logo) TOE: (G logo) view image here |
| Tsuruya Golf Co Ltd | Golden Prix TP-01 | 9.5 | SOLE: (weight port), (weight port), (G logo), TP-01, (weight port) HEEL: (loft), (triangle), (orientation indicators) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|---|-------|--|
| Tsuruya Golf Co Ltd | Golden Prix TP-01 (Version 2) | 9.5 | SOLE: (weight port), (weight port), (G logo), TP-01, (weight port) HOSEL: (triangle), (orientation indicators) HEEL: (loft) |
| | | | view image here |
| Tsuruya Golf Co Ltd | Golden Prix TP-01S (Version 3) | 9.5 | SOLE: (weight port), (weight port), (loft), (G logo), TP-01S, POWER CHANNEL, CUP FACE, (weight port) HOSEL: (triangle), (orientation indicators) |
| | | | view image here |
| Tsuruya Golf Co Ltd | Golden Prix TP-02 (Version 1) | 9.5 | SOLE: (G logo), TP-02, (weight port), (triangle)C.F.R.P(triangle), (weight port), (loft) HOSEL: (triangle), (orientation indicators) view image here |
| Tsuruya Golf Co Ltd | Golden Prix TP-02 CF (Version 3) (prototype) | 9.5 | SOLE: (weight port), (loft), (G logo), TP-02, CF HOSEL: (triangle), (orientation indicators) HEEL: 2AE30001 view image here |
| Tsuruya Golf Co Ltd | GOLDEN PRIX TR-01 440 | 9.5 | SOLE: (G logo), TR-01, (weight port), (triangle), C.F.R.P, (triangle), 440, (weight channel), (triangle), T.C.S.II, (triangle), (triangle) FADE, DRAW (triangle) HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| Tsuruya Golf Co Ltd | GOLDEN PRIX TR-01 460 Screw weight DRIVER | 10 | SOLE: (G logo), TR-01, (weight port), (triangle), C.F.R.P, (triangle), 460, (triangle), T.C.S.II, (triangle) HOSEL: (triangle), (orientation indicators) HEEL: (loft) view image here |
| Tsuruya Golf Co Ltd | GOLDEN PRIX TR-01 460 Slide Driver | 10 | SOLE: (triangle) FADE, DRAW (triangle), (G logo), TR-01, (triangle), C.F.R.P, (triangle), 460, (triangle), T.C.S.II, (triangle) BACK: (weight channel) HOSEL: (triangle), (orientation indicators) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-----------------------------------|----------|--|
| Tsuruya Golf Co Ltd | GOLDEN PRIX TR-01 460CF DRIVER | 10 | SOLE: (triangle) FADE, DRAW (triangle), (triangle), T.C.S.II, (triangle), (G logo), TR-01, (triangle), C.F.R.P, (triangle), 460CF, CARBON FACE BACK: (weight channel) HOSEL: (triangle), (orientation indicators) HEEL: (loft) |
| Tsuruya Golf Co Ltd | Golden Prix TX-01 | 10.5 | SOLE: (G logo), TX-01, (loft) HOSEL: (triangle), S, L, U, H (orientation indicators) view image here |
| Tsuruya Golf Co Ltd | Golden Prix TX-02 | 10.5 | SOLE: (loft), (G logo), TX-02, (weight port) BACK: (weight port) HOSEL: (triangle), (orientation indicators) view image here |
| Tsuruya Golf Co Ltd | Golden Prix V | 9,10.5 | SOLE: GOLDEN PRIX, -(loft)- 1, TSURUYA, ACTIVE VIBRATION CONTROL BODY BACK: 460 TOE: (G logo) view image here |
| Tsuruya Golf Co Ltd | Golden Prix V7 | 9.5,10.5 | SOLE: GOLDEN PRIX, — V7 —, (media blast logo), TSURUYA, 1, -(loft)-, RIGID RING BODY DESIGN, TWIN TUNGSTEN WEIGHT TOE: (media blast logo) |
| Tsuruya Golf Co Ltd | Golden Prix VX | 9.5,10.5 | SOLE: -(loft)- 1, GOLDEN PRIX, -VX-, TSURUYA, (logo) HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| Tsuruya Golf Co Ltd | Golden Prix VX L.C.G | 10.5 | SOLE: -(loft)- 1, GOLDEN PRIX, -VX-, L.C.G, TSURUYA, (logo) HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| Tsuruya Golf Co Ltd | Golden Prix X9 | N/A | SOLE: GOLDEN PRIX, X9, (G logo), (T.C.S.II in logo), FORGED CUP FACE TOE: (G logo) HOSEL: (adjustable loft in oval window) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|---------------------------|----------|--|
| Tsuruya Golf Co Ltd | Golden Prix Xi | 9.5,10.5 | SOLE: GOLDEN PRIX, Xi, TSURUYA TOE: (logo) HEEL: (line) (loft) (square), (line), SAT 2041 ß Ti FORGED CUP FACE, 1 view image here |
| Tsuruya Golf Co Ltd | Golden Prix Xi Limited | 9.5 | SOLE: GOLDEN PRIX, Xi Limited, TSURUYA TOE: (logo) HEEL: (line) (loft) (square), (line), SAT 2041 ß Ti FORGED CUP FACE, 1 view image here |
| Tsuruya Golf Co Ltd | Oneside GT | 9.5,10.5 | SOLE: NEVER SLICE CONCEPT, GT, (logo media blast), (weight port), (loft) TOE: Onesider view image here |
| Tsuruya Golf Co Ltd | Onesider CS | 10.5 | SOLE: Onesider, CS, (logo), (loft), NEVER SLICE CONCEPT HOSEL: (triangle), (orientation indicators) view image here |
| Tsuruya Golf Co Ltd | Onesider DS | 9.5,10.5 | SOLE: -(loft)-, (line), ONESIDER, (line), DS, 1, TSURUYA TOE: (logo), NEVER SLICE CONCEPT view image here |
| Tsuruya Golf Co Ltd | Onesider DS (ladies) | 13.5 | SOLE: NEVER SLICE CONCEPT, -(loft)-, (line), ONESIDER, (line), DS, 1, TSURUYA TOE: (logo) view image here |
| Tsuruya Golf Co Ltd | Onesider DS Ver 2 | 9.5,10.5 | SOLE: -(loft)-, (line), ONESIDER DS, (line), 1, TSURUYA, NEVER SLICE CONCEPT, (logo on plate), Ver.2.0 TOE: (logo) view image here |
| Tsuruya Golf Co Ltd | Onesider eo | 9.5,10.5 | SOLE: NEVER SLICE CONCEPT, ONESIDER, (line) eo (line), -(LOFT)- 1, TSURUYA TOE: (logo) view image here |
| Tsuruya Golf Co Ltd | Onesider eo-L (Ladies) | 13.5 | SOLE: NEVER SLICE CONCEPT, (3 decorative gems), ONESIDER, (line) eo-L (line), -(LOFT)- 1, TSURUYA TOE: (logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-------------------|-----------|---|
| Tsuruya Golf Co Ltd | Onesider GS | 9.5,10.5 | SOLE: NEVER SLICE CONCEPT, ONESIDER, GS, 1, -(loft)- TOE: (logo) CROWN: (alignment mark) HOSEL: T.C.S., (arrow), (orientation indicators) |
| Tsuruya Golf Co Ltd | Onesider Ji | 10.5 | SOLE: (logo), ONESIDER, Ji, (loft) CROWN: alignment mark view image here |
| Tsuruya Golf Co Ltd | ONESIDER Ji+S | 10.5 | SOLE: Ji+S, ONESIDER TOE: (logo) CROWN: (alignment mark) HEEL: (loft) view image here |
| Tsuruya Golf Co Ltd | Onesider NS01 | 9.5,10.5 | SOLE: Onesider, NEVER SLICE, CONCEPT, NS - 01, (loft in shape), (media blast logo), HEAVY WEIGHT view image here |
| Tsuruya Golf Co Ltd | Onesider NS3 | 9.5,10.5 | SOLE: (loft) 1, ONESIDER, -NS3-, TSURUYA BACK: (circle) STABILIZER WEIGHT (circle) TOE: (logo) |
| Tsuruya Golf Co Ltd | Onesider NS3 (LH) | 10.5 | view image here SOLE: 1 (loft), ONESIDER, -NS3-, TSURUYA BACK: (circle) STABILIZER WEIGHT (circle) TOE: (logo) view image here |
| Tsuruya Golf Co Ltd | Onesider SE | 9.5,10.5 | SOLE: ONESIDER (underlined), SE, -(loft)- 1, (line) NEVER SLICE CONCEPT (line), TSURUYA, (line) TOE: (logo) view image here |
| Tsuruya Golf Co Ltd | Onesider SE Ver.2 | 9.5,10.5 | SOLE: ONESIDER, (line), SE, 1, -(loft)-, TSURUYA, - NEVER SLICE CONCEPT -, - SE ver.2 - TOE: (logo) view image here |
| Tsuruya Golf Co Ltd | Quincy +Composite | 11.5,13.5 | SOLE: Quincy, + COMPOSITE, TSURUYA, (loft) 1 TOE: Quincy view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|---------------------------|-----------|---|
| Tsuruya Golf Co Ltd | Quincy EL | 11,13.5 | SOLE: Quincy, Easy Setting For Ladies', (loft) 1, Titanium, Tsuruya BACK: Inner Tungsten, EL, Weight TOE: Quincy, Easy Setting For Ladies' view image here |
| Tsuruya Golf Co Ltd | Quincy XE | 13.5 | SOLE: Quincy, XE, (loft) 1, TSURUYA, (line), (logo), XE, (line) TOE: XE, EXTRA EASY view image here |
| TTO Corporation | GMA Royal Star Rega | 10.5 | SOLE: 1, Royal Star, (logo), (loft) REGA (in shape) TOE: GMA, (logo) view image here |
| TTO Corporation | GMA Royal Star Rega-SP | N/A | SOLE: 1, Royal Star, (logo), REGA-sp (in shape) TOE: GMA, (logo) view image here |
| TTO Corporation | Royal Star | 10.5,10.5 | SOLE: 1, Royal Star, (logo) (in shape) TOE: GMA, (logo) (in oval) view image here |
| TTO Corporation | Royal Star J | N/A | SOLE: 1, Royal Star J TOE: (GMA, (logo) on oval inset) view image here |
| Turf Co Ltd | Buddy | N/A | SOLE: BUDDY, Episode A HEEL: Conforming to R&A/USGA SLE rule view image here |
| Turf Co Ltd | Buddy Episode D | N/A | SOLE: BUDDY, Episode D view image here |
| Turf Co Ltd | Buddy Episode G | N/A | SOLE: Great, LET'S FIGHT TOGETHER, BUDDY, Episode G, (weight port) HEEL: Conforming to, R&A/USGA SLE rules view image here |
| Turner Communications Int'l, Inc. | HMX 850 (2) | N/A | SOLE: HMX, M850, (green cloverleaf graphic) FACE:2 view image here |
| Turner Communications Int'l, Inc. | HMX M850 (0) | N/A | SOLE: HMX, M850, (green cloverleaf graphic) FACE:0 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|-------------------|-------|---|
| Turner Communications Int'l, Inc. | HMX M850 (1) | N/A | SOLE: HMX, M850, (green cloverleaf graphic) FACE:1 view image here |
| Turner Communications Int'I, Inc. | HMX M850 (6) | N/A | SOLE: HMX, M850, (green cloverleaf graphic) FACE:6 view image here |
| Turner Communications Int'I, Inc. | HMX M850 (7) | N/A | SOLE: HMX, M850, (green cloverleaf graphic) FACE:7 view image here |
| TV Club Co Ltd | Hammer | N/A | SOLE: (CONFORMING TO, R&A/USGA SLE RULE, HAMMER THEORY TECHNOLOGY on inset), 1, (HAMMER, Driver on inset) FACE:(media blast logo) view image here |
| Two and One Co Ltd | M.U Sports MUS-L2 | 14 | SOLE: (logo), M.U SPORTS, spec.430, 1 (loft), MUS-L2 BACK: FORGED TITANIUM TOE: (logo) HOSEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| U.S. Kids Golf | epTOUR | N/A | SOLE: (two weight ports), ep, TOUR, CUP FACE, TECHNOLOGY, (weight port) CROWN: (triangle alignment mark), ep, TOUR HOSEL: (U.S. Kids Golf flag logo), (orientation indicators) view image here |
| U.S. Kids Golf | epTOUR Lite | N/A | SOLE: (weight port), (weight port), ep, TOUR, CUP FACE, TECHNOLOGY, LITE (weight port) CROWN: (alignment mark), ep, TOUR HOSEL: (U.S. Kids Golf flag logo), (orientation indicators) view image here |
| U.S. Kids Golf | TS-12 Release 360 | N/A | SOLE: (U.S. Kids Golf flag logo), (club number/letter), RELEASE 360, (line), TOUR SERIES-12, BETA FORGED, TITANIUM CROWN: (TS in oval alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-----------------------------------|-------|--|
| U.S. Kids Golf | TS-18 Release 320 | N/A | SOLE: (U.S. Kids Golf flag logo), (club number/letter), RELEASE 360, (line), TOUR SERIES-18, BETA FORGED, TITANIUM CROWN: (TS in oval alignment mark) view image here |
| U.S. Kids Golf | TS3 V10 Launch 440 (Version 2) | 15 | SOLE: V10, (U.S. Kids Golf flag logo), TS3, LAUNCH, 440, BETA FORGED TITANIUM, (loft) CROWN: (triangle alignment mark), TS3 FACE:v10 view image here |
| U.S. Kids Golf | TS3 V15 Launch 420 (Version 2) | 17 | SOLE: V15, (U.S. Kids Golf flag logo), TS3, LAUNCH, 420, BETA FORGED TITANIUM, (loft) CROWN: (triangle alignment mark), TS3 FACE:v15 view image here |
| U.S. Kids Golf | TS3 V5 Launch 460 (Version 2) | 13 | SOLE: V5, (U.S. Kids Golf flag logo), TS3, LAUNCH, 460, BETA FORGED TITANIUM, (loft) CROWN: (triangle alignment mark), TS3 FACE:v5 view image here |
| U.S. Kids Golf | TS5 w10 (Version 1) | 14 | SOLE: (loft)/440cc, TS5, (U.S. Kids Golf flag logo), U.S.KIDS, w10 CROWN: (triangle alignment mark) view image here |
| U.S. Kids Golf | TS5 w5 (Version 1) | 12 | SOLE: (loft)/460cc, TS5, (U.S. Kids Golf flag logo), U.S.KIDS, w5 CROWN: (triangle alignment mark) view image here |
| U.S. Kids Golf | TS-6 Release 400 | N/A | SOLE: (U.S. Kids Golf flag logo), (club number/letter), RELEASE 400, (line), TOUR SERIES-6, BETA FORGED, TITANIUM CROWN: (TS in oval alignment mark) view image here |
| U.S. Kids Golf | V10 Release 440 (Version 1) | N/A | SOLE: (U.S. Kids Golf flag logo), (club number/letter), RELEASE 440, (line), V10, BETA FORGED, TITANIUM CROWN: (TS in oval alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------|--------------------------------|---------|--|
| U.S. Kids Golf | V10 Release 440 (Version 2) | N/A | SOLE: (U.S. Kids Golf flag logo), (club number/letter), RELEASE 440, (line), V10, BETA FORGED, TITANIUM CROWN: (U.S. Kids Golf flag logo alignment mark) |
| U.S. Kids Golf | V5 Release 460 (Version 1) | N/A | SOLE: (U.S. Kids Golf flag logo), (club number/letter), RELEASE 460, (line), V5, BETA FORGED, TITANIUM CROWN: (TS in oval alignment mark) |
| U.S. Kids Golf | V5 Release 460 (Version 2) | N/A | SOLE: (U.S. Kids Golf flag logo), (club number/letter), RELEASE 460, (line), V5, BETA FORGED, TITANIUM CROWN: (U.S. Kids Golf flag logo alignment mark) |
| U.S. Powergolf, Inc. | N-Forcer | 6,7.5,9 | SOLE: CUP FACE, (loft), N-FORCER, LD, 460 cc, U.S., POWERGOLF TOE: U.S. POWERGOLF view image here |
| U.S. Powergolf, Inc. | N-Forcer (LH) | 6,7.5 | SOLE: CUP FACE, (loft), N-FORCER, LD, 460 cc, U.S., POWERGOLF TOE: U.S. POWERGOLF view image here |
| U-I Golf System | Manta ES | N/A | SOLE: Tornado, (gia), manta ES view image here |
| U-I Golf System | Platina Charge | N/A | SOLE: GOLF, Platina, charge, by Tornado, [gia] view image here |
| U-I Golf System | Platina Hi Speed Gear ES460 | N/A | SOLE: GOLF, Platina, HI SPEED gear, ES460, by, Tornado, [gia] view image here |
| U-I Golf System | Platina HyPower Gear TR460 | N/A | SOLE: GOLF, Platina, HyPOWER gear, TR460, by, Tornado, [gia] view image here |
| U-I Golf System | Platina Manta | 10.1 | SOLE: by Tornado, [gia], manta, PLATINA view image here |
| U-I Golf System | Platina-S | N/A | SOLE: Platina s (in oval), LOW REFLEX SPEC, 1, 445 (underlined), PT, by GOLF TECH-NO TEAM, TORNADO, [gia] |
| | | | view image note |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|----------------------------|----------|--|
| U-I Golf System | Platina-Z ES 453 | 9.7 | SOLE: PLATINA-Z, ES-453, LOW REFLEX SPEC, by, Tornado, [gia] |
| | | | <u>view image here</u> |
| U-I Golf System | Platina-Z ES-460 | 10 | SOLE: PLATINA-Z, ES-460, LOW REFLEX SPEC, by, Tornado, [gia] |
| | | | view image here |
| Unique Golf | UG 548 | 9.5,10.5 | SOLE: Unique, GOLF, (loft) |
| | | | view image here |
| Upswing Golf | Upswing 430cc Ti | 10.5 | SOLE: UPSWING, (line) GOLF (line), (circular weight), 430CC, TI DRIVER, (loft) |
| | | | view image here |
| Upswing Golf | Upswing Stainless Steel | 10.5 | SOLE: UPSWING, (line) GOLF (line), (loft) CROWN: (triangle alignment mark) |
| | | | view image here |
| Upswing Golf | Upswing Titanium | 9.5,10.5 | SOLE: UPSWING, (line) GOLF (line), (loft) CROWN: (triangle alignment mark) |
| | | | view image here |
| US TOUR/International Sports CNS, Inc. | 400-A | 10.5 | SOLE: US TOUR®, (line), TITANIUM, 400-A BACK: ASR920HYPERTITAN-(loft) |
| | | | view image here |
| US TOUR/International Sports CNS, Inc. | ARK 2 | 9 | SOLE: US TOUR®, A, R, K 2, (loft), FORGED TITANIUM |
| | | | view image here |
| US TOUR/International Sports CNS, Inc. | Ark 360 Provantage | 5,6 | SOLE: (loft), LFF-TITANIUM, US TOUR (two lines), ARK, (three lines) 360, PROVANTAGE, (US TOUR on triangular plastic insert), (vertical line), (three facsimile screws) CROWN: (arrow alignment mark) |
| | | | <u>view image here</u> |
| US TOUR/International Sports CNS, Inc. | ARK 360 Provantage | 8,9,10 | SOLE: (loft), LFF-TITANIUM, US TOUR (two lines), ARK, (three lines) 360, PROVANTAGE, (US TOUR on triangular plastic insert), (vertical line), (three facsimile screws) CROWN: (arrow alignment mark) |
| | | | view image here |

| November 04, 2024 | | | | |
|---|----------------------------------|---------|--|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| US TOUR/International Sports CNS, Inc. | ARK 400 Provantage Super Tour | 9,10,12 | SOLE: (loft), PROVANTAGE, (curved line), US TOUR, ARK, (curved line) 400, SUPER TOUR, (US TOUR on triangular plastic insert), (vertical line), (three facsimile screws) CROWN: (arrow alignment mark) view image here | |
| US TOUR/International Sports CNS, Inc. | HK II | 9 | SOLE: SUPER METAL, H K II, (solid oval in oval), LFF-TITANIUM, (loft), (US TOUR, LEF - TECH in traingle) CROWN: (arrow alignment mark) view image here | |
| US TOUR/International Sports CNS, Inc. | Hyper-Ti 420 | 9,10,11 | SOLE: HYPER-Ti, 420, ASR920 HYPER TITANIUM (loft) BACK: US TOUR® FACE:HYPER-TI view image here | |
| US TOUR/International Sports CNS, Inc. | LX7-400 Provantage LD | 5,6,7 | SOLE: LD., TITANIUM 400, US TOUR, LX7, PROVANTAGE, (US TOUR on triangular plastic insert) CROWN: (arrow alignment mark) FACE:B-Ti view image here | |
| US TOUR/International Sports CNS, Inc. | Pro Monico LX7 454 | 9 | SOLE: (loft), PRO Monico, LX7, 454 BACK: US TOUR® CROWN: (arrow alignment mark) FACE:B-Ti view image here | |
| US TOUR/International Sports CNS, Inc. | Pro Monico LX7 454 LD | N/A | SOLE: LD, PRO Monico, LX7, 454 BACK: US TOUR® CROWN: (arrow alignment mark) FACE:B-Ti view image here | |
| US TOUR/International Sports CNS, Inc. | Pro Monico RC | 4,5,6,9 | SOLE: PRO, Monico, RC, (double diamond) BACK: US TOUR® TOE: (loft) CROWN: (arrow alignment mark) FACE:ß-Ti view image here | |
| US TOUR/International Sports CNS, Inc. | Pro Monico RC+ | 5 | SOLE: PRO, Monico, RC, (double diamond) BACK: US TOUR® TOE: (loft)+ CROWN: (arrow alignment mark) FACE:ß-TI view image here | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|-------------------------------|-------|--|
| | | , | |
| US TOUR/International Sports CNS, Inc. | Pro Monico RC420 | 9,10 | SOLE: PRO, Monico, RC420, (double diamond) BACK: US TOUR® TOE: (loft) CROWN: (arrow alignment mark) FACE:B-Ti |
| | | | view image here |
| US TOUR/International Sports CNS, Inc. | Pro Monico RC420 HL | 13 | SOLE: PRO, Monico, RC420, (double diamond) BACK: US TOUR® TOE: HL CROWN: (arrow alignment mark) FACE:B-Ti view image here |
| US TOUR/International Sports CNS, Inc. | Pro Monico RC454 | 9 | SOLE: (loft), PRO, Monico, RC454, (double diamond) BACK: US TOUR® CROWN: (arrow alignment mark) FACE:B-Ti view image here |
| US TOUR/International Sports CNS, Inc. | Pro Monico RC454 HL | 13 | SOLE: HL, PRO, Monico, RC454, (double diamond) BACK: US TOUR® CROWN: (arrow alignment mark) FACE:B-Ti view image here |
| US TOUR/International Sports CNS, Inc. | Pro Monico RC454 LD | 5,6 | SOLE: LD ·, PRO, Monico, RC454, (double diamond) BACK: US TOUR® CROWN: (arrow alignment mark) FACE:B-Ti view image here |
| US TOUR/International Sports CNS, Inc. | US Tour Hyper Titanium 400 | 10.5 | SOLE: US TOUR®, (line), TITANIUM, 400, ASR 920 HYPER TITAN-(loft) view image here |
| US TOUR/International Sports CNS, Inc. | US Tour X-400 Earth Ti | 10.5 | SOLE: HYPER, TEN-FIVE, US TOUR, (line), X (circle and cross graphic) 400, (three lines), EARTH TI FACE:ß-TI view image here |

| November 04, 2024 | | | |
|---|---------------------------------|--------------|--|
| Manufacturer | Product Name | Lofts | Identification Markings |
| US TOUR/International Sports CNS, Inc. | V12 460 | 5.5,6.5,9,10 | SOLE: (weight port), (weight port), US TOUR 460, V12, (weight port), (weight port) BACK: (US TOUR, (V12 over oval), HRC on triangle insert) TOE: (loft) CROWN: (arrow alignment mark) FACE:B-Ti view image here |
| US TOUR/International | V12 460 HL | N/A | SOLE: (weight port), (weight port), US |
| Sports CNS, Inc. | V 12 400 TIL | | TOUR 460, V12, (weight port), (weight port) BACK: (US TOUR, (V12 over oval), HRC on triangle insert) TOE: HL CROWN: (arrow alignment mark) FACE:B-Ti view image here |
| US TOUR/International | V12 Hustler 350J | 9.5 | SOLE: (US TOUR on rectangular insert), |
| Sports CNS, Inc. | | | V12, Hustler, 350J-(loft) FACE:ß-TI view image here |
| US TOUR/International Sports CNS, Inc. | V12 Hustler 400J (Version 1) | 10.5 | SOLE: (US TOUR on rectangular insert), V12, Hustler, 400J-(loft) FACE:ß-TI |
| | | | view image here |
| US TOUR/International Sports CNS, Inc. | V12 Hustler 400J (Version 2) | 9,10,12 | SOLE: (HU\$TLER on rectangular insert), (three diagonal lines) US TOUR, (three diagonal lines)V12, 400J-(loft) FACE:ß-TI view image here |
| US TOUR/International Sports CNS, Inc. | X400 EARTH Ti-A | 10.5 | SOLE: HYPER, TEN-FIVE, US TOUR,(LINE), X(circle with cross)400(3 lines), EARTH TI-A FACE:ß-TI view image here |
| 1100 0 1 1 1 1 | December 5. tarana Ti | 9 | |
| USP Brands Ltd | Progen Extreme Ti | 9 | SOLE: PROGEN (logo), FULL BORE, Xtreme ti, FORGED, (loft) CROWN: (alignment mark) view image here |
| USP Brands Ltd | Progen FB 455 | 10.5 | SOLE: PROGEN (logo), FB455, PERFORMAX, (loft) TOE: TITANIUM CROWN: (alignment mark) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------|--------------------------------------|--------|--|
| USP Brands Ltd | Progen Full Bore 2.5 420cc Offset | 10.5 | SOLE: (logo), PROGEN, FULL BORE 2.5, TITANIUM, (loft), OFFSET BACK: 420cc CROWN: (alignment mark) |
| | | | view image here |
| USP Brands Ltd | Progen Full Bore 2.5 440cc | 13 | SOLE: (logo), PROGEN, FULL BORE 2.5, TITANIUM, (loft) BACK: 440cc CROWN: (alignment mark) view image here |
| USP Brands Ltd | Progen Full Bore 2.5 460cc | 10.5 | SOLE: (logo), PROGEN, FULL BORE 2.5, TITANIUM, (loft) BACK: 460cc CROWN: (alignment mark) view image here |
| USP Brands Ltd | Progen Full Bore 2.5 460cc (LH) | 10.5 | SOLE: (logo), PROGEN, FULL BORE 2.5, TITANIUM, (loft) BACK: 460cc CROWN: (alignment mark) view image here |
| USP Brands Ltd | Progen Full Bore 320 Ti | 10.5 | SOLE: (logo), full bore (underlined), 320 Ti, (loft) TOE: SP700 (underlined), Forged Titanium CROWN: (alignment mark) view image here |
| USP Brands Ltd | Progen Full Bore 380 Ti | 9,12.5 | SOLE: (logo), full bore (underlined), 380 Ti, (loft) TOE: SP700 (underlined), Forged Titanium CROWN: (alignment mark) view image here |
| USP Brands Ltd | Progen Full Bore 420 Ti | 9,10.5 | SOLE: (logo), full bore (underlined), 420 Ti, (loft) TOE: SP700 (underlined), Forged Titanium CROWN: (alignment mark) view image here |
| USP Brands Ltd | Progen Full Bore MM3 | 10,12 | SOLE: (logo), full bore (underlined) MM3 (with line above), 1 (loft) TOE: C455 (underlined), FORGED CROWN: (alignment mark) view image here |
| USPG Enterprises | Prototype L#8 | 10.5 | SOLE: USPG, PROTOTYPE L#8, (club number/letter), (loft), (shield graphic on recessed diamond) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|-------------------------|------------|---|
| Vadersen Design Group | V 340 | 8,9 | SOLE: (V logo) 340, VADERSEN, DESIGN GROUP, Finest Forged Titanium, (loft) view image here |
| Vadersen Design Group | V 380 | 9 | SOLE: Precision Forged, Titanium, (Smith & Wesson logo), Smith & Wesson, Golf, Des.by VDG, (loft), V380 CROWN: (alignment stripe) view image here |
| Vadersen Design Group | V 410 | 9 | SOLE: (circle), V410, Titanium, (Smith & Wesson logo), Smith & Wesson, Golf, (circle), (loft) CROWN: (alignment stripe) view image here |
| Vadersen Design Group | V-420 | 9 | SOLE: (circle), V420, Titanium, (Smith & Wesson logo), Smith & Wesson, Golf, (circle), (loft) CROWN: (alignment stripe) view image here |
| Vainqueur Co Ltd | Grand Zero | 8,9 | SOLE: (GRAND ZERO over media blast logo), (loft) view image here |
| Value Plus Co Ltd | STOURNEY | 9,10 | SOLE: STOURNEY, (curved weight port) BACK: New Ai Technology Inside CROWN: (alignment mark) HOSEL: (arrow), (orientation indicators) HEEL: De Macgregor Golf, ((loft) degree) FACE:(Max Core), (Zero Spin) view image here |
| Vector Golf Inc. dba The Golf Coast Fitting Centers | Seahawk II 2.65 | 7.5 | SOLE: (loft), SEAHAWK, (line), II, BETA, (line), TI, 10- 2- 3 CROWN: (S alignment mark) FACE:ßeta•Ti, 2.65 view image here |
| Vector Golf Inc. dba The Golf Coast Fitting Centers | Seahawk II 2.8 | 9,10.5 | SOLE: (loft), SEAHAWK, (line), II, BETA, (line), TI, 10- 2- 3 CROWN: (S alignment mark) FACE:ßeta•Ti, 2.8 view image here |
| Vector Golf Inc. dba The Golf Coast Fitting Centers | Stiletto II (Version 1) | 7.5,9,10.5 | SOLE: (loft), STILETTO, (line), II, BETA, (line), TI, 15, 3-3-3 CROWN: (S alignment mark) FACE:Beta Ti view image here |

| | November 04, 2024 | | | | |
|---|----------------------------------|---------------|--|--|--|
| Manufacturer | Product Name | Lofts | Identification Markings | | |
| Vector Golf Inc. dba The Golf Coast Fitting Centers | Vector 320 (Version 1) | 4,6 | SOLE: (loft), VECTOR, (line), 320, BETA, (line), TI, 15, 3-3-3 CROWN: (V alignment mark) FACE:Beta Ti | | |
| | | | view image here | | |
| Vector Golf Inc. dba The Golf Coast Fitting Centers | Vector 320 (Version 2) | 9,10.5 | SOLE: (loft), VECTOR, (line), 320, BETA, (line), TI, 15, 3-3-3 CROWN: (V alignment mark) FACE:Beta•Ti | | |
| | | | view image here | | |
| Vector Golf Inc. dba The Golf Coast Fitting Centers | Vector III 444 (Version 3) | 9 | SOLE: (loft), VECTOR (line) III, 444, BETA (line), TI, 15, 3-3-3 CROWN: (V alignment mark) FACE:Beta•Ti, 2.85, (line) | | |
| | | | view image here | | |
| Vector Golf Inc. dba The Golf Coast Fitting Centers | Vector III 444 (Version 4) | 6.5 | SOLE: (loft), VECTOR (line) III, 444, BETA (line), TI, 15, 3-3-3 CROWN: (V alignment mark) FACE:Beta•Ti, 2.28 | | |
| | | | view image here | | |
| Vega | Dual Airflow | 8,10.5,12.5 | SOLE: V-drive, DUAL AIRFLOW, vega, V, DAF (in circle) BACK: AIRFLOW STABILIZER TOE: (logo) HOSEL: (dot loft indicator) view image here | | |
| Venson Co Ltd | Muscular Collectors Edition 1 | N/A | SOLE: (logo), MUSCULAR, COLLECTORS EDITION 1, DAT55G | | |
| | | | view image here | | |
| Versus Golf | rcrX Proto 460 | 9.5,10.5,11.5 | SOLE: (shield graphic w/ V S), VERSUS, (line), 460cc FORGED, (loft), rcrX, PROTO | | |
| | | | view image here | | |
| Versus Golf | RCRX/LST 460 (Version 2) | 9.5,10.5,11.5 | SOLE: (shield graphic w/ V S), VERSUS, (line), 460cc FORGED, LST (ASERTA over two triangles), (line), (circle) LASER SURFACE TECHNOLOGY (circle), (line), (loft), rcrX, PROTO view image here | | |
| Versus Golf | SX.1 (Version 2) | 9,10.5,12 | SOLE: (shield graphic w/ V S), VERSUS, (line), SX.1, (loft) BACK: HONOR TOE: VICTORY (shield graphic) HEEL: BATTLE FACE:(shield graphic w/ V S media blast) view image here | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|------------------------------|--------------------------------|---------------|---|
| Versus Golf | VS.1 Proto | 9.5,10.5 | SOLE: (shield graphic w/ V S), VERSUS, (line), 460cc FORGED, (loft), VS.1, PROTO view image here |
| Versus Golf | VS.1/LST 460 (Version 2) | 9.5,10.5 | SOLE: (shield graphic w/ V S), VERSUS, (line), 460cc FORGED, LST (ASERTA over two triangles), (line), (circle) LASER SURFACE TECHNOLOGY (circle), (line), (loft), VS.1, PROTO view image here |
| Vertical Groove Golf | The Groove Driver | 8,9.5,10.5,12 | SOLE: THE GROOVE, (Vertical Groove Golf logo) TOE: VERTICAL GROOVE GOLF CROWN: (arrow and outlined hexagon alignment marker) HEEL: (loft) FACE:VGG |
| Vertical Groove Golf | The Groove Driver (LH) | 9.5,10.5 | SOLE: (Vertical Groove Golf logo), THE GROOVE TOE: VERTICAL GROOVE GOLF CROWN: (arrow and outlined hexagon alignment marker) HEEL: (loft) FACE:VGG |
| Vertical Groove Golf, LLC | Vertical 1 (Version 2) | N/A | SOLE: (three curved lines), (weight), (VERTICAL, 1, (three arrows) on insert), (three curved lines) CROWN: (eleven hexagons, arrow on convex bumps) HEEL: (loft) FACE:VGT, (no groove around perimeter of the club face) view image here |
| VEX Golf | VEX | 8.7 | SOLE: 1 VEX, (logo) VELOCITY EXTREME, Executive Producer, ISAO AOKI HOSEL: WSM-1000 FACE:VEX view image here |
| V-Flyte-Golf Corporation | The Rock | 10.5 | SOLE: The Rock by V-Flyte (loft) view image here |
| Victradco Ltd | Iguana Monster Pro-Type 830 | 8,9 | SOLE: (loft), Monster, Driver, Pro-Type.830 TOE: (M logo) HEEL: Iguana FACE:SP-700 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|---------------------------------|-----------|---|
| Victradco Ltd | Monster Driver Pro-Type .830 | 8,9 | SOLE: (loft), MONSTER, DRIVER, PRO-TYPE.830 TOE: Iguana (M logo through Iguana i) HEEL: iGUANA FACE:SP-700 view image here |
| Vision Creative, Inc. | LaunchTech CG5 LDTour | 7 | SOLE: LAUNCHTECH, (circle around weight port), CG, LDTOUR, 5, (circle around weight port), (loft) BACK: (circle around weight port), (circle around weight port), (circle around weight port) TOE: (three lines) (circle and arrow in circle) |
| VLS Golf | Maxvert 1 (Version 2) | 11 | SOLE: VLS GOLF, maxvert 1, PERIMETER PAYLOAD, 25 GRAMS CROWN: (three lines alignment marker), maxvert 1 HEEL: (loft in box) FACE:(hexagon media blast) view image here |
| Voco (UK) Ltd | Bay Hill 385cc | 10.5,12 | SOLE: BETA TI, 385 C.C., BAY, (logo), HILL, BY PALMER, FORGED TITANIUM, THIN FACE, 1, (loft) FACE:BETA TI 2.8MM view image here |
| Voco (UK) Ltd | Bay Hill 420cc | 10.5 | SOLE: BAY, (logo), HILL, CC-Tech-FORGED ß TITANIUM, 420cc (underlined), (loft) CROWN: (alignment mark) FACE:(logo) view image here |
| Voco (UK) Ltd | Bay Hill 450cc | 9,10.5 | SOLE: BETA TI, 450 C.C., BAY, (logo), HILL, BY PALMER, FORGED TITANIUM, THIN FACE, 1, (loft) FACE:BETA TI 2.8MM view image here |
| Voco (UK) Ltd | Bay Hill BH3 | 10 | SOLE: 460, TITANIUM, BH3 (superscript), 1 (loft) BACK: BAY HILL PRO (umbrella logo) CROWN: (alignment mark) view image here |
| Voco (UK) Ltd | Bay Hill GCT 420cc | 9,10.5,12 | SOLE: 1 (loft), BAY, (logo), HILL, GCT-FORGED TITANIUM, PALMER, 420CC CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------|-------------------------------|-----------------|---|
| Voco (UK) Ltd | Bay Hill Plasma II | 11 | SOLE: BAY (logo), HILL, (line)PLASMA(A in triangle)(line), II, 1, (loft), 460cc BACK: BAY HILL PRO (logo) CROWN: (alignment mark) |
| Vulcan Golf | Caldera Z440 | 5,8 | view image here SOLE: (loft), CALDERA, TITANIUM Z, 440, |
| Vulcari Goli | Caldela 2440 | 0,0 | (V flame logo, circle, LONG DRIVE CHAMPION DESIGN, in circle) TOE: VULCAN GOLF (with V flame logo) CROWN: (V flame logo alignment mark) view image here |
| Vede an Oalf | Coldoro 7460 | 0.10.12.13.5.15 | |
| Vulcan Golf | Caldera Z460 | 9,10,12,13.5,15 | SOLE: (six hexagons), (loft), Forged Beta Titanium, 460cc .830cor, Caldera 460, VULCAN (w/ V flame logo), GOLF, (six hexagons) BACK: (two hexagons), (two hexagons) CROWN: (V flame logo alignment mark) |
| | | | view image here |
| Vulcan Golf | V14 Powerball 430 | 10.5 | SOLE: Variable Mass Technology, (loft), 430cc, V14, PowerBall, •••••, (w/ flame logo over V)ULCAN, GOLF, Pat. Pend. BACK: (weight channel w/ six ball bearings), (screw), (screw), (weight channel w/ six ball bearings) CROWN: (w/ flame logo over V alignment mark) FACE:Beta Titanium view image here |
| Vulcan Golf | V14 Powerball 430 | 9.5 | SOLE: Variable Mass Technology, (loft), |
| | Tour Prototype (Version 2) | | 430cc, VULCAN (w/ V flame logo), GOLF, (circle around V flame logo), 14, Tour Prototype, Pat. Pend. BACK: (weight channel w/ eight ball bearings), (screw), (screw), (weight channel w/ six ball bearings) CROWN: (V flame logo alignment mark) FACE:Beta Titanium view image here |
| VyaTek Sports/DnA | Alpha 610 | 9,10.5,12 | SOLE: (weight port), DISTANCE -n- |
| Golf | | | ACOUSTICS, (sound wave graphic) ((four crescent moons), DnA, TECHNOLOGY in circle) (sound wave graphic), US PAT. #7,338,390, OTHER PATENTS PENDING, (loft) TOE: VYATEK (w/ double V graphic), SPORTS CROWN: (DNA graphic w/ dot) on circular insert) HEEL: ALPHA 610 FACE:DnA™, (six screws) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------|-------------------------|-------|---|
| VyaTek Sports/DnA Golf | Alpha 610 (LH) | 10.5 | SOLE: DISTANCE -n- ACOUSTICS, (sound wave graphic) ((four crescent moons), DnA, TECHNOLOGY in circle) (sound wave graphic), US PAT. #7,338,390, OTHER PATENTS PENDING, (loft), (weight port), TOE: VYATEK (w/ double V graphic), SPORTS CROWN: (DNA graphic w/ dot) on circular insert) HEEL: ALPHA 610 FACE:DnA™, (six screws) |
| VyaTek Sports/DnA Golf | DnA | 10.5 | SOLE: (honeycomb graphic), (weight port), (DNA graphic w/ dot), DnA, GOLF, (honeycomb graphic), (loft) TOE: VYATEK (w/ triple V graphic), SPORTS CROWN: (DNA graphic w/ dot) on circular insert) FACE:DnA <u>view image here</u> |
| VyaTek Sports/DnA Golf | ZAI | 9,12 | SOLE: (weight port) DISTANCE -n- ACOUSTICS, (sound wave graphic) ((four crescent moons), DnA, TECHNOLOGY in circle) (sound wave graphic), (loft) CROWN: (Z alignment mark) FACE:DnA™, (six screws) view image here |
| VyaTek Sports/DnA Golf | ZAI (LH) | 10.5 | SOLE: DISTANCE -n- ACOUSTICS, (sound wave graphic) ((four crescent moons), DnA, TECHNOLOGY in circle) (sound wave graphic), (loft), (weight port) CROWN: (Z alignment mark) FACE:DnA™, (six screws) |
| Wako Enterprise Ltd | CF-365 HT Pro Spec | N/A | SOLE: The, MYSTERY, Titanium, CF-365 HT, PRO SPEC, B PLUS 55, Japan, Accuracy & Longer Distance, 1, .Strong. view image here |
| Wako Enterprise Ltd | CF-435 HT Tour Model | N/A | SOLE: The MYSTERY, Titanium, CF-435 HT, TOUR MODEL, .Strong., Japan, Accuracy & Longer Distance view image here |
| Wako Enterprise Ltd | Debut CF-450 | N/A | SOLE: REAL, MESSAGE, Debut, CF-450, Accuracy & Longer Distance 2-Piece . Full Titanium, Conforming to, SLE Rule view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|-----------------------------------|-------|--|
| Wako Enterprise Ltd | Debut CF-455 | N/A | SOLE: REAL, MESSAGE, Debut, CF-455, Accuracy & Longer Distance view image here |
| Wako Enterprise Ltd | Mystery CF-425 | N/A | SOLE: Accuracy & Longer Distance, MYSTERY, CF-425 view image here |
| Wako Enterprise Ltd | Mystery CF-425 Tour | N/A | SOLE: Accuracy & Longer Distance, MYSTERY, CF-425, TOUR view image here |
| Wako Enterprise Ltd | MYSTERY CF-435 TOUR | N/A | SOLE: ACCURACY & LONGER DISTANCE, CF-435, TOUR, MYSTERY TOE: MYSTERY view image here |
| Wako Enterprise Ltd | Mystery CF-440 Tour Model | N/A | SOLE: CF-440, TOUR MODEL, Accuracy & Longer Distance, MYSTERY, Conforming to, SLE Rule view image here |
| Wako Enterprise Ltd | Mystery CF-440 Tour Model (LH) | N/A | SOLE: CF-440 LH, TOUR MODEL, Accuracy & Longer Distance, MYSTERY, Conforming to, SLE Rule view image here |
| Wako Enterprise Ltd | Mystery CF-445 | N/A | SOLE: ACCURACY & LONGER DISTANCE, CF-445, Hi-IMPACT, MYSTERY view image here |
| Wako Enterprise Ltd | Mystery CF-445 (Version 2) | N/A | SOLE: ACCURACY & LONGER DISTANCE, CF-445, Hi-IMPACT, MYSTERY TOE: MYSTERY view image here |
| Wako Enterprise Ltd | Mystery CF-445 Tour | N/A | SOLE: ACCURACY & LONGER DISTANCE, CF-445, TOUR LIMITED, MYSTERY TOE: MYSTERY view image here |
| Wako Enterprise Ltd | Mystery CF-455 | N/A | SOLE: ACCURACY & LONGER DISTANCE, CF-455, MYSTERY TOE: MYSTERY view image here |
| Wako Enterprise Ltd | Mystery CF-455 (LH) | N/A | SOLE: ACCURACY & LONGER DISTANCE, CF-455LH, MYSTERY TOE: MYSTERY view image here |

| November 04, 2024 | Due do et Nome | 1 - # - | Interesting Manufacture |
|---------------------|------------------------------|---------------|---|
| Manufacturer | Product Name | Lofts | Identification Markings |
| Wako Enterprise Ltd | Mystery CF-455 Tour | N/A | SOLE: ACCURACY & LONGER DISTANCE, CF-455, TOUR, MYSTERY TOE: MYSTERY view image here |
| Wako Enterprise Ltd | Mystery CF-455 Tour (LH) | N/A | SOLE: ACCURACY & LONGER DISTANCE, CF-455LH, TOUR, MYSTERY TOE: MYSTERY view image here |
| Wako Enterprise Ltd | Mystery CF-460 HT Limited | N/A | SOLE: CF-460 HT, Limited, Accuracy & Longer Distance, The, MYSTERY, Conforming to, SLE Rule view image here |
| Wako Enterprise Ltd | Mystery Proto 453 | N/A | SOLE: Accuracy & Longer Distance (underlined), Proto, 453, MYSTERY, (CCR on triangular inset) view image here |
| Wako Enterprise Ltd | Mystery Proto 460 | N/A | SOLE: ACCURACY & LONGER DISTANCE, PROTO 460, TOUR LIMITED BACK: MYSTERY view image here |
| Wako Enterprise Ltd | Mystery Proto 460 (LH) | N/A | SOLE: ACCURACY & LONGER DISTANCE, (PROTO 460 over LH), TOUR LIMITED BACK: MYSTERY view image here |
| Wako Enterprise Ltd | The Mystery CF-430HT (LH) | N/A | SOLE: The, MYSTERY, Titanium, CF-430HT, TOUR MODEL, Japan, Accuracy & Longer Distance View image here |
| Wako Enterprise Ltd | The Mystery CF-460HT | N/A | SOLE: CF-460HT, TOUR MODEL, Accuracy & Longer Distance, The MYSTERY, Conforming to, SLE Rule <u>view image here</u> |
| Walk Golf GmbH | IC-400-HSS | 9.5,10.5,11.5 | SOLE: IC-400-HSS, WALK GOLF, (line), moi-Volution, (loft), multi-convertible CROWN: (alignment mark) view image here |
| Walk Golf GmbH | Phoenix HSS 380 | 9 | SOLE: Forged Titanium, (loft), WALK GOLF (underlined), Phoenix, HSS 380, Anti-Torque-Insert CROWN: WALK GOLF view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-----------------------------|--------|---|
| Walk Golf GmbH | Phoenix HSS 380 SL (LH) | N/A | SOLE: Forged Titanium, SL, WALK GOLF (underlined), Phoenix, HSS 380, Anti-Torque-Insert CROWN: WALK GOLF |
| Walk Golf GmbH | Phoenix HSS 380 SL-DL | 13 | SOLE: Forged Titanium, SL - DL, WALK GOLF (underlined), Phoenix, HSS 380, Anti-Torque-Insert CROWN: WALK GOLF view image here |
| Walk Golf GmbH | Phoenix HSS 380C | 9,10.5 | SOLE: Forged Titanium, (loft), WALK GOLF (underlined), Phoenix, HSS 380C, Anti-Torque-Insert CROWN: WALK GOLF view image here |
| Walk Golf GmbH | Phoenix HSS 380C (LH) | 10.5 | SOLE: Forged Titanium, (loft), WALK GOLF, (line), Phoenix, HSS 380C, Anti-Torque-Insert CROWN: WALK GOLF view image here |
| Walk Golf GmbH | Phoenix HSS 380C DL | 10.5 | SOLE: Forged Titanium, (loft)-DL, WALK GOLF (underlined), Phoenix, HSS 380C, Anti-Torque-Insert CROWN: WALK GOLF view image here |
| Walk Golf GmbH | Phoenix HSS 380C SL | N/A | SOLE: Forged Titanium, SL, WALK GOLF (underlined), Phoenix, HSS 380C, Anti-Torque-Insert CROWN: WALK GOLF view image here |
| Walk Golf GmbH | Phoenix HSS 380C SL (LH) | 13 | SOLE: Forged Titanium, SL, WALK GOLF, (line), Phoenix, HSS 380C, Anti-Torque-Insert CROWN: WALK GOLF view image here |
| Walk Golf GmbH | Phoenix HSS 380C SL-DL | N/A | SOLE: Forged Titanium, SL-DL, WALK GOLF (underlined), Phoenix, HSS 380C, Anti-Torque-Insert CROWN: WALK GOLF view image here |
| Waoww Co Ltd | Bang | N/A | SOLE: (weight port), (weight port), (weight port), Bang, (weight port), (logo) TOE: Waoww HOSEL: (orientation indicators), FACE:((logo) over W) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|-----------------------------|-----------|---|
| Waoww Co Ltd | RV-555 | N/A | SOLE: (weight port), (weight port), (W in diamond shape), ((W(alpha)oww) over star), (weight port), (weight port) CROWN: ((W(alpha)oww) over star) FACE:((W(alpha)oww) over star) |
| Waoww Co Ltd | RV-555 (Version 2) | N/A | SOLE: (weight port), (weight port), (W in diamond shape), ((W(alpha)oww) over star), (weight port), (weight port) FACE:((W(alpha)oww) over star) view image here |
| Waoww Co Ltd | RV555 Type S (Version 2) | N/A | SOLE: Waoww, Leave it to me, (S logo), 555 FACE:FORGED, Waoww, (star logo) view image here |
| Warrior Custom Golf | 450R | 4,5,6,7.5 | SOLE: Warrior™, (spear logo), CUSTOM GOLF, ß- TITANIUM, 450R, 1 (loft) view image here |
| Warrior Custom Golf | Forged Titanium | 10 | SOLE: (Warrior, (line) (spear graphic), CUSTOM GOLF, FORGED TITANIUM over W logo), (loft) TOE: (W logo) CROWN: (arrow and dot alignment mark) |
| Warrior Custom Golf | Forged Titanium 260cc | 10 | SOLE: Warrior, 1 (loft) FORGED TITANIUM, 90Ti-6AL-4V, 260 C.C. view image here |
| Warrior Custom Golf | Ti 460 (Version 1) | 9,10 | SOLE: (circular weight), (loft), Warrior, (spear graphic), CUSTOM GOLF, TI, (line), 460, (circular weight), (EXTREME, WEIGHTING on triangle) view image here |
| Warrior Custom Golf | Ti 460 (Version 2) | 10 | SOLE: 460, (line), Ti, Warrior®, (spear logo), CUSTOMGOLF.COM, (loft), EXT WEIGHTING, (weight insert) view image here |
| Warrior Custom Golf | Tomahawk | 10 | SOLE: Warrior ®, (spear logo), CUSTOMGOLF.COM, (loft), 1 view image here |
| Wave Golf Systems, Inc. | HW-805 Hyper Elastic | 9,10,11 | SOLE: e, DRIVER, (line), HYPER ELASTIC, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------------------|--------------------------------|------------|--|
| Wave Golf Systems, Inc. | TW-809 T. 400 | 9,12,13 | SOLE: WAVE GOLF, (line) (line), T. 400, FORGED TITANIUM 1, -(loft)-, TW-809 HOSEL: (arrow and dot alignment mark) |
| Wave Golf Systems, Inc. | TW-811 EPT II WaveHawk | 9,10,12,13 | SOLE: WAVE HAWK, (line) (line), E•P•T, II, ENERGY POWER TRANSFER, (1 (loft) in inset) CROWN: (arrow alignment mark) view image here |
| Wave Golf Systems, Inc. | TW-811 EPT II WaveHawk (LH) | 9,10,11,12 | SOLE: WAVEHAWK, (line), E·P·T II, ENERGY POWER TRANSFER, (1 (loft) in triangular inset) CROWN: (triangle alignment mark) view image here |
| Wave Golf Systems, Inc. | W-809 T. 400 | 10 | SOLE: WAVE, GOLF, (line), (line), T. 400, Forged Titanium 1, (line) (loft) (line), W-809 CROWN: (arrow and dot alignment mark) view image here |
| Wayo Golf | Wayo Optimum Tour | 9 | SOLE: Wayo (w/ W logo), OPTIMUM TOUR, (Kanji characters), (loft), (recessed port w/ three lines) BACK: (weight port) FACE:Bora view image here |
| Westland Golf | Chicago Classic | 8.5 | SOLE: (PRECISION, FREQUENCY, MATCHED in outline), (line), CHICAGO CLASSIC, (line), (TITANIUM, (loft) in outline), 1 CROWN: (logo alignment mark) view image here |
| Williams | CO2 385cc | 9,10 | SOLE: (three punchmarks), CO2(2 subscript), FORGED TITANIUM, 385, (loft), (three punchmarks), ((quarter circle), WILLIAMS, (quarter circle) GOLF on oval insert) FACE:15-3-3-3 TI view image here |
| Williams | CO2 425cc (Version 1) | 9,11 | SOLE: (three punchmarks), CO2, FORGED TITANIUM, 425, (loft), (three punchmarks), ((quarter circle), WILLIAMS, (quarter circle) GOLF on oval insert) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|-------------------------|---------------|--|
| Williams | CO2 425cc (Version 2) | 10 | SOLE: (three punchmarks), CO2, FORGED TITANIUM, 425, (line), (loft), (three punchmarks), ((quarter circle), WILLIAMS, (quarter circle) GOLF on oval insert) FACE:15-3-3-3 TI |
| Williams | CO2 450 | 10 | SOLE: (three punchmarks), CO2, FORGED TITANIUM, 450, (line), (loft), (three punchmarks), ((quarter circle), WILLIAMS, (quarter circle) GOLF on oval insert) FACE:15-3-3-3 TI view image here |
| Williams | FW32 | 9,10 | SOLE: FW32, WILLIAMS, (weight insert), (DENSIMET® in recessed rectangle), (DENSIMET® in recessed rectangle) BACK: WILLIAMS F1 TEAM TECHNOLOGY TOE: AERODYNAMIC WING, (W in circle) HEEL: (loft) FACE:(WFTi media blast) view image here |
| Williams Racing Golf | FW32 | 8 | SOLE: FW32, WILLIAMS, (weight insert), (DENSIMET® in recessed rectangle), (DENSIMET® in recessed rectangle) BACK: WILLIAMS F1 TEAM TECHNOLOGY TOE: AERODYNAMIC WING, (W in circle) HEEL: (loft) FACE:(WFTi media blast) view image here |
| Williams Racing Golf | Williams MR (Version 2) | 7.5,9,10.5,12 | SOLE: (loft), WILLIAMS, (weight port), (curved line), (channel w/ denticle riblet pattern), MR TOE: W FACE:MRT (T in hexagon) view image here |
| Williams Sports | FW33 (Version 1) | 8,9,10,11 | SOLE: WILLIAMS, SPORTS, FW33, (loft), (W logo on circular inset) view image here |
| Williams Sports | FW33 (Version 2) | 8,9,10,11 | SOLE: WILLIAMS, SPORTS, FW33, (loft), (W logo on circular inset) FACE:+ view image here |
| Wilson Sporting Goods | 1200 SP | 10.5 | SOLE: Wilson., 1 (loft), (line), 1200 SP, (line), DISTANCE & ACCURACY view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|----------------------|---------------|--|
| Wilson Sporting Goods | 1200 TR | 10.5 | SOLE: 1 (loft), 1200 TR, (four curved lines media blast), Wilson., (OS DRIVER in half oval), DISTANCE & ACCURACY view image here |
| Wilson Sporting Goods | Aviator WST-380 | 10.5 | SOLE: AVIATOR, WST-380, Wilson, TITAN, 1, (loft) view image here |
| Wilson Sporting Goods | Deep Red (Version 1) | 10.5 | SOLE: (curved line), (curved line), Wilson, DEEP, (line media blast), RED, (loft), (curved line), (curved line) TOE: Power Weight • MOI CROWN: (triangle alignment mark) view image here |
| Wilson Sporting Goods | Deep Red (Version 2) | 10.5 | SOLE: Wilson, (DR logo), DEEP RED, (screw weight), -(loft)- CROWN: (flame graphic alignment mark) view image here |
| Wilson Sporting Goods | Deep Red 460 | 10.5 | SOLE: (oval w/ two dots), Wilson, DEEP, (line media blast), RED, 1 (loft), (oval w/ two dots), (POWER, WEIGHT on triangle insert) TOE: 460 CC, (line), Ti Forged CROWN: (triangle alignment mark) view image here |
| Wilson Sporting Goods | Deep Red II Maxx 425 | 9.5,10.5,11.5 | SOLE: (W on raised square), (DEEP RED over II), MAXX, (line), (loft) CROWN: (W alignment mark) view image here |
| Wilson Sporting Goods | Deep Red II Tour | 7.5,9,10.5,12 | SOLE: (W on raised square), (DEEP RED over II), TOUR, (line), (loft) CROWN: (W alignment mark) view image here |
| Wilson Sporting Goods | Deep Red Steel | 9,10.5,12 | SOLE: Wilson, (engraved curved line) (loft) 1, DEEP RED, STEEL BACK: DEEP RED CROWN: (W logo alignment mark) view image here |
| Wilson Sporting Goods | Deep Red WT100 | 10.5 | SOLE: (loft), (DR logo), DEEP RED, WT100, (three lines media blast) TOE: Wilson CROWN: (dot and arrow alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|-------------------------------|---------------|--|
| Wilson Sporting Goods | DynaPower | 9,10.5 | SOLE: 1 (loft), (recessed line), (W/S on shield logo) Dyna Power HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Wilson Sporting Goods | DYNAPWR | 8,9,10.5,13 | SOLE: DYNAPWR, (weight port), Wilson, (loft) TOE: (W/S on shield) CROWN: (V alignment mark), DYNAPWR HOSEL: (dot), (orientation indicators) FACE:PKR2 view image here |
| Wilson Sporting Goods | DYNAPWR (LH) | 10.5 | SOLE: DYNAPWR, Wilson, (weight port), (loft) TOE: (W/S on shield) CROWN: (V alignment mark), DYNAPWR HOSEL: (dot), (orientation indicators) FACE:PKR2 view image here |
| Wilson Sporting Goods | DYNAPWR Carbon (LH) | 9 | SOLE: DYNAPWR, CARBON, (weight port), Wilson, (loft) TOE: (W/S on shield) CROWN: (V alignment mark), DYNAPWR HOSEL: (dot), (orientation indicators) FACE:PKR2 view image here |
| Wilson Sporting Goods | DYNAPWR Carbon (Version 1) | 7,8,9,10.5,12 | SOLE: DYNAPWR, CARBON, (weight port), Wilson, (loft) TOE: (W/S on shield) CROWN: (V alignment mark), DYNAPWR HOSEL: (dot), (orientation indicators) FACE:PKR2 view image here |
| Wilson Sporting Goods | DYNAPWR Carbon (Version 2) | 8,9,10.5 | SOLE: DYNAPWR, Wilson, (weight port), (line)PKR-360(line), CARBON BACK: (weight port) TOE: (Wilson shield logo) CROWN: (D alignment mark), DYNAPWR HOSEL: (dot), (orientation indicator) HEEL: (loft) view image here |
| Wilson Sporting Goods | DYNAPWR LS | 8,9,10.5 | SOLE: DYNAPWR, (weight port), Wilson, (weight port), (line)PKR-360(line), LS TOE: (Wilson shield logo) CROWN: (D alignment mark), DYNAPWR HOSEL: (dot), (orientation indicator) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|-----------------|---------------|---|
| Wilson Sporting Goods | DYNAPWR Max | 9,10.5,12 | SOLE: DYNAPWR, NEUTRAL, Wilson, (line)PKR-360(line), MAX BACK: (weight port) TOE: (shield) CROWN: (D alignment mark), DYNAPWR HOSEL: (dot), (orientation indicator) HEEL: (loft) |
| Wilson Sporting Goods | Epoloc EC | 14 | SOLE: 1, (bent line), OVERSIZE, Epoloc EC, (three connecting squares), (Wilson on insert), TITANIUM, (bent line), DRIVER, (loft) TOE: (EASY & CUTE over square w/ three squares graphic) CROWN: (three squares graphic w/ lines alignment mark) view image here |
| Wilson Sporting Goods | Epoloc EF | 14 | SOLE: Wilson, EPOLOC, SPORTY (dot), EF, CASUAL (dot), GOLF (dot), -14- 1, TITANIUM CROWN: (three dots alignment mark) view image here |
| Wilson Sporting Goods | Epoloc LS | 14 | SOLE: Wilson, LOVE & SWEET STYLE, (recessed curved line), (curly graphic media blast) (gem insert) (gem insert) (curly graphic media blast), (heart insert), Epoloc, LS, TITANIUM, (loft) (club number/letter) CROWN: (dashed circle alignment mark) view image here |
| Wilson Sporting Goods | Epoloc SC | 14 | SOLE: Wilson, (curved line), (three stars), 1 (loft), Sporty Casual, Epoloc SC, (weight port) CROWN: (flower alignment mark) view image here |
| Wilson Sporting Goods | Fat Shaft | 7.5,9,10.5,12 | SOLE: (arrow and bullseye logo), FatShaft, HYPER TITANIUM, (W inset), (loft) 1, Wilson CROWN: (W alignment mark) view image here |
| Wilson Sporting Goods | Fat Shaft 360cc | 9,10.5 | SOLE: (arrow and bullseye logo), FatShaft, HYPER TITANIUM, (W inset), (loft) 1, Wilson, 360cc CROWN: (W alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|----------------------------|---------------|---|
| Wilson Sporting Goods | FatShaft Deep Red 305cc | 7.5,9,10.5,12 | SOLE: (arrow and bullseye logo), FatShaft, HYPER TITANIUM, (engraved W) (loft) 1, Wilson, DEEP RED BACK: 305 cc CROWN: (W logo alignment mark) |
| Wilson Sporting Goods | FatShaft Deep Red 365cc | ,7.5,10.5,12 | SOLE: (arrow and bullseye logo), FatShaft, HYPER TITANIUM, (W inset), (loft) 1, Wilson, DEEP RED BACK: 365cc CROWN: (W alignment mark) |
| Wilson Sporting Goods | FatShaft Deep Red 425cc | 7.5,9,10.5 | SOLE: (arrow and bullseye logo), FatShaft, BETA TITANIUM, (engraved curved line) (loft) 1, Wilson, DEEP RED BACK: 425 cc CROWN: (W logo alignment mark) |
| Wilson Sporting Goods | Grace Tiara | 13 | SOLE: (gem facsimile), ((tiara graphic), Grace Tiara w/in heart graphic), (club number/letter), (loft) TOE: Wilson CROWN: (diamond pattern graphic) view image here |
| Wilson Sporting Goods | Killer Whale | 10.5 | SOLE: Wilson, (line), (weight port), KILLER WHALE, (line), IX-A, (bent line), (loft) (club number/letter) CROWN: (two arrows alignment mark) view image here |
| Wilson Sporting Goods | Killer Whale 3 450 Ti | 10.5 | SOLE: Killer Whale 3, 450Ti, 1 (loft), (circular weight), (Wilson in oval), (circular weight) view image here |
| Wilson Sporting Goods | Killer Whale II 380 | 10.5 | SOLE: (line) POWER BALANCE SOLE (line), KILLER WHALE II, Forged Titanium 380, (W logo in square) Wilson, 1 (loft) CROWN: (W logo alignment mark) FACE:Titanium view image here |
| Wilson Sporting Goods | Killer Whale MXD | 10.5 | SOLE: Wilson, (KILLER WHALE over MXD media blast), 1 (loft), (bent line), (two raised bars in triangle), (weight port in recessed trapezoid), (two raised bars in triangle) BACK: FORGED TITANIUM TOE: (triangle graphic) MAX, DISTANCE CROWN: (W logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|---------------------|-------|---|
| Wilson Sporting Goods | Killer Whale SD 460 | 10.5 | SOLE: (curved line), Killer Whale, SD, Wilson, 460 TITANIUM, 1 (loft), (curved line), (circular weight on shield design) view image here |
| Wilson Sporting Goods | Killer Whale XE | 10.5 | SOLE: Wilson, EXTRA EASY, 1, (loft), Killer Whale, XE, 460 TITANIUM CROWN: (split arrow alignment mark) view image here |
| Wilson Sporting Goods | Lady Epoloc HT | 14 | SOLE: 1 (loft)., Sporty casual golf, (HT, EPOLOC, Wilson over media blast), TITANIUM <u>view image here</u> |
| Wilson Sporting Goods | Lady Tiara EX | 14 | SOLE: EX, Tiara, Wilson, (loft) 1, (crown graphic in oval), Gravity Control CROWN: (three dots alignment mark) view image here |
| Wilson Sporting Goods | Lady Tiara EX Ti | 14 | SOLE: EX, Tiara, Wilson, (loft) 1, (crown graphic in oval), Gravity Control CROWN: (three dots alignment mark) FACE:Titanium view image here |
| Wilson Sporting Goods | Lady Tiara ST | 14 | SOLE: ST, (loft) 1, Tiara, Wilson, (crown graphic in oval), Gravity Control CROWN: (three dots alignment mark) view image here |
| Wilson Sporting Goods | Lady Tiara ST Ti | 14 | SOLE: ST, Tiara, (loft) 1, Wilson, (crown graphic in oval), Gravity Control CROWN: (three dots alignment mark) FACE:Titanium view image here |
| Wilson Sporting Goods | Luxe Wilson Staff | 14 | SOLE: LUXE, (line Wilson Staff, DRIVER, (line), (loft), LOFT TOE: (segmented shield logo) CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Pro Staff VX | 10.5° | SOLE: 1, PROSTAFF, VX TITANIUM, (line) (loft) (line), (Wilson in oval) view image here |
| Wilson Sporting Goods | Promatrix DS | 10.5 | SOLE: TITANIUM 400, Promatrix, DS, Wilson, 1 (loft), DISTANCE & ACCURACY, (curved line) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|----------------------|-------|---|
| Wilson Sporting Goods | ProStaff Deep CG | 10.5 | SOLE: (loft), Wilson, PROSTAFF, DEEP, (CG logo) CROWN: ((triangle) (dot) (triangle) alignment mark) view image here |
| Wilson Sporting Goods | Prostaff GS460 | 10.5 | SOLE: GO STRAIGHT, Wilson, PROSTAFF, GS460 1, (loft), MAXIMAM DISTANCE, (weight port w/ three holes in recessed triangle) CROWN: (split arrow alignment mark) view image here |
| Wilson Sporting Goods | Prostaff GX | 10.5 | SOLE: Wilson, GX, PROSTAFF, (parallelogram), (parallelogram), (triangle), 1, (loft), Titanium, (parallelogram), (parallelogram), (triangle) BACK: (weight port) TOE: Power for Distance CROWN: (three hexagons alignment mark) view image here |
| Wilson Sporting Goods | ProStaff IZ | 10.5 | SOLE: Wilson, PROSTAFF, IZ, POWER FOR, DISTANCE, (bent line), TITANIUM, 450, (loft), (club number/letter) CROWN: (two curved lines alignment mark) view image here |
| Wilson Sporting Goods | Prostaff MAXX | 10.5 | SOLE: (Wilson in oval), PROSTAFF, MAXX, 1 (loft), OVER SIZE Ti, SUPER PERFORMANCE BACK: (circular weight) view image here |
| Wilson Sporting Goods | Prostaff NX | 10.5 | SOLE: Wilson, POWER FOR DISTANCE, (club number/letter) (loft), PROSTAFF NX CROWN: (two irregular Vs alignment mark) view image here |
| Wilson Sporting Goods | ProStaff Plus Ti-400 | 10.5 | SOLE: Ti-400, PROSTAFF, PLUS (+ in recessed circle), 1, (loft), Wilson FACE:Forged-Ti view image here |
| Wilson Sporting Goods | Prostaff RX | 10.5 | SOLE: (recessed curve), (loft), Wilson, PROSTAFF, RX, -POWER FOR DISTANCE-, (club number/letter), (recessed curve), (Titanium, 460, weight port on raised triangle) CROWN: (split arrow alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|-----------------|-------------|---|
| Wilson Sporting Goods | Prostaff RZ | 10.5 | SOLE: PROSTAFF, RZ, (weight port), (lightning media blast), (bent line), POWER FOR DISTANCE, Wilson, TITANIUM (club number/letter), (bent line), (loft), (lightning media blast) CROWN: (split arrows alignment mark) |
| Wilson Sporting Goods | Prostaff X 460V | 10.5 | SOLE: PROSTAFF, X 460V, (line), TITANIUM, Wilson, 1 (loft), POWER SOLE, DESIGN view image here |
| Wilson Sporting Goods | Reflex | 10.5 | SOLE: (loft), Wilson, REFLEX, (club number/letter) CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Reflex (Ladies) | 13 | SOLE: (loft), Wilson, REFLEX, (club number/letter) CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Sable | N/A | SOLE: Power Gravity, (Wilson in oval), Sable, 1 HEEL: WS-400 FACE:Titanium view image here |
| Wilson Sporting Goods | Smooth | 8,9,10.5,12 | SOLE: (loft), smooth, Wilson Staff, (curved line), (W/S on shield logo), 460cc CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Smooth (LH) | 10.5 | SOLE: (loft), (W/S on shield logo), (curved line), smooth, Wilson Staff, 460cc CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Smooth Offset | 12 | SOLE: (loft), OFFSET, smooth, Wilson Staff, (curved line), (W/S on shield logo), 460cc CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Staff Dd6+ 460 | 8 | SOLE: Wilson Staff, Dd6+, (loft), (W/S on shield Logo) TOE: EFT460TM, Energy Transfer Frame, (2 lines) CROWN: (arrow alignment mark) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|------------------------------|-------|--|
| Wilson Sporting Goods | Staff Nc7 420 (Version 1) | 9,10 | SOLE: Wilson Staff, (W/S on shield logo), 420, (loft) BACK: (Nc7 on triangle insert) TOE: Multi Compo, Nc7 420TM (two vertical lines) view image here |
| Wilson Sporting Goods | Staff Nc7 420 (Version 2) | 9 | SOLE: Wilson Staff, (W/S on shield logo), 420, (loft)(dot) BACK: (Nc7 on triangle insert) TOE: Multi Compo, Nc7 420TM (two vertical lines) FACE:(milled score lines) |
| Wilson Sporting Goods | Staff Nc7 420 (Version 3) | 10 | SOLE: Wilson Staff, (W/S on shield logo), 420, (loft) BACK: (Nc7 on triangle insert) TOE: Multi Compo, Nc7 420TM (two vertical lines) FACE:(milled score lines) view image here |
| Wilson Sporting Goods | Tiara ES | N/A | SOLE: (crown graphic), ES, TIARA, Wilson, EASY & HIGH DESIGN, 1, (weight port) CROWN: (segmented W alignment mark) view image here |
| Wilson Sporting Goods | Tiara ES 345cc | 14 | SOLE: (crown graphic), ES (diamond), Tiara, Wilson, EASY & HIGH DESIGN, 1, (weight port) CROWN: (crown like W alignment mark) view image here |
| Wilson Sporting Goods | Tiara ES 450cc | 14 | SOLE: (crown graphic), ES (diamond), Tiara, Wilson, EASY & HIGH DESIGN, 1, TITANIUM, (weight port) CROWN: (crown like W alignment mark) view image here |
| Wilson Sporting Goods | Tiara ES Titanium | N/A | SOLE: (crown graphic), ES, TIARA, Wilson, EASY & HIGH DESIGN, 1, TITANIUM, (weight port) CROWN: (segmented W alignment mark) view image here |
| Wilson Sporting Goods | Tiara HT | 14 | SOLE: (dot) Advanced Tech (dot), (crown graphic), HT, Tiara, 1, (loft), Wilson CROWN: (three dots alignment mark) FACE:Titanium view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|----------------------------------|-------|--|
| Wilson Sporting Goods | Tiara HT (Aluminum) | 14 | SOLE: (dot) Advanced Tech (dot), (crown graphic), HT, Tiara, 1, (loft), Wilson CROWN: (three dots alignment mark) view image here |
| Wilson Sporting Goods | Tiara is | 14 | SOLE: (three gem facsimiles w/in teardrop), (tiara graphic), is, Tiara, (club number/letter), (loft) TOE: Wilson CROWN: (two arrows alignment mark) |
| Wilson Sporting Goods | Tiara LS Aluminum | 14 | view image here SOLE: (crown graphic), LS, TIARA, (loft) |
| | | | (club number/letter), (three gems), Wilson CROWN: (segmented W alignment mark) |
| | | | view image here |
| Wilson Sporting Goods | Tiara LS Titanium | 14 | SOLE: (crown graphic), LS, TIARA, TITANIUM, (loft) (club number/letter), (three gems), Wilson CROWN: (segmented W alignment mark) |
| | | | <u>view image here</u> |
| Wilson Sporting Goods | Tiara MODA | 14 | SOLE: (club number/letter), (loft), (tiara graphic), Tiara, MODA TOE: Wilson CROWN: (triangle alignment mark) view image here |
| Wilson Sporting Goods | Tiara Niino | 14 | SOLE: (loft), (club number/letter), W, Tiara, Niino CROWN: (diamond alignment mark) view image here |
| Wilson Sporting Goods | Tiara PS | 14 | SOLE: Wilson, (curved line), (crown graphic), PS, TIARA, BEAUTY IN A STATE -OF-THE-ART DESIGN, (loft) (club number/letter), (three gems) CROWN: (segmented W alignment mark) view image here |
| Wilson Sporting Goods | Tiara PS Titanium | 14 | SOLE: Wilson, (curved line), (crown graphic), PS, TIARA, BEAUTY IN A STATE -OF-THE-ART DESIGN, TITANIUM (loft) (club number/letter), (three gems) CROWN: (segmented W alignment mark) view image here |
| Wilson Sporting Goods | Ultra DCG Deep CG (Version 1) | 10.5 | SOLE: (loft), Wilson, Ultra DCG, DEEP, (CG logo) CROWN: ((triangle) (dot) (triangle) alignment mark) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|----------------------------------|-------|--|
| Wilson Sporting Goods | Ultra DCG Deep CG (Version 2) | 14 | SOLE: (loft), Wilson, Ultra DCG, (two recessed quadrilaterals), (curved line), DEEP, (CG logo) CROWN: ((triangle) (dot) (triangle) alignment mark) |
| Wilson Sporting Goods | Ultra Ex | 10.5 | SOLE: (loft), 1, Wilson, ULTRA, (two recessed lines) EX, (circular weight) TOE: EASY DRIVE, (two lines) CROWN: (three fading lines alignment mark) view image here |
| Wilson Sporting Goods | Ultra EZ 400 Ti (Version 2) | 10.5 | SOLE: (arrow) ULTRA (arrow), 1. (loft), POWER TRAJECTORY BACK: (Wilson on oval insert) TOE: 400Ti, EZ view image here |
| Wilson Sporting Goods | Ultra IS | 10.5 | SOLE: ULTRA, IS, (club number/letter), (loft), Wilson, (weight port) CROWN: (two curved lines alignment mark) HEEL: TITANIUM 460 view image here |
| Wilson Sporting Goods | Ultra Maxx | 10.5 | SOLE: ULTRA, MAXX, Wilson, TITANIUM 460, 1 (loft), SUPER DISTANCE & ACCURACY, (curved line) view image here |
| Wilson Sporting Goods | Ultra MOI 460cc | 10.5 | SOLE: 460cc, ULTRA (M-O-I in oval), MOMENT OF INERTIA, (loft) BACK: (five ovals), (five dots), Wilson CROWN: (arrow alignment mark) HEEL: TITANIUM MATRIX view image here |
| Wilson Sporting Goods | Ultra PWS | 10.5 | SOLE: Ti, ULTRA PWS, PERIMETER WEIGHTING SYSTEM, Wilson, 1, (loft) view image here |
| Wilson Sporting Goods | Ultra SD | 10.5 | SOLE: Super Distance Model, ULTRA SD, (Wilson in oval), 1, (loft) FACE:TITANIUM view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|-----------------------------|-----------|--|
| Wilson Sporting Goods | Ultra XD type R | 10.5 | SOLE: (scalene triangle) (parallelogram) (parallelogram), Wilson, ULTRA, XD, DRIVER, (type, R in outlined hexagon), (scalene triangle) (parallelogram) (parallelogram), (loft) TOE: (three triangles), BIG EASY CROWN: (split arrow alignment mark) view image here |
| Wilson Sporting Goods | Ultra XS | 10.5 | SOLE: (line), (line), (loft), (dot), Wilson, (two dots) (weight port) ULTRA, XS, (dot), (club number/letter), TITANIUM 450, (line), (line) CROWN: (two curved lines alignment mark) view image here |
| Wilson Sporting Goods | Wilson Staff 400 | 7.5 | SOLE: (loft), Wilson Staff, (line), 400, (rounded rectangular insert) TOE: Cb Ti, (line), COMPOSITE™ CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Wilson Staff C300 | 9,10.5,12 | SOLE: C300, (W/S on shield), (loft) TOE: Wilson Staff CROWN: (W/S shield alignment mark), POWER HOLES HOSEL: (dot) HEEL: FLX FACE view image here |
| Wilson Sporting Goods | Wilson Staff C300 (LH) | 10.5 | SOLE: C300, (W/S on shield), (loft) TOE: Wilson Staff CROWN: (W/S shield alignment mark), POWER HOLES HOSEL: (dot) HEEL: FLX FACE view image here |
| Wilson Sporting Goods | Wilson Staff Cortex | 9,10.5,12 | SOLE: (W/S on shield), NEUTRAL, CORTEX, HIGH, LOW, (loft), DRAW CROWN: (triangle alignment mark), DVD2 HEEL: Wilson view image here |
| Wilson Sporting Goods | Wilson Staff Cortex (LH) | 10.5 | SOLE: (W/S on shield), NEUTRAL, CORTEX, LOW, HIGH, (loft), DRAW CROWN: (triangle alignment mark), DVD2 HEEL: Wilson view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|----------------------------------|-----------|---|
| Wilson Sporting Goods | Wilson Staff D-100 Superlight | 9,10.5,12 | SOLE: SUPERLIGHT, Wilson Staff, D(triangle)100, (loft) TOE: (W/S on shield logo) CROWN: (wing graphic alignement mark) FACE:(W/S shield logo) view image here |
| Wilson Sporting Goods | Wilson Staff D-200 | 9,10.5,13 | SOLE: SUPER LIGHT, REACTIVE FACE, Wilson Staff, D(triangle)200, (loft), (port screw) TOE: (W/S on shield) CROWN: (divot tool alignment mark), RIGHT LIGHT (bent line), TECHNOLOGY, (triangle) HOSEL: (dot), (dot orientation indicators), (orientation indicators) view image here |
| Wilson Sporting Goods | Wilson Staff D300 | 9,10.5,13 | SOLE: D300, (W/S on shield), (loft), SUPERLIGHT TOE: Wilson Staff CROWN: (divot tool alignment mark), MICRO VORTEX GENERATORS view image here |
| Wilson Sporting Goods | Wilson Staff D7 | 9,10.5,13 | SOLE: D7, (W/S on shield) BACK: (loft), DYNAMIC LAUNCH CONTROL TOE: RE•AKT CROWN: (V alignment mark), [K]OMPOSITE HEEL: Wilson |
| Wilson Sporting Goods | Wilson Staff D7 (LH) | 10.5 | SOLE: DYNAMIC LAUNCH CONTROL, (W/S on shield), D7, (loft) TOE: RE•AKT CROWN: (V alignment mark), [K]OMPOSITE HEEL: Wilson view image here |
| Wilson Sporting Goods | Wilson Staff D7 (Women's) | 13.5 | SOLE: D7, (W/S on shield) BACK: (loft), DYNAMIC LAUNCH CONTROL TOE: RE•AKT CROWN: (V alignment mark), [K]OMPOSITE HEEL: Wilson |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|---------------------------------|------------------|--|
| Wilson Sporting Goods | Wilson Staff D9 | 8.5,9,10.5,13 | SOLE: D9, INTELLIGENT, DESIGN, (weight port), (loft) TOE: (W/S on shield) CROWN: (V alignment mark), [K]OMPOSITE HEEL: Wilson FACE:PKR |
| Wilson Sporting Goods | Wilson Staff Dd5 Nano Ti 460 | 8.5,10,11.5 | SOLE: (loft), (W/S on shield logo), Wilson Staff, (line), Dd5 BACK: (decorative rectangle insert) TOE: Nano Ti460 TM, US PAT. #6,676,535 CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Wilson Staff Dd6 460 | 8.5,10,11.5,12.5 | SOLE: Wilson Staff, Dd6 - (loft), (weight port) (weight port), (W/S on shield logo) TOE: ETF460™, Energy Transfer Frame, (two lines) CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Wilson Staff Dd6+ 460 | 9,10.5,13 | SOLE: Wilson Staff, Dd6+, (loft), (W/S on shield logo) TOE: ETF460TM, Energy Transfer Frame, (two lines) CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Wilson Staff Dd6+ 460 (LH) | 10.5 | SOLE: Wilson Staff, Dd6+, (loft), (W/S on shield logo) TOE: ETF460TM, Energy Transfer Frame, (two lines) CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Wilson Staff Dd6+ 460 Offset | 12 | SOLE: Wilson Staff, Dd6+, (loft) (bent line) OFFSET, (W/S on shield logo) TOE: ETF460TM, Energy Transfer Frame, (two lines) CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Wilson Staff DXi | 8,9,10.5,12 | SOLE: (7.5g on weight insert), (loft), DXi (i w/ triangle), Wilson Staff, 460cc, (7.5g on weight insert) BACK: (W/S on shield) TOE: (segmented line), TRAJECTORY, CONTROL CROWN: (wing graphic alignement mark) FACE:(shield media blast) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|--------------------------------------|-----------|---|
| Wilson Sporting Goods | Wilson Staff DXi (LH) | 10.5 | SOLE: (7.5g on weight insert), (loft), DXi (i w/ triangle), Wilson Staff, 460cc, (7.5g on weight insert) BACK: (W/S on shield) TOE: (segmented line), TRAJECTORY, CONTROL CROWN: (wing graphic alignement mark) FACE:(shield media blast) view image here |
| Wilson Sporting Goods | Wilson Staff DXi (Womens) | 12 | SOLE: (10g on weight insert), (loft), DXi (i w/ triangle), Wilson Staff, 460cc, 10g, (10g on weight insert) BACK: (W/S on shield) TOE: (segmented line), TRAJECTORY, CONTROL CROWN: (wing graphic alignement mark) FACE:(shield media blast) view image here |
| Wilson Sporting Goods | Wilson Staff DXi HL | N/A | SOLE: (10g on weight insert), HL, DXi (i w/ triangle), Wilson Staff, 460cc, (10g on weight insert) BACK: (W/S on shield) TOE: (segmented line), TRAJECTORY, CONTROL CROWN: (wing graphic alignement mark) FACE:(shield media blast) |
| Wilson Sporting Goods | Wilson Staff DXi HL (Womens) | N/A | SOLE: (10g on weight insert), HL, DXi (i w/ triangle), Wilson Staff, 460cc, 10g, (10g on weight insert) BACK: (W/S on shield) TOE: (segmented line), TRAJECTORY, CONTROL CROWN: (wing graphic alignement mark) FACE:(shield media blast) view image here |
| Wilson Sporting Goods | Wilson Staff DXi Super Light | 9,10.5,12 | SOLE: (loft), DXi (i w/ triangle), Wilson Staff, SUPERLIGHT TOE: (W/S on shield) CROWN: (wing graphic alignement mark) FACE:(shield w/ line graphic) view image here |
| Wilson Sporting Goods | Wilson Staff DXi Super Light (LH) | 10.5 | SOLE: DXi (i w/ triangle), (loft), Wilson Staff, SUPERLIGHT TOE: (W/S on shield) CROWN: (wing graphic alignement mark) FACE:(shield w/ line graphic) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|------------------------------------|------------------------|--|
| Wilson Sporting Goods | Wilson Staff DXi Super Light HL | N/A | SOLE: HL, DXi (i w/ triangle), Wilson Staff, SUPERLIGHT TOE: (W/S on shield) CROWN: (wing graphic alignement mark) FACE:(shield w/ line graphic) view image here |
| Wilson Sporting Goods | Wilson Staff FG Tour F5 | 9,10.5 | SOLE: F5, MULTI FIT (line) (lines), (line) (weight), SYSTEM, FG TOUR, (lines), (loft), (port screw) TOE: (line), (W/S on shield) CROWN: (divot tool alignment mark), REACTIVE FACE HOSEL: (dot), (orientation indicators) HEEL: Wilson Staff view image here |
| Wilson Sporting Goods | Wilson Staff FG Tour F5 (LH) | 9 | SOLE: F5, (lines), SYSTEM, (line), (weight), (lines), FG TOUR, (line), MULTI FIT, (loft), (port screw) TOE: (W/S on shield), (line) CROWN: REACTIVE FACE, (divot tool alignment mark) HOSEL: (dot), (orientation indicators) HEEL: Wilson Staff |
| Wilson Sporting Goods | Wilson Staff FG Tour M3 | 8.5,9,9.5,10.5,11,11.5 | SOLE: (curved line), FG TOUR, (curved line), (weight), M3 TOE: (W/S on shield), (bent line), MULTI FIT SYSTEM CROWN: (divot tool alignment mark) HOSEL: (line), (orientation indicators), (lofts) HEEL: Wilson Staff, (bent line), (port screw) view image here |
| Wilson Sporting Goods | Wilson Staff Launch Pad | 9,10.5,13 | SOLE: LP, LAUNCH PAD, DRAW-BIAS, (loft), Wilson TOE: (W/S on shield) CROWN: (triangle alignment mark), LAUNCH PAD view image here |
| Wilson Sporting Goods | Wilson Staff Launch Pad (LH) | 10.5 | SOLE: LP, LAUNCH PAD, (loft), DRAW-BIAS, Wilson TOE: (W/S on shield) CROWN: (triangle alignment mark), LAUNCH PAD view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|--------------------------------------|---------|---|
| Wilson Sporting Goods | Wilson Staff Launch Pad (Women's) | HL | SOLE: LP, LAUNCH PAD, DRAW-BIAS, HL, Wilson TOE: (W/S on shield) CROWN: (triangle alignment mark), LAUNCH PAD view image here |
| Wilson Sporting Goods | Wilson Staff Ld6 360 | 14 | SOLE: Wilson Staff, Ld6 - (loft), (weight port) (weight port), (W/S on shield logo) TOE: ETF360™, Energy Transfer Frame, (two lines) CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Wilson Staff Model | 6.5,7.5 | SOLE: (weigh port), STAFF, MODEL, (W/S on shield), Wilson TOE: (four stars) CROWN: (star alignment mark) HOSEL: (dot) HEEL: (loft) FACE:PKR |
| Wilson Sporting Goods | Wilson Staff Nc6 450 (Version 1) | 9,10,11 | SOLE: Wilson Staff, Nc6-(loft), (W/S on shield logo), (punchmark), (four punchmarks), (four punchmarks), (four dashes), (kidney shaped indentation), (four dashes) TOE: Multi Compo, ETF450TM (two vertical lines) |
| Wilson Sporting Goods | Wilson Staff Nc6 450 (Version 2) | 10 | SOLE: Wilson Staff, Nc6-(loft w/ underline), (W/S on shield logo), (punchmark), (four punchmarks), (four dashes), (kidney shaped indentation), (four dashes) TOE: Multi Compo, ETF450TM (two vertical lines) |
| Wilson Sporting Goods | Wilson Staff Nc7 420 (Version 3) | 9 | SOLE: Wilson Staff, (W/S on shield logo), 420, (loft) BACK: (Nc7 on triangle insert) TOE: Multi Compo, Nc7 420TM (two vertical lines) view image here |
| Wilson Sporting Goods | Wilson Staff Nc7 450 | 9,10,11 | SOLE: Wilson Staff, (W/S on shield logo), 450, (loft) BACK: (Nc7 on triangle insert) TOE: Multi Compo, Nc7 450TM (two vertical lines) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|---------------------------------|--------------------|---|
| Wilson Sporting Goods | Wilson Staff Nd6 460 | 9,10,11 | SOLE: Wilson Staff, Nd6-(loft), (W/S on shield logo), (punchmark), (four punchmarks), (four punchmarks), (four dashes), (kidney shaped indentation), (four dashes) TOE: Multi Compo, ETF460TM (two vertical lines) |
| Wilson Sporting Goods | Wilson Staff Pd5 Nano Ti 400 | 7.5,8.5,10,11.5,13 | SOLE: (loft), (W/S on shield logo), Wilson Staff, (line), Pd5 BACK: (decorative rectangle insert) TOE: Nano Ti400 TM, US PAT. #6,676,535 CROWN: (arrow alignment mark) |
| Wilson Sporting Goods | Wilson Staff Pd6 410 | 7.5,8.5,10,11.5 | SOLE: Wilson Staff, Pd6 - (loft), (weight port) (weight port), (W/S on shield logo) TOE: ETF410™, Energy Transfer Frame, (two lines) CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Wilson Staff Spine | 9,10.5,12 | SOLE: ((W/S on shield logo), (three rounded trapezoids) on recessed insert), spine, Wilson Staff, (loft on recessed insert) TOE: (right triangle), HIGH MOI, LOW CG, (right triangle) CROWN: (shield alignment mark, three rounded trapezoids) view image here |
| Wilson Sporting Goods | Wilson Staff Spine (LH) | 10.5 | SOLE: (loft on recessed insert), spine, Wilson Staff, ((W/S on shield logo), (three rounded trapezoids) on recessed insert) TOE: (right triangle), HIGH MOI, LOW CG, (right triangle) CROWN: (shield alignment mark), (three rounded trapezoids) view image here |
| Wilson Sporting Goods | Wilson Staff Tab 350 A | 9 | SOLE: (recessed oval outline), Wilson (W/S on shield logo) Staff 1, (loft)., Tab 350 A, (recessed oval outline) view image here |
| Wilson Sporting Goods | Wilson Staff Tab 350 B | 9 | SOLE: (recessed oval outline), Wilson (W/S on shield logo) Staff 1, (loft)., Tab 350 B, (recessed oval outline) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|---------------------------------|-----------------|---|
| Wilson Sporting Goods | Wilson Staff Tab 400 T | 9 | SOLE: (oval), Wilson (W/S on shield logo) Staff 1, (loft)., Tab400 T, (oval) CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Wilson Staff Tab 400. T | 9 | SOLE: (oval), Wilson (W/S on shield logo) Staff 1, (loft)., Tab400.T, (oval) CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Wilson Staff Td5 | 9,10.5 | SOLE: (loft), (W/S on shield logo), Ti, Wilson Staff, Td5 CROWN: (arrow alignment mark) view image here |
| Wilson Sporting Goods | Wilson Staff Triton DVD | 9,10.5,12 | SOLE: SWING ACTIVE TECHNOLOGY, (loft), Wilson Staff, TRITON, DVD TOE: (W/S on shield) CROWN: (line alignment marker) HOSEL: (dot) FACE:(W/S on shield) |
| | | | <u>view image here</u> |
| Wilson Sporting Goods | Wilson Staff Triton DVD (LH) | 10.5 | SOLE: SWING ACTIVE TECHNOLOGY, (loft), Wilson Staff, TRITON, DVD TOE: (W/S on shield) CROWN: (line alignment marker) HOSEL: (dot) FACE:(W/S on shield) view image here |
| Wilson Sporting Goods | Wilson Ultra i8 | 10.5 | SOLE: Wilson, ULTRA, i8, (club number/letter), (loft) BACK: TITANIUM 460 CROWN: (V alignment mark) view image here |
| Wilson Sporting Goods | WLabs | 6.5,7.5,8.5,9.5 | SOLE: (TIGHTEN>>>4.7NM (number) GRAMS on weight port), W Labs TOE: (four stars) HOSEL: (dot) HEEL: (loft) FACE:PKR view image here |
| Wilson Sporting Goods | X-31 I/V | 10.5 | SOLE: Wilson, X-31 I/V, (loft), (club number/letter in parallelogram) CROWN: (double arrow alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|--|---------|--|
| Wilson Sporting Goods | X-31 Low CG | 10.5,14 | SOLE: Wilson, X-31, (loft), LOW, (CG logo), (curved line) CROWN: ((triangle) (dot) (triangle) alignment mark) view image here |
| Wilson Sporting Goods | X-31 SE | 10.5 | SOLE: (three lines), Wilson, X-31 SE, STRAIGHT, &, EASY, (loft) 1, (three lines), (line) (X-31 on insert) (line) CROWN: (X over X alignment mark) view image here |
| Wilson Sporting Goods | X-31 ZR | 10.5 | SOLE: SUPER LONG DISTANCE, X-31 ZR, Wilson, 1 (loft), 460 view image here |
| Winbird Co Ltd | Passaggio 400 Foremaster (prototype) | 13.5 | SOLE: PASSAGGIO, 400, foremaster, WINBIRD, ß-TITANIUM HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Winbird Co Ltd | Passaggio 430 Foremaster | N/A | SOLE: PASSAGGIO, 430, foremaster, WINBIRD, ß-TITANIUM HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Winbird Co Ltd | Passaggio 460 | N/A | SOLE: 460, PASSAGGIO, (curved line) WINBIRD, TITANIUM HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Winbird Co Ltd | Vertex 400 S-1 | N/A | SOLE: S-1., GA-Ti MMF, (curved line), Vertex, 400, (curved line), LASER SCORING, WINBIRD, (logo) TOE: (logo) view image here |
| Winbird Co Ltd | Vertex 430 | 10 | SOLE: SUPER FACE, (curved line),Ti (underlined), Vertex, 430, (curved line), TECHNO MASTERS, WINBIRD, (in shape) HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Winbird Co Ltd | Vertex 450 | N/A | SOLE: GA-Ti MMF, (curved line), Vertex, 450, (curved line), WINBIRD, (logo) BACK: (logo) HEEL: (DWS logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|-------------------|-------|--|
| Winbird Co Ltd | Vertex 460 G/T | N/A | SOLE: SUPER FACE, (curved line), Ti (underlined), Vertex, 460, (curved line), TECHNO MASTERS, G/T WINBIRD HEEL: Conforms to, R&A/USGA, SLE rules |
| Winbird Co Ltd | Vertex 460 H/T | N/A | SOLE: SUPER FACE, (curved line), Ti (underlined), Vertex, 460, (curved line), TECHNO MASTERS, H/T WINBIRD HEEL: Conforms to, R&A/USGA, SLE rules |
| Winbird Co Ltd | Vertex 460 L/T | 9.5 | SOLE: SUPER FACE, (curved line), Vertex, 460, (curved line), TECHNO MASTERS, L/T WINBIRD HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Winbird Co Ltd | Vertex at 460 HT | N/A | SOLE: HT, (logo), Vertex, (logo), at 460, WINBIRD HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Winbird Co Ltd | Vertex at 460 MT | N/A | SOLE: MT, (logo), Vertex, (logo), at 460, WINBIRD HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Winbird Co Ltd | Vertex at 460S HT | N/A | SOLE: WINBIRD, (logo), HT, Vertex, (logo), at 460s HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Winbird Co Ltd | Vertex at 460S MT | N/A | SOLE: WINBIRD, (logo), MT, Vertex, (logo), at 460s HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Winbird Co Ltd | Vertex FF 460 H-T | N/A | SOLE: Fine, Fit 460, H-T Vertex, WINBIRD HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Winbird Co Ltd | Vertex FF 460 M-T | N/A | SOLE: Fine, Fit 460, M-T Vertex, WINBIRD HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Winbird Co Ltd | Vertex Pro 300 | N/A | SOLE: FORGED, TITANIUM, TOUGHNESSS, 1 Vertex, Pro 300, WINBIRD view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|----------------|--------------------------|---------------------|--|
| Winbird Co Ltd | Vertex Prototype 430 | N/A | SOLE: Vertex, (line), prototype 430, WINBIRD HEEL: Conforms to, R&A/USGA, SLE rules <u>view image here</u> |
| Winbird Co Ltd | ZV 460 | 10.5 | SOLE: TITANIUM, (loft) ZV 460, WINBIRD HEEL: Conforms to, R&A/USGA, SLE rules view image here |
| Works Co Ltd | Bisser (Version 1) | 13 | SOLE: Bisser, design for cutiegolfer(heart graphic), (four squares in square graphic), (Works logo)WORKS, 1(loft) view image here |
| Works Co Ltd | Bisser (Version 2) | 13 | SOLE: Bisser, (heart graphic), design for cutiegolfer (heart graphic), (four squares in square graphic), Actworks, 1(loft) CROWN: (heart graphic alignment mark) HEEL: (Works logo)WORKS |
| Works Co Ltd | CBR | 6,7,8,9.5,10.5,11.5 | SOLE: (loft), ((two lines), CBR over media blast R), (arrow) POWERD CUP WELD+WIDE REPULSION FACE (arrow), Dynaworks TOE: Six Fins Aero Body HOSEL: (logo) WORKS |
| Works Co Ltd | CBR3 | 5,6,7,8,9.5,10.5 | SOLE: (curved line) D.D.G.S., (line)CB R3, (segmented triangle logo)Dynaworks, 460/ (loft), (curved line) D.D.G.S. BACK: (R3 on recessed rectangular insert) TOE: Dual Ducted Gravity System HOSEL: (Works logo) WORKS |
| Works Co Ltd | Distance Rod 460 | 6,7,8,9.5,10.5 | SOLE: 460/(loft), (line) rod, (two lines)Distance (Works logo)WORKS BACK: CYCLONE POWER FACE TOE: (Works logo)W |
| Works Co Ltd | Distance Rod 460 (LH) | 10 | SOLE: 460/(loft), (line) rod, (Works logo)WORKS (two lines)Distance TOE: (Works logo)W |
| Works Co Ltd | Distance Rod WFD 460 | 14 | SOLE: 460/(loft), WFD, (line) rod, (two lines)Distance (Works logo)WORKS BACK: CYCLONE POWER FACE TOE: (Works logo)W |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------------|----------|---|
| Works Co Ltd | DR-X 460 | 10.5 | SOLE: DR-X, (Works logo)WORKS, 460, (loft) HEEL: EXTRA DRIVING view image here |
| Works Co Ltd | Dyna Exsior | 11.5 | SOLE: Ultra 1.5, Dyna Exsior, Forged TiX, Works, 360 (underlined), (loft) BACK: Inner Back Gravity TOE: (W logo) FACE:TPF, HHP view image here |
| Works Co Ltd | Dyna Formula 450R | 5,6,7 | SOLE: DYNA, Formula 450R, (Works logo)WORKS, (loft), PROTO SPEC, powered by SP-700 ß-Ti TOE: (Works logo)W |
| Works Co Ltd | Dyna Super Force Classic | 10.5 | SOLE: Dyna, Super Force, 1 (loft), TiX, Specialized Material, Classic, Works view image here |
| Works Co Ltd | Evolution | 9.5,10.5 | SOLE: Dyna, Super Force, 1 (loft) Ti X, Specialized Material, Evolution, Works view image here |
| Works Co Ltd | Foresight | 11 | SOLE: FORESIGHT, GROUND DRIVER, A (w/ two lines)ccworks, (parallelogram), (loft) HOSEL: (three lines) WORKS view image here |
| Works Co Ltd | Hisho | 9.5,10.5 | SOLE: (kanji characters), HISHO, (dragon media blast), (logo on inset), ///WORKS CROWN: (decorative pattern) HEEL: (loft) FACE:DAT55G+Ti view image here |
| Works Co Ltd | Hisho Dragon | N/A | SOLE: (kanji characters), HISHO, (dragon media blast), (logo on inset), ///WORKS CROWN: (decorative pattern) HEEL: DRAGON FACE:DAT55G+Ti view image here |
| Works Co Ltd | Hyper Blade (Sigma) | 9.5 | SOLE: (HYPER, BLADE over sigma media blast logo), Act works, 460 / (loft), (sigma logo on inset), HIGH-BACK C.G, SIGMAX FACE CROWN: (3 curved lines), 0.6, 0.5, 0.4, MULTI-GRADUAL-THICKNESS CROWN HOSEL: (logo) WORKS view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|------------------------------------|------------------|--|
| Works Co Ltd | Hyper Blade (Sigma) (LH) | 9.5,10.5 | SOLE: (HYPER, BLADE over sigma media blast logo), Act works, 460 / (loft), (sigma logo on inset), SIGMAX FACE, HIGH-BACK C.G CROWN: (3 curved lines), 0.4, 0.5, 0.6, MULTI-GRADUAL-THICKNESS CROWN HOSEL: (logo) WORKS FACE:(sigma media blast logo) |
| Works Co Ltd | Hyper Blade (Sigma) (Version 2) | 10.5 | SOLE: (HYPER, BLADE over sigma media blast logo), Act works, 460 / (loft), (sigma logo on inset), HIGH-BACK C.G, SIGMAX FACE CROWN: (3 curved lines), 0.6, 0.5, 0.4, MULTI-GRADUAL-THICKNESS CROWN HOSEL: (logo) WORKS FACE:(sigma logo)AX, (sigma media blast logo) |
| Works Co Ltd | Hyper Blade Cyclone 1.8 440 | 5,6,7,8,10.5 | SOLE: HYPER BLADE, (Works logo)WORKS, CYCLONE1.8 440/(loft) view image here |
| Works Co Ltd | Hyper Blade Cyclone 440 | 5,6,7,8,9.5,10.5 | SOLE: HYPER BLADE, (Works logo)WORKS, CYCLONE 440/(loft) view image here |
| Works Co Ltd | Hyper Blade Gamma 460 | 9.5,10.5 | SOLE: 460, (three point star), (loft), HYPER, (BLADE over gamma symbol media blast), Actworks (w/ partial triangle w/ two slashes A logo) CROWN: (three curved lines) |
| Works Co Ltd | Hyper Blade Gamma 460 (LH) | 9.5,10.5 | SOLE: HYPER, (BLADE over gamma symbol media blast), 460, (three point star), (loft), Actworks (w/ partial triangle w/ two slashes A logo) CROWN: (three curved lines) |
| Works Co Ltd | Hyper Blade Infinity 460 | 9.5,10.5 | SOLE: DELTA MOI PERFORMANCE, 460/ (loft), (Works logo)WORKS, HYPER BLADE (infinity symbol) TOE: (Works logo)W |
| Works Co Ltd | Hyper Blade SV | 9.5,10.5 | SOLE: HYPER, BLADE SV, Actworks (w/ A graphic), (line), 460/(loft) HEEL: (Works logo)WORKS view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------|---------------|--|
| Works Co Ltd | Mach | N/A | SOLE: (M logo on inset), MACH, (logo), SUPERSONIC SPEED FACE:///WORKS view image here |
| Works Co Ltd | Maxi Max Spade | 9.5,10.5,12.5 | SOLE: 460/(loft), MaxiMax, (line) (line), spade, Dynaworks (w/ D logo) BACK: POWERED CUP BODY TOE: (segmented arrow graphic) HEEL: (Works logo)WORKS view image here |
| Works Co Ltd | Maximax | 10.5 | SOLE: Maximax, Make a Maximum Distance, 1 335 (underlined), (loft), Forged Ti, T.P.F +HHP, Works FACE:TPF [underlined] HHP view image here |
| Works Co Ltd | Maximax (LH) | 10 | SOLE: Maximax, (logo), 460, (logo), (loft), Actworks HOSEL: WORKS view image here |
| Works Co Ltd | Maximax Actworks (Version 2) | 9.5,10.5 | SOLE: Maximax, 460, (media blast logo), (loft), (media blast logo), Actworks HOSEL: (logo) WORKS view image here |
| Works Co Ltd | Maximax Actworks T-Bar Crown | 9.5,10.5 | SOLE: (Maximax over media blast logo), Actworks, (media blast logo), (cross logo with decorative gem), (media blast logo), (logo), (logo) CROWN: (logo), T-Bar Crown, (logo) HOSEL: (angled lines), WORKS HEEL: (loft) FACE:(media blast logo) |
| Works Co Ltd | Maximax CBR Pro Spec | 5,6,7,8,10.5 | SOLE: CarbonRevolution 450, (loft)LOFT, PRO SPEC, (MAXIMAX in rectangle), CBR, (Works logo)WORKS, POWEREDbySP-700ß-Ti, (composite rectangle insert) view image here |
| Works Co Ltd | Maximax CBR Pro Spec PS | 8.5,9.5,10.5 | SOLE: CarbonRevolution450, (loft)LOFT PS, PRO SPEC, (MAXIMAX in rectangle), CBR, (Works logo)WORKS, POWEREDbySP-700ß-Ti, (composite rectangle insert) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|------------------------------------|------------------|--|
| Works Co Ltd | Maximax CBRR PS | 5,6,7,8,9.5,10.5 | SOLE: maximax, (line) CBRR (w/ R over R), (Works logo)WORKS, (loft) BACK: (composite rectangle insert w/ R over R) TOE: Carbon Revolution 460 HEEL: SLE conformed PS view image here |
| Works Co Ltd | Maximax CBRR PS (LH) | 10.5 | SOLE: maximax, (line) CBRR (w/ R over R), (Works logo)WORKS, (loft) BACK: (composite rectangle insert w/ R over R) TOE: Carbon Revolution 460 HEEL: SLE conformed PS view image here |
| Works Co Ltd | Million Draw | 9.5,10.5 | SOLE: Limit C.O.R, MILLION, DRAW, Actworks, (loft), MAX DRAW PERFORMANCE, TOE: NO SLICE ONLY DRAW MORE DISTANCE, CROWN: (d logo) HEEL: (logo), WORKS, FACE:(d logo media blast) |
| Works Co Ltd | Ultimaizer V-01 Proto Type B | 8,9,10 | view image here SOLE: Hyper Repulsion 2.1-2.5-2.1, Ultimaizer V-01, Proto Type B, SP-700 Forged Ti, T.P.F + H.H.P, 400/(loft), (triangle)Driver(triangle), (logo) Works TOE: (W logo) view image here |
| Works Co Ltd | Ultimaizer V-01R ProSpec 430 | 6,7,8,9 | SOLE: powerd by DAT55G+, ULTIMAIZER, (two lines)V-O1R, (PROSPEC media blast), (Works logo)WORKS, 430/(loft),Triple Tuned Gravity, (circular weight) BACK: (circular weight) (R on rectangle insert) (circular weight) TOE: (Works logo)W |
| Works Co Ltd | Ultimaizer V-01R ProSpec PS 430 | 9.5,10.5 | SOLE: SLE conformed PS, ULTIMAIZER, (two lines)V-O1R, (Works logo)WORKS, 430/(loft), Triple Tuned Gravity, (circular weight) BACK: (circular weight) (R on rectangle insert) (circular weight) TOE: (Works logo)W view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------------------|------------------|---|
| Works Co Ltd | Ultimaizer V-01R Prototype 460 | 5,6,7,8 | SOLE: ULTIMAIZER, (two lines)V-01R, PROTOTYPE, (Works logo)WORKS, 460/ (loft), Triple Tuned Gravity, (circular weight) BACK: (circular weight) (R on rectangle insert) (circular weight) TOE: (Works logo)W |
| Works Co Ltd | Ultimaizer V3 | 5,6,7,8,9.5,10.5 | SOLE: (= in parallelogram), ULTIMAIZER, (two lines)V3, (Works logo)WORKS, 460/ (loft), (= in parallelogram) BACK: (weight port in port w/ =), (weight port in port w/ =) TOE: (= in parallelogram) HEEL: (= in parallelogram) |
| Works Co Ltd | Ultimaizer V4 | 5,6,7,8,9.5,10.5 | SOLE: ULTIMAIZER, (two lines)V4, (Works logo)Dynaworks, 460/(loft) BACK: (weight port in port), (weight port in port) TOE: (segmented arrow logo) HOSEL: (Works logo)WORKS |
| Works Co Ltd | Ultimaizer V4 (LH) | 9.5,10.5 | SOLE: ULTIMAIZER, (two lines)V4, (Works logo)Dynaworks, 460/(loft) BACK: (weight port in port), (weight port in port) TOE: (segmented arrow logo) HOSEL: (Works logo)WORKS |
| Works Co Ltd | Ultimaizer V4 Premia | 9.5,10.5 | SOLE: Premia, ULTIMAIZER (logo), V4, (logo) Dynaworks, 460/(loft) TOE: (logo) HOSEL: (logo) WORKS view image here |
| Works Co Ltd | Warudo | 9.5,10.5 | SOLE: (Warudo over kanji characters), (skull and crossbones logo with inset), (DG logo), (loft) CROWN: (DG alignment mark) HEEL: DYNAGOLF FACE:(skull and crossbones logo) view image here |
| Works Co Ltd | X-Force 460 | 10° | SOLE: 460/(loft), X-FORCE, (Works logo)WORKS TOE: Super MOI Distance view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------------------|-------------------|---|
| Work's Inc | DWD D1 Prototype CFM | 9.5,10.5 | SOLE: Dance With Dragon, (dragon in oval) HEEL: DWD-D1, PROTOTYPE, (loft), CFM view image here |
| Work's Inc | SYB EG-05 | 10.5 | SOLE: (S logo), SYB, EG-05, (weight port) BRIDGE GROOVE HOSEL: (dot), (orientation indicators) view image here |
| Work's Inc | Tour Champ Quatro Black Forged | 9.5,10.5 | SOLE: (GT logo), TOUR CHAMP, QUATRO, BLACK-FORGED, (line) WEIGHTCONTROL (line), 1 (loft) view image here |
| Work's, Inc. | Qe9 (Version 1) | 10.5,11.5 | SOLE: 1 (loft), TOUR CHAMP, Quatro (e in circle), (zigzag line), (9 graphic), (circular weight), (circular weight) view image here |
| Work's, Inc. | Qe9 Composite | 13 | SOLE: 1 (loft), TOUR CHAMP, Quatro (e in circle), (zigzag line), (9 graphic), (circular weight), (circular weight) view image here |
| Work's, Inc. | S.P.A.S. | N/A | SOLE: (recessed arrow), (rhinestone), (two rhinestones), S.P.A.S, Maching For Your Swing Type, 1, For Exective Class, (embossed crown graphic on trapezoid insert) view image here |
| Work's, Inc. | Tour Champ Quatro 450E | 10.5,11.5 | SOLE: (T over C logo), TOUR CHAMP, Quatro 450E, SP700 TI FACE, (loft), (three cavity sole on eye shaped insert) TOE: (T over C logo), TOUR CHAMP view image here |
| Work's, Inc. | Tour Champ Quatro 450S | 9,10 | SOLE: (T over C logo), TOUR CHAMP, Quatro 450S, SP700 TI FACE, (loft) TOE: (T over C logo), TOUR CHAMP view image here |
| Work's, Inc. | Tour Champ Quatro Q-75 | 8.5,9.5,10.5,11.5 | SOLE: 1, TOUR CHAMP, Quatro, (line) 7 (line), 5, W-403, (loft) BACK: (three circular weights) view image here |
| Work's, Inc. | Tour Champ Quatro ß | N/A | SOLE: (bent line), (T over C logo), TOUR CHAMP, Quatro ß, Collaboration with (CX w/ arrows logo) BACK: (DCMTEC on insert) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|---------------------------------|--------------|--|
| Work's, Inc. | Tour Champ Quatro XG | 9.5,10.5,13 | SOLE: TOUR CHAMP, (two lines), Quatro XG, (arrow), (T over C logo on quadrilateral insert) view image here |
| Worldwide Golf Brands Ltd | MacGregor M59 | 10.5 | SOLE: M59, MacGregor, (loft) BACK: CFT CROWN: (alignment mark) view image here |
| WTRT | Gobi Golf | 10.5 | SOLE: DRIVER, 460cc, 1, GOBI GOLF (in lined shape with dots), OVERSIZE (underlined) view image here |
| WTRT | Gobi Golf (ladies) | 12 | SOLE: DRIVER, 460cc, (circle), 1, GOBI GOLF (in lined shape with dots), OVERSIZE (underlined) view image here |
| WTRT | GobiGolf DX 001 | 9,10.5,12,14 | SOLE: GOBIGOLF, DX 001, PIERRE MICHIELSEN, PRO LINE, (loft) view image here |
| Xebio Co Ltd | Silver Scot 845s | 9.5,10.5 | SOLE: 845s, (line), SILVER SCOT, (loft) BACK: S-AGING TITANIUM HEEL: CONFORMING, TO R&A/USGA SLE RULE view image here |
| Xebio Co Ltd | Silver Scot 845s (Version 2) | 10.5 | SOLE: 845s, (line), SILVER SCOT, (loft) HEEL: CONFORMING, TO R&A/USGA, SLE RULE view image here |
| Xfactor Sports | Hammer Super Pro by Xfactor | 9.75 | SOLE: 1, (loft), SUPER, (curve with line through PRO™), by XFACTOR™, Z (2 superscript) Metal <u>view image here</u> |
| Xiamen Solotoo Sporting Goods Co Ltd | Mazel Z35 | 10.5 | SOLE: (MZ logo), (weight port), Z35, (loft), Single Weight, MAZEL CROWN: (alignment mark) view image here |
| Xiamen Solotoo Sporting Goods Co Ltd | Mazel Z35 (Version 2) | 9.5 | SOLE: (MZ logo), (weight port), ZU35, (loft), Single Weight, MAZEL CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---|---|----------|--|
| Xiamen Solotoo Sporting Goods Co Ltd | Mazel Z45 | 9.5,10.5 | SOLE: Gold 2, (MZ logo), (weight port), Z45, (loft), (weight port), MAZEL CROWN: (alignment mark) view image here |
| XM Works, Inc. dba Ebalon Golf | Ebalon AS 400 | 8,9,10 | SOLE: (Ebalon logo), ebalon, (five lines)as(five lines), TI/FORGED-400, (loft) CROWN: (Ebalon logo alignment mark) |
| X-Mike.de | Bagger Vance | 9.5 | SOLE: Bagger Vance, GEAREFFECT, (loft) view image here |
| X-Mike.de | Bagger Vance Geareffect | 11,12.5 | SOLE: Bagger Vance, GEAREFFECT, (loft) FACE:BETA Ti view image here |
| X-Mike.de | Bagger Vance Moon | 13,16 | SOLE: Bagger Vance, MOON (loft) CROWN: (alignment mark) view image here |
| X-Mike.de | Bagger Vance Prototyp | 7 | SOLE: Bagger Vance, PROTOTYP CROWN: (alignment mark) view image here |
| X-Mike.de | Bagger Vance Signature Series | 8,10 | SOLE: Bagger Vance, Signature Series, (logo), (loft) CROWN: Bagger Vance view image here |
| X-Mike.de | Bagger Vance Signature Series (LH) | 8,10 | SOLE: Bagger Vance, Signature Series, (logo), (loft) CROWN: Bagger Vance view image here |
| X-Mike.de | Bagger Vance Signature Series HL | N/A | SOLE: Bagger Vance, Signature Series, (logo), HL CROWN: Bagger Vance view image here |
| X-Mike.de | Bagger Vance Signature Series HL (LH) | N/A | SOLE: Bagger Vance, Signature Series, (logo), HL CROWN: Bagger Vance view image here |
| X-Mike.de | Longhitter | 8,10,11 | SOLE: •, (line), Longhitter, (loft) 9, BALLISTIC TITANIUM CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------------|--------------------|-----------|--|
| X-Mike.de | Prowinn 420cc | 10.5,12 | SOLE: 420 cc, Double-Face-Technology, by www.x-mike.de, (loft) CROWN: (alignment mark) Prowinn view image here |
| X-Mike.de | Prowinn 420cc (LH) | 9,10.5,12 | SOLE: 420 cc, Double-Face-Technology, by www.x-mike.de, (loft) CROWN: Prowinn (alignment mark) view image here |
| Yamagata Window Co Ltd | Cosmo Eagle 300 | 9 | SOLE: (logo) Cosmo Eagle 300, 1 (loft) FACE:Laser-Ti view image here |
| Yamaha Corporation | AZ-218 | 10.5 | SOLE: AZ-218, (logo on circular inset) TOE: (logo), YAMAHA HEEL: (loft) view image here |
| Yamaha Corporation | C's Driver | 11.5 | SOLE: (loft), C's, INNER WEIGHT, (logo) CROWN: (alignment mark), C's view image here |
| Yamaha Corporation | Cs HM+ | 11.5 | SOLE: INNER WEIGHT, HM+, C's, (loft) CROWN: (alignment mark), C's view image here |
| Yamaha Corporation | Cs HT+ | 10.5,11.5 | SOLE: BOOSTRING, C's, HT+, (inset), INNER WEIGHT TOE: (logo), YAMAHA CROWN: (alignment mark) HEEL: (loft) view image here |
| Yamaha Corporation | D88 | 10.5 | SOLE: (logo) YAMAHA, (logo on inset), D88, (loft) CROWN: (logo alignment mark) view image here |
| Yamaha Corporation | Femina | 13 | SOLE: 1, (loft), (logo) Femina (double inderlined) TOE: Yamaha CROWN: (alignment mark) view image here |
| Yamaha Corporation | Femina (2023) | 11.5 | SOLE: (logo in circular insert). FEMINA, Ultra light and high MOI, (loft) CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|--------------------|-----------|---|
| Yamaha Corporation | Femina (Version 2) | 11.5,13.5 | SOLE: Femina, (two flowers), (logo on circular inset), (two flowers), (loft) TOE: (logo) YAMAHA CROWN: (flower alignment mark) view image here |
| Yamaha Corporation | Femina (Version 3) | 11.5 | SOLE: Femina, (logo on circular inset), (flower media blast logo), (flower logo) TOE: (logo) YAMAHA CROWN: (curved line), (decorative flower logo), (flower alignment mark) HEEL: (loft) view image here |
| Yamaha Corporation | Femina (Version 4) | 11.5 | SOLE: (logo on circular inset), Femina, (5 curved lines) TOE: (logo), YAMAHA, (decorative graphics) CROWN: (flower alignment mark), (decorative graphics) HEEL: (loft), (decorative graphics) view image here |
| Yamaha Corporation | Femina (Version 5) | 13.5 | SOLE: (media blast lines), (logo on circular inset), (media blast logo), Femina, (media blast lines) TOE: (logo), YAMAHA CROWN: (alignment mark) HEEL: (loft) FACE:(media blast logo) |
| Yamaha Corporation | Femina (Version 6) | 11.5 | SOLE: (logo on circular inset), Femina, (5 curved lines) TOE: (logo), YAMAHA, (abstract decorative graphics) CROWN: (abstract alignment mark), (abstract decorative graphics) HEEL: (loft), (abstract decorative graphics) view image here |
| Yamaha Corporation | Femina (Version 7) | 11.5 | SOLE: FEMINA, (logo on circular inset) TOE: (logo), YAMAHA CROWN: (triangle alignment mark) HEEL: (loft) view image here |
| Yamaha Corporation | Femina 530 | 13 | SOLE: 1 (loft), Femina, 530., Yamaha CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|------------------------|----------|--|
| Yamaha Corporation | Grandis | 9.5,10.5 | SOLE: (media blast dotted line), (media blast logo), GRANDIS, (logos on inset), (media blast dotted line) TOE: (logo), YAMAHA CROWN: (logo alignment mark) HEEL: (loft) FACE:(GRANDIS in media blast logo) |
| Yamaha Corporation | Grandis LX | 9.5,10.5 | SOLE: (media blast lines), (media blast logo), GRANDIS, (logo on circular inset), (media blast lines) TOE: (logo), YAMAHA HEEL: (loft) FACE:(media blast logo) |
| Yamaha Corporation | inpres C's | 11.5 | SOLE: inpres, (logo on inset), (C's over media blast logo) TOE: (logo), YAMAHA CROWN: (logo alignment mark), (decorative logo) HEEL: (loft) view image here |
| Yamaha Corporation | inpres C's (Version 2) | 11.5 | SOLE: inpres, (logo on inset), (C's over decorative media blast logo) TOE: (logo), YAMAHA CROWN: (flower alignment mark), (decorative graphics) HEEL: (loft) view image here |
| Yamaha Corporation | Inpres C's (Version 3) | 11.5 | SOLE: (logo on inset), C's, (diamond in inset), inpres TOE: (logo) YAMAHA CROWN: (logo alignment mark), (graphics) HEEL: (loft) view image here |
| Yamaha Corporation | Inpres C's 420 | 11,12,13 | SOLE: 420, inpres, C's, double area face BACK: (logo) TOE: YAMAHA HEEL: (loft) view image here |
| Yamaha Corporation | Inpres C's 435 | 11,12,13 | SOLE: inpres, C's, 435 BACK: MULTIFACE TOE: (logo) YAMAHA HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|--|---------------|--|
| Yamaha Corporation | Inpres D 405 Tour Model | 9 | SOLE: Inpres, Full-Body Forged Tour Model, 405 D BACK: (logo) TOE: Yamaha HEEL: (loft) |
| Yamaha Corporation | inpres DRIVESTAR | 9.5,10.5,11.5 | SOLE: (logo), COUNTERWEIGHT, SYSTEM, inpres, INNER WEIGHT BACK: (weight port) TOE: (weight port) CROWN: (alignment mark) HEEL: DRIVE STAR, (loft) view image here |
| Yamaha Corporation | inpres DRIVESTAR (Ladies) | 11.5,12,13 | SOLE: (logo), COUNTERWEIGHT, SYSTEM, inpres, INNER WEIGHT BACK: INNER WEIGHT, INNER WEIGHT CROWN: (alignment mark) HEEL: DRIVE STAR, (loft) view image here |
| Yamaha Corporation | inpres DRIVESTAR (Ladies) (version 2) | 11.5,12.5 | SOLE: inpres, DRIVESTAR, (arrow), Counterweight System, 20g BACK: (weight port) TOE: (logo) CROWN: (alignment mark), INPRES HOSEL: (arrow), inpres HEEL: (loft) FACE:OCTA ANGLE CARBON FACE |
| Yamaha Corporation | inpres DRIVESTAR Type D | 10.5,11.5 | SOLE: inpres, DRIVESTAR, TYPE/D, (arrow), Counterweight System, 27g, (logo), (loft) BACK: (weight port) CROWN: (alignment mark), INPRES HOSEL: (arrow), inpres FACE:OCTA ANGLE CARBON FACE view image here |
| Yamaha Corporation | inpres DRIVESTAR Type S | 9.5,10.5 | SOLE: inpres, DRIVESTAR, TYPE/S, (arrow), Counterweight System, 22g BACK: (weight port) TOE: (logo) CROWN: (alignment mark), INPRES HOSEL: (arrow), inpres HEEL: (loft) FACE:OCTA ANGLE CARBON FACE view image here |
| Yamaha Corporation | Inpres Femina | 11.5,13 | SOLE: inpres, Femina, (loft) TOE: (logo) YAMAHA CROWN: (alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|------------------------------|-----------|--|
| Yamaha Corporation | Inpres Femina (Version 2) | 11.5 | SOLE: Femina, (logo on circular inset), inpres TOE: (logo) YAMAHA, (logo on circular inset) CROWN: (alignment mark) HEEL: INNER WEIGHT, CONFORMING TO R&A/USGA SLE RULE (loft) |
| Yamaha Corporation | Inpres Femina (Version 3) | 11.5 | SOLE: Femina, (logo on circular inset), inpres TOE: (logo) YAMAHA CROWN: (alignment mark) HEEL: INNER WEIGHT, CONFORMING TO R&A/USGA SLE RULE (loft) view image here |
| Yamaha Corporation | Inpres G US Spec | 9 | SOLE: (recessed circular insert with Yamaha logo) inpres G., US SPEC. BACK: OPTIMUM COMPOSITE 2041 ß TI FORGED FACE (loft) TOE: YAMAHA view image here |
| Yamaha Corporation | Inpres GRX (Version 2) | 10.5,11.5 | SOLE: (logo on circular inset), DOUBLE AREA FACE, inpres, (3 lines) GRX (3 lines), FULL-BODY, FORGED TITANIUM, VOLUME 460 TOE: YAMAHA HEEL: (loft) view image here |
| Yamaha Corporation | Inpres GRX (Version 3) | 10.5,11.5 | SOLE: (logo on circular inset), MULTIFACE, inpres, (3 lines) GRX (3 lines), FULL-BODY, FORGED TITANIUM, VOLUME 460 TOE: YAMAHA HEEL: (loft), CONFORMING, TO R&A/USGA, SLE RULE |
| Yamaha Corporation | Inpres GRX (Version 4) | 10.5,11.5 | SOLE: inpres, GRX, 3X-MULTIFACE, (logo on circular inset), FULL-BODY, FORGED TITANIUM, VOLUME 460, INNER WEIGHT TOE: (logo) YAMAHA HEEL: CONFORMING TO R&A/USGA SLE RULE, (loft) |
| Yamaha Corporation | Inpres GRX ST-Long | 10.5,11.5 | SOLE: inpres, GRX, ST-Long, 3X-MULTIFACE, INNER WEIGHT TOE: (logo) YAMAHA HEEL: CONFORMING TO R&A/USGA SLE RULE, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|------------------------------|---------------|--|
| Yamaha Corporation | Inpres P231 | 10.5 | SOLE: (logo), inpres, INNER WEIGHT, DRIVE STAR, (loft) BACK: COUNTERWEIGHT SYSTEM CROWN: (logo alignment mark) HOSEL: (triangle) P231 |
| Yamaha Corporation | Inpres P232 | 10.5 | SOLE: (logo), inpres, INNER WEIGHT, DRIVE STAR, (loft) BACK: COUNTERWEIGHT SYSTEM CROWN: (alignment mark) HOSEL: (triangle) P232 |
| Yamaha Corporation | Inpres P233 | 10.5 | SOLE: (logo), inpres, INNER WEIGHT, DRIVE STAR, (loft) BACK: COUNTERWEIGHT SYSTEM HOSEL: (triangle) P233 |
| Yamaha Corporation | inpres RMX (Ladies) | 11.5,12.5 | SOLE: RMX, (logo on circular inset), inpres TOE: (angled line), (logo), YAMAHA HOSEL: (arrow) HEEL: (line), REMIX TUNING SYSTEM, (loft) view image here |
| Yamaha Corporation | inpres RMX 01 | 9.5,10.5 | SOLE: RMX, (logo on inset), inpres, 01 TOE: (angled line), (logo), YAMAHA HEEL: (angled line), REMiX TUNING SYSTEM, (loft) view image here |
| Yamaha Corporation | inpres RMX 01 (Version 2) | 9.5,10.5 | SOLE: (logo), YAMAHA, RMX, inpres, (logo on inset), 01, REmix TUNING SYSTEM HOSEL: (triangle) HEEL: (loft) view image here |
| Yamaha Corporation | inpres RMX 02 | 9.5,10.5,11.5 | SOLE: RMX, (logo on inset), inpres, 01 TOE: (angled line), (logo), YAMAHA HEEL: (angled line), REMiX TUNING SYSTEM, (loft) view image here |
| Yamaha Corporation | inpres RMX 02 (Version 2) | 9.5,10.5 | SOLE: (logo), YAMAHA, RMX, inpres, (logo on inset), 02, REmix TUNING SYSTEM HOSEL: (triangle) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|--|-------|--|
| Yamaha Corporation | inpres RMX Tourmodel | 9,10 | SOLE: RMX, (logo on inset), inpres, 01 TOE: (angled line), (logo), YAMAHA HEEL: (angled line), REMIX TUNING SYSTEM, (loft) view image here |
| Yamaha Corporation | inpres RMX Tourmodel (Version 2) | 9,10 | SOLE: (logo on circular inset), RMX, inpres BACK: REmix TUNING SYSTEM TOE: (logo), YAMAHA HEEL: (loft), TOURMODEL view image here |
| Yamaha Corporation | inpres RMX Tourmodel Prototype 31 (Prototype) | 9 | SOLE: RMX, (logo on circular inset), inpres, TOURMODEL TOE: (curved line), (logo), YAMAHA HEEL: (curved line), REMIX TUNING SYSTEM, PROTOTYPE, 31 (loft) |
| Yamaha Corporation | inpres RMX Tourmodel Prototype 31 (Prototype) (Version 2) | 9 | SOLE: (logo on circular inset), RMX, inpres BACK: REMIX TUNING SYSTEM TOE: (logo), YAMAHA HEEL: (loft), TOURMODEL, P31 |
| Yamaha Corporation | inpres RMX Tourmodel Prototype 33 (Prototype) | 9.5 | SOLE: RMX, (logo on circular inset), inpres, TOURMODEL TOE: (curved line), (logo), YAMAHA HEEL: (curved line), REMIX TUNING SYSTEM, PROTOTYPE, 33 (loft) view image here |
| Yamaha Corporation | inpres RMX Tourmodel Prototype 33 (Prototype) (Version 2) | 9.5 | SOLE: (logo on circular inset), RMX, inpres BACK: REMIX TUNING SYSTEM TOE: (logo), YAMAHA HEEL: (loft), TOURMODEL, P33 |
| Yamaha Corporation | inpres RMX Tourmodel Prototype 36 (Prototype) | 9.5 | SOLE: RMX, (logo on circular inset), inpres, TOURMODEL TOE: (curved line), (logo), YAMAHA HEEL: (curved line), REMIX TUNING SYSTEM, PROTOTYPE, 36, (loft) view image here |
| Yamaha Corporation | inpres RMX Tourmodel Prototype 36 (Prototype) (Version 2) | 9.5 | SOLE: (logo on circular inset), RMX, inpres BACK: REMIX TUNING SYSTEM TOE: (logo), YAMAHA HEEL: (loft), TOURMODEL, P36 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|-------------------------------------|------------|---|
| Yamaha Corporation | inpres UD+2 | 9.5,10.5 | SOLE: (loft), (logo on inset), inpres, UD+2, ULTRA DISTANCE TOE: (logo), YAMAHA CROWN: (arrow alignment mark) view image here |
| Yamaha Corporation | inpres UD+2 (Ladies) | 11.5,12.5 | SOLE: (loft), (logo on inset), inpres, UD+2, ULTRA DISTANCE TOE: (logo), YAMAHA CROWN: (arrow alignment mark) view image here |
| Yamaha Corporation | inpres UD+2 (Ladies) (Version 2) | 11.5,12,13 | SOLE: ULTRA DISTANCE, (logo on inset), inpres, UD+2 TOE: (logo), YAMAHA CROWN: (arrow alignment mark) HEEL: (loft) view image here |
| Yamaha Corporation | inpres UD+2 (Ladies) (Version 3) | 11.5,13 | SOLE: (logo on inset), inpres, (weight port) BACK: (loft) CROWN: (alignment mark) HEEL: UD+2 view image here |
| Yamaha Corporation | inpres UD+2 (Ladies) (Version 4) | 12 | SOLE: (logo on inset), inpres, (weight port) BACK: (loft) CROWN: (alignment mark) HEEL: UD+2, (loft) view image here |
| Yamaha Corporation | inpres UD+2 (Version 2) | 9.5,10.5 | SOLE: ULTRA DISTANCE, (logo on inset), inpres, UD+2 TOE: (logo), YAMAHA CROWN: (arrow alignment mark) HEEL: (loft) view image here |
| Yamaha Corporation | inpres UD+2 (Version 3) | 9.5,10.5 | SOLE: (logo on inset), inpres, (weight port) BACK: (loft) CROWN: (alignment mark) HEEL: UD+2 view image here |
| Yamaha Corporation | Inpres V 350 Tour Model | 9,10 | SOLE: inpres, Full-Body Forged Tour Model, 350 V BACK: (logo) TOE: YAMAHA HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|---|----------|--|
| Yamaha Corporation | Inpres V Tour Model | 8,9 | SOLE: (logo on circular inset), Inpres V BACK: Tour Model (loft) TOE: Yamaha view image here |
| Yamaha Corporation | Inpres V Tour Spec | 9,10 | SOLE: (Yamaha logo insert), inpres V. BACK: FULL-BODY FORGED 15-5-3 ß Ti FACE (loft) TOE: YAMAHA, TOUR SPEC. view image here |
| Yamaha Corporation | Inpres V Tour Spec II | 9 | SOLE: (circular insert with Yamaha logo), inpres V. BACK: FULL-BODY FORGED 15-5-3 ß Ti FACE (loft) TOE: YAMAHA, TOUR SPEC. II view image here |
| Yamaha Corporation | Inpres X 4.6 C's | 11,12,13 | SOLE: inpres X, (logo on circular inset), 4.6 C's, X-MULTIFACE TOE: (logo) YAMAHA HEEL: (loft), CONFORMING TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | Inpres X 4.6 ST-Long | 9,10,11 | SOLE: inpres X, (logo on circular inset), 4.6 ST-Long, X-MULTIFACE TOE: (logo) YAMAHA HEEL: (loft), CONFORMING TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | Inpres X 4.6 ST-Long r.p.m | 9,10,11 | SOLE: (logo on circular inset), inpres X, 3X-MULTIFACE BACK: 4.6 ST-Long r.p.m. TOE: (logo) YAMAHA HEEL: (loft), CONFORMIG TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | Inpres X 4.6 ST-Long r.p.m (Version 2) | 9,10,11 | SOLE: (logo on circular inset), inpres X, 3X-MULTIFACE BACK: 4.6 ST-Long r.p.m. TOE: (logo) YAMAHA HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|--------------------------------|---------|---|
| Yamaha Corporation | inpres X 4.6 ST-Long r.p.m. | 9,10,11 | SOLE: (logo on circular inset), inpres X, 3X-MULTIFACE BACK: 4.6 ST-Long r.p.m. TOE: (logo) YAMAHA HEEL: (loft), CONFORMING TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | Inpres X 4.6D | 9,10,11 | SOLE: inpres X, (logo on circular inset), 4.6D, (loft), X-MULTIFACE TOE: (logo) YAMAHA HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | inpres X 4.6D r.p.m. | 11 | SOLE: (logo on circular inset), inpres X, 3X-MULTIFACE BACK: 4.6D r.p.m. TOE: (logo) YAMAHA HEEL: (loft), CONFORMING TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | Inpres X 4.6D r.p.m. | 9,10 | SOLE: (logo on circular inset), inpres X, 3X-MULTIFACE BACK: 4.6D r.p.m. TOE: (logo) YAMAHA HEEL: (loft), CONFORMING TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | Inpres X 4.6D Type S | 9,10,11 | SOLE: inpres X, (logo on circular inset), 4.6D Type S, (loft), X-MULTIFACE TOE: (logo) YAMAHA HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | Inpres X 4.6D Type S r.p.m. | 9,10 | SOLE: (logo on circular inset), inpres X, 3X-MULTIFACE BACK: 4.6D Type S r.p.m. TOE: (logo) YAMAHA HEEL: (loft), CONFORMING TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | inpres X 4.6D Type S r.p.m. | 11 | SOLE: (logo on circular inset), inpres X, 3X-MULTIFACE BACK: 4.6D Type S r.p.m. TOE: (logo) YAMAHA HEEL: (loft), CONFORMING TO R&A/USGA SLE RULE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|----------------------|---------|--|
| Yamaha Corporation | Inpres X 4.6V | 9,10 | SOLE: inpres X, (logo on circular inset), 4.6V, (loft) BACK: X-MULTIFACE TOE: (logo) YAMAHA HEEL: CONFORMING TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | Inpres X 4.6V r.p.m. | 9,10 | SOLE: (logo on circular inset), inpres X, 3X-MULTIFACE BACK: 4.6V r.p.m. TOE: (logo) YAMAHA HEEL: (loft), CONFORMING TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | Inpres X 410V | 9,10 | SOLE: 410V inpres X, double area face BACK: (logo) TOE: YAMAHA HEEL: (loft) view image here |
| Yamaha Corporation | Inpres X 425V | 9,10 | SOLE: inpres X, 425V BACK: MULTIFACE TOE: (logo) YAMAHA HEEL: (loft) view image here |
| Yamaha Corporation | Inpres X 445D | 9,10,11 | SOLE: 445D inpres X, double area face BACK: (logo) TOE: YAMAHA HEEL: (loft) view image here |
| Yamaha Corporation | Inpres X 445D (LH) | 9,10,11 | SOLE: double area face, inpres X 445D BACK: (logo) TOE: YAMAHA HEEL: (loft) view image here |
| Yamaha Corporation | Inpres X 460D | 9,10,11 | SOLE: inpres X, 460D BACK: MULTIFACE TOE: (logo) YAMAHA HEEL: (loft) view image here |
| Yamaha Corporation | Inpres X 460D (LH) | 9,10,11 | SOLE: inpres X, 460D BACK: MULTIFACE TOE: (logo) YAMAHA HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|--------------------------------|----------|--|
| Yamaha Corporation | Inpres X C's (Version 1) | 11,12,13 | SOLE: (logo on circular inset), inpres X, 3X-MULTIFACE BACK: C's TOE: (logo) YAMAHA HEEL: INNER WEIGHT, (loft), CONFORMING TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | Inpres X C's (Version 2) | 11 | SOLE: inpres X, C's, INNER WEIGHT BACK: (logo on circular inset) TOE: (logo) YAMAHA HEEL: CONFORMING TO R&A/USGA SLE RULE, (loft) view image here |
| Yamaha Corporation | Inpres X C's (Version 3) | 11.5 | SOLE: inpres X, C's, (media blast flower logo), (logo on circular inset) TOE: (logo) YAMAHA HEEL: (loft) view image here |
| Yamaha Corporation | Inpres X D445 Power Forward | 9,10,11 | SOLE: inpres X BACK: (logo on circular inset), D445, POWER FORWARD TOE: (logo) YAMAHA HEEL: CONFORMING TO, R&A / USGA SLE RULE, (loft) |
| Yamaha Corporation | Inpres X D460 Power Draw | 9,10,11 | SOLE: inpres X BACK: (logo on circular inset), D460, POWER DRAW TOE: (logo) YAMAHA HEEL: CONFORMING TO, R&A / USGA SLE RULE, (loft) view image here |
| Yamaha Corporation | Inpres X RMX (LH) | 9,10 | SOLE: inpres X BACK: (logo on circular inset) TOE: (logo), YAMAHA, RMX HEEL: (loft), REMIX TUNING SYSTEM view image here |
| Yamaha Corporation | Inpres X RMX (Version 1) | 9 | SOLE: inpres X BACK: (logo on circular inset) TOE: RMX, (logo), YAMAHA HEEL: REMIX TUNING SYSTEM, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|---|---------------|---|
| Yamaha Corporation | Inpres X RMX (Version 2) | 10 | SOLE: inpres X BACK: (logo on circular inset) TOE: RMX, (logo), YAMAHA HOSEL: (arrow) HEEL: REMIX TUNING SYSTEM, (loft) |
| Yamaha Corporation | Inpres X V Prototype (prototype) | 9,10 | SOLE: inpres X, (logo on circular inset), V PROTOTYPE BACK: X-MULTIFACE TOE: (logo) YAMAHA HEEL: (loft), CONFORMING TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | Inpres X V r.p.m. Proto (prototype) | 9,10 | SOLE: (logo on circular inset), inpres X, 3X-MULTIFACE BACK: V r.p.m. Proto TOE: (logo) YAMAHA HEEL: (loft), CONFORMING TO R&A/USGA SLE RULE view image here |
| Yamaha Corporation | Inpres X V201 Tourmodel (first article) | 9,10 | SOLE: inpres X, V 201 BACK: TOURMODEL, (logo on circular inset) TOE: (logo), YAMAHA HEEL: CONFORMING TO R&A/USGA SLE RULE, (loft) view image here |
| Yamaha Corporation | Inpres X V425 Tour Model | 9,10 | SOLE: inpresX BACK: (logo on circular inset), V425, TOURMODEL TOE: (logo) YAMAHA HEEL: CONFORMING TO, R&A/USGA SLE RULE, (loft) view image here |
| Yamaha Corporation | Inpres X V440 Power Length | 9,10 | SOLE: inpres X BACK: (logo on circular inset), V 440, POWER LENGTH TOE: (logo) YAMAHA HEEL: CONFORMING TO, R&A / USGA SLE RULE, (loft) view image here |
| Yamaha Corporation | Inpres X Z203 | 9.5,10.5,11.5 | SOLE: (logo on circular inset), inpres X, Z203 TOE: (logo) YAMAHA CROWN: (alignment mark) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|--------------------------------|---------------|--|
| Yamaha Corporation | Inpres Z205 | 9.5,10.5 | SOLE: (logo), YAMAHA, inpres, (logo on inset), Z, 205, (loft) CROWN: (alignment mark) view image here |
| Yamaha Corporation | Inpres Z207 | 9.5,10.5 | SOLE: inpres, (logo on inset), Z207, (loft) TOE: (logo) YAMAHA CROWN: (logo alignment mark) view image here |
| Yamaha Corporation | InpresX Classic (Version 1) | 10.5,11.5 | SOLE: FORGED TITANUIM, (logo on circular inset), inpres X, Classic, CONFORMING TO, R&A/USGA SLE RULE TOE: (logo) YAMAHA HEEL: (loft) |
| Yamaha Corporation | InpresX Classic (Version 2) | 10.5,11.5 | SOLE: inpresX, Classic, (logo in circular inset) TOE: (logo) YAMAHA HEEL: (loft) view image here |
| Yamaha Corporation | InpresX Classic EX | 9.5,10.5,11.5 | SOLE: FORGED TITANIUM, inpresX, Classic, (logo on circular inset in cavity), EX TOE: (logo) YAMAHA CROWN: (alignment mark) HEEL: (loft) view image here |
| Yamaha Corporation | InpresX Classic ST-Long | 9.5,10.5,11.5 | SOLE: ST-Long, inpresX, Classic, CONFORMING TO, R&A/USGA SLE RULE, (logo on circular inset) TOE: (logo) YAMAHA HEEL: (loft) view image here |
| Yamaha Corporation | InpresX D201 | 9,10,11 | SOLE: inpres X, D201, INNER WEIGHT BACK: (logo on circular inset) TOE: (logo) YAMAHA HEEL: CONFORMING TO R&A / USGA SLE RULE, (loft) view image here |
| Yamaha Corporation | inpresX D201 (Ladies) | 11,11.5 | SOLE: inpresX, D201, INNER WEIGHT BACK: (logo on circular inset) TOE: (logo) YAMAHA HEEL: CONFORMING TO R&A/USGA SLE RULE, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|----------------------------|---------------|---|
| Yamaha Corporation | InpresX D201 Type S | 9,10,11 | SOLE: inpresX, D201, INNER WEIGHT BACK: TYPE S, (logo on circular inset) TOE: (logo) YAMAHA HEEL: CONFORMING TO R&A / USGA SLE RULE, (loft) |
| | | | view image here |
| Yamaha Corporation | InpresX D202 | 9.5,10.5,11.5 | SOLE: inpresX, D202, (logo on circular inset) BACK: CONFORMING TO R&A/USGA SLE RULE TOE: (logo) YAMAHA HEEL: (loft) |
| | | | view image here |
| Yamaha Corporation | InpresX D202 (Ladies) | 11.5 | SOLE: inpresX, D202 BACK: CONFORMING TO R&A/USGA SLE RULE, (logo on circular inset) TOE: (logo) YAMAHA HEEL: (loft) |
| | | 0.40.44 | view image here |
| Yamaha Corporation | inpresX ST-Long 201 | 9,10,11 | SOLE: inpresX, ST-Long 201, INNER WEIGHT BACK: (logo on circular inset) TOE: (logo) YAMAHA HEEL: CONFORMING TO R&A/USGA SLE RULE, (loft) view image here |
| Yamaha Corporation | InpresX V 201 Tourmodel | 9,10 | SOLE: inpres X, V201 BACK: TOURMODEL, (logo on circular inset) TOE: (logo) YAMAHA HEEL: CONFORMING TO R&A / USGA SLE RULE, (loft) view image here |
| Yamaha Corporation | InpresX V201 | 9,10 | SOLE: inpres X, V201 BACK: (logo on circular inset) TOE: (logo) YAMAHA HEEL: CONFORMING TO R&A / USGA SLE RULE, (loft) view image here |
| Yamaha Corporation | InpresX V202 | 9,10 | SOLE: inpresX, V202, (logo on circular inset) BACK: CONFORMING TO R&A/USGA SLE RULE TOE: (logo) YAMAHA HEEL: (loft) view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|---------------------------|---------------|---|
| Yamaha Corporation | InpresX V202 Tour | 9,10 | SOLE: inpresX (logo on circular inset), V202, TOURMODEL BACK: CONFORMING TO R&A/USGA SLE RULE TOE: (logo) YAMAHA HEEL: (loft) view image here |
| Yamaha Corporation | InpresX V203 Tourmodel | 9,10 | SOLE: (inpres X over media blast X logo) BACK: (logo on circular inset) TOE: (logo) YAMAHA, TOURMODEL HEEL: V203, (loft) view image here |
| Yamaha Corporation | InpresX Z202 | 9.5,10.5,11.5 | SOLE: inpresX, Z202, (logo on circular inset) BACK: CONFORMING TO R&A/USGA SLE RULE TOE: (logo) YAMAHA CROWN: (alignment mark) HEEL: (loft) view image here |
| Yamaha Corporation | Power Magic | 9,10,11.5 | SOLE: Yamaha, Power Magic, (loft), 1, (arrow logo), Long Carry &, Long Run TOE: Proto Ti, Forged view image here |
| Yamaha Corporation | Power Magic 710 | 10.5,11.5 | SOLE: Yamaha, Power Magic, 710., (loft), 1, (arrow logo), Long Carry &, Long Run TOE: Forged, Titanium view image here |
| Yamaha Corporation | Power Magic 730 GT | 9,10,11 | SOLE: (loft), Gravimetric Tech, Power, Magic, 1, 730GT, Yamaha, (arrow logo), Forged Titanium TOE: (logo) Yamaha, Gravimetric Tech CROWN: (alignment mark) view image here |
| Yamaha Corporation | Power Magic 730 GT L | 13 | SOLE: (loft), Gravimetric Tech, Power, Magic, 1, 730GT, Yamaha, (arrow logo), Forged Titanium TOE: (logo) Yamaha, Gravimetric Tech CROWN: (alignment mark) view image here |
| Yamaha Corporation | Power Magic 820 | 9,10,10.5 | SOLE: Yamaha, (loft), Power, Magic 820., (arrow logo), Long Carry &, Long Run TOE: Yamaha, 22V-4AL, Forged Ti |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|----------------------------|----------|--|
| Yamaha Corporation | Power Magic Femina 510 | 13 | SOLE: -(loft)-, Power, Magic, 1, Femina 510., (arrow logo), Long Carry &, Long Run, Tamaha TOE: Titanium view image here |
| Yamaha Corporation | Power Magic Grandis 610 | 11.5,12 | SOLE: (loft), Power Magic, 1, Grandis 610., (arrow logo), Long Carry &, Long Run, Yamaha TOE: V Rich, Titanium view image here |
| Yamaha Corporation | Proto Forged Ti-26 | 9.5,11.5 | SOLE: Yamaha, 1 (loft), Proto, Ti-26 TOE: Yamaha view image here |
| Yamaha Corporation | RMX 116 | 9.5,10.5 | SOLE: (logo), YAMAHA, 116, RMX, (logo on inset), REmix TUNING SYSTEM, (loft) HOSEL: (triangle) view image here |
| Yamaha Corporation | RMX 116 P31 (Prototype) | 9 | SOLE: (logo), YAMAHA, 116, RMX, (logo on circular inset), REmix TUNING SYSTEM, P31, (loft) view image here |
| Yamaha Corporation | RMX 116 P33 (Prototype) | 9.5 | SOLE: (logo), YAMAHA, 116, RMX, (logo on circular inset), REmix TUNING SYSTEM, P33, (loft) view image here |
| Yamaha Corporation | RMX 116 P36 (Prototype) | 9.5 | SOLE: (logo), YAMAHA, 116, RMX, (logo on circular inset), REmix TUNING SYSTEM, P36, (loft) view image here |
| Yamaha Corporation | RMX 118 | 9.5,10.5 | SOLE: 118, (weight port), RMX, REMIX TUNING SYSTEM BACK: (logo on inset) TOE: (logo), YAMAHA HOSEL: (triangle) HEEL: (loft) view image here |
| Yamaha Corporation | RMX 118 (Prototype 2) | 9.5,10.5 | SOLE: 118, (weight port), RMX, PROTOTYPE2 BACK: (logo on inset) TOE: (logo), YAMAHA HOSEL: (triangle) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|------------------------------------|----------|--|
| Yamaha Corporation | RMX 118 (Prototype 3) | 9.5,10.5 | SOLE: 118, RMX, PROTOTYPE3 BACK: (logo on inset) TOE: (logo), YAMAHA HOSEL: (triangle) HEEL: (loft) view image here |
| Yamaha Corporation | RMX 118 (Prototype 4) | 9.5,10.5 | SOLE: 118, RMX, PROTOTYPE4 BACK: (logo on inset) TOE: (logo), YAMAHA HOSEL: (triangle) HEEL: (loft) view image here |
| Yamaha Corporation | RMX 118 (Prototype) | 9.5 | SOLE: 118, (weight port), RMX, PROTOTYPE BACK: (logo on inset) TOE: (logo), YAMAHA HOSEL: (triangle) HEEL: (loft) view image here |
| Yamaha Corporation | RMX 118 (Prototype) (Version 2) | 10.5 | SOLE: 118, (weight port), RMX, PROTOTYPE BACK: (logo on inset) TOE: (logo), YAMAHA HOSEL: (triangle) HEEL: (loft) view image here |
| Yamaha Corporation | RMX 120 | 9.5,10.5 | SOLE: (logo), YAMAHA, 120, RMX, (loft), BOOSTRING, (logo on inset) view image here |
| Yamaha Corporation | RMX 120 TS | 9.5,10.5 | SOLE: (logo), YAMAHA, 120, (star)(star) (star), RMX, (loft), BOOSTRING, (logo on inset) view image here |
| Yamaha Corporation | RMX 120 Type T | 10.5 | SOLE: (logo), YAMAHA, 120, (weight port), RMX, TYPE T, (loft), BOOSTRING, (logo on inset) view image here |
| Yamaha Corporation | RMX 216 | 9.5,10.5 | SOLE: (logo), YAMAHA, 216, RMX, (logo on inset), REmix TUNING SYSTEM, (loft) HOSEL: (triangle) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|----------------------|----------|--|
| Yamaha Corporation | RMX 218 | 9.5,10.5 | SOLE: 218, (logo on inset), RMX, (weight port), REMIX TUNING SYSTEM TOE: (logo), YAMAHA HOSEL: (triangle) HEEL: (loft) |
| Yamaha Corporation | RMX 218 (Prototype) | 9.5,10.5 | view image here SOLE: 218, (logo on inset), RMX, (weight |
| | | | port), PROTOTYPE TOE: (logo), YAMAHA HOSEL: (triangle) HEEL: (loft) |
| | | | <u>view image here</u> |
| Yamaha Corporation | RMX 218 (Prototype2) | 9.5 | SOLE: (logo), YAMAHA, 218, (logo on inset), RMX, PROTOTYPE2 HEEL: (loft) |
| | | | <u>view image here</u> |
| Yamaha Corporation | RMX 218 (Prototype3) | 9.5 | SOLE: 218, (logo on inset), RMX, PROTOTYPE3 TOE: (logo), YAMAHA HOSEL: (loft) view image here |
| Yamaha Corporation | RMX 220 | 9.5,10.5 | SOLE: (logo), YAMAHA, 220, RMX, (loft), BOOSTRING, (logo on inset) |
| | | | <u>view image here</u> |
| Yamaha Corporation | RMX 220 TS | 9.5,10.5 | SOLE: (logo), YAMAHA, 220, (star)(star) (star), RMX, (loft), BOOSTRING, (logo on inset) view image here |
| Yamaha Corporation | RMX Prototype 01 | 9.5,10.5 | SOLE: RMX, PROTOTYPE 01, (loft), (logo on inset) TOE: (logo), YAMAHA |
| | | | <u>view image here</u> |
| Yamaha Corporation | RMX Prototype 02 | 9.5,10.5 | SOLE: RMX, PROTOTYPE 02, (loft), (logo on inset) TOE: (logo), YAMAHA |
| | | | view image here |
| Yamaha Corporation | RMX Prototype-1 | 9.5 | SOLE: RMX, PROTOTYPE-1, (logo on inset) TOE: (logo) YAMAHA HOSEL: (loft) |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|-----------------------------------|----------|--|
| Yamaha Corporation | RMX Prototype-N1 | 9.5 | SOLE: RMX, PROTOTYPE-N1, (logo on inset) TOE: (logo) YAMAHA HEEL: (loft) view image here |
| Yamaha Corporation | RMX VD | 9.5 | SOLE: (logo), (FADE, DRAW in weight channel), VD, (loft), RMX CROWN: RMX HOSEL: (triangle) |
| Yamaha Corporation | RMX VD (Prototype 01) | 9.5,10.5 | SOLE: (logo), VD, (loft), RMX CROWN: RMX HOSEL: (triangle), orientation indicators view image here |
| Yamaha Corporation | RMX VD (Prototype) | 9.5,10.5 | SOLE: (logo), (FADE, DRAW in weight channel), VD, (loft), RMX CROWN: RMX HOSEL: (triangle) |
| Yamaha Corporation | RMX VD (Prototype) (Version 2) | 9.5,10.5 | SOLE: (logo), (FADE, DRAW in weight channel), VD, (loft), RMX CROWN: (alignment mark), RMX HOSEL: (triangle) |
| Yamaha Corporation | RMX VD PROTO | 9.5,10.5 | SOLE: (logo), RMX VD PROTO, RMX HEEL: (loft) view image here |
| Yamaha Corporation | RMX VD/M | 9.5,10.5 | SOLE: RMX DRIVER VD/M, HIGH, LOW, (weight channel), RMX, (logo in circular inset), VD, HOSEL: (orientation indicators) HEEL: (loft) |
| Yamaha Corporation | RMX VD/M P-MV | 9.5,10.5 | SOLE: RMX DRIVER VD/M, HIGH, LOW, (weight channel), RMX, (logo in circular inset), VD, CROWN: M HOSEL: (orientation indicators) HEEL: (loft), P-MV |
| Yamaha Corporation | RMX VD/R | 9.5,10.5 | SOLE: RMX, RMX DRIVER VD/R, (logo in circular inset), VD, FADE, DRAW, (weight port in channel) HOSEL: (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------|-------------------------|----------|---|
| Yamaha Corporation | RMX VD/R P-RV | 9.5 | SOLE: RMX, RMX DRIVER VD/R, (logo in circular inset), VD, FADE, DRAW, (weight channel) CROWN: R HOSEL: (orientation indicators) HEEL: (loft), P-RV |
| | | | view image here |
| Yamaha Corporation | RMX VD/X | 9.5,10.5 | SOLE: (HIGH MOI, (weight port), CENTER, DRAW), RMX, RMX DRIVER VD/X, (logo in circular inset), VD TOE: FADE HOSEL: (orientation indicators) HEEL: (loft) |
| | | | view image here |
| Yamaha Corporation | RMX VD59 | 10.5 | SOLE: (logo), (FADE, DRAW in weight channel), VD, 59, (loft), RMX CROWN: RMX HOSEL: (triangle) |
| | DIAY/YD50 | 05405 | view image here |
| Yamaha Corporation | RMX VD59 (Prototype) | 9.5,10.5 | SOLE: (logo), (FADE, DRAW in weight channel), VD59, (loft), RMX CROWN: RMX HOSEL: (triangle) view image here |
| Yamaha Corporation | RMX VD59 (Version 2) | 9.5 | SOLE: (logo), (FADE, DRAW in weight channel), VD, 59, (loft), RMX CROWN: RMX HOSEL: (triangle), (triangle) |
| | | 40 | view image here |
| Yamaha Corporation | Secret | 10 | SOLE: SECRET, (logo on circular inset) TOE: (logo) YAMAHA CROWN: (alignment mark) HEEL: CONFORMING TO R&A/USGA SLE RULE, (loft) |
| | | 40 | view image here |
| Yamaha Corporation | Secret (Version 2) | 10 | SOLE: SECRET, (logo on circular inset) TOE: (logo) YAMAHA CROWN: (alignment mark) HEEL: (star) CONFORMING TO R&A/USGA SLE RULE, (loft) view image here |
| Yamaha Corporation | Secret (Version 3) | 10.5 | SOLE: SECRET, (logo on circular inset) TOE: (logo) YAMAHA HEEL: (loft) |
| | | | view image here |

| | | Identification Markings |
|-----------------------------|--|--|
| Secret 01 US Spec Type 1 | 10 | SOLE: SECRET 01, 1, (loft), YAMAHA BACK: US SPEC. TYPE 1 FACE:HYPER-DUAL view image here |
| Yamaha Junior 2020 | 11.5 | SOLE: (logo), YAMAHA, (logo on inset) CROWN: (logo alignment mark) HEEL: (loft) view image here |
| Blue Power Tour 460 | 9.5,10.5 | SOLE: 1, (loft), BLUE, (star logo), POWER, Yamamoto Pro golf, (line), Tour 460 CROWN: (alignment mark) HEEL: R&A / USGA, SLERULE view image here |
| Tour 435 | 8.5,9.5,10.5,11.5 | SOLE: Yamamoto Pro golf, (line), Tour 435, 1, (loft), (Blue (star) Power on inset) HEEL: (SLE, (Japanese Characters) CONFORMING, TO R&A/USGA, SLE RULE in oral) view image here |
| Abiles AS-450 | 9.5,10.5,11.5 | SOLE: 450cc, (logo), ABILES, AS-450, (weight port) TOE: (logo) HEEL: (loft) FACE:DAT55G, (logo) |
| DX 72 | 9.5 | SOLE: 400 c.c., (logo), DX 72 (in circle), (line), Graphite-Titanium, 1 (loft) (underlined) CROWN: YAMATO view image here |
| Maxximus | 10.5,12.5,14 | SOLE: (logo) YAMATO, MAXXIMUS, (loft), FORGED TITANIUAM TOE: YAMATO, (logo) CROWN: (alignment mark) view image here |
| Viper One | 10.5,13 | SOLE: YAMATO, (logo), Viper (in rectangle) one, (line), FORGED TTIANIUM 450 c.c. (triangle), (line), 1, (curved line), (loft) CROWN: YAMATO view image here |
| Zentaurus | 10.5,14 | SOLE: YAMATO,(logo), Zentaurus (underlined), FORGED TITANIUM 450 c.c. (underlined) (triangle), 1, (curved line), (loft) CROWN: YAMATO view image here |
| | Type 1 Yamaha Junior 2020 Blue Power Tour 460 Tour 435 Abiles AS-450 DX 72 Maxximus Viper One | Type 1 Yamaha Junior 2020 11.5 Blue Power Tour 460 9.5,10.5 Tour 435 8.5,9.5,10.5,11.5 Abiles AS-450 9.5,10.5,11.5 DX 72 9.5 Maxximus 10.5,12.5,14 Viper One 10.5,13 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------------------------|-----------------------|-----------|--|
| Yamato Golf Gear Collection | Zentaurus HS | 10.5,12.5 | SOLE: YAMATO, SUPER STRONG FORGED TITANIUM, Zentaurus HS (underlined), 460 c.c., 1 (loft) (underlined) view image here |
| Yamato Golf Gear Collection | Zentaurus HS (ladies) | 14 | SOLE: YAMATO, SUPER STRONG FORGED TITANIUM, Zentaurus HS (underlined), 460 c.c., 1 (loft) (underlined) view image here |
| Yes Putter Korea Co Ltd | C450 | N/A | SOLE: yes! (in oval), C450, KJ TECHNOLOGY BACK: yes! (in oval) CROWN: yes! (in oval) view image here |
| Yes Putter Korea Co Ltd | C456 | N/A | SOLE: (c grooves), yes! (in oval), C456, (c grooves), KJ TECHNOLOGY TOE: yes! (in oval) CROWN: yes! (in oval) view image here |
| Yes Putter Korea Co Ltd | Clinton | N/A | SOLE: yes! (in oval), Clinton, KJ460 CROWN: KJ HEEL: (logo) FACE:SP700 view image here |
| YH Design Corporation | Shuriken Black.2 | N/A | SOLE: SHURIKEN, REVOLUTION ENERGY, S. NEWS, BLACK. 2 view image here |
| YH Design Corporation | Shuriken Red | N/A | SOLE: REVOLUTION ENERGY, SHURIKEN, S. NEWS, RED view image here |
| Yokohama Rubber Co. Ltd. | PRGR 300 (Version 1) | 9 | SOLE: PRGR, (line), (MODEL, 300, DRIVER in circular insert), (line), TITANIUM, 1, CLUB HEAD SPEED CONCEPT TOE: PRGR <u>view image here</u> |
| Yokohama Rubber Co. Ltd. | PRGR 300 (Version 2) | 11 | SOLE: PRGR, (line), (MODEL, 300, DRIVER in circular insert), (line), TITANIUM., 1, CLUB HEAD SPEED CONCEPT TOE: PRGR |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|--------------------------------------|------------|---|
| Yokohama Rubber Co. Ltd. | Reverse Concept H/S 315 | 9,10.5 | SOLE: H/S Type 315., REVERSE CONCEPT, (PRGP, DRIVER in inner circle), (loft in outer circle), ·ß TITANIUM FORGED FACE·, 1. TOE: PRGR view image here |
| Yokohama Rubber Co. Ltd. | Reverse Titanium Type 295D | 10.5,13,15 | SOLE: 1, (2 dots), Reverse, Type 295 D, DATA WOOD, PRGR, Titanium TOE: H/S, Head Speed CROWN: (Reverse alignment mark) HEEL: GROOVE SURROUND view image here |
| Yokohama Rubber Co. Ltd. | Reverse Titanium Type 300 | 9,11,15 | SOLE: 1, (dot), Reverse, Type 300, DATA WOOD, PRGR, Titanium TOE: H/S, Head Speed CROWN: (Reverse alignment mark) HEEL: GROOVE SURROUND view image here |
| Yokohama Rubber Co. Ltd. | Reverse Titanium Type 310 | 10.5 | SOLE: ß, FORGED, Titanium, (1 over 2 dots), (line), Reverse, Type 310, DATA WOOD, (line), PRGR TOE: H/S, Head Speed CROWN: (Reverse alignment mark) HEEL: GROOVE SURROUND |
| Yokohama Rubber Co. Ltd. | Reverse Type 295D | 8 | SOLE: 1, -(loft)-, Reverse, Type 295D, DATA WOOD, PRGR, Titanium TOE: H/S, Head Speed CROWN: (Reverse alignment mark) HEEL: GROOVE, SURROUND |
| Yokohama Rubber Co. Ltd. | Reverse Type 295D (Single Square) | 9 | SOLE: 1, (small square), Reverse, Type 295D, DATA WOOD, PRGR, Titanium TOE: H/S, Head Speed CROWN: (Reverse alignment mark) HEEL: GROOVE, SURROUND view image here |
| Yokohama Rubber Co. Ltd. | Reverse Type 295D (w/ dot) | N/A | SOLE: 1, Reverse, Type 295D, DATA WOOD, PRGR, Titanium. TOE: H/S, Head Speed CROWN: (Reverse alignment mark) HEEL: GROOVE, SURROUND view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------------|-------------------------------------|-------------------|--|
| Yokohama Rubber Co. Ltd. | Reverse Type 310 (Double Square) | 10.5 | SOLE: FORGED, ß Titanium, 1, (two square), (line), Reverse, Type 310, DATA WOOD, (line), PRGR TOE: H/S, Head Speed HEEL: GROOVE, SURROUND |
| Yokohama Rubber Co. Ltd. | Reverse Type 310 (Single Square) | 9 | SOLE: FORGED, ß Titanium, 1, (square), (line), Reverse, Type 310, DATA WOOD, (line), PRGR TOE: H/S, Head Speed CROWN: (Reverse alignment mark) HEEL: GROOVE, SURROUND |
| Yokohama Rubber Co. Ltd. | Speed Titan TR CFM | 9 | SOLE: PRGR (3 shapes graphic)SPEED TITAN TR, FORGED, INNER POWER, (line), CFM, 1 BACK: LOFT (loft), INNER POWER TOE: PRGR view image here |
| Yokohama Rubber Co. Ltd. | TR 340 Duo CFM | 9 | SOLE: LOFT, (loft), TR 340, (line), Dual Composite, (figure eight graphic), PRGR, CFM TOE: (Duo, Dual (figure 8 graphic) Composite in figure eight insert) view image here |
| Yonex Co Ltd | 03 Ezone GT 425 | 9,10.5 | SOLE: 425, 2G-Namd, Flex Force, InCore Groove, EZONE GT, (logo), YONEX, (weight port) BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | 03 Ezone GT 450 | 9,10.5,11.5,12,13 | SOLE: 450, 2G-Namd, Flex Force, InCore Groove, EZONE GT, (logo), YONEX, (weight port) BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | 03 Ezone GT 450 (LH) | 10.5 | SOLE: 450, 2G-Namd, Flex Force, InCore Groove, EZONE GT, (logo), YONEX, (weight port) BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------------|--------|--|
| Yonex Co Ltd | 03 Ezone GT 450 GP08 | 9 | SOLE: 450, 2G-Namd, Flex Force, InCore Groove, (logo), EZONE GT, (logo), YONEX, (weight port) BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: GP08, (loft) view image here |
| Yonex Co Ltd | 03 EZONE GT 455DEEP Driver | 7 | SOLE: 455 Deep, 2G-Namd TM, Flex Force, InCore Groove, (weight port) EZONE GT, (logo), YONEX BACK: (weight port) CROWN: (alignment mark) HOSEL: (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | 03 Ezone GT 460 | 9,10.5 | SOLE: 460, 2G-NamdTM, Flex Force, InCore Groove, EZONE GT, (logo), YONEX, (weight port) BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | 03 Ezone GT 460 GP1 | 9 | SOLE: 460, 2G-NamdTM, Flex Force, InCore Groove, EZONE GT, (logo), YONEX, GP1, (weight port) BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | 03 Ezone GT 460 GP10 | 7 | SOLE: 460, 2G-Namd, Flex Force, InCore Groove, EZONE GT, (logo), YONEX, (weight port) BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: GP10, (loft) view image here |
| Yonex Co Ltd | 03 Ezone GT 460 GP11 | 9 | SOLE: 450, 2G-Namd, Flex Force, InCore Groove, EZONE GT, (logo), YONEX, (weight port) BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: GP11, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------------------|-------------------|---|
| Yonex Co Ltd | 03 Ezone GT 460 GP2 | 9 | SOLE: 460, 2G-Namd TM, Flex Force, InCore Groove, EZONE GT, (logo), YONEX, GP2, (weight port) BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) |
| Yonex Co Ltd | 04 EZONE GT Driver type-D | 9,10.5 | SOLE: (logo), YONEX, EZONE GT, Made in Japan, TYPE-D, 2G-Namd TM, SPEED, StrikeSpeed Carbon BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) |
| Yonex Co Ltd | 04 EZONE GT Driver type-LD | 7,9 | SOLE: (logo), YONEX, EZONE GT, Made in Japan, TYPE-S, 2G-Namd TM, SPEED, StrikeSpeed Carbon BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) |
| Yonex Co Ltd | 04 EZONE GT Driver type-LD2 | 5,9 | SOLE: (logo), YONEX, EZONE GT, (weight port), Made in Japan, TYPE-LD2, 2G-Namd TM, SPEED, StrikeSpeed Carbon BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | 04 EZONE GT Driver type-S | 9,10.5,11.5,12,13 | SOLE: (logo), YONEX, EZONE GT, Made in Japan, TYPE-S, 2G-Namd TM, SPEED, StrikeSpeed Carbon BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) |
| Yonex Co Ltd | 04 EZONE GT Driver type-S (LH) | 9,10.5 | SOLE: StrikeSpeed Carbon, 2G-Namd TM, SPEED, TYPE-S, (logo), YONEX, EZONE GT, Made in Japan, BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------------|--------------|---|
| Yonex Co Ltd | 04 EZONE GT Driver type-S2 | 9 | SOLE: (logo), YONEX, EZONE GT, Made in Japan, TYPE-S2, 2G-Namd TM, SPEED, StrikeSpeed Carbon BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) |
| Yonex Co Ltd | 04 EZONE GT Driver type-S3 | 9 | SOLE: (logo), YONEX, EZONE GT, (weight port), Made in Japan, TYPE-S3, 2G-Namd TM, SPEED, StrikeSpeed Carbon BACK: (weight port) CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) |
| Yonex Co Ltd | 05 Royal Ezone | 10.5,11.5 | SOLE: MADE IN JAPAN, 2G-Namd, Flex Force, (weight port), (logo), YONEX, Royal EZONE CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | 06 Royal Ezone Driver | 10.5,11.5 | SOLE: Royal Ezone, 2G-Namd TM, Flex Force, MADE IN JAPAN,(weight port), (logo), YONEX CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) |
| Yonex Co Ltd | 08 Fiore | 13.5 | SOLE: (logo), Fiore, (triangle inset), (logo), YONEX CROWN: (alignment mark) HEEL: (loft) view image here |
| Yonex Co Ltd | 19 Royal Ezone | 9,10,11.5,13 | SOLE: Royal, EZONE, (logo), YONEX CROWN: (hexagon alignment mark) HOSEL: (dot), S, H, U, L, (orientation indicators) HEEL: (loft) FACE:EZONE view image here |
| Yonex Co Ltd | AL330 (Jr) | N/A | SOLE: 1 (loft), (logo) YONEX, (triangle) AL330 (underlined) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------------------|-------|---|
| Yonex Co Ltd | AL330 (Jr) (Version 2) | 18 | SOLE: 1 (loft), (logo) YONEX, AL330 CROWN: (alignment mark) view image here |
| Yonex Co Ltd | Cyber Star 3000 Spec 360 Tour | 10 | SOLE: 1 (loft), Cyber Star 3000 Spec, 360, (logo) Yonex BACK: -Tungsten Balanced- TOE: Tour FACE:Muscle Power Face |
| Yonex Co Ltd | Cyber Star 3000 Spec 400 Tour | 10 | SOLE: 1 (loft), Cyber Star 3000 Spec, 400, (logo) Yonex BACK: -Tungsten Balanced- TOE: Tour FACE:Muscle Power Face |
| Yonex Co Ltd | Cyber Star Grand Spec 380 Tour | 10.5 | SOLE: 1 (loft), Cyber Star, Grand, (logo) Yonex BACK: Spec 380 TOE: Tour view image here |
| Yonex Co Ltd | Cyber Star Grand Spec 410 Tour | 10.5 | SOLE: 1 (loft), Cyber Star, Grand, (logo) Yonex BACK: Spec 410 TOE: Tour view image here |
| Yonex Co Ltd | Cyberstar 2000 | 10,11 | SOLE: (crescent), 1 (loft), (line), CYBERSTAR 2000, (line), (Yonex logo) YONEX, TUNGSTEN, (line), BALANCE CROWN: (Yonex logo) view image here |
| Yonex Co Ltd | Cyberstar 2000 Pro | 8,9 | SOLE: (crescent), 1 (loft), CYBERSTAR 2000, PRO, (Yonex logo) YONEX, (segmented curved line), TUNGSTEN, (curved line), BALANCE view image here |
| Yonex Co Ltd | Cyberstar 2000FL | 13 | SOLE: 1, (loft), CYBERSTAR 2000 FL, (logo) YONEX, TUNGSTEN, BALANCE CROWN: (alignment mark) view image here |
| Yonex Co Ltd | Cyberstar 3000 (LH) | 10 | SOLE: (crescent), 1 (loft), CYBER STAR, 3000, (Yonex logo) YONEX BACK: (line) TUNGSTEN BALANCED (line) FACE:MUSCLE, POWER FACE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------|-----------|---|
| | | | |
| Yonex Co Ltd | CyberStar 5000 Tour Spec 355 | 9,10 | SOLE: (loft), (logo) YONEX, CYBERSTAR, 5000, SPEC 355 TOE: (logo) TOUR |
| | | | view image here |
| Yonex Co Ltd | CyberStar 5000 Tour Spec 385 | 9,10 | SOLE: (loft), (logo) YONEX, CYBERSTAR, 5000, SPEC 385 TOE: (logo) TOUR |
| | | | view image here |
| Yonex Co Ltd | Cyberstar C280 FL | 12 | SOLE: CYBERSTAR, C280 FL, 1 (loft), (circular weight) TOE: ((Yonex logo) YONEX in rectangle) |
| | | | view image here |
| Yonex Co Ltd | Cyberstar C280FL | 12 | SOLE: CYBERSTAR, C280FL, 1 (loft) TOE: (logo) YONEX (in rectangle) |
| | | | view image here |
| Yonex Co Ltd | Cyberstar CT | 9,10.5 | SOLE: CYBERSTAR, CT, 1 (loft) BACK: Carbon & Titanium TOE: (logo) YONEX |
| | | | view image here |
| Yonex Co Ltd | Cyberstar CT FL | 12,14 | SOLE: CYBERSTAR, CT, (circular weight insert) 1 (loft), FL BACK: Carbon & Titanium TOE: ((Yonex logo) YONEX in rectangle) |
| Yonex Co Ltd | Cyberstar Nanospeed 460 | 9,10.5,12 | SOLE: CYBERSTAR, NANOSPEED, 1, (loft) TOE: (logo) YONEX (in rectangle) |
| | | | view image here |
| Yonex Co Ltd | Cyberstar Nanospeed 460 (LH) | 9,10.5 | SOLE: CYBERSTAR, NANOSPEED, 1, (loft) TOE: (logo) YONEX (in rectangle) |
| | | | view image here |
| Yonex Co Ltd | Cyberstar Nanospeed FL | 12,14 | SOLE: CYBERSTAR, NANOSPEED, 1, (loft), FL TOE: (logo) YONEX (in rectangle) |
| | | | view image here |
| Yonex Co Ltd | Cyberstar Nanospeed J | 9,10 | SOLE: CYBERSTAR, NANOSPEED J, 1, (loft) BACK: JAPAN MODEL TOE: (logo) YONEX HEEL: CONFORMING TO, R&A/USGA SLE RULE |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---|---------|---|
| Yonex Co Ltd | Cyberstar Nanospeed J (ladies) | 11 | SOLE: CYBERSTAR, NANOSPEED J, Ladies, 1, (loft) BACK: JAPAN MODEL TOE: (logo) YONEX HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Yonex Co Ltd | Cyberstar Nanospeed T425 (prototype) | 10 | SOLE: CYBERSTAR, NANOSPEED, 1, (loft) TOE: (logo) YONEX HOSEL: CONFORMING TO, R&A/USGA SLE RULE HEEL: T425 view image here |
| Yonex Co Ltd | Cyberstar Nanov (ladies) | 12,13 | SOLE: CYBERSTAR, NANOV, Ladies, 1, (loft) TOE: (logo) YONEX HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Yonex Co Ltd | Cyberstar Nanov (LH) | 9,10 | SOLE: Cyberstar, Nanov, 1, (loft) TOE: (logo) YONEX HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Yonex Co Ltd | Cyberstar Nanov (LH) (Version 2) | 9,10 | SOLE: CYBERSTAR, NANOV, (logo) YONEX, (loft) TOE: AERODYNAMIC, SHAPE view image here |
| Yonex Co Ltd | Cyberstar Nanov (Version 1) | 9,10 | SOLE: Cyberstar, Nanov, 1, (loft) TOE: (logo) Yonex HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Yonex Co Ltd | Cyberstar Nanov (Version 2) | 11 | SOLE: CYBERSTAR, NANOV, 1, (LOFT) TOE: (logo) YONEX HEEL: * CONFORMING TO, R&A/USGA SLE RULE view image here |
| Yonex Co Ltd | Cyberstar Nanov (Version 3) (first article) | 9,10,11 | SOLE: CYBERSTAR, NANOV, (logo) YONEX, (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|---------|--|
| Yonex Co Ltd | Cyberstar Nanov (Version 4) | 9,10,11 | SOLE: CYBERSTAR, NANOV, (logo) YONEX, (loft) TOE: AERODYNAMIC, SHAPE HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Yonex Co Ltd | Cyberstar Nanov 450D | 9,10,11 | SOLE: CYBERSTAR, NANOV, 450D, (logo) YONEX, (loft) TOE: AERODYNAMIC, SHAPE view image here |
| Yonex Co Ltd | Cyberstar Nanov 450D (Version 2) | 9,10 | SOLE: CYBERSTAR, NANOV, 450D, (logo) YONEX, (loft) TOE: AERODYNAMIC, SHAPE HEEL: PROTO.A view image here |
| Yonex Co Ltd | Cyberstar Nanov 450D (Version 3) | 9,10 | SOLE: CYBERSTAR, NANOV, 450D, (logo) YONEX, (loft) TOE: AERODYNAMIC, SHAPE HEEL: PR-B view image here |
| Yonex Co Ltd | Cyberstar Nanov 450D (Version 4) | 10 | SOLE: CYBERSTAR, NANOV, 450D, (logo) YONEX, (loft) TOE: AERODYNAMIC, SHAPE HEEL: PR-D view image here |
| Yonex Co Ltd | Cyberstar Nanov FL (ladies) (first article) | 12,13 | SOLE: CYBERSTAR, NANOV, (logo) YONEX, (loft), FL view image here |
| Yonex Co Ltd | Cyberstar Nanov FL (ladies) (Version 2) | 12,13 | SOLE: CYBERSTAR, NANOV, (logo) YONEX, (loft), FL TOE: AERODYNAMIC, SHAPE HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Yonex Co Ltd | Cyberstar Nanov PR-C | 9,10 | SOLE: CYBERSTAR, NANOV, 450D, (logo) YONEX, (loft) TOE: AERODYNAMIC, SHAPE HEEL: PR-C view image here |
| Yonex Co Ltd | Cyberstar Nanov T4 (prototype) | 9 | SOLE: CYBERSTAR, NANOV, 1, (loft) TOE: (logo) YONEX HOSEL: CONFORMING TO, R&A/USGA SLE RULE HEEL: T4 |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------------|-----------------|--|
| Yonex Co Ltd | Cyberstar Nanov TX (first article) | 9,10 | SOLE: CYBERSTAR, NANOV, (logo) YONEX, (loft), TX view image here |
| Yonex Co Ltd | Cyberstar Nanov TX (Version 2) | 9,10 | SOLE: CYBERSTAR, NANOV, (logo) YONEX, (loft), TX TOE: AERODYNAMIC, SHAPE HEEL: CONFORMING TO, R&A/USGA SLE RULE view image here |
| Yonex Co Ltd | CyberStar PowerBrid 400 | 9,10.5,12 | SOLE: Cyberstar, Powerbrid, (loft), 400 TOE: Yonex (logo) view image here |
| Yonex Co Ltd | Cyberstar PowerBrid GS | 9,10.5,12,FL,FL | SOLE: CYBERSTAR, POWERBRID, GS, (loft) TOE: ((Yonex logo) YONEX on rectangular insert) view image here |
| Yonex Co Ltd | Cyberstar PowerBrid GS (LH) | 9 | SOLE: CYBERSTAR, POWERBRID, GS, (loft) TOE: ((Yonex logo) YONEX on rectangular insert) view image here |
| Yonex Co Ltd | Cyberstar PowerBrid TX | 9.5,10.5 | SOLE: (curved line), CYBERSTAR, POWER BRID, TX, (curved triangle), (line), (loft) TOE: ((Yonex logo) YONEX on rectangular insert) view image here |
| Yonex Co Ltd | Ezone (Ladies) | 12,13.5 | SOLE: (logo) YONEX, EZONE, (media blast logo) CROWN: (alignment mark) HEEL: (loft) view image here |
| Yonex Co Ltd | Ezone Elite | 10.5,12 | SOLE: (logo), YONEX, EZONE, ELITE CROWN: (alignment mark), EZONE, ELITE HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | Ezone Elite (Ladies) | 12,14 | SOLE: (logo), YONEX, EZONE, ELITE, (flower pattern on inset) CROWN: (alignment mark) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------------|---------|---|
| Yonex Co Ltd | Ezone Elite 3.0 | 10.5,12 | SOLE: EZONE, ELITE 3.0, OCTAFORCE TECHNOLOGY, (logo), YONEX CROWN: (alignment mark) HOSEL: (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | Ezone Elite 3.0 (Version 2) | 12,14 | SOLE: EZONE, ELITE 3.0, OCTAFORCE TECHNOLOGY, (logo), YONEX CROWN: (alignment mark) HEEL: (loft) view image here |
| Yonex Co Ltd | Ezone Elite 4 (adjustable hosel) | 10.5,12 | SOLE: EZONE ELITE 4, (logo), YONEX, OCTAFORCE TECHNOLOGY CROWN: (alignment mark) HOSEL: (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | Ezone Elite 4 (unadjustable hosel) | 10.5,12 | SOLE: EZONE ELITE 4, (logo), YONEX, OCTOFORCE TECHNOLOGY CROWN: (alignment mark) HEEL: (loft) view image here |
| Yonex Co Ltd | Ezone EZ-390 | 9,10 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-390 view image here |
| Yonex Co Ltd | Ezone EZ-415 | 9,10 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-415 view image here |
| Yonex Co Ltd | Ezone EZ-420 | 9,10 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-420 view image here |
| Yonex Co Ltd | Ezone EZ-445 | 9,10 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-445 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------|-------|---|
| Yonex Co Ltd | Ezone EZ-44T | 9,10 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-44T view image here |
| Yonex Co Ltd | Ezone EZ-L38C | 9,10 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-L38C |
| Yonex Co Ltd | Ezone EZ-L38T | 9,10 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-L38T view image here |
| Yonex Co Ltd | Ezone EZ-L39RC | 9 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-L39RC view image here |
| Yonex Co Ltd | Ezone EZ-L39RT | 9 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-L39RT view image here |
| Yonex Co Ltd | Ezone EZ-L40RC | 9 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-L40RC |
| Yonex Co Ltd | Ezone EZ-L40RT | 9 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-L40RT |
| Yonex Co Ltd | Ezone EZ-L41RC | 9 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-L41RC view image here |
| Yonex Co Ltd | Ezone EZ-L41RT | 9 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-L41RT view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-------------------------|------------|---|
| Yonex Co Ltd | Ezone EZ-R35C | 9,10 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-R35C view image here |
| Yonex Co Ltd | Ezone EZ-R35T | 9,10 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-R35T |
| Yonex Co Ltd | Ezone EZ-R38C | 9,10 | SOLE: (logo) YONEX, EZONE, (medial blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-R38C |
| Yonex Co Ltd | Ezone EZ-R38T | 9,10 | SOLE: (logo) YONEX, EZONE, (media blast logo) TOE: (logo) YONEX HEEL: (loft), EZ-R38T view image here |
| Yonex Co Ltd | Ezone EZ-Z42 | N/A | SOLE: (logo) YONEX TOE: (logo) YONEX HEEL: EZ-Z42 view image here |
| Yonex Co Ltd | Ezone Fiore | 11.5, 13.5 | SOLE: (logo) YONEX, (logo), Fiore, EZONE, (loft) CROWN: (alignment mark) view image here |
| Yonex Co Ltd | Ezone Fiore (Version 2) | 11.5 | SOLE: (logo) YONEX, (logo), Fiore, EZONE, (loft) CROWN: (logo alignment mark) view image here |
| Yonex Co Ltd | Ezone FS | 9,10.5 | SOLE: EZONE, FS (logo), YONEX CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) FACE:EZONE view image here |
| Yonex Co Ltd | Ezone GS | 9,10.5 | SOLE: EZONE, GS (logo), YONEX CROWN: (alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:EZONE view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|----------------------|-------------|---|
| Yonex Co Ltd | Ezone GS i-Tech | 9,10.5,12 | SOLE: EZONE, GS, i-TECH, (logo), YONEX, (weight port), (weight port) CROWN: (alignment mark) HOSEL: (orientation indicators) HEEL: (loft) FACE:EZONE view image here |
| Yonex Co Ltd | Ezone GT | 8,9,10.5,12 | SOLE: (weight port), EZONE, (weight port), (logo), YONEX, GT CROWN: (alignment mark) HOSEL: (orientation indicators), S, L, U, H HEEL: (loft), (dot) FACE:(EZONE in media blast) view image here |
| Yonex Co Ltd | Ezone GT (LH) | 10.5 | SOLE: (weight port), EZONE, (logo), (YONEX), (weight port), GT CROWN: (alignment mark) HOSEL: (orientation indicators), S, L, U, H HEEL: (loft), (dot) FACE:(EZONE in media blast) view image here |
| Yonex Co Ltd | Ezone GT (Version 2) | 12,13 | SOLE: (weight port), EZONE, (weight port), (logo), YONEX, GT CROWN: (alignment mark) HEEL: (loft) FACE:EZONE view image here |
| Yonex Co Ltd | Ezone GT GP03 | 9.5 | SOLE: (weight port), (logo), YONEX, 435 TOE: EZONE, GT CROWN: (logo alignment mark) HEEL: (loft), GP03 view image here |
| Yonex Co Ltd | Ezone GT GP06 | 10 | SOLE: (logo), YONEX, 455 BACK: (weight port) TOE: EZONE, GT CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), GP06 view image here |
| Yonex Co Ltd | Ezone GT GP07 | 10 | SOLE: (logo), YONEX, 435 BACK: (weight port) TOE: EZONE, GT CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), GP07 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------------|--------|---|
| Yonex Co Ltd | Ezone GT PO1 | 9,10.5 | SOLE: EZONE, (weight port), (logo), YONEX, GT CROWN: (alignment mark) HEEL: (loft), PO1 FACE:(EZONE in media blast) view image here |
| Yonex Co Ltd | Ezone GT PO1 (Version 2) | 9,10 | SOLE: EZONE, (weight port), (logo), YONEX, GT HEEL: (loft), PO1 FACE:(EZONE) view image here |
| Yonex Co Ltd | Ezone GT PO2 | 9,10.5 | SOLE: EZONE, (weight port), (logo), YONEX, GT, (weight port) CROWN: (alignment mark) HEEL: (loft), PO2 FACE:(EZONE in media blast) view image here |
| Yonex Co Ltd | Ezone GT PO2 (Version 2) | 9,10 | SOLE: EZONE, (weight port), (logo), YONEX, GT, (weight port) HEEL: (loft), PO2 FACE:(EZONE) view image here |
| Yonex Co Ltd | Ezone GT PO3 | N/A | SOLE: EZONE, (weight port), (logo), YONEX, GT CROWN: (alignment mark) HEEL: PO3 FACE:(EZONE in media blast) view image here |
| Yonex Co Ltd | Ezone GT PO8 | 10 | SOLE: (weight port), EZONE, (weight port), (logo), YONEX, GT HOSEL: (dot), (orientation indicators), S, L, U, H HEEL: (loft), PO8 FACE:(EZONE) view image here |
| Yonex Co Ltd | Ezone GT PO8 (Version 2) | 10 | SOLE: (weight port), EZONE, (weight port), (logo), YONEX, GT HOSEL: (dot), (orientation indicators), S, L, U, H HEEL: (loft), PO8 |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|-----------------------|--------------------|--|
| Yonex Co Ltd | Ezone GT Typex | 9,10.5,12 | SOLE: (weight port), EZONE, (weight port), (logo), YONEX, GT, TYPEX CROWN: (alignment mark) HOSEL: (orientation indicators), S, L, U, H HEEL: (loft), (dot) FACE:(EZONE in media blast) view image here |
| Yonex Co Ltd | Ezone GT2 435 | 9,10 | SOLE: (logo), YONEX, 435 CROWN: (logo alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | Ezone GT2 455 | 9,10.5 | SOLE: (logo), YONEX, 455 CROWN: (logo alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | Ezone GT2 455 (LH) | 10.5 | SOLE: (logo), YONEX, 455 TOE: EZONE, GT CROWN: (logo alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | Ezone Junior | 18 | SOLE: (logo) YONEX, EZONE Jr., (media blast logo) HEEL: 1 (loft) view image here |
| Yonex Co Ltd | Ezone Junior Titanium | 16 | SOLE: (logo) YONEX, EZONE Jr., (media blast logo) TOE: Titanium, 400 HEEL: 1 (loft) view image here |
| Yonex Co Ltd | Ezone SD | 8,9,9.5,10.5,12,14 | SOLE: (logo) YONEX, EZONE, (media blast logo), (SD, INNER WEIGHT on plate in cavity) HEEL: (loft) view image here |
| Yonex Co Ltd | Ezone SD (LH) | 10.5 | SOLE: (logo) YONEX, EZONE, (media blast logo), (SD, INNER, WEIGHT on plate in cavity) HEEL: (loft) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------|--------------------|--|
| Yonex Co Ltd | Ezone Tri-G 445 | 9,10 | SOLE: (logo) YONEX, EZONE, Tri-G, (port for shaft screw) HOSEL: (dot), (orientation indicators) HEEL: (loft), (star) view image here |
| Yonex Co Ltd | Ezone Tri-G 445 (Version 2) | 9,10 | SOLE: (logo) YONEX, EZONE, Tri-G HEEL: (loft), (star) view image here |
| Yonex Co Ltd | Ezone Tri-G 460 | 9,10 | SOLE: (logo) YONEX, EZONE, Tri-G CROWN: (alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | Ezone Tri-G Prototype IETX-1 | 9 | SOLE: (logo) YONEX, EZONE, Tri-G HEEL: (loft), (star), IETX-1 view image here |
| Yonex Co Ltd | Ezone Type 380 | 8,9,10 | SOLE: (logo) YONEX, EZONE, (media blast logo) HEEL: TYPE 380, (loft) |
| Yonex Co Ltd | Ezone Type 420 | 8,9,10 | SOLE: (logo) YONEX, EZONE, (media blast logo) HEEL: TYPE 420, (loft) view image here |
| Yonex Co Ltd | Ezone Type 450 | 8,9,10,11 | SOLE: (logo) YONEX, EZONE, (media blast logo) HEEL: TYPE 450, (loft) view image here |
| Yonex Co Ltd | Ezone Type 450 (LH) | 9,10 | SOLE: (logo) YONEX, EZONE, (media blast logo) HEEL: TYPE 450, (loft) view image here |
| Yonex Co Ltd | Ezone Type 450E | 10.5,11.5 | SOLE: (logo) YONEX, EZONE, (media blast logo) HEEL: TYPE 450E, (loft) view image here |
| Yonex Co Ltd | Ezone XP | 8,9,9.5,10.5,12,14 | SOLE: EZONE, (logo) YONEX, XP, (loft) CROWN: (alignment mark) HOSEL: (orientation indicators) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------------------|--------------|---|
| Yonex Co Ltd | Ezone XP (LH) | 9,9.5,10.5 | SOLE: EZONE, (logo) YONEX, XP, (loft) CROWN: (alignment mark) HOSEL: (orientation indicators) |
| | | | view image here |
| Yonex Co Ltd | Ezone XP 445 (Coated) (Prototype) | 9 | SOLE: EZONE, (logo), YONEX, XP TOE: (logo) HEEL: (loft), EXP-445 view image here |
| Yonex Co Ltd | Ezone XP 445 (Prototype) | 9 | SOLE: EZONE, (logo), YONEX, XP TOE: (logo) HEEL: (loft), EXP-44T view image here |
| Yonex Co Ltd | Ezone XPG | 9,10.5,12,14 | SOLE: EZONE, XPG, (logo), YONEX CROWN: (alignment mark), (curved line), EZONE, (curved line) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | Ezone XPG #B | 9 | SOLE: EZONE, XPG, (logo), YONEX CROWN: (alignment mark), (curved line), EZONE, (curved line) HOSEL: (orientation indicators) HEEL: (loft), #B2 |
| Yonex Co Ltd | Ezone XPG (LH) | 10.5 | SOLE: EZONE, XPG, (logo), YONEX CROWN: (alignment mark), (curved line), EZONE, (curved line) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | Ezone XPG (Tour) | 9 | SOLE: EZONE, XPG, (logo), YONEX CROWN: (alignment mark), (curved line), EZONE, (curved line) HEEL: (loft), IETX-2 view image here |
| Yonex Co Ltd | Ezone XPG (Tour) (Version 2) | 9 | SOLE: EZONE, XPG, (logo), YONEX CROWN: (alignment mark), (curved line), EZONE, (curved line) HOSEL: (orientation indicators) HEEL: (loft), #B1 |
| Yonex Co Ltd | Ezone XPG IETX | 9 | SOLE: EZONE, XPG, (logo), YONEX CROWN: (alignment mark), (curved line), EZONE, (curved line) HEEL: (loft), IETX-3 |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------|-----------|--|
| Yonex Co Ltd | Ezone XPG TYPE HD | 9,10.5 | SOLE: Type HD, EZONE, XPG, (logo), YONEX CROWN: (alignment mark), (curved line), EZONE, (curved line) HOSEL: (dot), (orientation indicators) HEEL: (loft) view image here |
| Yonex Co Ltd | Fiore | 11.5,13.5 | SOLE: (logo) YONEX, (logo), Fiore, (dots on circular inset) CROWN: (logo alignment mark) HEEL: (loft) view image here |
| Yonex Co Ltd | Fiore (Version 2) | 13.5 | SOLE: (logo) YONEX, ((logo), Fiore in shape), (decorative graphic on circular inset) CROWN: (logo alignment mark) HEEL: (loft) view image here |
| Yonex Co Ltd | Fiore Driver (Version 3) | 13.5 | SOLE: (logo), Fiore, (inset), (logo), YONEX CROWN: (alignment mark) HOSEL: (dot) HEEL: (loft) view image here |
| Yonex Co Ltd | GP03 | 9.5 | SOLE: (weight port), (logo), YONEX CROWN: (logo alignment mark) HEEL: (loft), GP03 view image here |
| Yonex Co Ltd | GP04 | 9,10 | SOLE: (weight port), (logo), YONEX CROWN: (logo alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), GP04 view image here |
| Yonex Co Ltd | GP05 | 9,10 | SOLE: (weight port), (logo), YONEX CROWN: (logo alignment mark) HOSEL: (dot), (orientation indicators) HEEL: (loft), GP05 view image here |
| Yonex Co Ltd | i-Ezone (Version 1) | N/A | SOLE: (logo) YONEX, i - EZONE, (1WS on inset) TOE: (logo) YONEX HEEL: IEZ-39RC9 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------|--------------|--|
| Yonex Co Ltd | i-Ezone (Version 2) | N/A | SOLE: (logo) YONEX, i - EZONE, (1WS on inset) TOE: (logo) YONEX HEEL: IEZ-41RC9 view image here |
| Yonex Co Ltd | i-Ezone (Version 3) | N/A | SOLE: (logo) YONEX, i - EZONE, (1WS on inset) TOE: (logo) YONEX HEEL: IEZ-44RC9 view image here |
| Yonex Co Ltd | i-Ezone (Version 4) | 8,9,10,11 | SOLE: (logo) YONEX, i – EZONE, (port for shaft screw), (1WS on inset) CROWN: (alignment mark) HOSEL: (arrow), (orientation indicators) HEEL: (three line logo) GRAPHITE COMPOSITE (loft) FACE:(media blast logo) |
| Yonex Co Ltd | i-Ezone IEZ-445 | 9,10 | SOLE: (logo) YONEX, i - EZONE BACK: (1WS on inset) HEEL: (three line logo) GRAPHITE COMPOSITE (loft), IEZ-445 view image here |
| Yonex Co Ltd | i-Ezone TX | 9,10 | SOLE: (logo) YONEX, i - EZONE, (port for shaft screw) BACK: (1WS on inset) HOSEL: (orientation indicators) HEEL: (three line logo) GRAPHITE COMPOSITE TX (loft) view image here |
| Yonex Co Ltd | i-Ezone TX (Version 2) | 8,9,10 | SOLE: (logo) YONEX, i - EZONE BACK: (1WS on inset) HEEL: (three line logo) GRAPHITE COMPOSITE TX (loft) view image here |
| Yonex Co Ltd | Nanospeed 3i | 9,10.5,12,14 | SOLE: NANOSPEED 3i, (logo) YONEX, (loft), (Inner Weight System on inset) view image here |
| Yonex Co Ltd | Nanospeed i | 9,10.5,14 | SOLE: NANOSPEED I, (logo) YONEX, (loft) view image here |
| Yonex Co Ltd | Nanospeed i (ladies) | 14 | SOLE: NANOSPEED i, (logo) YONEX, (loft), FL view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--|----------------|--|
| Yonex Co Ltd | Nanospeed i (ladies) (Version 2) | 12,14 | SOLE: NANOSPEED i, (logo) YONEX, (loft), FL TOE: AEROPENTAGON, SHAPE view image here |
| Yonex Co Ltd | Nanospeed i (LH) | 10.5 | SOLE: NANOSPEED i, (logo) YONEX, (loft) view image here |
| Yonex Co Ltd | Nanospeed i (LH) (Version 2) | 10.5 | SOLE: NANOSPEED i, (logo) YONEX, (loft) TOE: AEROPENTAGON, SHAPE view image here |
| Yonex Co Ltd | Nanospeed i (Version 2) | 8,9,10.5,12,14 | SOLE: NANOSPEED i, (logo) YONEX, (loft) TOE: AEROPENTAGON, SHAPE view image here |
| Yonex Co Ltd | Nanov Fiore | 11.5,13.5 | SOLE: (logo) YONEX, FIORE, NANOV, (loft) CROWN: (alignment mark) view image here |
| Yonex Co Ltd | Nanov Junior | 18 | SOLE: NANOV Jr, (logo) YONEX, 1 (loft) view image here |
| Yonex Co Ltd | Nanov Junior (LH) | 18 | SOLE: NANOV Jr, (logo) YONEX, 1 (loft) view image here |
| Yonex Co Ltd | Nanov Nextage | 12,13.5 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in oval) view image here |
| Yonex Co Ltd | Nanov NextAge (Version 2) | 9,10 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: (logo) YONEX view image here |
| Yonex Co Ltd | Nanov Nextage (Version 2) (prototype) | 8 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: (logo) YONEX view image here |
| Yonex Co Ltd | Nanov NextAge PR-HC00 | 9,10 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: (logo) YONEX HEEL: PR-HC00 |
| Yonex Co Ltd | Nanov NextAge PR-HT00 | 9,10 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: (logo) YONEX HEEL: PR-HT00 |
| | | | view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------|-------|---|
| Yonex Co Ltd | Nanov Nextage PR-J30 | 9,10 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: (logo) YONEX HEEL: PR-J30 |
| | | | view image here |
| Yonex Co Ltd | Nanov Nextage PR-K44 | 9,10 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: (logo) YONEX HEEL: PR-K44 |
| | | | <u>view image here</u> |
| Yonex Co Ltd | Nanov Nextage PR-L38 | 9,10 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: (logo) YONEX HEEL: PR-L38 |
| | | | <u>view image here</u> |
| Yonex Co Ltd | Nanov Nextage PR-M38 | 9,10 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: (logo) YONEX HEEL: PR-M38 |
| | | | <u>view image here</u> |
| Yonex Co Ltd | Nanov Nextage PR-N45 | 9,10 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: (logo) YONEX HEEL: PR-N45 |
| | | | <u>view image here</u> |
| Yonex Co Ltd | Nanov Nextage PR-P35 | 9,10 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: (logo) YONEX HEEL: PR-P35 |
| | | | view image here |
| Yonex Co Ltd | Nanov Nextage PR-Q35 | 9,10 | SOLE: NANOV, NEXTAGE, (logo) YONEX, ((loft) in shape) TOE: (logo) YONEX HEEL: PR-Q35 |
| | | | <u>view image here</u> |
| Yonex Co Ltd | Nanov Nextage PR-T38 | 9 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: (logo) YONEX HEEL: PR-T38 |
| | | | <u>view image here</u> |
| Yonex Co Ltd | Nanov Nextage Type 430 | 10 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: TYPE 430 HEEL: PR-GT00 |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------------------|-------------------|--|
| Yonex Co Ltd | Nanov Nextage Type 430 (Version 2) | 9,10 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: TYPE 430 view image here |
| Yonex Co Ltd | Nanov NextAge Type 430 (Version 3) | 9,10 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: (logo) YONEX HEEL: PR-130 view image here |
| Yonex Co Ltd | Nanov Nextage Type 430 (version 3) | 8 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: (logo) YONEX HEEL: PR-130 view image here |
| Yonex Co Ltd | Nanov Nextage Type 460 | 9,10,10.5,11,11.5 | SOLE: NANOV, NEXTAGE, (logo) YONEX, (loft in shape) TOE: TYPE 460 view image here |
| Yonex Co Ltd | Nanov PR-E00 | 9,10 | SOLE: NANOV, (logo) YONEX, (loft in shape) HEEL: PR-E00 view image here |
| Yonex Co Ltd | Nanov PR-E30 | 9,10 | SOLE: NANOV, (logo) YONEX, (loft in shape) HEEL: PR-E30 view image here |
| Yonex Co Ltd | Nanov PR-E60 | 9,10 | SOLE: NANOV, (logo) YONEX, (loft in shape) HEEL: PR-E60 view image here |
| Yonex Co Ltd | Nanov SD | 9.5,10.5 | SOLE: NANOV SD, (logo) YONEX, (loft), (inner weight system on inset) view image here |
| Yonex Co Ltd | New Cyberstar Nanov 450D PR-C20 | 10 | SOLE: CYBERSTAR, NANOV, 450D, (logo) YONEX, (loft) TOE: AERODYNAMIC, SHAPE HEEL: PR-C20 view image here |
| Yonex Co Ltd | New Cyberstar Nanov 450D PR-C30 | 10 | SOLE: CYBERSTAR, NANOV, 450D, (logo) YONEX, (loft) TOE: AERODYNAMIC, SHAPE HEEL: PR-C30 view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|---------------------------|------------|--|
| Yonex Co Ltd | Reine | 12 | SOLE: (logo), YONEX, Reine, (line) CROWN: (alignment mark) HEEL: (loft) view image here |
| Yonex Co Ltd | Rekin Super 03 | 9,10.5,12 | SOLE: 1, (loft) ,REKIN Super 03, (Yonex Logo), YONEX, TITANIUM & TUNGSTEN TOE: HIGH PERFORMANCE TITANIUM HEAD FOR ULTIMATE DISTANCE CROWN: (Yonex logo alignment mark) FACE:SP-700 |
| Yonex Co Ltd | Rekin Super 330 | 11 | SOLE: 1, (loft), REKIN SUPER 330, SUPERSIZE, TITANIUM, (logo) YONEX TOE: HIGH PERFORMANCE TITANIUM HEAD, FOR ULTIMATE DISTANCE CROWN: (alignment mark) FACE:SP-700 view image here |
| Yonex Co Ltd | Royal DTP | 10,11 | SOLE: (logo) YONEX, Royal, DTP, (R on inset), (loft) CROWN: (alignment mark) HOSEL: (dot), (orientation markers) view image here |
| Yonex Co Ltd | Royal Ezone | 10.5,11.5 | SOLE: (angled line) CARBON, COMPOSITE (angled line), MADE IN JAPAN, (logo on inset), (logo) YONEX, Royal, EZONE, (loft), (INNER, WEIGHT, SYSTEM on inset) CROWN: (alignment mark) view image here |
| Yonex Co Ltd | Royal Ezone (Version 3) | 10,11.5,13 | SOLE: Royal, EZONE, (logo), YONEX, DTP System CROWN: (alignment mark) HOSEL: (orientation indicators) HEEL: (loft), (dot) view image here |
| Yonex Co Ltd | Royal Ezone Extra Spec | 10.5 | SOLE: Royal, EZONE, (weight port), (logo), YONEX CROWN: (hexagon alignment mark) HOSEL: (dot), (orientation indicators) HEEL: Extra Spec(loft) FACE:EZONE view image here |
| | | | |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|------------------------------|---------------|---|
| Yonex Co Ltd | S | 10.5 | SOLE: CYBERSTAR, POWERBRID, GS, (loft) TOE: ((Yonex logo) YONEX on rectangular insert) view image here |
| Yonex Co Ltd | Super A.D.X. Titanium PPS | 8.5,9.5,11,12 | SOLE: Super A.D.X., Titanium, PPS, (triangle pointing at face), (Yonex Logo), YONEX, BIAM, TITANIUM, 1, 8.5° CROWN: (Yonex logo, YONEX alignment mark) view image here |
| Yonex Co Ltd | V-mass 250 | 9,10.5 | SOLE: 1 (loft) , V-mass, (line), 250, (Yonex logo) YONEX CROWN: (Yonex logo) HEEL: (line) TUNGSTEN BALANCED (line) view image here |
| Yonex Co Ltd | V-mass 250 (LH) | 9,10.5 | SOLE: 1 (loft), V-mass, (line), 250, (Yonex logo) YONEX CROWN: (Yonex logo) HEEL: (line) TUNGSTEN BALANCED (line) view image here |
| Yonex Co Ltd | V-mass 250 FL | 12 | SOLE: 1 (loft), V-mass, (line), 250 FL, (Yonex logo) YONEX CROWN: (Yonex logo) HEEL: (line) TUNGSTEN BALANCED (line) view image here |
| Yonex Co Ltd | V-Mass 270 FL | 12 | SOLE: 1 (loft), V-mass 270 FL, (circle within a recessed ring), (Yonex logo)YONEX TOE: (three segmented lines), (three segmented lines), (line), MUSCLE•POWER, FACE, (line), (three segmented lines), (three segmented lines) CROWN: (Yonex logo alignment mark) view image here |
| Yonex Co Ltd | V-Mass 350 | 9,10.5,12 | SOLE: 1 (loft), V-mass 350, TITANIUM, (Yonex logo) YONEX BACK: (line) TUNGSTEN BALANCED (line) CROWN: (Yonex logo alignment mark) view image here |
| Yonex Co Ltd | V-Mass 350 (LH) | 9,10.5 | SOLE: 1 (loft), V-mass 350, TITANIUM, (Yonex logo) YONEX BACK: (line) TUNGSTEN BALANCED (line) CROWN: (Yonex logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|--------------|--------------------------|----------|---|
| Yonex Co Ltd | V-mass 350 FL | 12 | SOLE: 1 (loft), V-mass 350 FL, TITANIUM, (Yonex logo) YONEX BACK: (line) TUNGSTEN BALANCED (line) CROWN: (Yonex logo alignment mark) view image here |
| Yonex Co Ltd | V-Mass 350 Plus | 8,9,10.5 | SOLE: 1 (loft), (Yonex logo) YONEX, V-mass 350 +, PLUS, TITANIUM TOE: (curved line), POWER-WAVE FACE, (line) CROWN: (Yonex logo alignment mark) HEEL: (line) TUNGSTEN BALANCED (line) view image here |
| Yonex Co Ltd | V-Mass 400 Spec 350 | 9 | SOLE: 1 (loft), V-Mass 400, (logo) Yonex BACK: Spec 350 Titanium TOE: Muscle Power Face (logo) CROWN: (alignment mark) view image here |
| Yonex Co Ltd | V-Mass 400 Spec 350cc | 9,10.5 | SOLE: 1 (loft), V-mass 400, (Yonex logo) YONEX BACK: SPEC 350cc TITANIUM TOE: (two segmented lines), (line), MUSCLE-POWER, FACE, (line), (two segmented lines) CROWN: (Yonex logo alignment mark) view image here |
| Yonex Co Ltd | V-Mass 400 Spec 400 | 9 | SOLE: 1 (loft), V-Mass 400, (logo) Yonex BACK: Spec 400 Titanium TOE: Muscle Power Face (logo) CROWN: (alignment logo) view image here |
| Yonex Co Ltd | V-mass Marage | 9,10.5 | SOLE: 1 (loft), V-mass MARAGE, (circle within a recessed ring), (Yonex logo)YONEX TOE: (three segmented lines), (three segmented lines), (line), MUSCLE•POWER, FACE, (line), (three segmented lines), (three segmented lines) CROWN: (Yonex logo alignment mark) view image here |
| Yonex Co Ltd | V-Mass Spec 400 | 9,10.5 | SOLE: 1 (loft), V-mass 400, (Yonex logo) YONEX BACK: SPEC 400 CROWN: (Yonex logo alignment mark) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|---------------------|--------------|---|
| Yonex Co Ltd | VMS | 12,14 | SOLE: VM (underlined) S, (logo) YONEX, (loft) BACK: V-SLOT HEEL: (Inner, Weight, System on shape) view image here |
| Yonex Co Ltd | VMX | 9,10.5,12 | SOLE: VMX, (logo) YONEX, (loft), (weight port) HEEL: V-SLOT view image here |
| Yonex Co Ltd | VMX (ladies) | 12,14 | SOLE: VMX, (logo) YONEX, (weight port), (loft), (weight port) HEEL: V-SLOT view image here |
| Yonex Co Ltd | VXF | 9,10.5,12,14 | SOLE: (logo) YONEX, VXF, (line) HEEL: (loft) view image here |
| Yonex Co Ltd | Yonex | 9,10.5 | SOLE: 1 (loft), (Yonex logo) HEEL: (line) TUNGSTEN BALANCED (line) view image here |
| Yonex Co Ltd | Yonex V-mass 260 | 9,10.5 | SOLE: 1 (loft), V-mass 260, (Yonex logo) YONEX, (arrow graphic) BACK: TUNGSTEN BALANCED TOE: (curved line), POWER-WAVE FACE, (line) CROWN: (Yonex logo alignment mark) view image here |
| Yonex Co Ltd | Yonex V-mass 260 FL | 12 | SOLE: 1 (loft), V-mass 260FL, (Yonex logo) YONEX, (arrow graphic) BACK: TUNGSTEN BALANCED TOE: (curved line), POWER-WAVE FACE, (line) CROWN: (Yonex logo alignment mark) view image here |
| Yonex Co Ltd | Z-Force | 10.5 | SOLE: (loft), (logo), YONEX, Z-FORCE CROWN: (alignment mark), (decorative graphic), Z-FORCE HOSEL: (dot), (orientation indicators) view image here |
| Yoshimura Golf Co Ltd | BF-1 | 10.5 | SOLE: (logo), BF-1, BRANDNEW, 1 (in circle), (loft) HEEL: WG view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|--------------------|------------|--|
| Yoshimura Golf Co Ltd | BL1 | 13 | SOLE: (logo), brandnew (underlined), B (in circle) L (in circle) 1 (in circle), 1 (in circle) (loft) view image here |
| Yoshimura Golf Co Ltd | GX | 9.5,10.5 | SOLE: (logo), (logo), (logo), TEAM YOSHIMURA, - KOBE • JAPAN -, (eagle media blast logo), (line), GX CROWN: (logo alignment mark) HEEL: (loft) FACE:(media blast logo) |
| Yoshimura Golf Co Ltd | GX Custom | 10.5 | SOLE: (logo), GX CUSTOM, (loft) HOSEL: -R-, (orientation indicators) HEEL: TEAM YOSHIMURA, -KOBE•JAPAN- view image here |
| Yoshimura Golf Co Ltd | LD 430 | 6,7.5,9 | SOLE: LD430, TEAM YOSHIMURA (underlined), KOBE • JAPAN, 1 (loft) TOE: (logo), TEAM YOSHIMURA view image here |
| Yoshimura Golf Co Ltd | PT435 Tour Project | 7.5,9,10.5 | SOLE: PT435, TOUR PROJECT, 1 (loft) TOE: (logo), TEAM YOSHIMURA view image here |
| Yoshimura Golf Co Ltd | PX | 9.5,10.5 | SOLE: PX, (two curved lines), TEAM YOSHIMURA, - KOBE • JAPAN -, (phoenix media blast logo), (loft), (logo on inset) CROWN: (logo alignment mark) HOSEL: - R - FACE:(media blast logo) view image here |
| Yoshimura Golf Co Ltd | PX 300 | 9.5,10.5 | SOLE: (logo), (logo), TEAM YOSHIMURA, (logo on inset), (logo on inset), (logo on inset), (logo on inset), (loft) CROWN: (logo alignment mark) HOSEL: -R- FACE:(logo) |
| Yoshimura Golf Co Ltd | PX 400 | 9.5,10.5 | SOLE: TEAM YOSHIMURA, -KOBE•JAPAN-, (logo), (PX 400 on inset) CROWN: (alignment mark) HEEL: (loft) FACE:R-SPEC, (logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|---------------------------------|----------------|--|
| Yoshimura Golf Co Ltd | PX 455 Custom | 9.5,10.5 | SOLE: (logo), TEAM YOSHIMURA, -KOBE(dot)JAPAN-, (loft), PX455, CUSTOM, ver.1 HOSEL: -R- view image here |
| Yoshimura Golf Co Ltd | RS | 9,10.5 | SOLE: RS, (logo on inset), TEAM YOSHIMURA, -KOBE JAPAN-, (loft) CROWN: (dot alignment mark) FACE:(target logo) view image here |
| Yoshimura Golf Co Ltd | RX (Version 2) | 9.5,10.5 | SOLE: (logo), TEAM YOSHIMURA, -KOBE•JAPAN-, (Ultimate Racing Acceleration over R, X), (loft) CROWN: (alignment mark) HEEL: -R- FACE:(media blast logo) |
| Yoshimura Golf Co Ltd | Super LD | 7,8.5,9.5,10.5 | SOLE: SUPER, LD, TEAM YOSHIMURA (underline), KOBE • JAPAN, (loft) TOE: (logo) view image here |
| Yoshimura Golf Co Ltd | Tour Project W-One Composite | 10 | SOLE: W-ONE, COMPOSITE, COMPOSITE (and line on circle), TOUR PROJECT (underlined), TITANIUM & CARBON, SLE conforming, 1. (in circle) view image here |
| Yoshimura Golf Co Ltd | TP450 S Ti | 9,10.5 | SOLE: Loft: (loft) volume: 450, TP450·S·TI, (line), TOUR PROJECT, 1 TOE: (logo) HEEL: TEAM YOSHIMURA CO.,LTD., SLE CONFORMING view image here |
| Yoshimura Golf Co Ltd | TP450 TI | 9,10.5 | SOLE: (logo), TEAM YOSHIMURA, TP450TI (underlined), TOUR PROJECT, 1 (loft) view image here |
| Yoshimura Golf Co Ltd | TP450 Ti | 12 | SOLE: (logo), TEAM YOSHIMURA, TP450TI (underlined), TOUR PROJECT, 1 (loft) view image here |
| Yoshimura Golf Co Ltd | TY CX-1 BLACK | 9,10.5 | SOLE: TY CX-1, BLACK, TEAM YOSHIMURA, KOBE•JAPAN, (loft) TOE: (logo) view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-------------------------------------|------------------------|--------------------|---|
| Yuji Golf Pte Ltd | Vector KX-Pro | N/A | SOLE: Vector, KX Pro, Power Mount TIT 007, 1 view image here |
| Yuji Golf Pte Ltd | VF-350 | N/A | SOLE: TIT004, Yuji, 1 TOE: VF 350 CROWN: (alignment mark) view image here |
| Yuji Numazawa Golf Design Co Ltd | Numazawa Model 108C | 9.5,10.5,11.5,12.5 | SOLE: 1, (no dot(s)/dot(s) loft indicator), (NYGD logo on inset), DESIGNED BY, NUMAZAWA, MODEL NO.108C, (yn logo, NUMAZAWA YUJI, GOLF DESIGN, GOLF DESIGN on shield inset) CROWN: (N logo on circular alignment inset) view image here |
| Yutaka Sangyou | YSD 430 | 10 | SOLE: Y S D, 430, MAID IN JAPAN view image here |
| Zano Golf | Zano 460H | N/A | SOLE: (460H, Zano, Fusion Technology over < media blast), Pure Forged ß Titanium, (circular weight) HEEL: ZanoGolf.com FACE:(w/ no coating on face) |
| Zano Golf | Zano 460M | N/A | SOLE: (460M, Zano, Fusion Technology over < media blast), Pure Forged ß Titanium, (circular weight) HEEL: ZanoGolf.com FACE:(w/ no coating on face) view image here |
| Zano Golf | Zano 460M Tour | N/A | SOLE: (460M, Zano, Fusion Technology over < media blast), Pure Forged ß Titanium, TOUR, (circular weight) HEEL: ZanoGolf.com view image here |
| Zelon Japan Co Ltd | M 85 | N/A | SOLE: 1, (ORIGINAL CUSTOM FITCLUB over three media blast arrow logos), (ZELON, JAPAN (golfer logo) on hexagonal inset), (decorative pattern) TOE: (three lines), (M 85 inside diamond), (three lines) FACE:(Z logo) |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|---------------------------------------|----------|---|
| Zelon Japan Co Ltd | Premium | N/A | SOLE: (1, THREE ZONE FACE, PREMIUM, ZELON over Z media blast logo), (ZELON, JAPAN, golfer logo on inset) TOE: ZELON, JAPAN FACE:(Z logo) |
| 7.1.1.0.1.1 | 7.004 | N/A | |
| Zelon Japan Co Ltd | Z 634 | N/A | SOLE: 1, (Z in wreath and star logo), - 634 -, (ZELON, JAPAN, (golfer logo) on inset) TOE: Moment of inertia |
| | | | view image here |
| Zelon Japan Co Ltd | ZLN | N/A | SOLE: (ZLN logo), ORIGINAL CUSTOM FITCLUB, 1 TOE: ZELON, JAPAN FACE:(media blast Z logo) |
| | | | view image here |
| Zero Golf Co.,Ltd | KODO KsZero (Version 2) | N/A | SOLE: KODO, (weight port), (weight port), (weight port), K's ZERO, (logo), (weight port), (weight port), (weight port), |
| | | | view image here |
| Zero Tolerance Golf | Black Max 415 SL | 9 | SOLE: (loft), BLACK MAX, 415 SL, ZEROTOLERANCE, Beta Titanium |
| | | | view image here |
| Zero Tolerance Golf | Black Max 415 XL | 9,10,11 | SOLE: (loft), BLACK MAX, 415 XL, ZEROTOLERANCE, Beta Titanium |
| | | | view image here |
| Zero Tolerance Golf | Black Max 455 XL | 9 | SOLE: (loft), BLACK MAX, 455 XL, ZEROTOLERANCE, Beta Titanium |
| | | | view image here |
| Zero Tolerance Golf | Crown Jewel Maxima 300 | 9 | SOLE: (crown graphic), CROWN, JEWEL, Maxima 300, 1(loft), FORGED, SUPER TITANIUM, ZERO TOLERANCE® CROWN: (alignment mark) |
| | | | view image here |
| Zero Tolerance Golf | Crown Jewel Maxima 330 (Version 1) | 6,8,9,10 | SOLE: (crown logo), CROWN, JEWEL, Maxima 330, Forged, Beta Titanium, Zero Tolerance®, LOW SPIN DESIGN, 1, (loft) CROWN: (arrow alignment mark) |
| | | | view image here |
| Zero Tolerance Golf | Crown Jewel Maxima 330 (Version 2) | 10 | SOLE: (crown logo), CROWN, JEWEL, Maxima 330, Beta Titanium, Zero Tolerance®, LOW SPIN DESIGN, 1, (loft) CROWN: (arrow alignment mark) |
| | | | <u>view image here</u> |

| Manufacturer | Product Name | Lofts | Identification Markings |
|---------------------|---------------------------------------|-----------|---|
| Zero Tolerance Golf | Crown Jewel Maxima 360 (Version 1) | 8,10,11 | SOLE: (crown graphic), CROWN, JEWEL, Maxima 360, 1 (loft), Ionic, Plasma Titanium, Zero Tolerance® CROWN: (arrow alignment mark) view image here |
| Zero Tolerance Golf | Crown Jewel Maxima 360 (Version 2) | 9 | SOLE: (crown graphic), CROWN, JEWEL, Maxima 360, 1 (loft), Forged, Super Titanium, Zero Tolerance® CROWN: (arrow alignment mark) view image here |
| Zero Tolerance Golf | Crown Jewel Maxima 360 (Version 3) | 9,10 | SOLE: (crown logo), CROWN, JEWEL, Maxima 360, Beta Titanium, Zero Tolerance®, 1, (loft) TOE: Conforms with, (USGA, 2001-693, A-D) in shield graphic) CROWN: (arrow alignment mark) view image here |
| Zero Tolerance Golf | Crown Jewel Maxima 400 (Version 1) | 8,9,10,12 | SOLE: (crown graphic), CROWN, JEWEL, Maxima 400, Forged, Beta Titanium, Zero Tolerance®, LOW SPIN DESIGN, 1 (loft) CROWN: (arrow alignment mark) HOSEL: F |
| Zero Tolerance Golf | Crown Jewel Maxima 400 (Version 2) | 9 | SOLE: (crown logo), CROWN, JEWEL, Maxima 400, Beta Titanium, Zero Tolerance®, LOW SPIN DESIGN, 1, (loft) CROWN: (arrow alignment mark) view image here |
| Zero Tolerance Golf | Crown Jewel Maxima 400 (Version 3) | 10 | SOLE: (crown logo), CROWN, JEWEL, Maxima 400, Beta Titanium, Zero Tolerance®, LOW SPIN DESIGN, 1, (loft) view image here |
| Zero Tolerance Golf | Crown Jewel Spectra | 7,9 | SOLE: (crown graphic), CROWN, JEWEL, Spectra, 1 (loft), FORGED 6AL4V, ZERO TOLERANCE® CROWN: (alignment mark) view image here |
| Zero Tolerance Golf | Premier 385 | 9 | SOLE: (loft), ZEROTOLERANCE, (line), Premier 385, SP-700, Beta Titanium view image here |
| Zero Tolerance Golf | Premier 425 | 9 | SOLE: (loft), ZEROTOLERANCE, (line), Premier 425, SP-700, Beta Titanium view image here |

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|--------------------------|---------------|--|
| Zevo Golf Company | Zevo Compressor 410cc | 8,9,10.5,11.5 | SOLE: ZEVO, COMPRESSOR, PRE-LOADED @ 12,500 PSI, (circular insert), FORGED TITANIUM, (loft) CROWN: (recessed Zevo logo) view image here |
| Zodia Company Limited | T309 | 9 | SOLE: (weight port) TOE: Zodia HEEL: T309 |
| Zodia Company Limited | Tour Spec 445 BK | 9 | SOLE: (Z media blast logo), Zodia HEEL: Tour Spec 445 BK view image here |
| Zodia Company Limited | Z445 BK II | 9.5 | SOLE: (weight port), (Z logo), (weight port) BACK: (Z logo) TOE: Zodia view image here |
| Zodia Company Limited | Z-450 Proto | 9.5 | SOLE: (Zodia over Z media blast logo) view image here |
| Zodia Company Limited | Z901 | 9 | SOLE: (Zodia over media blast logo), Z901, 1 (loft) BACK: (Z logo on plate in inset) HEEL: MUSCLE POWER, OPTIMIZED WEIGHT BALANCE view image here |
| Zodia Company Limited | Z901 (Version 2) | N/A | SOLE: (Zodia over media blast logo), Z901, 1 BACK: (Z logo on plate in inset) HEEL: MUSCLE POWER, OPTIMIZED WEIGHT BALANCE view image here |
| Zodia Company Limited | Z901 .T | N/A | SOLE: (Zodia over media blast logo), Z901, .T BACK: (Z logo on plate in inset) HEEL: MUSCLE POWER, OPTIMIZED WEIGHT BALANCE view image here |
| Zodia Company Limited | Z903 | 9.5 | SOLE: (Z media blast logo), Zodia, Z903 BACK: ((line), (Z logo), (line) on inset) FACE:(no central scorelines) view image here |
| Zodia Company Limited | Z903 Tour | 9.5 | SOLE: (Z media blast logo), Zodia, Z903 BACK: (line), (Z logo), (line) view image here |

| November 04, 2024 | | | | |
|-----------------------|--------------|-------|--|--|
| Manufacturer | Product Name | Lofts | Identification Markings | |
| Zodia Company Limited | Z905SF | 10 | SOLE: (Z's on weight port), Zodia, Z905SF HEEL: MUSCLE POWER OPTIMIZED WEIGHT BALANCE view image here | |
| Zodia Company Limited | Z921CC | 9.5 | SOLE: (weight port), Zodia, (Z921CC in media blast) view image here | |
| Zodia Company Limited | Z921CC (LH) | 9.5 | SOLE: Zodia, (weight port), Z921CC view image here | |
| Zodia Company Limited | Z925 | 10 | SOLE: (Z logo), Zodia, (weight port), Carbon Composite Z925, (weight port) <u>view image here</u> | |
| Zodia Company Limited | Z935 | 10 | SOLE: (weight port), Z935, Carbon Composite, (weight port) TOE: Zodia CROWN: (Z logo alignment mark) HOSEL: (orientation indicators) view image here | |
| Zodia Company Limited | Z935 Tour | 9.5 | SOLE: (weight port), Z935, Carbon Composite, (weight port) TOE: Zodia CROWN: (Z logo alignment mark) HOSEL: (orientation indicators) HEEL: tour view image here | |
| Zodia Company Limited | ZG-01 | 10 | SOLE: (weight port), ZG-01, ZERO GRAVITY TOE: Zodia HOSEL: (line), (orientation indicators) view image here | |
| Zodia Corporation | Redeye | 10.5 | SOLE: Zodia, (eight allen screws and (8, SCREW in circle) within circle), Redeye, 1 (loft) view image here | |
| Zodia Corporation | Redeye CFM | 9.5 | SOLE: Zodia, (circle w/ eight allen screws in circles and center circle w/ 8, SCREW), Redeye, CFM 1 (loft) view image here | |
| Zodia Corporation | Zodia Pro8 | N/A | SOLE: (eight dots and eight allen screws and Zodia logo in circle within circle), 1 view image here | |

November 04, 2024

| Manufacturer | Product Name | Lofts | Identification Markings |
|-----------------------|--------------|----------|--|
| Zodia Corporation | Zodia V8 | N/A | SOLE: (eight dots and eight allen screws and (Zodia logo, Zodia, V8 in octagon within circle), within circle) <u>view image here</u> |
| Zone International BV | Zone 372 | 12 | SOLE: (Z logo), ZONE, (loft) 372, Titanium BACK: ZONE, EXCLUSIVE EUROPEAN DESIGN CROWN: (Z logo) |
| Zone International BV | Zone 432 | 9.5,10.5 | SOLE: (Z logo), ZONE, (loft) 432, Titanium BACK: ZONE, EXCLUSIVE EUROPEAN DESIGN CROWN: (Z logo) |